## STREET LIGHTING SERVICE

SCHEDULE STL

APPLICABLE: In all territory served by the Seller.

AVAILABILITY: Available to cities or townships for dusk to dawn lighting.

TYPE OF SERVICE: Rental of automatic dusk to dawn outdoor lighting fixtures compatible with single-phase, 60 cycle alternating current at 120 or 240 volts.

CLASSIFICATION OF SERVICE

## RATES PER LIGHT PER MONTH:

Mercury Vapor or Sodium - 0 - 20,000 Lumens (M.V. @ 74 KWH Mo S. @ 63 KWH Mo.)	\$ 8.36	CANCELLED	(R)	
LED (Light Emitting Diode) – 10,500 Lumens (39 KWH Mo.)	\$16.08	October 1, 2021	(R)	
Mercury Vapor or Sodium – Over 20,000 Lumens (M.V. @ 162 KWH Mo S. @ 135 KWH Mo.)	\$13.52	KENTUCKY PUBLIC SERVICE COMMISSION	(R)	

FUEL ADJUSTMENT CLAUSE: As shown in APPENDIX B, following these tariffs.

## CONDITIONS OF SERVICE

1. Street lighting circuits including transformers, fixtures, lamps, additional guys or fittings will be furnished by the Cooperative.

2. The Cooperative shall install street lights on existing poles where secondary voltage is available, or if necessary, extend secondary voltage a maximum of 150 feet including one service pole at its own expense. The cost of line extensions beyond 150 feet, will be the responsibility of the applicant.

3. All lamp replacement shall be made by the Cooperative. Lamp replacements may be charged to the applicant at cost as a separate item on the monthly bill for service.

4. Since the seller intends to eventually provide only LED lighting fixtures, mercury vapor and sodium will be used only until present supply is exhausted or until the existing lighting configuration is retired.

TERMS OF PAYMENT: The rates stated are net. If payment is not made by the due date, the current month charges shall be increased by 5%.

DATE OF ISSUE: JANUARY 9, 2020

DATE EFFECTIVE: FEBRUARY 1, 2020

ISSUED BY: /s/ Kenneth E. Simmons, President & CEO

BY AUTHORITY OF THE KENTUCKY PUBLIC SERVICE COMMISSION IN CASE NO. 2019-00008 DATED DECEMBER 26, 2019.

KENTUCKY PUBLIC SERVICE COMMISSION	
Kent A. Chandler Executive Director	
10-Ch	
EFFECTIVE	
2/1/2020	
<b>2/1/2020</b> PURSUANT TO 807 KAR 5:011 SECTION 9 (1)	