

P.S.C. Ky. No. 2

Cancels P.S.C. Ky. No. 1

SOUTHEAST DAVIESS COUNTY WATER DISTRICT

OF

3400 BITTEL ROAD, OWENSBORO, KY 42301

**Rates, Rules and Regulations for Furnishing**

WATER

AT

DAVIESS COUNTY, BORDERED BY PANTHER CREEK ON SOUTH AND BY CITY OF OWENSBORO ON NORTH. BORDERED BY EAST WATER DISTRICT ON EAST AND BY WEST WATER DISTRICT ON WEST.

**Filed with PUBLIC SERVICE COMMISSION OF KENTUCKY**

ISSUED June 11, 1990

EFFECTIVE July 11, 1990

ISSUED BY SOUTHEAST DAVIESS COUNTY WATER DISTRICT (Name of Utility)

BY *Gene Frey*

BOARD CHAIRMAN

*26-92*

FOR \_\_\_\_\_

P.S.C. Ky. No. 2

Original Sheet No. 2

Cancelling P.S.C. Ky. No. 1

Sheet No. \_\_\_\_\_

SOUTHEAST DAVIESS COUNTY WATER DISTRICT

RULES AND REGULATIONS

1. These rules and regulations are in addition to the rules of the Kentucky Public Service commission, hereinafter referred to as the "Commission".
2. Any resident of the SOUTHEAST DAVIESS COUNTY WATER DISTRICT is eligible for water service from the District provided said resident does not require a special line to be laid in order to accomodate said resident.
3. Water service will be terminated within 24 hours after receiving a written request from the customer requesting discontinuance.
4. All applications for service, where the extension required for service does not exceed 50 feet, shall be accompanied by the sum of \$300.00 for a 5/8" meter as a contribution in aid of construction, which is not refundable; larger meters will require a larger, non-refundable deposit. (3" & above)
5. Extension of service. (1) Normal Extension. An extension of fifty (50) feet or less shall be made by the District to its existing distribution main without charge for a prospective customer who shall apply for and contract to use service for one (1) year or more and provides a guarantee for such service. (2) Other extensions: (a) When an extension of the District's main to serve an applicant or group of applicants to more than fifty (50) feet per applicant, the District may if not inconsistent with its filed tariff require the total cost of the excessive footage over fifty (50) feet per customer to be deposited with the District by the applicant or applicants, based on the average estimated cost per foot of the total extension. (b) Each customer receiving service under such extensions will be reimbursed under the following plan: Each year for a period of not less than ten (10) years, which for the purpose of this rule shall be the refund period, the District shall refund to the customer or customers who paid for the excessive footage the cost of fifty (50) feet of the extension in place for each additional customer connected during the year whose service line is directly connected to the extension installed and not to extensions or laterals therefrom, but in no case shall the total amount refunded exceed the amount paid the District. After the end of the refund period, no refund will be required to be made. (3) An applicant desiring an extension to a proposed real estate subdivision may be required to pay the entire cost of the extension. Each year for a period of not less than ten (10) years the utility shall refund to the applicant who paid for the extension a sum equivalent to the cost of fifty (50) feet of the

DATE OF ISSUE June 11, 1990  
Month Day Year

PUBLIC SERVICE COMMISSION  
DATE OF EFFECTIVE July 11, 1990  
EFFECTIVE Month Day Year

ISSUED BY Gene Egan  
Name of Officer

Board Chairman, 2400 Bittel Rd, Owensboro, KY  
Title - 1990 Address

PURSUANT TO 807 KAR 5:011,  
SECTION 9(1)  
BY George Sallee  
PUBLIC SERVICE COMMISSION MANAGER

C-6-92

FOR \_\_\_\_\_

P.S.C. Ky. No. 2

Original Sheet No. 2

Cancelling P.S.C. Ky. No. 1

Sheet No. \_\_\_\_\_

SOUTHEAST DAVIESS COUNTY WATER DISTRICT

RULES AND REGULATIONS

installed for each additional customer connected during the year but in no case shall the total amount refunded exceed the amount paid to the District. After the end of the refund period from the completion of the extension, no refund will be required to be made. (4) Nothing contained herein shall be construed as to prohibit the District from making extensions under different arrangements provided such arrangements have been approved by the Commission. (5) Nothing contained herein shall be construed as to prohibit the District from making at its expense greater extensions than herein prescribed, should its judgement so dictate, provided like free extensions are made to other customers under similar conditions. (6) Upon complaint to and investigation by the Commission, the District may be required to construct extensions greater than fifty (50) feet upon finding by the Commission that such extension is reasonable.  
800 KAR 25:050 (12)

6. Where the customer's property is not contiguous to the main water line right-of-way, as in the case of being down a lane there from, customer has the responsibility of constructing his own line from the meter, said meter to be situated either 30 feet from the center line of the road right-of-way at the option of the customer.

7. All meters, service connections and other equipment shall be and remain the property of the District. Customers shall provide a space for, and exercise proper care to protect the property of the District on it's premises, and in the event of loss or damage to the District's property arising from the neglect of customer to care for same, the cost of necessary repairs or replacement shall be paid by the customer.

8. The point of delivery of water is the point where the meter is located on the customers premises. All water lines, plumbing and equipment beyond the meter shall be maintained by the customer.

9. The District may require from any customer or applicant for service a minimum cash deposit or other guaranty to secure payment of bills of an amount not to exceed 2/12 of the estimated annual bill of the customer or applicant where the bills are rendered monthly or an amount not to exceed 3/12 of an estimated annual bill of such customer or applicant where bills are rendered bimonthly or an amount not to exceed 4/12 of the estimated bill of such customer or applicant where bills are rendered

PUBLIC SERVICE COMMISSION  
OF KENTUCKY  
EFFECTIVE

JUL 11 1990

PURSUANT TO 807 KAR 5:011,  
SECTION 9 (1)  
*George Sallee*  
PUBLIC SERVICE COMMISSION MANAGER

DATE OF ISSUE 5 June 11, 1990  
Month Day Year

DATE EFFECTIVE July 11, 1990  
Month Day Year

ISSUED BY *Gene Fray* Board Chairman 3400 Bittel Rd. Owensboro, KY  
Name of Officer Title Address

C 6-92

FOR \_\_\_\_\_

P.S.C. Ky. No. 2

Original Sheet No. 3

Cancelling P.S.C. Ky. No. 1

Sheet No. \_\_\_\_\_

SOUTHEAST DAVIESS COUNTY WATER DISTRICT

RULES AND REGULATIONS

quarterly. (2) The District shall issue to every customer from whom a deposit is received a certificate of deposit, showing the name of the customer, location of initial premises occupied, date and amount of the deposit.

- 10. Meters will be read and bills rendered monthly.
- 11. All bills are payable at any office of the Central Bank and Trust Company, Owensboro, Kentucky; any office of Citizen's State Bank, Owensboro, Kentucky; or at the water district office at 3400 Bittel Road, Owensboro, Kentucky.
- 12. No more than one house or business may be connected to any one water meter. Violation of this rule will result in discontinuance of water service.
- 13. Billing for water will be on the basis of the nearest 10 gallons as shown by the meter reading.
- 14. All water meters will be tested at periodic intervals as required by the Kentucky Public Service Commission.
- 15. Charges for extraordinary use of water due to fire or other hazard estimated by the Commission and billed to the customer accordingly.

PUBLIC SERVICE COMMISSION  
OF KENTUCKY  
EFFECTIVE

JUL 11 1990

PURSUANT TO 807 KAR 5:011,  
SECTION 9(1)

BY: George Sallee  
PUBLIC SERVICE COMMISSION MANAGER

Delayed Payment Charge:

Fifteen days will be allowed for apyment of a bill. Five days after due date (due date shown on billing card) 10 percent penalty will be added to the bill.

Delinquent Procedure:

After due date, and upon ten days written notice, water service will be discontinued for non-payment for water service bill. (a) After service is discontinued, the customer shall pay his delinquent account plus \$30.00 service charge to reconnect service during regular office hours.

DATE OF ISSUE June 11, 1990  
Month Day Year

DATE EFFECTIVE July 1, 1990  
Month Day Year

ISSUED BY Don Frey Board Chairman 3400 Bittel Rd, Owensboro, KY  
Name of Officer Title Address

C6-92

FOR \_\_\_\_\_

P.S.C. Ky. No. 2

Original Sheet No. 4

Cancelling P.S.C. Ky. No. 1

Sheet No. \_\_\_\_\_

SOUTHEAST DAVIESS COUNTY WATER DISTRICT

RULES AND REGULATIONS

Bill Adjustment Procedure:

(1) Whenever a meter in service is found upon periodic request or complaint test to be more than two percent (2%) fast, additional tests shall be made at once to determine the average error of the meter. Said tests shall be made in accordance with the Commission's regulation applicable to the type of meter involved.

(2) If the result of tests on a customer's meter shows an average error greater than two percent (2%) fast, then the customer's bills, for the period during which the meter error is known to have existed, shall be recomputed and the account adjusted on the basis of the test. In the event the period during which the meter error is existed is unknown, then the customer's bill shall be recomputed for one-half (1/2) of the elapsed time since the last previous test but in no case to exceed twelve (12) months. (See exception in subsection (5) of this section.)

(3) If the result of the tests on a customer's meter shows an average error greater than two percent (2%) slow, then the customer's bill, for the period during which the meter error is known to have existed, may be recomputed and the account adjusted on the basis of the test. In the event the period during which the meter error existed is unknown, then the customer's bill may be recomputed for one-half (1/2) of the elapsed time since the last previous test but in no case to exceed twelve (12) months.

(4) It shall be understood that when a meter is found to have an error in excess of two percent (2%) fast or slow the figure for calculating the amount of refund or the amount to be collected by the District shall be that percentage of error as determined by the test, i.e., it is the duty of the District to maintain the accuracy of its measuring devices as nearly 100 percent as is commercially practicable. Therefore, percent error shall be that difference as between 100 percent and that amount of error as is indicated by the test.

(5) The burden of maintaining measuring equipment so that it will register accurately is upon the District; therefore, if meters are found upon test to register fast and if time for periodic test has overrun to the extent that one-half (1/2) of the time elapsed exceeds twelve (12) months, the refund shall be for the twelve (12) months as specified in subsection (2) of this section and in addition thereto, a like refund shall be for those months exceeding the periodic test period; provided, however, that the Commission may relieve the District from this requirement in any particular case in which it is shown that the failure to make periodic test was due

DATE OF ISSUE June 11, 1990  
Month Day Year

PUBLIC SERVICE COMMISSION  
DATE EFFECTIVE July 11, 1990  
OF KENTUCKY Month Day Year  
EFFECTIVE

ISSUED BY Sue Fry  
Name of Officer

Board Chairman 3400 Bittel Rd, Owensboro, KY  
Title 11 1990 Address

PURSUANT TO 807 KAR 5:011,  
SECTION 9 (1)  
BY George Salter  
PUBLIC SERVICE COMMISSION MANAGER

*66-92*

FOR \_\_\_\_\_

P.S.C. Ky. No. 2

Original Sheet No. 5

Cancelling P.S.C. Ky. No. 1

Sheet No. \_\_\_\_\_

SOUTHEAST DAVIESS COUNTY WATER DISTRICT

RULES AND REGULATIONS

to causes beyond the District's control.

(6) The District shall make a reasonable attempt to determine if the amount of consumption for the current billing period for each customer is unduly excessive. If a comparison of consumption indicates a necessity therefore a test of the customer's meter shall be made and if the meter is found to register incorrectly to the customer's prejudice more than two percent (2%), the District shall recalculate the customer's bills in accordance with the foregoing provisions.

(7) When a meter is tested and it is found necessary to make a refund or back bill a customer, the customer shall be notified in substantially the following form:

"On \_\_\_\_\_, 19\_\_\_\_, the meter bearing identification

No. \_\_\_\_\_ installed in your building located at

\_\_\_\_\_ in \_\_\_\_\_  
(street & number) (city)

was tested at \_\_\_\_\_ and found to register  
(On premises or elsewhere)

\_\_\_\_\_. The meter was tested on  
(percent fast or slow)

\_\_\_\_\_ test. Based upon this we  
(periodic, request, complaint)

herewith \_\_\_\_\_ you with the sum of \$ EFFECTIVE,  
(charge or credit)

which amount has been noted on your regular bill."

807 KAR 25:020 (9)

Meters will be tested by the Water District at no cost to the customer. This is done by taking the meter out and placing it in series with a meter tested by the Public Service Commission testing laboratory.

JUL 11 1990

PURSUANT TO 807 KAR 5:011,  
SECTION 9 (1)

BY George Salter  
PUBLIC SERVICE COMMISSION MANAGER

DATE OF ISSUE June 11, 1990  
Month Day Year

DATE EFFECTIVE July 11, 1990  
Month Day Year

ISSUED BY Gene Gray Board Chairman 3400 Bittel Rd. Owensboro, KY  
Name of Officer Title Address

*C692*

FOR \_\_\_\_\_

P.S.C. Ky. No. 2

Original Sheet No. 6

Cancelling P.S.C. Ky. No. 1

Sheet No. \_\_\_\_\_

SOUTHEAST DAVIESS COUNTY WATER DISTRICT

**RULES AND REGULATIONS**

If the customer is not satisfied with this meter test, the meter is then sent to a licensed state testing facility. If this meter test proves accurate, then the customer is required to pay for the second test. If the meter is wrong, then an adjustment will be made.

PUBLIC SERVICE COMMISSION  
OF KENTUCKY  
EFFECTIVE

JUL 11 1990

PURSUANT TO 807 KAR 5:011,  
SECTION 9 (1)

BY George Sallee  
PUBLIC SERVICE COMMISSION MANAGER

DATE OF ISSUE June 11, 1990  
Month Day Year

DATE EFFECTIVE July 11, 1990  
Month Day Year

ISSUED BY Ben Frey  
Name of Officer

Board Chairman  
Title

3400 Bittel Rd., Owensboro, KY  
Address

*C6-92*

Form for filing Rate Schedules

For Community, Town or City

P.S.C. NO. 2

Original SHEET NO. 7

CANCELLING P.S.C. NO. 1

SHEET NO. \_\_\_\_\_

SOUTHEAST DAVIESS COUNTY WATER DISTRICT  
Name of Issuing Corporation

CLASSIFICATION OF SERVICE

		RATE PER UNIT
RATES:		
GALLONS PER MONTH		
NON-USERS	MINIMUM	\$ 5.00
FIRST 2,000 GALLONS		\$ 6.00
NEXT 8,000 GALLONS	PER 1,000 GALLONS	\$ 1.49
NEXT 10,000 GALLONS	PER 1,000 GALLONS	\$ 1.38
NEXT 20,000 GALLONS	PER 1,000 GALLONS	\$ 1.27
OVER 40,000 GALLONS	PER 1,000 GALLONS	\$ 1.18
TO OTHER WATER DISTRICTS	PER 1,000 GALLONS	\$ 0.93
DEPOSIT.....	\$ 20.00	
SERVICE ORDER CHANGE		
REGULAR HOURS.....	\$ 20.00	
AFTER HOURS.....	\$ 50.00	
DISCONNECTION OF DELINQUENT ACCOUNTS		
REGULAR HOURS.....	\$ 30.00	
AFTER HOURS.....	\$ 60.00	
METER INSTALLATION CHARGES		
5/8 X 3/4 INCH METERS.....	\$ 300.00	
1 INCH METERS.....	\$ 500.00	
1 1/2 INCH METERS.....	\$ 1,295.00	
2 INCH METERS.....	\$ 1,550.00	
ADMINISTRATIVE FEE FOR METERS LARGER THAN 2 INCHES.....	\$ 143.00	

PUBLIC SERVICE COMMISSION  
OF KENTUCKY  
EFFECTIVE

DATE OF ISSUE June 11, 1990 DATE EFFECTIVE MAY 25, 1990

ISSUED BY [Signature] PURSUANT TO 807 KAR 10.011, SECTION 9  
Name of Officer [Signature] TITLE BOARD CHAIRMAN

Issued by authority of an Order of the Public Service Commission of Kentucky  
in Case No. 90-006 dated MAY 25, 1990

*C8-92*