

FOR LARUE COUNTY WATER DISTRICT NO. 1
(ENTIRE DISTRICT)

P.S.C. KY NO. _____

Second Revised SHEET NO. 4

CANCELLING P.S.C. NO. _____

First Revised SHEET NO. 2

LARUE COUNTY WATER DISTRICT NO. 1
Name of Issuing Corporation

CLASSIFICATION OF SERVICE

RATE
PER UNIT

EQUAL DEPOSITS

All customers will pay equal deposits in the amount of \$35.00. This amount does not exceed the average bill of residential customers served by the Company and is equal to 2/12 of the average annual bill.



PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

DATE OF ISSUE _____
ISSUED BY Alan Runt
NAME OF OFFICER

MAY 21 1993 DATE EFFECTIVE _____
TITLE Chairman

Issued by authority of an Order of the Public Service Commission of Kentucky
in Case No. _____ dated _____
SECTION 9 (1)

BY: [Signature]
PUBLIC SERVICE COMMISSION MANAGER

FOR LARUE COUNTY WATER DISTRICT NO. 1
(ENTIRE DISTRICT)
P.S.C. KY. NO. _____
Original SHEET NO. 6
CANCELLING P.S.C. NO. _____
SHEET NO. _____

LARUE COUNTY WATER DISTRICT NO.1
Name of Issuing Corporation


CLASSIFICATION OF SERVICE

RATE
PER UNIT

SUMMARY
SCHEDULE OF SPECIAL SERVICE CHARGES

The following charges for special services shall be made:

1. Service Reconnection Charge. In accordance with 807 KAR, Section 8(3b). A charge of \$10.00 shall be made for all service reconnections made during regular working hours, except that there shall be no connection charges made for service on the original installation of facilities. If service is reconnected other than during regular hours, the charge shall be \$20.00. After hours reconnections are discouraged.
2. Returned Check Charge. In accordance with 807 KAR 5:006, Section 8, (3g). \$15.00 returned check charge will be assessed if a check accepted for payment of utility bill is not honored by the customers financial institution.
3. Customer Request Meter Testing. In accordance with 807 KAR, Section 8(3f). A \$20.00 charge will be assessed if a customer requests a meter test pursuant to Section 18 of this regulation, and the tests show the meter is not more than two percent (2%) fast. No charge shall be made if the test shows the meter is more than two percent (2%) fast.



PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

DATE OF ISSUE _____ EFFECTIVE DATE _____
ISSUED BY Alan King MAY 21 1993 TITLE Chairman
NAME OF OFFICER

Issued by authority of an Order of the Public Service Commission of Kentucky
in case No. _____ dated _____

PURSUANT TO 807 KAR 5.011
SECTION 9 (1)
BY: Steve Della
PUBLIC SERVICE COMMISSION MANAGER