

**NOTICE OF  
WATER SERVICE  
CONNECTION CHARGE**

Notice is hereby given that the Butler County Water System, Inc. (BCWS) has filed an application with the Public Service Commission (PSC), 211 Sower Blvd., P.O. Box 615, Frankfort, Kentucky 40602, for the purpose of changing its charges for water service connections. The established tap-on fee for a 5/8 x 3/4 inch water service connection shall remain the same - \$450.00. The present and proposed charges for larger meters are listed below:

<u>Meter Size</u>	<u>Present Charge</u>	<u>Proposed Charge</u>
1 — inch	\$ 550.00	Actual Cost
1 1/2 — inch	\$1,150.00	Actual Cost
2 — inch	\$1,300.00	Actual Cost
3 — inch	\$4,000.00	Actual Cost
4 — inch	\$4,600.00	Actual Cost
6 — inch & larger	Actual Cost	Actual Cost

The contribution for all water service installations larger than 5/8 x 3/4 inch shall be the actual cost of the water service connection (installation) including the cost of crossing the road and any equipment required to meet the customer's water supply needs. An estimate of the cost shall be made by the Water System and paid in advance by the customer prior to the installation. Any over-payment shall be refunded by the Water System and any under-payment shall be paid by the customer to the Water System.

The charges contained in this notice are the charges proposed by BCWS but the PSC may order rates to be charged that differ from these. Any person may, within thirty (30) days after the initial publication of notice of these proposed charges, submit a written request to intervene to the PSC at the above address that establishes the grounds for the request, including the status of the interested party. Any person may examine this filing and any other documents the utility has filed with the PSC at the offices of BCWS located at 104 S. Tyler Street, Morgantown, KY 42261, and on the utility's website at [butlerwater.com](http://butlerwater.com). This filing and related documents are also available on the PSC's website at <http://psc.kv.gov>. Written comments regarding the proposed changes may be submitted to the PSC by mail or through the PSC's website.