#### Amendment to the Agreement Between Inter Mountain Cable dba MTS Communications and BellSouth Telecommunications, Inc. Dated June 29, 2002

Pursuant to this Amendment, (the "Amendment"), Inter Mountain Cable dba MTS Communications (MTS Communications), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated June 29, 2002 ("Agreement") to be effective thirty (30) calendar days after the date of the last signature executing the Amendment.

WHEREAS, BellSouth and MTS Communications entered into the Agreement on June 29, 2002, and;

WHEREAS, the Parties desire to amend the Agreement in order to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand and Further Notice of proposed Rulemaking (Triennial Order) effective on October 2, 2003;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the Parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Amendment Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- 2. The Parties agree to delete Attachment 6, Pre-Ordering, Ordering, Provisioning, Maintenance and Repair, in its entirety and replace with Attachment 6 reflected as Amendment Exhibit 2, attached hereto and by reference incorporated into this Amendment.
- 3. All of the other provisions of the Agreement, dated June 29, 2002, shall remain in full force and effect.
- 4. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

By: E Kowe Name: Title: Date:

Inter Mountain Cable dba MTS Communications

e d'Menheat ai By

Name: Paul D. Gearheart

Title: Vice President

Date: 01 15 04

Attachment 2

**Network Elements and Other Services** 

## AMENDMENT EXHIBIT 1 Attachment 2 Page 2

## **TABLE OF CONTENTS**

1	INTRODUCTION
2	UNBUNDLED LOOPS
3	LINE SHARING
4	LOCAL SWITCHING
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS 42
6	TRANSPORT, CHANNELIZATION AND DARK FIBER 46
7	DATABASES
8 SER	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREENING VICE
9	LINE INFORMATION DATABASE (LIDB)
10	SIGNALING
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS) 61
12	CALLING NAME (CNAM) DATABASE SERVICE
13 ADV	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) VANCED INTELLIGENT NETWORK (AIN) ACCESS
14	OPERATIONAL SUPPORT SYSTEMS (OSS)
Rat	tesExhibit A

#### ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

#### 1 <u>Introduction</u>

- 1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to MTS Communications in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to MTS Communications (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require MTS Communications to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment MTS Communications used in the provision of a qualifying service, as defined by the FCC. MTS Communications may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of MTS Communications, and to the extent technically feasible, provide to MTS Communications access to its Network Elements for the provision of MTS Communications's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 MTS Communications may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Except to the extent required by the Report and Order on Remand and Further Notice of Proposed Rulemaking (rel. Aug. 21, 2003) ("TRO"), any Network Elements that no longer require unbundling on a national level will no longer be available pursuant to this Agreement.
- 1.7 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element, or combination of elements that is available to MTS Communications under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion

#### Attachment 2

of a wholesale service or group of wholesale services shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between MTS Communications and BellSouth. Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.

- 1.8 Except to the extent expressly provided otherwise in this Attachment, for elements or combinations of elements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement (for example, but not limited to, local channels or non-compliant EELs), MTS Communications will submit orders to rearrange or disconnect those arrangements or services within thirty (30) calendar days of the Effective Date of this Amendment. If orders to rearrange or disconnect those arrangements or services are not received by the 31<sup>st</sup> day after the Effective Date of this Amendment, BellSouth may disconnect those arrangements or services without further notice. Where no re-termination or physical rearrangement of circuits or service is required, MTS Communications will be charged a nonrecurring switch-as-is charge for the individual Network Element(s) as set forth in Exhibit A. For arrangements that require a retermination or other physical rearrangement of circuits to comply with the terms of this Agreement, nonrecurring charges for the applicable Network Element from Exhibit A of this Attachment will apply. To the extent a Network Element requires re-termination or other physical rearrangement in order to comply with a tariff or separate agreement, the applicable rates, terms and conditions of such tariff or separate agreement shall apply.
- 1.8.1 MTS Communications may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.8.2 Except to the extent expressly provided otherwise in this Attachment, if a Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, MTS Communications may request BellSouth to perform such routine network modifications. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by MTS Communications, BellSouth shall perform the routine network modifications.
- 1.8.3 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

## 1.9 <u>Commingling of Services</u>

- 1.9.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications services or facilities that MTS Communications has obtained at wholesale from BellSouth, or the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.
- 1.9.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.9.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.9.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment and Central Office Channel Interfaces will be billed from the same jurisdictional authorization (agreement or tariff) as the higher grade of service.
- 1.10 If MTS Communications reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge MTS Communications for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.
- 1.11 <u>Rates</u>
- 1.11.1 The prices that MTS Communications shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If MTS Communications purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.11.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.11.3 If MTS Communications modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by MTS Communications in accordance with FCC No. 1 Tariff, Section 5.
- 1.11.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

## 2 <u>Unbundled Loops</u>

## 2.1 <u>General</u>

- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's customer premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's customer premises. MTS Communications shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to MTS Communications on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by MTS Communications. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- 2.1.1.5 For hybrid loops, where MTS Communications seeks access to a hybrid loop for the provision of broadband services, BellSouth shall provide MTS Communications with nondiscriminatory access to the time division multiplexing features, functions and capabilities of that hybrid loop, including DS1 or DS3, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's customer premises.

- 2.1.1.6 MTS Communications may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2.1.2 The provisioning of a Loop to MTS Communications's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at <u>http://www.interconnection.bellsouth.com</u>. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.4 The Loop shall be provided to MTS Communications in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If MTS Communications wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), MTS Communications may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by MTS Communications (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill MTS Communications for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

## 2.1.6 Loop Testing/Trouble Reporting

2.1.6.1 MTS Communications will be responsible for testing and isolating troubles on the Loops. MTS Communications must test and isolate trouble to the BellSouth

portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, MTS Communications will be required to provide the results of the MTS Communications test which indicate a problem on the BellSouth provided Loop.

- 2.1.6.2 Once MTS Communications has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If MTS Communications reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge MTS Communications for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.
- 2.1.6.4 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by MTS Communications (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill MTS Communications for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

## 2.1.7 Order Coordination and Order Coordination-Time Specific

- 2.1.7.1 "Order Coordination" (OC) allows BellSouth and MTS Communications to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to MTS Communications's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.7.2 "Order Coordination Time Specific" (OC-TS) allows MTS Communications to order a specific time for OC to take place. BellSouth will make every effort to accommodate MTS Communications's specific conversion time request. However, BellSouth reserves the right to negotiate with MTS Communications a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. MTS Communications may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If MTS Communications specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians

to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

#### 2.1.8 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by MTS Communications when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in MTS Communications's Interconnection Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to MTS Communications pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

**Charge for Dispatch** 

and Testing if No

**Trouble Found** 

	(00)	(00-15)			Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

**Test Points** 

DLR

**Order Coordination** 

– Time Specific

(OC-TS)

Order

Coordination

**(OC)** 

For UVL-SL1 and UCLs, MTS Communications must order and will be billed for both OC and OC-TS if requesting OC-TS.

## 2.1.9 Bulk Migration

2.1.9.1 If MTS Communications requests to migrate twenty-five (25) or more UNE-Port/Loop Combination (UNE-P) customers to UNE-Loop (UNE-L) in the same Central Office on the same due date, MTS Communications must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package, "UNE-Port/Loop Combination (UNE-P) to UNE-Loop (UNE-L) Bulk Migration." This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at

2.1.8.4

www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

## 2.1.10 Ordering Guidelines and Processes

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, MTS Communications should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is: <u>http://www.interconnection.bellsouth.com/</u>
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html

## 2.2 Unbundled Voice Loops (UVLs)

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that MTS Communications will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has

been requested by MTS Communications. MTS Communications may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that MTS Communications may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to MTS Communications. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow MTS Communications to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

## 2.3 Unbundled Digital Loops

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop

#### 2.3.2.8 STS-1 Loop

- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. MTS Communications will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Amendment, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UDCs that were provisioned prior to the Effective Date of this Amendment. Existing UDCs that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by MTS Communications or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. MTS Communications may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second

(Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallicbased electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a Service Inquiry (SI) in order to ascertain availability.
- 2.3.11 If DS3/STS-1 Loops are not readily available but can be made available through routine network modifications, as defined by the FCC, MTS Communications may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by MTS Communications, BellSouth shall perform the routine network modifications.
- 2.3.12 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate<sup>®</sup>Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.13 MTS Communications may access a total capacity of two (2) DS3s per End User location at the Network Element rates set forth in Exhibit A.

## 2.4 Unbundled Copper Loops (UCL)

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

## 2.4.2 Unbundled Copper Loop – Designed (UCL-D)

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by MTS Communications.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by MTS Communications to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.5 Upon the Effective Date of this Amendment, Unbundled Copper Loop Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment. Existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by MTS Communications or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

## 2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, MTS Communications can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that MTS Communications may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by MTS Communications to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 MTS Communications may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

## 2.5 Unbundled Loop Modifications (Line Conditioning)

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by MTS Communications which has over 6,000 feet of combined bridged tap will be modified, upon request from MTS Communications, so that the loop will have a maximum of 6,000 feet of bridged tap. This modification will be performed at no additional charge to MTS Communications. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a

combined total of bridged tap between 2,500 and 6,000 feet will be performed at the rates set forth in Exhibit A of this Attachment.

- 2.5.4 MTS Communications may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If MTS Communications requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. MTS Communications will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5.8 MTS Communications shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that MTS Communications desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for MTS Communications, MTS Communications will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by MTS Communications is available at the location for which the ULM was requested, MTS Communications will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, MTS Communications will not be charged for ULM but will only be charged the service order charges for submitting an order.

#### 2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

- 2.6.1 Where MTS Communications has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to MTS Communications. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for MTS Communications (e.g. hairpinning):
  - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.

- 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
- 3. If capacity exists, provide "side-door" porting through the switch.
- 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, nondesigned Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from MTS Communications, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities. MTS Communications will then have the option of paying the one-time SC rates to place the Loop.

## 2.7 Network Interface Device

- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's customer premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit MTS Communications to connect MTS Communications's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

## 2.7.3 Access to NID

- 2.7.3.1 MTS Communications may access the End User's customer premises wiring by any of the following means and MTS Communications shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow MTS Communications to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the customer

premises wiring from the other Party's NID and connect such wiring to that Party's own NID;

- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 MTS Communications may request BellSouth to make other rearrangements to the End User customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be MTS Communications's responsibility to ensure there is no safety hazard, and MTS Communications will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 MTS Communications shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 MTS Communications shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with MTS Communications to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.

- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross connect to MTS Communications's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. MTS Communications may request BellSouth to do additional work to the NID on a time and material basis. When MTS Communications deploys its own local Loops in a multiple-line termination device, MTS Communications shall specify the quantity of NID connections that it requires within such device.

## 2.8 Sub-loop Elements

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.

## 2.8.2 <u>Unbundled Sub-Loop Distribution</u>

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade Unbundled Copper Sub-Loop Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If MTS Communications requests a UCSL and it is not available, MTS Communications may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or

between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.

- 2.8.2.4.1 Upon request for USLD-INC from MTS Communications, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place crossconnect blocks in 25-pair increments for MTS Communications's use on this cross-connect panel. MTS Communications will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, MTS Communications shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the setup process. MTS Communications's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by MTS Communications is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet MTS Communications's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address:

http://www.interconnection.bellsouth.com/products/html/unes.html.

- 2.8.2.7 The site set-up must be completed before MTS Communications can order subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice MTS Communications's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, MTS Communications will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when MTS Communications requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by MTS Communications for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

#### 2.8.3 Unbundled Network Terminating Wire (UNTW)

- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

#### 2.8.3.3 <u>Requirements</u>

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, MTS Communications will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate MTS Communications for each pair activated commensurate to the price specified in MTS Communications's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User

is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting

Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

## 2.8.4 Unbundled Sub-Loop Feeder

2.8.4.1 Upon the Effective Date of this Amendment, Unbundled Sub-Loop Feeder (USLF) elements will no longer be offered by BellSouth at TELRIC prices. Within ninety (90) calendar days of the Effective Date of this Amendment, MTS Communications will either negotiate market-based rates for these elements or will issue orders to have these elements disconnected. If, after this ninety (90)-day period, market-based rates have not been negotiated and MTS Communications has not issued the appropriate disconnect orders, BellSouth may immediately disconnect any remaining USLF elements and will bill MTS Communications any applicable disconnect charges.

## 2.8.5 <u>Unbundled Loop Concentration</u>

2.8.5.1 Upon the Effective Date of this Amendment, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Amendment and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by MTS Communications, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

## 2.8.6 Dark Fiber Loop

- 2.8.6.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for MTS Communications to utilize Dark Fiber Loops.
- 2.8.6.2 If Dark Fiber Loop is not readily available but can be made available through routine network modifications, as defined by the FCC, MTS Communications may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by MTS Communications, BellSouth shall perform the routine network modifications.

#### 2.8.6.3 <u>Requirements</u>

- 2.8.6.3.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.6.3.2 MTS Communications is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.6.3.3 BellSouth shall use its commercially reasonable efforts to provide to MTS Communications information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a SI from MTS Communications.
- 2.8.6.3.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to MTS Communications within twenty (20) business days after MTS Communications submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable MTS Communications to connect MTS Communications provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

## 2.9 Loop Makeup

- 2.9.1 <u>Description of Service</u>
- 2.9.1.1 BellSouth shall make available to MTS Communications LMU information so that MTS Communications can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment MTS Communications intends to install and the services MTS Communications wishes to provide. This section addresses LMU as a preordering transaction, distinct from MTS Communications ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide MTS Communications LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.

- 2.9.1.3 BellSouth's LMU information is provided to MTS Communications as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 MTS Communications may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by MTS Communications and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee MTS Communications's ability to provide advanced data services over the ordered Loop type. Further, if MTS Communications orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. MTS Communications is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

## 2.9.2 Submitting Loop Makeup Service Inquiries

- 2.9.2.1 MTS Communications may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if MTS Communications needs further Loop information in order to determine Loop service capability, MTS Communications may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit A of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website: <u>http://interconnection.bellsouth.com/guides/html/unes.html</u>. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are

not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

## 2.9.3 Loop Reservations

- 2.9.3.1 For a Mechanized LMUSI, MTS Communications may reserve up to ten (10) Loop facilities. For a Manual LMUSI, MTS Communications may reserve up to three (3) Loop facilities.
- 2.9.3.2 MTS Communications may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to MTS Communications. During and prior to MTS Communications placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If MTS Communications does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. MTS Communications will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, MTS Communications does not reserve facilities upon an initial LMUSI, MTS Communications's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.
- 2.9.3.5 Where MTS Communications has reserved multiple Loop facilities on a single reservation, MTS Communications may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to MTS Communications, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by MTS Communications.

## 3 Line Sharing

- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which MTS Communications provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and MTS Communications using the high frequency spectrum (as defined below) of the loop.

- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with MTS Communications. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, MTS Communications may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, MTS Communications may not request new Line Sharing arrangements under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with MTS Communications, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow MTS Communications the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. MTS Communications shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to MTS Communications on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If MTS Communications requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, MTS Communications shall pay for the Loop to be restored to its original state.

- 3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and MTS Communications desires to continue providing xDSL service on such Loop, MTS Communications shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give MTS Communications notice in a reasonable time prior to disconnect, which notice shall give MTS Communications an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and MTS Communications purchases the full stand-alone Loop, MTS Communications may elect the type of Loop it will purchase. MTS Communications will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit A to this Attachment. In the event MTS Communications purchases a voice grade Loop, MTS Communications acknowledges that such Loop may not remain xDSL compatible.
- 3.1.10 If MTS Communications reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge MTS Communications for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- 3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.

## 3.2 **Provisioning of Line Sharing and Splitter Space**

- 3.2.1 BellSouth will provide MTS Communications with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, MTS Communications must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 3.2.1.2 MTS Communications may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of MTS Communications's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of MTS Communications in a central office in which MTS Communications is located, MTS Communications shall be entitled to order the High Frequency Spectrum on lines served out of that central office.

BellSouth will bill and MTS Communications shall pay the electronic or manual ordering charges as applicable when MTS Communications orders High Frequency Spectrum for End User service.

3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for MTS Communications's data.

## 3.3 BellSouth Provided Splitter – Line Sharing

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide MTS Communications access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to MTS Communications's xDSL equipment in MTS Communications's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide MTS Communications with a carrier notification letter, informing MTS Communications of change. MTS Communications shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. MTS Communications shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to MTS Communications's collocation area, if possible; or (ii) in a BellSouth relay rack as close to MTS Communications's DS0 termination point as possible. MTS Communications shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for MTS Communications on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified MTS Communications DS0 at such time that a MTS Communications End User's service is established.

## 3.4 <u>CLEC Provided Splitter – Line Sharing</u>

- 3.4.1 MTS Communications may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. MTS Communications may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by MTS Communications in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards.

MTS Communications may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

#### 3.5 Ordering – Line Sharing

- 3.5.1 MTS Communications shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide MTS Communications the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 3.5.4 BellSouth will provide MTS Communications access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and MTS Communications shall pay the rates for such services, as described in Exhibit A.

#### 3.6 Maintenance and Repair – Line Sharing

- 3.6.1 MTS Communications shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If MTS Communications is using a BellSouth owned splitter, MTS Communications may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If MTS Communications provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. MTS Communications will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 MTS Communications shall inform its End Users to direct data problems to MTS Communications, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to MTS Communications, BellSouth will notify MTS Communications. MTS Communications will provide at least one but no more

than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, MTS Communications will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue MTS Communications's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

## 3.7 Line Splitting

- 3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.7.2 In the event MTS Communications provides its own switching or obtains switching from a third party, MTS Communications may engage in line splitting arrangements with another CLEC using a splitter, provided by MTS Communications, in a Collocation Arrangement at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 Where MTS Communications is purchasing a UNE-port and a UNE-loop, BellSouth shall offer line splitting pursuant to the following sections in this Attachment.
- 3.7.4 MTS Communications shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if MTS Communications will not provide voice and data services.
- 3.7.5 End Users currently receiving voice service from a Voice CLEC through a UNE-P may be converted to Line Splitting arrangements by MTS Communications or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.
- 3.7.6 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing MTS Communications for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of MTS Communications or its authorized agent to determine if the Loop is compatible for Line Splitting Service. MTS Communications or its authorized agent may use the existing Loop unless it

is not compatible with the Data LEC's data service and MTS Communications or its authorized agent submits an LSR to BellSouth to change the Loop.

#### 3.8 **Provisioning Line Splitting and Splitter Space**

- 3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When MTS Communications or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone Network Elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.8.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

#### 3.9 <u>Ordering – Line Splitting</u>

- 3.9.1 MTS Communications shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting.
- 3.9.2 BellSouth shall provide MTS Communications the LSR format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 3.9.4 BellSouth will provide MTS Communications access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and MTS Communications shall pay the rates for such services as described in Exhibit A.

3.9.5 BellSouth will provide Loop modification to MTS Communications on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at: <a href="http://www.interconnection.bellsouth.com/html/unes.html">http://www.interconnection.bellsouth.com/html/unes.html</a>. Nonrecurring rates for this offering are as set forth in Exhibit A of this Attachment.

## 3.10 <u>Maintenance – Line Splitting</u>

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical loop between the NID at the customer's premises and the termination point. MTS Communications will be responsible for maintaining the voice and data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 MTS Communications shall inform its End Users to direct all problems to MTS Communications or its authorized agent.
- 3.10.3 If MTS Communications is not the data provider, MTS Communications shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

## 4 <u>Local Switching</u>

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to MTS Communications for the provision of a telecommunications service.

## 4.2 Local Circuit Switching Capability, including Tandem Switching Capability

- 4.2.1 Local circuit switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local circuit switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signalling service features, and Centrex, as well as any technically feasible customized routing functions.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for MTS Communications when MTS Communications: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1

of one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that MTS Communications is serving any End User as described in (2) above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by MTS Communications or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.

- 4.2.3 Rates for unbundled switching at the DS1 level and above or for combinations with unbundled switching at the DS1 level and above provisioned prior to the Effective Date of this Amendment shall be those rates set forth in Exhibit A of this Attachment until April 1, 2004.
- 4.2.4 Local Switching that is not required to be provided as a UNE will be provided pursuant to a separate agreement or a tariff, at BellSouth's discretion.
- 4.2.5 Unbundled Local Switching consists of three separate unbundled elements: Unbundled Ports, End Office Switching Functionality, and End Office Interoffice Trunk Ports.
- 4.2.6 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to MTS Communications's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.7 Provided that MTS Communications purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a MTS Communications local End User, or originated by a BellSouth local End User and terminated to a MTS Communications local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge MTS Communications the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and MTS Communications shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.8 Where MTS Communications purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a MTS

Communications End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge MTS Communications the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and MTS Communications shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.

4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill MTS Communications the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

## 4.2.10 Unbundled Port Features

- 4.2.10.1 Charges for Unbundled Port are as set forth in Exhibit A, and as specified in such exhibit, may or may not include individual features.
- 4.2.10.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.10.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.10.4 BellSouth will provide to MTS Communications selective routing of calls to a requested Operator System platform pursuant to this Attachment. Any other routing requests by MTS Communications will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

#### 4.2.11 **Remote Call Forwarding**

- 4.2.11.1 As an option, BellSouth shall make available to MTS Communications an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, MTS Communications will ensure that the following conditions are satisfied:
- 4.2.11.1.1 That the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);

- 4.2.11.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.11.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.11.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.11.2 In addition to the charge for the URCF service port, BellSouth shall charge MTS Communications the rates set forth in Exhibit A for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).

# 4.2.12 Provision for Local Switching

- 4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to MTS Communications all Advanced Intelligent Network (AIN) triggers in connection with its SMS/SCE offering.
- 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by MTS Communications.

# 4.2.13 Local Switching Interfaces.

4.2.13.1 MTS Communications shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit A. BellSouth shall provide the following local switching interfaces:

- 4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.13.1.2 Coin phone signaling;
- 4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.13.1.4 Two-wire analog interface to PBX;
- 4.2.13.1.5 Four-wire analog interface to PBX;
- 4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.13.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.2.14 All End Users of MTS Communications who have service provisioned via 4-Wire ISDN DS1 Port with E911 Locator Capability shall physically be located in the E911 Tandem Switch service area.
- 4.2.15 MTS Communications shall pass its End User's telephone number to BellSouth over the Primary Interface (PRI) trunk group via ANI or via direct Centralized Automated Message Accounting (CAMA) trunks to the appropriate E911 tandem switch.
- 4.2.16 MTS Communications shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database.
- 4.2.17 MTS Communications will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the CLEC's End Users.

# 4.3 Tandem Switching

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunkconnect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

- 4.3.1.1 Where MTS Communications utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.
- 4.3.2 <u>Technical Requirements</u>
- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by MTS Communications and BellSouth;
- 4.3.2.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.

- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to MTS Communications.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll free traffic received from MTS Communications's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon MTS Communications's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for MTS Communications's traffic overflowing from direct end office high usage trunk groups.

## 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers

- 4.4.1 Where BellSouth provides local switching to MTS Communications, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of MTS Communications. AIN SCR will provide MTS Communications with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 MTS Communications shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis.
- 4.4.3 AIN SCR is not available in DMS 10 switches.
- 4.4.4 Where AIN SCR is utilized by MTS Communications, the routing of MTS Communications's End User calls shall be pursuant to information provided by MTS Communications and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established.
- 4.4.5 Upon ordering AIN SCR Regional Service, MTS Communications shall remit to BellSouth the Regional Service Order nonrecurring charges set forth in Exhibit A of this Attachment. There shall be a nonrecurring End Office Establishment Charge per office due at the addition of each central office where AIN SCR will be

utilized. Said nonrecurring charge shall be as set forth in Exhibit A of this Attachment. For each MTS Communications End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A of this Attachment. MTS Communications shall pay the AIN SCR Per Query Charge set forth in Exhibit A of this Attachment.

- 4.4.6 This Regional Service Order nonrecurring charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN SCRSCR Order Request - Form B, AIN SCR Central Office Identification Form - Form C, AIN SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E. BellSouth has thirty (30) calendar days to respond to MTS Communications's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to MTS Communications, BellSouth considers that the delivery schedule of this service commences. The remaining half of the Regional Service Order payment must be paid when at least ninety (90) percent of the Central Offices listed on the original order have been turned up for the service.
- 4.4.7 The nonrecurring End Office Establishment Charge will be billed to MTS Communications following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End-User Establishment Charges will be billed to MTS Communications following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN SCR Per Query Charge will be billed to MTS Communications following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

# 4.5 <u>Selective Call Routing Using Line Class Codes (SCR-LCC)</u>

- 4.5.1 Where MTS Communications purchases unbundled local switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route MTS Communications's End User calls to that provider through Selective Call Routing.
- 4.5.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for MTS Communications to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate

#### AMENDMENT EXHIBIT 1

OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.

- 4.5.3 Custom Branding for Directory Assistance (DA) is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- 4.5.4 Where available, MTS Communications specific and unique LCCs are programmed in each BellSouth end office switch where MTS Communications intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify MTS Communications's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and MTS Communications intends to provide MTS Communications -branded OCP/DA to its End Users in these multiple rate areas.
- 4.5.5 SCR-LCC supporting Custom Branding and Self Branding require MTS Communications to order dedicated trunking from each BellSouth end office identified by MTS Communications, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the MTS Communications Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.
- 4.5.6 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by MTS Communications to the BellSouth TOPS.
- 4.5.7 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

## 5 <u>Unbundled Network Element Combinations</u>

5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by MTS Communications are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by MTS Communications are not already combined by BellSouth in the location requested by MTS Communications but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by MTS Communications are not elements that BellSouth combines for its use in its network.

5.1.1 Upon request, BellSouth shall perform the functions necessary to combine unbundled Network Elements in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to unbundled Network Elements or to interconnect with BellSouth's network.

#### 5.2 Enhanced Extended Links (EELs)

- 5.2.1 EELs are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide MTS Communications with EELs where the underlying UNEs are available and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 5.2.2 High-capacity EELs are combinations of loop and transport UNEs or commingled loop and transport facilities at the DS1 and/or DS3 level as described in 47 CFR 51.318(b). High-capacity EELs must comply with the service eligibility requirements set forth in 5.2.4 below.
- 5.2.3 By placing an order for a high-capacity EEL, MTS Communications thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit MTS Communications's high-capacity EELs as specified below.
- 5.2.4 If a high-capacity EEL or Ordinarily Combined Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, MTS Communications may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by MTS Communications, BellSouth shall perform the routine network modifications.
- 5.2.5 <u>Service Eligibility Criteria</u>
- 5.2.5.1 MTS Communications must certify for each high-capacity EEL that all of the following service eligibility criteria are met:

- 5.2.5.1.1 MTS Communications has received state certification to provide local voice service in the area being served;
- 5.2.5.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.2.5.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 5.2.5.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.2.5.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 5.2.5.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 CFR 51.318(c);
- 5.2.5.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which MTS Communications will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.6
  6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, MTS Communications will have at least one (1) active DS1 local service interconnection trunk over which MTS Communications will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.2.6 BellSouth may, on an annual basis, audit MTS Communications's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that MTS Communications failed to comply with the service eligibility criteria, MTS Communications must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that, MTS Communications did not comply in any material respect with the service eligibility criteria, MTS Communications shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that MTS Communications did comply in all material respects with the service eligibility criteria, BellSouth will reimburse MTS Communications for its reasonable and demonstrable costs associated with the audit. MTS

Communications will maintain appropriate documentation to support its certifications.

5.2.7 In the event MTS Communications converts special access services to UNEs, MTS Communications shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

# 5.3 <u>UNE Port/Loop Combinations</u>

- 5.3.1 Combinations of port and loop unbundled Network Elements along with switching and transport unbundled Network Elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.3.2 BellSouth is not required to provide combinations of port and loop Network Elements on an unbundled basis in locations where, pursuant to FCC and Commission rules, BellSouth is not required to provide local circuit switching as an unbundled Network Element.
- 5.3.3 BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to MTS Communications if MTS Communications's customer has four (4) or more DS0 equivalent lines.
- 5.3.4 BellSouth shall not be required to provide local circuit switching as a UNE or combination of UNEs if the End User is being served by a BellSouth DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that MTS Communications is serving any End User as described above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by MTS Communications or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 5.3.5 BellSouth shall make 911 updates in the BellSouth 911 database for MTS Communications's UNE port/Loop combinations. BellSouth will not bill MTS Communications for 911 surcharges. MTS Communications is responsible for paying all 911 surcharges to the applicable governmental agency.

# 5.4 <u>Rates</u>

- 5.4.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable non-recurring switch-as-is charge set forth in Exhibit A.
- 5.4.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the non-recurring and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and non-recurring rates for those individual Network Elements as set forth in Exhibit A.
- 5.4.3 Except as set forth in this Section 5, BellSouth shall provide UNE port/loop combinations specifically set forth in Exhibit A that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit A.
- 5.4.4 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to MTS Communications in addition to those specifically referenced in this Section 5 above, where available. To the extent MTS Communications requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

# 6 Transport, Channelization and Dark Fiber

## 6.1 **Transport**

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules
   51.311, 51.319, and Section 251(c)(3) of the Act to interoffice transmission facilities described in this Section 6 on an unbundled basis to MTS
   Communications for the provision of a qualifying service, as set forth herein.
- 6.1.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that MTS Communications uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.
- 6.1.1.2 Dark Fiber Transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics, between wire centers or switches owned by BellSouth and within the same LATA;
- 6.1.1.3 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end

office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.

- 6.1.1.3.1 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing unbundled Local Circuit Switching to MTS Communications.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide MTS Communications exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible features, functions, and capabilities of the transport facility;
- 6.1.2.3 Permit, to the extent technically feasible, MTS Communications to connect such interoffice facilities to equipment designated by MTS Communications, including but not limited to, MTS Communications's collocated facilities; and
- 6.1.2.4 Permit, to the extent technically feasible, MTS Communications to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 6.1.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

# 6.2 **Dedicated Transport**

- 6.2.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.1 As capacity on a shared UNE facility.

- 6.2.1.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to MTS Communications.
- 6.2.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.2.3 MTS Communications may obtain a maximum of twelve (12) unbundled dedicated DS3 circuits, or their equivalent, for any single route at the UNE rates set forth in Exhibit A for which dedicated DS3 transport is available as unbundled transport. Additional capacity may be purchased pursuant to the rates, terms and conditions as set forth in the applicable tariff. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- 6.2.4 Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.
- 6.2.5 If Dedicated Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, MTS Communications may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by MTS Communications, BellSouth shall perform the routine network modifications.
- 6.2.6 <u>Technical Requirements</u>
- 6.2.6.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to MTS Communications designated traffic.
- 6.2.6.2 For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 6.2.6.3 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.2.6.3.1 DS0 Equivalent;
- 6.2.6.3.2 DS1;

- 6.2.6.3.3 DS3; and
- 6.2.6.3.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.2.6.4 BellSouth shall design Dedicated Transport according to its network infrastructure. MTS Communications shall specify the termination points for Dedicated Transport.
- 6.2.6.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.6.6 <u>BellSouth Technical References</u>:
- 6.2.6.6.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.6.6.2 TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.6.6.3 TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

#### 6.3 <u>Unbundled Channelization (Multiplexing)</u>

- 6.3.1 Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) UNE or collocation cross connect to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross connect system at the discretion of BellSouth. Once UC has been installed, MTS Communications may request channel activation on an as needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 6.3.2 BellSouth shall make available the following channelization systems and interfaces:
- 6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twentyfour (24) DS0s. The following Central Office Channel Interfaces (COCI) are available: Voice Grade, Digital Data and ISDN.
- 6.3.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twentyeight (28) DS1s. A DS1 COCI is available with this system.

- 6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.
- 6.3.3 <u>Technical Requirements</u>
- 6.3.3.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, MTS Communications's channelization equipment must adhere strictly to form and protocol standards. MTS Communications must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 TR 73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995

# 6.4 Dark Fiber Transport

- 6.4.1 Dark Fiber Transport is strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for MTS Communications to utilize Dark Fiber Transport.
- 6.4.2 If Dark Fiber Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, MTS Communications may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by MTS Communications, BellSouth shall perform the routine network modifications.

# 6.4.3 <u>Requirements</u>

6.4.3.1 BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.

- 6.4.3.2 MTS Communications is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.3.3 BellSouth shall use its best efforts to provide to MTS Communications information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from MTS Communications. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to MTS Communications within twenty (20) business days after MTS Communications submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., LGX) to enable MTS Communications to connect MTS Communications provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

# 7 <u>Databases</u>

- 7.1 Call Related Databases are the databases set forth in this Attachment, other than OSS, that are used in signaling networks for billing and collection, or the transmission, routing or other provision of a telecommunications service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and Calling Name (CNAM) Database Service at the prices set forth herein where BellSouth is required to provide and is providing unbundled access to MTS Communications.
- 7.2 To the extent unbundled local circuit switching is converted to market based switching pursuant to Section 4.2.2 of this Attachment, BellSouth may, at its discretion, provide access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, Calling Name (CNAM) at market based rates pursuant to a separate agreement or tariff.

## 8 <u>BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit</u> <u>Screening Service</u>

8.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and

#### AMENDMENT EXHIBIT 1

provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At MTS Communications's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by MTS Communications.

8.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

#### 9 <u>Line Information Database</u>

- 9.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, MTS Communications must purchase appropriate signaling links pursuant to Section 10 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.
- 9.2 <u>Technical Requirements</u>
- 9.2.1 BellSouth will offer to MTS Communications any additional capabilities that are developed for LIDB during the life of this Agreement.
- 9.2.2 BellSouth shall process MTS Communications's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to MTS Communications what additional functions (if any) are performed by LIDB in the BellSouth network.
- 9.2.3 Within two (2) weeks after a request by MTS Communications, BellSouth shall provide MTS Communications with a list of the customer data items, which MTS Communications would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 9.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.

#### AMENDMENT EXHIBIT 1

- 9.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 9.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 9.2.7 All additions, updates and deletions of MTS Communications data to the LIDB shall be solely at the direction of MTS Communications. Such direction from MTS Communications will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 9.2.8 BellSouth shall provide priority updates to LIDB for MTS Communications data upon MTS Communications's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 9.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of MTS Communications customer records will be missing from LIDB, as measured by MTS Communications audits. BellSouth will audit MTS Communications records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated MTS Communications contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to MTS Communications within one (1) business day of audit. Once reconciled records are received back from MTS Communications, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact MTS Communications to negotiate a time frame for the updates, not to exceed three business days.
- 9.2.10 BellSouth shall perform backup and recovery of all of MTS Communications's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 9.2.11 BellSouth shall provide MTS Communications with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between MTS Communications and BellSouth.
- 9.2.12 BellSouth shall prevent any access to or use of MTS Communications data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by MTS Communications in writing.

- 9.2.13 BellSouth shall provide MTS Communications performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by MTS Communications at least at parity with BellSouth Customer Data. BellSouth shall obtain from MTS Communications the screening information associated with LIDB Data Screening of MTS Communications data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to MTS Communications under the BFR/NBR process as set forth in Attachment 11.
- 9.2.14 BellSouth shall accept queries to LIDB associated with MTS Communications customer records and shall return responses in accordance with industry standards.
- 9.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 9.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 9.3 Interface Requirements
- 9.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 9.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 9.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 9.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 9.3.5 The application of the LIDB rates contained in Exhibit A to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. MTS Communications shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. MTS Communications shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

#### 10 <u>Signaling</u>

10.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

#### 10.2 Signaling Link Transport

- 10.2.1 Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between MTS Communications designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 10.2.2 <u>Technical Requirements</u>
- 10.2.3 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 10.2.3.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 10.2.3.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 10.2.4 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
- 10.2.4.1 An A-link layer shall consist of two (2) links.
- 10.2.4.2 A B-link layer shall consist of four (4) links.
- 10.2.4.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 10.2.4.4 No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
- 10.2.4.5 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 10.2.5 Interface Requirements

10.2.5.1 There shall be a DS1 (1.544 Mbps) interface at MTS Communications's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.

#### 10.3 Signaling Transfer Points

- 10.3.1 A STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPS) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 10.3.2 <u>Technical Requirements</u>
- 10.3.2.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. STPs also provide access to third-party local or tandem switching and third-party-provided STPs.
- 10.3.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 10.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a MTS Communications local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between MTS Communications local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 10.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a MTS Communications or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a MTS Communications database, then MTS

Communications agrees to provide BellSouth with the Destination Point Code for MTS Communications database.

- 10.3.2.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 10.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a MTS Communications or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

# 10.4 <u>SS7</u>

- 10.4.1 When technically feasible and upon request by MTS Communications, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with MTS Communications's SS7 network to exchange TCAP queries and responses with a MTS Communications SCP.
- 10.4.2 SS7 AIN Access shall provide MTS Communications SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and MTS Communications SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the MTS Communications SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 10.4.3 <u>Interface Requirements</u>
- 10.4.3.1 BellSouth shall provide the following STP options to connect MTS Communications or MTS Communications-designated local switching systems to the BellSouth SS7 network:
- 10.4.3.1.1 An A-link interface from MTS Communications local switching systems; and,
- 10.4.3.1.2 A B-link interface from MTS Communications local STPs.
- 10.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.

- 10.4.3.3 The Signaling Point of Interconnection for each link shall be located at a crossconnect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 10.4.4 <u>Message Screening</u>
- 10.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from MTS Communications local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the MTS Communications switching system has a valid signaling relationship.
- 10.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from MTS Communications local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the MTS Communications switching system has a valid signaling relationship.
- 10.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from MTS Communications from any signaling point or network interconnected through BellSouth's SS7 network where the MTS Communications SCP has a valid signaling relationship.

## 10.5 Service Control Points (SCP)/Databases

- 10.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 10.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 10.5.3 <u>Technical Requirements for SCPs/Databases</u>

- 10.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 10.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

## 10.6 Local Number Portability Database

10.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

## 10.7 SS7 Network Interconnection

- 10.7.1 SS7 Network Interconnection is the interconnection of MTS Communications local signaling transfer point switches or MTS Communications local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, MTS Communications local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 10.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and MTS Communications or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 10.7.3 If traffic is routed based on dialed or translated digits between a MTS Communications local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the MTS Communications local signaling transfer point switches and BellSouth or other third-party local switch.
- 10.7.4 SS7 Network Interconnection shall provide:
- 10.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;

- 10.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 10.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 10.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a MTS Communications local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of MTS Communications local STPs and shall not include SCCP Subsystem Management of the destination.
- 10.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 10.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 10.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 10.7.9 Interface Requirements
- 10.7.9.1 The following SS7 Network Interconnection interface options are available to connect MTS Communications or MTS Communications-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 10.7.9.1.1 A-link interface from MTS Communications local or tandem switching systems; and
- 10.7.9.1.2 B-link interface from MTS Communications STPs.
- 10.7.9.2 The Signaling Point of Interconnection for each link shall be located at a crossconnect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice

facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.

- 10.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 10.7.9.5 BellSouth shall set message screening parameters to accept messages from MTS Communications local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the MTS Communications switching system has a valid signaling relationship.

#### 11 <u>Automatic Location Identification/Data Management System (ALI/DMS)</u>

- 11.1 The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. MTS Communications will be required to provide BellSouth daily updates to E911 database. MTS Communications shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.
- 11.2 <u>Technical Requirements</u>
- 11.2.1 BellSouth shall provide MTS Communications the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to MTS Communications after MTS Communications provides End User information for input into the ALI/DMS database.
- 11.2.2 MTS Communications shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

## 12 Calling Name Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides MTS Communications the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- 12.2 MTS Communications shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) calendar days prior to MTS Communications's access to

BellSouth's CNAM Database Services and shall be addressed to MTS Communications's Local Contract Manager.

- 12.3 BellSouth's provision of CNAM Database Services to MTS Communications requires interconnection from MTS Communications to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- 12.4 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, MTS Communications shall provide its own CNAM SSP. MTS Communications's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If MTS Communications elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that MTS Communications desires to query.
- 12.6 If MTS Communications queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- 12.7 The mechanism to be used by MTS Communications for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by MTS Communications in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of MTS Communications to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 12.9 MTS Communications CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying

the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

# 13 Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network Access

- 13.1 BellSouth's SCE/SMS AIN Access shall provide MTS Communications the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- 13.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to MTS Communications. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 13.3 BellSouth SCP shall partition and protect MTS Communications service logic and data from unauthorized access.
- 13.4 When MTS Communications selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable MTS Communications to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 13.5 MTS Communications access will be provided via remote data connection (e.g., dial-in, ISDN).
- 13.6 BellSouth shall allow MTS Communications to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

## 14 <u>Operational Support Systems</u>

- 14.1 BellSouth has developed and made available electronic interfaces by which MTS Communications may submit LSRs electronically.
- 14.2 LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.
- 14.3 Denial/Restoral OSS Charge
- 14.3.1 In the event MTS Communications provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.

#### 14.4 <u>Cancellation OSS Charge</u>

- 14.4.1 MTS Communications will incur an OSS charge for an accepted LSR that is later canceled.
- 14.5 Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 14.6 Network Elements and Other Services Manual Additive
- 14.6.1 The Commissions in some states have ordered per element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

UNBUND	LEL	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
	Ť	· · · · · · · · · · · · · · · · · · ·										Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	ŕ	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Nonrecurring	g Disconnect		1	OSS	Rates (\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The	0 "7(	ne" shown in the sections for stand-alone loops or loops as	nort of	0.00mk	inction refers to Co	aronhiadh		NE Zanao Ta	view Coogree		and LINE Zon	Decignotic	no hy Cont		r to internet	Wahaita	
		ww.interconnection.bellsouth.com/become a clec/html/inter				ographically	/ Deaveraged U	NE Zones. To	view Geograp	nically Deavera	aged UNE ZONG	Designatio	ons by Cent	rai Office, refe	er to internet	website:	
		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	connec				1							1		1	
		1) CLEC should contact its contract negotiator if it prefers the	e "state	specif	ic" OSS charges as o	ordered by t	he State Comm	issions. The	OSS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	service orde	ering charges.	CLEC may
elee	ct eif	ther the state specific Commission ordered rates for the service	ce orde	ring ch	arges, or CLEC may	elect the re	gional service	ordering charg	e, however, Cl	EC can not ob	otain a mixture	of the two	regardless i	f CLEC has a	interconnect	ion contract e	stablished in
		the 9 states.							-								
		2) Any element that can be ordered electronically will be bill															
		not be ordered electronically at present per the LOH, the liste			in this category ref	lects the cha	arge that would	be billed to a	CLEC once el	ectronic orderi	ng capabilities	come on-li	ne for that e	element. Othe	erwise, the m	anual ordering	g charge,
SU		I, will be applied to a CLECs bill when it submits an LSR to B OSS - Electronic Service Order Charge, Per Local Service	eliSout	n.			1				1	1		1		1	
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request					1	0.00	0.00	0.00	0.00		1	1		1	
		(LSR) - UNE Only				SOMAN		7.86	0.00	0.99	0.00						
		DATE ADVANCEMENT CHARGE															
NO	TE:	The Expedite charge will be maintained commensurate with E	BellSou	th's FC	C No.1 Tariff, Sectio	n 5 as appli	cable.										
					UAL. UEANL. UCL.												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL, UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1, ULDD3, ULDDX,												
					ULDO3, ULDDX, ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,	CDACD		200.00									
		Day XCHANGE ACCESS LOOP			U1TUB, U1TUA	SDASP		200.00									
		ANALOG VOICE GRADE LOOP					1							1		1	
	Ť	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65	İ	İ	1	İ	1	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.56	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		2	UEANL UEANL	UEASL UEASL	15.34 31.11	46.66 46.66	22.57 22.57	26.65 26.65	7.65 7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User		3	OLAINL	UEAGL	31.11	40.00	22.37	20.05	60.1			<u> </u>		<u> </u>	
		Premise			UEANL	URETL		8.33	0.83								
		Loop Testing - Basic 1st Half Hour				URET1	1	46.88	46.88	İ	1			1		1	
		Loop Testing - Basic Additional Half Hour				URETA		24.16	24.16					<u> </u>		<u> </u>	

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)						Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.78	8.94								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			UEANL	UREWO		15.76	0.94								
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49	13.49								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
	Order Coordination for Specified Conversion Time for UVL-SL1															
0.14/101	(per LSR)			UEANL	OCOSL		23.01	23.01								
2-WIR	E Unbundled COPPER LOOP 2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65						
	2 Wire Unbundled Copper Loop - Non-Designed 20ne 1		2	UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65	-					
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	i		UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	[	1													
	Premise	L	<u> </u>	UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		9.00	9.00								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for			ULQ	USBIVIC		9.00	9.00								
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49	13.49								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		46.88	46.88								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		24.16	24.16								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		14.27	7.43								
	EXCHANGE ACCESS LOOP				UREWO		14.27	7.43								
	E ANALOG VOICE GRADE LOOP														1	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			UEFSK UEFSB	UEADS	10.56	40.00	22.37	20.05	7.05						
	Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		5	OLF SK OLF SB	ULAL3	31.11	40.00	22.31	20.05	7.05						
	Zone 3		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65						
	EXCHANGE ACCESS LOOP															
2-WIR	E ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				ULALZ	12.07	134.09	01.07	13.05	14.00						
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88						
	Order Coordination for Specified Conversion Time (per LSR) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	OCOSL		23.01									
	Battery Signaling - Zone 1		1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88						
1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse										1				1	
	Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88	L				L	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3			22.00	404.00	04.07	70.05	44.00						
	Battery Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UEA UEA	UEAR2 OCOSL	33.22	134.89 23.01	81.87	73.65	14.88	<u> </u>				<u> </u>	<u> </u>
1	CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>	<u> </u>	UEA	UREWO		87.72	36.36			1				1	
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								
4-WIR	E ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66						
1	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3		2	UEA UEA	UEAL4 UEAL4	34.25 85.06	164.11 164.11	112.36 112.36	78.91 78.91	18.66 18.66						
					ULALT	00.00	107.11	112.00	10.91		1				1	1
	Order Coordination for Specified Conversion Time (per LSR)		Ű	UEA	OCOSL		23.01									

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs.	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
						Rec	Nonrec	<u> </u>	Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIRE	ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83						
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN UDN	U1L2X	25.08 42.87	146.77 146.77	95.02 95.02	71.38 71.38	13.83						
	2-Wire ISDN Digital Grade Loop - Zone 3		3		U1L2X	42.87	23.01	95.02	/1.38	13.83						
	Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			UDN UDN	OCOSL UREWO		91.63	44.16						<u> </u>		
	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP				UKLWO		91.05	44.10						1		
	2 Wire Unbundled ADSL Loop including manual service inquiry													1		
	& facility reservation - Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47						
	2 Wire Unbundled ADSL Loop including manual service inquiry		1	-	-											
	& facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47						
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
┝───┼────	facility reservaton - Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54				l		
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54				1		
	2 Wire Unbundled ADSL Loop without manual service inquiry &		2	UAL	UALZVV	11.79	121.18	69.00	69.09	11.54						
	facility reservaton - Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54						
	Order Coordination for Specified Conversion Time (per LSR)		5	UAL	OCOSL	12.07	23.01	09.00	09.09	11.54				1		
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	0/12	0112110		00.20	10110						1		
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
	2 Wire Unbundled HDSL Loop without manual service inquiry		1	UHL	UHL2W	8.75	100 74	70.50	69.09	44.54						
	and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry		1	UHL	UHL2VV	8.75	130.74	78.56	69.09	11.54				<u> </u>		
	and facility reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry		2	ONE	OTILZVV	3.50	130.74	70.50	03.03	11.54				1		
	and facility reservation - Zone 3		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69						
	4-Wire Unbundled HDSL Loop including manual service inquiry	Ι.	-											1		
	and facility reservation - Zone 2		2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69				ļ		
	4-Wire Unbundled HDSL Loop including manual service inquiry					10.00	105	100 -0	74.07	44.00				1		
┝───┼────	and facility reservation - Zone 3		3	UHL	UHL4X OCOSL	16.98	185.75	123.50	74.95	14.69		ļ		l		
├───┼────	Order Coordination for Specified Conversion Time (per LSR) 4-Wire Unbundled HDSL Loop without manual service inquiry			UHL	UCUSL		23.01									
	and facility reservation - Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80				1		
├──	4-Wire Unbundled HDSL Loop without manual service inquiry			5. IL	STIL-TW	10.00	104.00	117.04	11.52	10.00						
	and facility reservation - Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80				1		
	4-Wire Unbundled HDSL Loop without manual service inquiry			-										1		
	and facility reservation - Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
4-WIRE	DS1 DIGITAL LOOP													ļ		
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	86.47	306.69	174.44	65.83	14.55				ļ		
├──-┼───	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	114.10	306.69	174.44	65.83	14.55				l		
$\vdash$	4-Wire DS1 Digital Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	USL USL	USLXX OCOSL	297.76	306.69 23.01	174.44	65.83	14.55				<del> </del>		
<u>ــــــــــــــــــــــــــــــــــــ</u>	Order Coordination for Specified Conversion Time (per LSR)		I	UGL	OCOSL		23.01						1	1	1	

Cherror         RATE LEMENTS         Nm         nmm	UNBUNDLED NETWORK ELEMENTS - Kentucky													Attach	ment: 2	Exhi	bit: A
Control Control Control Transmission (Control Control Control Control Control Control Control Control C	CATEGORY	RATE ELEMENTS		Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
CLC D LEC Contracting Charge without sounds designed         DBL         DBCUD         PPRID         Addres         LUNCE         DBL         DBUDE         D							Bee	Nonrecurring Nonrecurring Disconnect						OSS Rates (\$)			L
Average to 2.8 or 64 every 10.7 A GRADE (LOOP)         Image: Control of the second secon							Rec			First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Image: Constraint of Digit 12 Align: constr					USL	UREWO		101.09	43.04								<b> </b>
4 We channel Diget 13 Algo               2 Du               0.0.0              0.10              0.20               0.0.0              0.10              0.20               0.0.0              0.10              0.10               0.0.0              0.10               0.0.0              0.10               0.0.0                 0.0.0				1	וחו		27.59	157.81	106.06	78.01	18.66						ł
Image: Non-status in product and product an																	<u> </u>
Image: Model Market Digital Logic St Night - Zerong 1         1         DEC.         U.S.S.         27.28         115.28         110.26         77.81         108.06         P.S.SI           Image: Model And Digital Code Stock - Zerong 1         2         0.00         0.03.68         24.48         105.81         105.8         78.91         108.66         P.S.SI         108.6         P.S.SI <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>																	
4 Wn Ubwulded Digital Log 66 (60): - 2003         3 UD,         UD, 00, 00         38.37         1771         106.66         76.01         16.66              0 Order Construction Test guided Construction Train Up to 1.80         100.         COCOM         20.01         16.66																	
Other Constraint of Specified Conversion Trage per LSN         I         OUL         OCRA         I																	
Image: Networks of the stand of th				3			36.37		106.06	78.91	18.66						I
I three Uncomed logical Logic 1 togo 1 tog							07.50		100.00	70.04	10.00						l
4 Wire Urbanded Diginal Loop 64 Repar. Zhra 3         3         UDL         UDL 64         38.27         117.81         10.60         78.91         16.66               2 Wire Urbanded Conversion Trins per LBN         UDL         0.000         0.001         64.76																	<u> </u>
Obset         Constraints         Display of																	<u> </u>
CLEC to CLEC Conversion Charge without outside digetab         UDL         URE WO         102.13         44.75         Image: Conversion Charge without outside digetab         Image: Conv							50.57		100.00	70.91	10.00						
2 Wife Unbundled COPPER LOOP         Image: CopPer Loop         <			1						49.75	† †		1			1	1	l
serve in party A Builty reservation - Zone 1         1         UCL         UCLPP         10.82         14.065         78.70         60.00         11.54         Image: Constraint of the constraint					-												
EV/IP         Ev/IP         Loburdled Coper Loop-Designed including manual service inquiry & facility reservation - Zone 3         UCL         UCL/PB         11.79         140.05         78.70         66.00         11.54           2         Wire Unbundled Coper Loop-Designed including manual service inquiry & facility reservation - Zone 3         3         UCL         UCL/PB         12.87         140.95         78.70         60.00         11.54              2         Wire Unbundled Coper Loop-Designed without manual service inquiry and facility reservation - Zone 3         3         UCL         UCLPW         10.21         67.97         66.00         11.54              2         Wire Unbundled Coper Loop-Designed without manual service inquiry and facility reservation - Zone 3         3         UCL         UCLPW         11.70         140.15         67.97         66.00         11.54																	
service inquiry & facility reservation - Zone 2         2         UCL         UCLPB         11.73         140.85         78.70         680.9         11.54              2         View Underside Cope-Designed Including manual service incurv A facility reservation - Zone 3         00L         UCLWC         140.95         78.70         680.90         11.54                            11.73         140.95         78.70         680.90         11.54				1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54						L
2 Ywe Urbundhed Coper Loop-Designed including manual service inquiry & Early reservation - Zone 3         3         UCL         ULCLPB         12.27         140.95         78.70         66.00         11.54         Image: Contraction for Unbundled Coper Loop Designed induction manual service inquiry and Early reservation - Zone 1         1         UCL         ULCLPW         10.82         120.15         67.37         68.00         11.54         Image: Contraction for Unbundled Coper Loop Designed without manual service inquiry and Early reservation - Zone 2         2         UCL         UCL         UCLWW         12.87         120.15         67.37         68.00         11.54         Image: Contraction for Unbundled Coper Loop Designed without manual service inquiry and Early reservation - Zone 3         3         UCL         UCLWW         12.87         120.15         67.37         68.00         11.54         Image: Contraction for Unbundled Coper Loop Designed without manual service inquiry and Early reservation - Zone 3         3         UCL         UCLWW         12.87         120.15         67.37         68.00         11.54         Image: Contraction for Unbundled Coper Loop Designed without manual service inquiry for Coper Loop Designed including manual service inquiry and facility reservation - Zone 3         3         UCL         UCLWCM         8.00         9.00         9.00         9.00         9.00         9.00         9.00         9.00         9.00         9.00 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>																	
issue incluing & Sacility reservation - Zone 3         3         UCL				2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						<b></b>
Order Contrainin for Unbundled Copper Loops (pro loop)         DCL         UCL         UCL <t< td=""><td></td><td></td><td></td><td>2</td><td></td><td></td><td>40.07</td><td>4 4 0 0 5</td><td>70 70</td><td>co. oo</td><td>44.54</td><td></td><td></td><td></td><td></td><td></td><td></td></t<>				2			40.07	4 4 0 0 5	70 70	co. oo	44.54						
2/Wire Unbundled Copper Loop-Designed without manual         1         UCL         UCLPW         10.82         120.15         67.97         60.09         11.54         Image: Control of the contrel of the control of the control of the control of t				3			12.87			69.09	11.54						l
service requip and facility reservation - Zone 1         1         UCL         UULW         10.82         120.15         67.97         60.09         11.54         Image: Control of Conter Control of Control of Control of Control of Control of Contr					UCL	OCLIVIC		9.00	9.00								<u> </u>
2-Wire Unpurified Copper Loop-Designed without manual         2         UCL         U				1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54						
Image: Service Inquity and facility reservation - Zone 2         Q         UCL         UCLPW         11.78         120.15         67.97         68.09         11.54         Image: Constraint of the constraint of the											-						
Image: Service inquiry and facility reservation - Zone 3         3         UCL         UCLW         12.87         12.05         67.77         66.09         11.54         Image: Constraint of Unbuilded Copper Loops (periloop)         UCL         UCLW         12.87         12.05         67.77         66.09         11.54         Image: Constraint of Unbuilded Copper Loops (periloop)         UCL         UCLW         12.87         1	5	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54						
Order Coordination for Unbundled Copper Loops (per loop)         UCL         UCLMC         9.00																	
CLEC to CLEC Conversion Charge without outside dispatch         UCL         UREWO         97.23         42.48         Image: Conversion Charge without outside dispatch           I 4-WIRE COPPE LOOP         Image: Conversion Charge without outside dispatch				3			12.87			69.09	11.54						L
Image: Construction of the construction of					UCL	UCLMC		9.00	9.00								Ļ
4-WIRE COPPER LOOP         Image: CopPer Loop-Designed including manual service inquiry         Image: CopPer Loop-Designed without manual service inquiry         Image: CopPer Loop-Designed without manual service inquiry         Image: CopPer Loop-Designed without manual service inquiry         Image: CopPer Loop-Designed without manual service inquiry         Image: CopPer Loop-Designed without manual service inquiry         Image: CopPer Loop-Designed without manual service inquiry         Image: CopPer Loop-Designed without manual service inquiry         Image: CopPer Loop-Designed without manual service inquiry         Image: CopPer Loop-Designed without manual service inquiry         Image: CopPer Loop-Designed without manual service inquiry         Image: CopPer Loop-Designed without manual service inquiry         Image: CopPer Loop-Designed without manual service inquiry         Image: CopPer Loop-Designed without manual service inquiry         Image: CopPer Loop-Designed without manual service inquiry         Image: CopPer Loop-Designed without manual service inquiry								07.00	40.40								
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2         1         UCL         UCL         ULLS         16.92         170.31         108.06         74.95         14.69         1         0           4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3         2         UCL         UCL         ULLS         17.36         170.31         108.06         74.95         14.69         16.09         16.09         16.09         16.09         14.69         16.09 <td></td> <td></td> <td></td> <td></td> <td>UCL</td> <td>UREWO</td> <td></td> <td>97.23</td> <td>42.48</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>					UCL	UREWO		97.23	42.48								
and facility reservation - Zone 1         1         UCL         UCL         UCL         108.06         74.95         14.99         Image: Constraint of the constraint of																	t
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3         2         UCL         UCL         UCL 4         170.31         108.06         74.95         14.69              4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3         3         UCL         UCL 4         28.10         170.31         108.06         74.95         14.69				1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69						
Image: Index of the servation - Zone 2         2         UCL         UCL         UCLS         17.36         170.31         108.06         74.95         14.69         Image: Index of the servation - Zone 3         Image: Index of the servation - Zone 1         Image: Index of the servation - Zone 2         Image: Index of the servation - Zone 2         Image: Index of the servation - Zone 2         Image: Index of the servation - Zone 3         Image: Index of the servation -																	
Image: Service of a constraint of Unbundled Copper Loops (per loop)         3         UCL				2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69						
Order Coordination for Unbundled Copper Loops (per loop)         UCL         UCLMC         9.00																	
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1       1       UCL       UCLWW       16.92       149.52       97.33       74.95       14.69         4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2       2       UCL       UCLWW       17.36       149.52       97.33       74.95       14.69         4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3       2       UCL       UCLWW       17.36       149.52       97.33       74.95       14.69       140.90         0-Order Coordination for Unbundled Copper Loops (per loop)       UCL       UCLWW       28.10       149.52       97.33       74.95       14.69       14.69       140.90       14				3			28.10			74.95	14.69						
and facility reservation - Zone 1       1       UCL       UCL4W       16.92       149.52       97.33       74.95       14.69					UCL	UCLMC		9.00	9.00								L
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2       2       UCL       UCLW       17.36       149.52       97.33       74.95       14.69  <							10.00	1 40 50	07.00	74.05	44.00						
and facility reservation - Zone 2       Q       UCL       UCL W       17.36       149.52       97.33       74.95       14.69				1	UUL	UCL4VV	16.92	149.52	97.33	/4.95	14.69						<u> </u>
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3       3       UCL       UCL4W       28.10       149.52       97.33       74.95       14.69				2	UCL	UCL4W	17.36	149 52	97.33	74 95	14 69						1
and facility reservation - Zone 3       3       UCL       UCLW       28.10       149.52       97.33       74.95       14.69       Image: Constraint of the second s				-					000						1	1	l
Order Coordination for Unbundled Copper Loops (per loop)       UCL       UCLMC       9.00       9.00       0				3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69						1
Image: Note of the system o	(	Order Coordination for Unbundled Copper Loops (per loop)															<u> </u>
LOOP MODIFICATION       Image: Carting and the second																	
Image: Strange of equal to 18k ft, per Unbundled Loop       UAL, UHL, UCL, UEA, UEQ, ULS, UEA, UEQ, ULS, UEA, UEQ, ULS, UEA, UEPSB, ULM2L       9.24					UCL	UREWO		97.23	42.48								I
Image: Section of equal to 18k ft, per Unbundled Loop       UEQ, ULS, UEA, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL,	LOOP MODIFIC	ATION															l
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop     UEANL, UEPSR, ULM2L     9.24     <																	
pair less than or equal to 18k ft, per Unbundled Loop       UEPSB       ULM2L       9.24       9.24       Image: Control of Control o		Unbundled Loop Modification, Removal of Load Coils - 2 Wire															1
Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop UHL, UCL, UEA ULM4L 9.24 9.24 9.24						ULM2L		9.24	9.24								1
less than or equal to 18K ft, per Unbundled Loop     UHL, UCL, UEA     ULM4L     9.24     9.24     Image: Constraint of the second secon			1		-	1									i	i	
UEQ, ULS, UEA, Unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEPSR,						ULM4L		9.24	9.24								
Unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEPSR,																	1
	1																1
per unbundled loop UEPSB ULMBT 10.47 10.47								40.47	40.47								1

TONDEL	D NETWORK ELEMENTS - Kentucky	r	r —		1							0		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual Sy Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					OSS Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
JB-LOOPS	101 111		<u> </u>													
Sub-Lo	pop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	I		UEANL	USBSA		207.91	207.91								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		12.50	12.50								
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		80.87	80.87								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			-												
	Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			UEANL	USBSD		45.04	45.04								
	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90						
	Zone 2	I	2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	I	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.57	68.35	22.36	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
_	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	4.98	76.49	30.51	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	46.88								1
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		24.16	24.16								1
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	5.45	85.03	39.05	59.81	7.90						
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS2X	7.06	85.03	39.05	59.81	7.90						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	9.67	85.03	39.05	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	8.66	102.31	56.32	65.24	10.88						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS4X UCS4X	19.40	102.31	56.32	65.24	10.88						<u> </u>
			3			19.40			03.24	10.00						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		46.88	46.88								
linhun	Loop Testing - Basic Additional Half Hour dled Network Terminating Wire (UNTW)			UEF	URETA		24.16	24.16								
Junu	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.53	23.51	23.51								
Netwo	rk Interface Device (NID)		1											i	1	1
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		73.53	49.47								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		115.96	91.91								
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		8.56	8.56								
	Network Interface Device Cross Connect - 4W		<u> </u>	UENTW	UNDC4		8.56	8.56								L
E OTHER, P	PROVISIONING ONLY - NO RATE		<b> </b>													L
	NID - Dispatch and Service Order for NID installation		<b> </b>	UENTW	UNDBX	0.00	0.00									L
$\rightarrow$	UNTW Circuit Id Establishment, Provisioning Only - No Rate		<u> </u>	UENTW	UENCE	0.00	0.00									<u> </u>
		1	1	UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00							1		

UNBUNDL	ED NETWORK ELEMENTS - Kentucky													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	e BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		•
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									-
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA.USL.UCL.UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -					1										
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	High Consists Upbundled Loop DS2 Der Mile per															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	9.25										
	High Capacity Unbundled Local Loop - DS3 - Facility	-	<u> </u>		. 20110	0.20										1
	Termination per month			UE3	UE3PX	308.31	551.38	338.08	173.00	120.42						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	9.25										
	High Capacity Unbundled Local Loop - STS-1 - Facility														l l	
	Termination per month			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42						
LOOP MAKE																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		23.40	23.40								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.85	24.85								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.67	0.67								
LINE SHARIN	IG AND LINE SPLITTING															
	1: The Line Sharing monthly recurring rates for all installation					idnight Octobe	r 01, 2004 shal	l be billed as f	ollows:							
	E 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	pper lo	op nor	-designed ("UCLND	')											
	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
	1: Above will apply to USOCS: ULSDT and ULSCT															
	TE 2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and		C applies only to cir	cuits install	ed and inservic	e on or before	October 1, 20	03							
	SHARING			pp												
SPLIT	TTERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	198.83	379.05	0.00	358.55	0.00						
	Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity			ULS ULS	ULSDB ULSD8	49.71 16.94	379.05 377.71	0.00	358.55 357.29	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-			013	01300	10.94	3/1./1	0.00	301.29	0.00						
	deactivation (per LSOD)			ULS	ULSDG		173.62	0.00	100.40	0.00						
END	USER ORDERING-CENTRAL OFFICE BASED LINE SHARING				-											
	Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	37.16	21.28	20.17	9.90						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1															
	(E:10/2/2003)			ULS	ULSDT	2.65	37.16	21.28	20.17	9.90						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.29	37.16	21.28	20.17	9.90						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	7.94	37.16	21.28	20.17	9.90						
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		32.90	16.43								
	Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		32.90	16.43								
	Line Sharing - per Line Activation (DLEC owned Splitter) -		Γ	ULS	ULSCC											

UNBUNDLE	D NETWORK ELEMENTS - Kentucky			I								-		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
					_	1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.65	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.29	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	7.94	47.44	19.31	20.67	12.74						
	SPLITTING															
END U	JSER ORDERING-CENTRAL OFFICE BASED															<u> </u>
	Line Splitting - per line activation DLEC owned splitter		<u> </u>	UEPSR UEPSB	UREOS	0.61	07.00	04.00	04.40	0.07		L				<b> </b>
	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB UEPSR UEPSB	UREBP UREBV	0.61 0.61	37.02 37.02	21.20 21.20	21.10 21.10	9.87 9.87						+
MAIN				UEFSK UEFSD	UREDV	0.01	37.02	21.20	21.10	9.07					ł	+
MAIN	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00			-					
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50							1	1
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								1
	DEDICATED TRANSPORT															1
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.01										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75						
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.01										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. Facility Termination			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade Per Mile per month			U1TVX	1L5XX	0.01										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75						<u> </u>
	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0115										
	Termination			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0115										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75						
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	1L5XX	0.23										
	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49						
	month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3 U1TD3	1L5XX U1TF3	4.97 1,175.15	335.40	219.24	89.57	87.75						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.97	333.40	219.24	09.07	01.15						
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75						
DARK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF. UDFCX	1L5DF	30.74						ļ				<u> </u>
<b>├</b> ── <b>├</b> ──	NRC Dark Fiber - Interoffice Channel		<u> </u>	UDF, UDFCX UDF, UDFCX	UDF14	30.74	732.53	192.67	377.27	241.67					<u> </u>	+
	Dark Fiber - Interonice channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF, UDFCX	1L5DL	47.01	132.33	192.07	311.21	241.07						
	NRC Dark Fiber - Local Loop	<u> </u>	1	UDF, UDFCX	UDFL4	1.01	732.53	192.67	377.27	241.67	<u> </u>				<u> </u>	+

IONRONDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
'					_	Rec	Nonrec		Nonrecurring		001150	001411		Rates (\$)	001141	
	I FEN DIGIT SCREENING		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006478										
'	8XX Access Ten Digit Screening, Reservation Charge Per 8XX		-			0.0006476								ł		
	Number Reserved			ОНД	N8R1X		4.14	0.70								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			8.78	1.18	7.08	0.86						
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
'	POTS Translations			OHD	N8FTX		8.78	1.18	7.08	0.86						
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		4.14	2.07								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78						l		
'	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70								
	8XX Access Ten Digit Screening, Call Handling and Destination		1		NOEDY									1		
'	Features			OHD	N8FDX	0.0000470	4.14	4.14								
	8XX Access Ten Digit Screening w/ 8FL No. Delivery,		-	OHD OHD		0.0006478 0.0006478									-	
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, ATION DATA BASE ACCESS (LIDB)			ОПО		0.0006478										
	LIDB Common Transport Per Query			OQT		0.000023										
<sup> </sup>	LIDB Validation Per Query			OQU		0.0137322										
	LIDB Validation Fel Query			OQU OQT. OQU	NRBPX	0.0137322	55.12		67.59							
SIGNALING (C					NICELX		55.12		07.55							
	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	20.71	43.56	43.56	22.45	22.45	1					
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	151.39					1					
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000656	1									
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000164										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751.08										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43						
	CCS7 Signaling Point Code, per Destination Point Code															
	Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43						
E911 SERVICE						10.57		10.00	10.70							
'	Local Channel - Dedicated - 2-wr Voice Grade					18.57	265.78	46.96	46.79	4.98						
<sup> </sup>	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0115										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					20.11	47.24	24 70	22.77	0.75						
<b>├──┤</b> ──┘	Local Channel - Dedicated - DS1 - Zone 1		+			29.11 40.46	47.34 209.60	31.78 176.51	22.77 30.21	8.75			l	<u> </u>		+
	Local Channel - Dedicated - DS1 - Zone 1		+			40.46	209.60	176.51	30.21	21.07				<u> </u>		1
	Local Channel - Dedicated - DS1 - Zone 2		1			164.50	209.60	176.51	30.21	21.07						1
	Interoffice Transport - Dedicated - DS1 - 25/16-5		1	1	1	0.23	200.00	170.01	00.21	21.07				1	1	1
			1				105 50	00.10	00.00	00.10	1			1		
	Interoffice Transport - Dedicated - DS1 Per Facility Termination	ļ				96.04	105.52	98.46	23.09	20.49	-		1	l		
	IE (CNAM) SERVICE		+	OQV	+		25.34	25.34	23.30	23.30				<del> </del>		
<sup> </sup>	CNAM For DB Owners - Service Establishment			OQV OQV									1	<u> </u>		
<sup> </sup>	CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code		+	000			25.34	25.34	23.30	23.30			1	<u> </u>		
	Establishment			OQV			1,591.54	1,177.08	431.95	317.61						
	CNAM For Non DB Owners - Service Provisioning With Point		1											1		1
<sup> </sup>	Code Establishment			OQV		0.001001-	546.40	393.74	438.93	317.61				l		
	CNAM for DB Owners, Per Query			OQV		0.0010348							1	ļ		I
<b>├</b> ──┤───'	CNAM for Non DB Owners, Per Query			OQV		0.0010348								l		
	CNAM (Non-Databs Owner), NRC, applies when using the		1	0.01/	00000		505.00	505 00						1		1
	Character Based User Interface (CHUI)		+	OQV	CDDCH		595.00	595.00						<del> </del>		
ICELECTIVE D/		1	1	1							l			1		
SELECTIVE RO	Selective Routing Per Unique Line Class Code Per Request Per		1				1									

UNBUNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COL																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line									10.05						
BUILTOI OL	Splitting			UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95						L
PHYSICAL CO																
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95						
AIN SELECTIV	/E CARRIER ROUTING			ULFOR ULFOD	FLILS	0.0333	24.00	23.00	12.14	10.95						
	Regional Service Establishment			SRC	SRCEC		193,401.00	193,401.00	9,483.34	9,483.34						
	End Office Establishment			SRC	SRCEO		194.09	194.09	0.85	0.85			-			
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06								
	Query NRC, per query			SRC	1	0.0037502										
AIN - BELLSC	UTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		43.55	43.55	44.93	44.93						
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		38.65	38.65	29.88	29.88						
	AIN SMS Access Service - Security Card, Per User ID Code,						==	==	10.00	10.00						
	Initial or Replacement			A1N	CAMRC	0.0025	75.08	75.08	12.93	12.93						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0025										
	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per					0.000										
	Minute					0.4608										
AIN - BELLSO						0.4008										
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		43.55	43.55	44.93	44.93						
	AIN Toolkit Service - Training Session, Per Customer		1	0/111	BAPVX		8,436.93	8,436.93		1.100			-			
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						0,	-,								
	DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per										1					
	DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		51.01	51.01	18.50	18.50						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP		<u> </u>		BAPTC		51.01	51.01	18.50	18.50						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		DADTE		54.04	F4 04	40.50	10.50						
	DN, Feature Code				BAPTF	0.0549207	51.01	51.01	18.50	18.50						
	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				+	0.0049207								l	1	ł
	Subscription, Per Node, Per Query				1	0.0066492										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access				1	0.0000-92										1
	Account, Per 100 Kilobytes		1			0.07										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service		1		1	0.07									i	1
	Subscription		1	CAM	BAPMS	7.87	8.64	8.64	6.08	6.08						
1	AIN Toolkit Service - Special Study - Per AIN Toolkit Service	Ì	1		1									1	1	
[	Subscription			CAM	BAPLS	3.26	9.56	9.56								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
	Subscription			CAM	BAPDS	4.72	8.64	8.64	6.08	6.08						
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
	Service Subscription		ļ	CAM	BAPES	0.11	9.56	9.56								
	XTENDED LINK (EELs)	L	L		L						L					───
	The monthly recurring and non-recurring charges below will													l		ł
	The monthly recurring and the Switch-As-Is Charge and not t TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT					UNE COMBINATIO	ons provisione	ed as Current	iy Combined' N	etwork Eleme	ntS.					+
EATE	First 2-Wire VG Loop (SL2) in Combination - Zone 1	20 05		UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84	-					+
					UEALZ	12.07	120.22	00.48	59.69	1.84	1	I		1		L

UNBUNDLE	D NETWORK ELEMENTS - Kentucky		1		1 1						Cue Ouder	Cure Orales		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge - Manual Sy Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.45	First 125.22	Add'l 60.48	First 59.69	Add'l 7.84	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.19	120122	00110	00.00	1.01						
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X UNC1X	U1TF1 MQ1	79.02 113.33	181.24	123.53 14.74	56.72 1.86	22.32						I
	1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month			UNC1X	1D1VG	0.62	57.26 6.71	4.84	1.86	1.67						<u> </u>
				UNCVA	IDIVG	0.62	0.71	4.04								<u> </u>
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						_
	Voice Grade COCI - Per Month		3	UNCVX	1D1VG	0.62	6.71	4.84	59.69	7.04						<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-				IDIVO	0.02	0.71	4.04								
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS <sup>2</sup>	1 INTER	ROFFICE TRANSF	PORT											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						ļ
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84								ļ
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Additional Voice Grade COCI in combination - per month		3	UNCVX	1D1VG	0.62	6.71	4.84	59.69	7.04						<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC	0.02	8.98	8.98	11.17	11.17						
EXTEN	IDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC		DS1 IN				0.30	0.30	11.17	11.17						
EXTER	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1				UDL56	27.59	125.22	60.48	59.69	7.84						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67	t					<b> </b>
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84					İ	1	i	
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
													Incremental			
												Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually		Manual Svc		Manual Svc
CATEGOIN		m	20110	200	0000						per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			OSS	Rates (\$)		·
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional OCU-DP COCI (data) - in combination per month (2.4-	-														
	64kbs)			UNCDX	1D1DD	1.32	6.71	4.84					<b> </b>	<b> </b>	<b> </b>	<b> </b>
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UNCCC		8.98	0.00	44.47	44.47						
EVT	Is Charge ENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED					0.90	8.98	11.17	11.17						ł
	INDED 4-WIKE 04 KBF3 EXTENDED DIGITAL LOOP WITH DEDK			TEROFFICE TRANSI								-	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
											1					1
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	ļ	3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84		L	<b></b>	└────	<b> </b>	<b></b>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				41 5301											
	Per Month			UNC1X	1L5XX	0.19							───	───	───	┨─────
	interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	123.55	1.86	1.67			<u> </u>			+
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	l		UNCDX	1D1DD	1.32	6.71	4.84	1.00	1.07	1	t	<u> </u>	<u> </u>	<u> </u>	t
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		-													
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						───
	Additional OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDA		1.52	0.71	4.04								+
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1												1		1
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						1
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						<u> </u>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNCIX	ILSAA	0.19							<u> </u>	<u> </u>	<u> </u>	<u> </u>
	Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Nonrecurring Currently Combined Network Elements Switch -As-				01111	10.02	101.24	120.00	00.72	22.02						1
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3														
	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97			<u> </u>	$\vdash$	L	<u> </u>
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97			<b> </b>	───	───	<b></b>
	Interoffice Transport - Dedicated - DS3 combination - Per Mile				1L5XX	4.00										
	Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per			UNC3X	ILOAÁ	4.09					-		───	───	───	╉─────
	month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
	3/1Channel System in combination per month	l		UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30	1	t	<u> </u>	<u> </u>	<u> </u>	t
	DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84		0.00	1	1	1	1	1	1
	Additional DS1Loop in DS3 Interoffice Transport Combination -		1		1											1
	Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97			<b></b>	───	<b></b>	───
	Additional DS1Loop in DS3 Interoffice Transport Combination -		_	LINGAY		007 70	010 70			17.0-						
$\vdash$	Zone 3 Additoinal DS1 COCI in combination per month		3	UNC1X UNC1X	USLXX UC1D1	297.76 11.80	210.70 6.71	114.60 4.84	63.96	17.97		I	───	───	───	<b></b>
<b>├</b> ── <b>├</b> ──	Nonrecurring Currently Combined Network Elements Switch -As-	<u> </u>				11.80	0.71	4.84				<u> </u>	ł	╂─────	ł	ł
	Is Charge			UNC3X	UNCCC		8.98	8.98	11.17	11.17						1
EVT	ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD					0.00	0.00			1	1	<u> </u>	t	<u> </u>	1
											1	i	t	t	t	+
	2-WireVG Loop in combination - Zone 1			UNCVX UNCVX	UEAL2 UEAL2	12.67	125.22	60.48	59.69	7.84						

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Manual Svc	Charge - Manual Svc		Charge - Manual Svc
GATEGORT		m	20110	100	0000			KATEO (4)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			0				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WireVG Loop in combination - Zone 3 Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						<b> </b>
	Month			UNCVX	1L5XX	0.01										1
	Interoffice Transport - 2-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42						ļ
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17						1
EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE				0.90	0.90	11.17	11.17						<u> </u>
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						<b> </b>
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.01										
	Interoffice Transport - 4-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17						1
EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	9.25										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	308.31	237.36	147.69	83.43	32.67						1
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X UNC3X	1L5XX	4.09	237.30	147.69	83.43	32.07						ł
	Interoffice Transport - Dedicated - DS3 combination - Facility			ontoon	120/01											
	Termination per month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		8.98	8.98	11.17	11.17						1
EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF		UNCCC		0.90	0.90	11.17	11.17						
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	9.25										· · · · · · · · · · · · · · · · · · ·
	STS-1 Local Loop in combination - Facility Termination per															
	month Interoffice Transport - Dedicated - STS-1 combination - per mile			UNCSX	UDLS1	320.51	237.36	147.69	83.43	32.67						<b> </b>
	per month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						<b> </b>
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17						
EXTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS	SPORT	UNCOX	UNCCC		0.90	0.90	11.17	11.17						
	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	First 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						[
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						L
	Interoffice Transport - Dedicated - DS1 combination - per mile per month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						L
<b>├</b> ── <b>├</b> ──	1/0 Channel System in combination - per month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						<b> </b>
	2-wire ISDN COCI (BRITE) - in combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCNX	UC1CA	2.84	6.71	4.84	├							l
	Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
<b>├</b> ── <b>├</b> ──	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						<b> </b>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						1
	Additional 2-wire ISDN COCI (BRITE) - in combination- per															
	month			UNCNX	UC1CA	2.84	6.71	4.84								<b> </b>
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		8.98	8.98	11.17	11.17						1
EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE				0.00	0.30		11.17						
	First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental		Incremental Charge -	-
						_	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)	1	I
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
	3/1 Channel System in combination per month			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30						
	DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	Additional DS1Loop in the same STS-1 Interoffice Transport		1	UNCIA	USLAA	00.47	210.70	114.00	03.90	17.97				ł	<u> </u>	
	Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	Additional DS1Loop in the same STS-1 Interoffice Transport		2		UUL///	114.10	210.70	114.00	05.50	17.57						
	Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97					1	
	DS1 COCI in combination per month		-	UNC1X	UC1D1	11.80	6.71	4.84					i	1	1	1
	Nonrecurring Currently Combined Network Elements Switch -As-										İ	İ	İ	1	1	
	Is Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17						
EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT	EROFF	ICE TRANSPORT												
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT			1151.01	07.50	105.00		50.00							
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						-
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2 4-wire 64 kbps Lcoal Loop in Combination - Zone 3		2	UNCDX UNCDX	UDL64 UDL64	32.48 36.37	125.22 125.22	60.48 60.48	59.69 59.69	7.84						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCDA	UDL64	30.37	125.22	00.40	59.69	7.04				ł	ł	
	Per Mile per month			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			0110271	120/01	0.01								1	1	
	Facility Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
EXTEN	IDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP														
	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
	First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.19										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
<b>├</b> ── <b>├</b> ──	Per each Voice Grade COCI - Per Month per month	ļ		UNCVX	1D1VG	0.62	6.71	4.84	45.40	E 00				l	l	
<b>├</b> ── <b>├</b> ──	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Per each DS1 COCI in combination per month Each Additional 2-Wire VG Loop(SL 2) in the same DS1			UNC1X	UC1D1	11.80	6.71	4.84						<u> </u>	<u> </u>	
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84				1	1	
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	<u> </u>	<u>'</u>	0.101/		12.07	120.22	00.40	33.09	7.04				<u> </u>	<u> </u>	1
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84				1	1	
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1									1	1		1	1	
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84				1	1	
	Each Additional Voice Grade COCI in combination - per month	1		UNCVX	1D1VG	0.62	6.71	4.84					1			
	Each Additional DS1 Interoffice Channel per mile in same 3/1				j											
	Channel System per month			UNC1X	1L5XX	0.19										
	Each Additional DS1 Interoffice Channel Facility Termination in				I T	Т	, T		7							
	same 3/1 Channel System per month		1	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32	1	1	1	1	1	1

JINBUINDLE	D NETWORK ELEMENTS - Kentucky	1	1								Svc Ordor	Svc Ordor	Incremental	ment: 2 Incremental	Incremental	ibit: A Incremen
												Submitted	Charge -	Charge -	Charge -	Charge
		Intori									Elec		Manual Svc	Manual Svc		
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
		m									p	P	Electronic-	Electronic-	Electronic-	Electron
													1st	Add'l	Disc 1st	Disc Ad
					+		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
FXTEN	DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FROFF	ICF TR				0.90	0.90	11.17	11.17						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	First 4-Wire Analog Voice Grade Local Loop in Combination -		_			04.05	105.00	00.40	50.00	7.04						
	Zone 2 First 4-Wire Analog Voice Grade Local Loop in Combination -		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.19										
	First Interoffice Transport - Dedicated - DS1 - Facility			INCOV		70.00	101.01	100 50	50.70	00.00						
	Termination Per Month Per each 1/0 Channel System in combination Per Month			UNC1X UNC1X	U1TF1 MQ1	79.02 113.33	181.24 57.26	123.53 14.74	56.72 1.86	22.32						-
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84	1.00	1.07						
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	Additional 4-Wire Analog Voice Grade Loop in same DS1			onovx		04.20	120.22	00.40	00.00	7.04						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0.19										──
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84	00.12	22.02						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXIEN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	INTERC	PFFICE	TRANSPORT W/ 3/1	IMUX											
	Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -						105.00			=						
	Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						──
	Mile Per Month			UNC1X	1L5XX	0.19										
	First Interoffice Transport - Dedicated - DS1 - combination			ononix	120/01	0.10										
	Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						<u> </u>
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs) 3/1 Channel System in combination per month			UNCDX UNC3X	1D1DD MQ3	1.32 158.20	6.71 115.48	4.84 56.53	15.12	5.30						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84	13.12	5.50						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		_			00.40	105.00	00.70	50.00							
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						<u> </u>
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	OCU-DP COCI (data) COCI in combination per month (2.4-		-													1
	64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								<u> </u>
	Each Additional DS1 Interoffice Channel per mile in same 3/1				41.5324	0.40										
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0.19										
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						

UNBUNDLE	D NETWORK ELEMENTS - Kentucky				-									ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
					1	Rec	Nonrec	urring	Nonrecurring	Disconnect	1		OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system															i i
	combination per month			UNC1X	UC1D1	11.80	6.71	4.84								I
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						i
EXTER	IDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1		FFICE				0.30	0.30	11.17	11.17						<b></b>
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															1
	Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						1
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															i i
	Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						l
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2			20.27	405.00	CO 40	50.00	7.04						i
	Transport Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						<b> </b>
	Mile Per Month			UNC1X	1L5XX	0.19										i i
	First Interoffice Transport - Dedicated - DS1 combination -				120/01	0.10					1					i
	Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						i
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	Per each OCU-DP COCI (data) in combination - per month (2.4-															i i
	64kbs)			UNCDX	1D1DD	1.32	6.71	4.84	15.10	=						l
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						l
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						i i
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		-	UNCDA	UDL04	21.55	125.22	00.40	39.09	7.04						<u> </u>
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						i i
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1						-									(
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						1
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															í
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								l
	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNC1X	1L5XX	0.19										i i
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in			UNCIX	ILSAA	0.19										<b> </b>
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						1
	Each Additional DS1 COCI in the same 3/1 channel system				0	10102	101121	120.00	00.12	22.02						1
	combination per month			UNC1X	UC1D1	11.80	6.71	4.84								1
	Nonrecurring Currently Combined Network Elements Switch -As-															[
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						l
EXTEN	IDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	<u>RT w/ 3/</u>	1 MUX		-											ł
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						i
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			UNCINA	UTLZA	10.44	123.22	00.40	39.09	7.04						i
	Transport - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						i i
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						1
	First Interoffice Transport - Dedicated - DS1 combination - Per															i i
	Mile per month			UNC1X	1L5XX	0.19										l
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						i i
	Per each Channel System 1/0 in combination - per month			UNC1X UNC1X	MQ1	113.33	57.26	123.53	1.86	1.67						i
					IVIGE I	113.33	51.20	14.74	1.00	1.07	1					
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.84	6.71	4.84								1
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport						105									i i
<b>└──                                   </b>	Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						l
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						1
├──	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2	UNCINA	UILZA	∠ວ.08	125.22	60.48	59.69	7.84						i
	Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						1
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel					.2.07	LUILL	00.10	00.00		1					
	system combination- per month			UNCNX	UC1CA	2.84	6.71	4.84								1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring			-		Rates (\$)		
					-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.19										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIX	ILSAA	0.19										
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTEN	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS														
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
<b>├</b> ── <b>├</b> ──	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2			UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						┨─────
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						+
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.19										
├──-	First Interoffice Transport - Dedicated - DS1 combination -				11.57.7	0.19					<u> </u>		1	1	l	<u>├</u> ───
	Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						1
	Per each DS1 COCI combination per month			UNC1X	UC1D1	11.80	6.71	4.84		0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.19										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		4	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	UNCIX	USLAA	80.47	210.70	114.60	63.96	17.97						
			2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		~		002/01	114.10	210.70	114.00	00.00	11.01						
	3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.01										
├──	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility		<u> </u>		123//	0.01					1					<u> </u>
	Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-						00.00	00.01	00.01		1		i	i	İ	
	Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
EXTER	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE													
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84	L					
$\vdash$	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile			UNCDX	1L5XX	0.01										
├──	per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility			UNCDA	ILDAA	0.01										
	Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-		1	0.100/	51120	11.23	30.03	55.07	50.51	22.42	t					<u> </u>
	Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
ADDITIONAL	NETWORK ELEMENTS		1								İ	İ				
	used as a part of a currently combined facility, the non-recurr															
	used as ordinarily combined network elements in All States, the					As Is Charge of	loes not.									
Nonre	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)											
	Nonrecurring Currently Combined Network Elements Switch -As-															
1 1	Is Charge - 2 wire/4-Wire VG		1	UNCVX	UNCCC		8.98	8.98	11.17	11.17						1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec		curring	Nonrecurring					Rates (\$)		
						100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3			UNC3X	UNCCC		8.98	8.98	11.17	11.17						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - STS1			UNCSX	UNCCC		8.98	8.98	11.17	11.17						
Option	nal Features & Functions:															
	Clear Channel Capability Extended Frame Option - per DS1	1		U1TD1, ULDD1,UNC1X	CCOEF		01	01	01	01						
	Clear Channel Capability Super FrameOption - per DS1	1		U1TD1, ULDD1,UNC1X	CCOSF		01	01	01	01						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I		ULDD1, U1TD1, UNC1X, USL	NRCCC		184.91S	23.82S	1.99S	0.78S						
	C-bit Parity Option - Subsequent Activity - per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3		205.70S	7.20S	.6924S	0S						
MULTI	IPLEXERS															
	DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	Month (24-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UDL	1D1DD	1.32	10.07	7.08								<b> </b>
	month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.32	10.07	7.08								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			01100	10100	1.02	10.07	1.00	1							l
	month for a Local Loop			UDN	UC1CA	2.84	10.07	7.08								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.84	10.07	7.08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.6228	10.07	7.08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.6228	10.07	7.08								
	DS3 to DS1 Channel System per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	STS-1 to DS1 Channel System per month			UNCSX	MQ3 UC1D1	158.20 11.80	115.48 10.07	56.53	15.12	5.30						
	DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local			USL	UC1D1	11.80	10.07	7.08								
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	11.80	10.07	7.08								
	DS1 COCI used with Interoffice Channel per month		[	U1TD1	UC1D1	11.80	10.07	7.08								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	11.80	10.07	7.08								
UNBUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)			OLDDI	00101	11.00	10.07	7.00								
	nge Ports															
	Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to b	e ordered usi	ng retail USOC	s								
2-WIR	E VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled KY extended local			UEPSR	UEPRO	1.49	3.74	3.63	2.23	2.13						
┝──┤──	dialing parity Port with Caller ID - Res. Exchange Ports - 2-Wire VG unbundled res, low usage line port			UEPSR	UEPRM	1.49	3.74	3.63	2.23	2.13						<b> </b>
	with Caller ID (LUM)	<u> </u>		UEPSR	UEPAP	1.49	3.74	3.63	2.23	2.13						<b> </b>
	Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPSR	UEPWE	1.49	3.74	3.63	2.23	2.13						ļ
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRT	1.49	3.74	3.63	2.23	2.13						

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR		r	Incremental Charge -	Incremental Charge -
							Nonreo	curring	Nonrecurring	g Disconnect			OSS	Rates (\$)	1	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEATU																
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00								
2-WIRE	E VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13						L
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire VG unbundled KY extended local															
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13					ļ	───
	Exhange Ports - 2-Wire VG unbundled incoming only port with						0.74	0.00	0.00						1	
┝──┼──	Caller ID - Bus			UEPSB	UEPB1	1.49	3.74	3.63	2.23	2.13	I				l	───
	Exchange Ports - 2-Wire Voice Kentucky Business Dialing Plan without Caller ID			UEPSB	UEPWF	1.49	3.74	3.63	2.23	2.13						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	1.49	3.74	3.63	2.23	2.13						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								L
FEATU																
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00								───
EXCHA	ANGE PORT RATES (DID & PBX)					4.40	00.05	10.17	45.00	0.00						───
	2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSE UEPSP	UEPRD UEPPC	1.49 1.49	39.05 39.05	18.17 18.17	15.38 15.38	0.89						───
				UEPSP	UEPPC	1.49	39.05	18.17		0.89	-					<u> </u>
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP0	1.49	39.05	18.17	15.38 15.38	0.89						
	2-Wire VG Line Side Onburnaled Incoming PBX Trunk - Bus 2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.49	39.05	18.17		0.89	1					
	2-Wire Voice Unbundled PBX LD Terminal Ports		-	UEPSP	UEPLD	1.49	39.05	18.17		0.89	1					
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.49	39.05	18.17		0.89	1					ł
	2-Wire Vice Unbundled PBX Toll Terminal Hotel Ports		-	UEPSP	UEPXB	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.49	39.05	18.17		0.89						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.49	39.05	18.17		0.89						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			02.0.	021712		00.00	10.11	10.00	0.00						1
	Capable Port			UEPSP	UEPXE	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area				-							1				
	Calling Port Without LUD			UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPSP	UEPXG	1.49	39.05	18.17		0.89						
	2-Wire Voice Unbundled PBX Kentucky Premium Callling Port			UEPSP	UEPXH	1.49	39.05	18.17	15.38	0.89		1				
	2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling	Γ														
	Port Without LUD			UEPSP	UEPXJ	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port	L	-	UEPSP	UEPXL	1.49	39.05	18.17	15.38	0.89	ļ					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy						~~ ~-								1	
	Room Calling Port			UEPSP	UEPXM	1.49	39.05	18.17	15.38	0.89					ļ	───
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital						00.07	10.17	45.00	0.00					1	
┝──┼──	Discount Room Calling Port	ļ		UEPSP	UEPXO	1.49	39.05	18.17	15.38	0.89					l	───
<b>├</b> ── <b>├</b> ──	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.49	39.05	18.17	15.38	0.89					<del> </del>	ł
FEATU	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00							<del> </del>	ł
FEATU	All Available Vertical Features		+	UEPSP UEPSE	UEPVF	0.00	0.00	0.00								───
FYCH	ANGE PORT RATES (COIN)	<u> </u>	1	ULFOF UEFOE	JLF VF	0.00	0.00	0.00			1				<del> </del>	<u> </u>
LAGHA	Exchange Ports - Coin Port		1		1	1.49	3.74	3.63	2.23	2.13	1				1	1
Local	Switching Features offered with Port				1	1.45	5.74	5.05	2.23	2.13						l
	Transmission/usage charges associated with POTS circuit s	witched	usade	will also apply to ci	ircuit switche	d voice and/or	circuit switch	ed data transm	ission by B-C	annels assoc	iated with 2	wire ISDN r	orts.		<u> </u>	<u> </u>
	Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	1
	Exchange port - 4-wire ISDN trunk port -all available features							, capabi								1
	included		1		UEPEX	101.60	188.36	95.15	61.92	22.67					1	
	LOCAL EXCHANGE SWITCHING(PORTS)															
EVOL	ANGE PORT RATES															

NBUNDLED	D NETWORK ELEMENTS - Kentucky				1	r					1	1		ment: 2		bit: A
													Incremental	Incremental	Incremental	Increment
												Submitted		Charge -	Charge -	Charge -
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
ATEGORT	RATE ELEMENTS	m	Zone	BCS	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
													Electronic-	Electronic-	Electronic-	Electroni
													1st	Add'l	Disc 1st	Disc Add
							Nonre	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The DS	1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit apply to	the embed	ded base in pla		3 until 4/1/04.		se rates shall						
Reques	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a	after the	effect	ive date of this amer	dment shal	be provided p	ursuant to a se	parate agreem	ent or tariff at l	BellSouth's d	iscretion.					
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	10.51	92.18	15.82	52.16	5.30						
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID				1						1	1				
	capability (E:4/1/2004)			UEPDD	UEPDD	74.77	164.86	77.74	60.69	3.86						
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.46	60.60	50.67	32.83	14.17						
	All Features Offered				UEPVF	0.00	0.00	0.00								
	Exchange Ports - 2-Wire ISDN Port Channel Profiles				U1UMA	0.00	0.00	0.00								
NOTE:	Transmission/usage charges associated with POTS circuit sw	witched	usage	will also apply to ci	rcuit switch	ed voice and/or	circuit switch	ed data transm	ission by B-Ch	annels associ	ated with 2-	-wire ISDN	oorts.			
NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availal	le only	y through BFR/New	Business Re	quest Process	Rates for the	packet capabi	ities will be de	termined via t	he Bona Fic	le Request/	New Busines	s Request Pro	cess.	
	NGE PORT RATES (continued)															L
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911													1		
	Locator Capability (E:4/1/2004)		L	UEPEX	UEPEX	101.60	188.36	95.15	61.92	22.67				ļ		I
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		L	UEPDX	UEPDX	101.60	188.36	95.15	61.92	22.67				ļ		
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.48	44.23	31.98	12.81	11.57		ļ		l		
	Virtual collocation - Special Access & UNE, cross-connect per				ONO4V		44.00	04.00	10.51							
	DS1			UEPEX UEPDX	CNC1X	1.48	44.23	31.98	12.81	11.57				l		<b>├</b> ──
	d E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Initial Profile Establishment per CLEC per					0.00	4 044 00		450.00							
	State			UEPEX	UEP1A	0.00	1,811.00		156.69				-		-	
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions,															
	Deletions			UEPEX	UEP1B	0.00	175.82									
	Additional PRI Telephone Numbers			UEFEA	UEFID	0.00	175.62									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.07	0.54									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			OEI EX	OEI IO	0.07	0.04									
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.07	12.71	12.71								
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward			02.2/	02.10	0.07										
	Telephone Numbers - Inward Data Only Option [New or															
	Additional]			UEPDX	UEP1E	0.00	0.54									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	25.41	25.41								
LOCAL	NUMBER PORTABILITY				1						1	1				
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
	FACE (Provsioning Only)															
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00						ļ		$\vdash$
	Additional Channel				0.000											L
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	15.48									L
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	15.48									L
	New or Additional Inward Data "B" Channel		L	UEPDX	PR7BD	0.00	15.48							ļ		
	New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	15.48					L		l		L
	New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	15.48					L		l		L
	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	15.48							l		<b>├</b> ──
CALL T				UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
	Inward Outword			UEPEX UEPDX	PR7C1 PR7C0	0.00	0.00	0.00								
	Outward Two-way			UEPEX	PR7CO PR7CC	0.00	0.00	0.00								
	I WO-WAY	ļ		ULFEA	FRIUU	0.00	0.00	0.00						<u> </u>		
	IDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY					ł		<u> </u>						<u> </u>		+
	Unbundled Remote Call Forwarding Service - Residence			UEPVR	UERAC	1.49	3.74	3.63						<del> </del>		t
1 1	Subanaisa Remote Cail Forwarding Service, Alea Cailing, Res	1	I		JENAO	1.49	5.74	3.03			I		I	+		l
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.49	3.74	3.63								

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Charge -	Charge -
			<u> </u>			Rec	Nonrec		Nonrecurring					Rates (\$)		
			'				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, IntraLATA - Res		<u> </u>	UEPVR	UERTR	1.49	3.74	3.63						-		<b> </b>
Non-R	ecurring		<b></b> '												-	<u> </u>
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
UNBU	NDLED REMOTE CALL FORWARDING - Bus		<u> </u>													L
	Unbundled Remote Call Forwarding Service, Area Calling - Bus		<u> </u> '	UEPVB	UERAC	1.49	3.74	3.63								<b></b>
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, Local Calling - Bus		t'	UEPVB	UERTE	1.49	3.74	3.63	1		1			1	<u> </u>	<u> </u>
	Unbundled Remote Call Forwarding Service, InterLATA - Bus	1	1	UEPVB	UERTR	1.49	3.74	3.63	1	1	1		1	1	1	l
	Unbundled Remote Call Forwarding Service, IntraLATA - Dds		t'		2=	1.45	0.74	0.00	1		1			1	<u> </u>	
	Exception Local Calling			UEPVB	UERVJ	1.49	3.74	3.63								
Non-R	ecurring	<b> </b>					5+	0.00	1	İ	1		İ	1	1	<u> </u>
	Unbundled Remote Call Forwarding Service - Conversion -				1	i i				İ	1	1	İ		1	1
	Switch-as-is		<u> </u>	UEPVB	USAC2		0.10	0.10								<b></b>
	Unbundled Remote Call Forwarding Service - Conversion with						0.40	0.40								
	allowed change (PIC and LPIC)		<b></b> '	UEPVB	USACC		0.10	0.10							-	
	LOCAL SWITCHING, PORT USAGE		'													
End U	ffice Switching (Port Usage) End Office Switching Function, Per MOU					0.0011971										l
	End Office Trunk Port - Shared, Per MOU		'			0.0002112										ł
Tande	m Switching (Port Usage) (Local or Access Tandem)					0.0002112										1
Tanue	Tandem Switching Function Per MOU					0.000194										1
	Tandem Trunk Port - Shared, Per MOU		<u> </u>			0.0002416										
	Tandem Switching Function Per MOU (Melded)		<u> </u>			0.000094381										
	Tandem Trunk Port - Shared, Per MOU (Melded)		<u> </u>			0.000117538										
	Melded Factor: 48.65% of the Tandem Rate		<u> </u>													
Comm	non Transport		<u> </u>													
	Common Transport - Per Mile, Per MOU					0.000003										
	Common Transport - Facilities Termination Per MOU					0.0007466										
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES															
Cost F	Based Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to pro	ovide Unbun	dled Local Swit	ching or Swite	ch Ports.								
	es shall apply to the Unbundled Port/Loop Combination - Cos															
	ffice and Tandem Switching Usage and Common Transport Us															
	rst and additional Port nonrecurring charges apply to Not Curr	rently C	ombine	d Combos. For Cur	rently Combi	ned Combos th	e nonrecurrin	g charges sha	II be those ider	ntified in the N	lonrecurring	g - Currently	Combined s	ections.	ļ	I
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	L	<b> </b> '													<b> </b>
UNE P	Port/Loop Combination Rates		+'			10 =-									l	l
	2-Wire VG Loop/Port Combo - Zone 1		1			10.79									l	ł
├──┤──	2-Wire VG Loop/Port Combo - Zone 2		2			15.52								1	<del> </del>	ł
	2-Wire VG Loop/Port Combo - Zone 3 oop Rates		3			31.74								1	<del> </del>	ł
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.64		1							<u> </u>	l
├	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		1	UEPRX	UEPLX	9.64		l	ł		1			ł	<u> </u>	ł
<b>├</b> ── <b>├</b> ──	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	<u> </u>	3	UEPRX	UEPLX	30.59								1	<del> </del>	ł
2-Wire	Proice Grade Line Port Rates (Res)		<u> </u>			30.39								1	1	
2-74116	2-Wire voice unbundled port - residence		t'	UEPRX	UEPRL	1.15	21.29	15.49	2.85	2.67	-				<u> </u>	ł
	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	<u> </u>	<u> </u>	UEPRX	UEPRC	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundled port with carler ib - res		<u> </u>	UEPRX	UEPRO	1.15	21.29	15.49	2.85	2.67					<u> </u>	
	2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res			UEPRX	UEPRM	1.15	21.29	15.49	2.85	2.67				1		
	2-Wire voice unbundles res, low usage line port with Caller ID	1			1						1	1	1		1	
$\vdash$	(LUM) 2-Wire Voice Unbundled Kentucky Residence Dialing Plan		<u> </u> '	UEPRX	UEPAP	1.15	21.29	15.49	2.85	2.67						
	without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID	<u> </u>	<u> </u> '	UEPRX	UEPWE	1.15	21.29	15.49	2.85	2.67				ļ		
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	1.15	21.29	15.49	2.85	2.67						

UNBUNDLE	D NETWORK ELEMENTS - Kentucky	-												ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEATU						0.00	0.00									
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00								┥────
LUCA	L NUMBER PORTABILITY Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEFKA	LINFUA	0.55								<u> </u>	<u> </u>	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		0.10	0.10								
ADDIT	IONAL NRCs			-												
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83								
OFF/C	IN PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPRX	UEAEN	10.56	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.34	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	31.11	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	12.67	134.89	81.87	73.65	14.88						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	17.45	134.89	81.87	73.65	14.88						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	33.22	134.89	81.87	73.65	14.88						
INTER	OFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRX	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.0095	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE P	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
	2-Wire VG Loop/Port Combo - Zone 3 .oop Rates		3			31.74										
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.64								ł	ł	
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.37										+
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.59					1		-			
2-Wire	e Voice Grade Line Port (Bus)													1	1	1
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice Grade unbundled Kentucky extended local dialing									_				1	1	
	parity port with Caller ID - bus			UEPBX	UEPBM	1.15	21.29	15.49	2.85	2.67						<b></b>
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled Kentucky Business Dialing Plan without Caller ID 2-Wire voice unbundled Incoming Only Port without Caller ID			UEPBX	UEPWF	1.15	21.29	15.49	2.85	2.67						<u> </u>
1.004	Capability L NUMBER PORTABILITY			UEPBX	UEPBE	1.15	21.29	15.49	2.85	2.67						<u> </u>
	Local Number Portability (1 per port)		-	UEPBX	LNPCX	0.35								1	1	1
FEATU				02. DA	2.11 0/1	0.00					<u> </u>					<u> </u>
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00			1			1	1	1
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		0.10	0.10								ļ
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		0.10	0.10								<u> </u>
	IONAL NRCs										I			l	l	┨─────
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2		0.00	0.00								

UNBUNDLED NETWORK EL	EMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR		r	Incremental Charge -	Incremental Charge -
						Dee	Nonrec	urring	Nonrecurring	g Disconnect			OSS	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Unbundled Miscella	aneous Rate Element, Tag Loop at End User															
Premise				UEPBX	URETL		8.33	0.83								
OFF/ON PREMISES EXTE																
	e Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10.56	46.66	22.57	26.65	7.65						
	e Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15.34	46.66	22.57	26.65	7.65						
	e Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	31.11	46.66	22.57	26.65	7.65						<b></b>
	e Grade Extension Loop – Design		1	UEPBX	UEAED	12.67	134.89	81.87	73.65	14.88						┢────
	e Grade Extension Loop – Design		2	UEPBX	UEAED	17.45	134.89	81.87	73.65	14.88						───
	e Grade Extension Loop – Design		3	UEPBX	UEAED	33.22	134.89	81.87	73.65	14.88	-			-		───
INTEROFFICE TRANSPOR	t - Dedicated - 2 Wire Voice Grade - Facility				+										<u> </u>	
Termination	- Dedicated - 2 whe voice Grade - Facility			UEPBX	U1TV2	23.95	98.09	53.67	56.31	22.42					1	
	t - Dedicated - 2 Wire Voice Grade - Per Mile	l		OLFDA	01172	20.90	90.09	53.07	50.31	22.42	1				<del> </del>	1
or Fraction Mile	C Doulouidu - 2 Wile Voice Grade - Fel Wile			UEPBX	U1TVM	0.0095	0.00	0.00							1	
	OOP WITH 2-WIRE LINE PORT (RES - PBX)	<u> </u>		02. 0/		0.0000	0.00	0.00								
UNE Port/Loop Combinat											1					
2-Wire VG Loop/Po			1			10.79										1
2-Wire VG Loop/Po			2			15.52										
2-Wire VG Loop/Pc			3			31.74										
UNE Loop Rates						-										
	Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.64										
2-Wire Voice Grade	Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.37										
2-Wire Voice Grade	Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30.59										
2-Wire Voice Grade Line I																
2-Wire VG Unbund	led Combination 2-Way PBX Trunk Port -															
Res				UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67						
LOCAL NUMBER PORTA	BILITY											1				
Local Number Port	ability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEATURES																
All Features Offere				UEPRG	UEPVF	0.00	0.00	0.00								
	ES (NRCs) - CURRENTLY COMBINED															
	Loop/ Line Port Combination (PBX) -															
Conversion - Switch				UEPRG	USAC2		8.45	1.91								
	Loop/ Line Port Combination (PBX) -															
Conversion - Switch	n with Change			UEPRG	USACC		8.45	1.91								
ADDITIONAL NRCs																
	Loop/ Line Port Combination (PBX) -															
Subsequent Activity				UEPRG	USAS2	0.00	0.00	0.00								
	ctivity - Change/Rearrange Multiline Hunt														1	
Group	Data Flamant Texture of Factor	ļ					7.86	7.86							l	<b> </b>
	aneous Rate Element, Tag Loop at End User						0.00	0.00							1	
Premise OFF/ON PREMISES EXTE				UEPRG	URETL		8.33	0.83								+
			1	UEPRG		10.67	101.00	04 07	70.65	14.00					<del> </del>	<u> </u>
	e grade, per termination			UEPRG	P2JHX P2JHX	12.67 17.45	134.89 134.89	81.87	73.65 73.65	14.88 14.88					<del> </del>	<u> </u>
	e grade, per termination		2	UEPRG	P2JHX P2JHX	17.45 33.22	134.89 134.89	81.87 81.87	73.65	14.88					<u> </u>	+
	e grade, per termination rve Channel Voice Grade		3	UEPRG	SDD2X	33.22	134.89	78.10	119.62	14.88	<u> </u>				<u> </u>	+
	rve Channel Voice Grade		2	UEPRG	SDD2X SDD2X	12.00	170.06	78.10	119.62	15.80					<u> </u>	1
	rve Channel Voice Grade		3	UEPRG	SDD2X SDD2X	29.64	170.06	78.10	119.62	15.00					<u> </u>	1
INTEROFFICE TRANSPOR			5		50027	20.04	170.00	70.10	113.02	13.00					<u> </u>	1
	t - Dedicated - 2 Wire Voice Grade - Facility				+ +						1				1	<u> </u>
Termination				UEPRG	U1TV2	23.95	98.09	53.67	56.31	22.42						
	t - Dedicated - 2 Wire Voice Grade - Per Mile		1	02.110	01112	20.00	55.05	00.07	00.01	22.72					<u> </u>	1
or Fraction Mile	C 200.0000 2 Mile Voice Grade - 1 El Mile			UEPRG	U1TVM	0.0095	0.00	0.00							1	
	OOP WITH 2-WIRE LINE PORT (BUS - PBX)			02.110		0.0000	0.00	0.00								ł
UNE Port/Loop Combinat		<u> </u>			+						1					1
2-Wire VG Loop/Pc			1		+ +	10.79					1				1	<u> </u>
2-Wire VG Loop/Pc		<u> </u>	2		+	15.52					1					<u> </u>
2-Wire VG Loop/Pc			3		+	31.74					1				1	i
2 7010 VO LOOP/FC		I	5	l	I	51.74			1	I	1	I	I	1	I	<u>ــــــــــــــــــــــــــــــــــــ</u>

UNBUNDLI	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1											-		Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec	urring	Nonrecurring	Disconnect			220	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Loop Rates							,		, luu i	00			Commit	Commit	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	30.59										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67						
	Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX UEPPX	UEPPO UEPP1	1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67						
	2-Wire Voice Unbundled OutDial Alabama NAR Area Calling		-	UEPPX	UEPP1	1.15	21.29	15.49	2.80	2.07						
	Port			UEPPX	UEPOA											
<del> </del>	2-Wire Voice Unbundled PBX LD Terminal Ports		1	UEPPX	UEPLD	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled 1 DX LD Terminal Forts 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		<u> </u>	UEPPX	UEPXA	1.15	21.29	15.49	2.85	2.67				1	1	1
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		1	UEPPX	UEPXB	1.15	21.29	15.49	2.85	2.67	1			1	1	1
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPPX	UEPXC	1.15	21.29	15.49	2.85	2.67	1					1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	Ì	1	UEPPX	UEPXD	1.15	21.29	15.49	2.85	2.67	1			1	1	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD						1		i							
	Capable Port			UEPPX	UEPXE	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area															
	Calling Port without LUD			UEPPX	UEPXF	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPPX	UEPXG	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPPX	UEPXH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port					4.45	04.00	15 10	0.05	0.07						
	without LUD 2-Wire Voice Unbundled OutDial Kentucky NAR Area Calling			UEPPX	UEPXJ	1.15	21.29	15.49	2.85	2.67						
	Port			UEPPX	UEPOK	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			ULFFA	ULFOR	1.15	21.25	13.45	2.05	2.07						
	Administrative Calling Port			UEPPX	UEPXL	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital										1					
	Discount Room Calling Port			UEPPX	UEPXO	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	21.29	15.49	2.85	2.67						
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT	URES					0.00	0.00	0.00								
NONE	All Features Offered RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	UEPPX	UEPVF	0.00	0.00	0.00								
NONK	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															ł
	Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		<u> </u>	52.1 A	30,102		0.40	1.51						1	1	1
.	Conversion - Switch with Change		1	UEPPX	USACC		8.45	1.91								
ADDI	TIONAL NRCs			1							1			1	1	1
1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1	İ										1	1	
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1													
<b>_</b>	Group						7.86	7.86								
.	Unbundled Miscellaneous Rate Element, Tag Loop at End User		1													
				UEPPX	URETL		8.33	0.83								l
UFF/C	ON PREMISES EXTENSION CHANNELS		4	UEPPX	P2JHX	40.07	104.00	04.07	70.05	44.00						<u> </u>
	Local Channel Voice grade, per termination Local Channel Voice grade, per termination		1	UEPPX	P2JHX P2JHX	12.67 17.45	134.89 134.89	81.87 81.87	73.65 73.65	14.88 14.88						<u> </u>
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX P2JHX	33.22	134.89	81.87	73.65	14.88						ł
	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.68	170.06	78.10	119.62	14.00	+					1
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	18.12	170.00	78.10	119.62	15.80	1					<u> </u>
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	29.64	170.00	78.10	119.62	15.00	1			1	1	1
INTER	ROFFICE TRANSPORT		1								1					1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			1							1			1	1	1
	Termination		1	UEPPX	U1TV2	23.95	98.09	53.67	56.31	22.42	1			1	1	1

AMENDMENT EXHIBIT 1

UNBUNDLF	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					_		Nonrec	urring	Nonrecurring	Disconnect			220	Rates (\$)		L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPPX	U1TVM	0.0095	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT														<b></b>
UNE P	2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.79										<b> </b>
	2-Wire VG Coin Port/Loop Combo – Zone 1		2			10.79										ł
	2-Wire VG Coin Port/Loop Combo – Zone 2		3			31.74										
UNE L	oop Rates		Ŭ			0										
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.64										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.59										<u> </u>
2-Wire	Voice Grade Line Ports (COIN)	<u> </u>	-													<b> </b>
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.15	21.29	15.49	2.85	2.67						1
<b>├</b> ── <b>├</b> ──	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	1.15	21.29	15.49	2.85	2.67						ł
	2-Wire Coin 2-Way with Operator Screening (AL, RT)				OLITIC	1.15	21.23	13.43	2.00	2.07						
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.15	21.29	15.49	2.85	2.67						1
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			İ												
	(KY)			UEPCO	UEPKA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)				UEPCD	4.45	24.20	45.40	0.05	2.67						
	2-Wire Coin Outward without Blocking and without Operator			UEPCO	UEPCD	1.15	21.29	15.49	2.85	2.67						
	Screening (KY, LA, MS)			UEPCO	UEPRN	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin Outward with Operator Screening and 011 Blocking			02100	OLITAN	1.10	21.20	10.40	2.00	2.07						
	(GA, KY, MS)			UEPCO	UEPRJ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin Outward with Operator Screening and Blocking:															
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.15	21.29	15.49	2.85	2.67						L
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,															
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN UEPCK	1.15	21.29	15.49	2.85 2.85	2.67						ł
	2-Wire 2-Way Smartline with 900/976 (all states except LA) 2-Wire Coin Outward Smartline with 900/976 (all states except			UEPCO	UEPCK	1.15	21.29	15.49	2.85	2.67						
	LA)			UEPCO	UEPCR	1.15	21.29	15.49	2.85	2.67						
ADDIT	IONAL UNE COIN PORT/LOOP (RC)			021 00	OEI OIX	1.10	21.20	10.40	2.00	2.07						
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2.57	0.00	0.00	0.00	0.00						
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONR	ECURRING CHARGES - CURRENTLY COMBINED															L
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is				USAC2		0.40	0.40								1
<b>├</b> ─- <b>├</b> ──	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	<u> </u>	-	UEPCO	USAU2		0.10	0.10		1						<u> </u>
	Switch with change			UEPCO	USACC		0.10	0.10								1
ADDIT	IONAL NRCs				30,000		0.10	0.10					İ	İ	İ	l
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1	1									1	1	1	
	Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
				UEPCO	URETL		8.33	0.83		ļ						<b> </b>
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR		PURI (	KES)	+ +					1						<u> </u>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.90										t
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<u> </u>	2		+ +	18.68					1					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3			34.45	1				1					l
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.67										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.45										L
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	33.22										<b> </b>
2-Wire	2-Wire voice unbundled port - residence	<u> </u>		UEPFR	UEPRL	1.23	128.96	64.11	61.92	9.97						<u> </u>
	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res		+	UEPFR	UEPRC	1.23	128.96	64.11	61.92	9.97						t
	2-Wire voice unbundled port outgoing only - res	1	1	UEPFR	UEPRO	1.23	128.96	64.11	61.92	9.97						
L		•											•	•	•	

UNBUNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			_				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res			UEPFR	UEPRM	1.23	128.96	64.11	61.92	9.97						
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.23	128.96	64.11	61.92	9.97						
	2-Wire Voice Unbundled Kentucky Residence Dialing Plan without Caller ID			UEPFR	UEPWE	1.23	128.96	64.11	61.92	9.97						
INTER	OFFICE TRANSPORT			OLFTK	OLFVIL	1.23	120.90	04.11	01.92	5.57						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			-	-											
FEAT	or Fraction Mile			UEPFR	1L5XX	0.0095										
FEAT	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00								
1.004	L NUMBER PORTABILITY			JEI III		0.00	0.00	0.00								
LOOA	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NONR	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port					0.55										
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		9.03	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change			UEPFR	USACC		9.03	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			DEITIK	UUACC		3.03	1.07								
	End User Premise			UEPFR	URETN		11.21	1.10								
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE		PORT (	BUS)												
UNE P	Port/Loop Combination Rates					10.00										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		_	13.90 18.68										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3			34.45										
UNE L	oop Rates		5			54.45										
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.67										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.45										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	33.22										
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.23	128.96	64.11	61.92	9.97						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.23	128.96	64.11	61.92	9.97						
	2-Wire voice unbundled port outgoing only - bus 2-Wire voice Grade unbundled Kentucky extended local dialing			UEPFB	UEPBO	1.23	128.96	64.11	61.92	9.97						
	parity port with Caller ID - bus			UEPFB	UEPBM	1.23	128.96	64.11	61.92	9.97						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.23	128.96	64.11	61.92	9.97						
	2-Wire Voice Unbundled Kentucky Business Dialing Plan without Caller ID			UEPFB	UEPWF	1.23	128.96	64.11	61.92	9.97						
LOCA				OLITE	OLI WI	1.20	120.30	04.11	01.32	5.51						
LOOA	Local Number Portability (1 per port)		1	UEPFB	LNPCX	0.35								-		
INTER	OFFICE TRANSPORT		1	02.110	Litti Ort	0.00										
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0.0095										
FEATU																
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFB	USAC2		9.03	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		9.03	1.87								
			<del> </del>	52110	00,00		3.03	1.07								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at					1										
	End User Premise			UEPFB	URETN		11.21	1.10								
		ELINE	PORT (		URETN		11.21	1.10								

UNDONDLEL	O NETWORK ELEMENTS - Kentucky		r		- <u>1</u>						0	0		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual S Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.68 34.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 op Rates		3			34.45										
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.67									ł	
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	17.45										
- 1 - 1	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFP	UECF2	33.22							-			
2-Wire	Voice Grade Line Port Rates (BUS - PBX)		-													
	· ·															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.23	164.27	78.65	75.05	8.73						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.23	164.27	78.65	75.05	8.73						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled PBX LD Terminal Ports		<u> </u>	UEPFP	UEPLD	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		<u> </u>	UEPFP	UEPXA	1.23	164.27	78.65	75.05	8.73	I				l	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		<b> </b>	UEPFP	UEPXB	1.23	164.27	78.65	75.05	8.73	-				l	
<u> </u>	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		<del> </del>	UEPFP UEPFP	UEPXC UEPXD	1.23 1.23	164.27 164.27	78.65 78.65	75.05 75.05	8.73 8.73					<del> </del>	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPAD	1.23	164.27	78.65	75.05	8.73						
	Capable Port			UEPFP	UEPXE	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area		-	OLITI	OLI XL	1.25	104.27	70.05	75.05	0.75						
	Calling Port without LUD			UEPFP	UEPXF	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPFP	UEPXG	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPFP	UEPXH	1.23	164.27	78.65	75.05	8.73					1	
	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port															
	without LUD			UEPFP	UEPXJ	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1				Ì									
	Administrative Calling Port			UEPFP	UEPXL	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPFP	UEPXM	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPFP	UEPXO	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		<u> </u>	UEPFP	UEPXS	1.23	164.27	78.65	75.05	8.73						
	NUMBER PORTABILITY Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
	DFFICE TRANSPORT			UEPFP	LINPCP	3.15	0.00	0.00								
INTERC	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility														ł	
	Termination			UEPFP	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLITI	01112	20.00	00.00	00.07	00.01	22.42						
	or Fraction Mile			UEPFP	1L5XX	0.0095										
FEATU				-												
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00								
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		9.03	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFP	USACC		9.03	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFP	URETN		11.21	1.10								
	ORT/LOOP COMBINATIONS - COST BASED RATES VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DOPT	<del> </del>												<del> </del>	
	rt/Loop Combination Rates		<u> </u>												<u> </u>	
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			21.30									<del> </del>	
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26.08					1				<u> </u>	
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		+ +	41.85					1			1	1	
	op Rates		Ť		+ +						1			1	1	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12.67					1				1	1
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	Ì	2	UEPPX	UECD1	17.45					1			1		Ì
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3			UEPPX	UECD1	33.22	i									
UNE Po																
	Exchange Ports - 2-Wire DID Port		1	UEPPX	UEPD1	8.63	336.11	27.75	132.37	9.31						

NBUNDLED	ONETWORK ELEMENTS - Kentucky					1									ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	B	cs	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			OSS	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CURRING CHARGES - CURRENTLY COMBINED																L
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	with BellSouth Allowable Changes			UEPPX		USA1C		7.85	1.87								<u> </u>
	ONAL NRCs			UEPPX		USAS1		00.05	32.25								───
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk Unbundled Miscellaneous Rate Element, Tag Designed Loop at			UEPPX		USA51		32.25	32.20		ł						<b> </b>
	End User Premise			UEPPX		URETN		11.21	1.10								
	one Number/Trunk Group Establisment Charges			ULFFA		OKLIN		11.21	1.10		1						
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								<u> </u>
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00		ł	1					<u> </u>
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								1
	Reserve Non-Consecutive DID numbers		1	UEPPX		ND6	0.00	0.00	0.00		1	1		1		1	1
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	NE SIDE	PORT														
UNE Po	rt/Loop Combination Rates		L									ļ					<u> </u>
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		25.69										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		31.92										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		50.21										
	op Rates																]
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.10										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	22.33										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.63										
UNE Po	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	9.59	320.53	289.13	92.19	17.56						
	CURRING CHARGES - CURRENTLY COMBINED			UEFFD	UEPPK	UEFFB	9.59	320.55	209.13	92.19	17.50						
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																<u> </u>
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	22.77	17.00								
ADDITIO	DNAL NRCs			02.10	021111	00,102	0.00				1	1			-		-
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPB	UEPPR	URETN		11.21	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User																<u> </u>
	Premise			UEPPB	UEPPR	URETL		8.33	0.83								
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	INEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)		L	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00			ļ					<u> </u>
				UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	NEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC	⊍,MS,&	: IN)				0.00	0.00	0.00			I			L		┨────
	CVS/CSD (DMS/5ESS) CVS (EWSD)		<u> </u>	UEPPB UEPPB	UEPPR UEPPR	U1UCD U1UCE	0.00	0.00	0.00								
	CVS (EVVSD) CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00		<u> </u>						+
	ERMINAL PROFILE			ULFFD	JLFFK	01001	0.00	0.00	0.00		<u> </u>						+
	User Terminal Profile (EWSD only)		-	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00		1						<u> </u>
	AL FEATURES			52.10	02.110		0.00	0.00	0.00	1	1	1		1		1	1
	All Vertical Features - One per Channel B User Profile		1	UEPPB	UEPPR	UEPVF	0.00	0.00	0.00	İ	İ			İ		i	1
	OFFICE CHANNEL MILEAGE		1			1	0.00	0.00	0.00	İ	İ			İ		i	1
	Interoffice Channel mileage each, including first mile and		1	i		1				İ	İ		1	İ		i	1
	facilities termination				UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75						
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.01	0.00	0.00								
	DOL DIOLTAL LOOD WITH A WIDE JODN DOL DIOLTAL TRUNK	DODT				1				1		1					
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK E-P DS1 combination rates below for in this rate exhibit apply																-

BUNDLE	D NETWORK ELEMENTS - Kentucky		<u> </u>	1							Svc Order	Svc Ordor	Attach	ment: 2 Incremental		ibit: A Increment
											Submitted		Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc		Manual Svc	
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			1					
		m		200							per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
													Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add
						_	Nonrec	urring	Nonrecurring	g Disconnect			OSS	Rates (\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE P	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1													
	Zone 1		1	UEPPP		170.06										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1													1
	Zone 2		2	UEPPP		197.70										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1													
	Zone 3		3	UEPPP		381.35										
	oop Rates		-													1
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	86.47										1
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	114.10										1
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	297.76				1				1		1
	ort Rate		L .		502.1	201.10				1				1		1
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		<u> </u>	UEPPP	UEPPP	83.59	736.16	382.74	159.48	48.82						1
	ECURRING CHARGES - CURRENTLY COMBINED		1		JLI II	00.05	750.10	302.74	100.40	40.02						+
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port			ł	+					ł	1		1			<u> </u>
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	81.70	61.37								
	IONAL NRCs		-	UEPPP	USACP	0.00	81.70	61.37								
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.54									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		12.71	12.71								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		25.41	25.41								
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
	FACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New or	r Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	15.48									
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	15.48									
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	15.48									
CALL																
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
	fice Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	96.27	105.52	98.46	23.09	20.49						
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.23										
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	NE-P DS1 combination rates below for in this rate exhibit apply										te commerci	al agreeme	nt.			
	sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff															
	ort/Loop Combination Rates		1			1					1		1	1	İ	1
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	1	UEPDC	1	147.99	1			1	1		1	1	İ	1
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	1	2	UEPDC	1	175.62	1			1	1		1	1	İ	1
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	1	3	UEPDC	1	359.28				İ	i i		İ	İ	i	1
	oop Rates	1	Ť	-	1		1			İ	1		i	İ	i	1
	4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPDC	USLDC	86.47				t	1		i	i	i	1
	4-Wire DS1 Digital Loop - UNE Zone 2	1	2	UEPDC	USLDC	114.10				1	1		1	i	1	1
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	297.76				1	1		1	i	1	1
	ort Rate		Ť	02.00	00000	201.10										1
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)		1	UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98						1
	ECURRING CHARGES - CURRENTLY COMBINED			021 00	56611	01.52	700.01	515.52	170.19	10.90						+
NONKE	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				+					ł	1 1		1			<u> </u>
		1	1					10 70								1
	Switch as is $(E:4/1/2004)$															
	- Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			UEPDC	USAC4		92.84	46.70								ł

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge -		Incremental Charge - Manual Svc Order vs.
						Rec	Nonre			Disconnect				Rates (\$)		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		92.84	46.70								
ADDITI	ONAL NRCs			OEI DO	00/072		52.04	40.10						1	1	·
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															1
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.09	15.09								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.09	15.09								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.09	15.09								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															1
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.09	15.09								ļ'
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.09	15.09								·
	Activation / Chan - 2-Way DID w Oser Trans			UEPDC	ODTIE		15.09	15.09								<i>'</i>
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	730.00s								+
	B8ZS - Extended Superframe Format			UEPDC	CCOEF			730.00s						1	1	1
	te Mark Inversion															++
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								1 1
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
	one Number/Trunk Group Establisment Charges															ļ'
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00	0.00	0.00								'
	Telephone Number for 1-Way Outward Trunk Group Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC UEPDC	UDTGY UDTGZ	0.00	0.00	0.00								<i>'</i>
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00	0.00						ł	ł	·
	DID Numbers, Non- consecutive DID Numbers, Per Number			UEPDC	ND5	0.00	0.00	0.00								·
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00						1	1	++
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedicat	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	1 Digita	I Loop	with 4-Wire DDITS T	runk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	96.04	105.52	98.46	23.09	20.49						<u> </u>
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.23	0.00	0.00								
·	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
1	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.45	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.45	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00										L
	DS1 LOOP WITH CHANNELIZATION WITH PORT	L												ļ	ļ	<u> </u>
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act			h en ef mente										l	l	<b>ہ</b> ۔۔۔۔۔'
Each Sy	ystem can have up to 24 combinations of rates depending on E-P DS1 combination rates below for 4-Wire DS1 Loop with C	type al	na num	with Port in this rot	a avhibit ann	ly to the ombe	ddad basa in r	lace as of 10/2	/03 until 4/4/04		these rates	shall rovort	to tariff rates	or a separate	agreement	╂─────┘
	ts for 4-Wire DS1 Loop with Channelization with Port after th											Shan ievell	to tanni ratës	or a separate	agreentent.	+'
UNE DS						and paroau		. g. com of				1		1	1	† · · · · ·
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	86.47	0.00	0.00			1					
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	114.10	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3	Ļ	3	UEPMG	USLDC	297.76	0.00	0.00								L
	CO Channelization Capacities (D4 Channel Bank Configuration	ns)				111.10	0.00	0.00						l	l	<b></b>
	24 DSO Channel Capacity - 1 per DS1			UEPMG UEPMG	VUM24 VUM48	111.16 222.32	0.00	0.00			<u> </u>					+
	48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM48 VUM96	444.64	0.00	0.00			+					+
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	666.96	0.00	0.00								+
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	889.28	0.00	0.00					1	1	1	1
	192 DSU Channel Capacity -1 per 8 DS15															
	240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG UEPMG	VUM2O VUM28	1,111.60 1,333.92	0.00	0.00								

JNBUNDLED	O NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec		curring	Nonrecurring					Rates (\$)		
				11551.40			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,778.56	0.00	0.00								
	480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG UEPMG	VUM4O VUM57	2,223.20 2,667.84	0.00	0.00								
	672 DS0 Channel Capacity - 1 per 24 DS1s			UEPMG	VUM67	3,112.48	0.00	0.00								
	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr						0.00								
A Minim	num System configuration is One (1) DS1, One (1) D4 Channe	l Bank,	and Up	To 24 DSO Ports v	with Feature	Activations.										
	es of this configuration functioning as one are considered Ad	dd'l afte	r the m	inimum system cor	nfiguration is	counted.										
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	94.30	4.24								
System	Additions at End User Locations Where 4-Wire DS1 Loop with				ination Curre	ently Exists and	4									
	ot Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	s												
á	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	718.89	469.86	149.83	17.77						
	8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00i	730.00s								
:	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	730.00s								
	te Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format		<u> </u>	UEPMG	MCOPO	0.00	0.00	0.00								
	ge Ports Associated with 4-Wire DS1 Loop with Channelization ge Ports	on with	Port													
i	Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004)			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00						
1	Line Side Outward Channelized PBX Trunk Port - Business (E:4/1/2004)			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						
1	Line Side Inward Only Channelized PBX Trunk Port without DID (E:4/1/2004)			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00						
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)			UEPPX	UEPDM	8.65	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCY	1.15	0.00	0.00	0.00	0.00						
(	Unbundled Exchange Ports, 2-Wire Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCT	1.15	0.00	0.00	0.00	0.00						
1	Unbundled Exchange Ports, 2-Wire Channelized – Outdial – Kentucky Only – Calling Plan (E:4/1/2004)			UEPPX	UEPCV	1.15	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelized – Two Way - Kentucky Only – Calling Plan (E:4/1/2004)			UEPPX	UEPCW	1.15	0.00	0.00	0.00	0.00						
	Activations - Unbundled Loop Concentration															
1	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.62	25.40	13.41	4.17	4.15						
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.62	78.15	19.68	59.05	11.54						
	one Number/ Group Establishment Charges for DID Service		L								I					
	DID Trunk Termination (1 per Port)		<u> </u>	UEPPX UEPPX	NDT ND4	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number			UEPPX	ND4 ND5	0.00	0.00	0.00			<u> </u>					
	Reserve Non-Consecutive DID Numbers	<u> </u>	1	UEPPX	ND6	0.00	0.00	0.00			1					
	Reserve DID Numbers		1	UEPPX	NDV	0.00	0.00	0.00			1					
Local N	umber Portability														İ	
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	RES - Vertical and Optional															
	witching Features Offered with Line Side Ports Only		<u> </u>			0.00	0.00	0.00	ļ							
	All Features Available ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:		<del> </del>	UEPPX	UEPVF	0.00	0.00	0.00								
	ENTREA PURT/LOUP COMIDINATIONS - CUST BASED RATE		1		1	1	1	1			1					1

JNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonre	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
				1	1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
2. Feat	ures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sam	e manner as	they are applie										
	Office and Tandem Switching Usage and Common Transport											oin Port/Lo	op Combinati	ons.		
	first and additional Port nonrecurring charges apply to Not C														Additional NR	Cs may
	also and are categorized accordingly.															
	ket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	ise Basis, un	til further notic	e.									
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	')														
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP91		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		· ·	02.01	1	10110	-			-					-	
	Non-Design		2	UEP91		15.52										
İ	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1						1							
	Non-Design		3	UEP91		31.74										
UNE P	ort/Loop Combination Rates (Design)			ļ												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	Ι.			10										
	Design		1	UEP91		13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91		18.60										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEF91	1	10.00										
	Design		3	UEP91		34.37										
UNEL	oop Rate		Ŭ	ULI UL		04.07										
0.112 2	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	33.22										
UNE P																
All Sta	tes (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEF91	UEPTA	1.15	21.29	15.49	2.03	2.07						
	Area			UEP91	UEPYB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic			02.01	02.115		21120	10.10	2.00	2.01						
	Local Area			UEP91	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)				1											
	Note 2, 3 Basic Local Area			UEP91	UEPYM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service							· · · · · · · · · · · · · · · · · · ·								
	Term - Basic Local Area			UEP91	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area		1	UEP91	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term -			02131	ULF 19	1.13	21.29	15.49	2.00	2.07						
	Basic Local Area		1	UEP91	UEPY2	1.15	21.29	15.49	2.85	2.67						
AL, KY	, LA, MS, & TN Only						220		2.00	2.07						
	2-Wire Voice Grade Port (Centrex )	1	1	UEP91	UEPQA	1.15	21.29	15.49	2.85	2.67		İ				İ
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire							l								
	Center)2,3			UEP91	UEPQM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800					4.45	21.00	15 40	2.85	0.07						
	Service Term			UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP91	UEPQ9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Weganity of equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ9	1.15	21.29	15.49	2.85	2.67						
Local S	Switching	l –	1		5-1 342	1.13	21.20	10.40	2.00	2.01						
	Centrex Intercom Funtionality, per port	l –	1	UEP91	URECS	0.8873										
Local I	Number Portability			<u> </u>												
	Local Number Portability (1 per port)		T	UEP91	LNPCC	0.35										
Featur																

UNBUNDLE	D NETWORK ELEMENTS - Kentucky			1	-									ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Standard Features Offered, per port			UEP91	UEPVF	0.00										4
	All Select Features Offered, per port			UEP91	UEPVS	0.00	405.66									4
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	aneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	10.51	92.18	15.82	52.16	5.30						
	fice Channel Mileage - 2-Wire	ļ	<b> </b>													L
	Interoffice Channel Facilities Termination - Voice Grade	ļ	<b> </b>	UEP91	M1GBC	29.11										L
	Interoffice Channel mileage, per mile or fraction of mile		L	UEP91	M1GBM	0.01										L
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP91	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -						1									
	Different Wire Center			UEP91	1PQWP	0.62										
							1									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop								1							
	Slot			UEP91	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP91	1PQWA	0.62										
Non-Re	curring Charges (NRC) Associated with UNE-P Centrex		1													
	Conversion - Currently Combined Switch-As-Is with allowed															1
	changes, per port			UEP91	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block			UEP91	USACN		18.95	8.32								
	New Centrex Standard Common Block	<u> </u>		UEP91	MIACS	0.00	669.80	78.32	111.05	13.27						1
	New Centrex Customized Common Block	<u> </u>		UEP91	MIACC	0.00	669.80	78.32	111.05	13.27						1
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.32	78.32	13.27	13.27						
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.75	70.52	13.27	15.27						
٨٩٩٠٠	nal Non-Recurring Charges (NRC)	<u> </u>	+		UNLOA	0.00	12.15									
Auuitio	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		ł		+									l	1	<u>├</u> ───
1	Premise		1	UEP91	URETL		8.33	0.83								1
			+	ULFSI	UREIL		ö.33	0.83				-				───
	Unbundled Miscellaneous Rate Element, Tag Design Loop at		1				44.04	4 4 0								1
11415 5	End Use Premise		+	UEP91	URETN		11.21	1.10				-				───
	CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo		+		+							-				───
																───
UNE P	ort/Loop Combination Rates (Non-Design)	ļ	<u> </u>		+											<b> </b>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	Ι.		1	10										
	Non-Design		1	UEP95	+	10.79								l		───
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1	/ <b></b>										
	Non-Design		2	UEP95		15.52										───
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1											
	Non-Design	ļ	3	UEP95		31.74										<u> </u>
UNE P	prt/Loop Combination Rates (Design)	ļ	<b> </b>													L
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1													1
	Design	L	1	UEP95		13.82										L
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1		1											
	Design		2	UEP95		18.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP95		34.37										
UNE Lo	pop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	14.37										

NDUNDLEL	NETWORK ELEMENTS - Kentucky		-		· · · ·									ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonreo		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.22										
UNE Po																
All State																
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP95	UEPYM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area			UEP95	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	1.15	21.29	15.49	2.85	2.67						
	LA, MS, SC, & TN Only			01133	OLITZ	1.15	21.23	13.43	2.05	2.07						
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			02735	ULFQIT	1.15	21.29	13.49	2.05	2.07						
	Center)2,3			UEP95	UEPQM	1.15	21.29	15.49	2.85	2.67						ļ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP95	UEPQZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	21.29	15.49	2.85	2.67						
	witching					0.0070										
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8873										
	umber Portability				LNDCC	0.25										───
Feature	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
					UEPVF	0.00										───
	All Standard Features Offered, per port All Select Features Offered, per port		<u> </u>	UEP95 UEP95	UEPVF	0.00	405.66			1			1			<u> </u>
	All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP95 UEP95	UEPVS	0.00	405.06			1			1			
NARS	All Centrex Control Features Offered, per port			UEF95	UEFVC	0.00										
NARO	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00			l			<u> </u>
	Unbundled Network Access Register - Combination			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						<u> </u>
	Unbundled Network Access Register - Indial			UEP95 UEP95	UARIX	0.00	0.00	0.00	0.00	0.00				l		<b>├</b> ──
	aneous Terminations			02793	UARUA	0.00	0.00	0.00	0.00	0.00			l			<u> </u>
	frunk Side				+ +											<u> </u>
	Trunk Side Terminations, each			UEP95	CEND6	10.51	92.18	15.82	52.16	5.30						<u> </u>
	Digital (1.544 Megabits)		<u> </u>	021 00	SLINDO	10.01	32.10	10.02	52.10	5.50						ł
	DS1 Circuit Terminations, each	-	<u> </u>	UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86						1
	DST Circuit Terminations, each DS0 Channels Activated, each		-	UEP95	M1HD0	0.00	15.09	11.14	00.09	3.00						<u> </u>
	ice Channel Mileage - 2-Wire			01 30		0.00	15.09									
	Interoffice Channel Facilities Termination	-	<u> </u>	UEP95	M1GBC	29.11										ł
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.01										<u> </u>
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e	1			0.01								1	1	t
	nnel Bank Feature Activations	-	1		1 1									1	1	t
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.62										

INBUNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	g Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				100110											
	Slot			UEP95 UEP95	1PQWQ 1PQWA	0.62										
Non-P	Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex		-	UEP95	IPQWA	0.62										
NOII-R	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.75									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise		<u> </u>	UEP95	URETN		11.21	1.10								
	CENTREX - DMS100 (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)													-		
UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9D		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	021 00		10.75										
	Non-Design		2	UEP9D		15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9D		31.74										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9D		13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9D		18.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					04.07										
	Design pop Rate		3	UEP9D		34.37										
UNEL	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.64										
_	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	30.59				-					-	
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	33.22										
	ort Rate															
ALL S																
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
				UEP9D	UEPYB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local					1 15	21.20	15 40	2.95	2.67						
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			UEP9D	UEPYC	1.15	21.29	15.49	2.85	2.0/	├			1		<del> </del>
	Area		1	UEP9D	UEPYD	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	l	1		52.75	1.13	21.23	10.45	2.00	2.01						t
	Area		1	UEP9D	UEPYE	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	1	1		1 1									İ		
	Area		1	UEP9D	UEPYF	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local		1											1		
	Area			UEP9D	UEPYG	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area	L	<u> </u>	UEP9D	UEPYT	1.15	21.29	15.49	2.85	2.67						L
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	1	1											1		1

Are 2.W Are 2.W Are 2.W Are 2.W Are 2.W Are 2.W Bas 2.	Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local ea Wire Voice Grade Port (Centrex with Caller ID) Basic Local	Interi m	Zone	BCS	usoc	Rec	Necessi	RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Sv Order vs. Electronic
Are 2.W Are 2.W Are 2.W Are 2.W Are 2.W Bas 2.	ea Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local ea Wire Voice Grade Port (Centrex with Caller ID) Basic Local ea Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp dication))4 Basic Local Area Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 sic Local Area Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D		Rec	Magnes						1st	Add'l	Disc 1st	Disc Add
Are 2.W Are 2.W Are 2.W Are 2.W Are 2.W Bas 2.	ea Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local ea Wire Voice Grade Port (Centrex with Caller ID) Basic Local ea Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp dication))4 Basic Local Area Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 sic Local Area Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	_			curring	Nonrecurring					Rates (\$)		
Are 2.W Are 2.W Are 2.W Are 2.W Are 2.W Are 2.W Bas 2.	ea Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local ea Wire Voice Grade Port (Centrex with Caller ID) Basic Local ea Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp dication))4 Basic Local Area Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 sic Local Area Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-W Are 2-V Hare 2-W Bas 2-W 2-W Bas 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W	Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local ea Wire Voice Grade Port (Centrex with Caller ID) Basic Local ea Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp dication))4 Basic Local Area Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 sic Local Area Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D		4.45	24.00	45.40	0.05	0.07	!	1 1	1 '	1	1	
Are 2.VV Are 2.VV Indi 2.VV Baa 2.VV Ba	ea Wire Voice Grade Port (Centrex with Caller ID) Basic Local ea Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp dication))4 Basic Local Area Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 sic Local Area Wire Voice Grade Port (Centrex from diff Serving Wire Center)				UEPYV	1.15	21.29	15.49	2.85	2.67	┟────┘	┟────┦	j/	i	<u> </u> '	
2-W Are 2-W Indi 2-W Bas 2-W Bas 2-W Bas 2-W Bas 2-W Bas 2-W Bas 2-W Bas 2-W Bas 2-W Bas 2-W Bas 2-W Bas	Wire Voice Grade Port (Centrex with Caller ID) Basic Local ea Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp dication))4 Basic Local Area Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 sic Local Area Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPY3	1.15	21.29	15.49	2.85	2.67	!	1 1	1 '	1	1	
2-W Indi 2-W Bas 2-V Bas 2-W Bas 2-W Bas 2-W Bas 2-W Bas 2-W Bas 2-W Bas 2-W Bas 2-W Bas	Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp dication))4 Basic Local Area Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 sic Local Area Wire Voice Grade Port (Centrex from diff Serving Wire Center)				-						· · · · ·		l			
Indi 2.VV Bas 2.V 2.3 2.V Bas 2.V Bas 2.V Bas 2.V Bas 2.V Bas 2.V Bas 2.V Bas	dication))4 Basic Local Area Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 sic Local Area Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYH	1.15	21.29	15.49	2.85	2.67			<u> </u>	I		
2-W Bas 2-V 2,3 2-V Bas 2-V Bas 2-V Bas 2-V Bas 2-V Bas 2-V Bas 2-V Bas 2-V Bas	Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 isic Local Area Wire Voice Grade Port (Centrex from diff Serving Wire Center)										!	1 1	1 '	1	1	
Bas           2-V           2,3           2.3           2.4           Bas           2.4	usic Local Area Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYW	1.15	21.29	15.49	2.85	2.67	<b>└────</b> ′	┟────┦	<b>⊢−−−−</b> ′	<b> </b>	<b> </b> '	
2-W 2,3 2-W Bas 2-W Bas 2-W Bas 2-W Bas 2-W Bas 2-W Bas 2-W Bas	Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYJ	1.15	21.29	15.49	2.85	2.67	!	1 1	1 '	1	1	
2.3 2.W Bas 2.W Bas 2.W Bas 2.W Bas 2.W Bas 2.W Bas 2.W Bas				OEI OD	OEI 10	1.10	21.20	10.40	2.00	2.01		+	/ <b>!</b>	1	· · · · · ·	
Bas           2-V           Bas           2-V           Bas           2-V           Bas           2-V           Bas           2-V           Bas           2-V           Bas           2-V           Bas           2-V           Bas           2-V           Bas           2-V           Bas           2-V           Bas           2-V				UEP9D	UEPYM	1.15	21.29	15.49	2.85	2.67			<u> </u>	I		
2-W Bas 2-W Bas 2-V Bas 2-W Bas 2-W Bas 2-W Bas	Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4										!	1 1	1 '	1	1	
Bas 2-V Bas 2-V Bas 2-V Bas 2-V Bas 2-V Bas	asic Local Area			UEP9D	UEPYO	1.15	21.29	15.49	2.85	2.67	ļ!	<b>└───</b> │	ļ′	I	<b> </b> '	
2-W Bas 2-W Bas 2-W Bas 2-W Bas 2-W Bas 2-W	Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 asic Local Area			UEP9D	UEPYP	1.15	21.29	15.49	2.85	2.67			1 '	1	1	
Bas 2-W Bas 2-W Bas 2-W Bas 2-W Bas	Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			OLF 9D	ULFIF	1.15	21.23	13.49	2.05	2.07	<u>├───</u> /	<u>├</u> ───┦	<sup> </sup>	<u> </u>	<u> </u>	
Bas 2-W Bas 2-W Bas 2-W	asic Local Area			UEP9D	UEPYQ	1.15	21.29	15.49	2.85	2.67	!	1 1	1 '	1	1	
2-W Bas 2-W Bas 2-W	Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4												[]	[		
Bas 2-W Bas 2-W	asic Local Area			UEP9D	UEPYR	1.15	21.29	15.49	2.85	2.67	<u> </u>	L]	ļ'	<b> </b>	ļ'	
2-W Bas 2-W	Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4					4.45	04.00	45.40	0.05	0.07	!	1 1	1 '	1	1	
Bas 2-W	asic Local Area Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPYS	1.15	21.29	15.49	2.85	2.67	<u>├</u> ──── <sup>/</sup>		┟───── <sup>┛</sup>	i	<b> </b> '	
2-W	asic Local Area			UEP9D	UEPY4	1.15	21.29	15.49	2.85	2.67	!	1 1	1 '	1	1	
Bas	Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3										<b>├</b> ───┦		/	l .		
	asic Local Area			UEP9D	UEPY5	1.15	21.29	15.49	2.85	2.67	!		<u> </u>	<u> </u>		
	Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4												1 '	1	1	
	asic Local Area Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67	────┘	<b>├───</b> ┤	<b>ا</b>	ł	<b> </b> '	
	asic Local Area			UEP9D	UEPY7	1.15	21.29	15.49	2.85	2.67			1 '	1	1	
	Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLF 9D	OLFIT	1.15	21.29	13.49	2.05	2.07	┟────┦		/ <i>!</i>	<u> </u>	[]	
	rm 2,3			UEP9D	UEPYZ	1.15	21.29	15.49	2.85	2.67	!	1 1	1 '	1	1	
2-V	Wire Voice Grade Port terminated in on Megalink or equivalent											í – – j	(,	ſ		
	asic Local Area			UEP9D	UEPY9	1.15	21.29	15.49	2.85	2.67			ļ'	<b> </b>	<b> </b> '	
	Wire Voice Grade Port Terminated on 800 Service Term Basic					4.45	04.00	45.40	0.05	0.07	!	1 1	1 '	1	1	
	cal Area A, MS, SC, & TN Only			UEP9D	UEPY2	1.15	21.29	15.49	2.85	2.67	<sup> </sup>	┟────┦	<sup> </sup>	<b> </b>	<u> </u> '	
	Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.15	21.29	15.49	2.85	2.67	┟────┦		/ <i>!</i>	<u> </u>	[]	
	Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.15	21.29	15.49	2.85	2.67		<b>├</b> ───┤	/ <i>!</i>	i		
	Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.15	21.29	15.49	2.85	2.67	<del>ا ا</del>	t	/ <b></b> /	1		1
	Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.15	21.29	15.49	2.85	2.67	<del>ا ا</del>	t	/ <b></b> /	1		1
	Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.15	21.29	15.49	2.85	2.67			(			1
2-V	Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.15	21.29	15.49	2.85	2.67			(,	(		
2-V	Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.15	21.29	15.49	2.85	2.67			(	ſ		
	Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.15	21.29	15.49	2.85	2.67		[]	<u> </u>	í		
	Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.15	21.29	15.49	2.85	2.67			'	<u> </u>	ļ	
	Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.15	21.29	15.49	2.85	2.67			<b>└────</b> ′	<b> </b>	<b> </b> '	L
	Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.15	21.29	15.49	2.85	2.67	<b>↓′</b>	<u>لــــــا</u>	<b>└────</b> ′	<b> </b>	<b> </b> '	<u> </u>
	Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	21.29	15.49	2.85	2.67	<b>└───</b> ′	<b>└───</b> │	<u>ا</u>	<b> </b>	<b> </b> '	
	Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPQW	4 45	21.29	15 40	2.05	2.67	'	1 1	1 '	1	1	
	dication)4 Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D UEP9D	UEPQW	1.15 1.15	21.29	15.49 15.49	2.85 2.85	2.67	┟────┘	┢━━━━┩	/J	i	ł'	├
	Wire Voice Grade Port (Centrex/Wisg Wtg Lamp Indication)4 Wire Voice Grade Port (Centrex from diff Serving Wire Center)		<u> </u>		ULFQJ	1.15	21.29	15.49	2.00	2.07	┝───┘		//	i	<b> </b> '	+
2,3				UEP9D	UEPQM	1.15	21.29	15.49	2.85	2.67	'	1 1	1 '		1	
				-								t	<del>ا ا</del>			1
2-V			1		Lunne -											
2-W	Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.15	21.29	15.49	2.85	2.67						

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2.3.4			UEP9D	UEPQQ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.15	21.29	15.49	2.85	2.67						ļ!
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	21.29	15.49	2.85	2.67						ļ'
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	21.29	15.49	2.85	2.67						<b> </b> '
Local	Switching Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8873										ł
Loool	Number Portability			UEP9D	URECS	0.8873										
LOCAI	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										<b>├</b> ─────
Featu				OLF 9D	LINFCC	0.55										<b>├</b> ─────
i catu	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										┟────┦
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.66									<b>├───</b> ┦
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00	400.00									
NARS				02.00	02.00	0.00										
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
	Ianeous Terminations															
2-Wire	e Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	10.51	92.18	15.82	52.16	5.30						
4-Wire	e Digital (1.544 Megabits)															l
	DS1 Circuit Terminations, each			UEP9D	M1HD1	74.77	164.86	77.74	60.69	3.86						
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.09									ł
Intero	ffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination			UEP9D	M1GBC	29.11										ł
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBC	0.01										l
Fostu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	<u>```</u>		OLF 9D	IVITGBIVI	0.01										t
	annel Bank Feature Activations															
54 01	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62							1			
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		<u> </u>	02100		0.02							<u> </u>			
	Different Wire Center			UEP9D	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.62										1
	Feature Activation on D-4 Channel Bank WATS Loop Slot	1	1	UEP9D	1PQWA	0.62							İ	İ	i	1
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		0.102	0.102					ļ	ļ		L
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		18.95	8.32					ļ	ļ		<b> </b>
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	669.80	78.32	111.05	13.27						L

	WORK ELEMENTS - Kentucky		r –		1	1					Sup Order	Sup Ord		ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	entrex Customized Common Block			UEP9D	M1ACC	0.00	669.80	78.32	111.05	13.27						L
	stablishment Charge, Per Occasion			UEP9D	URECA	0.00	72.75									
	n-Recurring Charges (NRC) dled Miscellaneous Rate Element, Tag Loop at End Use															
Premis				UEP9D	URETL		8.33	0.83								
	dled Miscellaneous Rate Element, Tag Design Loop at			OLF 9D	UKLIL		0.55	0.05								
	se Premise			UEP9D	URETN		11.21	1.10								
	EX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			02.00	U.L.											
	p/2-Wire Voice Grade Port (Centrex) Combo															
UNE Port/Loo	o Combination Rates (Non-Design)					1										
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
Non-De			1	UEP9E	1	10.79										
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEDOE		( <b>.</b>										
Non-De			2	UEP9E		15.52										
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3			04 74										
Non-De	o Combination Rates (Design)		3	UEP9E		31.74										
	VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
Design			1	UEP9E		13.82										
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		· ·	OEI OE		10.02										
Design			2	UEP9E		18.60										
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
Design			3	UEP9E		34.37										
UNE Loop Rat	e															
	Voice Grade Loop (SL 1) - Zone 1			UEP9E	UECS1	9.64										
	Voice Grade Loop (SL 1) - Zone 2			UEP9E	UECS1	14.37										
	Voice Grade Loop (SL 1) - Zone 3			UEP9E	UECS1	30.59										
	Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	12.67										<u> </u>
	Voice Grade Loop (SL 2) - Zone 2			UEP9E UEP9E	UECS2 UECS2	17.45 33.22										<u> </u>
	Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	33.22										-
UNE Port Rate	A, MS, & TN only															
	Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.15	21.29	15.49	2.85	2.67						
	Voice Grade Port (Centrex 800 termination)Basic Local			OEI OE	OEI IX	1.10	21.20	10.40	2.00	2.07						
Area				UEP9E	UEPYB	1.15	21.29	15.49	2.85	2.67						
2-Wire	Voice Grade Port (Centrex with Caller ID)1Basic Local				1											
Area				UEP9E	UEPYH	1.15	21.29	15.49	2.85	2.67						
	Voice Grade Port (Centrex from diff Serving Wire						i									
	2,3 Basic Local Area		[	UEP9E	UEPYM	1.15	21.29	15.49	2.85	2.67						
	Voice Grade Port, Diff Serving Wire Center 2,3 - 800						Π									
	Term - Basic Local Area			UEP9E	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	Voice Grade Port terminated in on Megalink or equivalent					4.45	04.00	45.40	0.05	0.07						
	Local Area			UEP9E	UEPY9	1.15	21.29	15.49	2.85	2.67						
	Voice Grade Port Terminated on 800 Service Term -			UEP9E	UEPY2	1 15	21.29	15.49	2.85	2.67						
AL, KY, LA, M	.ocal Area			ULFYE	JEF 12	1.15	21.29	15.49	∠.୪୨	2.07			l	1	1	├
	Voice Grade Port (Centrex )			UEP9E	UEPQA	1.15	21.29	15.49	2.85	2.67						
	Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	21.29	15.49	2.85	2.67						
	Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	21.29	15.49	2.85	2.67				i	i	
	Voice Grade Port (Centrex from diff Serving Wire						-				İ	İ	l	İ	İ	1
Center	2,3			UEP9E	UEPQM	1.15	21.29	15.49	2.85	2.67						
2-Wire	Voice Grade Port, Diff Serving Wire Center 2,3 - 800						i									
Service				UEP9E	UEPQZ	1.15	21.29	15.49	2.85	2.67						
	Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	21.29	15.49	2.85	2.67						ļ
	Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	21.29	15.49	2.85	2.67						<u> </u>
Local Switchin						0.0070							l			───
	x Intercom Funtionality, per port	L	I	UEP9E	URECS	0.8873			<u> </u>							───
Local Number	ronability	l	1		1						1	1	I	I	I	L

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky		_											ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Featur			-	UEP9E	LNPCC	0.35										<u> </u>
Featur	All Standard Features Offered, per port			UEP9E	UEPVF	0.00										ł
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.66									1
	All Centrex Control Features Offered, per port		1	UEP9E	UEPVC	0.00	100.00			-	1		-			
NARS																
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
	Ilaneous Terminations															
2-Wire	Trunk Side		<b> </b>			10 -										<u> </u>
4 140	Trunk Side Terminations, each	ļ	<u> </u>	UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30						l
4-Wire	Digital (1.544 Megabits)	ļ	<u> </u>	UEP9E	M1HD1	74.77	164.86	77.74	60.69	3.86	ļ					I
	DS1 Circuit Terminations, each DS0 Channel Activated Per Channel			UEP9E UEP9E	M1HD1 M1HD0	0.00	164.86	11.14	60.69	3.86						
Intoro	ffice Channel Mileage - 2-Wire			UEF9E	IVITEDO	0.00	15.09				ł					ł
Intero	Interoffice Channel Facilities Termination			UEP9E	M1GBC	29.11										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.01					1					
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e :	1	02.02		0.01				-	1		-			
	annel Bank Feature Activations	[														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9E	1PQW7	0.62										l
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				10000											
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E UEP9E	1PQWQ 1PQWA	0.62										ł
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex		-	UEP9E	TPQWA	0.62										
NOTEN	NRC Conversion Currently Combined Switch-As-Is with allowed				+											<u> </u>
	changes, per port			UEP9E	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.75									
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.21	1.10								
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)				$\downarrow$ $\neg$											
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		<u> </u>		┦───┤											<b> </b>
	Port/Loop Combination Rates (Non-Design)	ļ	<u> </u>													l
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design		1	UEP93		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93		15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP93		31.74										
UNE P	Port/Loop Combination Rates (Design)		<u> </u>		┦───┤											<b> </b>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design		1	UEP93		13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP93		18.60										

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Design		3	UEP93		34.37										
UNE LO	pop Rate		-													
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	30.59										L
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	12.67										ł
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93 UEP93	UECS2 UECS2	17.45 33.22										ł
	2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate		3	UEP93	UEC52	33.ZZ										
	, LA, MS, & TN only															t
AL, KI	2-Wire Voice Grade Port (Centrex ) Basic Local Area		1	UEP93	UEPYA	1.15	21.29	15.49	2.85	2.67	1		-	-	-	
	2-Wire Voice Grade Port (Centrex 9) Basic Local		1				220		2.50	2.57	1					
	Area		1	UEP93	UEPYB	1.15	21.29	15.49	2.85	2.67						1
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP93	UEPYM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800 Service Term - Basic Local Area			UEP93	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP93	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP93	UEPY2	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex )		1	UEP93	UEPQA	1.15	21.29	15.49	2.85	2.67	1		-	-	-	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP93	UEPQM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800 Service Term			UEP93	UEPQZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	21.29	15.49	2.85	2.67						<b></b>
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	21.29	15.49	2.85	2.67						<b></b>
Local	Switching Centrex Intercom Funtionality, per port		-	UEP93	URECS	0.8873										<u> </u>
Local	Number Portability			UEP93	URECS	0.0073										ł
Loodin	Local Number Portability (1 per port)		1	UEP93	LNPCC	0.35					1		-	-	-	
Feature		1	1													
	All Standard Features Offered, per port		<u>i                                    </u>	UEP93	UEPVF	0.00										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00										
NARS											L					<b> </b>
	Unbundled Network Access Register - Combination		L	UEP93	UARCX	0.00	0.00	0.00	0.00	0.00	I					<b> </b>
I	Unbundled Network Access Register - Indial		<u> </u>	UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00				L	L	<b> </b>
Miccol	Unbundled Network Access Register - Outdial aneous Terminations			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						<u> </u>
	Trunk Side									<u> </u>						<u> </u>
	Trunk Side Terminations, each	l	1	UEP93	CEND6	10.51	92.18	15.82	52.16	5.30	1	1				
4-Wire	Digital (1.544 Megabits)	1	1									İ				1
	DS1 Circuit Terminations, each			UEP93	M1HD1	74.77	164.86	77.74	60.69	3.86						
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	15.09									L
Interof	fice Channel Mileage - 2-Wire		L						ļ		I					<b> </b>
	Interoffice Channel Facilities Termination		<u> </u>	UEP93	M1GBC	29.11										<b> </b>
Faatur	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.01										<u> </u>
	e Activations (DS0) Centrex Loops on Channelized DS1 Servic annel Bank Feature Activations	ле 			+						<u> </u>					<u> </u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.62				<u> </u>						
			1			0.02					1					<u> </u>
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.62										<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec					Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	-	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (0)			per Lok	percon	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l		
													1st	Add1	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			OSS	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP93	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP93	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	Slot			UEP93	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.62										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75									
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP93	URETN		11.21	1.10								
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
Note 3	3 - Installation is combination of Installation charge for SL2 Lo	op and I	Port													
	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to r	rate tru	e-up as set forth ir	n General Terr	ns and Condition	ns.									

Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

## TABLE OF CONTENTS

	MISCELLANEOUS	
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	.3
1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR	.3

## PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

## 1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- 1.1 BellSouth shall provide to MTS Communications nondiscriminatory access to its Operations Support Systems (OSS) and the necessary information contained therein in order that MTS Communications can perform the functions of preordering, ordering, provisioning, maintenance and repair, and billing.. BellSouth shall provide MTS Communications with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's interconnection website and are incorporated herein by reference. BellSouth shall ensure that its OSS are designed to accommodate access requests for both current and projected demand of MTS Communications and other CLECs in the aggregate.
- 1.2 BellSouth shall provision services during its regular working hours. To the extent MTS Communications requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project manager to work outside of regular working hours, overtime charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of MTS Communications, BellSouth will not assess MTS Communications additional charges beyond the rates and charges specified in this Agreement.

#### 2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide MTS Communications nondiscriminatory access to its OSS and the necessary information contained therein in order that MTS Communications can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of MTS Communications to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for MTS Communications's access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference.
- 2.1.1 <u>Pre-Ordering</u>. BellSouth will provide electronic access to its OSS and the information contained therein in order that MTS Communications can perform the

following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and MTS Communications will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. MTS Communications shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. MTS Communications shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, MTS Communications shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. MTS Communications will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit MTS Communications's access to customer record information reveals that MTS Communications's access to customer record information reveals that MTS Communications is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to MTS Communications may take corrective action, including but not limited to suspending or terminating MTS Communications's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 <u>Ordering</u>. BellSouth will make available to MTS Communications electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and MTS Communications will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.
- 2.1.4 <u>Maintenance and Repair</u>. BellSouth will make available to MTS Communications electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic Version 3Q03: 11/12/2003

interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and MTS Communications will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and MTS Communications agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via BellSouth's interconnection website.

- 2.1.5 <u>Billing</u>. BellSouth will provide MTS Communications nondiscriminatory access to billing information as specified in Attachment 7 to this Agreement.
- 2.2 <u>Change Management</u>. BellSouth and MTS Communications agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and MTS Communications agree to comply with the provisions of the documented Change Control Process as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to MTS Communications at BellSouth's interconnection website.
- 2.3 <u>Rates</u>. Charges for use of OSS shall be as set forth in this Agreement.

# 3. MISCELLANEOUS

- 3.1 <u>Pending Orders</u>. Orders placed in the hold or pending status by MTS Communications will be held for a maximum of thirty (30) calendar days from the date the order is placed on hold. After such time, MTS Communications shall be required to submit a new service request. Incorrect or invalid requests returned to MTS Communications for correction or clarification will be held for thirty (30) calendar days. If MTS Communications does not return a corrected request within thirty (30) calendar days, BellSouth will cancel the request.
- 3.2 <u>Single Point of Contact</u>. MTS Communications will be the single point of contact with BellSouth for ordering activity for network elements and other services used by MTS Communications to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. MTS Communications and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer

authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by MTS Communications to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End User. BellSouth will notify MTS Communications that such a request has been processed but will not be required to notify MTS Communications in advance of such processing.

- 3.2.1 Neither BellSouth nor MTS Communications shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall return a Firm Order Confirmation (FOC) and Local Service Request (LSR) rejection/clarification within the intervals in accordance with the Service Quality Measurement (SQM) set forth in Attachment 9 of this Agreement.
- 3.2.3 MTS Communications shall return a FOC to BellSouth within thirty-six (36) hours after MTS Communications's receipt from BellSouth of a valid LSR.
- 3.2.4 MTS Communications shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of MTS Communications elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to MTS Communications by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify MTS Communications that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nationwide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier (IXC) (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.
- 3.5.1 When MTS Communications's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the

interexchange carrier elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to MTS Communications, which has the billing relationship with that End User, and MTS Communications may pass such charge to the End User.

- 3.6 Cancellation Charges. If MTS Communications cancels a request for network elements or resold services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if MTS Communications places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where MTS Communications places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, MTS Communications may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should MTS Communications elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.
- 3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by MTS Communications, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.