BELLSOUTH® / CLEC Agreement

Customer Name: Al-Call, Inc.

AI-Call	2
Table of Contents	3
General Terms and Conditions	5
Attachment 1	32
Attachment 1 Rates	64
Attachment 2	65
Attachment 2 Rates	141
Attachment 3	213
Attachment 3 Exhibit	237
Attachment 3 Rates	241
Attachment 4 Physical Collocation	246
Attachment 4 Remote Site	308
Attachment 5	355
Attachment 5 Rates	367
Attachment 6	368
Attachment 7	378
Attachment 7 Rates	398
Attachment 8	399
Attachment 9	401
Attachment 10	403
Attachment 11	414
Attachment 12	425
Amendment - Att 2 Provisions for Line Sharing	428
Al-Call, Inc.	435
Al-Call, Inc. Amdmt	863

Note: This page is not part of the actual signed contract/amendment, but is present for record keeping purposes only.

By and Between

BellSouth Telecommunications, Inc.

And

Al-Call, Inc.

INTERCONNECTION AGREEMENT BETWEEN BELLSOUTH TELECOMMUNICATIONS INC. AND AL-CALL, INC.

TABLE OF CONTENTS

General Terms and Conditions

- 1. Definitions
- 2. Term of the Agreement
- 3. Operational Support Systems
- 4. Parity
- 5. White Pages Listings
- 6. Bona Fide Request/New Business Request Process for Further Unbundling
- 7. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 8. Liability and Indemnification
- 9. Intellectual Property Rights and Indemnification
- 10. Proprietary and Confidential Information
- 11. Assignments
- 12. Resolution of Disputes
- 13. Taxes
- 14. Force Majeure
- 15. Adoption of Agreements
- 16. Modification of Agreement
- 17. Non-waiver of Legal Rights
- 18. Severability
- 19. Waivers
- 20. Governing Law
- 21. Arm's Length Negotiations
- 22. Notices
- 23. Rule of Construction
- 24. Headings of No Force or Effect
- 25. Multiple Counterparts
- 26. Implementation of Agreement
- 27. Filing of Agreement
- 28. Compliance with Applicable Law
- 29. Necessary Approvals
- 30. Good Faith Performance
- 31. Nonexclusive Dealings
- 32. Survival
- 33. Entire Agreement
- Attachment 1 Resale
- **Attachment 2 Network Elements and Other Services**
- **Attachment 3 Network Interconnection**
- **Attachment 4 Physical Collocation**
- Attachment 5 Access to Numbers and Number Portability
- Attachment 6 Pre-Ordering, Ordering and Provisioning, Maintenance and Repair
- **Attachment 7 Billing and Billing Accuracy Certification**
- **Attachment 8 Rights-of-Way, Conduits and Pole Attachments**
- **Attachment 9 Performance Measurements**
- **Attachment 10- Agreement Implementation Template**
- **Attachment 11- BellSouth Disaster Recovery Plan**
- **Attachment 12-Bona Fide Request and New Business Requests Process**

AGREEMENT

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, and Al-Call, ("Al-Call"), a Georgia corporation, on behalf of itself and its certificated operating affiliates identified in Part C hereof, and shall be deemed effective as of January 8, 2001. This Agreement may refer to either BellSouth or Al-Call or both as a "Party" or "Parties".

WITNESSETH

WHEREAS, BellSouth is an incumbent local exchange telecommunications company ("ILEC") authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, Al-Call is a competitive local exchange telecommunications company ("CLEC") authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee, and

WHEREAS, the Parties wish to resell BellSouth's telecommunications services and/or interconnect their facilities, for Al-Call to purchase network elements and other services from BellSouth, and to exchange traffic specifically for the purposes of fulfilling their applicable obligations pursuant to sections 251 and 252 of the Telecommunications Act of 1996 ("the Act").

NOW THEREFORE, in consideration of the mutual agreements contained herein, BellSouth and Al-Call agree as follows:

1. **Purpose**

The resale, access and interconnection obligations contained herein enable Al-Call to provide competing telephone exchange service to residential and business subscribers within the territory of BellSouth. The Parties agree that Al-Call will not be considered to have offered telecommunications services to the public in any state within BellSouth's region until such time as it has ordered services for resale or interconnection facilities for the purposes of providing business and/or residential local exchange service to customers. Furthermore, the Parties agree that execution of this agreement will not preclude either party from advocating its position before the Commission or a court of competent jurisdiction.

2. Term of the Agreement

- 2.1 The term of this Agreement shall be three years, beginning January 8, 2001, and shall apply to the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee. If as of the expiration of this Agreement, a Subsequent Agreement (as defined in Section 2.2 below) has not been executed by the Parties, this Agreement shall continue on a month-tomonth basis while a Subsequent Agreement is being negotiated. The Parties' rights and obligations with respect to this Agreement after expiration shall be as set forth in Section 2.4 below.
- 2.2 The Parties agree that by no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations with regard to the terms, conditions and prices of resale and/or local interconnection to be effective beginning on the expiration date of this Agreement ("Subsequent Agreement").
- If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2, above, the Parties are unable to satisfactorily negotiate new resale and/or local interconnection terms, conditions and prices, either Party may petition the Commission to establish appropriate local interconnection and/or resale arrangements pursuant to 47 U.S.C. 252. The Parties agree that, in such event, they shall encourage the Commission to issue its order regarding the appropriate local interconnection and/or resale arrangements no later than the expiration date of this Agreement. The Parties further agree that in the event the Commission does not issue its order prior to the expiration date of this Agreement, or if the Parties continue beyond the expiration date of this Agreement to negotiate the local interconnection and/or resale arrangements without Commission intervention, the terms, conditions and prices ultimately ordered by the Commission, or negotiated by the Parties, will be effective retroactive to the day following the expiration date of this Agreement.
- Notwithstanding the foregoing, in the event that as of the date of expiration of this Agreement and conversion of this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and either no arbitration proceeding has been filed in accordance with Section 2.3 above, or the Parties have not mutually agreed (where permissible) to extend the arbitration window for petitioning the applicable Commission(s) for resolution of those terms upon which the Parties have not agreed, then either Party may terminate this Agreement upon sixty (60) days notice to the other Party. In the event that BellSouth or Al-Call terminates this Agreement as provided above, BellSouth shall continue to offer services to Al-Call pursuant to the terms, conditions and rates set forth in BellSouth's Statement of Generally Available Terms (SGAT) to the extent an SGAT has been approved by the applicable Commission(s). If any state Commission has not approved a BellSouth SGAT, then upon BellSouth's termination of this Agreement as provided herein, BellSouth will continue to

provide services to Al-Call pursuant to BellSouth's then current standard interconnection agreement. In the event that the SGAT or BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement, and the terms of such Subsequent Agreement shall be effective retroactive to the day following expiration of this Agreement.

3. **Ordering Procedures**

- 3.1 To the extent not already provided, State shall provide BellSouth its Carrier Identification Code (CIC), Operating Company Number (OCN), Group Access Code (GAC) and Access Customer Name and Address (ACNA) code as applicable prior to placing its first order.
- 3.2 The Parties agree to adhere to the BellSouth Local Interconnection and Facility Based Ordering Guide and Resale Ordering Guide, as appropriate for the services ordered, provided however that nothing required in these guides shall override Al-Call's rights or BellSouth's obligations under this Agreement.
- 3.3 Al-Call shall pay charges for Operational Support Systems (OSS) as specifically set forth in Attachments 1, 2, 3, 5 and 7 of this agreement, as applicable.

4. **Parity**

When Al-Call purchases, pursuant to Attachment 1 of this Agreement, telecommunications services from BellSouth for the purposes of resale to end users, BellSouth shall provide said services so that the services are equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its affiliates, subsidiaries and end users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to Al-Call shall be at least equal in quality to that which BellSouth provides to itself. The provisioning intervals for network elements shall be at least equal to, but no longer than, those that BellSouth provides to itself. BellSouth shall make available network elements to Al-Call on the same terms and conditions as BellSouth provides to its affiliates, subsidiaries, end-users and any other carriers. The quality of the interconnection between the networks of BellSouth and the network of Al-Call shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by end users and service quality as perceived by Al-Call.

5. White Pages Listings

BellSouth shall provide Al-Call and its customers access to white pages directory listings under the following terms:

- 5.1 <u>Listings</u>. BellSouth or its agent will include Al-Call residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories. Directory listings will make no distinction between Al-Call and BellSouth subscribers.
- 5.2 <u>Rates.</u> BellSouth and Al-Call will provide to each other subscriber primary listing information in the White Pages at no charge except for applicable service order charges as set forth in the applicable tariffs.
- 5.3 <u>Procedures for Submitting Al-Call Subscriber Information</u>. BellSouth will provide to Al-Call a magnetic tape or computer disk containing the proper format for submitting subscriber listings. Al-Call will be required to provide BellSouth with directory listings and daily updates to those listings, including new, changed, and deleted listings, in an industry-accepted format. These procedures are detailed in BellSouth's Local Interconnection and Facility Based Ordering Guide.
- 5.3.1 Notwithstanding any provision(s) to the contrary, Al-Call agrees to provide to BellSouth, and BellSouth agrees to accept, Al-Call's Subscriber Listing Information (SLI) relating to Al-Call's customers in the geographic area(s) covered by this Interconnection Agreement. Al-Call authorizes BellSouth to release all such Al-Call SLI provided to BellSouth by Al-Call to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff, Section A38.2, as the same may be amended from time to time. Such Al-Call SLI shall be intermingled with BellSouth's own customer listings of any other CLEC that has authorized a similar release of SLI. Where necessary, BellSouth will use good faith efforts to obtain state commission approval of any necessary modifications to Section A38.2 of its tariff to provide for release of third party directory listings, including modifications regarding listings to be released pursuant to such tariff and BellSouth's liability thereunder. BellSouth's obligation pursuant to this Section shall not arise in any particular state until the commission of such state has approved modifications to such tariff.
- No compensation shall be paid to Al-Call for BellSouth's receipt of Al-Call Telecom SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Al-Call's SLI, or costs on an ongoing basis to administer the release of Al-Call SLI, Al-Call shall pay to BellSouth its

proportionate share of the reasonable and nondiscriminatory costs associated therewith. BellSouth shall not be liable for the content or accuracy of any SLI

provided by Al-Call under this Agreement. Al-Call shall indemnify, hold armless and defend BellSouth from and against any damages, l losses, liabilities, demands claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Al-Call listings or use of the SLI provided pursuant to this Agreement. BellSouth shall forward to Al-Call any complaints received by BellSouth relating to the accuracy or quality of Al-Call listings.

- 5.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.
- 5.4 <u>Unlisted/Non-Published Subscribers</u>. Al-Call will be required to provide to BellSouth the names, addresses and telephone numbers of all Al-Call customers that wish to be omitted from directories.
- 5.5 <u>Inclusion of Al-Call Customers in Directory Assistance Database</u>. BellSouth will include and maintain Al-Call subscriber listings in BellSouth's directory assistance databases at no charge. BellSouth and Al-Call will adhere to appropriate procedures regarding lead time, timeliness, format and content of listing information as set forth in the BellSouth Local Interconnection and Facility Based Ordering Guide.
- Listing Information Confidentiality. BellSouth will accord Al-Call's directory listing information the same level of confidentiality that BellSouth accords its own directory listing information, and BellSouth shall limit access to Al-Call's customer proprietary confidential directory information to those BellSouth employees who are involved in the preparation of listings.
- 5.7 <u>Optional Listings</u>. Additional listings and optional listings will be offered by BellSouth at tariffed rates as set forth in the General Subscriber Services Tariff.
- 5.8 <u>Delivery.</u> BellSouth or its agent shall deliver White Pages directories to Al-Call subscribers at no charge and within the same time frame as BellSouth delivers such directories to its own subscribers.

6. Bona Fide Request/New Business Request Process for Further Unbundling

Subject to 47 C.F.R. 51.317 and 47 C.F.R. 51.319 BellSouth shall, upon request of Al-Call, provide to Al-Call access to network elements not identified in this agreement at any technically feasible point for the provision of Al-Call's telecommunications service. Any request by Al-Call for access to a network element, interconnection option, or for the provisioning of any service or product that is not already available shall be treated as a Bona Fide Request/New Business Request, and shall be submitted to BellSouth pursuant to the Bona Fide Request/New Business Request process set forth in Attachment 12 of this Agreement.

7. **Local Dialing Parity**

BellSouth shall provide local dialing parity as described in the Act and required by FCC rules, regulations and policies. Al-Call End Users shall not have to dial any greater number of digits than BellSouth End Users to complete the same call. In addition, Al-Call End Users shall experience at least the same service quality as BellSouth End Users in terms of post-dial delay, call completion rate and transmission quality.

8. <u>Court Ordered Requests for Call Detail Records and Other Subscriber Information</u>

- 8.1 To the extent technically feasible, BellSouth maintains call detail records for Al-Call end users for limited time periods and can respond to subpoenas and court ordered requests for this information. BellSouth shall maintain such information for Al-Call end users for the same length of time it maintains such information for its own end users.
- 8.2 Al-Call agrees that BellSouth will respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to Al-Call end users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request.
- Al-Call agrees that in cases where Al-Call receives subpoenas or court ordered requests for call detail records for targeted telephone numbers belonging to Al-Call end users, Al-Call will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth. Billing for call detail information will be generated by BellSouth and directed to the law enforcement agency initiating the request.

- Where BellSouth is providing to Al-Call telecommunications services for resale or providing to Al-Call the local switching function, then Al-Call agrees that in those cases where Al-Call receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Al-Call end users, if Al-Call does not have the requested information, Al-Call will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth. Where the request has been forwarded to BellSouth, billing for call detail information will be generated by BellSouth and directed to the law enforcement agency initiating the request.
- 8.5 Al-Call will provide Al-Call end user and/or other customer information that is available to Al-Call in response to subpoenas and court orders for their own customer records. BellSouth will redirect subpoenas and court ordered requests for Al-Call end user and/or other customer information to Al-Call for the purpose of providing this information to the law enforcement agency.

9. <u>Liability and Indemnification</u>

- 9.1 <u>BellSouth Liability</u>. BellSouth shall take financial responsibility for its own actions in causing, or its lack of action in preventing, unbillable or uncollectible Al-Call revenues.
- 9.2 <u>Al-Call Liability</u>. In the event that Al-Call consists of two (2) or more separate entities as set forth in the preamble to this Agreement, all such entities shall be jointly and severally liable for the obligations of Al-Call under this Agreement.
- 9.3 <u>Liability for Acts or Omissions of Third Parties</u>. Neither BellSouth nor Al-Call shall be liable for any act or omission of another telecommunications company providing a portion of the services provided under this Agreement.

9.4 Limitation of Liability.

9.4.1 With respect to any claim or suit, whether based in contract, tort or any other theory of legal liability, by Al-Call, any Al-Call Customer or by any other Person or entity, for damages associated with any of the services provided by BellSouth pursuant to or in connection with this Agreement, including but not limited to the installation, provision, preemption, termination, maintenance, repair or restoration of service, and subject to the provisions of the remainder of this Section, BellSouth's liability shall be limited to an amount equal to the proportionate charge for the service provided pursuant to this Agreement for the period during which the service was affected. Notwithstanding the foregoing, claims for damages by Al-Call, any Al-Call Customer or any other Person or entity, resulting from the gross negligence or willful misconduct of BellSouth, shall not be subject to such limitation of liability.

- 9.4.2 With respect to any claim or suit, whether based in contract, tort or any other theory of legal liability, by BellSouth, any BellSouth Customer or by any other Person or entity, for damages associated with any of the services provided by Al-Call pursuant to or in connection with this Agreement, including but not limited to the installation, provision, preemption, termination, maintenance, repair or restoration of service, and subject to the provisions of the remainder of this Section, Al-Call's liability shall be limited to an amount equal to the proportionate charge for the service provided pursuant to this Agreement for the period during which the service was affected. Notwithstanding the foregoing, claims for damages by BellSouth, any BellSouth Customer or any other Person or entity resulting from the gross negligence or willful misconduct of Al-Call, shall not be subject to such limitation of liability.
- 9.4.3 <u>Limitations in Tariffs</u>. A Party may, in its sole discretion, provide in its tariffs and contracts with its Customer and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to Customer or third Party for (i) any Loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such Loss and (ii) Consequential Damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a Loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the Loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such Loss.
- 9.4.4 Neither BellSouth nor Al-Call shall be liable for damages to the other's terminal location, POI or other company's customers' premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a company's negligence or willful misconduct or by a company's failure to properly ground a local loop after disconnection.
- 9.4.5 Except in case of gross negligence or willful or intentional misconduct, under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the Services, or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.

- 9.5 <u>Indemnification for Certain Claims</u>. The Party providing services hereunder, its affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving company's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving company's own communications, or (2) any claim, loss or damage claimed by the customer of the Party receiving services arising from such company's use or reliance on the providing company's services, actions, duties, or obligations arising out of this Agreement.
- 9.6 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

10. <u>Intellectual Property Rights and Indemnification</u>

- 10.1 <u>No License.</u> No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. Al-Call is strictly prohibited from any use, including but not limited to in sales, in marketing or advertising of telecommunications services, of any BellSouth name, service mark or trademark.
- 10.2 Ownership of Intellectual Property. Any intellectual property which originates from or is developed by a Party shall remain in the exclusive ownership of that Party. Except for a limited license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right now or hereafter owned, controlled or licensable by a Party, is granted to the other Party or shall be implied or arise by estoppel. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.
- 10.3 <u>Indemnification</u>. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of

such service and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 8 of this Agreement.

- Claim of Infringement. In the event that use of any facilities or equipment (including software), becomes, or in reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense, but subject to the limitations of liability set forth below:
- 10.4.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 10.4.2 obtain a license sufficient to allow such use to continue.
- In the event 9.4.1 or 9.4.2 are commercially unreasonable, then said Party may, terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 10.5 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.
- 10.6 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.

11. Treatment of Proprietary and Confidential Information

11.1 Confidential Information. It may be necessary for BellSouth and Al-Call to provide each other with certain confidential information, including trade secret information, including but not limited to, technical and business plans, technical information, proposals, specifications, drawings, procedures, customer account data, call detail records and like information (hereinafter collectively referred to as "Information"). All Information shall be in writing or other tangible form and clearly marked with a confidential, private or proprietary legend and that the Information will be returned to the owner within a reasonable time. The Information shall not be copied or reproduced in any form. BellSouth and Al-Call

shall receive such Information and not disclose such Information. BellSouth and Al-Call shall protect the Information received from distribution, disclosure or dissemination to anyone except employees of BellSouth and Al-Call with a need to know such Information and which employees agree to be bound by the terms of this Section. BellSouth and Al-Call will use the same standard of care to protect Information received as they would use to protect their own confidential and proprietary Information.

11.2 <u>Exception to Obligation</u>. Notwithstanding the foregoing, there will be no obligation on BellSouth or Al-Call to protect any portion of the Information that is: (1) made publicly available by the owner of the Information or lawfully disclosed by a Party other than BellSouth or Al-Call; (2) lawfully obtained from any source other than the owner of the Information; or (3) previously known to the receiving Party without an obligation to keep it confidential.

12. **Assignments**

Neither Party hereto may assign or otherwise transfer its rights or obligations under this Agreement, except with the prior written consent of the other Party hereto, which consent shall not be unreasonably withheld; provided, however, that, so long as the performance of any assignee is guaranteed by the assignor: (i) either Party may assign its rights and delegate its benefits, duties and obligations under this Agreement, without the consent of the other Party, to any Affiliate of such Party and (ii) either Party may assign its rights and delegate its benefits, duties and obligations under this Agreement, without the consent of the other, to any person or entity that obtains control of all or substantially all of such assigning Party's assets, by stock purchase, asset purchase, merger, foreclosure, or otherwise. Each Party shall notify the other in writing of any such assignment. Nothing in this Section is intended to impair the right of either Party to utilize subcontractors.

13. <u>Escalation Procedures</u>

Each Party hereto shall provide the other party hereto with the names and telephone numbers or pagers of their respective managers up to the Vice Presidential level for the escalation of unresolved matters relating to their performance of their duties under this Agreement. Each Party shall supplement and update such information as necessary to facilitate prompt resolution of such matters. Each Party further agrees to establish an automatic internal escalation procedure relating to unresolved disputes arising under this Agreement.

14. **Expedite Procedures**

Each Party shall promptly establish a nondiscriminatory procedure for expediting installation and repair of facilities provided pursuant to this Agreement.

15. **Resolution of Disputes**

Except as otherwise stated in this Agreement, the Parties agree that if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, either Party may petition the Commission, the FCC or a court of law for resolution of the dispute. Each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement. Furthermore, the Parties agree to carry on their obligations under the Agreement while any dispute resolution is pending

16. Taxes

- Definition. For purposes of this Section, the terms "taxes" and "fees" shall include but not limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- 16.2 <u>Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.</u>
- Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 16.3 Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.
- 16.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties.

 Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.

- 16.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 16.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 16.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 16.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.
- Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any

such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed. The Parties agree to use best efforts to bill taxes promptly.

- 16.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. Both Parties shall retain the right to contest the imposition of such taxes and fees. However, the Party contesting the imposition of such taxes and fees shall bear the resulting expense.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 16.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 16.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 16.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

17. Network Maintenance and Management

- 17.1 The Parties shall work cooperatively to implement this Agreement. The Parties shall exchange appropriate information (e.g., maintenance contact numbers, network information, information required to comply with law enforcement and other security agencies of the Government, etc.) as reasonably required to implement and perform this Agreement.
- 17.2 Each Party hereto shall design, maintain and operate their respective networks as necessary to ensure that the other Party hereto receives service quality which is consistent with generally accepted industry standards at least at parity with the network service quality given to itself, its Affiliates, its End Users or any other Telecommunications Carrier.
- 17.3 Neither Party shall use any service or facility provided under this Agreement in a manner that impairs the quality of service to other Telecommunications Carriers' or to either Party's End Users. Each Party will provide the other Party notice of any such impairment at the earliest practicable time.
- 17.4 BellSouth agrees to provide Al-Call prior notice consistent with applicable FCC rules and the Act of changes in the information necessary for the transmission and routing of services using BellSouth's facilities or networks, as well as other changes that affect the interoperability of those respective facilities and networks. This Agreement is not intended to limit BellSouth's ability to upgrade its network through the incorporation of new equipment, new software or otherwise so long as such upgrades are not inconsistent with BellSouth's obligations to Al-Call under the terms of this Agreement.

18. Changes In Subscriber Carrier Selection

- 18.1 Both Parties hereto shall apply all of the principles set forth in 47 C.F.R. § 64.1100 to the process for End User selection of a primary Local Exchange Carrier. BellSouth shall not require a disconnect order from an Al-Call Customer or another LEC in order to process an Al-Call order for Resale Service for an Al-Call End User. Until the FCC or the Commission adopts final rules and procedures regarding a Customer's selection of a primary Local Exchange Carrier, unless already done so, Al-Call shall deliver to BellSouth a Blanket Representation of Authorization that applies to all orders submitted by Al-Call under this Agreement that require a primary Local Exchange Carrier change. Both Parties hereto shall retain on file all applicable documentation of authorization, including letters of authorization, relating to their End User's selection as its primary Local Exchange Carrier, which documentation shall be available for inspection by the other Party hereto upon reasonable request during normal business hours.
- 18.2 If an End User denies authorizing a change in his or her primary Local Exchange Carrier selection to a different local exchange carrier ("Unauthorized Switching"),

the Party receiving the End User complaint shall switch or caused to be switched that End User back to his preferred carrier in accordance with Applicable Law.

19. **Force Majeure**

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Customer, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

20. <u>Year 2000 Compliance</u>

Each Party warrants that it has implemented a program the goal of which is to ensure that all software, hardware and related materials (collectively called "Systems") delivered, connected with BellSouth or supplied in the furtherance of the terms and conditions specified in this Agreement: (i) will record, store, process and display calendar dates falling on or after January 1, 2000, in the same manner, and with the same functionality as such software records, stores, processes and calendar dates falling on or before December 31, 1999; and (ii) shall include without limitation date data century recognition, calculations that accommodate same century and multicentury formulas and date values, and date data interface values that reflect the century.

21. **Modification of Agreement**

- BellSouth shall make available, pursuant to 47 USC § 252(i) and the FCC rules and regulations regarding such availability, to Al-Call at the same rates and terms and conditions of any interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252. The adopted interconnection, service, or network element and agreement shall apply to the same states as such other agreement and for the identical term of such other agreement.
- 21.2 If Al-Call changes its name or makes changes to its identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of Al-Call to notify

BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.

- 21.3 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- Execution of this Agreement by either Party does not confirm or infer that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Al-Call or BellSouth to perform any material terms of this Agreement, Al-Call or BellSouth may, on fifteen (15) business days' written notice require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within forty-five (45) business days after such notice, the Dispute may be referred to the Dispute Resolution procedure set forth in Section 12. In the event that the Parties reach agreement as to the new terms consistent with the above, the Parties agree to make the effective date of such amendment retroactive to the effective date of such Order consistent with this section, unless otherwise stated in the relevant Order.

22. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the specific performance of any and all of the provisions of this Agreement.

23. **Governing Law**

This Agreement shall be governed by, and construed and enforced in accordance with, the laws of the state of Georgia.

24. **Arm's Length Negotiations**

This Agreement was executed after arm's length negotiations between the undersigned Parties and reflects the conclusion of the undersigned that this Agreement is in the best interests of all Parties.

25. <u>Notices</u>

Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered in person or given by postage prepaid mail, addressed to:

BellSouth Telecommunications, Inc.

CLEC Account Team 9th Floor 600 North 19th Street Birmingham, Alabama 35203

and

General Attorney - COU Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

Al-Call, Inc.

Al-Call, Inc. Gregg Davis, Vice President Operations 101Mercer Street Alma, GA 31510

Al-Call, Inc.
Teddy Soloman, President
101 Mercer Street
Alma, GA 31510

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Where specifically required, notices shall be by certified or registered mail. Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 25.3 BellSouth shall provide Al-Call notice via Internet posting of price changes and of changes to the terms and conditions of services available for resale.

26. **Relationship of Parties**

This Agreement shall not establish, be interpreted as establishing, or be used by either Party to establish, or to represent their relationship as any form of agency, partnership or joint venture. Neither Party shall have any authority to bind the other or to act as an agent for the other unless written authority, separate form this Agreement, is provided. Nothing in this Agreement shall be construed as providing for the sharing of profits or losses arising out of the efforts of either or both of the Parties. Nothing herein shall be construed as making either Party responsible or liable for the obligations and undertakings of the other Party.

27. Third Party Beneficiaries

This Agreement does not provide, and shall not be construed to provide, third parties with any benefit, remedy, claim, liability, reimbursement, cause of action, or other privilege.

28. <u>Cooperation on Preventing End User Fraud</u>

The Parties agree to cooperate fully with one another to investigate, minimize, prevent, and take corrective action in cases of fraud.

29. **Good Faith Performance**

In the performance of their obligations under this Agreement the Parties will act in good faith and consistently with the intent of the Act. Where notice, approval or similar action by a Party is permitted or required by any provision of this Agreement (including without limitation, the obligation of the Parties to further negotiate the resolution of new or open issues under this Agreement), such action will not be unreasonably delayed, withheld or conditioned.

30. **Independent Contractors**

Each Party is an independent contractor, and has and hereby retains the right to exercise full control of and supervision over its own performance of its obligations under this Agreement, and retains full control over the employment, direction, compensation and discharge of its employees assisting in the performance of such obligations. Each Party shall be solely responsible for all matters relating to payment of such employees, including compliance with social security taxes, withholding taxes and all other regulations governing such matters. Subject to the limitations on liability and except as otherwise provided in this Agreement, each Party shall be responsible for (i) its own acts and performance of all obligations imposed by Applicable Law in connection with its activities, legal status and

property, real or personal and, (ii) the acts of its own Affiliates, employees, agents and contractors during the performance of the Party's obligations hereunder.

31. <u>Subcontracting</u>

If any obligation is performed through a subcontractor, each Party shall remain fully responsible for the performance of this Agreement in accordance with its terms, including any obligations either Party performs through subcontractors, and each Party shall be solely responsible for payments due the Party's subcontractors. No contract, subcontract or other Agreement entered into by either Party with any third party in connection with the provision of any facilities or services provided herein, shall provide for any indemnity, guarantee or assumption of liability by, or other obligation of, the other Party to this Agreement with respect to such arrangement, except as consented to in writing by the other Party. No subcontractor shall be deemed a third party beneficiary for any purposes under this Agreement. Any subcontractor who gains access to CPNI or Confidential Information covered by this Agreement shall be required by the subcontracting Party to protect such CPNI or Confidential Information to the same extent that the subcontracting Party is required to protect the same under the terms of this Agreement.

32. <u>Severability</u>

If any term, condition or provision of this Agreement is held to be invalid or unenforceable for any reason, such invalidity or unenforceability shall not invalidate the entire Agreement, unless such construction would be unreasonable. The Agreement shall be construed as if it did not contain the invalid or unenforceable provision or provisions, and the rights and obligations of each Party shall be construed and enforced accordingly. Provided, however, that in the event such invalid or unenforceable provision or provisions are essential elements of this Agreement and substantially impair the rights or obligations of either Party, the Parties shall promptly negotiate a replacement provision or provisions. If impasse is reached, the Parties will resolve said impasse under the dispute resolution procedures set forth in Section 13.

33. Survival of Obligations

Any liabilities or obligations of a Party for acts or omissions prior to the cancellation or termination of this Agreement, and any obligation of a Party under the provisions regarding indemnification, Confidential Information, limitations on liability, and any other provisions of this Agreement which, by their terms are contemplated to survive (or to be performed after) termination of this Agreement, shall survive cancellation or termination thereof.

34. **Customer Inquiries**

- Each Party shall refer all questions regarding the other Party's services or products directly to the other Party at a telephone number specified by that Party.
- Each Party shall ensure that each of their representatives who receive inquiries regarding the other Party's services: (i) provide the numbers described in Section 46.1 to callers who inquire about the other Party's services or products, and (ii) do not in any way disparage or discriminate against the other Party or its products or services.

35. <u>Compliance with Applicable Law</u>

- Each Party shall comply at its own expense with all applicable federal, state, and local statutes, laws, rules, regulations, codes, effective orders, decisions, injunctions, judgments, awards and decrees that relate to its obligations under this Agreement. Nothing in this Agreement shall be construed as requiring or permitting either Party to contravene any mandatory requirement of Applicable Law, and nothing herein shall be deemed to prevent either Party from recovering its cost or otherwise billing the other Party for compliance with the Order to the extent required or permitted by the term of such Order.
- Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

36. **Labor Relations**

Each Party shall be responsible for labor relations with its own employees. Each Party agrees to notify the other Party as soon as practicable whenever such Party has knowledge that a labor dispute concerning its employees is delaying or threatens to delay such Party's timely performance of its obligations under this Agreement and shall endeavor to minimize impairment of service to the other Party (by using its management personnel to perform work or by other means) in the event of a labor dispute to the extent permitted by Applicable Law.

37. Compliance with the Communications Law Enforcement Act of 1994 ("CALEA")

Each Party represents and warrants that any equipment, facilities or services provided to the other Party under this Agreement comply with CALEA. Each Party shall indemnify and hold the other Party harmless from any and all penalties imposed upon the other Party for such other Party's noncompliance, and shall at the non-compliant Party's sole cost and expense, modify or replace any equipment, facilities or services provided to the other Party under this Agreement to ensure that such equipment, facilities and services fully comply with CALEA.

38. **Arm's Length Negotiations**

This Agreement was executed after arm's length negotiations between the undersigned Parties and reflects the conclusion of the undersigned that this Agreement is in the best interests of all Parties.

39. Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

40. **Headings of No Force or Effect**

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

41. <u>Multiple Counterparts</u>

This Agreement may be executed multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

42. <u>Implementation of Agreement</u>

If Al-Call is a facilities based provider or a facilities based and resale provider, this section shall apply. Within 60 days of the execution of this Agreement or within 30 days of Al-Call placing its first order, whichever is later, the Parties will adopt a schedule for the implementation of the Agreement. The schedule shall state with specificity time frames for submission of including but not limited to, network design, interconnection points, collocation arrangement requests, pre-sales testing and full operational time frames for the business and residential markets. An implementation template to be used for the implementation schedule is contained in Attachment 10 of this Agreement.

43. Additional Fair Competition Requirements

- In the event that either Party transfers facilities or other assets to an Affiliate which are necessary to comply with its obligations under this Agreement, the obligations hereunder shall survive and transfer to such Affiliate.
- 43.2 BellSouth shall allow local exchange customers of Al-Call to select BellSouth for the provision of intraLATA toll services on a nondiscriminatory basis; provided, however, that prior to establishment of BellSouth as the intraLATA toll carrier for Al-Call local exchange customers, the Parties shall negotiate a billing and collections agreement on commercially reasonable terms whereby Al-Call shall bill the customer on

BellSouth's behalf and shall collect from the customer and remit to BellSouth intraLATA toll revenues. Al-Call agrees to bill its customers on BellSouth's behalf for both presubscribed and "dial around" intraLATA toll traffic. The Parties shall exchange customer record data on a timely basis as necessary to bill such customers for intraLATA toll usage.

43.3 BellSouth shall not use information derived from providing services or facilities to Al-Call to create a lead or other information base for a "winback" sales program.

44. Filing of Agreement

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, Al-Call shall be responsible for publishing the required notice and the publication and/or notice costs shall be borne by Al-Call.

For electronic filing purposes in the State of Louisiana, the CLEC Louisiana Certification Number is required and must be provided by Al-Call prior to execution of the Agreement. The CLEC Louisiana Certification Number is

45. Entire Agreement

This Agreement and its Attachments, incorporated herein by this reference, sets forth the entire understanding and supersedes prior Agreements between the Parties relating to the subject matter contained herein and merges all prior discussions between them, and neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

This Agreement may include attachments with provisions for the following services:

Network Elements and Other Services Local Interconnection Resale Collocation

The following services are included as options for purchase by Al-Call. Al-Call shall elect said services by written request to its Account Manager if applicable.

Optional Daily Usage File (ODUF)

Enhanced Optional Daily Usage File (EODUF) Access Daily Usage File (ADUF) Line Information Database (LIDB) Storage Centralized Message Distribution Service (CMDS) Calling Name (CNAM)

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year above first written.

BellSouth Telecommunications, Inc. Signature on file	Al-Call, Inc. Signature on file
Signature Patrick C. Finlen	Signature Greg Davis
Name Managing Director	Name Vice President Operations
Title 01/08/01	Title 12/27/00
Date	Date

Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

Centralized Message Distribution System is the Telcordia (formerly BellCore) administered national system, based in Kansas City, Missouri, used to exchange Exchange Message Interface (EMI) formatted data among host companies.

Commission is defined as the appropriate regulatory agency in each of the states in BellSouth's nine state region: Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee.

Daily Usage File is the compilation of messages or copies of messages in standard Exchange Message Interface (EMI) format exchanged from BellSouth to a CLEC.

Exchange Message Interface is the nationally administered standard format for the exchange of data among the Exchange Carriers within the telecommunications industry.

Information Service means the offering of a capability for generating, acquiring, storing, transforming, processing, retrieving, utilizing, or making available information via telecommunications, and includes electronic publishing, but does not include any use of any such capability for the management, control, or operation of a telecommunications system or the management of a telecommunications service.

Intercompany Settlements (ICS) is the revenue associated with charges billed by a company other than the company in whose service area such charges were incurred. ICS on a national level includes third number and credit card calls and is administered by Telcordia (formerly BellCore)'s Calling Card and Third Number Settlement System (CATS). Included is traffic that originates in one Regional Bell Operating Company's (RBOC) territory and bills in another RBOC's territory.

Intermediary Function is defined as the delivery of traffic from Al-Call, a CLEC other than Al-Call or another telecommunications carrier through the network of BellSouth or Al-Call to an end user of Al-Call, a CLEC other than Al-Call or another telecommunications carrier.

Local Interconnection is defined as 1) the delivery of local traffic to be terminated on each Party's local network so that end users of either Party have the ability to reach end users of the other Party without the use of any access code or substantial delay in the processing of the call; 2) the LEC network features, functions, and capabilities set forth in this Agreement; and 3) Service Provider Number Portability sometimes referred to as temporary telephone number portability to be implemented pursuant to the terms of this Agreement.

Local Traffic is as defined in Attachment 3.

Message Distribution is routing determination and subsequent delivery of message data from one company to another. Also included is the interface function with CMDS, where appropriate.

Multiple Exchange Carrier Access Billing ("MECAB") means the document prepared by the Billing Committee of the Ordering and Billing Forum ("OBF:), which functions under the auspices of the Carrier Liaison Committee of the Alliance for Telecommunications Industry Solutions ("ATIS") and by Telcordia (formerly BellCore) as Special Report SR-BDS-000983, Containing the recommended guidelines for the billing of Exchange Service access provided by two or more LECs and/or CLECs or by one LEC in two or more states within a single LATA.

Network Element is defined to mean a facility or equipment used in the provision of a telecommunications service. Such term may include, but is not limited to, features, functions, and capabilities that are provided by means of such facility or equipment, including but not limited to, subscriber numbers, databases, signaling systems, and information sufficient for billing and collection or used in the transmission, routing, or other provision of a telecommunications service. BellSouth offers access to the following Network Elements: unbundled loops; network interface device; sub-loop elements; local switching; transport; tandem switching; signaling; access to call-related databases; dark fiber as set forth in Attachment 2 of this Agreement. BellSouth will provide packet switching capability only to the extent required pursuant to FCC rules. BellSouth will make Operator Call Processing and Directory Assistance Services available at the rates set forth in Exhibit C of Attachment 2 of this Agreement.

Non-Intercompany Settlement System (NICS) is the Telcordia (formerly BellCore) system that calculates non-intercompany settlements amounts due from one company to another within the same RBOC region. It includes credit card, third number and collect messages.

Percent of Interstate Usage (PIU) is defined as a factor to be applied to terminating access services minutes of use to obtain those minutes that should be rated as interstate access services minutes of use. The numerator includes all interstate "non-intermediary" minutes of use, including interstate minutes of use that are forwarded due to service provider number portability less any interstate minutes of use for Terminating Party Pays services, such as 800 Services. The denominator includes all "non-intermediary", local, interstate, intrastate, toll and access minutes of use adjusted for service provider number portability less all minutes attributable to terminating Party pays services.

Percent Local Usage (PLU) is defined as a factor to be applied to intrastate terminating minutes of use. The numerator shall include all "non-intermediary" local minutes of use adjusted for those minutes of use that only apply local due to Service Provider Number Portability. The denominator is the total intrastate minutes of use including local, intrastate toll, and access, adjusted for Service Provider Number Portability less intrastate terminating Party pays minutes of use.

Revenue Accounting Office (RAO) Status Company is a local exchange company/alternate local exchange company that has been assigned a unique RAO code. Message data exchanged

among RAO status companies is grouped (i.e. packed) according to From/To/Bill RAO combinations.

Service Control Points ("SCPs") are defined as databases that store information and have the ability to manipulate data required to offer particular services.

Signal Transfer Points ("STPs") are signaling message switches that interconnect Signaling Links to route signaling messages between switches and databases. STPs enable the exchange of Signaling System 7 ("SS7") messages between switching elements, database elements and STPs. STPs provide access to various BellSouth and third party network elements such as local switching and databases.

Signaling links are dedicated transmission paths carrying signaling messages between carrier switches and signaling networks. Signal Link Transport is a set of two or four dedicated 56 kbps transmission paths between Al-Call designated Signaling Points of Interconnection that provide a diverse transmission path and cross connect to a BellSouth Signal Transfer Point.

Telecommunications means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 ("Act") means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47, U.S.C. Section 1 et. seq.).

Attachment 1 Page 1

Attachment 1

Resale

TABLE OF CONTENTS

1.	DISCOUNT RATES	3
2.	DEFINITION OF TERMS	3
3.	GENERAL PROVISIONS	3
4.	BELLSOUTH'S PROVISION OF SERVICES TO AL-CALL	6
5.	MAINTENANCE OF SERVICES	6
6.	ESTABLISHMENT OF SERVICE	7
7.	PAYMENT AND BILLING ARRANGEMENTS	8
8.	DISCONTINUANCE OF SERVICE	10
9.	RESALE OF CUSTOMER SPECIFIC ARRANGEMENTS	11
10.	LINE INFORMATION DATABASE (LIDB)	12
11.	RAO HOSTING	12
12.	OPTIONAL DAILY USAGE FILE (ODUF)	12
13.	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)	12
14.	CALLING NAME DELIVERY (CNAM) DATABASE SERVICE	12
EXHIB	IT A	13
EXHIB	IT B	16
EXHIB	IT C	18
EXHIB	IT D	25
EXHIB	IT E	28
EXHIB	IT F	31

RESALE

1. **Discount Rates**

The rates pursuant by which Al-Call is to purchase services from BellSouth for resale shall be at a discount rate off of the retail rate for the telecommunications service. The discount rates shall be as set forth in Exhibit A, attached hereto and incorporated herein by this reference. Such discount shall reflect the costs avoided by BellSouth when selling a service for wholesale purposes.

2. **Definition of Terms**

- 2.1 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.2 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.3 END USER means the ultimate user of the telecommunications services.
- 2.4 END USER CUSTOMER LOCATION means the physical location of the premises where an end user makes use of the telecommunications services.
- 2.5 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.6 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the public service commissions of BellSouth's franchised area to provide local exchange service within BellSouth's franchised area
- 2.7 RESALE means an activity wherein a certificated CLEC, such as Al-Call subscribes to the telecommunications services of BellSouth and then reoffers those telecommunications services to the public (with or without "adding value").
- 2.8 RESALE SERVICE AREA means the area, as defined in a public service commission approved certificate of operation, within which an CLEC, such as Al-Call, may offer resold local exchange telecommunications service.

3. General Provisions

3.1 Al-Call may resell the tariffed local exchange and toll telecommunications services of BellSouth contained in the General Subscriber Service Tariff and Private Line Service Tariff subject to the terms, and conditions specifically set forth herein. Notwithstanding the foregoing, the exclusions and limitations on services available for resale will be as set forth in Exhibit B, attached hereto and incorporated herein by this reference.

BellSouth shall make available telecommunications services for resale at the rates set forth in Exhibit A to this Agreement and subject to the exclusions and limitations set forth in Exhibit B to this Agreement. The Parties do not however waive their rights to appeal or otherwise challenge any decision regarding resale that resulted in the discount rates contained in Exhibit A or the exclusions and limitations contained in Exhibit B. The Parties reserve the right to pursue any and all legal and/or equitable remedies, including appeals of any decisions. If such appeals or challenges result in changes in the discount rates or exclusions and limitations, the parties agree that appropriate modifications to this Agreement will be made promptly to make its terms

consistent with the outcome of the appeal. Al-Call may purchase resale services from BellSouth for its own use in operating its business. The resale discount will apply to those services under the following conditions:

- 3.1.1 Al-Call must resell services to other end users.
- 3.1.2 Al-Call must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Resale Account Teams pursuant to Section 3 of the General Terms and Conditions.
- 3.1.3 Al-Call cannot be an alternative local exchange telecommunications company for the single purpose of selling to itself.
- 3.2 The provision of services by BellSouth to Al-Call does not constitute a joint undertaking for the furnishing of any service.
- 3.3 Al-Call will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and expect payment from Al-Call for all services.
- 3.4 Al-Call will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the end user except to the extent provided for herein.
- 3.5 BellSouth will continue to bill the end user for any services that the end user specifies it wishes to receive directly from BellSouth.
- 3.6 BellSouth maintains the right to serve directly any end user within the service area of Al-Call. BellSouth will continue to directly market its own telecommunications products and services and in doing so may establish independent relationships with end users of Al-Call.
- 3.7 Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.8 Current telephone numbers are assigned to the service furnished and may normally be retained by the end user. Neither Party has property rights to the telephone number or any other call number designation associated with services furnished by BellSouth. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both in a non-discriminatory manner and at parity.
- 3.9 For the purpose of the resale of BellSouth's telecommunications services by Al-Call, BellSouth will provide Al-Call with an on line access to telephone numbers for reservation on a first come first serve basis. Al-Call shall be able to reserve telephone numbers to the same extent that BellSouth's retail operations may reserve telephone numbers. Al-Call acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC). In such instances BellSouth may request that Al-Call cancel its reservations of numbers, and any such request will be made in a non-discriminatory manner and at parity. Al-Call shall comply with such request.
- 3.10 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.11 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.

- 3.12 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.13 BellSouth accepts no responsibility to any person for any unlawful act committed by Al-Call or its end users as part of providing service to Al-Call for purposes of resale or otherwise.
- 3.14 The characteristics and methods of operation of any circuits, facilities or equipment provided by any person or entity other than BellSouth shall not:
 - 3.14.1 Interfere with or impair service over any facilities of BellSouth, its affiliates, or its connecting and concurring carriers involved in its service;
 - 3.14.2 Cause damage to BellSouth's plant;
 - 3.14.3 Impair the privacy of any communications; or
 - 3.14.4 Create hazards to any BellSouth employees or the public.
- 3.15 Facilities and/or equipment utilized by BellSouth to provide service to Al-Call remain the property of BellSouth.
- 3.16 White page directory listings will be provided in accordance with regulations set forth in Section A6 of the General Subscriber Services Tariff and will be available for resale.
- 3.17 BellSouth provides electronic access to customer record information. Access is provided through the Local Exchange Navigation System (LENS) and the Telecommunications Access Gateway (TAG). Customer Record Information includes but is not limited to, customer specific information in CRIS and RSAG. Al-Call agrees not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission, and further agrees that Al-Call will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the Al-Call in which the service is provided.
- 3.18 All costs incurred by BellSouth to develop and implement operational interfaces shall be recovered, from Resellers who utilize the services. Charges for use of Operational Support Systems (OSS) shall be as set forth in Exhibit A of this attachment. Where available to BellSouth's end users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
 - Simplified Message Desk Interface Enhanced ("SMDI-E")
 - Simplified Message Desk Interface ("SMDI") Message Waiting Indicator ("MWI") stutter dial tone and message waiting light feature capabilities
 - Call Forward on Busy/Don't Answer ("CF-B/DA")
 - Call Forward on Busy ("CF/B")
 - Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount BellSouth's Inside Wire Maintenance Service Plans may be made available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.

- 3.19 Recovery of charges associated with implementing Number Portability through monthly charges assessed to end users has been authorized by the FCC. This end user line charge will be billed to Resellers of BellSouth's telecommunications services and will be as filed in FCC No. 1. This charge will not be discounted.
- 3.20 BellSouth shall notify Al-Call in advance of long term promotions (offered for longer than ninety (90) days) by posting a notice on its website.
- 3.21 New Resale Services; Changes in Provision of Resale Services

BellSouth shall use best efforts to provide Al-Call forty-five (45) days advance notice via Internet posting of changes to the prices, terms or conditions of services available for Resale. To the extent that revisions occur between the time BellSouth notifies Al-Call of changes under this Agreement and the time the changes are scheduled to be implemented, BellSouth will notify Al-Call of such revisions consistent with its internal notification process; provided that, Al-Call shall not utilize any notice given under this subsection to market resold offerings of that service in advance of BellSouth. In addition, upon request BellSouth shall furnish Al-Call with copies of publicly available service descriptions regarding the Resale Services. Notwithstanding the foregoing, Al-Call shall not utilize any such BellSouth service descriptions as part of its own sales or marketing efforts.

4. BellSouth's Provision of Services to Al-Call

- 4.1 Al-Call agrees that its resale of BellSouth services shall be as follows:
 - 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
 - 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital end users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Independent Payphone Provider (IPP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
 - 4.1.3 BellSouth reserves the right to periodically audit services purchased by Al-Call to establish authenticity of use. Consistent with Section 4.2 below. Such audit shall not occur more than once in a calendar year. Al-Call shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit.
- 4.2 Resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual end user of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features, e.g., a usage allowance per month, shall not be aggregated across multiple resold services.
- 4.3 Al-Call may resell services only within the specific resale service area as defined in its certificate.
- 4.4 Telephone numbers transmitted via any resold service feature are intended solely for the use of the end user of the feature. Resale of this information is prohibited.

5. Maintenance of Services

- 5.1 Al-Call will adopt and adhere to the standards contained in the applicable CLEC Work Center Operational Understanding Agreement regarding maintenance and installation of service. Any conflict between the terms of the Operational Understanding Agreement and this Agreement shall be resolved in favor of this Agreement. Services resold under BellSouth's Tariffs and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- 5.2 Al-Call or its end users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth, other than by connection or disconnection to any interface means used, except with the written consent of BellSouth.
- 5.3 Al-Call accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- 5.4 Al-Call will be BellSouth's single point of contact for all repair calls on behalf of Al-Call's end users. The parties agree to provide one another with toll-free contact numbers for such purposes.
- 5.5 Al-Call will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- 5.6 For all repair requests, Al-Call accepts responsibility for adhering to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- 5.7 BellSouth will bill Al-Call for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 5.8 BellSouth reserves the right to contact Al-Call's end users, if deemed necessary, for maintenance purposes.

6. Establishment of Service

- After receiving certification as a local exchange company from the appropriate regulatory agency, Al-Call will provide the appropriate BellSouth service center the necessary documentation to enable BellSouth to establish a master account for Al-Call's resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable. When necessary deposit requirements are met, BellSouth will begin taking orders for the resale of service.
- 6.2 Service orders will be in a standard format designated by BellSouth.
- 6.3 When notification is received from Al-Call that a current end user of BellSouth will subscribe to Al-Call's service, standard service order intervals for the appropriate class of service will apply.
- 6.4 BellSouth will not require end user confirmation prior to establishing service for Al-Call's end user customer. Al-Call must, however, be able to demonstrate end user authorization upon request.
- Al-Call will be the single point of contact with BellSouth for all subsequent ordering activity resulting in additions or changes to resold services except that BellSouth will accept a request directly from the end user for conversion of the end user's service from Al-Call to BellSouth or will accept a request from another CLEC for conversion of the end user's service from Al-Call to the other LEC. BellSouth will notify Al-Call that such a request has been processed.

- 6.6 If BellSouth determines that an unauthorized change in local service to Al-Call has occurred, BellSouth, upon customer request, will reestablish service with the appropriate local service provider and will assess Al-Call as the CLEC initiating the unauthorized change, the unauthorized change charge described in F.C.C. Tariff No. 1, Section 13 or applicable state tariff. Appropriate nonrecurring charges, as set forth in Section A4. of the General Subscriber Service Tariff, will also be assessed to Al-Call. These charges will be adjusted to reflect a full credit if Al-Call provides satisfactory proof of authorization. BellSouth will notify Al-Call within five (5) business days that such a request has been processed.
- 6.7 In order to safeguard its interest, BellSouth reserves the right to secure the account with a reasonable and nondiscriminatory form of security deposit unless satisfactory credit has already been established.
 - 6.7.1 Such security deposit shall take the form of an irrevocable Letter of Credit or other forms of security acceptable to BellSouth. Any such security deposit may be held during the continuance of the service as security for the payment of any and all amounts accruing for the service.
 - 6.7.2 If a security deposit is required, such security deposit shall be made prior to the inauguration of service.
 - 6.7.3 Such security deposit may not exceed two months' estimated billing.
 - 6.7.4 The fact that a security deposit has been made in no way relieves Al-Call from complying with BellSouth's regulations as to advance payments and the prompt payment of bills on presentation nor does it constitute a waiver or modification of the regular practices of BellSouth providing for the discontinuance of service for non-payment of any sums due BellSouth.
 - 6.7.5 BellSouth reserves the right to increase the security deposit requirements when, in its reasonable judgment and on a nondiscriminatory basis, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the security deposit.
 - 6.7.6 In the event that Al-Call defaults on its account, service to Al-Call will be terminated and any security deposits held will be applied to its account.
 - 6.7.7 Interest on a security deposit shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff.
- 6.8 Orders to switch services "as is" shall be treated as a change of service and shall *not* be treated as a disconnection and subsequent reconnection of service.

7. Payment And Billing Arrangements

- 7.1 To the extent Al-Call has not already done so, prior to submitting orders to BellSouth for local service, a master account must be established for Al-Call. Al-Call is required to provide the following before a master account is established: proof of PSC/PUC certification, the Application for Master Account, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable. BellSouth shall bill Al-Call on a current basis all applicable charges and credits.
- 7.2 Payment of all charges will be the responsibility of Al-Call. Al-Call shall make payment to BellSouth for all services billed. BellSouth is not responsible for payments not received by Al-Call from Al-Call's end user. BellSouth will not become involved in billing disputes that may

arise between Al-Call and its end user, except as provided herein. Payments made to BellSouth as payment on account will be credited to an accounts receivable master account and not to an end user's account.

- 7.3 BellSouth will render bills each month on established bill days for each of Al-Call's accounts
- 7.4 BellSouth will bill Al-Call in advance charges for all services to be provided during the ensuing billing period except charges associated with service usage, which will be billed in arrears. Charges will be calculated on an individual end user account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill Al-Call, and Al-Call will be responsible for and remit to BellSouth, all charges applicable to resold services including but not limited to 911 and E911 charges, telecommunications relay charges (TRS), and franchise fees
- 7.5 The payment will be due by the next bill date, (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.
- 7.6 If the payment due date falls on a Sunday or on a Holiday which is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment penalty, as set forth in section 7.8 following, shall apply.
 - 7.6.1 If Al-Call requests multiple billing media or additional copies of bills, BellSouth will provide these at an appropriate charge to Al-Call.

7.7 Billing Disputes

- 7.7.1 Each Party agrees to notify the other Party upon the discovery of a billing dispute. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the Bill Date on which such disputed charges appear, provided however that failure to raise a billing dispute within 60 days of the bill date shall not operate to waive such dispute. Resolution of the dispute is expected to occur at the first level of management resulting in a recommendation for settlement of the dispute and closure of a specific billing period. If the issues are not resolved within the allotted time frame, the following resolution procedure will begin:
- 7.7.2 If the dispute is not resolved within sixty (60) days of the Bill Date, the dispute will be escalated to the second level of management for each of the respective Parties for resolution.
- 7.7.3 If the dispute is not resolved within ninety (90) days of the Bill Date, the dispute will be escalated to the third level of management for each of the respective Parties for resolution.
- 7.7.4 If the dispute is not resolved within one hundred and twenty (120) days of the Bill Date, or within such other time as the parties may agree, either Party may file a complaint with the Commission or with a court of competent jurisdiction. The parties will comply with decisions of the court of Commission, subject to the appropriate rights to appeal.
- 7.7.5 If a Party disputes a charge and does not pay such charge by the payment due date, such charges shall be subject to late payment charges as set forth in the Late Payment Charges provision of this Attachment. If a Party disputes a charge and does pay such charge by the payment due date, that Party will be entitled to a credit with interest if the dispute is

resolved in favor of that Party. If a Party disputes charges and the dispute is resolved in favor of such Party, the other Party shall credit the bill of the disputing Party for the amount of the disputed charges along with any late payment charges assessed no later than the second Bill Date after the resolution of the dispute. Accordingly, if a Party disputes charges and the dispute is resolved in favor of the other Party, the disputing Party shall pay the other Party the amount of the disputed charges and any associated late payment charges assessed no later than the second bill payment due date after the resolution of the dispute. BellSouth shall only assess interest on previously assessed late payment charges in a state where it has authority pursuant to its tariffs.

- 7.8 Upon proof of tax exempt certification from Al-Call, the total amount billed to Al-Call will not include any taxes due from the end user to reflect the tax exempt certification and local tax laws. Al-Call will be solely responsible for the computation, tracking, reporting, and payment of taxes applicable to Al-Call's end user.
- 7.9 If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment penalty shall be due to BellSouth. The late payment penalty shall be the portion of the payment not received by the payment due date times a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff and Section B2 of the Private Line Service Tariff.
- 7.10 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to, BellSouth. No additional charges are to be assessed to Al-Call.
- 7.11 BellSouth will not perform billing and collection services for Al-Call as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.
- 7.12 Pursuant to 47 CFR Section 51.617, BellSouth will bill Al-Call end user common line charges identical to the end user common line charges BellSouth bills its end users.
- 7.13 In general, BellSouth will not become involved in disputes between Al-Call and Al-Call's end user customers over resold services. If a dispute does arise that cannot be settled without the involvement of BellSouth, Al-Call shall contact the designated Service Center for resolution. BellSouth will make every effort to assist in the resolution of the dispute and will work with Al-Call to resolve the matter in as timely a manner as possible. Al-Call may be required to submit documentation to substantiate the claim.

8. Discontinuance of Service

- 8.1 The procedures for discontinuing service to an end user are as follows:
 - 8.1.1 Where possible, BellSouth will deny service to Al-Call's end user on behalf of, and at the request of, Al-Call. Upon restoration of the end user's service, restoral charges will apply and will be the responsibility of Al-Call.
 - 8.1.2 At the request of Al-Call, BellSouth will disconnect a Al-Call end user customer.
 - 8.1.3 All requests by Al-Call for denial or disconnection of an end user for nonpayment must be in writing.

- 8.1.4 Al-Call will be made solely responsible for notifying the end user of the proposed disconnection of the service.
- 8.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise Al-Call when it is determined that annoyance calls are originated from one of their end user's locations. BellSouth shall be indemnified, defended and held harmless by Al-Call and/or the end user against any claim, loss or damage arising from providing this information to Al-Call. It is the responsibility of Al-Call to take the corrective action necessary with its end users who make annoying calls. Failure to do so will result in BellSouth's disconnecting the end user's service.
- 8.1.6 BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received an order to establish new service or transfer of service from an end user or an end user's CLEC at the same address served by the denied facility.
- 8.2 The procedures for discontinuing service to Al-Call are as follows:
 - 8.2.1 BellSouth reserves the right to suspend or terminate service. BellSouth will provide notice and an opportunity to cure, not to exceed five business days, in the event of prohibited, unlawful or improper use of the facilities or service, abuse of the facilities, or any other violation or noncompliance by Al-Call of the rules and regulations of BellSouth's Tariffs
 - 8.2.2 BellSouth reserves the right to suspend or terminate service for nonpayment. If payment of account is not received by the bill day in the month after the original bill day, BellSouth may provide written notice to Al-Call that additional applications for service will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, give thirty days notice to the person designated by Al-Call to receive notices of noncompliance, and discontinue the provision of existing services to Al-Call at any time thereafter.
 - 8.2.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
 - 8.2.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and Al-Call's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to Al-Call without further notice.
 - 8.2.5 If payment is not received or arrangements made for payment by the date given in the written notification, Al-Call's services will be discontinued. Upon discontinuance of service on a Al-Call's account, service to Al-Call's end users will be denied. BellSouth will also reestablish service at the request of the end user or Al-Call upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. Al-Call is solely responsible for notifying the end user of the proposed disconnection of the service.
 - 8.2.6 If within fifteen days after an end user's service has been denied no contact has been made in reference to restoring service, the end user's service will be disconnected.

9. Resale of Customer Specific Arrangements

9.1 CSAs shall be available for resale at the wholesale discount set forth in Exhibit A of this Attachment; provided, however, that in the event the Commission establishes a specific discount

for CSAs such discount shall apply thereafter. Al-Call may resell a CSA to the end user for whom the CSA was constructed or to end users similarly situated to the specific end user for whom the CSA was constructed. Customers shall be deemed to be similarly situated when the quantity of use; time of use; manner of service; and costs of rendering the service are the same. In cases where Al-Call resells an existing CSA, no termination or rollover charges shall apply to the assignment of the CSA to Al-Call provided that Al-Call assumes the obligations set forth within the CSA. Notwithstanding the foregoing, BellSouth may impose a single service order charge (not to exceed the level of tariffed service order charges for comparable services) to recover the cost of changing the billing name on the account.

10. Line Information Database (LIDB)

- 10.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit C.
- 10.2 BellSouth will provide LIDB Storage upon written request to Al-Call Account Manager stating requested activation date.

11. **RAO Hosting**

- 11.1 The RAO Hosting Agreement is included in this Attachment as Exhibit D. Rates for BellSouth's Centralized Message Distribution System (CMDS) are as set forth in Exhibit H of this Attachment.
- 11.2 BellSouth will provide RAO Hosting upon written request to its Account Manager stating requested activation date.

12. Optional Daily Usage File (ODUF)

- 12.1 The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as Exhibit E. Rates for ODUF are as set forth in Exhibit H of this Attachment.
- 12.2 BellSouth will provide Optional Daily Usage File (ODUF) service upon written request to its Account Manager stating requested activation date.

13. Enhanced Optional Daily Usage File (EODUF)

- 13.1 The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit F. Rates for EODUF are as set forth in Exhibit H of this Attachment.
- 13.2 BellSouth will provide Enhanced Optional Daily Usage File (EODUF) service upon written request to its Account Manager stating requested activation date.

14. Calling Name Delivery (CNAM) Database Service

- 14.1 Calling Name Delivery (CNAM) Database Service Agreement is included in this Attachment as Exhibit G. Rates for CNAM are as set forth in Exhibit H of this Attachment.
- 14.2 BellSouth will provide Calling Name Delivery (CNAM) Database service upon written request to its Account Manager stating requested activation date.

EXHIBIT A Page 1

APPLICABLE DISCOUNTS

The telecommunications services available for purchase by Al-Call for the purposes of resale to Al-Call end users shall be available at the following discount off of the retail rate.

DISCOUNT*

STATE	RESIDENCE	BUSINESS	CSAs***
ALABAMA	16.3%	16.3%	
FLORIDA	21.83%	16.81%	
GEORGIA	20.3%	17.3%	
KENTUCKY	16.79%	15.54%	
LOUISIANA	20.72%	20.72%	9.05%
MISSISSIPPI	15.75%	15.75%	
NORTH CAROLINA	21.5%	17.6%	
SOUTH CAROLINA	14.8%	14.8%	8.98%
TENNESSEE**	16%	16%	

- * When a CLEC provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- ** In Tennessee, if CLEC provides its own operator services and directory services, the discount shall be 21.56%. CLEC must provide written notification to BellSouth within 30 days prior to providing its own operator services and directory services to qualify for the higher discount rate of 21.56%.
- *** Unless noted in this column, the discount for Business will be the applicable discount rate for CSAs.

EXHIBIT A Page 2

OPERATIONAL SUPPORT SYSTEMS (OSS) RATES

BellSouth has developed and made available the following mechanized systems by which Al-Call may submit LSRs electronically.

LENS Local Exchange Navigation System

EDI Electronic Data Interface

EDI-PC Electronic Data Interface – Personal Computer

TAG Telecommunications Access Gateway

LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic ordering charge as specified in the Table below. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below.

OPERATIONAL	<u>Electronic</u>	<u>Manual</u>				
SUPPORT SYSTEMS	Per LSR received from the CLEC	Per LSR received from the CLEC				
(OSS) RATES	by one of the OSS interactive	by means other than one of the				
	interfaces	OSS interactive interfaces				
OSS LSR Charge	\$3.50	\$19.99				
USOC	SOMEC	SOMAN				

Note: The OSS charges shall be paid in addition to and not in lieu of recurring and non-recurring charges applicable to the services ordered.

DENIAL/RESTORAL SERVICE CHARGE

In the event Al-Call provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

CANCELLATION OSS CHARGE

Al-Call will incur an OSS charge for an accepted LSR that is later canceled by Al-Call.

Note: Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

THRESHOLD BILLING PLAN

The Parties agree that Al-Call will incur the mechanized rate for all LSRs, both **mechanized** (**LENS**, **EDI**, **EDI-PC**, **and TAG**) and manual, if the percentage of mechanized LSRs to total LSRs **meets or** exceeds the threshold percentages shown below

Year Ratio: Mechanized/Total LSRs

2000 80%

2001 90%

The threshold plan will be discontinued in 2002.

EXHIBIT A Page 3

In calculating the percentages above, all orders submitted via BellSouth's mechanized LSR systems (LENS, EDI, EDI-PC, and TAG) will count as mechanized LSRs, regardless of whether an order falls out of the mechanized process or requires manual intervention in order to be properly completed and processed.

BellSouth will track the total LSR volume for each CLEC for each quarter. At the end of that time period, a Percent Electronic LSR calculation will be made for that quarter based on the LSR data tracked in the LCSC. If this percentage exceeds the threshold volume, all of that CLECs' future manual LSRs will be billed at the mechanized LSR rate. To allow time for obtaining and analyzing the data and updating the billing system, this billing change will take place on the first day of the second month following the end of the quarter (e.g., May 1 for 1Q, Aug 1 for 2Q, etc.). There will be no adjustments to the amount billed for previously billed LSRs.

Exhibit B Page 1 of 2

EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE

	Type of	Type of AL		FL		GA		KY		LA	
	Service		Discount?	Resale?	Discount?	Resale?	Discount?	Resale?	Discount?	Resale?	Discount?
1	Grandfathered Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
2	Contract Service Arrangements	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
3	Promotions - > 90 Days(Note 2)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
4	Promotions - < 90 Days (Note 2)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
5	Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	Note 4	Note 4	Yes	Yes
6	911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
	N11 Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No
8	AdWatch SM Svc (See Note 6)	Yes	yes	Yes	yes	Yes	yes	Yes	yes	Yes	Yes
9	MemoryCall® Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
10	Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
11	Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
12	Non-Recurring Charges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
13	End User Line Charge – Number Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No

Type of		MS		ľ	NC		SC	TN		
Service		Resale?	Discount?	Resale?	Discount?	Resale?	Discount?	Resale?	Discount?	
1	Grandfathered Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
2	Contract Service Arrangements	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
3	Promotions - > 90 Days(Note 2)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 3	
4	Promotions - < 90 Days (Note 2)	Yes	No	Yes	No	Yes	No	Yes	No	
5	Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 4	
6	911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
7	N11 Services	No	No	No	No	Yes	Yes	Yes	Yes	
8	AdWatch SM Svc (See Note 6)	Yes	yes	Yes	yes	Yes	yes	Yes	yes	
9	MemoryCall® Service	Yes	No	Yes	No	Yes	No	Yes	No	
10	Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No	
11	Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No	
12	Non-Recurring Charges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	
13	End User Line Charge – Number Portability	Yes	No	Yes	No	Yes	No	Yes	No	

Applicable Notes:

- 1 **Grandfathered services** can be resold only to existing subscribers of the grandfathered service.
- 2 Where available for resale, **promotions** will be made available only to end users who would have qualified for The promotion had it been provided by BellSouth directly.
- 3 In Tennessee, long-term promotions (offered for more than ninety (90) days) may be obtained at one of the following rates:
 - (a) the stated tariff rate, less the wholesale discount;
 - (b) the promotional rate (the promotional rate offered by BellSouth will not be discounted further by the wholesale discount rate)

EXHIBIT B Page 2 of 2

- 4 **Lifeline/Link Up** services may be offered only to those subscribers who meet the criteria that BellSouth currently applies to subscribers of these services. In Kentucky, the Al-Call is responsible for funding its own Lifeline and Link Up benefit. In Tennessee, Al-Call shall purchase BellSouth's Message Rate Service at the stated tariff rate, less the wholesale discount. Al-Call must further discount the wholesale Message Rate Service to Lifeline customers with a discount which is no less than the minimum discount that BellSouth now provides. Al-Call is responsible for recovering the Subscriber Line Charge from the National Exchange Carriers Association interstate toll settlement pool just as BellSouth does today. The maximum rate that Al-Call may charge for Lifeline Service shall be capped at the flat retail rate offered by BellSouth.
- 5 Some of BellSouth's local exchange and toll telecommunications services are not available in certain central offices and areas.
- 6 AdWatchSM Service is tariffed as BellSouth[®] AIN Virtual Number Call Detail Service.

LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

I. SCOPE

- A. This Agreement sets forth the terms and conditions pursuant to which BST agrees to store in its LIDB certain information at the request of the Local Exchange Company and pursuant to which BST, its LIDB customers and Local Exchange Carrier shall have access to such information. Local Exchange Carrier understands that BST provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Local Exchange Carrier, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained in the attached Addendum(s) are hereby made a part of this Agreement as if fully incorporated herein.
 - B. LIDB is accessed for the following purposes:
 - 1. Billed Number Screening
 - 2. Calling Card Validation
 - 3. Fraud Control
- C. BST will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BST's LIDB, provided that such information is included in the LIDB query. BST will establish fraud alert thresholds and will notify the Local Exchange Company of fraud alerts so that the Local Exchange Company may take action it deems appropriate. Local Exchange Company understands and agrees BST will administer all data stored in the LIDB, including the data provided by Local Exchange Company pursuant to this Agreement, in the same manner as BST's data for BST's end user customers. BST will suspend or restore individual LIDB accounts of Al-Call customers as instructed by Al-Call. BST shall not be responsible to Local Exchange Company for any lost revenue which may result from BST's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BST in its sole discretion from time to time.

Local Exchange Company understands that BST currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses. Local Exchange Company further

EXHIBIT C

understands that these billing and collection customers of BST query BST's LIDB to determine whether to accept various billing options from end users. Additionally, Local Exchange Company understands that presently BST has no method to differentiate between BST's own billing and line data in the LIDB and such data which it includes in the LIDB on Local Exchange Company's behalf pursuant to this Agreement. Therefore, until such time as BST can and does implement in its LIDB and its supporting systems the means to differentiate Local Exchange Company's data from BST's data and the parties to this Agreement execute appropriate amendments hereto, the following terms and conditions shall apply:

- (a) The Local Exchange Company agrees that it will accept responsibility for telecommunications services billed by BST for its billing and collection customers for Local Exchange Customer's end user accounts which are resident in LIDB pursuant to this Agreement. Local Exchange Company authorizes BST to place such charges on Local Exchange Company's bill from BST and agrees that it shall pay all such charges. Charges for which Local Exchange Company hereby takes responsibility include, but are not limited to, collect and third number calls.
- (b) Charges for such services shall appear on a separate BST bill page identified with the name of the entity for which BST is billing the charge.
- (c) Local Exchange Company shall have the responsibility to render a billing statement to its end users for these charges, but Local Exchange Company's obligation to pay BST for the charges billed shall be independent of whether Local Exchange Company is able or not to collect from the Local Exchange Company's end users.
- (d) BST shall not become involved in any disputes between Local Exchange Company and the entities for which BST performs billing and collection. BellSouth will not issue adjustments for charges billed on behalf of an entity to Local Exchange Company. It shall be the responsibility of the Local Exchange Company and the other entity to negotiate and arrange for any appropriate adjustments.

II. TERM

This Agreement will be effective as of June 26, 2000, and will continue in effect for one year, and thereafter may be continued until terminated by either party upon thirty (30) days written notice to the other party.

III. FEES FOR SERVICE AND TAXES

- A. The Local Exchange Company will not be charged a fee for storage services provided by BST to the Local Exchange Company, as described in Section I of this Agreement.
- B. Sales, use and all other taxes (excluding taxes on BST's income) determined by BST or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by the Local Exchange Company. The Local Exchange Company shall have the right to have BST contest with the imposing jurisdiction, at the Local Exchange Company's expense, any such taxes that the Local Exchange Company deems are improperly levied.

IV. INDEMNIFICATION

To the extent not prohibited by law, each party will indemnify the other and hold the other harmless against any loss, cost, claim, injury, or liability relating to or arising out of negligence or willful misconduct by the indemnifying party or its agents or contractors in connection with the indemnifying party's provision of services, provided, however, that any indemnity for any loss, cost, claim, injury or liability arising out of or relating to errors or omissions in the provision of services under this Agreement shall be limited as otherwise specified in this Agreement. The indemnifying party under this Section agrees to defend any suit brought against the other party for any such loss, cost, claim, injury or liability. The indemnified party agrees to notify the other party promptly, in writing, of any written claims, lawsuits, or demands for which the other party is responsible under this Section and to cooperate in every reasonable way to facilitate defense or settlement of claims. The indemnifying party shall not be liable under this Section for settlement by the indemnified party of any claim, lawsuit, or demand unless the defense of the claim, lawsuit, or demand has been tendered to it in writing and the indemnifying party has unreasonably failed to assume such defense.

V. LIMITATION OF LIABILITY

In the absence of gross negligence or willful misconduct, neither party shall be liable to the other party for any lost profits or revenues or for any indirect, incidental or consequential damages incurred by the other party arising from this Agreement or the services performed or not performed hereunder, regardless of the cause of such loss or damage

VI. MISCELLANEOUS

- A. It is understood and agreed to by the parties that BST may provide similar services to other companies.
- B. All terms, conditions and operations under this Agreement shall be performed in accordance with, and subject to, all applicable local, state or federal legal and regulatory tariffs, rulings, and other requirements of the federal courts, the U. S. Department of Justice and state and federal regulatory agencies. Nothing in this Agreement shall be construed to cause either party to violate any such legal or regulatory requirement and either party's obligation to perform shall be subject to all such requirements.
- C. The Local Exchange Company agrees to submit to BST all advertising, sales promotion, press releases, and other publicity matters relating to this Agreement wherein BST's corporate or trade names, logos, trademarks or service marks or those of BST's affiliated companies are mentioned or language from which the connection of said names or trademarks therewith may be inferred or implied; and the Local Exchange Company further agrees not to publish or use advertising, sales promotions, press releases, or publicity matters without BST's prior written approval.
- D. This Agreement constitutes the entire agreement between the Local Exchange Company and BST which supersedes all prior agreements or contracts, oral or written representations, statements, negotiations, understandings, proposals and undertakings with respect to the subject matter hereof.
- E. Except as expressly provided in this Agreement, if any part of this Agreement is held or construed to be invalid or unenforceable, the validity of any other Section of this Agreement shall remain in full force and effect to the extent permissible or appropriate in furtherance of the intent of this Agreement.
- F. Neither party shall be held liable for any delay or failure in performance of any part of this

 Agreement for any cause beyond its control and without its fault or negligence, such as acts of God, acts of civil or
 military authority, government regulations, embargoes, epidemics, war, terrorist acts, riots, insurrections, fires,
 explosions, earthquakes, nuclear accidents, floods, strikes, power blackouts, volcanic action, other major
 environmental disturbances, unusually severe weather conditions, inability to secure products or services of other
 persons or transportation facilities, or acts or omissions of transportation common carriers.
 - G. This Agreement shall be deemed to be a contract made under the laws of the State of Georgia, and

the construction, interpretation and performance of this Agreement and all transactions hereunder shall be governed by the domestic law of such State.

RESALE ADDENDUM

TO LINE INFORMATION DATA BASE (LIDB)

STORAGE AGREEMENT

This is a Resale Addendum to the Line Information Data Base Storage Agreement dated June 26, 2000, between BellSouth Telecommunications, Inc. ("BST"), and Local Exchange Company ("Local Exchange Company"), effective the 26th day of June, 2000.

I. GENERAL

This Addendum sets forth the terms and conditions for Local Exchange Company's provision of billing number information to BST for inclusion in BST's LIDB. BST will store in its LIDB the billing number information provided by Local Exchange Company, and BST will provide responses to on-line, call-by-call queries to this information for purposes specified in Section I.B. of the Agreement.

II. DEFINITIONS

- A. Billing number a number used by BST for the purpose of identifying an account liable for charges.

 This number may be a line or a special billing number.
- B. Line number a ten digit number assigned by BST that identifies a telephone line associated with a resold local exchange service, or with a SPNP arrangement.
- C. Special billing number a ten digit number that identifies a billing account established by BST in connection with a resold local exchange service or with a SPNP arrangement.
 - D. Calling Card number a billing number plus PIN number assigned by BST.
- E. PIN number a four digit security code assigned by BST which is added to a billing number to compose a fourteen digit calling card number.
 - F. Toll billing exception indicator associated with a billing number to indicate that it is considered

invalid for billing of collect calls or third number calls or both, by the Local Exchange Company.

- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number or Calling Card number as assigned by BST and toll billing exception indicator provided to BST by the Local Exchange Company.

III. RESPONSIBILITIES OF PARTIES

- A. BST will include billing number information associated with resold exchange lines or SPNP arrangements in its LIDB. The Local Exchange Company will request any toll billing exceptions via the Local Service Request (LSR) form used to order resold exchange lines, or the SPNP service request form used to order SPNP arrangements.
- B. Under normal operating conditions, BST shall include the billing number information in its LIDB upon completion of the service order establishing either the resold local exchange service or the SPNP arrangement, provided that BST shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BST's reasonable control. BST will store in its LIDB an unlimited volume of the working telephone numbers associated with either the resold local exchange lines or the SPNP arrangements. For resold local exchange lines or for SPNP arrangements, BST will issue line-based calling cards only in the name of Local Exchange Company. BST will not issue line-based calling cards in the name of Local Exchange Company's individual end users. In the event that Local Exchange Company wants to include calling card numbers assigned by the Local Exchange Company in the BST LIDB, a separate agreement is required.
- C. BST will provide responses to on-line, call-by-call queries to the stored information for the specific purposes listed in the next paragraph.
- D. BST is authorized to use the billing number information to perform the following functions for authorized users on an on-line basis:
 - 1. Validate a 14 digit Calling Card number where the first 10 digits are a line number or

EXHIBIT C

special billing number assigned by BST, and where the last four digits (PIN) are a security code assigned by BST.

2. Determine whether the Local Exchange Company has identified the billing number as one which should not be billed for collect or third number calls, or both.

EXHIBIT D

CMDS/RAO Hosting

- RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to Al-Call by BellSouth will be in accordance with the methods and practices conforming to accepted industry standards during the term of this Agreement, including such revisions as may be made from time to time by BellSouth and agreed to by Al-Call.
- 2. To the extent not already provided, Al-Call shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3. Applicable compensation amounts will be billed by BellSouth to Al-Call on a monthly basis in arrears. Amounts due from one Party to the other (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement
- Al-Call must have its own unique RAO code. Requests for establishment of RAO status where BellSouth is the selected Centralized Message Distribution System (CMDS) interfacing host, require written notification from Al-Call to the BellSouth RAO Hosting coordinator at least eight (8) weeks prior to the proposed effective date. The proposed effective date will be mutually agreed upon between the Parties with consideration given to time necessary for the completion of required Telcordia (formerly BellCore) functions. BellSouth will request the assignment of an RAO code from its connecting contractor, currently Telcordia (formerly BellCore), on behalf of Al-Call and will coordinate all associated conversion activities.
- BellSouth will receive messages from Al-Call that are to be processed by BellSouth, another LEC or CLEC in the BellSouth region or a LEC outside the BellSouth region.
- BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from Al-Call.
- All data received from Al-Call that is to be processed or billed by another LEC or CLEC within the BellSouth region will be distributed to that LEC or CLEC in accordance with the agreement(s) which may be in effect between BellSouth and the involved LEC or CLEC.
- All data received from Al-Call that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) which may be in effect between BellSouth and its connecting contractor (currently Telcordia (formerly BellCore)).
- 9 BellSouth will receive messages from the CMDS network that are destined to be processed by Al-Call and will forward them to Al-Call on a daily basis.
- Transmission of message data between BellSouth and Al-Call will be via CONNECT:Direct.
- All messages and related data exchanged between BellSouth and Al-Call will be formatted in accordance with accepted industry standards for EMI formatted records and packed between appropriate EMI header and trailer records, also in accordance with accepted industry standards.
- Al-Call will ensure that the recorded message detail necessary to recreate files provided to BellSouth will be maintained for back-up purposes for a period of three (3) calendar months beyond the related message dates.
- Should it become necessary for Al-Call to send data to BellSouth more than sixty (60) days past the message date(s), Al-Call will notify BellSouth in advance of the transmission of the data. If there will be

EXHIBIT D

impacts outside the BellSouth region, BellSouth will work with its connecting contractor and Al-Call to notify all affected Parties.

- In the event that data to be exchanged between the two Parties should become lost or destroyed, both Parties will work together to determine the source of the problem. Once the cause of the problem has been jointly determined and the responsible Party (BellSouth or Al-Call) identified and agreed to, the company responsible for creating the data (BellSouth or Al-Call) will make every effort to have the affected data restored and retransmitted. If the data cannot be retrieved, the responsible Party will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the date of problem resolution, or as mutually agreed upon by the Parties.
- Should an error be detected by the EMI format edits performed by BellSouth on data received from Al-Call, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify Al-Call of the error condition. Al-Call will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, Al-Call will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- In association with message distribution service, BellSouth will provide Al-Call with associated intercompany settlements reports (CATS and NICS) as appropriate.
- In no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this agreement.

18 <u>RAO Compensation</u>

- 18.1 Rates for message distribution service provided by BellSouth for Al-Call are as set forth in Exhibit A to this Attachment.
- 18.2 Rates for data transmission associated with message distribution service are as set forth in Exhibit A to this Attachment .
- 18.3 Data circuits (private line or dial-up) will be required between BellSouth and Al-Call for the purpose of data transmission. Where a dedicated line is required, Al-Call will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Al-Call will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Al-Call. Additionally, all message toll charges associated with the use of the dial circuit by Al-Call will be the responsibility of Al-Call. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties.
- All equipment, including modems and software, that is required on the Al-Call end for the purpose of data transmission will be the responsibility of Al-Call.

19 Intercompany Settlements Messages

19.1 This Section addresses the settlement of revenues associated with traffic originated from or billed by Al-Call as a facilities based provider of local exchange telecommunications services outside the BellSouth

EXHIBIT D

region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between Al-Call and the involved company(ies), unless that company is participating in NICS.

- 19.2 Both traffic that originates outside the BellSouth region by Al-Call and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by Al-Call, is covered by this Agreement (CATS). Also covered is traffic that either is originated by or billed by Al-Call, involves a company other than Al-Call, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- 19.3 Once Al-Call is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via Telcordia (formerly BellCore)'s, its successor or assign, NICS system.
- 19.4 BellSouth will receive the monthly NICS reports from Telcordia (formerly BellCore), its successor or assign, on behalf of Al-Call. BellSouth will distribute copies of these reports to Al-Call on a monthly basis.
- 19.5 BellSouth will receive the monthly Calling Card and Third Number Settlement System (CATS) reports from Telcordia (formerly BellCore), its successor or assign, on behalf of Al-Call. BellSouth will distribute copies of these reports to Al-Call on a monthly basis.
- BellSouth will collect the revenue earned by Al-Call from the Bell operating company in whose territory the messages are billed (CATS), less a per message billing and collection fee of five cents (\$0.05), on behalf of Al-Call. BellSouth will remit the revenue billed by Al-Call to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on Al-Call. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Al-Call via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- 19.7 BellSouth will collect the revenue earned by Al-Call within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of Al-Call. BellSouth will remit the revenue billed by Al-Call within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Al-Call via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

BellSouth and Al-Call agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

EXHIBIT E

Optional Daily Usage File (ODUF)

- Upon written request from Al-Call, BellSouth will provide the Optional Daily Usage File (ODUF) service to Al-Call pursuant to the terms and conditions currently in place between BellSouth and Al-Call.
- Al-Call shall furnish, to the extent not already furnished, the following information required by BellSouth for the provision of the Optional Daily Usage File:
- The Optional Daily Usage Feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Al-Call customer.
 - Charges for delivery of the Optional Daily Usage File will appear on the Al-Call's monthly bills. The charges are as set forth in Exhibit A to this Attachment.
- The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in the billing system of the Al-Call will be the responsibility of the Al-Call. If, however, the Al-Call should encounter significant volumes of errored messages that prevent processing by the Al-Call within its systems, BellSouth will work with the Al-Call to determine the source of the errors and the appropriate resolution.
- 6. The following specifications shall apply to the Optional Daily Usage Feed.
- 6.1 Usage To Be Transmitted
- 6.1.1 The following messages recorded by BellSouth will be transmitted to Al-Call:
 - -message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, ETC.)
 - -measured billable Local
 - -Directory Assistance messages
 - -intraLATA Toll
 - -WATS & 8XX Service
 - -N11
 - -Information Service Provider Messages
 - -Operator Services Messages
 - -Operator Services Message Attempted Calls (UNE only)
 - -Credit/Cancel Records
 - -Usage for Voice Mail Message Service
 - -9XX Service
- 6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on Optional Daily Usage File. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.

EXHIBIT E

- 6.1.3 BellSouth will perform duplicate record checks on records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Al-Call.
- 6.1.4 In the event that Al-Call detects a duplicate on Optional Daily Usage File they receive from BellSouth, Al-Call will drop the duplicate message (Al-Call will not return the duplicate to BellSouth).
- 6.2 Physical File Characteristics
- 6.2.1 The Optional Daily Usage File will be distributed to Al-Call via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Al-Call for the purpose of data transmission. Where a dedicated line is required, Al-Call will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Al-Call will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Al-Call. Additionally, all message toll charges associated with the use of the dial circuit by Al-Call will be the responsibility of Al-Call. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the parties. All equipment, including modems and software, that is required on Al-Call end for the purpose of data transmission will be the responsibility of Al-Call.
- 6.3 Packing Specifications
- 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Al-Call which BellSouth RAO that is sending the message. BellSouth and Al-Call will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Al-Call and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

- 6.4 Pack Rejection
- 6.4.1 Al-Call will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Al-Call will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Al-Call by BellSouth.
- 6.5 Control Data

Al-Call will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Al-Call received the pack and the acceptance or rejection of the pack. Pack Status

EXHIBIT E

Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Al-Call for reasons stated in the above section.

- 6.6 Testing
- 6.6.1 Upon request from Al-Call, BellSouth shall send test files to Al-Call for the Optional Daily Usage File. The parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that Al-Call set up a production (LIVE) file. The live test may consist of Al-Call's employees making test calls for the types of services Al-Call requests on the Optional Daily Usage File. These test calls are logged by Al-Call, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent. Al-Call shall not be required to repeat testing completed during the deployment of its facilities and electronic interfaces.

Enhanced Optional Daily Usage File (EODUF)

- Upon written request from Al-Call, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Al-Call pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- To the extent not already provided, Al-Call shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File3. The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
 - Charges for delivery of the Enhanced Optional Daily Usage File will appear on Al-Call's monthly bills. The charges are as set forth in Exhibit A to this Attachment.
- 4 All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in the billing system of Al-Call will be the responsibility of Al-Call. If, however, Al-Call should encounter significant volumes of errored messages that prevent processing by Al-Call within its systems, BellSouth will work with Al-Call to determine the source of the errors and the appropriate resolution.
- 6. The following specifications shall apply to the Optional Daily Usage Feed.
- 6.1 Usage To Be Transmitted
- 6.1.1 The following messages recorded by BellSouth will be transmitted to Al-Call:

Customer usage data for flat rated local call originating from CLEC end user lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call
From Number
To Number
Connect Time
Conversation Time
Method of Recording
From RAO
Rate Class
Message Type
Billing Indicators
Bill to Number

- 6.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Al-Call.
- 6.1.3 In the event that Al-Call detects a duplicate on Enhanced Optional Daily Usage File that it receives from BellSouth, Al-Call will drop the duplicate message (Al-Call will not return the duplicate to BellSouth).
- 6.2 Physical File Characteristics

EXHIBIT F

- 6.2.1 The Enhanced Optional Daily Usage Feed will be distributed to Al-Call over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among Al-Call's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).
- 6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Al-Call for the purpose of data transmission. Where a dedicated line is required, Al-Call will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Al-Call will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Al-Call. Additionally, all message toll charges associated with the use of the dial circuit by Al-Call will be the responsibility of Al-Call. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the parties. All equipment, including modems and software, that is required on Al-Call end for the purpose of data transmission will be the responsibility of Al-Call.
- 6.3 Packing Specifications
- 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Al-Call which BellSouth RAO that is sending the message. BellSouth and Al-Call will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Al-Call and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

BELLSOUTH/AI-Call RATES ODUF/EDOUF/CMDS

RATES BY STATE

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN
ODUF/EODUF/CMDS										
ODUF: Recording, per message	N/A	\$0.0002	\$0.008	\$0.008	\$0.0008611	\$0.00019	\$0.0001179	\$0.008	\$0.0002862	\$0.008
ODUF: Message Processing, per message	N/A	\$0.0033	\$0.004	\$0.004	\$0.0032357	\$0.0024	\$0.0032089	\$0.004	\$0.0032344	\$0.004
EODUF: Message Processing, per message	N/A	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004
CMDS: Message Processing, per message	N/A	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004
ODUF: Message Processing, per magnetic tape provisioned	N/A	\$55.19	\$54.95	\$54.95	\$55.68	\$47.30	\$54.62	\$54.95	\$54.72	\$54.95
EODUF: Message Processing, per magnetic tape provisioned	N/A	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30
ODUF: Data Transmission (CONNECT:DIRECT), per message	N/A	\$0.00004	\$0.001	\$0.001	\$0.0000365	\$0.00003	\$0.0000354	\$0.001	\$0.0000357	\$0.001
EODUF: Data Transmission (CONNECT:DIRECT), per message	N/A	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364
CMDS: Data Transmission (CONNECT:DIRECT), per message	N/A	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001
* Volume and term arrangements are also available.										

NOTES:

If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the parties upon request by either party.

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1.	Introduction	3
2.	Unbundled Loops	4
3.	Integrated Digital Loop Carriers	10
4.	Network Interface Device	11
5.	Unbundled Loop Concentration (ULC) System	12
6.	Sub-Loop Elements	13
7.	Local Switching	17
8.	Interoffice Transmission Facilities	23
9.	Tandem Switching	29
10.	<u>Combinations</u>	32
11.	Operator Systems	37
12.	Signaling	43
13.	Signaling Transfer Points (STPs)	44
14.	Service Control Points/DataBases	48
15.	Dark Fiber	56
16.	SS7 Network Interconnection	57
17.	Basic 911 and E911	61
18.	<u>Rates</u>	62
1.00	DEFINITIONS	74
2.0	ATTACHMENT	74
3.00	PHYSICAL CONNECTION AND COMPENSATION	75
4.00	CNAM RECORD INITIAL LOAD AND UPDATES	75
EXH	IBIT A – LIDB STORAGE AGREEMENT	EXHIBIT A
EXH	IBIT B – CNAM DATABASE SERVICES	EXHIBIT B
EXH	IRIT C RATES	EVHIRIT C

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1. <u>Introduction</u>

- 1.1 Network Element is defined to mean a facility or equipment used in the provision of a munications service. Such term may include, but is not limited to, features, functions, and capabilities that are provided by means of such facility or equipment, including but not limited to, subscriber numbers, databases, signaling systems, and information sufficient for billing and collection or used in the transmission, routing, or other provision of a munications service. BellSouth offers access to the Network Elements, unbundled loops; network interface device; sub-loop elements; local switching; transport; tandem switching; operator systems; signaling; access to call-related databases; dark fiber as set forth in this Attachment.
- 1.2 BellSouth shall, upon request of Al-Call, and to the extent technically feasible, provide to Al-Call access to its network elements for the provision of Al-Call's munications service. If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.3 Al-Call may purchase network elements and other services from BellSouth for the purpose of combining such network elements in any manner Al-Call chooses to provide munication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop elements which are located outside of the central office, BellSouth shall deliver the network elements purchased by Al-Call for combining to the designated Al-Call collocation space. The network elements shall be provided as set forth in this Attachment.
- 1.4 BellSouth will provide the following combined network elements for purchase by Al-Call . The rate of the following combined network elements is the sum of the individual element prices as set forth in this Attachment. Order Coordination as defined in Section 2 of Attachment 2 of this Agreement is available for each of these combinations:
 - SL1 or SL2 loop and cross connect
 - Port and cross connect
 - Port and cross connect and common (shared) transport
 - Port and vertical features
 - SL2 Loop with loop concentration
 - Port and common (shared) transport
 - SL1 or SL2 Loop and LNP

- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within Attachment 2 to the extent that they are consistent with the greater of BellSouth's actual performance or applicable industry standards.
- 1.6 Al-Call will adopt and adhere to the standards contained in the applicable CLEC Work Center Operational Understanding Agreement regarding maintenance and installation of service, provided however that nothing required in this Work Center Operational Understanding Agreement shall override Al-Call 's rights or BellSouth's obligations under this Agreement.

2. <u>Unbundled Loops</u>

2.1 BellSouth agrees to offer access to loops pursuant to the following terms and conditions and at the rates set forth in this Attachment.

2.2 Definition

- 2.2.1 The loop is the physical medium or functional path on which a subscriber's traffic is carried from the MDF or similar terminating device in a central office up to the termination at the NID at the customer's premise. Each loop will be provisioned with a NID.
- 2.2.2 The provisioning of service to a CLEC will require cross-office cabling and cross-connections within the central office to connect the loop to a local switch or to other transmission equipment in collocation space. These cross-connects are a separate element and are not considered a part of the loop.
- 2.2.3 BellSouth Order Coordination referenced in Attachment 2 includes two types: "Order Coordination" and "Order Coordination Time Specific."
- 2.2.4 "Order Coordination" refers to standard BellSouth service order coordination involving SL2 voice loops and all digital loops. Order coordination for physical cut-overs will be scheduled as follows:
- 2.2.4.1 For a coordinated conversion i.e. stand alone INP, INP and LNP with loop or stand alone loop where order coordination is provided for in this agreement, BellSouth shall verbally coordinate the disconnect with Al-Call and perform any switch translations so as to limit end user service outage. BellSouth and Al-Call will mutually agree upon a cut-over time 24 to 48 hours prior to the actual conversion. Al-Call may designate the conversion time when the conversion involves a loop with ILNP or LNP by ordering time specific conversion at rates designated in this agreement. For time specific conversions, BellSouth will verify the cut-over time designated by Al-Call 24 to 48 hours in advance to ensure that

the conversion is to be completed as ordered. Both parties will use best efforts to ensure mutually agreed to conversion times, as identified in this paragraph, will commence within 15 minutes of the agreed time. For coordinated conversions, BellSouth's target intervals for service disruption to the end-user is 15 minutes or less for each loop.

- Order coordination is not provided for in the provisioning of an SL1 loop.

 BellSouth will however, provide a notifier to the Al-Call when the physical wirework is completed for an SL1 loop with LNP. This notification will allow the Al-Call to ensure minimal end user loss of service, provided that Al-Call promptly sends the activate message to NPAC to port the number. BellSouth will use best efforts to notify Al-Call within thirty (30) minutes of the completion of the physical wire work.
- 2.2.4.3 BellSouth normal hours of operation are defined in Attachment 6. Provisioning outside of these hours will be billed at overtime rates for the number of employees supporting the after hours conversion.
- 2.2.4.4 Testing
- 2.2.4.4.1 BellSouth will perform the appropriate pre-service tests to ensure Al-Call dial tone is delivered to the appropriate connecting point. The timing of the test is based on the overall interval and type of the service being provisioned. Under normal intervals, testing for designed services are normally completed 24 hours in advance of the conversion. For non-designed services, dial tone is verified in time frames consistent with the same time frames that BellSouth uses to activate POTS services for it's own end users. In any event, BellSouth will advise Al-Call whenever connectivity cannot be verified with Al-Call and will work cooperatively with Al-Call to correct the problem. BellSouth will advise Al-Call at completion of the conversion or turn up of new services in order for Al-Call to accept or reject the services being provisioned. BellSouth will work cooperatively with Al-Call to ensure end user service outage is minimal.
- 2.2.4.4.2 Where a field visit is required to provision the loop, BellSouth will test the loop ordered by Al-Call to the NID. Testing requested by Al-Call to points beyond the NID will be billed a time and material charge at the same increments BellSouth charges it's own end users. Requests for field-testing where a dispatch is not required may be made by Al-Call and where mutually agreed to, BellSouth will dispatch to perform additional field testing at rates billed on a time and material basis as mentioned in the previous paragraph.

BellSouth will place a tag on all unbundled loops that require a technician to be dispatched to the end user's premises during the provisioning process. The loop tag will include the CLEC's name and the circuit ID number. Otherwise, the loop will be tagged by BellSouth during the next scheduled maintenance or repair visit

to the customer's location for that loop; or the loop may be tagged by the CLEC during their dispatch to that customer's location.

- 2.2.4.4.3 Cut-over intervals for ILNP, ILNP with loop and LNP with loop will be at parity with the intervals experienced by BellSouth end users, BellSouth itself or any other Al-Call as indicated in the results of the Service Quality Measurements published by BellSouth. In any event, BellSouth will use best efforts to convert each loop within fifteen (15) minutes.
- 2.2.4.4.4 BellSouth and Al-Call will jointly develop additional processes or procedures as the need arises to improve service delivery during the life of the agreement.
- 2.2.5 "Order Coordination Time Specific" refers to service order coordination in which Al-Call requests a specific time for a service order conversion to take place. Loops on a single service order of 14 or more loops will be provisioned on a project basis. This is a chargeable option for any coordinated order and is billed in addition to the OC charge. Al-Call may specify a time between 8:00 a.m. and 5:00 p.m. (location time) Monday through Friday (excluding holidays). If Al-Call specifies a time outside this window, or selects a time or quantity of loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied according to actual costs based on type of force group required to perform the work, overtime hours worked and any special circumstances.
- Where facilities are available, BellSouth will install unbundled loops at the same intervals that it does for itself, its end-users, and other CLECs at parity as described above. Where BellSouth does not provide intervals based on the above, BellSouth will be subject to the terms and conditions of the performance measures in accordance with Attachment 9. Some loops require a Service Inquiry (SI) to determine if facilities are available prior to issuing the order. The interval for the SI process is separate from the installation interval. For expedite requests by Al-Call, expedite charges will apply for intervals less than 5 days. The charges outlined in BST's FCC # 1 Tariff, Section 5.1.1, will apply. BellSouth will bill expedite charges the same as BellSouth bills its wholesale customers and other CLECs. If Al-Call cancels an order for network elements and other services, any costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with FCC #1 Tariff, Section 5.4.
- 2.2.7 If Al-Call modifies an order after being sent a Firm Order Confirmation (FOC) from BellSouth, reasonable costs incurred by BellSouth to accommodate the modification will be reimbursed by Al-Call . Upon request BellSouth will provide Al-Call an invoice detailing such charges.
- 2.2.8 BellSouth will offer Unbundled Voice Loops (UVL) in two different service levels
 Service Level One (SL1) and Service Level Two (SL2).

- 2.2.8.1 SL1 loops will be non-designed, will not have test points, and will not come with any Order Coordination (OC) or engineering information/circuit make-up data. Upon issuance of an order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its customers. If Al-Call requests work to be done for SL1s that requires BellSouth technicians to work outside normal work hours, overtime charges will be applied according to actual costs based on type of force group required to perform the work, overtime hours worked and any special circumstances, such charges will be consistent with BellSouth's applicable tariffs.
- 2.2.8.2 SL2 loops have test points, will be designed with a Design Layout Record provided to Al-Call, and will be provided with Order Coordination. The OC feature will allow Al-Call to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at the mutually agreed upon time during normal working hours.
- 2.2.9 BellSouth will also offer Unbundled Digital Loops (UDL). They will be designed, will be provisioned with test points (where appropriate), and will come standard with Order Coordination and a Designed Layout Record (DLR).
- 2.2.10 In addition to the UVLs and UDLs, BellSouth shall make available an Unbundled Copper Loop (UCL). The UCL will be a copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL will be offered in two versions Short and Long. A short UCL (18 kft or less) will be provisioned according to Resistance Design parameters. The long UCL (beyond 18kft) will be used when a CLEC wants to condition copper loops longer than 18kft by removing load coils and other intervening equipment. BST will only ensure electrical continuity and balance relative to tip and ring on UCLs.
- 2.2.10.1 The UCL will be a designed circuit, with or without conditioning, provisioned with a test point and come standard with a DLR. OC will be offered as a chargeable option on all UCL loops. Order Coordination Time Specific (OC-TS) will not be offered on UCLs.
- 2.2.11 As a chargeable option on all loops except UVL-SL1, BellSouth will offer Order Coordination Time Specific (OC-TS). This will allow Al-Call the ability to specify the time that the coordinated conversion takes place. The OC-TS charge for orders due on the same day at the same location will be applied on a per Local Service Request (LSR) basis Al-Call will be responsible for testing and isolating troubles on the loops. Once Al-Call has isolated a trouble to the BellSouth provided loop, Al-Call will issue a trouble to BellSouth on the loop. BellSouth will take the actions necessary to repair the loop if a trouble actually exists.

BellSouth will repair these loops in the same time frames that BellSouth repairs similarly situated loops to its customers.

2.2.12 If Al-Call reports a trouble on loops and no trouble actually exists, BellSouth will charge Al-Call for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the loop's working status. Failure of BellSouth personnel to find trouble in BellSouth facilities will result in no charge if trouble is actually in those facilities but not discovered at the time.

2.3 <u>Technical Requirements</u>

- 2.3.1 To the extent available within BST's Network at a particular location, BellSouth will offer loops capable of supporting munications services such as: Voice Grade (designed and non-designed), basic rate ISDN (even if the loop uses digital loop carrier), ADSL, HDSL (2 and 4 wire), DS1, digital data (up to 64 kbps), primary rate ISDN, and copper loops that are capable of supporting xDSL services. If a requested loop type is not available, Al-Call can use the Special Construction process to request that BellSouth place facilities or otherwise modify facilities in order to meet Al-Call 's request.
- 2.3.1.1 These loop types may also support other munications services that the CLEC may offer, including, but not limited to, Centrex, PBX (analog and data), and N x 64 kbps.

The loop will support the transmission, signaling, performance and interface requirements of the services described in 2.3.1 above. It is recognized that the requirements of different services are different, and that a number of types or grades of loops are required to support these services. Services provided over the loop by Al-Call will be consistent with industry standards and BellSouth TR73600.

- Al-Call may utilize the unbundled loops to provide any munication service it wishes. However, BellSouth will only provision, maintain and repair the loops to the standards that are consistent with the type of loop ordered provided, however BellSouth will condition the loops consistent with Al-Call 's request. For example, if Al-Call orders an ISDN-capable loop but wants to use the loop for a service other than ISDN, BellSouth will only support that the loop is capable of providing ISDN service. For non-service specific loops (e.g. UCL, loops modified by Al-Call using the Special Construction process), BellSouth will only support that the loop has electrical continuity and balanced tip-and-ring.
- 2.3.1.3 In those cases where Al-Call has requested that BellSouth modify a loop so that it no longer meets the technical parameters for a specific loop (e.g., voice grade, ISDN, ADSL, etc.), the resulting modified loop will be ordered and maintained as a Unbundled Cooper Loop.

2.3.2	The loop shall be provided to Al-Call in accordance with the following Technical References:
	BellSouth's TR73600, Unbundled Local Loop Technical Specification
2.3.2.1	Telcordia (formerly BellCore) TR-NWT-000057, Functional Criteria for Digital Loop Carrier Systems, Issue 2, January 1993.
2.3.2.2	Telcordia (formerly BellCore) TR-NWT-000393, Generic Requirements for ISDN Basic Access Digital Subscriber Lines.
2.3.2.3	ANSI T1.102 - 1993, American National Standard for munications - Digital Hierarchy - Electrical Interfaces.
2.3.2.4	ANSI T1.403 - 1989, American National Standard for munications - Carrier to Customer Installation, DS1 Metallic Interface Specification.
2.3.3	Universal Digital Channel (UDC) Loop
2.3.3.1	Due to technical limitations associated with certain DLC systems, some ISDN-capable loops that are provisioned using DLC systems may not support IDSL service. Effective with this agreement, BellSouth will no longer reconfigure its ISDN-capable loop to support IDSL service.
2.3.3.2	Instead, BellSouth agrees to offer the Universal Digital Channel (UDC) loop as a part of their Unbundled Digital Loop offerings. The UDC loop is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable loop. These specifications are listed in BellSouth's TR73600.
2.3.3.3	Like the ISDN-capable loop, the UDC loop may be provisioned on copper or through a DLC system. However, when UDC loops are provisioned using a DLC system, BellSouth will ensure that they are only provisioned on time slots that are compatible with data-only services such as IDSL.
2.4	Loop Make-Up Service Inquiry
2.4.1	As an interim process until electronic access to loop make-up information is available, BellSouth shall make available to Al-Call a Loop Make-Up Service Inquiry process that will provide a description of the loop facility for a specific telephone number or the loop facility(ies) (DLC and/or copper) serving a specific address. This information will allow Al-Call to make a determination of what

type of loop to order and what loop conditioning activities (using BellSouth's Unbundled Loop Modification product), if any, are desired by Al-Call.

- 2.4.2 The information provided via this process includes 1) the portion of the loop serviced by Digital Loop Carrier (if applicable), 2) cable lengths and gauges, 3) the presence and location of load coils, 4) the presence, location and length of bridged taps.
- 2.5 <u>Unbundled Loop Modifications (Loop Conditioning)</u>
- 2.5.1 Subject to applicable and effective FCC rules and orders, BellSouth shall condition loops, as requested by Al-Call, whether or not BellSouth offers advanced services to the End User on that loop.
- 2.5.2 Loop conditioning is defined as the removal from the loop of any devices that may diminish the capability of the loop to deliver high-speed switched wireline munications capability, including xDSL service. Such devices include, but are not limited to, bridge taps, load coils, low pass filters, and range extenders, and repeaters
- 2.5.3 BellSouth shall recover the cost of line conditioning requested by Al-Call through a recurring charge and/or nonrecurring charge(s) in accordance with the FCC's forward-looking pricing principles promulgated pursuant to section 252 (d) (1) of the Act and in compliance with FCC Rule 51.507 (e). Until such time as charges for loop conditioning have been approved by the Commission, Al-Call shall pay to BellSouth interim cost-based charges as set forth in this Attachment. Such charges shall be subject to true up, in accordance with Section 18.3 of this Attachment.

3. <u>Integrated Digital Loop Carriers</u>

The feeder portion of some loops may be provide by means of Integrated Digital Loop Carrier (IDLC). IDLC provides a fiber optic cable transmission path that travels directly into BellSouth's central office local switch. Where BellSouth uses IDLC, if technically feasible and capacity does exist, BST will provide Al-Call with a Designed DS0 UVL by using alternative provisioning techniques including but not limited to such as "hairpinning" and DAC grooming. Alternative provisioning techniques will be provided at no additional cost to Al-Call. Hairpinning involves providing a DS0 signal from an IDLC-served loop to Al-Call's collocation equipment by using a dedicated pathway that traverses BellSouth's central office switch. BellSouth will provide such DS0 signal to Al-Call by establishing a copper cross connect between the BellSouth switch and Al-Call's collocation equipment.

4. <u>Network Interface Device</u>

- 4.1 The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's on-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 4.1.1 BellSouth shall permit Al-Call to connect Al-Call 's loop facilities to on-premises wiring through the BellSouth NID or at any other technically feasible point.
- 4.2 Access to Network Interface Device (NID)
- 4.2.1 Due to the wide variety of NIDs utilized by BellSouth (based on subscriber size and environmental considerations), Al-Call may access the on-premises wiring by any of the following means: BellSouth shall allow Al-Call to connect its loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other munications carriers to provide service to the premise. Al-Call agrees to install compatible protectors and test jacks and to maintain the protection system and equipment and to indemnify BellSouth pursuant to Section 9.4 of the General Terms and Conditions of this Agreement.
- Where an adequate length of on-premises wiring is present and environmental conditions permit, either Party may remove the on-premises wiring from the other Party's NID and connect that wire to that Party's own NID; or
- 4.2.3 Enter the subscriber access chamber or "side" of "dual chamber" NID enclosures for the purpose of extending a connecterized or spliced jumper wire from the onpremises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 4.2.4 Request BellSouth to make other rearrangements to the on-premises wiring terminations or terminal enclosure on a time and materials cost basis to be charged to the requesting Party (i.e., Al-Call, its agent, the building owner or the subscriber). Such charges will be billed to the requesting Party.
- 4.2.5 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors, without state regulatory requirement, without providing prior notice to the other Party, and without appropriately re-grounding the other Party's loop. In such cases, it shall be the

responsibility of the disconnecting party to properly ground the other party's loop, maintain the NID, and assume full liability for its action and any adverse consequences.

- 4.2.6 In no case shall either Party remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 4.2.7 In no case shall either Party remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 4.2.8 Due to the wide variety of NID enclosures and outside plant environments
 BellSouth will work with Al-Call to develop specific procedures to establish the
 most effective means of implementing this Section.
- 4.3 <u>Technical Requirements</u>
- 4.3.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 4.3.2 The NID shall be capable of transferring electrical analog or digital signals between the subscriber's inside wiring and the Distribution Media and/or cross connect to Al-Call 's NID, consistent with the NID's function at the Effective Date of this Agreement.
- 4.3.3 Where a BellSouth NID exists, it is provided in its "as is" condition. If such NID is not functioning properly, BellSouth will repair or replace it at BellSouth's expense.
- 4.3.4 When Al-Call deploys its own local loops with respect to multiple-line termination devices, Al-Call shall Order the quantity of NIDs connections that it requires within such device.
- 4.4 Interface Requirements
- 4.4.1 The NID shall be equal to or better than all of the requirements for NIDs set forth in the applicable industry standard technical references.

5. <u>Unbundled Loop Concentration (ULC) System</u>

BellSouth will provide to Al-Call loop concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.

5.2 ULC will be offered in two sizes. System A will allow up to 96 BellSouth loops to be concentrated onto multiple DS1s. The high speed connection from the concentrator will be at the electrical DS1 level and may connect to Al-Call at Al-Call 's collocation site. System B will allow up to 192 BellSouth loops to be concentrated onto multiple DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). All DS1 interfaces will terminate to the CLEC's collocation space. ULC service is offered with or without concentration and with or without protection. A Line Interface element will be required for each loop that is terminated onto the ULC system. Rates for ULC are as set forth in this Attachment.

6. <u>Sub-Loop Elements</u>

- Where facilities permit and subject to applicable and effective FCC rules and orders, BellSouth shall offer access to its Unbundled Sub-Loop (USL), Unbundled Sub-Loop Concentration (USLC) System and Unbundled Network Terminating Wire (UNTW) elements. BellSouth shall provide non-discriminatory access, in accordance with 51.311 and section 251 (c)(3) of the Act, to the Sub-Loop. On an unbundled basis and pursuant to the following terms and conditions and the rates approved by the Commission and set forth in this Attachment. Until such time as rates for Sub Loop elements have been approved by the Commission, Al-Call shall pay to BellSouth interim cost-based rates as set forth in this Attachment, such rates to be subject to true-up in accordance with Section 18.3 of this Attachment.
- 6.2 Sub-Loop components include but are not limited to the following:
- 6.2.1 Unbundled Sub-Loop Distribution;
- 6.2.2 Unbundled Sub-Loop Concentration/Multiplexing Functionality; and
- 6.2.3 Feeder, Unbundled Network Terminating Wire; and
- 6.2.4 Unbundled Sub-Loop Feeder.
- 6.3 <u>Unbundled Sub-Loop (distribution facilities)</u>
- 6.3.1 Definition
- 6.3.2 Subject to applicable and effective FCC rules and orders, the unbundled sub-loop distribution facility is dedicated transmission facility that BellSouth provides from a customer's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a

stand-alone cross-box in the field or in the equipment room of a building. There are two offerings available for Unbundled Sub-Loops (USL):

- 6.3.3 Unbundled Sub-Loop Distribution (USL-D) will include the sub-loop facility from the cross-box in the field up to and including the point of demarcation.
- 6.3.4 BellSouth will also provide sub-loop interconnection to the intrabuilding network cable (INC) (riser cable). INC is the distribution facility inside a subscriber's building or between buildings on one customer's same premises (continuous property not separated by a public street or road). USL-INC (riser cable) will include the facility from the cross-connect device in the building equipment room up to an including the point of demarcation.

6.3.5 Requirements for Unbundled Sub-Loops Distribution Facilities

- 6.3.5.1 Unbundled Sub-Loop distribution facilities were originally built as part of the entire voice grade loop from the BellSouth central office to the customer network interface. Therefore, the Unbundled Sub-Loop may have load coils, which are necessary for transmission of voice grade services. The Unbundled Sub-Loops will be provided in accordance with technical reference TR73600. Al-Call may request that the sub-loop be conditioned in accordance with section 2.4.
- 6.3.5.2 USL distribution facilities shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. In a scenario that involves connection at a BellSouth cross-box located in the field, Al-Call would be required to deliver a cable to the BellSouth remote terminal or cross-box to provide continuity to Al-Call 's feeder facilities. This cable would be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box. Al-Call 's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician. In a scenario that requires connection in a building equipment room, BellSouth will install a cross connect panel on which access to the requested sub-loops will be connected. The CLEC's cable pairs can then be connected to the Unbundled Sub-Loop pairs on this cross-connect panel by the BellSouth technician.
- BellSouth will provide Unbundled Sub-Loops where possible. Through the Service Inquiry (SI) process, BellSouth will determine if it is feasible to place the required facilities where Al-Call has requested access to Unbundled Sub-Loops. If existing capacity is sufficient to meet the CLEC demand, then BellSouth will perform the set-up work as described in the next section. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room as noted in 6.5) to accommodate Al-Call 's request for Unbundled Sub-Loops, BellSouth will use its Special Construction (SC) process to determine the additional costs required to

provision the Unbundled Sub-Loops. Al-Call will then have the option of paying the one-time SC charge to modify the facilities to meet Al-Call 's request. In the event that Al-Call invokes the dispute resolution process in connection with a request from Al-Call for Sub-Loops as described in this section, BellSouth shall have the burden of demonstrating that facilities are not available as requested by Al-Call .

- During the initial set-up in a BellSouth cross-connect box in the field, the BellSouth technician will perform the necessary work to splice the CLEC's cable into the cross connect box. For the set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel that will be used to provide access to the requested USLs. Once the set-up is complete, the CLEC requested sub-loop pairs would be provisioned through the service order process based on the submission of a LSR to the LCSC.
- 6.6 <u>Interface Requirements</u>
- Unbundled Sub-Loop shall be equal to or better than each of the applicable requirements set forth in the applicable industry standard technical references.
- 6.7 Unbundled Sub-Loop Concentration System (USLC)
- Where facilities permit, BellSouth will provide to Al-Call with the ability to concentrate its sub-loops onto one or more DS1s back to the BellSouth Central Office. The DS1s will then be terminated into Al-Call 's collocation space. TR-008 and TR303 interface standards are available.
- USLC, using the Lucent Series 5 equipment, will be offered in two different systems. System A will allow up to 96 of Al-Call 's sub-loops to be concentrated onto multiple DS1s. System B will allow an additional 96 of Al-Call 's sub-loops to be concentrated onto multiple DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the RT site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to the CLEC's collocation space within the SWC that serves the RT where the CLEC's sub-loops are connected. USLC service is offered with or without concentration and with or without a protection DS1.
- In these scenarios Al-Call would be required to place a cross-box, remote terminal (RT), or other similar device and deliver a cable to the BellSouth remote terminal. This cable would be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box and would allow Al-Call 's sub-loops to then be placed on the ULSC and transported to their collocation space at a DS1 level.

- 6.8 Unbundled Network Terminating Wire (UNTW)
- 6.8.1 BellSouth agrees to offer its Unbundled Network Terminating Wire (UNTW) to Al-Call pursuant to the following terms and conditions at rates as set forth in this Attachment.

6.8.2 Definition

Subject to applicable and effective FCC rules and orders, UNTW is a dedicated transmission facility that BellSouth provides from the Wiring Closet /Garden Terminal (or other type of cross-connect point) at the point of termination of BellSouth's loop distribution facilities to the end user's point of demarcation.

6.8.3 Requirements

- 6.8.3.1 BellSouth will offer spare pairs that are available to an end user's premises to Al-Call . Available spare pairs are defined as pairs that are not being utilized by BellSouth or by a third party to provide an end user with working service at the time of Al-Call 's request for UNTW. If no spare pairs are available and the end user is no longer using BellSouth's local service, BellSouth will relinquish the first pair to Al-Call . If after BellSouth has relinquished the first pair to Al-Call and the end user decides to change from Al-Call to another carrier, Al-Call will relinquish the first pair back to BellSouth.
- 6.8.3.2. Notwithstanding the foregoing, should BellSouth subsequently require the use of additional pair(s) to provide for the activation of additional lines in an end users premises in response to a request from such end user, Al-Call agrees to surrender it available spare pair(s) upon request by BellSouth.
- 6.8.3.3 If an end user of Al-Call desires to receive local exchange service from a service provider who is not a Party to this Agreement, and such third party service provider needs access to the BellSouth UNTW to provide local exchange service to the end user, then Al-Call agrees to surrender the requisite number of its inactive spare pair(s) if no other spare pair is available and upon request by BellSouth.
- 6.8.3.4 If Al-Call has placed NTW at a location and an end user desires to receive local exchange service from BellSouth and BellSouth needs access to Al-Call 's NTW to provide local exchange service to the end user, then Al-Call agrees to make available to BellSouth the requisite number of its spare pair(s), upon request by BellSouth, at rates determined by Al-Call.
- In new construction, where possible, both Parties may at their option and with the property owner's agreement install their own NTW. In existing construction, BellSouth shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Al-Call.

6.9 <u>Technical Requirements</u>

6.9.1 In these scenarios, BellSouth will connect the requested UNTW pairs to a single point of interconnection (SPOI) designed for Al-Call access to BellSouth's NTW. The SPOI will be installed either near BellSouth's garden terminal or wiring closet. Al-Call will be required to place a cross-box, terminal or other similar device and deliver a cable to this SPOI. Al-Call will then connect their cable to the cross-connect panel to access the requested UNTW pairs.

7. <u>Local Switching</u>

- 7.1 BellSouth shall provide non-discriminatory access to local circuit switching capability, and local tandem switching capability, on an unbundled basis, except as set forth below in Section 7.1.2 to Al-Call for the provision of a munications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to Al-Call for the provision of a munications service only in the limited circumstance described below in Section 7.1.2.
- 7.1.1 Except as otherwise provided herein, BellSouth shall not impose any restrictions on Al-Call regarding the use of Switching Capabilities purchased from BellSouth provided such use does not result in demonstrable harm to either the BellSouth network or personnel or the use of the BellSouth network by BellSouth or any other munication carrier.
- 7.1.2 Local Circuit Switching Capability, including Tandem Switching Capability

7.1.2.1 Definition

Local Circuit Switching Capability is defined as: (A) line-side facilities, which include, but are not limited to, the connection between a loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include, but are not limited to, the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; and (C) All features, functions, and capabilities of the switch, which include, but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch; (D) switching provided by remote switching modules.

- Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Al-Call when Al-Call serves end-users with four (4) or more voice-grade (DS-0) equivalents or lines in locations served by BellSouth's local circuit switches, which are in the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.
- 7.1.4 In the event that Al-Call orders local circuit switching for a single end user account name at a single physical end user location with four (4) or more two (2) wire voice-grade loops from a BellSouth central office located in Density Zone 1, as determined by NECA Tariff No. 4 as in effect on January 1, 1999, of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA MSAs, BellSouth's sole recourse shall be to charge Al-Call a rate to be negotiated for use of the local circuit switching functionality for the affected facilities, or in the alternative, to charge Al-Call the local services resale rate for use of all Combinations used to provide the affected facilities to Al-Call .
- 7.1.5 A featureless port is one that has a line port, switching facilities, and an interoffice port. A featured port is a port that includes all features then capable or a number of then capable features specifically requested by Al-Call. Any features that are not currently then capable at the time of the request, but are technically feasible through the switch can be requested through the BFR process.
- 7.1.6 BellSouth will provide to Al-Call customized routing of calls: (i) to a requested directory assistance services platform; (ii) to an operator services platform pursuant to Section 11 of Attachment 2; (iii) for Al-Call 's PIC'ed toll traffic in a two (2) PIC environment to an alternative OS/DA platform designated by Al-Call . Al-Call customers may use the same dialing arrangements as BellSouth customers.
- 7.1.7 Remote Switching Module functionality is included in Switching Capability. The switching capabilities used will be based on the line side features they support.
- 7.1.8 Switching Capability will also be capable of routing (1)local, intraLATA, interLATA, and calls to international customer's preferred carrier; (2)call features (e.g., call forwarding) and (3) Centrex capabilities.
- 7.1.9 Where required to do so in order to comply with an effective Commission order, BellSouth will provide to Al-Call purchasing local BellSouth switching and reselling BellSouth local exchange service under Attachment 1, selective routing of

calls to a requested directory assistance services platform or operator services platform. Al-Call customers may use the same dialing arrangements as BellSouth customers, but obtain a Al-Call branded service.

7.2 <u>Technical Requirements</u>

- 7.2.1 The requirements set forth in this Section apply to Local Switching, but not to the Data Switching function of Local Switching.
- 7.2.1.1 Local Switching shall be equal to or better than the requirements for Local Switching set forth in Telcordia (formerly BellCore)'s Local Switching Systems General Requirements (FR-NWT-000064).
- 7.2.1.2 When applicable, BellSouth shall route calls to the appropriate trunk or lines for call origination or termination.
- 7.2.1.3 Subject to this section, BellSouth shall route calls on a per line or per screening class basis to (1) BellSouth platforms providing Network Elements or additional requirements (2) Operator Services platforms, (3) Directory Assistance platforms, and (4) Repair Centers. Any other routing requests by Al-Call will be made pursuant to the Bona Fide Request/ New Business Request Process as set forth in General Terms and Conditions.
- 7.2.1.4 BellSouth shall provide unbranded recorded announcements and call progress tones to alert callers of call progress and disposition.
- 7.2.1.5 BellSouth shall activate service for a Al-Call customer or network interconnection on any of the Local Switching interfaces. This includes provisioning changes to change a customer from BellSouth's services to Al-Call 's services without loss of switch feature functionality as defined in this Agreement.
- 7.2.1.6 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 7.2.1.7 BellSouth shall repair and restore any equipment or any other maintainable component that may adversely impact Local Switching.
- 7.2.1.8 BellSouth shall control congestion points such as those caused by radio station call-ins, and network routing abnormalities. All traffic shall be restricted in a non discriminatory manner.
- 7.2.1.9 BellSouth shall perform manual call trace and permit customer originated call trace.
- 7.2.1.10 Special Services provided by BellSouth will include the following:

7.2.1.10.1 Telephone Service Prioritization; 7.2.1.10.2 Related services for handicapped; 7.2.1.10.3 Soft dial tone where required by law; 7.2.1.10.4 Any other service required by law; and 7.2.1.11 BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STP). These capabilities shall adhere to Telcordia (formerly BellCore) specifications - TCAP (GR-1432-CORE), ISUP(GR-905-CORE), Call Management (GR-1429-CORE), Switched Fractional DS1 (GR-1357-CORE), Toll Free Service (GR-1428-CORE), Calling Name (GR-1597-CORE), Line Information Database (GR-954-CORE), and Advanced Intelligent Network (GR-2863-CORE). 7.2.1.12 BellSouth shall provide interfaces to adjuncts through Telcordia (formerly BellCore) standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. 7.2.1.13 BellSouth shall provide performance data regarding a customer line, traffic characteristics or other measurable elements to Al-Call, upon a reasonable request from Al-Call. CLEC will pay BellSouth for all costs incurred to provide such performance data through the Business Opportunity Request process. 7.2.1.14 BellSouth shall offer Local Switching that provides feature offerings at parity to those provided by BellSouth to itself or any other Party. Such feature offerings shall include but are not limited to: 7.2.1.14.1 Basic and primary rate ISDN; 7.2.1.14.2 Residential features; 7.2.1.14.3 Customer Local Area Signaling Services (CLASS/LASS); 7.2.1.14.4 CENTREX (including equivalent administrative capabilities, such as customer accessible reconfiguration and detailed message recording); and 7.2.1.14.5 Advanced intelligent network triggers supporting Al-Call and BellSouth service applications. BellSouth shall offer to Al-Call all AIN triggers in connection with its SMS/SCE offering which are supported by BellSouth for offering AIN-based services. Triggers that are currently available are: 7.2.1.14.5.1 Off-Hook Immediate

7.2.1.14.5.2	Off-Hook Delay
7.2.1.14.5.3	Termination Attempt
7.2.1.14.5.4	6/10 Public Office Dialing Plan
7.2.1.14.5.5	Feature Code Dialing
7.2.1.14.5.6	Customer Dialing Plan
7.2.1.14.6	When the following triggers are supported by BellSouth, BellSouth will make these triggers available to Al-Call:
7.2.1.14.6.1	Private EAMF Trunk
7.2.1.14.6.2	Shared Interoffice Trunk (EAMF, SS7)
7.2.1.14.6.3	N11
7.2.1.14.6.4	Automatic Route Selection
7.2.1.14.6.5	9XX Blocking and toll blocking
7.2.1.15	Where capacity exists, BellSouth shall assign each Al-Call customer line the class of service designated by Al-Call (e.g., using line class codes or other switch specific provisioning methods), and shall route directory assistance calls from Al-Call customers to Al-Call directory assistance operators at Al-Call 's option.
7.2.1.16	Where capacity exists, BellSouth shall assign each Al-Call customer line the class of services designated by Al-Call (e.g., using line class codes or other switch specific provisioning methods) and shall route operator calls from Al-Call customers to Al-Call operators at Al-Call 's option. For example, BellSouth may translate 0- and 0+ intraLATA traffic, and route the call through appropriate trunks to an Al-Call Operator Services Position System (OSPS). Calls from Local Switching must pass the ANI-II digits unchanged.
7.2.1.17	Local Switching shall be offered in accordance with the requirements of the following technical references:
7.2.1.17.1	Telcordia (formerly BellCore) GR-1298-CORE, AIN Switching System Generic Requirements, as implemented in BellSouth's switching equipment;
7.2.1.17.2	Telcordia (formerly BellCore) GR-1299-CORE, AIN Switch-Service Control Point (SCP)/Adjunct Interface Generic Requirements;
7.2.1.17.3	Telcordia (formerly BellCore) TR-NWT-001284, AIN 0.1 Switching System Generic Requirements;

7.2.1.17.4	Telcordia (formerly BellCore) SR-NWT-002247, AIN Release 1 Update.
7.2.2	Interface Requirements
7.2.2.1	BellSouth shall provide the following interfaces to loops:
7.2.2.2	Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
7.2.2.3	Coin phone signaling;
7.2.2.4	Basic Rate Interface ISDN adhering to appropriate Telcordia (formerly BellCore) Technical Requirements;
7.2.2.5	Two-wire analog interface to PBX;
7.2.2.5.1	Four-wire analog interface to PBX;
7.2.2.6	Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
7.2.2.7	Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia (formerly BellCore) Technical Requirements;
7.2.2.8	Switched Fractional DS1 with capabilities to configure Nx64 channels (where $N=1\ \text{to}\ 24$); and
7.2.2.9	Loops adhering to Telcordia (formerly BellCore) TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
7.2.2.10	BellSouth shall provide access to the following but not limited to:
7.2.2.11	SS7 Signaling Network or Multi-Frequency trunking if requested by Al-Call;
7.2.2.12	Interface to Al-Call operator services systems or Operator Services through appropriate trunk interconnections for the system; and
7.2.2.13	Interface to Al-Call directory assistance services through the Al-Call switched network or to Directory Assistance Services through the appropriate trunk interconnections for the system; and 950 access or other Al-Call required access to interexchange carriers as requested through appropriate trunk interfaces.
7.2.2.14.	Packet Switching Capability
7.2.2.14.1	Definition

Packet Switching Capability. The packet switching capability network element is defined as the basic packet switching function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units, and the functions that are performed by Digital Subscriber Line Access Multiplexers, including but not limited to:

- 7.2.2.14.1.1 The ability to terminate copper customer loops (which includes both a low band voice channel and a high-band data channel, or solely a data channel);
- 7.2.2.14.1.2 The ability to forward the voice channels, if present, to a circuit switch or multiple circuit switches;
- 7.2.2.14.3 The ability to extract data units from the data channels on the loops, and
- 7.2.2.14.4 The ability to combine data units from multiple loops onto one or more trunks connecting to a packet switch or packet switches.
- 7.2.2.14.5 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
- 7.2.2.14.5.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the distribution section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
- 7.2.2.14.5.2 There are no spare copper loops capable of supporting the xDSL services Al-Call seeks to offer:
- 7.2.2.14.5.3 BellSouth has not permitted Al-Call to deploy a Digital Subscriber Line Access Multiplexer at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has the Al-Call obtained a virtual collocation arrangement at these Sub-Loop interconnection points as defined by 47 C.F.R. § 51.319 (b); and
- 7.2.2.14.5.4 BellSouth has deployed packet switching capability for its own use.
- 7.2.2.14.5.5 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 15 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.

8. <u>Interoffice Transmission Facilities</u>

BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to Al-Call for the provision of a munications service.

8.1 Interoffice transmission facility network elements include:

- Dedicated transport, defined as BellSouth's transmission facilities, including all technically feasible capacity-related services including, but not limited to, DS1, DS3 and OCn levels, dedicated to a particular customer or carrier, that provide munications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and Al-Call;
- 2. Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached multiplexing, aggregation or other electronics;
- Shared transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network.

8.1.1 BellSouth shall:

- 1. Provide Al-Call exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 2. Provide all technically feasible transmission facilities, features, functions, and capabilities that Al-Call could use to provide munications services;
- 3. Permit, to the extent technically feasible, Al-Call to connect such interoffice facilities to equipment designated by Al-Call, including but not limited to, Al-Call's collocated facilities; and
- 4. Permit, to the extent technically feasible, Al-Call to obtain the functionality provided by BellSouth's digital cross-connect systems in the same manner that BellSouth provides such functionality to interexchange carriers.
- 8.1.2 Provided that the facility is used to transport a significant amount of local exchange services, Al-Call shall be entitled to convert existing interoffice transmission facilities (i.e., special access) to the corresponding interoffice transport network element option.

8.2	Technical Requirements of Common (Shared) Transport
8.2.1	Common (Shared) Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the appropriate industry standards.
8.2.2	Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the appropriate industry standards.
8.2.3	BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
8.2.4	At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the following technical references (as applicable for the transport technology being used):
8.2.4.1	ANSI T1.101-1994, American National Standard for munications - Synchronization Interface Standard Performance and Availability;
8.2.4.2	ANSI T1.102-1993, American National Standard for munications - Digital Hierarchy - Electrical Interfaces;
8.2.4.3	ANSI T1.102.01-199x, American National Standard for munications - Digital Hierarchy - VT1.5;
8.2.4.4	ANSI T1.105-1995, American National Standard for munications - Synchronous Optical Network (SONET) - Basic Description including Multiplex Structure, Rates and Formats;
8.2.4.5	ANSI T1.105.01-1995, American National Standard for munications - Synchronous Optical Network (SONET) - Automatic Protection Switching;
8.2.4.6	ANSI T1.105.02-1995, American National Standard for munications - Synchronous Optical Network (SONET) - Payload Mappings;
8.2.4.7	ANSI T1.105.03-1994, American National Standard for munications - Synchronous Optical Network (SONET) - Jitter at Network Interfaces;
8.2.4.8	ANSI T1.105.03a-1995, American National Standard for munications - Synchronous Optical Network (SONET): Jitter at Network Interfaces - DS1 Supplement;

8.2.4.9 ANSI T1.105.05-1994, American National Standard for munications -Synchronous Optical Network (SONET) - Tandem Connection; 8.2.4.10 ANSI T1.105.06-199x, American National Standard for munications -Synchronous Optical Network (SONET) - Physical Layer Specifications; 8.2.4.11 ANSI T1.105.07-199x, American National Standard for munications -Synchronous Optical Network (SONET) - Sub STS-1 Interface Rates and Formats; ANSI T1.105.09-199x, American National Standard for munications -8.2.4.12 Synchronous Optical Network (SONET) - Network Element Timing and Synchronization; 8.2.4.13 ANSI T1.106-1988, American National Standard for munications - Digital Hierarchy - Optical Interface Specifications (Single Mode): 8.2.4.14 ANSI T1.107-1988, American National Standard for munications - Digital Hierarchy - Formats Specifications; 8.2.4.15 ANSI T1.107a-1990 - American National Standard for munications - Digital Hierarchy - Supplement to Formats Specifications (DS3 Format Applications); 8.2.4.16 ANSI T1.107b-1991 - American National Standard for munications - Digital Hierarchy - Supplement to Formats Specifications; 8.2.4.17 ANSI T1.117-1991, American National Standard for munications - Digital Hierarchy - Optical Interface Specifications (SONET) (Single Mode - Short Reach); 8.2.4.18 ANSI T1.403-1989, Carrier to Customer Installation, DS1 Metallic Interface Specification; 8.2.4.19 ANSI T1.404-1994, Network-to-Customer Installation - DS3 Metallic Interface Specification; 8.2.4.20 ITU Recommendation G.707, Network node interface for the synchronous digital hierarchy (SDH); 8.2.4.21 ITU Recommendation G.704, Synchronous frame structures used at 1544, 6312, 2048, 8488 and 44736 kbps hierarchical levels; 8.2.4.22 Telcordia (formerly BellCore) FR-440 and TR-NWT-000499, Transport Systems Generic Requirements (TSGR): Common Requirements; 8.2.4.23 Telcordia (formerly BellCore) GR-820-CORE, Generic Transmission Surveillance: DS1 & DS3 Performance:

8.2.4.24 Telcordia (formerly BellCore) GR-253-CORE, Synchronous Optical Network Systems (SONET); Common Generic Criteria; 8.2.4.25 Telcordia (formerly BellCore) TR-NWT 000507, Transmission, Section 7, Issue 5 (Telcordia (formerly BellCore), December 1993). (A module of LSSGR, FR-NWT-000064.); 8.2.4.26 Telcordia (formerly BellCore) TR-NWT-000776, Network Interface Description for ISDN Customer Access; 8.2.4.27 Telcordia (formerly BellCore) TR-INS-000342, High-Capacity Digital Special Access Service-Transmission Parameter Limits and Interface Combinations, Issue 1 February 1991; 8.2.4.28 Telcordia (formerly BellCore) ST-TEC 000052, munications Transmission Engineering Textbook, Volume 2: Facilities, Third Edition, Issue I May 1989; 8.2.4.29 Telcordia (formerly BellCore) ST-TEC-000051, munications Transmission Engineering Textbook Volume 1: Principles, Third Edition. Issue 1 August 1987. 8.3 **Dedicated Transport** 8.3.1. BellSouth shall offer Dedicated Transport in each of the following ways: 8.3.1.1 As capacity on a shared facility. 8.3.1.2 As a circuit (e.g., DS0, DS1 or DS3) dedicated to Al-Call. 8.3.2 When Dedicated Transport is provided as a system it shall include: 8.3.2.1 Transmission equipment such as multiplexers, line terminating equipment, amplifiers, and regenerators; 8.3.2.2 Inter-office transmission facilities such as optical fiber, copper twisted pair, and coaxial cable. 8.3.3 Unbundled Local Channel 8.3.3.1 The Unbundled Local Channel is the dedicated transmission path between Al-Call 's Point of Presence and the BellSouth Serving Wire Center. 8.3.3.2 BellSouth currently offers Unbundled Local Channels for switched traffic. Rates for these elements are listed in this Attachment. For those states that do not contain rates in this Attachment for DS1 and DS3 switched Local Channels, the rates in the applicable State Access Tariff will apply as interim rates. When final rates are developed, these interim rates will be subject to true-up, and the Parties will amend the Agreement to reflect the new rates.

8.3.3.3 BellSouth currently offers Unbundled Local Channels for non-switched traffic at DS1 and DS3 levels at rates as set forth in Exhibit C to this Attachment. 8.3.4 **Technical Requirements** This Section sets forth technical requirements for all Dedicated Transport. 8.3.4.1 When BellSouth provides Dedicated Transport as a circuit or a system, the entire designated transmission circuit or system (e.g., DS0, DS1,DS3) shall be dedicated to Al-Call designated traffic. 8.3.4.2 BellSouth shall offer Dedicated Transport in all technologies that become available including, but not limited to, DS1 and DS3 transport systems, SONET (or SDH) Bi-directional Line Switched Rings, SONET (or SDH) Unidirectional Path Switched Rings, and SONET (or SDH) point-to-point transport systems (including linear add-drop systems), at all available transmission bit rates. While SONET Ring facilities are not available in every application, they are typically available in the major metropolitan areas. 8.3.4.3 For DS1 or VT1.5 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the appropriate industry standards. 8.3.4.4 Where applicable, for DS3 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the appropriate industry standards. 8.3.4.5 BellSouth shall offer the following interface transmission rates for Dedicated Transport: 8.3.4.5.1 DS0 Equivalent; 8.3.4.5.2 DS1 (Extended SuperFrame - ESF and D4 channel bank shall be provided); 8.3.4.5.3 DS3 where applicable (M13 multiplexer shall be provided); 8.3.4.5.4 SDH Standard interface rates in accordance with International munications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates

When Dedicated Transport is provided as a system, BellSouth shall design the system according to our network infrastructure to allow for the termination points

per ITU Recommendation G.704.

specified by Al-Call.

8.3.4.6

8.3.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the following technical references: 8.3.5.1 ANSI T1.231-1993 - American National Standard for munications - Digital Hierarchy - Layer 1 In-Service Digital Transmission performance monitoring. 8.3.5.1.1 ANSI T1.102-1993, American National Standard for munications - Digital Hierarchy - Electrical Interfaces; 8.3.5.1.2 ANSI T1.106-1988, American National Standard for munications - Digital Hierarchy - Optical Interface Specifications (Single Mode); 8.3.5.1.3 ANSI T1.107-1988, American National Standard for munications - Digital Hierarchy - Formats Specifications; 8.3.5.1.4 ANSI T1.107a-1990 - American National Standard for munications - Digital Hierarchy - Supplement to Formats Specifications (DS3 Format Applications); 8.3.5.1.5 ANSI T1.107b-1991 - American National Standard for munications - Digital Hierarchy - Supplement to Formats Specifications; 8.3.5.1.6 Telcordia (formerly BellCore) FR-440 and TR-NWT-000499, Transport Systems Generic Requirements (TSGR): Common Requirements; 8.3.5.1.7 Telcordia (formerly BellCore) GR-820-CORE, Generic Transmission Surveillance: DS1 & DS3 Performance: 8.3.5.1.8 Telcordia (formerly BellCore) TR-NWT 000507, Transmission, Section 7, Issue 5 (Telcordia (formerly BellCore), December 1993). (A module of LSSGR, FR-NWT-000064.); 8.3.5.1.9 Telcordia (formerly BellCore) TR-INS-000342, High-Capacity Digital Special Access Service-Transmission Parameter Limits and Interface Combinations, Issue 1 February 1991; 8.3.5.1.10 Telcordia (formerly BellCore) ST-TEC 000052, munications Transmission Engineering Textbook, Volume 2: Facilities, Third Edition, Issue I May 1989; Telcordia (formerly BellCore) ST-TEC-000051, munications Transmission 8.3.5.1.11 Engineering Textbook Volume 1: Principles, Third Edition. Issue 1 August 1987.

9. <u>Tandem Switching</u>

9.1 <u>Definition</u>

Tandem Switching is the function that establishes a communications path between two switching offices through a third switching office (the Tandem switch).

9.2	Technical Requirements
9.2.1	Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Bell Communications Research TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include, but are not limited to the following:
9.2.1.1	Tandem Switching shall provide signaling to establish a tandem connection;
9.2.1.2	Tandem Switching will provide screening as jointly agreed to by Al-Call and BellSouth;
9.2.1.3	Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
9.2.1.4	Tandem Switching shall provide access to Toll Free number portability database as designated by Al-Call;
9.2.1.5	Tandem Switching shall provide all trunk interconnections discussed under the "Network Interconnection" section (e.g., SS7, MF, DTMF, DialPulse, PRI-ISDN, DID, and CAMA-ANI (if appropriate for 911));
9.2.1.6	Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
9.2.1.7	Where appropriate, Tandem Switching shall provide connectivity to transit traffic to and from other carriers.
9.2.2	Tandem Switching shall accept connections (including the necessary signaling and trunking interconnections) between end offices, other tandems, IXCs, ICOs, CAPs and CLEC switches.
9.2.3	Tandem Switching shall provide local tandem functionality between two end offices including two offices belonging to different CLEC's (e.g., between a CLEC end office and the end office of another CLEC).
9.2.4	Tandem Switching shall preserve CLASS/LASS features and Caller ID as traffic is processed.
9.2.5	Tandem Switching shall record billable events and send them to the area billing centers designated by Al-Call . Tandem Switching will provide recording of all billable events as jointly agreed to by Al-Call and BellSouth.
9.2.6	Upon a reasonable request from Al-Call , BellSouth shall perform routine testing and fault isolation on the underlying switch that is providing Tandem Switching

and all its interconnections. The results and reports of the testing shall be made immediately available to Al-Call. 9.2.7 BellSouth shall maintain Al-Call 's trunks and interconnections associated with Tandem Switching at least at parity to its own trunks and interconnections. 9.2.8 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non discriminatory manner. 9.2.9 Selective Call Routing through the use of line class codes is not available through the use of tandem switching. Selective Call Routing through the use of line class codes is an end office capability only. Detailed primary and overflow routing plans for all interfaces available within BellSouth switching network shall be mutually agreed to by Al-Call and BellSouth. 9.2.10 Tandem Switching shall process originating toll-free traffic received from Al-Call local switch. 9.2.11 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element, to the extent such Tandem Switch has such capability. 9.3 <u>Interface Requirements</u> 9.3.1 Tandem Switching shall provide interconnection to the E911 PSAP where the underlying Tandem is acting as the E911 Tandem. 9.3.2 Tandem Switching shall interconnect, with direct trunks, to all carriers with which BellSouth interconnects. 9.3.3 BellSouth shall provide all signaling necessary to provide Tandem Switching with no loss of feature functionality. 9.3.4 Tandem Switching shall interconnect with Al-Call 's switch, using two-way trunks, for traffic that is transiting via BellSouth network to interLATA or intraLATA carriers. At Al-Call's request, Tandem Switching shall record and keep records of traffic for billing. 9.3.5 Tandem Switching shall provide an alternate final routing pattern for Al-Call traffic overflowing from direct end office high usage trunk groups. 9.4 Tandem Switching shall meet or exceed (i.e., be more favorable to Al-Call) each of the requirements for Tandem Switching set forth in the following technical references:

Bell Communications Research TR-TSY-000540 Issue 2R2, Tandem Supplement,

9.4.1

6/1/90:

- 9.4.2 GR-905-CORE covering CCSNIS;
- 9.4.3 GR-1429-CORE for call management features; and
- 9.4.4 GR-2863-CORE and Telcordia (formerly BellCore) GR-2902-CORE covering CCS AIN interconnection

10. Combinations

10.1 For purposes of this Section, references to "Existing Combinations" of network elements shall mean that such network elements are in fact already combined by BellSouth in the BellSouth network to provide service to a particular end user at a particular location.

10.2 EELs

- 10.2.1 Where facilities permit and where necessary to comply with an effective FCC and/or State Commission order, BellSouth shall offer access to loop and transport combinations, also known as the Enhanced Extended Link ("EEL") as defined in Section 10.3 below.
- Subject to Section 10.2.3 below, BellSouth will provide access to the EEL in the combinations set forth in 10.3 following. This offering is intended to provide connectivity from an end user's location through that end user's SWC to Al-Call 's POP serving wire center. The circuit must be connected to Al-Call 's switch for the purpose of provisioning munications services, including but not limited to telephone exchange services, to Al-Call 's end-user customers. Except as provided for in paragraph 22 of the FCC's Supplemental Order Clarification, released June 2, 2000, in CC Docket No. 96-98 ("June 2, 2000 Order"), the EEL will be connected to Al-Call 's facilities in Al-Call 's collocation space at the POP SWC. Al-Call may purchase BellSouth's access facilities between Al-Call 's POP and Al-Call 's collocation space at the POP SWC.
- 10.2.3 BellSouth shall provide EEL combinations to Al-Call in the state of Georgia regardless of whether or not such EELs constitute Existing Combinations so long as such combinations are ordinarily combined in BellSouth's network. In all other states, BellSouth shall make available to Al-Call those EEL combinations described in Section 10.3 below only to the extent such combinations are Existing Combinations.
- BellSouth will make available EEL combinations to Al-Call in density Zone 1, as defined in 47 C.F.R. 69.123 as of January 1, 1999, of the Miami, Orlando, Fort Lauderdale, Charlotte, New Orleans, Greensboro and Nashville MSAs, regardless of whether or not such EELs constitute Existing Combinations.

Additionally, BellSouth shall make available to Al-Call a combination of an unbundled loop and special access interoffice facilities. To the extent Al-Call will require multiplexing functionality in connection with such combination, BellSouth will provide access to multiplexing within the central office pursuant to the terms, conditions and rates set forth in its Access Services Tariffs. Where multiplexing functionality is required in connection with loop and transport combinations, such multiplexing will be provided at the rates and on the terms set forth in this Agreement.

10.3 **EEL Combinations** 10.3.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop 10.3.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop 10.3.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop 10.3.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop 10.3.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop 10.3.6 DS1 Interoffice Channel + DS1 Local Loop 10.3.7 DS3 Interoffice Channel + DS3 Local Loop 10.3.8 STS-1 Interoffice Channel + STS-1 Local Loop 10.3.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop 10.3.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop 10.3.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop 10.3.12 4wire VG Interoffice Channel + 4-wire VG Local Loop 10.3.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop 10.3.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop 10.4 Other Network Element Combinations

In the state of Georgia, BellSouth shall make available to Al-Call, at the rates set forth in Section 10.6 below: (1) Existing Combinations of network elements other than EELs; and (2) combinations of network elements other than EELs that are not Existing Combinations but that BellSouth ordinarily combines in its network. In all other states, BellSouth shall make available to Al-Call, at the rates set forth in Section 10.6 below, combinations of network elements other than EELs only to the extent such combinations are Existing Combinations.

10.5 Special Access Service Conversions

- Al-Call may not convert special access services to combinations of loop and transport network elements, whether or not Al-Call self-provides its entrance facilities (or obtains entrance facilities from a third party), unless Al-Call uses the combination to provide a "significant amount of local exchange service" (as described in Section 10.5.2 below), in addition to exchange access service, to a particular customer.
- 10.5.2 For the purpose of special access conversions, a "significant amount of local exchange service" is as defined in the FCC's Supplemental Order Clarification, released June 2, 2000, in CC Docket No. 96-98 ("June 2, 2000 Order"). The Parties agree to incorporate by reference paragraph 22 of the June 2, 2000 Order. When Al-Call requests conversion of special access circuits, Al-Call will self-certify to BellSouth in the manner specified in paragraph 29 of the June 2, 2000 Order that the circuits to be converted qualify for conversion. In addition there may be extraordinary circumstances where Al-Call is providing a significant amount of local exchange service, but does not qualify under any of the three options set forth in paragraph 22 of June 2, 2000 Order. In such case, Al-Call may petition the FCC for a waiver of the local usage options set forth in the June 2, 2000 Order. If a waiver is granted, then upon Al-Call 's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- Upon request for conversions of up to 15 circuits from special access to EELs, BellSouth shall perform such conversions within seven (7) days from BellSouth's receipt of a valid, error free service order from Al-Call. Requests for conversions of fifteen (15) or more circuits from special access to EELs will be provisioned on a project basis. Conversions should not require the special access circuit to be disconnected and reconnected because only the billing information or other administrative information associated with the circuit will change when Al-Call requests a conversion. The Access Service Request process will be used for conversion requests.
- BellSouth may, at its sole expense, and upon thirty (30) days notice to Al-Call,

audit Al-Call s records not more than one in any twelve month period, unless an audit finds non-compliance with the local usage options referenced in the June 2, 2000 Order, in order to verify the type of traffic being transmitted over combinations of loop and transport network elements. If, based on its audits, BellSouth concludes that Al-Call is not providing a significant amount of local exchange traffic over the combinations of loop and transport network elements, BellSouth may file a complaint with the appropriate Commission, pursuant to the dispute resolution process as set forth in this Agreement. In the event that BellSouth prevails, BellSouth may convert such combinations of loop and transport network elements to special access services and may seek appropriate retroactive reimbursement from Al-Call.

- 10.6 Rates
- 10.6.1 Georgia
- 10.6.1.1 The non-recurring and recurring rates for the EEL combinations set forth in 10.3, whether or not such EELs are Existing Combinations, are as set forth in Exhibit A of this Attachment.
- 10.6.1.2 On an interim basis, for combinations of loop and transport network elements not set forth in Section 10.3, where the elements are not Existing Combinations but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements which make up the combination. These interim rates shall be subject to true-up based on the Commission's review of BellSouth's cost studies.
- 10.6.1.3 To the extent that Al-Call seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, Al-Call, at its option, can request that such rates be determined pursuant to the Bona Fide Request/New Business Request (NBR) process set forth in this Agreement.
- 10.6.2 <u>All Other States</u>
- 10.6.2.1 Subject to Section 10.2.3 and 10.4 preceding, for all other states, the non-recurring and recurring rates for the Existing Combinations of EELs set forth in Section 10.3 and other Existing Combinations of network elements will be the sum of the recurring rates for the individual network elements plus an appropriate cost-based records change charge unless otherwise negotiated by the parties.
- 10.6.2.2 The non-recurring and recurring rates for EELs made available pursuant to Section 10.2.4 above will be the sum of the nonrecurring and recurring rates for the individual network elements, unless otherwise established by the Commission.

10.7 Port/Loop Combinations

- 10.7.1 Except as specified in Sections 10.7.1.1 and 10.7.1.2 below, at Al-Call's request, BellSouth shall provide access to Existing Combinations of port and loop network elements, as set forth in Section 10.7.4 below. Such port and loop combinations will provide local exchange service for the origination and termination of calls.
- 10.7.1.1 BellSouth shall not provide access to combinations of port and loop network elements in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.
- In accordance with effective and applicable FCC rules, BellSouth shall not provide unbundled access to circuit switching in density Zone 1, as defined in 47 C.F.R. 69.123 as of January 1, 1999, of the Atlanta, Miami, Orlando, Fort Lauderdale, Charlotte, New Orleans, Greensboro and Nashville MSAs to Al-Call if Al-Call 's customer has 4 or more DS0 equivalent lines.
- In Georgia, BellSouth shall provide combinations of port and loop network elements to Al-Call to the extent such elements are ordinarily combined in BellSouth's network, regardless of whether or not such combinations are Existing Combinations, except in those locations where BellSouth is not required to provide circuit switching, as set forth in Section 10.7.1.2 above. In all other states, and subject to Sections 10.7.1.1 and 10.7.1.2 above, BellSouth shall provide combinations of port and loop network elements to Al-Call only to the extent such elements constitute Existing Combinations.

10.7.3 <u>Rates for Combinations of Loop and Port Network Elements</u>

10.7.3.1 Rates for combinations of loop and port network elements, as set forth in Section 10.7.4, are provided in Exhibit A of this Attachment. Subject to Sections 10.7.1.1 and 10.7.1.2 above, to the extent Al-Call seeks to obtain other Existing Combinations of ports and loops that are not listed in Section 10.7.4, or in the state of Georgia, to the extent Al-Call seeks to obtain other port and loop combinations that are not Existing Combinations but that are ordinarily combined in BellSouth's network, the rate for such combinations shall be the sum of the recurring rates for the individual network elements plus an appropriate cost-based records change charge.

10.7.3.2 Rates for Circuit Switching

10.7.3.2.1 Rates for circuit switching, where BellSouth is not required, pursuant to Sections 10.7.1.1 and 10.7.1.2, to provide unbundled access to circuit switching, are as set forth in Exhibit A of this Attachment.

10.7.4 Port/Loop Combination Offerings

- 2-wire voice grade port, voice grade loop, virtual cross connect, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 2-wire voice grade DID port, voice grade loop, virtual cross connect, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 10.7.4.3 2-wire CENTREX port, voice grade loop virtual cross connect, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 10.7.4.4. 2-wire ISDN Basic Rate Interface, voice grade loop virtual cross connect, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 2-wire ISDN Primary Rate Interface, DS1 loop virtual cross connect, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 10.7.4.6 4-wire DS1 Trunk port, DS1 Loop virtual cross connect, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

11. Operator Systems

BellSouth agrees to offer access to operator systems pursuant to the terms and conditions following and at the rates set forth in this Attachment.

11.1 Definition

Operator Systems is the Network Element that provides operator and automated call handling and billing, special services, end user telephone listings and optional call completion services. The Operator Systems, Network Element provides two types of functions: Operator Service functions and Directory Assistance Service functions, each of which are described in detail below.

11.2 Operator Service

11.2.1 Definition

Operator Service provides: (1) operator handling for call completion (for example, collect, third number billing, and manual credit card calls), (2) operator or automated assistance for billing after the end user has dialed the called number (for example, credit card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, Operator-assisted Directory Assistance, and Rate Quotes.

11.2.2	Requirements
11.2.2.1	When Al-Call requests BellSouth to provide Operator Services, the following requirements apply:
11.2.2.1.1	BellSouth shall complete 0+ and 0- dialed local calls.
11.2.2.1.2	BellSouth shall complete 0+ intraLATA toll calls.
11.2.2.1.3	BellSouth shall complete calls that are billed to Al-Call end user's calling card that can be validated by BellSouth.
11.2.2.1.4	BellSouth shall complete person-to-person calls.
11.2.2.1.5	BellSouth shall complete collect calls.
11.2.2.1.6	BellSouth shall provide the capability for callers to bill to a third party and complete such calls.
11.2.2.1.7	BellSouth shall complete station-to-station calls.
11.2.2.1.8	BellSouth shall process emergency calls.
11.2.2.1.9	BellSouth shall process Busy Line Verify and Emergency Line Interrupt requests.
11.2.2.1.10	BellSouth shall process emergency call trace, as they do for their End users prior to the Effective Date. Call must originate from a 911 provider.
11.2.2.1.11	BellSouth shall process operator-assisted directory assistance calls.
11.2.2.2	BellSouth shall adhere to equal access requirements, providing Al-Call local end users the same IXC access as provided to BellSouth end users.
11.2.2.3	BellSouth shall exercise at least the same level of fraud control in providing Operator Service to Al-Call that BellSouth provides for its own operator service.
11.2.2.4	BellSouth shall perform Billed Number Screening when handling Collect, Personto-Person, and Billed-to-Third-Party calls.
11.2.2.5	BellSouth shall direct customer account and other similar inquiries to the customer service center designated by Al-Call.

10.2.2.6 BellSouth shall provide a feed of customer call records in "EMI" format to Al-Call in accordance with CLECODUF standards specified in Attachment 7.

11.2.3 <u>Interface Requirements</u>

With respect to Operator Services for calls that originate on local switching capability provided by or on behalf of Al-Call , the interface requirements shall conform to the then current established system interface specifications for the platform used to provide Operator Service and the interface shall conform to industry standards.

11.3 Directory Assistance Service

11.3.1 Definition

Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the callers direction separate and distinct from local switching.

11.3.2 Requirements

Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by Al-Call 's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings, equal to that which BellSouth provides its end users. In providing call completion service, and at such time as functionality is available in the BellSouth network, BellSouth shall route the call to Al-Call 's network for call completion. Rates for such functionality shall be established at the time such functionality becomes available. If not available, Al-Call may request such requirement pursuant to the Bona Fide Request/New Business Process as set forth in General Terms and Conditions.

11.3.2.2 <u>Directory Assistance Service Updates</u>

- 11.3.2.2.1 BellSouth shall update end user listings changes daily. These changes include:
- 11.3.2.2.1.1 New end user connections: BellSouth will provide service to Al-Call that is equal to the service it provides to itself and its end users;
- 11.3.2.2.1.2 End user disconnections: BellSouth will provide service to Al-Call that is equal to the service it provides to itself and its end users; and
- 11.3.2.2.1.3 End user address changes: BellSouth will provide service to Al-Call that is equal to the service it provides to itself and its end users;
- 11.3.2.3 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.

11.4 Branding for Operator Call Processing and Directory Assistance 11.4.1 The BellSouth Operator Systems Branding Feature provides a definable announcement to Al-Call end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing them in queue or connecting them to an available operator or automated operator system. This feature allows Al-Call to have its calls custom branded with Al-Call name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for Custom Branding, Operator Call Process and Directory Assistance are set forth in this Attachment. 11.4.2 BellSouth offers four service levels of branding to Al-Call when ordering Directory Assistance and/or Operator Call Processing. 11.4.2.1 Service Level 1 - BellSouth Branding 11.4.2.2 Service Level 2 - Unbranded 11.4.2.3 Service Level 3 - Custom Branding 11.4.2.4 Service Level 4 - Self Branding (applicable only to Al-Call for Resale or use with an Unbundled Port when routing to an operator service provider other than BellSouth). 11.4.3 For Resellers and Use with an Unbundled Port 11.4.3.1 BellSouth Branding is the Default Service Level. 11.4.3.2 Unbranding, Custom Branding, and Self Branding require Al-Call to order selective routing for each originating BellSouth end office identified by Al-Call. Rates for Selective Routing are set forth in this Attachment. 11.4.3.3 Customer Branding and Self Branding require Al-Call to order dedicated trunking from each BellSouth end office identified by Al-Call, to either the BellSouth Traffic Operator Position System (TOPS) or Al-Call Operator Service Provider. Rates for trunks are set forth in applicable BellSouth tariffs. 11.4.3.4 Unbranding - Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by Al-Call to the BellSouth TOPS. These calls are routed to "No Announcement." 11.4.4 For Facilities Based Carriers 11.4.4.1 All Service Levels require Al-Call to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.

11.4.4.2 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch, IVS and NAV equipment for which Al-Call requires service

Directory Assistance customized branding uses:

- the recording of the name;
- the front-end loading of the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.

Operator Call Processing customized branding uses:

- the recording of the name;
- the front-end loading of the DRAM in the TOPS Switch;
- the back-end loading in the audio units in the Automated Alternate Billing System (AABS) in the Interactive Voice Subsystem (IVS);
- the 0- automation loading for the audio units in the Enhanced Billing and Access Service (EBAS) in the Network Applications Vehicle (NAV).
- 11.4.4.3 BellSouth will provide to Al-Call purchasing local BellSouth switching and reselling BellSouth local exchange service, selective routing of calls to a requested directory assistance services platform or operator services platform. Al-Call end users may use the same dialing arrangements as BellSouth end users, but obtain a Al-Call branded service.
- 11.5 Directory Assistance Database Service (DADS)
- BellSouth shall make its Directory Assistance Database Service (DADS) available solely for the expressed purpose of providing Directory Assistance type services to Al-Call end users. The term "end user" denotes any entity which obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted and Electronic Directory Assistance (Data System assisted)). Al-Call agrees that Directory Assistance Database Service (DADS) will not be used for any purpose which violates federal or state laws, statutes, regulatory orders or tariffs. Except for the permitted users, Al-Call agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS. Further, Al-Call authorizes the inclusion of Al-Call Subscriber listings in the BellSouth Directory Assistance products.
- BellSouth shall provide Al-Call initially with a base file of subscriber listings which reflect all listing change activity occurring since Al-Call 's most recent update via magnetic tape, and subsequently using electronic connectivity such as Network Data Mover to be developed mutually by Al-Call and BellSouth. Al-Call agrees

to assume the costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.

- 11.5.3 BellSouth will require approximately one month after receiving an order to prepare the Base File. BellSouth will provide daily updates which will reflect all listing change activity occurring since CLEC's most recent update. BellSouth shall provide updates to Al-Call on a Business, Residence, or combined Business and Residence basis. Al-Call agrees that the updates shall be used solely to keep the information current. Delivery of Daily Updates will commence the day after Al-Call receives the Base File.
- 11.5.4 BellSouth is authorized to include Al-Call Subscriber List Information in its Directory Assistance Database Service (DADS) and its Directory Publishers Database Service (DPDS). Any other use by BellSouth of Al-Call Subscriber List Information is not authorized and with the exception of a request for DADS or DPDS, BellSouth shall refer any request for such information to Al-Call.
- 11.5.5 Rates for DADS are as set forth in this Attachment.
- 11.6 Direct Access to Directory Assistance Service
- Direct Access to Directory Assistance Service (DADAS) will provide Al-Call 's directory assistance operators with the ability to search all available BellSouth's subscriber listings using the Directory Assistance search format. Subscription to DADAS will allow Al-Call to utilize its own switch, operator workstations and optional audio subsystems.
- BellSouth will provide DADAS from its DA location. Al-Call will access the DADAS system via a telephone company provided point of availability. Al-Call has the responsibility of providing the physical links required to connect to the point of availability. These facilities may be purchased from the telephone company as rates and charges billed separately from the charges associated with this offering.
- A specified interface to each Al-Call subsystem will be provided by BellSouth. Interconnection between Al-Call system and a specified BellSouth location will be pursuant to the use of Al-Call owned or Al-Call leased facilities and shall be appropriate sized based upon the volume of queries being generated by Al-Call.
- 11.6.4 The specifications for the three interfaces necessary for interconnection are available in the following documents:
- 11.6.4.1 DADAS to Subscriber Operator Position System—Northern Document CSI-2300-07; Universal Gateway/ Position Message Interface Format Specification

- DADAS to Subscriber Switch—Northern Document Q210-1 Version A107; NTDMS/CCIDAS System Application Protocol; and AT&T Document 250-900-535 Operator Services Position System Listing Service and Application Call Processing Data Link Interface Specification
- 11.6.4.3 DADAS to Audio Subsystem (Optional)—Directory One Call Control to Audio Response Unit system interface specifications are available through Northern as a licensed access protocol—Northern Document 355-004424 and Gateway/Interactive Voice subsystem Protocol Specification
- 11.6.5 Rates for DADAS are as set forth in this Attachment.

12. <u>Signaling</u>

BellSouth agrees to offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

12.1 <u>Definition of Signaling Link Transport</u>

Signaling Link Transport is a set of two or four dedicated 56 Kbps. transmission paths between CLEC-designated Signaling Points of Interconnection (SPOI) that provides appropriate physical diversity.

- 12.2 Technical Requirements
- 12.2.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths.
- 12.2.2 Of the various options available, Signaling Link Transport shall perform in the following two ways:
- 12.2.2.1 As an "A-link" which is a connection between a switch or SCP and a home Signaling Transfer Point Switch (STP) pair; and
- 12.2.2.2 As a "B-link" which is a connection between two STP pairs in different company networks (e.g., between two STP pairs for two Competitive Local Exchange Carriers (CLECs)).
- 12.2.3 Signaling Link Transport shall consist of two or more signaling link layers as follows:
- 12.2.3.1 An A-link layer shall consist of two links.

12.2.3.2 A B-link layer shall consist of four links. 12.2.4 A signaling link layer shall satisfy a performance objective such that: 12.2.4.1 There shall be no more than two minutes down time per year for an A-link layer; and 12.2.4.2 There shall be negligible (less than 2 seconds) down time per year for a B-link layer. 12.2.5 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that: 12.2.5.1 No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and 12.2.5.2 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end). 12.3 **Interface Requirements** 12.3.1 There shall be a DS1 (1.544 Mbps) interface at the Al-Call -designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface. 13. **Signaling Transfer Points (STPs)** 13.1 Definition - Signaling Transfer Points is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links which enable the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches 13.2 **Technical Requirements** 13.2.1 STPs shall provide access to Network Elements connected to BellSouth SS7 network. These include: 13.2.1.1 BellSouth Local Switching or Tandem Switching; BellSouth Service Control Points/DataBases; 13.2.1.2 132.2.1.3 Third-party local or tandem switching; 13.2.1.4 Third-party-provided STPs.

- 13.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to BellSouth SS7 network. This explicitly includes the use of BellSouth SS7 network to convey messages which neither originate nor terminate at a signaling end point directly connected to BellSouth SS7 network (*i.e.*, transient messages). When BellSouth SS7 network is used to convey transient messages, there shall be no alteration of the Integrated Services Digital Network User Part (ISDNUP) or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 13.2.3 If a BellSouth tandem switch routes calling traffic, based on dialed or translated digits, on SS7 trunks between an Al-Call local switch and third party local switch, BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Al-Call local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 13.2.4 STPs shall provide all functions of the MTP as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements. This includes:
- 13.2.4.1 Signaling Data Link functions, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements,
- 13.2.4.2 Signaling Link functions, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements, and
- 13.2.4.3 Signaling Network Management functions, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements.
- STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements. In particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1.112.4. In cases where the destination signaling point is a Al-Call or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network, and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Al-Call database, then Al-Call agrees to provide BellSouth with the Destination Point Code for the Al-Call database.
- 13.2.6 STPs shall provide on a non-discriminatory basis all functions of the OMAP commonly provided by STPs, as specified in the reference in Section 12.4.5 of this

Attachment. All OMAP functions will be on a "where available" basis and can include:

- 13.2.6.1 MTP Routing Verification Test (MRVT) and
- 13.2.6.2 SCCP Routing Verification Test (SRVT).
- In cases where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Al-Call or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement shall be superseded by the specifications for Internetwork MRVT and SRVT if and when these become approved ANSI standards and available capabilities of BellSouth STPs, and if mutually agreed upon by Al-Call and BellSouth.
- 13.2.8 STPs shall be on parity with BellSouth.
- 13.2.9 <u>SS7 Advanced Intelligent Network (AIN) Access</u>
- When technically feasible and upon request by Al-Call, SS7 Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with the Al-Call SS7 network to exchange TCAP queries and responses with a Al-Call SCP.
- 13.2.9.2 SS7 AIN Access shall provide Al-Call SCP access to BellSouth local switch in association with switching via interconnection of BellSouth SS7 and Al-Call SS7 Networks. BellSouth shall offer SS7 access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Al-Call SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 13.3 <u>Interface Requirements</u>
- 13.3.1 BellSouth shall provide the following STPs options to connect Al-Call or Al-Call designated local switching systems or STPs to BellSouth SS7 network:
- 13.3.1.1 An A-link interface from Al-Call local switching systems; and,
- 13.3.1.2 A B-link interface from Al-Call local STPs.
- Each type of interface shall be provided by one or more sets (layers) of signaling links.

- The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling for interconnecting Al-Call local switching systems or STPs with BellSouth STPs as soon as these become approved ANSI standards and available capabilities of BellSouth STPs. BellSouth and Al-Call will work jointly to establish mutually acceptable SPOIs.
- BellSouth CO shall provide intraoffice diversity between the SPOIs and BellSouth STPs, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP. BellSouth and Al-Call will work jointly to establish mutually acceptable SPOIs.
- 13.3.5 BellSouth shall provide MTP and SCCP protocol interfaces that shall conform to all sections relevant to the MTP or SCCP in the following specifications:
- Telcordia (formerly BellCore) GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP);
- 13.3.5.2 Telcordia (formerly BellCore) GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).
- 13.3.6 <u>Message Screening</u>
- 13.3.6.1 BellSouth shall set message screening parameters so as to accept valid messages from Al-Call local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Al-Call switching system has a legitimate signaling relation.
- 13.3.6.2 BellSouth shall set message screening parameters so as to pass valid messages from Al-Call local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Al-Call switching system has a legitimate signaling relation.
- 13.3.6.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Al-Call from any signaling point or network interconnected through BellSouth's SS7 network where the Al-Call SCP has a legitimate signaling relation.
- STPs shall be equal to or better than all of the requirements for STPs set forth in the following technical references:

- 13.4.1 ANSI T1.111-1992 American National Standard for munications Signaling System Number 7 (SS7) Message Transfer Part (MTP);
- 13.4.2 ANSI T1.111A-1994 American National Standard for munications Signaling System Number 7 (SS7) Message Transfer Part (MTP) Supplement;
- 13.4.3 ANSI T1.112-1992 American National Standard for munications Signaling System Number 7 (SS7) Signaling Connection Control Part (SCCP);
- 13.4.4 ANSI T1.115-1990 American National Standard for munications Signaling System Number 7 (SS7) Monitoring and Measurements for Networks;
- 13.4.5 ANSI T1.116-1990 American National Standard for munications Signaling System Number 7 (SS7) Operations, Maintenance and Administration Part (OMAP);
- 13.4.6 ANSI T1.118-1992 American National Standard for munications Signaling System Number 7 (SS7) Intermediate Signaling Network Identification (ISNI);
- 13.4.7 Telcordia (formerly BellCore) GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP); and
- 13.4.8 Telcordia (formerly BellCore) GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).

14. <u>Service Control Points/DataBases</u>

14.1 Definition

- 14.1.1 Databases are the Network Elements that provide the functionality for storage of, access to, and manipulation of information required to offer a particular service and/or capability. Databases include, but are not limited to: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, Calling Name Database, access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 14.1.2 A Service Control Point (SCP) is a specific type of Database functionality deployed in a Signaling System 7 (SS7) network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

14.2 <u>Technical Requirements for SCPs/Databases</u>

Requirements for SCPs/Databases within this section address storage of information, access to information (e.g. signaling protocols, response times), and administration of information (e.g., provisioning, administration, and maintenance). All SCPs/Databases shall be provided to Al-Call in accordance with the following requirements.

- 14.2.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 14.2.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 14.2.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

14.2.4 <u>Database Availability</u>

Call processing databases shall have a maximum unscheduled availability of 30 minutes per year. Unavailability due to software and hardware upgrades shall be scheduled during minimal usage periods and only be undertaken upon proper notification to providers which might be impacted. Any downtime associated with the provision of call processing related databases will impact all service providers, including BellSouth, equally.

14.2.5 The operational interface provided by BellSouth shall complete Database transactions (i.e., add, modify, delete) for Al-Call customer records stored in BellSouth databases within 3 days, or sooner where BellSouth provisions its own customer records within a shorter interval.

14.3 Local Number Portability Database

14.3.1 Definition

The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. PNP is currently being worked in industry forums. The results of these forums will dictate the industry direction of PNP. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

14.4 Line Information Database (LIDB)

BellSouth will store in its LIDB only records relating to service in the BellSouth region. The LIDB Storage Agreement is included in this Attachment.

14.4.1 Definition

The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. It contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth CCS network and other CCS networks. LIDB also interfaces to administrative systems.

14.4.2 Technical Requirements

BellSouth will offer to Al-Call any additional capabilities that are developed for LIDB during the life of this Agreement.

- 14.4.2.1 BellSouth shall process Al-Call 's Customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Al-Call what additional functions (if any) are performed by LIDB in the BellSouth network.
- 14.4.2.2 Within two (2) weeks after a request by Al-Call, BellSouth shall provide Al-Call with a list of the customer data items which Al-Call would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function, and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 14.4.2.3 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.
- 14.4.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.
- 14.4.2.5 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 14.4.2.6 All additions, updates and deletions of Al-Call data to the LIDB shall be solely at the direction of Al-Call . Such direction from Al-Call will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 14.4.2.7 BellSouth shall provide priority updates to LIDB for Al-Call data upon Al-Call's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.

- 14.4.2.8 BellSouth shall provide LIDB systems such that no more than 0.01% of Al-Call customer records will be missing from LIDB, as measured by Al-Call audits. BellSouth will audit Al-Call records in LIDB against DBAS to identify record mismatches and provide this data to a designated Al-Call contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to Al-Call within one business day of audit. Once reconciled records are received back from Al-Call, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Al-Call to negotiate a time frame for the updates, not to exceed three business days.
- 14.4.2.9 BellSouth shall perform backup and recovery of all of Al-Call 's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 14.4.2.10 BellSouth shall provide Al-Call with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Al-Call and BellSouth.
- 14.4.2.11 BellSouth shall prevent any access to or use of Al-Call data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Al-Call in writing.
- 14.4.2.12 BellSouth shall provide Al-Call performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Al-Call at least at parity with BellSouth Customer Data. BellSouth shall obtain from Al-Call the screening information associated with LIDB Data Screening of Al-Call data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Al-Call under the Bona Fide Request/New Business Process as set forth in General Terms and Conditions.
- 14.4.2.13 BellSouth shall accept queries to LIDB associated with Al-Call customer records, and shall return responses in accordance with industry standards.
- 14.4.2.14 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 14.4.2.15 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.

- 14.4.3 Interface Requirements
 - BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 14.4.3.1 The interface to LIDB shall be in accordance with the technical references contained within.
- 14.4.3.2 The CCS interface to LIDB shall be the standard interface described herein.
- 14.4.3.3 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 14.5 Toll Free Number Database

The Toll Free Number Database is a SCP that provides functionality necessary for toll free (e.g., 800 and 888) number services by providing routing information and additional so-called vertical features during call set-up in response to queries from SSPs. BellSouth shall provide the Toll Free Number Database in accordance with the following:

- 14.5.1 <u>Technical Requirements</u>
- 14.5.1.1 BellSouth shall make BellSouth Toll Free Number Database available for Al-Call to query with a toll-free number and originating information.
- 14.5.1.2 The Toll Free Number Database shall return carrier identification and, where applicable, the queried toll free number, translated numbers and instructions as it would in response to a query from a BellSouth switch.
- 14.5.1.3 The SCP shall also provide, at Al-Call 's option, such additional feature as described in SR-TSV-002275 (BOC Notes on BellSouth Networks, SR-TSV-002275, Issue 2, (Telcordia (formerly BellCore), April 1994)) as are available to BellSouth. These may include but are not limited to:
- 14.5.1.3.1 Network Management;
- 14.5.1.3.2 Customer Sample Collection; and
- 14.5.1.3.3 Service Maintenance
- 14.6 Automatic Location Identification/Data Management System (ALI/DMS)

The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide more routing flexibility for E911 calls than Basic 911. BellSouth shall provide the Emergency Services Database in accordance with the following:

14.6.1 Technical Requirements

- 14.6.1.1 BellSouth shall offer Al-Call a data link to the ALI/DMS database or permit Al-Call to provide its own data link to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Al-Call immediately after Al-Call inputs information into the ALI/DMS database. Alternately, Al-Call may utilize BellSouth, to enter end user information into the data base on a demand basis, and validate end user information on a demand basis.
- 14.6.1.2 The ALI/DMS database shall contain the following end user information:
- 14.6.1.2.1 Name;
- 14.6.1.2.2 Address;
- 14.6.1.2.3 Telephone number; and
- 14.6.1.2.4 Other information as appropriate (e.g., whether a end user is blind or deaf or has another disability).
- 14.6.1.3 When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless Al-Call requests otherwise and shall be updated if Al-Call requests, provided Al-Call supplies BellSouth with the updates.
- When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.
- 14.6.1.5 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.

14.6.2 <u>Interface Requirements</u>

The interface between the E911 Switch or Tandem and the ALI/DMS database for Al-Call end users shall meet industry standards.

14.7 <u>Directory Assistance Database</u>

BellSouth shall make its directory assistance database available to Al-Call in order to allow Al-Call to provide its end users with the same directory assistance munications services BellSouth provides to BellSouth end users. BellSouth shall provide Al-Call with an initial feed via magnetic tape and daily update initially via

magnetic tape and subsequently via an electronic gateway to be developed mutually by Al-Call and BellSouth of end user address and number changes. Directory Assistance Services must provide both the ported and Al-Call telephone numbers to the extent available in BellSouth's database assigned to a end user. Privacy indicators must be properly identified to assure the non-published numbers are accurately identified.

14.8 Calling Name (CNAM) Database Service

The Agreement for Calling Name (CNAM) with standard pricing is included as Exhibit B to this Attachment. Al-Call must provide to its account manager a written request with a requested activation date to activate this service. If Al-Call is interested in requesting CNAM with volume and term pricing, Al-Call must contact its account manager to request a separate CNAM volume and term Agreement.

- SCPs/Databases shall be equal to or better than all of the requirements for SCPs/Databases set forth in the following technical references:
- 14.9.1 GR-246-CORE, Bell Communications Research Specification of Signaling System Number 7, ISSUE 1 (Telcordia (formerly BellCore), December 199);
- 14.9.2 GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP). (Telcordia (formerly BellCore), March 1994);
- 14.9.3 GR-954-CORE, CCS Network Interface Specification (CCSNIS) Supporting Line Information Database (LIDB) Service 6, Issue 1, Rev. 1 (Telcordia (formerly BellCore), October 1995);
- 14.9.4 GR-1149-CORE, OSSGR Section 10: System Interfaces, Issue 1 (Telcordia (formerly BellCore), October 1995) (Replaces TR-NWT-001149);
- 14.9.5 Telcordia (formerly BellCore) GR-1158-CORE, OSSGR Section 22.3: Line Information Database 6, Issue (Telcordia (formerly BellCore), October 1995);
- 14.9.6 Telcordia (formerly BellCore) GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service (Telcordia (formerly BellCore), May 1995); and
- 14.9.7 BOC Notes on BellSouth Networks, SR-TSV-002275, ISSUE 2, (Telcordia (formerly BellCore), April 1994).
- 14.10 Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access.
- 14.10.1 BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide Al-Call the capability that will allow Al-Call and other third parties to create service applications in a BellSouth Service Creation Environment and deploy those applications in a BellSouth SMS to a BellSouth SCP. The third party service applications interact with AIN triggers provisioned on a BellSouth SSP.

- 14.10.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (*e.g.*, help desk, system administrator) resources available to Al-Call . Scheduling procedures shall provide Al-Call equivalent priority to these resources
- 14.10.3 BellSouth SCP shall partition and protect Al-Call service logic and data from unauthorized access, execution or other types of compromise.
- 14.10.4 When Al-Call selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Al-Call to use BellSouth's SCE/SMS AIN Access to create and administer applications. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions, but will not include support for the creation of a specific service application.
- 14.10.5 When Al-Call selects SCE/SMS AIN Access, BellSouth shall provide for a secure, controlled access environment in association with its internal use of AIN components. Al-Call access will be provided via remote data connection (e.g., dial-in, ISDN).
- 14.10.6 When Al-Call selects SCE/SMS AIN Access, BellSouth shall allow Al-Call to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth (*e.g.*, service customization and end user subscription).

15. <u>Dark Fiber</u>

15.1 Definition

Dark Fiber is optical transmission facilities without attached multiplexing, aggregation or other electronics that connects two points within BellSouth's network. Dark Fiber also includes strands of optical fiber existing in aerial or underground cable which may have lightwave repeater (regenerator or optical amplifier) equipment interspliced to it at appropriate distances, but which has no line terminating elements terminated to such strands to operationalize its transmission capabilities.

15.2 Requirements

BellSouth shall make available Dark Fiber where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. If BellSouth has plans to use the fiber within a two-year planning period, there is no requirement to provide said fiber to Al-Call.

15.2.2 If the requested dark fiber has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at Al-Call 's request subject to time and materials charges.

BellSouth shall use its best efforts to provide to Al-Call information regarding the location, availability and performance parameters of Dark Fiber within ten (10) business days, after receiving a request from Al-Call ("Request"). Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber ("Confirmation").

15.2.4 BellSouth shall use its best efforts to make Dark Fiber available to Al-Call within thirty (30) business days after it receives written confirmation from Al-Call that the Dark Fiber previously deemed available by BellSouth is wanted for use by Al-Call . This includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX) or splice points) to enable Al-Call to connect or splice Al-Call provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber.

16. <u>SS7 Network Interconnection</u>

16.1 <u>Definition</u>

SS7 Network Interconnection is the interconnection of Al-Call local Signaling Transfer Point Switches (STP) and Al-Call local or tandem switching systems with BellSouth STPs. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases (DBs), Al-Call local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

- 16.2 Technical Requirements
- 16.2.1 SS7 Network Interconnection shall provide connectivity to all components of the BellSouth SS7 network. These include:
- 16.2.1.1 BellSouth local or tandem switching systems;
- 16.2.1.2 BellSouth DBs; and
- 16.2.1.3 Other third-party local or tandem switching systems.
- The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and DBs and Al-Call or other third-party switching systems with A-link access to the BellSouth SS7 network.

If traffic is routed based on dialed or translated digits between an Al-Call local switching system and a BellSouth or other third-party local switching system,

either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Al-Call local STPs and BellSouth or other third-party local switch.

- 16.2.3 When the capability to route messages based on Intermediate Signaling Network Identifier (ISNI) is generally available on BellSouth STPs, the BellSouth SS7 Network shall also convey TCAP messages using SS7 Network Interconnection in similar circumstances where the BellSouth switch routes traffic based on a Carrier Identification Code (CIC).
- 16.2.4 SS7 Network Interconnection shall provide all functions of the MTP as specified in ANSI T1.111. This includes:
- 16.2.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 16.2.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 16.2.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 16.2.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. In particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Al-Call local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Al-Call local STPs, and shall not include SCCP Subsystem Management of the destination.
- 16.2.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part (ISDNUP), as specified in ANSI T1.113.
- 16.2.7 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.
- 16.2.8 If and when Internetwork MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT) become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection shall provide these functions of the OMAP.
- 16.2.9 SS7 Network Interconnection shall be equal to or better than the following performance requirements:

16.2.9.1	MTP Performance, as specified in ANSI T1.111.6;
16.2.9.2	SCCP Performance, as specified in ANSI T1.112.5; and
16.2.9.3	ISDNUP Performance, as specified in ANSI T1.113.5.
16.3	Interface Requirements
16.3.1	BellSouth shall offer the following SS7 Network Interconnection options to connect Al-Call or Al-Call -designated local or tandem switching systems or STPs to the BellSouth SS7 network:
16.3.1.1	A-link interface from Al-Call local or tandem switching systems; and
16.3.1.2	B-link interface from Al-Call STPs.
16.3.2	The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling links for interconnecting Al-Call local switching systems or STPs with BellSouth STPs as soon as these become approved ANSI standards and available capabilities of BellSouth STPs. BellSouth and Al-Call will work jointly to establish mutually acceptable SPOI.
16.3.3	BellSouth CO shall provide intraoffice diversity between the SPOIs and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP. BellSouth and Al-Call will work jointly to establish mutually acceptable SPOI.
16.3.4	The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the following specifications:
16.3.4.1	Telcordia (formerly BellCore) GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP);
16.3.4.2	Telcordia (formerly BellCore) GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service;
16.3.4.3	Telcordia (formerly BellCore) GR-1429-CORE, CCS Network Interface Specification (CCSNIS) Supporting Call Management Services; and

16.3.4.4 Telcordia (formerly BellCore) GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP). 16.3.5 BellSouth shall set message screening parameters to block accept messages from Al-Call local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Al-Call switching system has a legitimate signaling relation. 16.4 SS7 Network Interconnection shall be equal to or better than all of the requirements for SS7 Network Interconnection set forth in the following technical references: 16.4.1 ANSI T1.110-1992 American National Standard munications - Signaling System Number 7 (SS7) - General Information; 16.4.2 ANSI T1.111-1992 American National Standard for munications - Signaling System Number 7 (SS7) - Message Transfer Part (MTP); 16.4.3 ANSI T1.111A-1994 American National Standard for munications - Signaling System Number 7 (SS7) - Message Transfer Part (MTP) Supplement; 16.4.4 ANSI T1.112-1992 American National Standard for munications - Signaling System Number 7 (SS7) - Signaling Connection Control Part (SCCP); 16.4.5 ANSI T1.113-1995 American National Standard for munications - Signaling System Number 7 (SS7) - Integrated Services Digital Network (ISDN) User Part; 16.4.6 ANSI T1.114-1992 American National Standard for munications - Signaling System Number 7 (SS7) - Transaction Capabilities Application Part (TCAP); 16.4.7 ANSI T1.115-1990 American National Standard for munications - Signaling System Number 7 (SS7) - Monitoring and Measurements for Networks; 16.4.8 ANSI T1.116-1990 American National Standard for munications - Signaling System Number 7 (SS7) - Operations, Maintenance and Administration Part (OMAP); 16.4.9 ANSI T1.118-1992 American National Standard for munications - Signaling System Number 7 (SS7) - Intermediate Signaling Network Identification (ISNI); 16.4.10 Telcordia (formerly BellCore) GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP);

- 16.4.11 Telcordia (formerly BellCore) GR-954-CORE, CCS Network Interface Specification (CCSNIS) Supporting Line Information Database (LIDB) Service;
- Telcordia (formerly BellCore) GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service;
- 16.4.13 Telcordia (formerly BellCore) GR-1429-CORE, CCS Network Interface Specification (CCSNIS) Supporting Call Management Services; and,
- 16.4.14 Telcordia (formerly BellCore) GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).

17. Basic 911 and E911

If Al-Call orders network elements and other services, then Al-Call is also responsible for providing E911 to its end users. BellSouth agrees to offer access to the 911/E911 network pursuant to the following terms and conditions set forth in this Attachment.

17.1 Definition

Basic 911 and E911 is an additional requirement that provides a caller access to the applicable emergency service bureau by dialing a 3-digit universal telephone number (911).

17.2 <u>Requirements</u>

- 17.2.1 Basic 911 Service Provisioning. For Basic 911 service, BellSouth will provide to Al-Call a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Al-Call will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. Al-Call will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, Al-Call will be required to discontinue the Basic 911 procedures and being using E911 procedures.
- 17.2.2 <u>E911 Service Provisioning.</u> For E911 service, Al-Call will be required to install a minimum of two dedicated trunks originating from the Al-Call serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type

signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. Al-Call will be required to provide BellSouth daily updates to the E911 database. Al-Call will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Al-Call will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Al-Call shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.

- 17.2.3 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on Al-Call beyond applicable charges for BellSouth trunking arrangements.
- 17.2.4 Basic 911 and E911 functions provided to Al-Call shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.

<u>Detailed Practices and Procedures</u>. The detailed practices and procedures contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement will determine the appropriate practices and procedures for BellSouth and Al-Call to follow in providing 911/E911 services.

18. Rates

18.1. General

The prices that Al-Call shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment. It is the intent of the parties that where applicable state commissions have approved rates for network elements and other services set forth in this Agreement as of the date hereof, such rates have been included in Exhibit C.

18.2. Operational Support Systems (OSS)

BellSouth has developed and made available the following mechanized systems by which Al-Call may submit LSRs electronically.

LENS Local Exchange Navigation System

EDI Electronic Data Interface

EDI-PC Electronic Data Interface – Personal Computer

TAG munications Access Gateway

LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic ordering charge, as specified in the table below. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below:

OPERATIONAL SUPPORT SYSTEMS	AL, GA, LA, MS,	FL, KY, NC, TN
	SC	
OSS LSR charge, per LSR received from the	\$3.50	\$3.50
CLEC by one of the OSS interactive	SOMEC	
interfaces		SOMEC
Incremental charge per LSR received from	See applicable rate	\$19.99
the CLEC by means other than one of the	element	
OSS interactive interfaces		SOMAN

Note: In addition to the OSS charges, applicable discounted service order and related discounted charges apply per the tariff.

Denial/Restoral OSS Charge

In the event Al-Call provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

Cancellation OSS Charge

Al-Call will incur an OSS charge for an accepted LSR that is later canceled by Al-Call.

Note: Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

Network Elements and Other Services Manual Additive

The Commissions in Alabama, Georgia, Louisiana, Mississippi and South Carolina have ordered incremental manual non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR.

18.3 <u>True-up</u>

This section applies only to Tennessee and other interim rates listed in this attachment.

The interim prices for Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:

- 1. The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 16 of the General Terms and Conditions and Attachment 1 of the Agreement.
- 2. The Parties may continue to negotiate toward final prices, but in the event that no such Agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in Section 16 of the General Terms and Conditions and Attachment 1 of the Agreement, so long as they file the resulting Agreement with the Commission as a "negotiated Agreement" under Section 252(e) of the Act.
- 3. A final order of this Commission that forms the basis of a true-up shall be the final order as to prices based on appropriate cost studies, or potentially may be a final order in any other Commission proceeding which meets the following criteria:
 - (a) BellSouth and CLEC is entitled to be a full Party to the proceeding;
 - (b) It shall apply the provisions of the federal munications Act of 1996, including but not limited to Section 252(d)(1) (which contains pricing standards) and all then-effective implementing rules and regulations; and,
 - (c) It shall include as an issue the geographic deaveraging of network element and other services prices, which deaveraged prices, if any are required by said final order, shall form the basis of any true-up.

EXHIBIT A

LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

I. SCOPE

- A. This Agreement sets forth the terms and conditions pursuant to which BST agrees to store in its LIDB certain information at the request of the Local Exchange Company and pursuant to which BST, its LIDB customers and Local Exchange Carrier shall have access to such information. Local Exchange Carrier understands that BST provides access to information in its LIDB to various munications service providers pursuant to applicable tariffs and agrees that information stored at the request of Local Exchange Carrier, pursuant to this Agreement, shall be available to those munications service providers. The terms and conditions contained in the attached Addendum(s) are hereby made a part of this Agreement as if fully incorporated herein.
 - B. LIDB is accessed for the following purposes:
 - 1. Billed Number Screening
 - 2. Calling Card Validation
 - 3. Fraud Control
- C. BST will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BST's LIDB, provided that such information is included in the LIDB query. BST will establish fraud alert thresholds and will notify the Local Exchange Company of fraud alerts so that the Local Exchange Company may take action it deems appropriate. Local Exchange Company understands and agrees BST will administer all data stored in the LIDB, including the data provided by Local Exchange Company

pursuant to this Agreement, in the same manner as BST's data for BST's end user customers.

BST shall not be responsible to Local Exchange Company for any lost revenue which may result from BST's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BST in its sole discretion from time to time.

Local Exchange Company understands that BST currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses. Local Exchange Company further understands that these billing and collection customers of BST query BST's LIDB to determine whether to accept various billing options from end users. Additionally, Local Exchange Company understands that presently BST has no method to differentiate between BST's own billing and line data in the LIDB and such data which it includes in the LIDB on Local Exchange Company's behalf pursuant to this Agreement. Therefore, until such time as BST can and does implement in its LIDB and its supporting systems the means to differentiate Local Exchange Company's data from BST's data and the Parties to this Agreement execute appropriate amendments hereto, the following terms and conditions shall apply:

- (a) The Local Exchange Company agrees that it will accept responsibility for munications services billed by BST for its billing and collection customers for Local Exchange Customer's end user accounts which are resident in LIDB pursuant to this Agreement. Local Exchange Company authorizes BST to place such charges on Local Exchange Company's bill from BST and agrees that it shall pay all such charges. Charges for which Local Exchange Company hereby takes responsibility include, but are not limited to, collect and third number calls.
- (b) Charges for such services shall appear on a separate BST bill page identified with the name of the entity for which BST is billing the charge.

- (c) Local Exchange Company shall have the responsibility to render a billing statement to its end users for these charges, but Local Exchange Company's obligation to pay BST for the charges billed shall be independent of whether Local Exchange Company is able or not to collect from the Local Exchange Company's end users.
 - (d) BST shall not become involved in any disputes between Local Exchange Company and the entities for which BST performs billing and collection. BellSouth will not issue adjustments for charges billed on behalf of an entity to Local Exchange Company. It shall be the responsibility of the Local Exchange Company and the other entity to negotiate and arrange for any appropriate adjustments.

II. TERM

This Agreement will be effective as of June 30, 2000 and will continue in effect for one year, and thereafter may be continued until terminated by either Party upon thirty (30) days written notice to the other Party.

III. FEES FOR SERVICE AND TAXES

- A. The Local Exchange Company will not be charged a fee for storage services provided by BST to the Local Exchange Company, as described in Section I of this Agreement.
- B. Sales, use and all other taxes (excluding taxes on BST's income) determined by BST or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by the Local Exchange Company. The Local Exchange Company shall have the right to have BST contest with the imposing jurisdiction,

at the Local Exchange Company's expense, any such taxes that the Local Exchange Company deems are improperly levied.

IV. INDEMNIFICATION

To the extent not prohibited by law, each Party will indemnify the other and hold the other harmless against any loss, cost, claim, injury, or liability relating to or arising out of negligence or willful misconduct by the indemnifying Party or its agents or contractors in connection with the indemnifying Party's provision of services, provided, however, that any indemnity for any loss, cost, claim, injury or liability arising out of or relating to errors or omissions in the provision of services under this Agreement shall be limited as otherwise specified in this Agreement. The indemnifying Party under this Section agrees to defend any suit brought against the other Party for any such loss, cost, claim, injury or liability. The indemnified Party agrees to notify the other Party promptly, in writing, of any written claims, lawsuits, or demands for which the other Party is responsible under this Section and to cooperate in every reasonable way to facilitate defense or settlement of claims. The indemnifying Party shall not be liable under this Section for settlement by the indemnified Party of any claim, lawsuit, or demand unless the defense of the claim, lawsuit, or demand has been tendered to it in writing and the indemnifying Party has unreasonably failed to assume such defense.

V. LIMITATION OF LIABILITY

In the absence of gross negligence or willful misconduct, neither Party shall be liable to the other Party for any lost profits or revenues or for any indirect, incidental or consequential damages incurred by the other Party arising from this Agreement or the services performed or not performed hereunder, regardless of the cause of such loss or damage.

VI. MISCELLANEOUS

- A. It is understood and agreed to by the Parties that BST may provide similar services to other companies.
- B. All terms, conditions and operations under this Agreement shall be performed in accordance with, and subject to, all applicable local, state or federal legal and regulatory tariffs, rulings, and other requirements of the federal courts, the U. S. Department of Justice and state and federal regulatory agencies. Nothing in this Agreement shall be construed to cause either Party to violate any such legal or regulatory requirement and either Party's obligation to perform shall be subject to all such requirements.
- C. The Local Exchange Company agrees to submit to BST all advertising, sales promotion, press releases, and other publicity matters relating to this Agreement wherein BST's corporate or trade names, logos, trademarks or service marks or those of BST's affiliated companies are mentioned or language from which the connection of said names or trademarks therewith may be inferred or implied; and the Local Exchange Company further agrees not to publish or use advertising, sales promotions, press releases, or publicity matters without BST's prior written approval.
- D. This Agreement constitutes the entire Agreement between the Local Exchange Company and BST which supersedes all prior Agreements or contracts, oral or written representations, statements, negotiations, understandings, proposals and undertakings with respect to the subject matter hereof.
- E. Except as expressly provided in this Agreement, if any part of this Agreement is held or construed to be invalid or unenforceable, the validity of any other Section of this Agreement shall remain in full force and effect to the extent permissible or appropriate in furtherance of the intent of this Agreement.

- F. Neither Party shall be held liable for any delay or failure in performance of any part of this Agreement for any cause beyond its control and without its fault or negligence, such as acts of God, acts of civil or military authority, government regulations, embargoes, epidemics, war, terrorist acts, riots, insurrections, fires, explosions, earthquakes, nuclear accidents, floods, strikes, power blackouts, volcanic action, other major environmental disturbances, unusually severe weather conditions, inability to secure products or services of other persons or transportation facilities, or acts or omissions of transportation common carriers.
- G. This Agreement shall be deemed to be a contract made under the laws of the Al-Call of Georgia, and the construction, interpretation and performance of this Agreement and all transactions hereunder shall be governed by the domestic law of such Al-Call.

FACILITIES BASED ADDENDUM TO LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

This is a Facilities Based Addendum to the Line Information Data Base Storage

Agreement dated June 30, 2000, between BellSouth munications, Inc. ("BST"), and TriVergent

Communications, Inc. ("Local Exchange Company"), effective the 30th day of June, 2000.

I. GENERAL

This Addendum sets forth the terms and conditions for Local Exchange Company's provision of billing number information to BST for inclusion in BST's LIDB. BST will store in its LIDB the billing number information provided by Local Exchange Company, and BST will provide responses to on-line, call-by-call queries to this information for purposes specified in Section I.B. of the Agreement.

II. DEFINITIONS

- A. Billing number a number that the Local Exchange Company creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten digit number that identifies a telephone line administered by the Local Exchange Company.
- C. Special billing number a ten digit number that identifies a billing account established by the Local Exchange Company.
 - D. Calling Card number a billing number plus PIN number.
- E. PIN number a four digit security code assigned by the Local Exchange Company which is added to a billing number to compose a fourteen digit calling card number.

- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by the Local Exchange Company.
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number, Calling Card number and toll billing exception indicator provided to BST by the Local Exchange Company.

III. RESPONSIBILITIES OF PARTIES

- A. The Local Exchange Company will provide its billing number information to BST's LIDB each business day by a method that has been mutually agreed upon by both Parties.
- B. BST will store in its LIDB the billing number information provided by the Local Exchange Company. Under normal operating conditions, BST shall include the Local Exchange Company's billing number information in its LIDB no later than two business days following BST's receipt of such billing number information, provided that BST shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BST's reasonable control. BST will store in its LIDB an unlimited volume of the Local Exchange Company's working telephone numbers.
- C. BST will provide responses to on-line, call-by-call queries to the stored information for the specific purposes listed in the next paragraph.
- D. BST is authorized to use the billing number information provided by the Local Exchange Company to perform the following functions for authorized users on an on-line basis:

- 1. Validate a 14 digit Calling Card number where the first 10 digits are a line number or special billing number assigned by the Local Exchange Company, and where the last four digits (PIN) are a security code assigned by the Local Exchange Company.
- Determine whether the Local Exchange Company or the subscriber has
 identified the billing number as one which should not be billed for collect or third number calls, or
 both.
- E. The Local Exchange Company will provide its own billing number information to BST for storage and to be used for Billed Number Screening and Calling Card Validation. The Local Exchange Company will arrange and pay for transport of updates to BST.

IV. COMPLIANCE

Unless expressly authorized in writing by the Local Exchange Company, all billing number information provided pursuant to this Addendum shall be used for no purposes other than those set forth in this Addendum.

EXHIBIT B

CALLING NAME DELIVERY (CNAM) DATABASE SERVICES

1.00 DEFINITIONS

For the purpose of this Attachment, the following terms shall be defined as:

CALLING NAME DELIVERY DATABASE SERVICE (CNAM) - The ability to associate a name with the calling party number, allowing the end user subscriber (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides Al-Call the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

CALLING PARTY NUMBER (CPN) - The number of the calling party that is delivered to the terminating switch using common channel signaling system 7 (CCS7) technology, and that is contained in the Initial Address Message (IAM) portion of the CCS7 call setup.

COMMON CHANNEL SIGNALING SYSTEM 7 (CCS7) - A network signaling technology in which all signaling information between two or more nodes is transmitted over high-speed data links, rather than over voice circuits.

SERVICE CONTROL POINTs (SCPs) - The real-time data base systems that contain the names to be provided in response to queries received from CNAM SSPs.

SERVICE MANAGEMENT SYSTEM (SMS) - The main operations support system of CNAM DATABASE SERVICE. CNAM records are loaded into the SMS, which in turn downloads into the CNAM SCP.

SERVICE SWITCHING POINTs (SSPs) - Features of computerized switches in the telephone network that determine that a terminating line has subscribed to CNAM service, and then communicate with CNAM SCPs in order to provide the name associated with the calling party number.

SUBSYSTEM NUMBER (SSN) - The address used in the Signaling Connection Control Part (SCCP) layer of the SS7 protocol to designate an application at an end signaling point. A SSN for CNAM at the end office designates the CNAM application within the end office. BellSouth uses the CNAM SSN of 232.

2.0 ATTACHMENT

- 2.01 This Attachment contains the terms and conditions where BellSouth will provide to the Al-Call access to the BellSouth CNAM SCP for query or record storage purposes.
- 2.02 Al-Call shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services pursuant to the terms and conditions of this Attachment. Said notice shall be in writing, no less than 60 days prior to Al-Call 's access to BellSouth's CNAM Database Services and shall be addressed to Al-Call 's Account Manager.

3.00 PHYSICAL CONNECTION AND COMPENSATION

- 3.01 BellSouth's provision of CNAM Database Services to Al-Call requires interconnection from Al-Call to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement. The appropriate charge for access to and use of the BellSouth CNAM Database service shall be as set forth in this Attachment.
- 3.02 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Al-Call shall provide its own CNAM SSP. Al-Call 's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 3.03 If Al-Call elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia (formerly BellCore)'s CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Al-Call desires to query.

3.04 Out-Of-Region Customers

If the customer queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's (formerly BellCore's) CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties in writing and shall, by this reference become an integral part of this Agreement.

4.00 CNAM RECORD INITIAL LOAD AND UPDATES

4.01 The mechanism to be used by Al-Call for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by

- Al-Call in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Al-Call to provide accurate information to BellSouth on a current basis.
- 4.02 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 4.03 Al-Call CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

BELLSOUTH/AI-Call RATES NETWORK ELEMENTS AND OTHER SERVICES

DESC											
DES											
	CRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
VIDs				· -	<u> </u>			0			
NID (all types), per month	UNDAX	NA	\$1.08	NA	\$1.80	NA	NA	\$0.52	NA	\$0.56
Insta	llation of 2-Wire/4Wire CLEC NID	UNDAX									
	NRC - 1st	UNDAX	NA	\$70.32	NA	NA	NA	NA	NA	NA	NA
	NRC - Add'l	UNDAX	NA	\$54.35	NA	NA	NA	NA	NA	NA	NA
NID t	o NID Cross Connect, 2-Wire or 4-Wire, NRC	UNDC2	NA	\$6.15	NA	NA	NA	NA	NA	NA	NA
NID ;	per 2-Wire Analog VG Loop, Per Month	UNDAX	\$1.18	NA	\$1.10	NA	\$1.09	\$1.22	\$1.01	\$1.13	NA
	NRC - 1st	UNDAX	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	\$1.42	\$1.36	NA
	NRC - Add'l	UNDAX	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	\$1.42	\$1.36	NA
	NRC - Disconnect Charge - 1st	UNDAX	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	NA	NA
	NRC - Disconnect Charge - Add'l	UNDAX	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	NA	NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$44.42	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$13.55	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA
NID	per 4-Wire Analog VG Loop, Per Month	UNDAX	\$1.30	NA	\$1.21	NA	\$1.22	\$1.34	\$1.14	\$1.25	NA
	NRC - 1st	UNDAX	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	\$1.42	\$1.35	NA
	NRC - Add'l	UNDAX	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	\$1.42	\$1.35	NA
	NRC - Disconnect Charge - 1st	UNDAX	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	NA	NA
	NRC - Disconnect Charge - Add'l	UNDAX	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	NA	NA
$\perp \perp$	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$44.06	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$13.55	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA
NID r	per 2-Wire ISDN Digital VG Loop, Per Month	UNDAX	\$1.18	NA	\$1.10	NA	\$1.08	\$1.22	\$1.01	\$1.13	NA
$\perp \perp$	NRC - 1st	UNDAX	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	\$1.42	\$1.36	NA
$\perp \perp$	NRC - Add'l	UNDAX	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	\$1.42	\$1.36	NA
$\perp \perp$	NRC - Disconnect Charge - 1st	UNDAX	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	NA	NA
$\perp \perp$	NRC - Disconnect Charge - Add'l	UNDAX	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	NA	NA
$\perp \perp \perp$	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$44.42	NA
$\perp \perp$	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$13.55	NA
$oldsymbol{\perp}oldsymbol{\perp}$	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA
NID r	per 2-Wire Asymmetrical Dig Subscriber Line (ADSL) Loop, Per Mo.	UNDAX	\$1.18	NA	\$1.10	NA	\$1.09	\$1.22	\$1.01	\$1.13	NA
$\bot \bot$	NRC - 1st	UNDAX	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	\$1.42	\$1.36	NA
$oldsymbol{oldsymbol{\sqcup}}$	NRC - Add'l	UNDAX	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	\$1.42	\$1.36	NA
$\bot \bot$	NRC - Disconnect Charge - 1st	UNDAX	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	NA	NA
++	NRC - Disconnect Charge - Add'l	UNDAX	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	NA	NA
++	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$44.42	NA
++	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$13.55	NA
┶	NRC - Incremental Charge - Manual Service Order - Disconnect -1st	SOMAN	\$17.77	NA	NA O4.40	NA	\$11.41	\$16.06	NA 04.04	NA O4 40	NA
NID F	per 2-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop	UNDAX	\$1.18	NA	\$1.10	NA	\$1.09	\$1.22	\$1.01	\$1.13	NA NA
++	NRC - 1st	UNDAX	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	\$1.42	\$1.36	NA
++	NRC - Add'l NRC - Disconnect Charge - 1st	UNDAX UNDAX	\$1.44 \$1.44	NA NA	\$2.10 NA	NA NA	\$2.02	\$2.84	\$1.42 NA	\$1.36 NA	NA NA
++	NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add'l	UNDAX	\$1.44 \$1.44	NA NA	NA NA	NA NA	\$2.01 \$2.01	\$2.84 \$2.84	NA NA	NA NA	NA NA
++	NRC - Disconnect Charge - Add 1 NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$1.44	NA NA	NA \$18.94	NA NA	\$2.01 \$18.14	\$2.84 \$25.52	\$26.94	NA \$44.42	NA NA
++	NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$27.37 \$12.97	NA NA	\$18.94	NA NA	\$18.14	\$25.52 \$11.34	\$26.94 \$12.76	\$44.42 \$13.55	NA NA
++	NRC - Incremental Charge - Manual Service Order - Add1 NRC - Incremental Charge - Manual Service Order - Disconnect -1st	SOMAN	\$12.97 \$17.77	NA NA	\$8.42 NA	NA NA	\$8.06	\$11.34 \$16.06	\$12.76 NA	\$13.55 NA	NA NA
MID	per 4-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop	UNDAX	\$17.77	NA NA	\$1.21	NA NA	\$11.41	\$1.34	\$1.14	\$1.25	NA NA
ן טואן	NRC - 1st	UNDAX	\$1.44	NA NA	\$1.21	NA NA	\$2.02	\$1.34	\$1.14	\$1.25	NA NA
++	INRC - 1st	UNDAX	\$1.44	NA NA	\$2.10	NA NA	\$2.02	\$2.84	\$1.42	\$1.35	NA NA
++	NRC - Disconnect Charge - 1st	UNDAX	\$1.44	NA NA	\$2.10 NA	NA NA	\$2.02	\$2.84	\$1.42 NA	\$1.35 NA	NA NA
$\bot \bot$	NRC - Disconnect Charge - 1st	UNDAX	\$1.44	NA NA	NA NA	NA NA	\$2.01	\$2.84	NA NA	NA NA	NA NA
1 - 1 -		I UNDAX	Φ1.44	INA	INA	INA	φ∠.∪ ι			INA	
\coprod	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$44.06	NA

BELLSOUTH/AI-CAII RATES NETWORK ELEMENTS AND OTHER SERVICES

		AND OTHER SER	VICES					1		
										İ
DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA.	NA	NA NA	\$11.41	\$16.06	NA	NA	NA
NID per 4-Wire 56 Kbps Dig Grade Loop	UNDAX	\$1.30	NA	\$1.21	NA	\$1.21	\$1.34	\$1.14	\$1.25	NA
NRC - 1st	UNDAX	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	\$1.42	\$1.35	NA
NRC - Add'l	UNDAX	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	\$1.42	\$1.35	NA
NRC - Disconnect Charge - 1st	UNDAX	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	NA	NA
NRC - Disconnect Charge - Add'l	UNDAX	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$44.06	NA
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$13.55	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA
NID per 4-Wire 64 Kbps Dig Grade Loop	UNDAX	\$1.30	NA	\$1.21	NA	\$1.21	\$1.34	\$1.14	\$1.25	NA
NRC - 1st	UNDAX	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	\$1.42	\$1.35	NA
NRC - Add'l	UNDAX	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	\$1.42	\$1.35	NA
NRC - Disconnect Charge - 1st	UNDAX	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	NA	NA
NRC - Disconnect Charge - Add'l	UNDAX	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	NA	NA
NRC - Incremental Charge - Manual Svc Ord - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$44.06	NA
NRC - Incremental Charge - Manual Svc Ord - Add'l	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$13.55	NA
NRC - Incremental Charge - Manual Svc Ord - Disconnect - 1st	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA
NID per 2-Wire Unbundled Copper Loop, per month	UNDAX	\$1.55	\$1.55	\$1.55	\$1.55	\$1.55	\$1.55	\$1.55	\$1.55	\$1.55
NRC - 1st	UNDAX	\$5.60	\$5.60	\$5.60	\$5.60	\$5.60	\$5.60	\$5.60	\$5.60	\$5.60
NRC - Add'l	UNDAX	\$5.60	\$5.60	\$5.60	\$5.60	\$5.60	\$5.60	\$5.60	\$5.60	\$5.60
NRC - Disconnect Charge - 1st	UNDAX	NA	NA	NA	NA	NA	NA	NA	NA	NA
NRC - Disconnect Charge - Add'l	UNDAX	NA	NA	NA	NA	NA	NA	NA	NA	NA
NRC - Incremental Charge - Manual Svc. Ord - 1st	SOMAN	\$47.00	\$47.00	\$47.00	\$47.00	\$47.00	\$47.00	\$47.00	\$47.00	\$47.00
NRC - Incremental Charge - Manual Svc. Ord - Add'l	SOMAN	\$21.00	\$21.00	\$21.00	\$21.00	\$21.00	\$21.00	\$21.00	\$21.00	\$21.00
NRC - Incremental Charge - Manual Svc. Ord Disconnect	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
Nonrecurring Charge - customer transfer, feature additions, changes (1)		\$5.00	NA	NA	NA	NA	\$5.00	NA	NA	NA
LOOP, EXCLUDING NID										
2-Wire Analog VG Loop (Standard), per month	TBD	NA	NA	NA	\$18.20	NA	NA	NA	NA	NA
NRC - 1st		NA	NA	NA	\$86.08	NA	NA	NA	NA	NA
NRC - Add'l		NA	NA	NA	\$58.57	NA	NA	NA	NA	NA
2-Wire Analog VG Loop (Customized), per month	TBD	NA	NA	NA	\$21.41	NA	NA	NA	NA	NA
NRC - 1st		NA	NA NA	NA	\$236.75	NA NA	NA NA	NA NA	NA NA	NA NA
NRC - Add'I	TDD	NA NA	NA NA	NA	\$177.10 \$26.38	NA NA	NA NA	NA NA	NA NA	NA NA
4-Wire Analog VG Loop (Standard), per month	TBD	NA NA	NA NA	NA NA	\$457.14	NA NA	NA NA	NA NA	NA NA	NA NA
NRC - Add'l		NA NA	NA NA	NA NA	\$348.83	NA NA	NA NA	NA NA	NA NA	NA NA
2-Wire ISDN Digital Grade Loop (Standard), per month	TBD	NA NA	NA NA	NA NA	\$29.65	NA NA	NA NA	NA NA	NA NA	NA NA
NRC - 1st	עסו	NA NA	NA NA	NA NA	\$541.28	NA NA	NA NA	NA NA	NA NA	NA NA
NRC - Add'l		NA NA	NA NA	NA NA	\$431.61	NA NA	NA NA	NA NA	NA NA	NA NA
2-Wire ADSL Loop (Standard), per month	TBD	NA NA	NA NA	NA NA	\$10.63	NA NA	NA NA	NA NA	NA NA	NA NA
NRC - 1st	100	NA NA	NA NA	NA NA	\$713.50	NA NA	NA	NA NA	NA NA	NA NA
NRC - Add'I		NA NA	NA NA	NA NA	\$609.44	NA NA	NA	NA NA	NA NA	NA NA
2-Wire HDSL Loop (Standard), per month	TBD	NA NA	NA NA	NA NA	\$7.40	NA NA	NA NA	NA NA	NA NA	NA NA
NRC - 1st	100	NA NA	NA NA	NA NA	\$713.50	NA NA	NA NA	NA NA	NA NA	NA NA
NRC - Add'l		NA	NA NA	NA NA	\$609.44	NA	NA	NA	NA NA	NA NA
4-Wire HDSL Loop (Standard), per month	TBD	NA	NA NA	NA	\$9.70	NA	NA	NA	NA	NA NA
NRC - 1st	155	NA NA	NA.	NA NA	\$748.93	NA NA	NA	NA NA	NA NA	NA NA
NRC - Add'l		NA	NA NA	NA	\$646.17	NA	NA	NA	NA	NA NA
			1		,					
LOOP, INCLUDING NID										
2-Wire Analog VG Loop										
		1					1	1		

BELLSOUTH/AI-Call RATES NETWORK ELEMENTS

			AND OTHER SER	VICES							
DE	SCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN
TI	RC - Statewide, per month	UEAL2	NA	NA	NA	NA	NA	NA	\$16.71	NA	\$18.00
H	RC - Zone 1, per month (Note 2)	TBD	NA	\$13.75	NA	NA	NA	NA	TBD	NA	\$15.54
	RC - Zone 2, per month (Note 2)	TBD	NA	\$20.13	NA	NA	NA	NA	TBD	NA	\$19.55
	RC - Zone 3, per month (Note 2)	TBD	NA	\$44.40	NA	NA	NA	NA	TBD	NA	\$28.02
	RC - Zone 4, per month (Note 2)	TBD	NA	NA	NA	NA	NA	NA	NA	NA	NA
	NRC - 1st	UEAL2	NA	\$140.00	NA	NA	NA	NA	\$86.50	NA	\$58.50
	NRC - Add'l	UEAL2	NA	\$42.00	NA	NA	NA	NA	\$27.80	NA	\$31.00
	NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	NA	\$55.00	NA	NA	NA	NA	\$55.00	NA	\$55.00
2-V	Vire Analog VG Loop-SL1			*************************************					400.00		***************************************
	RC - Statewide, per month	UEAL2	NA	NA	NA	NA	NA	NA	\$15.88	NA	NA
	RC - Zone 1, per month (Note 2)	TBD	\$15.24	\$13.75	\$14.21	\$14.79	\$14.96	\$15.58	TBD	\$18.48	\$15.92
	RC - Zone 2, per month (Note 2)	TBD	\$24.75	\$20.13	\$16.41	\$27.68	\$25.69	\$20.65	TBD	\$27.87	\$20.79
	RC - Zone 3, per month (Note 2)	TBD	\$44.85	\$44.40	\$26.08	\$47.78	\$52.47	\$29.51	TBD	\$36.91	\$27.18
	RC - Zone 4, per month (Note 2)	TBD	NA	NA	NA	NA	NA	\$38.94	NA	NA	NA
	NRC - 1st	UEAL2	\$59.03	\$80.00	\$42.54	NA	\$40.69	\$59.25	\$57.99	\$70.44	\$78.93
H	NRC - Add'l	UEAL2	\$43.14	\$55.00	\$31.33	NA	\$29.96	\$43.67	\$42.37	\$44.05	\$50.98
H	NRC - Disconnect Charge - 1st	UEAL2	\$15.21	NA	NA	NA	\$16.48	\$16.35	NA	NA	NA
	NRC - Disconnect Charge - Add'l	UEAL2	\$3.22	NA	NA	NA	\$3.36	\$4.06	NA	NA	NA
H	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$44.22	NA
H	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$13.55	NA
H	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA
\Box	NRC - Manual Order Coordination - 1st	TBD	NA	NA	NA	NA	NA	NA	NA	NA	NA
H	NRC - Manual Order Coordination - addl	TBD	NA	NA	NA	NA	NA	NA	NA	NA	NA
\Box	NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	TBD	NA	NA	NA	NA	NA	NA	NA	NA	NA
\Box	NRC - Loop Make-Up	UEANM	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
2-V	Vire Analog VG Loop-SL2 w/loop or ground start signaling						1				
	RC - Statewide, per month	UEAL2	NA	NA	NA	NA	NA	NA	\$19.50	NA	NA
	RC - Zone 1, per month (Note 2)	TBD	\$17.95	\$13.75	\$16.84	\$17.27	\$17.65	\$18.35	TBD	\$21.57	\$15.92
	RC - Zone 2, per month (Note 2)	TBD	\$29.16	\$20.13	\$19.45	\$32.32	\$30.32	\$24.33	TBD	\$32.53	\$20.79
	RC - Zone 3, per month (Note 2)	TBD	\$52.84	\$44.40	\$30.92	\$55.78	\$61.93	\$34.77	TBD	\$43.08	\$27.18
	RC - Zone 4, per month (Note 2)	TBD	NA	NA	NA	NA	NA	\$45.88	NA	NA	NA
H	NRC - 1st	UEAL2	\$145.46	\$140.00	\$104.17	NA	\$99.69	\$144.01	\$142.97	\$178.12	\$192.97
H	NRC - Add'l	UEAL2	\$108.40	\$42.00	\$78.10	NA	\$74.73	\$107.70	\$106.56	\$128.80	\$140.72
	NRC - Disconnect Charge - 1st	UEAL2	\$40.31	NA	NA	NA	\$28.73	\$40.98	NA	NA	NA
	NRC - Disconnect Charge - Add'l	UEAL2	\$26.01	NA	NA	NA	\$18.87	\$26.95	NA	NA	NA
\Box	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$44.42	NA
H	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$13.55	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$26.95	NA	NA	NA
	NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	\$45.99	\$55.00	\$34.22	NA	\$32.77	\$45.27	\$45.34	\$45.43	\$55.00
2-V	Vire Analog VG Loop-SL2 w/ reverse battery signaling		,	,	* -						*
Ш	RC - Statewide, per month	UEAR2	NA	NA	NA	NA	NA	NA	\$19.50	NA	NA
H	RC - Zone 1, per month (Note 2)	TBD	\$17.95	\$13.75	\$16.84	\$17.27	\$17.65	\$18.35	TBD	\$21.57	\$15.92
H	RC - Zone 2, per month (Note 2)	TBD	\$29.16	\$20.13	\$19.45	\$32.32	\$30.32	\$24.33	TBD	\$32.53	\$20.79
H	RC - Zone 3, per month (Note 2)	TBD	\$52.84	\$44.40	\$30.92	\$55.78	\$61.93	\$34.77	TBD	\$43.08	\$27.18
H	RC - Zone 4, per month (Note 2)	TBD	NA	NA	NA	NA	NA	\$45.88	NA	NA	NA
\Box	NRC - 1st	UEAR2	\$145.46	\$140.00	\$104.17	NA	\$99.69	\$144.01	\$142.97	\$178.12	\$192.97
\Box	NRC - Add'I	UEAR2	\$108.40	\$42.00	\$78.10	NA	\$74.73	\$107.70	\$106.56	\$128.80	\$140.72
	NRC - Disconnect Charge - 1st	UEAR2	\$40.31	NA	NA	NA	\$28.73	\$40.98	NA	NA	NA
	NRC - Disconnect Charge - Add'l	UEAR2	\$26.01	NA	NA	NA	\$18.87	\$26.95	NA	NA	NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$29.64	\$44.42	NA
H	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$13.55	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$26.95	NA	NA	NA
	NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOCL	\$45.99	\$55.00	\$34.22	NA	\$32.77	\$45.27	\$45.34	\$45.43	\$55.00

BELLSOUTH/AI-Call RATES NETWORK ELEMENTS AND OTHER SERVICES

	1	AND OTHER SERV	VICES	1	T	ı	1	T	1	
DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
2-Wire Analog VG Loop (Standard)										
RC - Statewide, per month	UEAL2	NA	NA	NA	NA	NA	NA	NA	NA	NA
RC - Zone 1, per month (Note 2)	TBD	NA	NA	NA	\$14.79	NA	NA	NA	NA	NA
RC - Zone 2, per month (Note 2)	TBD	NA	NA	NA	\$27.68	NA	NA	NA	NA	NA
RC - Zone 3, per month (Note 2)	TBD	NA	NA	NA	\$47.78	NA	NA	NA	NA	NA
RC - Zone 4, per month (Note 2)	TBD	NA	NA	NA	NA	NA	NA	NA	NA	NA
NRC - 1st	UEAL2	NA	NA	NA	\$86.08	NA	NA	NA	NA	NA
NRC - Add'l	UEAL2	NA	NA	NA	\$58.57	NA	NA	NA	NA	NA
NRC - Loop Make-up	UEANM	NA	NA	NA	TBD	NA	NA	NA	NA	NA
NRC - Manual Order Coordination	UEAMC	NA	NA	NA	TBD	NA	NA	NA	NA	NA
NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	NA	NA	NA	\$55.00	NA	NA	NA	NA	NA
2-Wire Analog VG Loop (Customized), w/ loop or ground start signaling										
RC - Statewide, per month	UEAL2	NA	NA	NA	NA	NA	NA	NA	NA	NA
RC - Zone 1, per month (Note 2)	TBD	NA	NA	NA	\$17.27	NA	NA	NA	NA	NA
RC - Zone 2, per month (Note 2)	TBD	NA	NA	NA	\$32.32	NA	NA	NA	NA	NA
RC - Zone 3, per month (Note 2)	TBD	NA	NA	NA	\$55.78	NA	NA	NA	NA	NA
RC - Zone 4, per month (Note 2)	TBD	NA	NA	NA	NA	NA	NA	NA	NA	NA
NRC - 1st	UEAL2	NA	NA	NA	\$236.75	NA	NA	NA	NA	NA
NRC - Add'I	UEAL2	NA	NA	NA	\$177.10	NA	NA	NA	NA	NA
NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	NA	NA	NA	\$55.00	NA	NA	NA	NA	NA
2-Wire Analog VG Loop (Customized), w/ reverse battery signaling										
RC - Statewide, per month	UEAR2	NA	NA	NA	NA	NA	NA	NA	NA	NA
RC - Zone 1, per month (Note 2)	TBD	NA	NA	NA	\$17.27	NA	NA	NA	NA	NA
RC - Zone 2, per month (Note 2)	TBD	NA	NA	NA	\$32.32	NA	NA	NA	NA	NA
RC - Zone 3, per month (Note 2)	TBD	NA	NA	NA	\$55.78	NA	NA	NA	NA	NA
RC - Zone 4, per month (Note 2)	TBD	NA	NA	NA	NA	NA	NA	NA	NA	NA
NRC - 1st	UEAR2	NA	NA	NA	\$236.75	NA	NA	NA	NA	NA
NRC - Add'l	UEAR2	NA	NA	NA	\$177.10	NA	NA	NA	NA	NA
NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	NA	NA	NA	\$55.00	NA	NA	NA	NA	NA
4-Wire Analog VG Loop										
RC - Statewide, per month	UEAL4	NA	NA	NA	NA	NA	NA	\$27.49	NA	NA
RC - Zone 1, per month (Note 2)	TBD	\$24.01	\$24.26	\$22.26	NA	\$24.36	\$22.38	TBD	\$29.47	\$15.92
RC - Zone 2, per month (Note 2)	TBD	\$39.00	\$35.51	\$25.70	NA	\$41.85	\$29.67	TBD	\$44.44	\$20.79
RC - Zone 3, per month (Note 2)	TBD	\$70.67	\$78.35	\$40.85	NA	\$85.47	\$42.40	TBD	\$58.85	\$27.18
RC - Zone 4, per month (Note 2)	TBD	NA	NA	NA	NA	NA	\$55.96	NA	NA	NA
NRC - 1st	UEAL4	\$293.70	\$141.00	\$206.95	NA	\$198.10	\$289.06	\$288.47	\$383.39	\$58.50
NRC - Add'l	UEAL4	\$241.76	\$43.00	\$170.57	NA	\$163.26	\$238.19	\$237.45	\$286.77	\$31.00
NRC - Disconnect Charge - 1st	UEAL4	\$108.96	NA	NA	NA	\$74.27	\$108.14	NA	NA	NA
NRC - Disconnect Charge - Add'l	UEAL4	\$57.01	NA	NA	NA	\$39.44	\$57.28	NA ************************************	NA Outloo	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$44.06	NA
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$13.55	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA ************************************	NA COA OO	NA	\$11.41	\$16.06	NA CAS OA	NA O 45, 40	NA ************************************
NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	\$45.99	\$55.00	\$34.22	NA	\$32.77	\$45.27	\$45.34	\$45.43	\$55.00
4-Wire Analog VG Loop (Standard)	LIEAL 4	NIA	NIA	NIA	NIA	NIA	NIA	NIA	NIA	NIA
RC - Statewide, per month	UEAL4	NA	NA	NA	NA COO.OO	NA	NA	NA	NA	NA NA
RC - Zone 1, per month (Note 2)	TBD TBD	NA	NA NA	NA NA	\$20.92	NA NA	NA NA	NA NA	NA NA	NA NA
RC - Zone 2, per month (Note 2)		NA			\$39.14					
RC - Zone 3, per month (Note 2)	TBD	NA	NA NA	NA NA	\$67.56	NA	NA NA	NA NA	NA NA	NA NA
RC - Zone 4, per month (Note 2)	TBD	NA	NA NA	NA NA	NA C457.44	NA NA	NA NA	NA NA	NA NA	NA NA
NRC - 1st	UEAL4	NA	NA	NA NA	\$457.14	NA NA	NA	NA NA	NA NA	NA
	UEAL4	NA	NA NA	NA	\$348.83		NA NA	NA NA	NA NA	NA
NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	NA	NA	NA	\$55.00	NA	NA	NA	NA	NA
2-Wire ISDN Digital Grade Loop		l	l	l	<u> </u>			1		

	T		AND OTHER SER	VICES		1			1		
											l
DES	CRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN
TĪ	RC - Statewide, per month	U1L2X	NA	NA	NA	NA	NA	NA	\$24.98	NA	NA
	RC - Zone 1, per month (Note 2)	TBD	\$23.23	\$32.34	\$21.89	\$23.66	\$21.15	\$21.86	TBD	\$26.68	\$15.92
	RC - Zone 2, per month (Note 2)	TBD	\$37.74	\$47.35	\$25.27	\$44.28	\$36.22	\$28.97	TBD	\$40.24	\$20.79
	RC - Zone 3, per month (Note 2)	TBD	\$68.38	\$104.47	\$40.17	\$76.42	\$74.19	\$41.40	TBD	\$53.29	\$27.18
	RC - Zone 4, per month (Note 2)	TBD	NA	NA	NA	NA	NA	\$54.64	NA	NA	NA
	NRC - 1st	U1L2X	\$331.85	\$306.00	\$233.38	NA	\$223.27	\$326.38	\$325.91	\$423.04	\$58.50
	NRC - Add'l	U1L2X	\$255.87	\$283.00	\$180.35	NA	\$172.63	\$252.00	\$251.31	\$301.75	\$31.00
	NRC - Disconnect Charge - 1st	U1L2X	\$108.95	NA	NA	NA	\$74.27	\$108.14	NA	NA	NA
	NRC - Disconnect Charge - Add'l	U1L2X	\$57.01	NA	NA	NA	\$39.44	\$57.27	NA	NA	NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$44.42	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$13.55	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA
	NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	\$45.99	\$55.00	\$34.22	\$55.00	\$32.77	\$45.27	\$45.34	\$45.43	\$55.00
2-Wi	re ISDN Digital Grade Loop (Standard)										
	RC - Statewide, per month	U1L2X	NA	NA	NA	NA	NA	NA	NA	NA	NA
	RC - Zone 1, per month (Note 2)	TBD	NA	NA	NA	\$23.66	NA	NA	NA	NA	NA
	RC - Zone 2, per month (Note 2)	TBD	NA	NA	NA	\$44.28	NA	NA	NA	NA	NA
	RC - Zone 3, per month (Note 2)	TBD	NA	NA	NA	\$76.42	NA	NA	NA	NA	NA
	RC - Zone 4, per month (Note 2)	TBD	NA	NA	NA	NA	NA	NA	NA	NA	NA
	NRC - 1st	U1L2X	NA	NA	NA	\$541.28	NA	NA	NA	NA	NA
	NRC - Add'l	U1L2X	NA	NA	NA	\$431.61	NA	NA	NA	NA	NA
	NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	NA	NA	NA	\$55.00	NA	NA	NA	NA	NA
2-Wi	re Asymmetrical Dig Subscriber Line (ADSL) Compatible Loop										
	RC - Statewide, per month	UAL2X	NA	NA	NA	NA	NA	NA	\$14.60	NA	\$18.46
	RC - Zone 1, per month (Note 2)	TBD	\$12.09	\$12.78	\$11.23	NA	\$11.90	\$10.87	TBD	\$17.10	\$15.93
	RC - Zone 2, per month (Note 2)	TBD	\$19.64	\$18.72	\$12.97	NA	\$20.43	\$14.40	TBD	\$25.79	\$20.05
	RC - Zone 3, per month (Note 2)	TBD	\$35.59	\$41.29	\$20.62	NA	\$41.73	\$20.58	TBD	\$34.15	\$28.74
	RC - Zone 4, per month (Note 2)	TBD	NA	NA	NA	NA	NA	\$27.16	NA	NA	NA
	NRC - 1st	UAL2X	\$514.21	\$113.85	\$359.73	NA	\$343.13	\$504.82	\$504.90	\$600.61	\$640.79
	NRC - Add'l	UAL2X	\$464.58	\$99.61	\$325.15	NA	\$310.03	\$456.24	\$456.17	\$507.33	\$541.94
	NRC - Disconnect Charge - 1st	UAL2X	\$106.65	NA	NA	NA	\$72.54	\$105.86	NA	NA	NA
	NRC - Disconnect Charge - Add'l	SOMAN	\$56.98	NA	NA	NA	\$39.42	\$57.25	NA	NA	NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$44.42	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$13.55	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA
	NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	\$45.99	\$55.00	\$34.22	NA	\$32.77	\$45.27	\$45.34	\$45.43	\$55.00
2-Wi	re ADSL Loop (Standard)										
	RC - Statewide, per month	UAL2X	NA	NA	NA	NA	NA	NA	NA	NA	NA
$\perp \perp$	RC - Zone 1, per month (Note 2)	TBD	NA	NA	NA	\$8.79	NA	NA	NA	NA	NA
	RC - Zone 2, per month (Note 2)	TBD	NA	NA	NA	\$16.46	NA	NA	NA	NA	NA
	RC - Zone 3, per month (Note 2)	TBD	NA	NA	NA	\$28.40	NA	NA	NA	NA	NA
$\bot \bot$	RC - Zone 4, per month (Note 2)	TBD	NA	NA	NA	NA	NA	NA	NA	NA	NA
$\bot \bot$	NRC - 1st	UAL2X	NA	NA	NA	\$713.50	NA	NA	NA	NA	NA
	NRC - Add'l	UAL2X	NA	NA	NA	\$609.44	NA	NA	NA	NA	NA
	NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	NA	NA	NA	\$55.00	NA	NA	NA	NA	NA
2-Wi	re High Bit Rate Dig Subscriber Line (HDSL) Compatible Loop		ļ	ļ						ļ	
$\perp \perp$	RC - Statewide, per month	UHL2X	NA	NA	NA	NA	NA	NA	\$11.98	NA	\$13.46
	RC - Zone 1, per month (Note 2)	TBD	\$9.41	\$9.80	\$7.88	\$6.29	\$8.97	\$8.50	TBD	\$12.21	\$11.62
	RC - Zone 2, per month (Note 2)	TBD	\$15.29	\$14.35	\$9.09	\$11.78	\$15.41	\$11.26	TBD	\$18.41	\$14.62
	RC - Zone 3, per month (Note 2)	TBD	\$27.70	\$31.65	\$14.46	\$20.33	\$31.48	\$16.10	TBD	\$24.39	\$20.96
$\perp \perp$	RC - Zone 4, per month (Note 2)	TBD	NA	NA	NA	NA	NA	\$21.25	NA	NA	NA
$\bot \bot$	NRC - 1st	UHL2X	\$514.21	\$113.85	\$359.73	NA	\$343.13	\$504.82	\$504.90	\$600.61	\$640.79
	NRC - Add'l	UHL2X	\$464.58	\$99.61	\$325.15	NA	\$310.03	\$456.24	\$456.17	\$507.33	\$541.94

			AND OTHER SER	VICES	1	1	1			1	
											İ
DES	CRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN
	NRC - Disconnect Charge - 1st	UHL2X	\$106.65	NA	NA	NA	\$72.54	\$105.86	NA	NA	NA
	NRC - Disconnect Charge - Add'l	UHL2X	\$56.98	NA	NA	NA	\$39.42	\$57.25	NA	NA	NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$44.42	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$13.55	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA
	NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	\$45.99	\$55.00	\$34.22	NA	\$32.77	\$45.27	\$45.34	\$45.43	\$55.00
2-W	ire HDSL Loop (Standard)				•		* -		•		
	RC - Statewide, per month	UHL2X	NA	NA	NA	NA	NA	NA	NA	NA	NA
	RC - Zone 1, per month (Note 2)	TBD	NA	NA	NA	\$6.29	NA	NA	NA	NA	NA
	RC - Zone 2, per month (Note 2)	TBD	NA	NA	NA	\$11.78	NA	NA	NA	NA	NA
	RC - Zone 3, per month (Note 2)	TBD	NA	NA	NA	\$20.33	NA	NA	NA	NA	NA
	RC - Zone 4, per month (Note 2)	TBD	NA	NA	NA	NA	NA	NA	NA	NA	NA
	NRC - 1st	UHL2X	NA	NA	NA	\$713.50	NA	NA	NA	NA	NA
	NRC - Add'l	UHL2X	NA	NA	NA	\$609.44	NA	NA	NA	NA	NA
	NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	NA	NA	NA	\$55.00	NA	NA	NA	NA	NA
4-W	ire High Bit Rate Dig Subscriber Line (HDSL) Compatible Loop		1						1		
ĦŤ	RC - Statewide, per month	UHL4X	NA	NA	NA	NA	NA	NA	\$13.97	NA	\$17.91
ΠŢ	RC - Zone 1, per month (Note 2)	TBD	\$11.52	\$14.75	\$10.39	NA	\$12.97	\$10.36	TBD	\$16.21	\$15.46
	RC - Zone 2, per month (Note 2)	TBD	\$18.71	\$21.59	\$12.00	NA	\$21.76	\$13.73	TBD	\$24.45	\$19.46
	RC - Zone 3, per month (Note 2)	TBD	\$33.90	\$47.64	\$19.07	NA	\$44.44	\$19.62	TBD	\$32.38	\$27.88
	RC - Zone 4, per month (Note 2)	TBD	NA	NA	NA	NA	NA	\$25.90	NA	NA	NA
	NRC - 1st	UHL4X	\$541.13	\$116.91	\$378.86	NA	\$361.45	\$531.21	\$531.35	\$625.11	\$666.70
	NRC - Add'l	UHL4X	\$491.50	\$101.71	\$344.28	NA	\$328.35	\$482.63	\$482.62	\$532.78	\$568.86
	NRC - Disconnect Charge - 1st	UHL4X	\$106.65	NA	NA	NA	\$72.54	\$105.86	NA	NA	NA
	NRC - Disconnect Charge - Add'l	UHL4X	\$56.98	NA	NA	NA	\$39.42	\$57.25	NA	NA	NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$44.06	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$13.55	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect -1st	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA
	NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	\$45.99	\$55.00	\$34.22	NA	\$32.77	\$45.27	\$45.34	\$45.43	\$55.00
4-W	ire HDSL Loop (Standard)				•		* -		•		
	RC - Statewide, per month	UHL4X	NA	NA	NA	NA	NA	NA	NA	NA	NA
	RC - Zone 1, per month (Note 2)	TBD	NA	NA	NA	\$7.68	NA	NA	NA	NA	NA
	RC - Zone 2, per month (Note 2)	TBD	NA	NA	NA	\$14.38	NA	NA	NA	NA	NA
	RC - Zone 3, per month (Note 2)	TBD	NA	NA	NA	\$24.82	NA	NA	NA	NA	NA
	RC - Zone 4, per month (Note 2)	TBD	NA	NA	NA	NA	NA	NA	NA	NA	NA
	NRC - 1st	UHL4X	NA	NA	NA	\$748.93	NA	NA	NA	NA	NA
	NRC - Add'l	UHL4X	NA	NA	NA	\$646.17	NA	NA	NA	NA	NA
	NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	NA	NA	NA	\$55.00	NA	NA	NA	NA	NA
4-W	ire DS1 Digital Loop										
\Box	RC - Statewide, per month	USLXX	NA	NA	NA	NA	NA	NA	\$62.78	NA	NA
H	RC - Zone 1, per month (Note 2)	TBD	\$51.74	\$64.69	\$55.53	\$50.26	\$56.32	\$50.99	TBD	\$59.61	\$57.73
ĦĦ	RC - Zone 2, per month (Note 2)	TBD	\$84.05	\$94.71	\$64.13	\$94.06	\$96.73	\$67.58	TBD	\$89.90	\$75.40
ĦĦ	RC - Zone 3, per month (Note 2)	TBD	\$152.29	\$208.93	\$101.93	\$162.34	\$197.57	\$96.58	TBD	\$119.06	\$98.59
ΠŢ	RC - Zone 4, per month (Note 2)	TBD	NA	NA	NA	NA	NA	\$127.47	NA	NA	NA
H	NRC - 1st	USLXX	\$610.13	\$540.00	\$429.98	\$849.80	\$410.38	\$599.09	\$714.84	\$715.77	\$313.08
$\Box \Box$	NRC - Add'l	USLXX	\$380.26	\$465.00	\$268.18	\$523.27	\$255.48	\$373.90	\$421.47	\$421.50	\$219.72
HT	NRC - Disconnect Charge - 1st	USLXX	\$134.77	NA	NA	NA	\$92.35	\$133.53	NA	NA	\$96.86
H	NRC - Disconnect Charge - Add'l	USLXX	\$55.97	NA	NA	NA	\$38.44	\$56.25	NA	NA	\$40.45
$\Box \Box$	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$42.19	\$43.77	NA
$\Box \Box$	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$13.55	NA
\Box	NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA
$\Box \Box$	NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	\$49.18	\$55.00	\$34.52	\$55.00	\$33.05	\$48.17	\$48.31	\$48.47	\$34.59
4-W	ire 56 Kbps Dig Grade Loop	1	1						1		
					1				1		

		AND OTHER SER	VICES							
DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
RC - Statewide, per month	UDL56	NA	NA	NA	NA	NA	NA	\$32.67	NA	\$42.23
RC - Zone 1, per month (Note 2)	TBD	\$27.33	\$39.08	\$25.75	NA	\$27.50	\$25.61	TBD	\$34.26	\$36.45
RC - Zone 2, per month (Note 2)	TBD	\$44.40	\$57.21	\$29.74	NA	\$47.24	\$33.94	TBD	\$51.67	\$45.87
RC - Zone 3, per month (Note 2)	TBD	\$80.45	\$126.22	\$47.27	NA	\$96.48	\$48.51	TBD	\$68.43	\$65.75
RC - Zone 4, per month (Note 2)	TBD	NA	NA	NA	NA	NA	\$64.02	NA	NA	NA
NRC - 1st	UDL56	\$498.05	\$654.72	\$348.55	NA	\$333.28	\$489.00	\$489.04	\$602.73	\$643.00
NRC - Add'l	UDL56	\$343.70	\$428.45	\$241.20	NA	\$230.50	\$337.93	\$337.51	\$393.50	\$421.26
NRC - Disconnect Charge - 1st	UDL56	\$129.62	NA	NA	NA	\$87.99	\$128.36	NA	\$44.06	NA
NRC - Disconnect Charge - Add'l	UDL56	\$64.25	NA	NA	NA	\$44.24	\$64.35	NA	\$13.55	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	NA	NA
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA
NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	\$45.99	\$55.00	\$34.22	NA	\$32.77	\$45.27	\$45.34	\$45.43	\$55.00
4-Wire 64 Kbps Dig Grade Loop										
RC - Statewide, per month	UDL64	NA	NA	NA	NA	NA	NA	\$32.67	\$41.70	\$42.23
RC - Zone 1, per month (Note 2)	TBD	\$27.33	\$39.08	\$25.75	NA	\$27.50	\$25.61	TBD	\$34.26	\$36.45
RC - Zone 2, per month (Note 2)	TBD	\$44.40	\$57.21	\$29.74	NA	\$47.24	\$33.94	TBD	\$51.67	\$45.87
RC - Zone 3, per month (Note 2)	TBD	\$80.45	\$126.22	\$47.27	NA	\$96.48	\$48.51	TBD	\$68.43	\$65.75
RC - Zone 4, per month (Note 2)	TBD	NA	NA	NA	NA	NA	\$64.02	NA	NA	NA
NRC - 1st	UDL64	\$498.05	\$654.72	\$348.55	NA	\$333.28	\$489.00	\$489.04	\$602.73	\$643.00
NRC - Add'l	UDL64	\$343.70	\$428.45	\$241.20	NA	\$230.50	\$337.93	\$337.51	\$393.50	\$421.26
NRC - Disconnect Charge - 1st	UDL64	\$129.62	NA	NA	NA	\$87.99	\$128.36	NA	\$44.06	NA
NRC - Disconnect Charge - Add'l	UDL64	\$64.25	NA	NA	NA	\$44.24	\$64.35	NA	\$13.55	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	NA	NA
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA
NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	\$45.99	\$55.00	\$34.22	NA	\$32.77	\$45.27	\$45.34	\$45.43	\$55.00
2-Wire Unbundled Copper Loop (18kft or less) Note 3										
RC - Statewide, per month	UCLPB	\$15.11	\$18.00	\$13.97	\$11.89	\$21.00	NA	\$19.00	\$20.81	\$12.16
RC - Zone 1, per month (Note 2)	TBD	TBD	\$18.60	\$19.80	TBN	\$18.80	\$16.85	TBD	\$18.90	\$19.85
RC - Zone 2, per month (Note 2)	TBD	TBD	\$27.23	\$22.86	TBN	\$25.85	\$22.34	TBD	\$28.50	\$24.98
RC - Zone 3, per month (Note 2)	TBD	TBD	\$60.07	\$36.34	TBN	\$39.14	\$31.92	TBD	\$37.75	\$35.81
RC - Zone 4, per month (Note 2)	TBD	NA	NA	NA	NA	NA	\$42.13	NA	NA	NA
NRC - 1st	UCLPB	\$514.21	\$340.00	\$395.16	\$713.50	\$340.00	\$504.82	\$504.90	\$600.61	\$270.01
NRC - Add'l	UCLPB	\$464.58	\$300.00	\$217.39	\$609.44	\$300.00	\$456.24	\$456.17	\$507.33	\$234.63
NRC - Disconnect Charge - 1st	UCLPB	NA	NA	NA	NA	\$72.54	\$105.86	NA	NA	\$74.54
NRC - Disconnect Charge - Add'l	UCLPB	NA	NA	NA	NA	\$39.42	\$57.25	NA	NA	\$39.14
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$47.00	\$47.00	\$18.94	\$47.00	\$18.14	\$25.52	\$26.94	\$25.52	NA
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$21.00	\$21.00	\$8.42	\$21.00	\$8.06	\$11.34	\$12.76	\$47.00	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	NA	NA	\$142.27	NA	NA	NA	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$17.77	NA	\$37.86	\$17.77	\$11.41	\$16.06	NA	\$21.00	NA
NRC - Incremental Charge - Manual Order Coordination - per loop	UCLMC	\$16.00	\$16.00	\$36.46	NA	\$32.77	\$45.27	\$45.34	\$45.43	\$34.29
2-Wire Unbundled Copper Loop (>18kft) Note 3										
RC - Statewide, per month	UCL2L	\$40.00	\$35.00	\$41.61	\$40.00	\$37.00	\$45.00	\$35.00	\$40.00	\$35.00
RC - Zone 1, per month (Note 2)	TBD	TBD	\$18.60	\$19.80	TBN	\$18.80	\$16.85	TBD	\$18.90	\$19.85
RC - Zone 2, per month (Note 2)	TBD	TBD	\$27.23	\$22.86	TBN	\$25.85	\$22.34	TBD	\$28.50	\$24.98
RC - Zone 3, per month (Note 2)	TBD	TBD	\$60.07	\$36.34	TBN	\$39.14	\$31.92	TBD	\$37.75	\$35.81
RC - Zone 4, per month (Note 2)	TBD	NA	NA	NA	NA	NA	\$42.13	NA	NA	NA
NRC - 1st	UCL2L	\$514.21	\$340.00	\$395.16	\$713.50	\$340.00	\$504.82	\$504.90	\$600.61	\$270.01
NRC - Add'l	UCL2L	\$464.58	\$300.00	\$217.39	\$609.44	\$300.00	\$456.24	\$456.17	\$507.33	\$234.63
NRC - Disconnect Charge - 1st	UCL2L	NA	NA	NA	NA	\$72.54	\$105.86	NA	NA	\$74.54
NRC - Disconnect Charge - Add'l	UCL2L	NA	NA	NA	NA	\$39.42	\$57.25	NA	NA	\$39.14
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$47.00	\$47.00	\$18.94	\$47.00	\$18.14	\$25.52	\$26.94	\$25.52	NA

			AND OTHER SERV	/ICES		1			1		
DES	SCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN
TT	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$21.00	\$21.00	\$8.42	\$21.00	\$8.06	\$11.34	\$12.76	\$47.00	NA NA
H	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	NA NA	NA NA	\$142.27	NA NA	NA	NA	NA NA	NA NA	NA NA
H	NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$17.77	NA NA	\$37.86	\$17.77	\$11.41	\$16.06	NA	\$21.00	NA NA
H	NRC - Incremental Charge - Manual Order Coordination - per loop	UCLMC	\$16.00	\$16.00	\$36.46	NA	\$32.77	\$45.27	\$45.34	\$45.43	\$34.29
DS:	3 Unbundled Local Loop	0020	\$10.00	ψ.σ.σσ	ψοσσ		402	\$ 10.21	ψ 10.0 t	\$10110	ψο20
	DS3 Unbundled Local Loop - per mile	1L5ND	\$43.96	\$40.01	\$29.96	\$43.69	\$38.98	\$54.39	\$32.53	\$56.71	\$30.53
	DS3 Unbundled Local Loop- per Facility Termination	UE3PX	\$456.18	\$470.83	\$392.61	\$436.95	\$497.08	\$427.81	\$387.01	\$510.30	\$400.21
	NRC - Facility Termination - 1st	UE3PX	\$973.58	\$770.47	\$770.96	\$1,091.00	\$709.14	\$975.22	\$964.04	\$1,091.00	\$726.16
	NRC - Facility Termination - Add'l	UE3PX	\$547.59	\$436.40	\$437.71	\$661.23	\$402.63	\$549.17	\$542.73	\$654.13	\$411.64
	NRC - Facility Termination - Disconnect - 1st	UE3PX	\$132.56	\$108.95	\$111.07	NA NA	\$102.16	\$134.07	NA NA	NA	\$103.36
	NRC - Facility Termination - Disconnect - Add'l	UE3PX	\$129.07	\$106.01	\$108.14	NA NA	\$99.46	\$130.59	NA	NA NA	\$100.59
	NRC - Incremental ChargeManual Svc Order - 1st	SOMAC	\$70.10	NA	\$54.64	\$93.12	\$50.25	\$68.62	\$69.34	\$92.52	\$53.03
	NRC - Incremental ChargeManual Svc Order - Add'l	SOMAC	\$70.10	NA	\$54.64	\$93.12	\$50.25	\$68.62	\$69.34	\$92.52	\$53.03
	NRC - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st	SOMAC	\$30.09	NA	\$22.77	NA	\$20.94	\$28.59	\$29.76	NA	\$22.95
	NRC - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add'l	SOMAC	\$30.09	NA	\$22.77	NA	\$20.94	\$28.59	\$29.76	NA	\$22.95
STS	S-1 Unbundled Local Loop										
	STS-1 Unbundled Local Loop - per mile	1L5ND	\$43.96	\$40.01	\$29.96	\$43.69	\$38.98	\$54.39	\$32.53	\$56.71	\$30.53
	STS-1 Unbundled Local Loop- per Facility Termination	UDLS1	\$456.18	\$470.83	\$392.61	\$436.95	\$497.08	\$427.81	\$387.01	\$510.30	\$400.21
	NRC - STS-1 - Facility Termination - 1st	UDLS1	\$973.58	\$770.47	\$770.96	\$1,091	\$709.14	\$975.22	\$964.04	\$1,091	\$726.16
	NRC - STS-1 - Facility Termination - Add'l	UDLS1	\$547.59	\$436.40	\$437.71	\$661.23	\$402.63	\$549.17	\$542.73	\$654.13	\$411.64
	NRC - STS-1 - Facility Termination - Disconnect - 1st	UDLS1	\$132.56	\$108.95	\$111.07	NA	\$102.16	\$134.07	NA	NA	\$103.36
	NRC - STS-1 - Facility Termination - Disconnect - Add'l	UDLS1	\$129.07	\$106.01	\$108.14	NA	\$99.46	\$130.59	NA	NA	\$100.59
	NRC - STS-1 - Incremental ChargeManual Svc Order - 1st	SOMAC	\$70.10	NA	\$54.64	\$93.12	\$50.25	\$68.62	\$69.34	\$92.52	\$53.03
	NRC - STS-1 - Incremental ChargeManual Svc Order - Add'l	SOMAC	\$70.10	NA	\$54.64	\$93.12	\$50.25	\$68.62	\$69.34	\$92.52	\$53.03
	NRC - STS-1 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st	SOMAC	\$30.09	NA	\$22.77	NA	\$20.94	\$28.59	\$29.76	NA	\$22.95
	NRC - STS-1 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add'l	SOMAC	\$30.09	NA	\$22.77	NA	\$20.94	\$28.59	\$29.76	NA	\$22.95
Uni	versal Digital Channel (UDC) Loops- Note 3										
	Recurring	TBD	\$29.03	\$28.07	\$25.43	\$31.99	\$27.36	\$29.83	\$24.98	\$32.47	\$21.64
	NRC-1st per circuit	TBD	\$406.85	\$295.42	\$308.38	\$616.28	\$298.27	\$401.38	\$400.91	\$498.04	\$217.76
	NRC-Add'I - per circuit	TBD	\$330.87	\$198.02	\$255.35	\$506.61	\$247.63	\$327.00	\$326.31	\$376.75	\$163.88
	NRC- Disconnect Charge -1st	TBD	\$108.95				\$74.27	\$108.14			\$74.54
	NRC- Disconnect Charge -Add'l	TBD	\$57.01				\$39.44	\$57.27		21112	\$39.14
	NRC- Incremental Manual Service Order charge-1st	SOMAN	\$27.37		\$18.94		\$18.14	\$25.52	\$26.94	\$44.42	
	NRC- Incremental Manual Service Order charge- Add'l	SOMAN	\$12.97		\$8.42		\$8.06	\$11.32	\$12.76	\$13.55	
	NRC- Incremental Manual Service Order-Disconnect - 1st	SOMAN	\$17.77				\$11.41	\$16.06			
1	NRC- Incremental Manual Service Order charge-Disconnect-Add'l	SOMAN									
Uni	bundled Loop Modification - Note 3	LILMOL	* 00 FF	COO. E.E.	# CO 20	000 55	COO. E.E.	600 EE	\$00 FF	\$00.FF	* 00 FF
${\mathbb H}$	Load Coil/Equipment Removal per pair - Loops up to 18kft Load Coil/Equipment Removal per pair - Loops > 18kft - 1st	ULM2L ULM2G	\$80.55 \$880.08	\$80.55	\$69.28	\$80.55 \$880.08	\$80.55	\$80.55 \$880.08	\$80.55 \$880.08	\$80.55 \$880.08	\$80.55 \$880.08
${}++$	Load Coil/Equipment Removal per pair - Loops > 18kπ - 1st Load Coil/Equipment Removal per pair - Loops > 18kft - Add'l	ULM2G ULM2G	\$880.08	\$880.08 \$27.30	\$757.04 \$23.49	\$880.08	\$880.08 \$27.30	\$880.08	\$880.08	\$880.08	\$880.08
${ H + }$		ULM2G ULMBT				\$27.30 \$121.14	\$27.30 \$121.14	\$27.30 \$121.14	\$27.30 \$121.14		\$27.30 \$121.14
${}$	Bridged Tap Removal per pair unloaded	ULIVIB I	\$121.14	\$121.14	\$79.99	φ1∠1.14	φ1∠1.14	φ1∠1.14	φ1∠1.14	\$121.14	\$1∠1.14
	n Maka Un Carrias Inquiry Note 2		-	-						<u> </u>	
LOC	p Make-Up Service Inquiry - Note 3 Per Service Inquiry	UMKLP	\$233.75	\$233.75	\$233.75	\$233.75	\$233.75	\$233.75	\$233.75	\$233.75	\$233.75
Hier	pundled Sub-Loops	UIVIKLP	დ∠აპ./ე	φ∠აპ./5	Φ∠33./5	Φ∠33./5	φ∠აპ./5	φ∠აპ./5	Φ∠33./5	φ∠აპ./5	
			+	 						 	
	p-Loop Analog	HCDMO	NIA.	¢0 = 7	CO 40	¢10.00	DED	NIA	NI A	NIA	¢o 7o
LOC	p Distribution per 2-Wire Analog VG Loop (Including NID), per month NRC - Set-Up per Cross Box location - CLEC Feeder Facility set-up	USBN2	NA TBN	\$8.57 TBD	\$9.12 TBD	\$10.83 TBD	BFR TBN	NA	NA TDN	NA TBN	\$9.79 TBD
${}$		USBSA	TBN	TBD	TBD	TBD	TBN	TBN TBN	TBN TBN	TBN	TBD
${}++$	NRC - Set-Up per Cross Box location - per 25 pair panel set-up	USBSB									
${\mathbb H}$	NRC - 1st	USBN2 USBN2	TBN TBN	\$78.28	\$207.01	\$459.85	TBN	TBN	TBN	TBN	\$586.00
${ H + }$			TBN	\$58.33	\$171.32	\$352.89	TBN TBN	TBN TBN	TBN	TBN	\$255.00
$\dashv \dashv$	NRC - Disconnect Charge - 1st	USBN2		NA NA	NA NA	NA NA			TBN	TBN	NA NA
++	NRC - Disconnect Charge - Add'l	USBN2	TBN	NA NA	NA C10.04	NA NA	TBN	TBN	TBN	TBN	NA NA
шш	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN	NA	\$18.94	NA	TBN	TBN	TBN	TBN	NA

SECRIPTION			AND OTHER SER	VICES							
NRC - Incremental Charges - Manual Service Order - Add											
NRC - Incremental Charges - Manual Service Order - Add	DESCRIPTION	USOC	ΔΙ	FI	GΔ	ΚV	ΙΔ	MS	NC	SC	TN
NRC - Incremental Charges - Menual Service Order - Disconnect SOMAN FEN NA NA NA FEN TEN T											
NRC - incremental Change - Manual Order Coordination - per loop USBMC TBN TBD TBD TBD TBN TB											
Top Destroy Top Control Top To											
NRC - Set-Up per Cross Box Location - CICE Feeder Facility set-up USBSS NA NA NA NA \$89.95 NA NA NA NA NA NA SEC 181 NRC - 1814 per Cross Box Location - per Zeip paral set-up USBSS NA NA NA NA \$89.95 NA NA NA NA NA SEC 181 NRC - 1814 NRC - 1											
NRC - Set-Up per Cross Box Incontion - per 25 pair panel set-up USBS NA NA NA NA NA NA NA N											
NRC - 1st											
NRC - Add NRC - Front NRC - Add NRC - Add NRC - Person NRC - Add NRC - Person NRC - Add NRC - Person NRC - Set-Up per Excess Set Seation - CLEC Feeder Facility set-up USBNA TBN T											
NRC - Set-Up per Coros Box location - LEC Feeder Facility set-up USBSA TBN T											
IRRC - Set-Up per Cross Box location - CIEC Feeder Facility set-up											
NRC - Set-Up per Cross Box location - per 25 pair panel set-up											
NRC - Add NRC - Add NRC - Internation NRC - Internation NRC - Add NRC - Add NRC - Add NRC - Internation NRC											
NRC - Add											
NRC - Incremental Charge - Manual Order Coordination - per topy USBMC TBN TB											
Sub-Loop-Intrabulliding Network Cable (INC) (riser cable), 2W analog, per month USBR2 INNC - Sel-Up per Bullding Equipment Room - per 25 pair panel set-up USBSD TBN											
NRC - Set-Up per Bulding Equipment Room - CLEC Feeder Facility set-up USBSC TBN TB			IDIN	וסט	IDN	IDIN	IDIN	IDIN	IDIN	IDN	טסו
NRC - Set-Up per Building Equipment Room - per 25 pair panel set-up USBSD TBN			TDN	TDN	TDN	TDN	TDN	TDN	TDN	TDN	TDN
NRC - 1st											
NRC - Add1											
NRC - Disconnect Charge - 1st											
NRC - Disconnect Charge - Add1											
NRC - Incremental Charge - Manual Service Order - 1st	ŭ i										
NRC - Incremental Charge - Manual Service Order - Add'											
NRC - Incremental Charge - Manual Service Order - Disconnect SOMAN TBN											
NRC - Incremental Charge - Manual Order Coordination - per loop USBMC TBN TB											
Sub-Loop-Intrabuilding Network Cable (INC) (riser cable), 4W analog, per month USBR4 TBN											
NRC - Set-Up per Building Equipment Room - CLEC Feeder Facility set-up											
NRC - Set-Up per Building Equipment Room - per 25 pair panel set-up USBSD TBN											
NRC - 1st											
NRC - Add"											
NRC - Disconnect Charge - 1st											
NRC - Disconnect Charge - Add"											
NRC - Incremental Charge - Manual Service Order - 1st											
NRC - Incremental Charge - Manual Service Order - Add* SOMAN TBN TBN TBN TBN TBN TBN TBN TBN TBN TB											
NRC - Incremental Charge - Manual Service Order - Disconnect SOMAN TBN											
NRC - Incremental Charge - Manual Order Coordination - per loop											
Unbundled Network Terminating Wire											
UNTW Pair, per pair, per month	· · · · · · · · · · · · · · · · · · ·	USBMC	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN
Site Visit Survey, per MDU/MTU Complex, NRC											
Site Visit Set-Up - Terminal Preparation, per terminal UENSS TBN \$98.00 \$98.00 TBN TBN TBN TBN TBN TBN TBN \$98.00 \$98.00 TBN TBN TBN TBN \$98.00 \$98.00 TBN											
NRC - 1st terminal		UENVS	TBN	\$225.00	\$225.00	\$225.00	NA	NA	NA	NA	\$225.00
NRC - Add'l terminal											
Access Terminal Provisioning & 1st 25 pair panel (SPOI), per terminal, NRC											
Existing Access Terminal Provisioning, 2nd 25 pair panel, per terminal, NRC											
Existing Access Terminal Provisioning, 2nd 25 pair panel, per terminal, NRC											
Service Visit for Provisioning, per request, per premises, NRC	Existing Access Terminal Provisioning, 2nd 25 pair panel, per terminal, NRC										
Manual Service Order, NRC						\$9.00					
Sub-Loop Concentration - Channelization Sys (Outside CO) SOMAN \$27.37 TBD \$18.94 TBD BFR BFR BFR TBD NRC - Incremental Charge - Manual Service Order - Add'l SOMAN \$12.97 TBD \$8.42 TBD BFR BFR BFR TBD TR008 - System A (96 channel capacity - channels 1-96), per month UCT8A NA \$792.49 \$724.79 \$757.00 NA NA NA \$683.78											
NRC - Incremental Charge - Manual Service Order - 1st SOMAN \$27.37 TBD \$18.94 TBD BFR BFR BFR TBD NRC - Incremental Charge - Manual Service Order - Add'l SOMAN \$12.97 TBD \$8.42 TBD BFR BFR BFR TBD TR008 - System A (96 channel capacity - channels 1-96), per month UCT8A NA \$792.49 \$724.79 \$757.00 NA NA NA NA \$683.78		MOCLA	TBN	\$45.00	\$45.00	\$45.00	TBN	TBN	TBN	TBN	\$45.00
NRC - Incremental Charge - Manual Service Order - Add'l SOMAN \$12.97 TBD \$8.42 TBD BFR BFR BFR TBD TR008 - System A (96 channel capacity - channels 1-96), per month UCT8A NA \$792.49 \$724.79 \$757.00 NA NA NA \$683.78											
TR008 - System A (96 channel capacity - channels 1-96), per month UCT8A NA \$792.49 \$724.79 \$757.00 NA NA NA NA \$683.78					\$18.94			BFR			
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	TBD	\$8.42	TBD	BFR	BFR	BFR	BFR	TBD
	TR008 - System A (96 channel capacity - channels 1-96), per month	UCT8A	NA	\$792.49	\$724.79	\$757.00	NA	NA	NA	NA	\$683.78
	NRC - 1st	UCT8A	NA	\$640.93	\$632.36	\$633.94	NA	NA	NA	NA	\$634.31

		AND OTHER SERV	/ICES							
DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN
I NRC - Add'I	UCT8A	NA	\$315.03	\$310.82	\$311.60	NA	NA	NA	NA	\$311.78
TR008 - System B (96 channel capacity - channels 97-192), per month			\$155.32	\$92.91	\$95.60	NA	NA	NA	NA	\$102.12
NRC - 1st	UCT8B	NA	\$640.93	\$632.36	\$633.94	NA	NA	NA	NA	\$634.31
NRC - Add'l	UCT8B	NA	\$315.03	\$310.82	\$311.60	NA	NA	NA	NA	\$311.78
TR303 - System A (96 channel capacity - channels 1-96), per month			\$835.72	\$764.42	\$799.95	NA	NA	NA	NA	\$726.87
NRC - 1st	UCT3A	NA	\$640.93	\$632.36	\$633.94	NA	NA	NA	NA	\$634.31
NRC - Add'l	UCT3A	NA	\$315.03	\$310.82	\$311.60	NA	NA	NA	NA	\$311.78
TR303 - System B (96 channel capacity - channels 97-192), per month	UCT3B	NA	\$198.55	\$132.54	\$138.55	NA	NA	NA	NA	\$145.21
NRC - 1st	UCT3B	NA	\$640.93	\$632.36	\$633.94	NA	NA	NA	NA	\$634.31
NRC - Add'l	UCT3B	NA	\$315.03	\$310.82	\$311.60	NA	NA	NA	NA	\$311.78
DS1 Feeder Interface, per month	UCTFS	NA	\$78.43	\$72.12	\$77.02	NA	NA	NA	NA	\$76.73
NRC 1st	UCTFS	NA	\$422.74	\$425.74	\$418.13	NA	NA	NA	NA	\$418.37
NRC Add'l	UCTFS	NA	\$200.74	\$198.06	\$198.56	NA	NA	NA	NA	\$198.67
Channel Interface - 2 Wire Voice - Loop Start , per month	TBD	NA	\$2.62	\$2.38	\$2.68	NA	NA	NA	NA	\$2.61
NRC 1st	TBD	NA	\$42.39	\$41.82	\$41.92	NA	NA	NA	NA	\$41.95
NRC Add'l	TBD	NA	\$42.15	\$41.58	\$41.69	NA	NA	NA	NA	\$41.71
Channel Interface - 2 Wire ISDN, per month	ULCC1	NA	\$10.49	\$9.53	\$10.72	NA	NA	NA	NA	\$10.43
NRC 1st	ULCC1	NA	\$42.39	\$41.82	\$41.92	NA	NA	NA	NA	\$41.95
NRC Add'I	ULCC1	NA	\$42.15	\$41.58	\$41.69	NA	NA	NA	NA	\$41.71
Channel Interface - 2 Wire Voice - Ground Start or Reverse Battery, per month	TBD	NA	\$15.59	\$14.17	\$15.94	NA	NA	NA	NA	\$15.51
. NRC 1st	TBD	NA	\$42.39	\$41.82	\$41.92	NA	NA	NA	NA	\$41.95
NRC Add'I	TBD	NA	\$42.15	\$41.58	\$41.69	NA	NA	NA	NA	\$41.71
Channel Interface - 4 Wire Voice, per month	ULCC4	NA	\$9.30	\$8.45	\$9.50	NA	NA	NA	NA	\$9.26
NRC 1st	ULCC4	NA	\$42.39	\$41.82	\$41.92	NA	NA	NA	NA	\$41.95
NRC Add'I	ULCC4	NA	\$42.15	\$41.58	\$41.69	NA	NA	NA	NA	\$41.71
Test Circuit, per month		NA	\$45.46	\$41.30	\$46.44	NA	NA	NA	NA	\$45.22
NRC 1st	UCTTC	NA	\$42.39	\$41.82	\$41.92	NA	NA	NA	NA	\$41.95
NRC Add'I	UCTTC	NA	\$42.15	\$41.58	\$41.69	NA	NA	NA	NA	\$41.71
Channel Interface - Digital 56Kbps, per month	ULCC5	NA	\$13.78	\$12.51	\$14.08	NA	NA	NA	NA	\$13.71
NRC 1st	ULCC5	NA	\$42.39	\$41.82	\$41.92	NA	NA	NA	NA	\$41.95
NRC Add'I	ULCC5	NA	\$42.15	\$41.58	\$41.69	NA	NA	NA	NA	\$41.71
Channel Interface - Digital 64Kbps, per month	ULCC6	NA	\$13.78	\$12.51	\$14.08	NA	NA	NA	NA	\$13.71
NRC 1st	ULCC6	NA	\$42.39	\$41.82	\$41.92	NA	NA	NA	NA	\$41.95
NRC Add' Loop Concentration System (Inside C.O.)	ULCC6	NA	\$42.15	\$41.58	\$41.69	NA	NA	NA	NA	\$41.71
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	TDD	\$18.94	TDD	£40.44	ድጋር ርጋ	TBD	\$44.06	TBD
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37 \$12.97	TBD TBD	\$18.94	TBD TBD	\$18.14 \$8.06	\$25.52 \$11.34	TBD	\$44.06 \$13.55	TBD
Loop Channelization System - Digital Loop Carrier	TBD	\$12.97 NA	NA NA	\$8.42 NA	NA NA	NA	\$11.34 NA	NA NA	\$13.55 NA	NA NA
RC - Loop Channelization System - Digital Loop Carrier	TBD	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	\$315.61	NA NA	NA NA
NRC-1st	TBD	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	\$426.48	NA NA	NA NA
NRC- Addl	TBD	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	\$103.42	NA NA	NA NA
NRC- Incremental Cost - Manaul Service Order- 1st	TBD	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	\$42.19	NA NA	NA NA
NRC- Incremental Cost - Manaul Service Order- 1st	TBD	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	\$12.76	NA NA	NA NA
TR008 -System A (96 channel capacity - channels 1-96), per month	UCT8A	\$327.44	\$400.33	\$316.63	\$394.00	\$308.74	\$454.79	\$375.96	\$399.21	\$380.06
NRC - 1st	UCT8A	\$1,115.10	\$1,128.75	\$1,111.95	\$1,116.15	\$1,117.20	\$1,115.10	\$1,113.00	\$1,119.30	\$1,114.05
NRC - Add'l	UCT8A	NA NA	NA	NA	NA	Ψ1,117.20 NA	NA NA	NA	NA	NA
TR008 -System B (96 channel capacity - channels 97-192), per month	UCT8B	\$67.41	\$70.48	\$65.27	\$72.21	\$76.58	\$73.30	\$65.98	\$71.91	\$68.71
NRC - 1st	UCT8B	\$464.57	\$470.41	\$463.37	\$465.11	\$465.64	\$464.71	\$463.74	\$466.38	\$464.21
NRC - Add'l	UCT8B	NA NA	NA NA	NA	NA NA	NA	NA NA	NA	NA	NA NA
TR303 - System A (96 channel capacity - channels 1-96), per month	UCT3A	\$375.18	\$450.24	\$362.87	\$445.14	\$385.97	\$506.70	\$422.68	\$450.13	\$428.73
NRC - 1st	UCT3A	\$1,115.10	\$1,128.75	\$1,111.95	\$1,116.15	\$1,117.20	\$1,115.10	\$1,113.00	\$1,119.30	\$1,114.05
NRC - Add'l	UCT3A	NA NA	NA	NA	NA	NA NA	NA NA	NA	NA	NA NA
TR303 - System B (96 channel capacity - channels 97-192), per month	UCT3B	\$111.30	\$118.76	\$110.02	\$121.45	\$129.05	\$123.52	\$111.17	\$121.16	\$115.79
() () () () () () () () () ()										

DESCRIPTION	TN \$464.21 NA \$6.49 \$367.41
NRC - 1st	\$464.21 NA \$6.49
NRC - Add' UCT3B	NA \$6.49
DS1 Interface, per month UCTCO \$6.42 \$6.47 \$6.15 \$403.20 \$7.35 \$6.99 \$6.27 \$6.79 NRC 1st UCTCO \$367.70 \$372.32 \$366.72 \$132.18 \$368.54 \$367.80 \$367.04 \$369.13 NRC Add'I UCTCO \$132.03 \$133.69 \$130.63 \$132.18 \$132.33 \$132.07 \$131.79 \$132.54 Channel Interface - 2 Wire Voice - Loop Start , per month TBD \$2.55 \$2.66 \$2.44 \$2.79 \$2.91 \$2.77 \$0.89 \$6.27 \$6.79 NRC 1st TBD \$35.77 \$36.23 \$35.68 \$35.82 \$35.86 \$35.78 \$35.73 \$35.91 NRC Add'I TBD \$35.55 \$36.02 \$35.48 \$35.62 \$35.66 \$35.37 \$35.49 \$35.71	\$6.49
NRC 1st	
NRC Add' UCTCO \$132.03 \$133.69 \$130.63 \$132.18 \$132.33 \$132.07 \$131.79 \$132.54 Channel Interface - 2 Wire Voice - Loop Start , per month TBD \$2.55 \$2.66 \$2.44 \$2.79 \$2.91 \$2.77 \$0.89 \$2.69 NRC 1st TBD \$35.77 \$36.23 \$35.68 \$35.82 \$35.86 \$35.78 \$35.73 \$35.91 NRC Add' TBD \$35.55 \$36.02 \$35.48 \$35.62 \$35.66 \$35.37 \$35.49 \$35.71	\$367.41
Channel Interface - 2 Wire Voice - Loop Start , per month TBD \$2.55 \$2.66 \$2.44 \$2.79 \$2.91 \$2.77 \$0.89 \$2.69 NRC 1st TBD \$35.77 \$36.23 \$35.68 \$35.82 \$35.86 \$35.78 \$35.73 \$35.91 NRC Add'I TBD \$35.55 \$36.02 \$35.48 \$35.62 \$35.66 \$35.37 \$35.49 \$35.71	
NRC 1st	\$131.92
NRC Add'I TBD \$35.55 \$36.02 \$35.48 \$35.62 \$35.66 \$35.37 \$35.49 \$35.71	\$2.58
	\$35.74
Channel Interface - 2 Wire ISDN, per month ULCC1 \$10.19 \$10.67 \$9.76 \$11.18 \$11.66 \$11.10 \$9.95 \$10.76	\$35.54
	\$10.30
NRC 1st ULCC1 \$35.77 \$36.23 \$35.68 \$35.82 \$35.86 \$35.78 \$35.71 \$35.91	\$35.74
NRC Add'I ULCC1 \$35.55 \$36.02 \$35.48 \$35.62 \$35.66 \$35.37 \$35.51 \$35.71	\$35.54
Channel Interface - 2 Wire Voice - Ground Start or Reverse Battery, per month TBD \$15.15 \$15.85 \$14.51 \$16.62 \$17.33 \$16.46 \$14.80 \$16.01	\$15.32
NRC 1st	\$35.74
NRC Add' TBD \$35.55 \$36.02 \$35.48 \$35.62 \$35.66 \$35.37 \$35.51 \$35.71	\$35.54
Channel Interface - 4 Wire Voice, per month ULCC4 \$9.04 \$9.44 \$8.65 \$9.91 \$10.34 \$9.83 \$8.82 \$9.55	\$9.13
NRC 1st ULCC4 \$35.77 \$36.23 \$35.68 \$35.82 \$35.86 \$35.78 \$35.71 \$35.91	\$35.74
NRC Add' ULCC4	\$35.54
Test Circuit, per month UCTTC \$44.16 \$46.14 \$42.30 \$48.43 \$50.53 \$47.85 \$43.13 \$46.66	\$44.65
NRC 1st UCTTC \$35.77 \$36.23 \$35.68 \$35.82 \$35.86 \$35.78 \$35.71 \$35.91	\$35.74
NRC Add' UCTTC	\$35.54
Channel Interface - Digital 56Kbps, per month ULCC5 TBD TBD TBD TBD TBD TBD TBD TBD TBD	TBD
NRC 1st ULCC5 TBD TBD TBD TBD TBD TBD TBD TBD TBD TBD	TBD
NRC Add'I ULCC5 TBD TBD TBD TBD TBD TBD TBD TBD TBD	TBD
Channel Interface - Digital 64Kbps, per month ULCC6 TBD TBD TBD TBD TBD TBD TBD TBD	TBD
NRC 1st ULCC6 TBD TBD TBD TBD TBD TBD TBD TBD TBD TBD	TBD
NRC Add'I ULCC6 TBD TBD TBD TBD TBD TBD TBD TBD TBD TBD	TBD
DARK FIBER	
Per four fiber strands, per route mile or fraction thereof, per month 1L5DF \$59.84 \$55.35 \$44.22 \$64.64 \$65.29 \$70.35 \$49.88 \$72.45	\$52.67
NRC - Per each four-fiber dark fiber arrangement - 1st 1L5DF \$2,518.66 \$1,715.61 \$1,355.29 \$2,304.00 \$1,685.19 \$2,389.99 \$2,277.00 \$2,406.00	\$1,672.44
NRC - Per each four-fiber dark fiber arrangement - Add'l 1L5DF \$835.08 \$622.68 \$273.69 \$740.93 \$580.11 \$804.32 \$733.08 \$765.30	\$509.09
NOTES:	
1 In states where a specific NRC for customer transfer, feature additions and changes	
is not stated, the applicable NRC from the appropriate tariff applies.	
2 Effective May 1, 2000 statewide rates will be replaced by Deaveraged Loop Rates	
by Zone where available. Until approximately December 31, 2000 or until such time	
that BellSouth billing systems have been developed to handle the new zone rate	
structure, BellSouth will bill at the Zone 1 Deaveraged Loop rate level only. After	
December 31, 2000 or such time that the billing systems have been developed to	
handle the new zone rate structure, BellSouth will begin billing pursuant to CLEC-	
3 All rates are interim and subject to true-up.	

DE	ESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
LOC	CAL EXCHANGE SWITCHING (PORTS)										
2-W	-Wire Analog Line Port (Res., Bus.), per month										
	2- wire voice unbundled port - residence	UEPRL	\$2.07	2.00 - Note 1	1.85 - Note 1	2.61 - Note 1	\$2.20	\$2.11	\$2.19	\$2.35	1.90 - Note 1
	2-wire voice unbundled port with caller ID - residence	UEPRC	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
	2-wire voice unbundled port outgoing only - residence	UEPRO	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
	2-wire voice unbundled area plus port with caller ID - residence	UEPRM	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
	2-wire voice unbundled Florida area calling with caller ID - residence	UEPAF	NA	\$2.00	NA	NA	NA	NA	NA	NA	NA
	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL)	UEPAG	NA	NA	NA	NA	\$2.20	NA	NA	NA	NA
	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7)	UEPAH	NA	NA	NA	NA	\$2.20	NA	NA	NA	NA
	2-wire voice unbundled South Carolina Area Calling port with Caller ID -										
	residence (LW8)	UEPAJ	NA	NA	NA	NA	NA	NA	NA	\$2.35	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence										
	(F2R)	UEPAK	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence										
	(TACER)	UEPAL	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence										
	(TACSR)	UEPAM	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
T	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence										ψσσ
	(1MF2X)	UEPAN	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
+	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence	02.7.11									ψσσ
	(2MR)	UEPAO	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
+	2-wire voice unbundled res, low usage line port with Caller ID (LUM)	UEPAP	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
+	2 Wife voice unburidied res, low usage line port with Galler 15 (EGW)	OLI / II	Ψ2.07	Ψ2.00	ψ1.00	Ψ2.01	Ψ2.20	Ψ2.11	Ψ2.00	Ψ2.55	Ψ1.90
+	LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT)	LNPCX	†								
+++	EOCAE NOMBER I ORTABIETT (REQUIRES ONE LERT ORT)	LIVI CX									
+++	2-wire voice unbundled port without Caller ID	UEPBL	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
+++	2-wire voice unbundled port without Caller ID 2-wire voice unbundled port with unbundled port with Caller+E484 ID	UEPBC	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
+	2-wire voice unbundled port with unbundled port with Callet + L + 6 + 1D	UEPBO	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
+	2-wire voice unbundled outgoing only port 2-wire voice unbundled area plus port with Caller ID	UEPBM	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
+	1 1	UEPBN UEPB1	\$2.07			\$2.61		\$2.11	\$2.00		\$1.90
+	2-wire voice unbundled incoming only port with Caller ID	UEPAA		\$2.00	\$1.85	* -	\$2.20 \$2.20	•		\$2.35	
+	2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC)		NA	NA	NA NA	NA NA		NA	NA	NA Co.or	NA NA
+	2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB) 2-wire voice unbundled TN Bus 2-Way Area Calling Port Economy Option	UEPAB	NA	NA	NA	NA	NA	NA	NA	\$2.35	NA
	, , , , , , , , , , , , , , , , , , , ,	LIEDAO	N14	NIA	NIA.	NIA	NIA	NIA	NIA	NIA.	C4 00
4	(TACC1)	UEPAC	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
	2-wire voice unbundled TN Bus 2-Way Area Calling Port Standard Option										
\perp	(TACC2)	UEPAD	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
	2-wire voice unbundled TN Bus 2-WAY Collierville and Memphis Local Calling										4
\perp	Port (B2F)	UEPAE	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
\perp			1								
11	LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT)	LNPCX	1		ļ						
$\perp \downarrow$			1	1							
$\perp \perp$	Non-Recurring Charges (NRC) - 1st (Residence)		1		ļ						
			1								BST GSST
	2- wire voice unbundled port - residence	UEPRL	\$21.93	\$38.00	\$17.16	\$37.78	\$16.43	\$22.98	\$21.60	\$24.98	A4.3.1
											BST GSST
	2-wire voice unbundled port with caller ID - residence	UEPRC	\$21.93	\$38.00	\$17.16	\$37.78	\$16.43	\$22.98	\$24.04	\$24.98	A4.3.1
					ĺ						BST GSST
	2-wire voice unbundled port outgoing only - residence	UEPRO	\$21.93	\$38.00	\$17.16	\$37.78	\$16.43	\$22.98	\$24.04	\$24.98	A4.3.1
											BST GSST
⊥ l	2-wire voice unbundled area plus port with caller ID - residence	UEPRM	\$21.93	\$38.00	\$17.16	\$37.78	\$16.43	\$22.98	\$24.04	\$24.98	A4.3.1
	2-wire voice unbundled Florida area calling with caller ID - residence	UEPAF	NA	\$38.00	NA	NA	NA	NA	NA	NA	NA
	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL)	UEPAG	NA	NA	NA	NA	\$16.43	NA	NA	NA	NA
	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7)	UEPAH	NA	NA	NA	NA	\$16.43	NA	NA	NA	NA
	2-wire voice unbundled South Carolina Area Calling port with Caller ID -										
	2 mio voice di barrarea codir. Carema / med caming per mini cane. 12										

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R)	UEPAK	NA NA	NA	NA	NA	NA	NA	NA	NA	BST GSST A4.3.1
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence	OLIAN	INA	INA	INA	INA	INA	INA	INA	INA	BST GSST
(TACER)	UEPAL	NA	NA	NA	NA	NA	NA	NA	NA	A4.3.1
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence										BST GSST
(TACSR)	UEPAM	NA	NA	NA	NA	NA	NA	NA	NA	A4.3.1
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X)	UEPAN	NA	NA	NA	NA	NA	NA	NA	NA	BST GSST A4.3.1
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR)	UEPAO	NA	NA	NA	NA	NA	NA	NA	NA	BST GSST A4.3.1
2-wire voice unbundled Res Low Usage Line Port with Caller+E563 ID (LUM)	UEPAP	\$21.93	\$38.00	\$17.16	\$37.78	\$16.43	\$22.98	\$24.04	\$24.98	BST GSST A4.3.1
NRC - Add'I (Residence)										
					_				_	BST GSST
2- wire voice unbundled port - residence -	UEPRL	\$21.93	\$15.00	\$17.16	\$37.78	\$16.43	\$22.98	\$21.60	\$24.98	A4.3.1
2-wire voice unbundled port with caller ID - residence	UEPRC	\$21.93	\$15.00	\$17.16	\$37.78	\$16.43	\$22.98	\$9.08	\$24.98	BST GSST A4.3.1
2 wire voice unburialed port with caller 15 residence	OLITO	Ψ21.93	ψ13.00	ψ17.10	ψ37.70	ψ10.43	Ψ22.90	ψ9.00	Ψ24.90	BST GSST
2-wire voice unbundled port outgoing only - residence	UEPRO	\$21.93	\$15.00	\$17.16	\$37.78	\$16.43	\$22.98	\$9.08	\$24.98	A4.3.1
										BST GSST
2-wire voice unbundled area plus port with caller ID - residence	UEPRM	\$21.93	\$15.00	\$17.16	\$37.78	\$16.43	\$22.98	\$9.08	\$24.98	A4.3.1
2-wire voice unbundled Florida area calling with caller ID - residence	UEPAF	NA	\$15.00	NA	NA	NA 010.10	NA	NA	NA	NA
2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL)	UEPAG	NA	NA	NA	NA	\$16.43	NA	NA	NA	NA
2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7)	UEPAH	NA	NA	NA	NA	\$16.43	NA	NA	NA	NA
2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8)	UEPAJ	NA	NA	NA	NA	NA	NA	NA	\$24.98	NA
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R)	UEPAK	NA	NA	NA	NA	NA	NA	NA	NA	BST GSST A4.3.1
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER)	UEPAL	NA	NA	NA	NA	NA	NA	NA	NA	BST GSST A4.3.1
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR)	UEPAM	NA	NA	NA	NA	NA	NA	NA	NA	BST GSST A4.3.1
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X)	UEPAN	NA	NA	NA	NA	NA	NA	NA	NA	BST GSST A4.3.1
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence										BST GSST
(2MR)	UEPAO	NA	NA	NA	NA	NA	NA	NA	NA	A4.3.1 BST GSST
2-wire voice unbundled Res Low Usage Line Port with Caller ID (LUM)	UEPAP	\$21.93	\$15.00	\$17.16	\$37.78	\$16.43	\$22.98	\$9.08	\$24.98	A4.3.1
NRC - 1st (Business)										
2-wire Voice Unbundled Port without Caller ID	UEPBL	\$21.93	\$38.00	\$17.16	\$37.55	\$16.43	\$22.98	\$21.60	\$24.98	BST GSST A4.3.1
2-wire voice unbundled port with Caller ID	UEPBC	\$21.93	\$38.00	\$17.16	\$37.55	\$16.43	\$22.98	\$24.04	\$24.98	BST GSST A4.3.1
2-wire voice unbundled outgoing only port	UEPBO	\$21.93	\$38.00	\$17.16	\$37.55	\$16.43	\$22.98	\$24.04	\$24.98	BST GSST A4.3.1
2-wire voice unbundled Area Plus Port with Caller ID	UEPBM	\$21.93	\$38.00	\$17.16	\$37.55	\$16.43	\$22.98	\$24.04	\$24.98	BST GSST A4.3.1
										BST GSST
2-wire voice unbundled Incoming only Port with Caller ID	UEPB1	\$21.93	\$38.00	\$17.16	\$37.55	\$16.43	\$22.98	\$24.04	\$24.98	A4.3.1
2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC)	UEPAA	NA	NA	NA	NA	\$16.43	NA	NA	NA	NA
2-wire voice unbundled SC Bus Area Calling Port with Caller ID+E587 (LMB)	UEPAB	NA	NA	NA	NA	NA	NA	NA	\$24.98	NA

DES	CRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
	2-wire voice unbundled TN Bus 2-way Area Calling Port Economy Option										BST GSST
	(TACC1)	UEPAC	NA	NA	NA	NA	NA	NA	NA	NA	A4.3.1
	2-wire voice unbundled TN Bus 2-way Area Calling Port Standard Option										BST GSST
	(TACC2)	UEPAD	NA	NA	NA	NA	NA	NA	NA	NA	A4.3.1
	2-wire voice unbundled TN Bus 2-way Collierville and Memphis Local Calling Port										BST GSST
	(B2F)	UEPAE	NA	NA	NA	NA	NA	NA	NA	NA	A4.3.1
											BST GSST
											A4.3.1
											BST GSST
	NRC - Add'I (Business)	UEPBL	\$21.93	\$15.00	\$17.16	\$37.55	\$16.43	\$22.98	\$9.08	\$24.98	A4.3.1
\Box					,	*	•		*		BST GSST
	2-wire voice unbundled port without Caller ID	UEPBL	\$21.93	\$15.00	\$17.16	\$37.55	\$16.43	\$22.98	\$21.60	\$24.98	A4.3.1
H			4=	Ţ	******	401100	V	V	4 =1100	V = 1100	BST GSST
	2-wire voice unbundled port with Caller ID	UEPBC	\$21.93	\$15.00	\$17.16	\$37.55	\$16.43	\$22.98	\$9.08	\$24.98	A4.3.1
	2 mile teles anisaliales per mili caller is	02. 50	Ψ21.00	ψ.σ.σσ	ψσ	ψοσσ	ψ.σσ	\$22.00	ψ0.00	Ψ2σσ	BST GSST
	2-wire voice unbundled outgoing only port	UEPBO	\$21.93	\$15.00	\$17.16	\$37.55	\$16.43	\$22.98	\$9.08	\$24.98	A4.3.1
+++	2 wile voice unburialed outgoing only port	OLI DO	Ψ21.55	ψ10.00	Ψ17.10	ψ01.00	ψ10.43	Ψ22.50	ψ3.00	Ψ24.50	BST GSST
	2-wire voice unbundled Area Plus Port with Caller ID	UEPBM	\$21.93	\$15.00	\$17.16	\$37.55	\$16.43	\$22.98	\$9.08	\$24.98	A4.3.1
++	2 wile voice distributed Alea I las I off with Callet ID	OLI DIVI	क्टा.७७	φ10.00	φ17.10	φοι.υυ	φ10.43	ΨΖΖ.30	φσ.υο	φ24.30	BST GSST
	2-wire voice unbundled incoming only port with Caller ID	UEPB1	\$21.93	\$15.00	\$17.16	\$37.55	\$16.43	\$22.98	\$9.08	\$24.98	A4.3.1
HH	2-wire voice unbundled Incoming only port with Caller ID 2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC)	UEPAA	\$21.93 NA	\$15.00 NA	\$17.16 NA	\$37.55 NA	\$16.43	\$22.98 NA	\$9.08 NA	\$24.98 NA	NA NA
++		UEPAB				NA NA			NA NA		
\vdash	2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB)	UEPAB	NA	NA	NA	NA	NA	NA	NA	\$24.98	NA DOT COOT
	2-wire voice unbundled TN Bus 2-way Area Calling Port Economy Option										BST GSST
	(TACC1)	UEPAC	NA	NA	NA	NA	NA	NA	NA	NA	A4.3.1
	2-wire voice unbundled TN Bus 2-way Area Calling Port Standard Option										BST GSST
	(TACC2)	UEPAD	NA	NA	NA	NA	NA	NA	NA	NA	A4.3.1
	2-wire voice unbundled TN Bus 2-way Collierville and Memphis Locall Calling Port										BST GSST
	(B2F)	UEPAE	NA	NA	NA	NA	NA	NA	NA	NA	A4.3.1
	NRC - Disconnect Charge - 1st										
	2- wire voice unbundled port - residence		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
	2-wire voice unbundled port with caller ID - residence		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
	2-wire voice unbundled port outgoing only - residence		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
	2-wire voice unbundled area plus port with caller ID - residence		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
	2-wire voice unbundled Florida area calling with caller ID - residence		NA	NA	NA	NA	NA	NA	NA	NA	NA
	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL)		NA	NA	NA	NA	\$4.38	NA	NA	NA	NA
\Box	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7)		NA	NA	NA	NA	\$4.38	NA	NA	NA	NA
	2-wire voice unbundled South Carolina Area Calling port with Caller ID -										
	residence (LW8)		NA	NA	NA	NA	NA	NA	NA	NA	NA
\Box	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence										1
	(F2R)		NA	NA	NA	NA	NA	NA	NA	NA	NA
\vdash	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence		1		1					1	1
	(TACER)		NA	NA	NA	NA	NA	NA	NA	NA	NA
++	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence		1		1					1	1
	(TACSR)		NA	NA	NA	NA	NA	NA	NA	NA	NA
++	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence		14/-1	19/3	INA	14/1	19/3	19/3	11/1	14/1	14/3
	(1MF2X)		NA	NA	NA	NA	NA	NA	NA	NA	NA
H	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence		INA	INA	INA	INA	INA	INA	INA	INA	INA
	(2MR)		NA	NA	NA	NA	NA	NA	NA	NA	NA
\vdash			\$6.21	NA NA	NA NA	NA NA		\$6.56	NA NA	NA NA	NA NA
H + H	2-wire voice unbundled Res Low Usage Line Port with Caller ID (LUM)		Φ0.∠1	INA	INA	INA	\$4.38	φc.σ¢	INA	INA	INA
++	O vive veice web and lead most without Colley ID		CO 04	NIA	N.A.	N.A.	£4.00	\$0.50	NIA.	NIA.	NIA
$\sqcup \bot \bot$	2-wire voice unbundled port without Caller ID		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
$\vdash \vdash$	2-wire voice unbundled port with Caller ID		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
$\sqcup \!\!\! \perp$	2-wire voice unbundled outgoing only Port		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
	2-wire voice unbundled Area Plus Port with Caller ID		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
2-wire voice unbundled Incoming only Port with Caller ID		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC)		NA	NA	NA	NA	\$4.38	NA	NA	NA	NA
2-wire voice unbundles SC Bus Area Calling Port with Caller ID (LMB)		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-wire voice unbundled TN Bus 2-way Area Calling Port Economy Option										
(TACC1)		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-wire voice unbundled TN Bus 2-way Area Calling Port Standard Option										
(TACC2)		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-wire voice unbundled TN Bus 2-Way Collierville and Memphis Local Calling										
Port (B2F)		NA	NA	NA	NA	NA	NA	NA	NA	NA
NRC - Disconnect Charge - Add'l										
2- wire voice unbundled port - residence		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
2-wire voice unbundled port with caller ID - residence		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
2-wire voice unbundled port outgoing only - residence		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
2-wire voice unbundled area plus port with caller ID - residence		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
2-wire voice unbundled Florida area calling with caller ID - residence		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL)		NA	NA	NA	NA	\$4.38	NA	NA	NA	NA
2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7)		NA.	NA NA	NA NA	NA.	\$4.38	NA.	NA.	NA.	NA NA
2-wire voice unbundled South Carolina Area Calling port with Caller ID -			, .	, .	, ,	ψσσ		· • · • ·	, .	, .
residence (LW8)		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence		14/3	14/4	14/3	14/3	14/3	19/3	14/3	14/3	14/4
(F2R)		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence		INA	INA	INA	INA	INA	INA	INA	INA	INA
(TACER)		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence		INA	INA	INA	INA	INA	INA	INA	INA	INA
(TACSR)		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence		INA	INA	INA	INA	INA	INA	INA	INA	INA
(1MF2X)		NA	NA	NA	NA	NA	NA	NIA.	NA	NA
		INA	INA	INA	INA	INA	INA	NA	INA	INA
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR)		NIA	NIA	NIA.	NIA.	# 4.00	\$0.50	NIA.	NIA.	NIA
		NA Co.o.t	NA NA	NA	NA NA	\$4.38	\$6.56	NA	NA	NA
2-wire voice unbundled Res Low Usage Line Port with Caller ID (LUM)		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
								NA		
2-wire voice unbundled port without Caller ID		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
2-wire voice unbundled port with Caler ID		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
2-wire voice unbundled outgoing only port		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
2-wire voice unbundled Area Plus Port with Caller ID		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
2-wire voice unbundled incoming only port with Caller ID		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC)		NA	NA	NA	NA	\$4.38	NA	NA	NA	NA
2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB)		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-wire voice unbundled TN Bus 2-way Area Calling Port Economy Option										
(TACC1)		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-wire voice unbundled TN Bus 2-way Area Calling Port Standard Option			_				1	1 .		_
(TACC2)		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-wire voice unbundled TN Bus 2-way Collierville and Memphis Local Calling Port										
(B2F)		NA	NA	NA	NA	NA	NA	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$44.42	NA
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$14.63	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA	NA	NA	\$10.39	\$16.06	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	\$1.44	NA	NA	NA	NA	NA	NA	NA	NA
All available features, per month	UEPVF	\$5.55	NA	NA	NA	\$8.28	\$6.75	NA	\$6.29	NA
NRC - 1st (all types)		\$24.72	NA	NA	NA	NA	\$21.42	NA	\$36.24	NA
NRC - Add'l (all types)		\$24.72	NA	NA	NA	NA	\$21.42	NA	\$36.24	NA
NRC - Disconnect Charge - 1st		\$18.41	NA	NA	NA	NA	\$19.68	NA	NA	NA

DE	SCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
	NRC - Disconnect Charge - Add'l		\$18.41	NA	NA	NA	NA	\$19.68	NA	NA	NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	NA	NA	NA	\$25.52	NA	\$44.42	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA	NA	NA	NA	\$11.34	NA	\$14.63	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA	NA	NA	NA	\$16.06	NA	NA	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	\$1.44	NA	NA	NA	NA	NA	NA	NA	NA
Thr	ee available feature, per month	UEPVF	NA	NA	NA	NA	\$8.28	\$3.31	NA	\$3.03	NA
	NRC - 1st (all types)		NA	NA	NA	NA	NA	\$3.06	NA	\$4.53	NA
	NRC - Add'l (all types)		NA	NA	NA	NA	NA	\$3.06	NA	\$4.53	NA
	NRC - Disconnect Charge - 1st		NA	NA	NA	NA	NA	\$8.20	NA	NA	NA
	NRC - Disconnect Charge - Add'l		NA	NA	NA	NA	NA	\$8.20	NA	NA	NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	NA	NA	NA	\$25.52	NA	\$44.42	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA	NA	NA	NA	NA	\$11.34	NA	\$14.63	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	NA	NA	NA	NA	NA	\$16.06	NA	NA	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-W	/ire Analog VG Port, per month	UEP4A	NA	\$9.14	\$8.47	NA	\$10.13	\$9.60	\$8.69	\$2.28	NA
	NRC - 1st	UEP4A	NA	\$5.86	\$17.16	NA	\$16.43	\$22.98	\$21.69	\$3.50	NA
	NRC - Add'l	UEP4A	NA	\$5.86	\$17.16	NA	\$16.43	\$22.98	\$21.69	\$3.50	NA
	NRC - Disconnect Charge - 1st	BFR	NA	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
	NRC - Disconnect Charge - Add'l	BFR	NA	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	\$18.94	NA	\$18.14	\$25.52	\$26.85	NA	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA	NA	\$8.42	NA	\$8.06	\$11.34	\$12.67	NA	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	NA	NA	NA	NA	\$8.94	\$16.06	NA	NA	NA
2-W	/ire DID Port, per month	UEPP2	\$12.08	TBD	\$11.35	NA	\$13.12	\$14.63	\$12.36	\$12.08	\$12.68
											BST GSST
	NRC - 1st	UEPP2	\$50.00	TBD	\$61.91	NA	\$59.28	\$83.09	\$81.84	\$50.00	A4.3.1
											BST GSST
	NRC - Add'l	UEPP2	\$18.00	TBD	\$61.91	NA	\$59.28	\$83.09	\$81.84	\$50.00	A4.3.1
	NRC - Disconnect Charge - 1st	UEPP2	NA	NA	NA	NA	\$9.20	\$13.48	NA	NA	NA
	NRC - Disconnect Charge - Add'l	UEPP2	NA	NA	NA	NA	\$9.20	\$13.48	NA	NA	NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	NA	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	NA	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	NA	NA	NA	NA	\$10.39	\$16.07	NA	NA	NA
4-W	/ire DS1 Port w/DID capability, per month	UEPDD	\$130.23	\$125.00	\$120.80	NA	\$149.27	\$146.46	\$123.65	\$130.23	\$120.00
											To be
	NRC - 1st	UEPDD	\$50.00	\$112.00	\$89.44	NA	\$85.63	\$117.81	\$116.59	\$60.00	negotiated
											To be
	NRC - Add'l	UEPDD	\$18.00	\$91.00	\$52.46	NA	\$50.23	\$71.18	\$69.92	\$60.00	negotiated
	NRC - Disconnect Charge - 1st	UEPDD	NA	NA	NA	NA	\$8.82	\$12.94	NA	NA	NA
	NRC - Disconnect Charge - Add'l	UEPDD	NA	NA	NA	NA	\$8.82	\$12.94	NA	NA	NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	NA	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	NA	NA
Ш	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	NA	NA	NA	NA	\$10.39	\$16.06	NA	NA	NA
2-W	/ire ISDN Port(2) (3), per month	U1PMA	\$16.42	\$13.00	\$13.47	\$12.33	\$23.33	\$51.91	\$24.50	\$33.74	\$1.90
								1 .	1 .	1 .	BST GSST
Ш	NRC - 1st	U1PMA	\$63.24	\$88.00	\$47.37	\$90.48	\$45.35	\$63.59	\$62.29	\$65.79	A4.3.1
								1		1	BST GSST
ш	NRC - Add'l	U1PMA	\$63.24	\$66.00	\$47.37	\$84.53	\$45.35	\$63.59	\$62.29	\$65.79	A4.3.1
Ш	NRC - Disconnect Charge - 1st	U1PMA	\$5.69	NA	NA	NA	\$4.31	\$7.04	NA	NA	NA
Ш	NRC - Disconnect Charge - Add'l	U1PMA	\$5.69	NA	NA	NA	\$4.31	\$7.04	NA	NA	NA
Ш	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$56.19	NA	\$39.98	NA	\$38.29	\$53.87	\$55.30	\$67.52	NA
1]	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$56.19	NA	\$39.98	NA	\$38.29	\$53.87	\$55.30	\$67.52	NA
-	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$12.97	NA	NA	NA	\$6.65	\$11.34	NA	NA	NA
П											
\exists	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l NRC - User Profile per B Channel (4)	SOMAN U1UMA	\$12.97 NA	NA NA	NA NA	NA \$5.61	\$6.65 NA	\$11.34 NA	NA NA	NA NA	NA NA

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN
2-Wire ISDN Port(2) (3) including all available features, per month	U1PMA	NA	NA	NA	NA	NA	NA	NA	\$38.68	NA
NRC - 1st	U1PMA	NA	NA	NA	NA	NA	NA	NA	\$106.40	NA
NRC - Add'I	U1PMA	NA	NA	NA	NA	NA	NA	NA	\$106.40	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	NA	NA	NA	NA	NA	\$67.52	NA
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA	NA	NA	NA	NA	NA	NA	\$67.52	NA
2-Wire ISDN Port(2) (3) including three available features, per month	U1PMA	NA	NA	NA	NA	NA	NA	NA	\$36.01	NA
NRC - 1st	U1PMA	NA	NA NA	NA.	NA	NA	NA	NA	\$70.32	NA NA
NRC - Add'l	U1PMA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA.	\$70.32	NA NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA NA	NA	NA NA	NA NA	NA NA	NA	NA NA	\$67.52	NA NA
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	\$67.52	NA NA
4-Wire ISDN DS1 Port, per month	UEPEX	\$186.02	NA NA	\$163.16	NA NA	\$194.72	\$213.21	\$179.75	\$214.79	\$308.00
4-Wile lobby Bot Fort, per month	OLILA	ψ100.02	INA	ψ103.10	INA	Ψ134.72	Ψ213.21	ψ179.73	Ψ214.73	To be
NRC - 1st	UEPEX	\$244.85	NA	\$186.80	NA	\$181.89	\$244.12	\$241.63	\$278.37	negotiated
INICO - 1St	ULFEX	φ244.03	INA	\$100.00	INA	\$101.09	φ244.1Z	Ψ241.03	φ210.31	To be
NRC - Add'I	UEPEX	\$244.85	NA	\$186.80	NIA	\$181.89	\$244.12	\$241.63	\$278.37	negotiated
					NA					
NRC - Disconnect Charge - 1st	UEPEX	\$51.19	NA NA	NA	NA	\$27.11	\$53.32	NA	NA	NA
NRC - Disconnect Charge - Add'l	UEPEX	\$51.19	NA NA	NA COZ.OO	NA	\$27.11	\$53.32	NA ©50.00	NA COT 40	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$54.75	NA	\$37.88	NA	\$33.18	\$51.03	\$53.89	\$65.48	NA
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$54.75	NA	\$37.88	NA	\$33.18	\$51.03	\$53.89	\$65.48	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$11.53	NA	NA	NA	\$7.73	\$8.51	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	\$11.53	NA	NA	NA	\$7.73	\$8.51	NA	NA	NA
4-Wire ISDN DS1 Port including all available features, per month	UEPEX	NA	NA	NA	\$275.48	NA	NA	NA	\$251.00	NA
NRC - 1st	UEPEX	NA	NA	NA	\$181.27	NA	NA	NA	\$311.73	NA
NRC - Add'I	UEPEX	NA	NA	NA	\$116.42	NA	NA	NA	\$311.73	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	NA	NA	NA	NA	NA	\$65.48	NA
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA	NA	NA	NA	NA	NA	NA	\$65.48	NA
2-Wire Analog Line Port (PBX), per month										
2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence	UEPRD	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.18	\$2.35	\$1.90
LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS	UEPPC	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS	UEPPO	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS	UEPP1	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS	UEPLD	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS	UEPT2	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS	UEPTO	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA		1	, , , , ,	, ,	•		•			*
CALLING PORT	UEPA2	\$2.07	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA		V								
CALLING PORT	UEPL2	NA	NA	NA	NA	\$2.20	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS	UEPLD	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE	02. 25	Ψ2.01	\$2.00	ψσσ	Ψ2.0.	Ψ2.20	Ψ=	Ψ2.00	Ψ2.00	ψσσ
CALLING PORT	UEPT2	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE	OLI IZ	14/1	14/3	14/1	19/3	14/-1	19/3	19/3	13/3	ψ1.50
CALLING PORT	UEPTO	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT	UEPXA	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
2-WIRE VOICE UNBUNDLED 2-WAT COMBINATION PBX 05AGE FORT	UEPXB	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT	UEPXC	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
2 WINE VOICE ONDONDEED I DA ED DOD TERMINALO FORT	OLI- AU	Ψ2.01	Ψ2.00	ψ1.00	ΨΔ.01	Ψ2.20	ΨΕ.ΙΙ	Ψ2.00	ψ2.30	ψ1.30
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT	UEPXD	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD FOR T	UEFAD	φ2.07	φ∠.∪∪	φ1.00	φ2.01	φ2.20	φ∠.11	Φ∠.00	φ2.30	φ1.90
	HEDVE	¢0.07	¢2.00	¢4.05	#0.04	#0.00	CO 44	#2.00	ድ ጋ ጋር	£4.00
	UEPXE	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA	HERVE				60.04	N/ A	h		A	
CALLING PORT WITHOUT LUD	UEPXF	NA	NA	NA	\$2.61	NA	NA	NA	NA	NA
		l								l
2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT	UEPXG	NA	NA	NA	\$2.61	NA	NA	NA	NA	NA

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT	UEPXH	NIA	NIA	NIA	# 0.04	NIA	NIA	NIA	NIA	NIA
	UEPAH	NA	NA	NA	\$2.61	NA	NA	NA	NA	NA
WITHOUT LUD	UEPXJ	NA	NA	NA	\$2.61	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL										
CALLING PORT	UEPXK	NA	NA	NA	NA	\$2.20	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORT	UEPXL	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM CALLING PORT	URPXM	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT	UEPXN	NA	\$1.90							
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL DIACOUNT ROOM CALLING PORT	UEPXO	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL DISCOUNT CALLING PORT	UEPXP	NA	NA	NA	NA	\$2.20	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY CALLING PORT	UEPXQ	NA	NA	NA	NA	NA	\$2.11	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL CALLING PORT	UEPXR	NA	NA	NA	NA	NA	\$2.11	NA	NA	NA
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT	UEPXS	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS CALLING PORT	UEPXT	NA	\$2.35	NA						
2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT	UEPXU	NA	\$1.90							
2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING PORT	UEPXV	NA	\$1.90							
LINDUNDUED LOOD DILLING LIGOO (DEGLIDEG ONE DED DODT)	UEPLX									
UNBUNDLED LOOP BILLING USOC (REQUIRES ONE PER PORT)	UEPLA									
LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT)	LNPCP									
NRC - 1st	UEPPC UEPRD	\$21.93 \$21.93	\$38.00 \$38.00	\$17.16 \$17.16	\$36.47	\$16.43	\$22.98 \$22.98	\$24.04	\$24.36	NA
2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS	UEPPC	\$21.93	\$38.00	\$17.16	\$36.47 \$36.47	\$16.43 \$16.43	\$22.98	\$21.60 \$24.04	\$24.36 \$24.36	NA NA
LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS	UEPPO	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	NA
LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS	UEPP1	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	NA
LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS	UEPLD	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	NA
TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS	UEPT2	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	NA
TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS	UEPTO	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	NA
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING PORT	UEPA2	¢24.02	NA	NΙΔ						
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA	UEPAZ	\$21.93	INA	NA						
CALLING PORT	UEPL2	NA	NA	NA	NA	\$16.43	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS	UEPLD	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	NA
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE CALLING PORT	UEPT2	NA	NA							
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE										
CALLING PORT 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT	UEPTO UEPXA	NA ¢21.02	NA \$38.00	NA \$17.16	NA \$36.47	NA \$16.43	NA \$22.98	NA \$24.04	NA \$24.36	NA NA
	UEPXA	\$21.93 \$21.93	\$38.00	\$17.16 \$17.16	\$36.47 \$36.47	\$16.43 \$16.43	\$22.98 \$22.98	\$24.04 \$24.04	\$24.36 \$24.36	NA NA
2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS 2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT	UEPXC	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	NA NA

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
	DT									
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PO 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDE		\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	NA
	UEPXE	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	NA
	ULFAL	\$21.93	φ36.00	\$17.10	φ30.47	\$10.43	\$22.90	\$24.04	\$24.30	INA
CALLING PORT WITHOUT LUD	UEPXF	NA	NA	NA	\$36.47	NA	NA	NA	NA	NA
					¥ 0 0 1 1 1					
2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING P	ORT UEPXG	NA	NA	NA	\$36.47	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PO		NA	NA	NA	\$36.47	NA	NA	NA	NA	NA
		NIA	NIA	NIA	# 20 47	NIA	NIA	NIA	NIA	NIA
WITHOUT LOD	UEPXJ	NA	NA	NA	\$36.47	NA	NA	NA	NA	NA
CALLING PORT	UEPXK	NA	NA	NA	NA	\$16.43	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONO		1				ψ.σσ				
ADMINISTRATIVE CALLING PORT	UEPXL	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOL	MY									
ROOM CALLING PORT	URPXM	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	NA
O MADE VOICE HARMANDLED 4 MAY OF LOOK OF SALVESTER A 1900 BY	FA.									
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPI* ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING		NA	NA	NA	NA	NA	NIA	NIA	NA	NA
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPI		INA	INA	NA NA	NA NA	NA NA	NA	NA	INA	INA
DIACOUNT ROOM CALLING PORT	UEPXO	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	NA
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LO		ψ2σσ	ψου.σσ	4	ψου	ψ.σσ	\$22.00	ψ2	ψ2σσ	
DISCOUNT CALLING PORT	UEPXP	NA	NA	NA	NA	\$16.43	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECON	-									
CALLING PORT	UEPXQ	NA	NA	NA	NA	NA	\$22.98	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIC										
CALLING PORT	UEPXR	NA	NA	NA	NA	NA	\$22.98	NA	NA	NA
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PC	ORT UEPXS	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA F		Ψ21.93	ψ30.00	ψ17.10	ψ30.47	ψ10.43	Ψ22.90	Ψ24.04	Ψ24.30	INA
CALLING PORT	UEPXT	NA	NA	NA	NA	NA	NA	NA	\$24.36	NA
2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLI	NG									
PORT	UEPXU	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSER\										
CALLING PORT	UEPXV	NA	NA	NA	NA	NA	NA	NA	NA	NA
NDC Addit		1								
NRC - Add'I 2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Re	sidence UEPRD	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$21.60	\$24.36	NA
LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - RUSIN		\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA NA
LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS	UEPPO	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS	UEPP1	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS	UEPLD	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS	UEPT2	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS	UEPTO	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING PORT	UEPA2	\$21.93	NA	NIA	NA	NA	NA	NA	NA	NA
		φ∠1.93	INA	NA	INA	NA	INA	INA	INA	INA
CALLING PORT	UEPL2	NA	NA	NA	NA	\$16.43	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS	UEPLD	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSE		1								
CALLING PORT	UEPT2	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE										
	UEPTO	NA	NA	NA	NA	NA	NA	NA	NA	NA

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT	UEPXA	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS	UEPXB	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT	UEPXC	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT	UEPXD	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD CAPABLE PORT	UEPXE	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING PORT WITHOUT LUD	UEPXF	NA	NA	NA	\$36.47	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT	UEPXG	NA	NA	NA	\$37.47	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT	UEPXH	NA	NA	NA	\$38.47	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT WITHOUT LUD	UEPXJ	NA	NA	NA	\$39.47	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING PORT	UEPXK	NA	NA	NA	NA	\$16.43	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORT	UEPXL	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM CALLING PORT	URPXM	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL										
ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL	UEPXN	NA	NA	NA	NA	NA	NA	NA	NA	NA
DIACOUNT ROOM CALLING PORT 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL	UEPXO	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
DISCOUNT CALLING PORT 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY	UEPXP	NA	NA	NA	NA	\$16.43	NA	NA	NA	NA
CALLING PORT 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL	UEPXQ	NA	NA	NA	NA	NA	\$22.98	NA	NA	NA
2-WIRE VOICE UNBUINDLED 2-WAY PBX WISSISSIPPI LOCAL OPTIONAL CALLING PORT	UEPXR	NA	NA	NA	NA	NA	\$22.98	NA	NA	NA
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT	UEPXS	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS CALLING PORT	UEPXT	NA	NA	NA	NA	NA	NA	NA	\$24.36	NA
2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT	UEPXU	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING PORT	UEPXV	NA	NA	NA	NA	NA	NA	NA	NA	NA
NRC - Disconnect Charge - 1st										
2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS		\$6.21	NA NA	NA NA	NA NA	\$3.77	\$6.56	NA NA	NA NA	NA NA
LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS		\$6.21	NA NA	NA NA	NA NA	\$3.77	\$6.56	NA NA	NA NA	NA NA
LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS		\$6.21	NA.	NA.	NA.	\$3.77	\$6.56	NA NA	NA NA	NA.
LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS		\$6.21	NA NA	NA.	NA NA	\$3.77	\$6.56	NA NA	NA NA	NA NA
TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS		\$6.21	NA NA	NA NA	NA.	\$3.77	\$6.56	NA.	NA.	NA.
TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS		\$6.21	NA.	NA.	NA.	\$3.77	\$6.56	NA.	NA NA	NA.
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA										
CALLING PORT 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA		\$6.21	NA	NA	NA	NA	NA	NA	NA	NA
CALLING PORT		NA Do od	NA	NA	NA	\$3.77	NA 00.50	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE CALLING PORT		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE										
CALLING PORT		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD		4								
CAPABLE PORT		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA										
CALLING PORT WITHOUT LUD		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT										
WITHOUT LUD		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING PORT		NA	NA	NA	NA	\$3.77	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY						ψο				
ADMINISTRATIVE CALLING PORT		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM CALLING PORT		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
INGOM CALLING FORT		ψ0.21	INA	INA	INA	ψ3.77	ψ0.50	INA	INA	INA
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL										
ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL										
DIACOUNT ROOM CALLING PORT		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL										
DISCOUNT CALLING PORT		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY										
CALLING PORT 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL		NA	NA	NA	NA	NA	\$6.56	NA	NA	NA
CALLING PORT		NIA	NIA	NIA	NIA	NIA	C C C	NIA	NIA	NIA
OALLING FORT		NA	NA	NA	NA	NA	\$6.56	NA	NA	NA
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS		¥3.2.				Ψο	Ψ0.00	1		
CALLING PORT		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING										
PORT		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV										
CALLING PORT		NA	NA	NA	NA	NA	NA	NA	NA	NA
NPC Disconnect Charge Add/I		+	1			-		1		
NRC - Disconnect Charge - Add'I 2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence		\$6.21	NA NA	NA NA	NA NA	\$3.77	\$6.56	NA NA	NA NA	NA NA
LINE SIDE UNBUNDLED COMBINATION 2-WAT PBX TRONK - BUSINESS LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS		\$6.21	NA NA	NA NA	NA NA	\$3.77	\$6.56	NA NA	NA NA	NA NA
LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS		\$6.21	NA NA	NA NA	NA NA	\$3.77	\$6.56	NA NA	NA NA	NA NA
LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS		\$6.21	NA NA	NA NA	NA NA	\$3.77	\$6.56	NA NA	NA NA	NA NA
TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS		\$6.21	NA NA	NA NA	NA NA	\$3.77	\$6.56	NA NA	NA NA	NA NA
TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS		\$6.21	NA NA	NA NA	NA NA	\$3.77	\$6.56	NA NA	NA NA	NA NA
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA		¥3.2.				Ψο	Ψ0.00	1		
CALLING PORT		\$6.21	NA	NA	NA	NA	NA	NA	NA	NA

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIA	ANA									
CALLING PORT		NA	NA	NA	NA	\$3.77	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNES	SSEE									
CALLING PORT		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSE	E									
CALLING PORT		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORT	S	\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD	DODT	CO 04	N10	NIA	NIA	CO 77	#0.50		NIA	NIA.
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
I CAPABLE PORT	IDD	\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
	- Λ	Φ0.21	INA	INA	INA	Φ3.77	\$6.56	INA	INA	INA
CALLING PORT WITHOUT LUD	-^	NA	NA	NA	NA	NA	NA	NA	NA	NA
CALLING FORT WITHOUT EDD		INA	INA	INA	INA	INA	INA	INA	INA	INA
2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLIN	IG PORT	NA	NA	NA	NA	NA	NA	NA	NA	NA
2 TIME TOIGE GROONDEED I DA RENTOCKT EOD AREA GALLIN		INA	INA	INA	INA	INA	INA	INA	INA	INA
2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING	G PORT	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING		19/3	14/1	14/3	14/3	14/1	14/1	14/3	14/3	
WITHOUT LUD		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OP	TIONAL								1	
CALLING PORT		NA	NA	NA	NA	\$3.77	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECO	NOMY					**				
ADMINISTRATIVE CALLING PORT		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECO	NOMY									
ROOM CALLING PORT		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOS	-									
ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLI		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOS	SPITAL									
DIACOUNT ROOM CALLING PORT		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA	LOCAL									
DISCOUNT CALLING PORT		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL EC	CONOMY									
CALLING PORT		NA	NA	NA	NA	NA	\$6.56	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OF	PTIONAL									
CALLING PORT		NA	NA	NA	NA	NA	\$6.56	NA	NA	NA
2 WIDE VOICE UNDUNDLED 4 WAY OUTCOING DRYMEACUDED	PODT	CO 04	NIA	NIA	NIA	60.77	#0.50		NIA	NIA
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED 2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA ARE		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
	TA PLUS									
	ALLING	+		1		-	-			
	ALLING									
PORT	ERV/	+	 	+	 	+	+	 	+	
		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
O'SEEINO I OINI		\$6.21	NA NA	NA NA	NA NA	\$3.77	\$6.56	NA NA	NA NA	NA NA
NRC - Incremental Charge - Manual Service Order - 1st		\$6.21	NA NA	NA NA	NA NA	\$3.77	\$6.56	NA NA	NA NA	NA NA
NRC - Incremental Charge - Manual Service Order - Add'l		\$6.21	NA NA	NA NA	NA NA	\$3.77	\$6.56	NA NA	NA NA	NA NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st		\$6.21	NA NA	NA NA	NA NA	\$3.77	\$6.56	NA NA	NA NA	NA NA
NRC - Incremental Charge - Manual Service Order - Disconnect - Add		\$6.21	NA NA	NA NA	NA NA	\$3.77	\$6.56	NA NA	NA NA	NA
1		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA NA	NA	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	NA	NA	NA	NA	NA	\$41.86	NA
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA	NA	NA	NA	NA	NA	NA	\$14.46	NA
<u> </u>		•								

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
2-Wire Analog Line Port (PBX) including three available features, per month	UEPPC	NA	NA	NA	NA	NA	NA	NA	\$5.38	NA
NRC - 1st	UEPPC	NA	NA	NA	NA	NA	NA	NA	\$28.89	NA
NRC - Add'l	UEPPC	NA	NA	NA	NA	NA	NA	NA	\$28.89	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	NA	NA	NA	NA	NA	\$41.86	NA
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA	NA	NA	NA	NA	NA	NA	\$14.46	NA
2-Wire Analog Hunting, per line per month	HTGUX	See features	NA	NA	\$0.29	NA	See features	NA	See features	NA
NRC - 1st	HTGUX	See features	NA	NA	\$2.14	NA	See features	NA	See features	NA
NRC - Add'l	HTGUX	See features	NA	NA	\$2.14	NA	See features	NA	See features	NA
Coin Port, per month		\$2.34	NA	\$2.05	\$3.04	\$2.50	\$2.32	NA	\$2.77	\$1.90
NIDC 4et		CO4 00	NIA	£47.40	£40.74	# 40.40	# 00.00	NIA	004.75	BST GSST
NRC - 1st		\$21.93	NA	\$17.16	\$40.71	\$16.43	\$22.98	NA	\$24.75	A4.3.1 BST GSST
NRC - Add'l		\$21.93	NA	\$17.16	\$40.71	\$16.43	\$22.98	NA	\$24.75	A4.3.1
NRC - Add 1		\$5.21	NA NA	NA	540.71 NA	\$4.15	\$6.56	NA NA	\$24.75 NA	NA NA
NRC - Disconnect Charge - 1st		\$5.21	NA NA	NA NA	NA NA	\$4.15	\$6.56	NA NA	NA NA	NA NA
NRC - Disconnect Charge - Add i	SOMAN	\$25.93	NA	\$18.94	NA NA	\$18.14	\$25.52	NA NA	\$43.48	NA NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$12.97	NA NA	\$8.42	NA NA	\$8.06	\$11.34	NA NA	\$14.57	NA NA
NRC - Incremental Charge - Manual Service Order - Add 1	SOMAN	\$16.33	NA NA	90.42 NA	NA NA	\$9.86	\$16.06	NA NA	NA	NA NA
NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	\$0.48	NA	NA NA	NA NA	NA	NA	NA NA	NA NA	NA NA
	001017111	ψ0.10	101	107	101	101	147.	101	100	10/
4- Wire Coin Port, per month		NA	NA	NA	NA	NA	NA	\$2.59	NA	NA
NRC - 1st		NA NA	NA	NA	NA	NA	NA NA	\$21.60	NA.	NA
NRC - Add'l		NA	NA	NA	NA	NA	NA	\$21.60	NA	NA
NRC - Disconnect Charge - 1st		NA	NA	NA	NA	NA	NA	NA	NA	NA
NRC - Disconnect Charge - Add'l		NA	NA	NA	NA	NA	NA	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - 1st		NA	NA	NA	NA	NA	NA	\$26.94	NA	NA
NRC - Incremental Charge - Manual Service Order - Add'l		NA	NA	NA	NA	NA	NA	\$12.76	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st		NA	NA	NA	NA	NA	NA	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l		NA	NA	NA	NA	NA	NA	NA	NA	NA
VERTICAL FEATURES										
			No add'l		No add'l					
Local Switching Features offered with Port, Per month	N/A	NA	charge	NA	charge	\$8.28	NA	NA	See above	NA
Three-Way Calling, per month		\$1.12	NA	NA	NA	NA	\$1.32	\$0.89	\$1.10	NA
NRC NRC		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA NA	NA NA	NA NA	NA NA	\$0.5466	NA 00.47	NA Do 4047	NA NA
Customer Changeable Speed Calling, per month		\$0.08 \$1.03	NA NA	NA NA	NA NA	NA NA	\$0.0755 \$1.02	\$0.17 \$1.51	\$0.1247 \$1.51	NA NA
NRC - Disconnect		\$0.55	NA NA	NA NA	NA NA	NA NA	\$0.5466	NA	NA	NA NA
Call Waiting		\$0.03	NA NA	NA NA	NA NA	NA NA	\$0.033	\$0.09	\$0.0665	NA NA
NRC		\$1.03	NA NA	NA NA	NA NA	NA NA	\$1.02	\$1.51	\$1.51	NA NA
NRC - Disconnect		\$0.55	NA NA	NA NA	NA NA	NA NA	\$0.5466	NA	NA	NA NA
Remote Activation of Call Fordwarding, per month	+	\$0.18	NA NA	NA NA	NA NA	NA NA	\$0.4859	\$0.85	\$0.3743	NA NA
NRC		\$1.03	NA NA	NA NA	NA.	NA NA	\$1.02	\$1.51	\$1.51	NA.
NRC - Disconnect		\$0.55	NA	NA NA	NA NA	NA	\$0.5466	NA	NA NA	NA NA
Cancel Call Waiting, per month	1	\$0.01	NA	NA	NA NA	NA	\$0.0082	\$0.01	\$0.0099	NA NA
NRC	1	\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA NA	NA
Automatic Callback, per month		\$0.29	NA	NA	NA	NA	\$0.9977	\$0.66	\$0.8015	NA
NRC NRC		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Automatic Recall, per month		\$0.28	NA	NA	NA	NA	\$0.3164	\$0.29	\$0.3102	NA
NRC		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
Calling Number Delivery, per month		\$0.22	NA	NA	NA	NA	\$0.1817	\$0.33	\$0.3272	NA
NRC		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Calling Number Delivery Blocking, per month		\$1.17	NA	NA	NA	NA	\$0.9913	\$0.02	\$0.3684	NA
NRC		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Customer Originated Trace, per month		\$0.14	NA	NA	NA	NA	\$0.1918	\$0.14	\$0.1402	NA
NRC		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Selective Call Rejection, per month		\$0.13	NA	NA	NA	NA	\$0.1721	\$0.13	\$0.1528	NA
NRC		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Selective Call Forwarding, per month		\$0.05	NA	NA	NA	NA	\$0.1050	\$0.28	\$0.1287	NA
NRC		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Selective Call Acceptance, per month		\$0.29	NA	NA	NA	NA	\$0.4010	\$0.33	\$0.3283	NA
NRC		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Multiline Hunt Service (Rotary)										
Service per line, (in addition to port) , per month		\$0.11	NA	NA	NA	NA	\$0.1271	\$0.14	\$0.1301	NA
NRC		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Call Forwarding Variable, per month		\$0.05	NA	NA	NA	NA	\$0.0474	\$0.10	\$0.0768	NA
NRC		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Call Forwarding Busy Line, per month		\$0.03	NA	NA	NA	NA	\$0.0279	\$0.08	\$0.0603	NA
NRC		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Call Forwarding Don't Answer All Calls, per month		\$0.03	NA	NA	NA	NA	\$0.0308	\$0.09	\$0.0655	NA
NRC		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Remote Call Forwarding, per month		\$1.36	NA	NA	NA	NA	\$1.47	\$0.95	\$1.41	NA
NRC NRC		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA 00.44	NA To 1000	NA
Call Transfer, per month		\$0.12	NA	NA	NA	NA	\$0.1404	\$0.14	\$0.1392	NA
NRC		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA 00.45	NA To corr	NA
Call Hold, per month		\$0.03 \$1.03	NA NA	NA NA	NA NA	NA NA	\$0.0190 \$1.02	\$0.15 \$1.51	\$0.0677 \$1.51	NA NA
NRC – Disconnect			NA NA	NA NA	NA NA	NA NA		\$1.51 NA	\$1.51 NA	NA NA
		\$0.55	NA NA	NA NA	NA NA	NA NA	\$0.5466 \$0.0387	\$0.10	\$0.0743	NA NA
Toll Restricted Service, per month		\$0.04	NA NA	NA NA	NA NA	NA NA				NA NA
NRC - Disconnect		\$1.03 \$0.55	NA NA	NA NA	NA NA	NA NA	\$1.02 \$0.5466	\$1.51 NA	\$1.51 NA	NA NA
Message Waiting Indicator – Stutter Dial Tone, per month		\$0.55	NA NA	NA NA	NA NA	NA NA	\$0.5466	\$0.03	\$0.0318	NA NA
NRC		\$1.03	NA NA	NA NA	NA NA	NA NA	\$0.0356	\$0.03 \$1.51	\$0.0318	NA NA
		\$1.03	NA NA	NA NA	NA NA	NA NA		\$1.51 NA	\$1.51 NA	NA NA
NRC - Disconnect		\$0.55	NA NA	NA NA	NA NA	NA NA	\$0.5466 \$0.9519	\$1.29	\$1.13	NA NA
Anonymous Call Rejection, per month		\$0.93	NA NA	NA NA	NA NA	NA NA	\$0.9519	\$1.29 \$1.51	\$1.13 \$1.51	NA NA
NRC - Disconnect		\$1.03	NA NA	NA NA	NA NA	NA NA	\$1.02	\$1.51 NA	\$1.51 NA	NA NA
Shared Call Appearances of a DN, per month		\$0.55	NA NA	NA NA	NA NA	NA NA	\$0.5466	\$0.29	\$0.3513	NA NA
NRC		\$0.41 \$1.03	NA NA	NA NA	NA NA	NA NA	\$0.5015	\$0.29 \$1.47	\$0.3513 \$1.47	NA NA
NRC - Disconnect										NA NA
		\$0.55	NA NA	NA NA	NA NA	NA NA	\$0.5466	NA CO OZ	NA CO 0801	NA NA
Multiple Call Appearances, per month NRC		\$0.09 \$1.03	NA NA	NA NA	NA NA	NA NA	\$0.0932 \$1.02	\$0.07 \$1.47	\$0.0891 \$1.47	NA NA
NRC - Disconnect										
INING - DISCONNECT	l	\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA

SON Bridger Call Exclusion, per month	DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN
PIRC											
NRC - Discomment	INRC		\$1.03	NA	NA	NA	NA		\$1.47		NA
Call by Call Access, per month	NRC - Disconnect										
NRC \$35.94 NA NA NA NA NA \$56.11 \$33.33 \$33.30 NA NA NA NA NA \$56.11 \$33.33 \$33.30 NA NA NA NA NA \$56.11 \$33.33 \$33.30 NA NA NA NA NA NA NA NA NA NA NA NA NA	Call by Call Access, per month			NA	NA						NA
NRC - Deconnect											
Privacy Release, per month											
NRC St.03 NA NA NA NA NA ST.02 St.51 St.51 NA NA NA NA NA ST.02 St.51 St.51 NA NA NA NA NA NA ST.02 St.51 St.51 NA NA NA NA NA NA ST.02 St.51 St.51 NA NA NA NA NA NA ST.02 St.51 St.51 NA NA NA NA NA NA NA ST.02 St.51 St.51 NA NA NA NA NA NA NA NA NA ST.02 St.51 St.51 NA NA NA NA NA NA NA NA ST.02 St.51 St.51 NA NA NA NA NA NA NA NA NA NA NA NA NA											
NRC - Disconnect S0.55 NA											
Multi Appearance Directory Number Calls, per month											
NRC											
NRC - Descrined: \$0.555 NA NA NA NA S0.5466 NA NA NA NA NA S0.5466 NA NA NA NA NA S0.5466 NA NA NA NA NA S0.5466 NA NA NA NA NA NA NA NA NA NA NA NA NA											
Make Set Blusy, per month	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1										
NRC NRC S1.03 NA NA NA NA NA S1.02 S1.51 S1.51 NA NA NA NA NA NA S0.5466 NA NA NA NA NA NA NA NA NA NA NA NA NA											
NRC - Disconnect S0.55 NA NA NA NA S0.5466 NA NA NA NA NA NA NA S0.0471 S0.26 S0.2149 NA NA NA NA NA NA NA NA NA S0.0471 S0.26 S0.2149 NA NA NA NA NA NA NA NA NA NA NA NA NA											
Teen Service (Res. Dist. Alerting Service), per month											
NRC											
NRC - Disconnect S0.55 NA											
Social Code Restriction and Diversion, per month So.04 NA NA NA NA NA NA NA N											
NRC											
NRC - Disconnect											
Call Park, per month											
NRC NRC S51.03 NA											
NRC - Disconnect											
Automatic Line, per month											
NRC											
NRC - Disconnect	Automatic Line, per month										
Shared Primary Number-First Appr On Each Add1 Terminal											
Shared Primary Number-First Appr On Each Add Terminal DS1FJ TBD	INRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Shared Primary Number-First Appr On Each Add Terminal DS1FJ TBD	2 WIDE ICON DDI FEATURES										
Secondary Only Dn. (Shared/Non-Shared) First Appearance		DC4EI	TDD	TDD	TDD	TDD	TDD	TDD	TDD	TDD	TDD
Shared Secondary Only Dn-First Appr On Each Add'I Term											
Shared Non-ISDN DN											
Privacy Release											
Manual Exclusion											
Call Forwarding Variable-Voice Or Voice/Data LLNCV TBD											
Call Forwarding Variable - Data											
Call Forwarding Variable - Feature Button - Voice											
Call Forwarding Variable – Feature Button – Data LLPCD TBD TB											
Call Forwarding Busy Line – Voice Or Voice/Data LLQCV TBD											
Call Forwarding Busy Line – Data LLRCD TBD <											
Call Frwdng Busy Line—Prgrmmbl—Voice Or Voice/Data M6AVA TBD TBD TBD TBD TBD TBD TBD TB											
Call Forwarding Busy Line - Programmable - Data											
Call Forwarding Don't Answer – Voice Or Voice/Data LLSCV TBD TBD TBD TBD TBD TBD TBD TBD TBD TBD											
Call Forwarding Don't Answer – Data LLUCD TBD TBD TBD TBD TBD TBD TBD TBD TBD TB											
Call Forwarding Don't Answer-Prgrammble Voice Or Voice/Data M6BVA TBD TBD TBD TBD TBD TBD TBD TB											
Call Forwarding Don't Answer – Programmable - Data M6BDF TBD TBD TBD TBD TBD TBD TBD TBD TBD TBD											
Call Frwdng Multiple Simultaneous – Voice Or Voice/Data M6CV5 TBD TBD TBD TBD TBD TBD TBD TB											
Call Forwarding Multiple Simultaneous – Data M6CD5 TBD TBD TBD TBD TBD TBD TBD TBD TBD TBD			TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Six-Way Conference, Drop, Hold And Transfer LLY6P TBD TBD TBD TBD TBD TBD TBD TB	Call Forwarding Multiple Simultaneous – Data	M6CD5	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Multi-Line Hunt Group – Voice Or Voice/DataHTGTBD <t< td=""><td>Conference, Drop, Hold And Transfer</td><td>DS1FN</td><td>TBD</td><td>TBD</td><td>TBD</td><td>TBD</td><td>TBD</td><td>TBD</td><td>TBD</td><td>TBD</td><td>TBD</td></t<>	Conference, Drop, Hold And Transfer	DS1FN	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Multi-Line Hunt Group – Data HTGSD TBD T		LLY6P	TBD	TBD	TBD	TBD			TBD	TBD	TBD
Multi-Line Hunt Group – Data HTGSD TBD T	Multi-Line Hunt Group – Voice Or Voice/Data	HTG	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Visual Message Waiting Indicator LLAVP TBD TBD TBD TBD TBD TBD TBD TBD TBD TBD		HTGSD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
	Speed Calling	LLZSU	TBD	TBD	TBD	TBD	TBD		TBD	TBD	TBD
Audible Message Waiting Indicator MWW TBD TBD TBD TBD TBD TBD TBD TBD TBD TBD	Visual Message Waiting Indicator	LLAVP	TBD	TBD				TBD	TBD	TBD	TBD

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
Additional Call Appearance, PDN Or DN	DS1FG	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Call Tracing	NST	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Call Return	NSS	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Preferred Call Forwarding	NCE	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Call Block	NSY	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Repeat Dialing	NSQ	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Per Line Blocking For Agencies/Law Enforcement	NOB	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Per Line Blocking For Non-Pub Customers	NOBNN	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Per Line Blocking For General Public	NOBPC	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Per Line Blocking For Non-Pub, And Non-Listed Customer	NOBPP	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Per Line Blocking For Non-Pub Customers	NOBNP	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Per Line Blocking For Non-Pub Customers	NOBNR	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Call Return Denial Of, Per Activation	BCR	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Repeat Dialing, Denial Of, Per Activation	BRD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Automatic Line/Direct Connect	M6GN9	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Make Set Busy	M6MPD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Selective Call Acceptance	M6K16	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Call Park/Call Retrieve	M6HP6	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Call Transfer System Exception	M6QTD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Make Set Busy – Intragroup	M6MGD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
All Customized Code Restrictions	CREX+	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Additional Listings	CLT	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Additional Listing No Rate	FLT	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Cross Reference Listing	LLT	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Non-Pub Listing No Rate	NP3	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Non-List Listing	NLT	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Non-List Listing No Rate	NLE	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Alternate Call Listing	FNA	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Manual Service Order Charge	SOMAN	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
All Selective Class Of Call Screening	SRG++	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
ISDN Message Waiting Indication-Lamp, per month		\$0.01	NA	NA	NA	NA	\$0.0105	\$0.0107	\$0.0138	NA
NRC		\$1.03	NA	NA	NA	NA	\$1.02	\$1.47	\$1.47	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
ISDN Feature Function Buttons		NA	NA	NA	NA	NA	NA	NA		
NRC		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Subsequent Ordering Charge – (per order, per line)		NA	NA	NA	NA	NA	NA	NA		
NRC - Electronic - 1st		\$2.88	NA	NA	NA	NA	\$2.84	\$5.42	\$1.36	NA
NRC - Electronic - Add'l		\$0.96	NA	NA	NA	NA	\$0.95	\$0.95	\$0.71	NA
NRC - Manual - 1st		\$4.80	NA	NA	NA	NA	\$4.73	\$1.89	\$7.35	NA
NRC - Manual - Add'l		\$0.96	NA	NA	NA	NA	\$0.95	NA	\$0.95	NA
NRC - Disconnect		\$2.88	NA	NA	NA	NA	\$2.84	NA	NA	NA
End Office Switching (Port Usage)										
End Office Switching Function, per mou	N/A	\$0.0018	\$0.0175	\$0.0016333	\$0.002562	\$0.0021	\$0.0023771	\$0.0017000	\$0.0019295	\$0.0019
End Office Switching Function, add'l mou (5)	N/A	NA	\$0.005	NA	NA	NA	NA	NA	NA	NA
End Office Interoffice Trunk Port—Shared, per mou	N/A	\$0.0002	NA	\$0.0001564	NA	\$0.0002	\$0.0001927	NA	\$0.0002581	NA
Tandem Switching (Port Usage) (Local or Access Tandem)										
Tandem Switching Function per mou	N/A	\$0.00063	\$0.00029	\$0.0006757	\$0.001096	\$0.0008	\$0.0007834	\$0.0009	\$0.0006843	\$0.000676
Tandem Interoffice Trunk Port - Shared per mou			NA	\$0.0002126	NA	\$0.0003	\$0.0002834	NA	\$0.0004034	NA
NOTES:										
1 Port rate includes all available features.										

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
Transmission/usage charges associated with POTS circuit switched usages also apply to circuit switched voice and/or circuit switched data transmiss Channels associated with 2-wire ISDN ports.										
Access to B Channel or D Channel Packet capabilities will be avail- able through BFR/New Business Request Process. Rates for the packet cap will be determined via the Bona Fide Request/New Business Request Process.	abilities									
4 This rate element is for those states which have a specific rate for User F B Channel.	Profile per									
This rate element is for use in those states with a different rate for addition minutes of use.	onal									

	DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN
	UNBUNDLED DEDICATED TRANSPORT - Local Channel										+
	Local Channel - Dedicated - 2-Wire VG										
	Monthly Recurring per month	ULDV2	\$14.61	\$26.31	\$13.91	\$22.26	\$14.94	\$17.83	\$14.83	\$16.83	\$19.02
	NRC - 2-wire VG - 1st	ULDV2	\$494.65	\$389.37	\$382.95	\$585.15	\$347.49	\$487.62	\$553.80	\$554.00	\$199.33
	NRC - 2-wire VG -Add'l	ULDV2	\$88.44	\$66.88	\$62.40	\$98.53	\$59.75	\$84.35	\$89.69	\$88.58	\$24.16
	NRC - 2-Wire VG - Disconnect Chg - 1st	ULDV2	\$77.81	\$68.45	NA	NA	\$53.68	\$77.69	NA	NA	\$54.81
	NRC - 2-Wire VG - Disconnect Chg - Add'l	ULDV2	\$7.63	\$5.97	NA	NA	\$6.60	\$8.95	NA	NA	\$4.80
	NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA	NA	NA	\$19.99
	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
	NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA	\$0.43	NA	NA	NA	NA	NA	NA	NA
	NRC - 2-Wire VG - Incremental ChargeManual Svc Order - 1st	SOMAN	\$27.37	NA	\$18.94	\$41.46	\$18.14	\$25.50	\$42.17	\$43.75	NA
	NRC - 2-Wire VG - Incremental ChargeManual Svc Order - Add'l	SOMAN	\$18.37	NA	\$8.42	\$11.99	\$8.06	\$11.34	\$12.76	\$13.55	NA
	NRC - 2-Wire VG - Incremental ChargeManual Svc Order-Disconnect	SOMAN	\$17.75	NA	NA	NA	\$11.40	\$16.05	NA	NA	NA
	Local Channel - Dedicated - 4-Wire VG								-		-
$\vdash \vdash$	Monthly Recurring per month	ULDV4	\$15.77	\$27.48	\$14.99	\$23.38	\$16.21	\$19.03	\$15.87	\$18.05	\$20.14
+	NRC - 4-Wire VG - 1st	ULDV4	\$502.43	\$390.25	\$368.44	\$585.15	\$352.75	\$495.25	\$562.23	\$562.46	\$201.53
	NRC - 4-Wire VG - Add'l	ULDV4	\$86.68	\$67.75	\$64.05	\$98.53	\$61.33	\$86.56	\$92.67	\$91.57	\$24.83
	NRC - 4-Wire VG - Disconnect Chg - 1st	ULDV4	\$78.71	\$69.32	NA	NA	\$54.36	\$78.58	NA	NA NA	\$55.52
	NRC - 4-Wire VG - Disconnect Chg - Add'l	ULDV4	\$8.53	\$6.85	NA	NA	\$7.28	\$9.84	NA	NA	\$5.51
	NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA	NA	NA	\$19.99
	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	NA	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
	NRC - Electronic Svc Order, per LSR disconnect	SOMEC	\$3.50	\$0.43	NA	NA	NA	NA	NA	NA	NA
	NRC - 4-Wire VG - Incremental ChargeManual Svc Order - 1st	SOMAN	\$27.37	NA	\$18.94	\$41.46	\$18.14	\$25.52	\$42.17	\$43.64	NA
	NRC - 4-Wire VG - Incremental ChargeManual Svc Order - Add'l	SOMAN	\$18.73	NA	\$8.42	\$11.99	\$8.06	\$11.34	\$12.76	\$13.55	NA
	NRC - 4-Wire VG - Incremental ChargeManual Svc Order-Disconnect	SOMAN	\$17.75	NA	NA	NA	\$11.40	\$17.25	NA	NA	NA
	Local Channel - Dedicated - DS1										
	DS1 per month	ULDF1	\$35.52	\$42.98	\$38.36	\$43.80	\$43.80	\$38.91	\$35.68	\$37.20	\$40.27
	NRC - DS1 - 1st	ULDF1	\$503.57	\$357.86	\$356.15	\$538.95	\$348.56	\$494.83	\$534.48	\$534.81	\$277.35
	NRC - DS1 - Add'l	ULDF1	\$442.84	\$309.95	\$312.89	\$464.94	\$300.30	\$435.28	\$462.69	\$462.81	\$233.26
	NRC - DS1 - Disconnect Chg - 1st	ULDF1	\$46.28	\$41.46	NA	NA	\$24.15	\$46.85	NA	NA	\$33.18
	NRC - DS1 - Disconnect Chg - Add'l	ULDF1	\$32.18	\$28.51	NA	NA	\$21.31	\$33.02	NA	NA	\$22.30
	NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA	NA	NA	\$19.99
	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
	NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA	\$0.43	NA	NA	NA	NA	NA	NA	NA
	NRC - DS1 - Incremental ChargeManual Svc Order - 1st	SOMAN	\$61.95	NA	\$44.22	\$87.71	\$42.34	\$59.58	\$86.15	\$87.99	NA
	NRC - DS1 - Incremental ChargeManual Svc Order - Add'l	SOMAN	\$0.00	NA	NA	NA	NA	NA	\$1.77	\$3.11	NA
	NRC - DS1 - Incremental ChargeManual Svc Order-Disconnect	SOMAN	\$29.27	NA	NA	NA	\$19.48	\$27.40	NA	NA	NA
+	Local Channel - Dedicated - DS3	1							 	 	+
	DS3 - per mile per month	1L5NC	\$8.44	\$9.32	\$7.00	\$34.00	\$30.34	NA	NA	\$12.08	\$23.76
	DS3 - Facility Termination per month	ULDF3	\$535.92	\$560.39	\$521.54	\$635.09	\$669.01	\$533.33	\$498.87	\$493.31	\$607.28
	NRC - DS3 - Facility Termination - 1st	ULDF3	\$640.54	\$910.45	\$646.47	\$1,091	\$709.14	\$526.67	\$562.25	\$735.42	\$726.16
	NRC - DS3 - Facility Termination - Add'l	ULDF3	\$426.28	\$532.19	\$431.05	\$661.23	\$402.63	\$493.71	\$527.88	\$519.31	\$411.64
	NRC - DS3 - Facility Termination - Disconnect - 1st	ULDF3	\$121.72	\$223.20	\$123.65	NA	\$102.16	\$42.41	NA	NA	\$103.36
	NRC - DS3 - Facility Termination - Disconnect - Add'l	ULDF3	\$118.54	\$156.12	\$120.44	NA	\$99.46	\$40.87	NA	NA	\$100.59
	NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA	NA	NA	\$19.99
	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
	NRC - Electronic Svc Order, per LSR disconnect NRC - DS3 -Incremental ChargeManual Svc Order - 1st	SOMEC	NA \$38.48	\$0.43 NA	NA \$37.96	NA \$93.12	NA \$50.25	NA \$31.49	NA \$56.25	NA \$54.26	NA NA

	DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN
	NRC - DS3 - Incremental ChargeManual Svc Order - Add'l	SOMAN	\$38.48	NA	\$37.96	\$93.12	\$50.25	\$31.49	\$56.25	\$54.26	NA
+++	NRC - DS3 - Incremental ChargeManual Svc Order-Disconnect -1st	SOMAN	\$19.03	NA	\$18.23	NA	\$20.94	\$25.35	NA	NA	NA
++	NRC - DS3 - Incremental ChargeManual Svc Order-Disconnect-Add'l	SOMAN	\$19.03	NA NA	\$18.23	NA NA	\$20.94	\$25.35	NA NA	NA NA	NA NA
+++	NKC - D33 - Inclemental ChargeManual SVC Order-Disconnect-Add t	SOMAN	\$19.03	INA	φ10.23	INA	\$20.94	φ25.55	INA	INA	INA
	Local Channel - Dedicated - STS-1										
	STS-1 - per mile per month	1L5NC	\$8.44	\$9.32	\$7.00	\$34.00	\$8.77	\$38.98	NA	\$12.08	\$25.11
	STS-1 - Facility Termination per month	ULDFS	\$525.40	\$569.67	\$523.20	\$635.09	\$558.00	\$531.39	\$512.00	\$481.14	\$615.65
	NRC - STS-1 - Facility Termination - 1st	ULDFS	\$640.54	\$910.45	\$646.47	\$1,091	\$594.71	\$1,084.33	\$757.25	\$735.42	\$1,085.73
	NRC - STS-1 - Facility Termination - Add'l	ULDFS	\$426.82	\$532.19	\$431.05	\$661.23	\$396.54	\$682.13	\$534.95	\$519.31	\$683.01
	NRC - STS-1 - Facility Termination - Disconnect - 1st	ULDFS	\$121.72	\$223.20	\$123.65	NA	\$113.75	\$42.41	NA	NA	\$103.36
	NRC - STS-1 - Facility Termination - Disconnect - Add'l	ULDFS	\$118.54	\$156.12	\$120.44	NA	\$110.80	\$40.87	NA	NA	\$100.59
	NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA	NA	NA	\$19.99
	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
	NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA	\$0.43	NA	NA	NA	NA	NA	NA	NA
	NRC - STS-1 -Incremental ChargeManual Svc Order - 1st	SOMAN	\$38.48	NA	\$37.96	\$93.12	\$34.92	\$96.10	\$55.00	\$54.26	NA
	NRC - STS-1 - Incremental ChargeManual Svc Order - Add'l	SOMAN	\$38.48	NA	\$37.96	\$93.12	\$34.92	\$96.10	\$55.00	\$54.26	NA
	NRC - STS-1 - Incremental ChargeManual Svc Order-Disconnect -1st	SOMAN	\$19.03	NA	\$18.23	NA	\$16.77	\$25.35	NA	NA	NA
	NRC - STS-1 - Incremental ChargeManual Svc Order-Disconnect-Add'l	SOMAN	\$19.03	NA	\$18.23	NA	\$16.77	\$25.35	NA	NA	NA
\square	Local Channel - Dedicated - OC3										
HH	OC3 per mile per month	TBD	\$7.09	\$9.08	\$5.88	\$28.56	\$25.48	\$35.55	\$21.27	\$10.15	\$19.95
	OC3 Facility Termination per month	TBD	\$1,123	\$651.40	\$924.18	\$1,493	\$1,179	\$873.23	\$914.18	\$493.31	\$1,263
\square	NRC - OC3 - Facility Termination - 1st	TBD	\$949.63	\$974.02	\$958.02	\$1,543	\$1,025	\$1,427.00	\$1,543	\$735.42	\$1,050
\Box	NRC - OC3 - Facility Termination - Add'l	TBD	\$413.38	\$412.05	\$417.50	\$661.23	\$402.63	\$549.17	\$670.92	\$519.31	\$411.64
\Box	NRC - OC3 - Facility Termination - Disconnect Chg - 1st	TBD	\$121.72	\$112.44	\$123.65	NA	\$102.16	\$134.07	NA	NA	\$103.36
\square	NRC - OC3 - Facility Termination - Disconnect Chg - Add'l	TBD	\$118.54	\$109.19	\$120.44	NA	\$99.46	\$130.59	NA	NA	\$100.59
\square	NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA	NA	NA	\$19.99
++	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA To 50	\$3.87	NA To 50	NA Co. 50	NA To 50	NA Co. 50	NA To 50	NA Co. 50	NA Co.50
++	NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
HH	NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA COO 40	\$0.43	NA COZ.OO	NA Coo 40	NA *F0.05	NA Coo.co	NA COO.40	NA ©54.00	NA
++	NRC - OC3 - Incremental ChargeManual Svc Order - 1st	SOMAN SOMAN	\$38.48 \$38.48	NA NA	\$37.96	\$93.12 \$93.12	\$50.25	\$68.62 \$68.62	\$99.10 \$99.10	\$54.26 \$54.26	NA NA
HH	NRC - OC3 - Incremental ChargeManual Svc Order - Add'l	SOMAN	\$38.48 \$19.03	NA NA	\$37.96 \$18.23	\$93.12 NA	\$50.25 \$20.94	\$68.62	\$99.10 NA	\$54.26 NA	NA NA
++	NRC - OC3 - Incremental ChargeManual Svc Order-Disconnect-1st NRC - OC3 - Incremental ChargeManual Svc Order-Disconnect-Add'l	SOMAN	\$19.03	NA NA	\$18.23	NA NA	\$20.94	\$28.59	NA NA	NA NA	NA NA
+++	NRC - OCS - Incremental ChargeManual SVC Order-Disconnect-Add t	SOMAN	\$19.03	INA	φ10.23	INA	\$20.94	\$20.59	INA	INA	INA
+++	Local Channel - Dedicated - OC12										
H	OC12 per mile per month	TBD	\$10.13	\$11.18	\$8.40	\$40.80	\$36.40	\$50.79	\$30.38	\$14.50	\$28.51
	OC12 Facility Termination per month	TBD	\$5,630	\$2,068	\$3,220	\$4,492	\$3,895	\$3,414.00	\$3,316	\$4,414	\$7,158
	NRC - OC12 - Facility Termination - 1st	TBD	\$1,165	\$1,193	\$1,175	\$1,858	\$1,245	\$1,742.00	\$1,853	\$1,259	\$1,276
	NRC - OC12 - Facility Termination - Add'l	TBD	\$413.38	\$412.05	\$417.50	\$661.23	\$402.63	\$549.17	\$670.92	\$505.88	\$411.64
	NRC - OC12 - Facility Termination -Disconnect Chg - 1st	TBD	\$121.72	\$112.44	\$123.65	NA	\$102.16	\$134.07	NA	NA	\$103.36
	NRC - OC12 - Facility Termination - Disconnect Chg - Add'l	TBD	\$118.54	\$109.19	\$120.44	NA	\$99.46	\$130.59	NA	NA	\$100.59
	NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA	NA	NA	\$19.99
	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
	NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA	\$0.43	NA	NA	NA	NA	NA	NA	NA
	NRC - OC12 - Incremental ChargeManual Svc Order - 1st	SOMAN	\$38.48	NA	\$37.96	\$93.12	\$50.25	\$68.62	\$99.10	\$54.26	NA
	NRC - OC12 - Incremental ChargeManual Svc Order - Add'l	SOMAN	\$38.48	NA	\$37.96	\$93.12	\$50.25	\$68.62	\$99.10	\$54.26	NA
	NRC - OC12 - Incremental ChargeManual Svc Order-Disconnect-1st	SOMAN	\$19.03	NA	\$18.23	NA	\$20.94	\$28.59	NA	NA	NA
	NRC - OC12 - Incremental ChargeManual Svc Order-Disconnect-Add'l	SOMAN	\$19.03	NA	\$18.23	NA	\$20.94	\$28.59	NA	NA	NA
\Box	Local Channel - Dedicated - OC48										
Ш	OC48 per mile per month	TBD	\$33.22	\$36.67	\$27.55	\$133.84	\$119.40	\$166.59	\$99.66	\$47.57	\$93.50

	DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN
-	DC48 Facility Termination per month	TBD	\$1,947	\$1,699	\$1,689	\$2,156	\$2,311	\$1,768.00	\$1,837	\$1,842	\$1,85
	OC48 - Interface OC12 on OC48 per month	TBD	\$699.62	\$592.09	\$564.15	\$728.81	\$706.85	\$668.36	\$584.78	\$773.40	\$572.6
	<u> </u>										
	NRC - OC48 - Facility Termination - 1st	TBD	\$1,165	\$1,193	\$1,175	\$1,858	\$1,245	\$1,742.00	\$1,853	\$1,259	\$1,27
	NRC - OC48 - Facility Termination -Add'l	TBD	\$413.38	\$412.05	\$417.50	\$661.23	\$402.63	\$549.17	\$670.92	\$505.88	\$411.6
	NRC - OC48 - Interface OC12 on OC48 - 1st	TBD	\$540.10	\$547.98	\$545.24	\$844.21	\$532.13	\$729.04	\$852.47	\$635.04	\$544.
_	NRC -OC48 - Interface OC12 on OC48 -Add'l	TBD	\$317.48	\$314.49	\$320.83	\$516.89	\$304.90	\$404.94	\$528.57	\$410.02	\$311.
ᆚ	NRC - OC48 - Facility Termination - Disconnect Chg - 1st	TBD	\$121.72	\$112.44	\$123.65	NA	\$102.16	\$134.07	NA	NA	\$103
_	NRC - OC48 - Facility Termination - Disconnect Chg - Add'l	TBD	\$118.54	\$109.19	\$120.44	NA	\$99.46	\$130.59	NA	NA	\$100
4	NRC - OC48 - Interface OC12 on OC48 - Disconnect Chg - 1st	TBD	\$121.72	\$112.44	\$123.65	NA	\$102.16	\$134.07	NA	NA	\$103
4	NRC - OC48 - Interface OC12 on OC48 - Disconnect Chg - Add'l	TBD	\$118.54	\$109.19	\$120.44	NA	\$99.46	\$130.59	NA	NA	\$100
4	NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA	NA	NA	\$19.
+	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA 00.50	\$3.87	NA O 50	NA 20.50	NA O 50	NA 20.50	NA To 50	NA Oo 50	N/
+	NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77 \$0.43	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.5
+	NRC - Electronic Svc Order, per LSR disconnect		NA COD 40		NA COZ.OO	NA COO.40	NA ©50.05	NA Coo.co	NA COO 40	NA ©54.00	N/ N/
+	NRC - OC48 - Incremental ChargeManual Svc Order - 1st	SOMAN	\$38.48 \$38.48	NA NA	\$37.96 \$37.96	\$93.12 \$93.12	\$50.25 \$50.25	\$68.62 \$68.62	\$99.10 \$99.10	\$54.26 \$54.26	N/
+	NRC - OC48 - Incremental ChargeManual Svc Order - Add'l NRC - OC48 -Interface-Incremental Cost-Manual Svc. Order vs. Electronic-	SOMAN	\$38.48	NA NA	\$37.96	\$93.12	\$50.25	\$68.62	\$99.10	\$54.26 \$54.26	N/
+	NRC - OC48 -Interface-Incremental Cost-Manual Svc. Order vs. Electronic-		\$38.48	NA NA	\$37.96	\$93.12	\$50.25	\$68.62	\$99.10	\$54.26	N.
+	NRC - OC46 -Interface-incremental Cost-Manual Svc. Order vs. Electronic-	SOMAN	\$19.03	NA NA	\$18.23	Φ93.12 NA	\$20.94	\$28.59	NA	\$54.20	N.
+	NRC - OC46 - Incremental ChargeManual Svc Order-Disconnect-Add'l	SOMAN	\$19.03	NA NA	\$18.23	NA NA	\$20.94	\$28.59	NA NA	NA	N.
╫	NRC - OC48 -Interface-Incremental Cost-Manual Svc. Order vs. Electronic-		\$19.03	NA	\$18.23	NA NA	\$20.94	\$28.59	NA NA	NA NA	N
+	NRC - OC48 -Interface-Incremental Cost-Manual Svc. Order vs. Electronic-		\$19.03	NA NA	\$18.23	NA NA	\$20.94	\$28.59	NA NA	NA NA	N.
۲	THE COTO MICHAEL MICHAEL CONTINUE CONTI		ψ.σ.σσ		Ψ.σ.2σ		Ψ20:0:	Ψ20.00			
ι	JNBUNDLED DEDICATED TRANSPORT - Interoffice Channel										
	nteroffice Transport - Dedicated - 2-wire VG										
1	2-Wire VG - per mile per month	1L5XX	\$0.0339	\$0.0100	\$0.0222	\$0.0301	\$0.0384	\$0.0323	\$0.0282	\$0.0373	\$0.0
2	2-Wire VG - Facility Termination per month	U1TV2	\$18.49	\$26.72	\$17.07	\$27.66	\$19.10	\$21.33	\$18.01	\$21.42	\$18
Т	NRC - 2-wire VG - Facility Termination -1st	U1TV2	\$107.11	\$81.73	\$79.61	\$142.31	\$76.20	\$106.72	\$137.48	\$136.44	\$55
	NRC - 2-wire VG - Facility Termination - Add'l	U1TV2	\$48.27	\$55.26	\$36.08	\$56.21	\$34.54	\$48.83	\$52.58	\$51.37	\$17
	NRC - 2-wire VG -Facility Termination - Disconnect Charge -1st	U1TV2	\$37.16	\$31.26	NA	NA	\$28.03	\$38.05	NA	NA	\$27
L	NRC - 2-wire VG - Facility Termination - Disconnect Charge -Add'l	U1TV2	\$5.88	\$12.88	NA	NA	\$5.37	\$7.23	NA	NA	\$3.
L	NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA	NA	NA	
	NRC - Manual Svc Order, per LSR disconnect	SOMAN									\$19
			NA	\$3.87	NA	NA	NA	NA	NA	NA	N
Ł	NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$3.87 \$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	NA \$3.50	N. \$3.
L	NRC - Electronic Svc Order, per LSR disconnect	SOMEC SOMEC	\$3.50 NA	\$3.87 \$2.77 \$0.43	\$3.50 NA	\$3.50 NA	\$3.50 NA	\$3.50 NA	\$3.50 NA	NA \$3.50 NA	\$3. N
ļ	NRC - Electronic Svc Order, per LSR disconnect NRC - 2-wire VG - Incremental ChargeManual Svc Order - 1st	SOMEC SOMEC SOMAN	\$3.50 NA \$27.37	\$3.87 \$2.77 \$0.43 NA	\$3.50 NA \$18.94	\$3.50 NA \$37.21	\$3.50 NA \$18.14	\$3.50 NA \$25.52	\$3.50 NA \$38.07	NA \$3.50 NA \$39.63	\$3. N
_	NRC - Electronic Svc Order, per LSR disconnect NRC - 2-wire VG - Incremental ChargeManual Svc Order - 1st NRC - 2-wire VG - Incremental ChargeManual Svc Order - Add'l	SOMEC SOMAN SOMAN	\$3.50 NA \$27.37 \$27.57	\$3.87 \$2.77 \$0.43 NA NA	\$3.50 NA \$18.94 \$18.94	\$3.50 NA \$37.21 \$37.21	\$3.50 NA \$18.14 \$18.14	\$3.50 NA \$25.52 \$25.52	\$3.50 NA \$38.07 \$38.07	NA \$3.50 NA \$39.63 \$39.63	N \$3. N N
	NRC - Electronic Svc Order, per LSR disconnect NRC - 2-wire VG - Incremental ChargeManual Svc Order - 1st NRC - 2-wire VG - Incremental ChargeManual Svc Order - Add'l NRC - 2-wire VG - Incremental ChargeManual Svc Order-Disconnect1st	SOMEC SOMEC SOMAN SOMAN SOMAN	\$3.50 NA \$27.37 \$27.57 \$12.97	\$3.87 \$2.77 \$0.43 NA NA NA	\$3.50 NA \$18.94 \$18.94 NA	\$3.50 NA \$37.21 \$37.21 NA	\$3.50 NA \$18.14 \$18.14 \$8.06	\$3.50 NA \$25.52 \$25.52 \$11.34	\$3.50 NA \$38.07 \$38.07 NA	NA \$3.50 NA \$39.63 \$39.63 NA	N. \$3. N. N. N. N. N.
<u> </u>	NRC - Electronic Svc Order, per LSR disconnect NRC - 2-wire VG - Incremental ChargeManual Svc Order - 1st NRC - 2-wire VG - Incremental ChargeManual Svc Order - Add'l	SOMEC SOMAN SOMAN	\$3.50 NA \$27.37 \$27.57	\$3.87 \$2.77 \$0.43 NA NA	\$3.50 NA \$18.94 \$18.94	\$3.50 NA \$37.21 \$37.21	\$3.50 NA \$18.14 \$18.14	\$3.50 NA \$25.52 \$25.52	\$3.50 NA \$38.07 \$38.07	NA \$3.50 NA \$39.63 \$39.63	N, \$3. N, N, N,
 	NRC - Electronic Svc Order, per LSR disconnect NRC - 2-wire VG - Incremental ChargeManual Svc Order - 1st NRC - 2-wire VG - Incremental ChargeManual Svc Order - Add'l NRC - 2-wire VG - Incremental ChargeManual Svc OrderDisconnect1st NRC - 2-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd'l	SOMEC SOMEC SOMAN SOMAN SOMAN	\$3.50 NA \$27.37 \$27.57 \$12.97	\$3.87 \$2.77 \$0.43 NA NA NA	\$3.50 NA \$18.94 \$18.94 NA	\$3.50 NA \$37.21 \$37.21 NA	\$3.50 NA \$18.14 \$18.14 \$8.06	\$3.50 NA \$25.52 \$25.52 \$11.34	\$3.50 NA \$38.07 \$38.07 NA	NA \$3.50 NA \$39.63 \$39.63 NA	N. \$3. N. N. N. N. N.
	NRC - Electronic Svc Order, per LSR disconnect NRC - 2-wire VG - Incremental ChargeManual Svc Order - 1st NRC - 2-wire VG - Incremental ChargeManual Svc Order - Add'l NRC - 2-wire VG - Incremental ChargeManual Svc Order-Disconnect1st NRC - 2-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd'l nteroffice Transport - Dedicated - 4-wire VG	SOMEC SOMEC SOMAN SOMAN SOMAN SOMAN	\$3.50 NA \$27.37 \$27.57 \$12.97 \$12.97	\$3.87 \$2.77 \$0.43 NA NA NA NA	\$3.50 NA \$18.94 \$18.94 NA NA	\$3.50 NA \$37.21 \$37.21 NA NA	\$3.50 NA \$18.14 \$18.14 \$8.06 \$8.06	\$3.50 NA \$25.52 \$25.52 \$11.34 \$11.34	\$3.50 NA \$38.07 \$38.07 NA NA	NA \$3.50 NA \$39.63 \$39.63 NA NA	N. \$3. N. N. N. N. N. N. N.
4	NRC - Electronic Svc Order, per LSR disconnect NRC - 2-wire VG - Incremental ChargeManual Svc Order - 1st NRC - 2-wire VG - Incremental ChargeManual Svc Order - Add'l NRC - 2-wire VG - Incremental ChargeManual Svc Order-Disconnect1st NRC - 2-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd'l nteroffice Transport - Dedicated - 4-wire VG 4-Wire VG - per mile per month	SOMEC SOMEC SOMAN SOMAN SOMAN SOMAN	\$3.50 NA \$27.37 \$27.57 \$12.97 \$12.97	\$3.87 \$2.77 \$0.43 NA NA NA NA S0.0100	\$3.50 NA \$18.94 \$18.94 NA NA	\$3.50 NA \$37.21 \$37.21 NA NA	\$3.50 NA \$18.14 \$18.14 \$8.06 \$8.06	\$3.50 NA \$25.52 \$25.52 \$11.34 \$11.34	\$3.50 NA \$38.07 \$38.07 NA NA	NA \$3.50 NA \$39.63 \$39.63 NA NA	N. \$3. N.
4	NRC - Electronic Svc Order, per LSR disconnect NRC - 2-wire VG - Incremental ChargeManual Svc Order - 1st NRC - 2-wire VG - Incremental ChargeManual Svc Order - Add'l NRC - 2-wire VG - Incremental ChargeManual Svc Order-Disconnect1st NRC - 2-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd'l nteroffice Transport - Dedicated - 4-wire VG 4-Wire VG - per mile per month 4-Wire VG - Facility Termination per month	SOMEC SOMEC SOMAN SOMAN SOMAN SOMAN 1L5XX U1TV4	\$3.50 NA \$27.37 \$27.57 \$12.97 \$12.97 NA NA	\$3.87 \$2.77 \$0.43 NA NA NA NA S0.0100 \$23.82	\$3.50 NA \$18.94 \$18.94 NA NA NA	\$3.50 NA \$37.21 \$37.21 NA NA NA	\$3.50 NA \$18.14 \$18.14 \$8.06 \$8.06	\$3.50 NA \$25.52 \$25.52 \$11.34 \$11.34	\$3.50 NA \$38.07 \$38.07 NA NA	NA \$3.50 NA \$39.63 \$39.63 NA NA	N. \$3. N.
4	NRC - Electronic Svc Order, per LSR disconnect NRC - 2-wire VG - Incremental ChargeManual Svc Order - 1st NRC - 2-wire VG - Incremental ChargeManual Svc Order - Add'l NRC - 2-wire VG - Incremental ChargeManual Svc OrderDisconnect1st NRC - 2-wire VG - Incremental ChargeManual Svc OrderDisconnectAdd'l **NRC - 2-wire VG - Incremental ChargeManual Svc OrderDisconnectAdd'l **Interoffice Transport - Dedicated - 4-wire VG **4-Wire VG - Per mile per month	SOMEC SOMEC SOMAN SOMAN SOMAN SOMAN 1L5XX U1TV4 U1TV4	\$3.50 NA \$27.37 \$27.57 \$12.97 \$12.97 NA NA	\$3.87 \$2.77 \$0.43 NA NA NA NA S0.0100 \$23.82 \$81.73	\$3.50 NA \$18.94 \$18.94 NA NA NA	\$3.50 NA \$37.21 \$37.21 NA NA NA	\$3.50 NA \$18.14 \$18.14 \$8.06 \$8.06 NA NA	\$3.50 NA \$25.52 \$25.52 \$11.34 \$11.34 NA NA	\$3.50 NA \$38.07 \$38.07 NA NA NA	NA \$3.50 NA \$39.63 \$39.63 NA NA NA	NJ \$3. NJ NJ NJ NJ NJ NJ NJ NJ NJ NJ NJ NJ NJ
4	NRC - Electronic Svc Order, per LSR disconnect NRC - 2-wire VG - Incremental ChargeManual Svc Order - 1st NRC - 2-wire VG - Incremental ChargeManual Svc Order - Add'l NRC - 2-wire VG - Incremental ChargeManual Svc OrderDisconnect1st NRC - 2-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd'l nteroffice Transport - Dedicated - 4-wire VG 4-Wire VG - per mile per month 1-Wire VG - Facility Termination -1st NRC - 4-wire VG - Facility Termination -1st NRC - 4-wire VG - Facility Termination - Add'l	SOMEC SOMEC SOMAN SOMAN SOMAN SOMAN 1L5XX U1TV4 U1TV4 U1TV4	\$3.50 NA \$27.37 \$27.57 \$12.97 \$12.97 NA NA NA	\$3.87 \$2.77 \$0.43 NA NA NA NA S0.0100 \$23.82 \$81.73 \$55.26	\$3.50 NA \$18.94 \$18.94 NA NA NA	\$3.50 NA \$37.21 \$37.21 NA NA NA NA	\$3.50 NA \$18.14 \$18.14 \$8.06 \$8.06 NA NA NA	\$3.50 NA \$25.52 \$25.52 \$11.34 \$11.34 NA NA	\$3.50 NA \$38.07 \$38.07 NA NA NA NA NA	NA \$3.50 NA \$39.63 \$39.63 NA NA NA	N. \$3. N.
4	NRC - Electronic Svc Order, per LSR disconnect NRC - 2-wire VG - Incremental ChargeManual Svc Order - 1st NRC - 2-wire VG - Incremental ChargeManual Svc Order - Add'l NRC - 2-wire VG - Incremental ChargeManual Svc Order-Disconnect1st NRC - 2-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd'l NRC - 2-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd'l **nteroffice Transport - Dedicated - 4-wire VG 4-Wire VG - per mile per month 4-Wire VG - Facility Termination per month NRC - 4-wire VG - Facility Termination - 1st NRC - 4-wire VG - Facility Termination - Add'l NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st	SOMEC SOMEC SOMAN SOMAN SOMAN SOMAN 1L5XX U1TV4 U1TV4 U1TV4 U1TV4	\$3.50 NA \$27.37 \$27.57 \$12.97 \$12.97 NA NA NA NA	\$3.87 \$2.77 \$0.43 NA NA NA NA S0.0100 \$23.82 \$81.73 \$55.26 \$31.26	\$3.50 NA \$18.94 \$18.94 NA NA NA NA NA	\$3.50 NA \$37.21 \$37.21 NA NA NA NA	\$3.50 NA \$18.14 \$18.14 \$8.06 \$8.06 NA NA NA	\$3.50 NA \$25.52 \$25.52 \$11.34 \$11.34 NA NA NA	\$3.50 NA \$38.07 \$38.07 NA NA NA NA NA	NA \$3.50 NA \$39.63 \$39.63 NA NA NA NA	N. \$3. N.
4	NRC - Electronic Svc Order, per LSR disconnect NRC - 2-wire VG - Incremental ChargeManual Svc Order - 1st NRC - 2-wire VG - Incremental ChargeManual Svc Order - Add'l NRC - 2-wire VG - Incremental ChargeManual Svc Order-Disconnect1st NRC - 2-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd'l **NRC - 2-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd'l **Neroffice Transport - Dedicated - 4-wire VG 4-Wire VG - per mile per month 4-Wire VG - Facility Termination per month NRC - 4-wire VG - Facility Termination - 1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -Add'l	SOMEC SOMEC SOMAN SOMAN SOMAN SOMAN 1L5XX U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 U1TV4	\$3.50 NA \$27.37 \$27.57 \$12.97 \$12.97 NA NA NA NA	\$3.87 \$2.77 \$0.43 NA NA NA NA S0.0100 \$23.82 \$81.73 \$55.26 \$31.26 \$12.88	\$3.50 NA \$18.94 \$18.94 NA NA NA NA NA NA	\$3.50 NA \$37.21 \$37.21 NA NA NA NA NA NA	\$3.50 NA \$18.14 \$18.14 \$8.06 \$8.06 NA NA NA	\$3.50 NA \$25.52 \$25.52 \$11.34 \$11.34 NA NA NA	\$3.50 NA \$38.07 \$38.07 NA NA NA NA NA NA	NA \$3.50 NA \$39.63 \$39.63 NA NA NA NA NA	N., \$3. N., N., N., N., N., N., N., N., N., N.
4	NRC - Electronic Svc Order, per LSR disconnect NRC - 2-wire VG - Incremental ChargeManual Svc Order - 1st NRC - 2-wire VG - Incremental ChargeManual Svc Order - Add'l NRC - 2-wire VG - Incremental ChargeManual Svc Order-Disconnect1st NRC - 2-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd'l NRC - 2-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd'l nteroffice Transport - Dedicated - 4-wire VG 4-Wire VG - per mile per month 4-Wire VG - Facility Termination per month NRC - 4-wire VG - Facility Termination - 1st NRC - 4-wire VG - Facility Termination - Add'l NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -Add'l NRC - Manual Svc Order, per LSR	SOMEC SOMEC SOMAN SOMAN SOMAN SOMAN 1L5XX U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 SOMAN	\$3.50 NA \$27.37 \$27.57 \$12.97 \$12.97 NA NA NA NA NA	\$3.87 \$2.77 \$0.43 NA NA NA NA S0.0100 \$23.82 \$81.73 \$55.26 \$31.26 \$12.88 \$21.73	\$3.50 NA \$18.94 \$18.94 NA NA NA NA NA NA NA	\$3.50 NA \$37.21 \$37.21 NA NA NA NA NA NA NA	\$3.50 NA \$18.14 \$18.14 \$8.06 \$8.06 NA NA NA NA NA	\$3.50 NA \$25.52 \$25.52 \$11.34 \$11.34 NA NA NA NA	\$3.50 NA \$38.07 \$38.07 NA NA NA NA NA NA NA	NA \$3.50 NA \$39.63 \$39.63 NA NA NA NA NA NA	N \$3. N N N N N N N N N N N N N N N N N N N
4	NRC - Electronic Svc Order, per LSR disconnect NRC - 2-wire VG - Incremental ChargeManual Svc Order - 1st NRC - 2-wire VG - Incremental ChargeManual Svc Order - Add'l NRC - 2-wire VG - Incremental ChargeManual Svc Order - Disconnect1st NRC - 2-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd'l NRC - 2-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd'l Interoffice Transport - Dedicated - 4-wire VG 4-Wire VG - per mile per month NRC - 4-wire VG - Facility Termination -1st NRC - 4-wire VG - Facility Termination - Add'l NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -Add'l NRC - Manual Svc Order, per LSR NRC - Manual Svc Order, per LSR	SOMEC SOMEC SOMAN SOMAN SOMAN SOMAN 1L5XX U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 SOMAN SOMAN	\$3.50 NA \$27.37 \$27.57 \$12.97 \$12.97 NA NA NA NA NA	\$3.87 \$2.77 \$0.43 NA NA NA NA S0.0100 \$23.82 \$81.73 \$55.26 \$31.26 \$12.88 \$21.73 \$3.87	\$3.50 NA \$18.94 NA NA NA NA NA NA NA NA NA	\$3.50 NA \$37.21 \$37.21 NA NA NA NA NA NA NA	\$3.50 NA \$18.14 \$18.14 \$8.06 \$8.06 NA NA NA NA NA	\$3.50 NA \$25.52 \$25.52 \$11.34 \$11.34 NA NA NA NA NA	\$3.50 NA \$38.07 \$38.07 NA NA NA NA NA NA NA	NA \$3.50 NA \$39.63 \$39.63 NA NA NA NA NA NA	N. \$3. N.
4	NRC - Electronic Svc Order, per LSR disconnect NRC - 2-wire VG - Incremental ChargeManual Svc Order - 1st NRC - 2-wire VG - Incremental ChargeManual Svc Order - Add'l NRC - 2-wire VG - Incremental ChargeManual Svc OrderDisconnect1st NRC - 2-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd'l NRC - 2-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd'l nteroffice Transport - Dedicated - 4-wire VG 4-Wire VG - per mile per month 1-Wire VG - Facility Termination per month NRC - 4-wire VG - Facility Termination -1st NRC - 4-wire VG - Facility Termination - Add'l NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -Add'l NRC - Manual Svc Order, per LSR NRC - Manual Svc Order, per LSR NRC - Electronic Svc Order, per LSR	SOMEC SOMEC SOMAN SOMAN SOMAN SOMAN 1L5XX U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 SOMAN SOMAN SOMEC	\$3.50 NA \$27.37 \$27.57 \$12.97 \$12.97 NA NA NA NA NA NA	\$3.87 \$2.77 \$0.43 NA NA NA NA S0.0100 \$23.82 \$81.73 \$55.26 \$31.26 \$12.88 \$21.73 \$3.87 \$2.77	\$3.50 NA \$18.94 \$18.94 NA NA NA NA NA NA NA NA NA	\$3.50 NA \$37.21 \$37.21 NA NA NA NA NA NA NA NA	\$3.50 NA \$18.14 \$18.14 \$8.06 \$8.06 NA NA NA NA NA	\$3.50 NA \$25.52 \$25.52 \$11.34 \$11.34 NA NA NA NA NA NA	\$3.50 NA \$38.07 \$38.07 NA NA NA NA NA NA NA NA	NA \$3.50 NA \$39.63 \$39.63 NA NA NA NA NA NA NA	N, \$3.
4	NRC - Electronic Svc Order, per LSR disconnect NRC - 2-wire VG - Incremental ChargeManual Svc Order - 1st NRC - 2-wire VG - Incremental ChargeManual Svc Order - Add'l NRC - 2-wire VG - Incremental ChargeManual Svc OrderDisconnect1st NRC - 2-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd'l nteroffice Transport - Dedicated - 4-wire VG 4-Wire VG - per mile per month 1-Wire VG - Pacility Termination per month NRC - 4-wire VG - Facility Termination -1st NRC - 4-wire VG - Facility Termination - Add'l NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -Add'l NRC - Manual Svc Order, per LSR NRC - Manual Svc Order, per LSR NRC - Electronic Svc Order, per LSR NRC - Electronic Svc Order, per LSR	SOMEC SOMEC SOMAN SOMAN SOMAN 1L5XX U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 SOMAN SOMAN SOMEC SOMEC	\$3.50 NA \$27.37 \$27.57 \$12.97 \$12.97 NA NA NA NA NA NA NA NA	\$3.87 \$2.77 \$0.43 NA NA NA NA S0.0100 \$23.82 \$81.73 \$55.26 \$31.26 \$12.88 \$21.73 \$3.87 \$2.77	\$3.50 NA \$18.94 \$18.94 NA NA NA NA NA NA NA NA NA NA	\$3.50 NA \$37.21 \$37.21 NA NA NA NA NA NA NA NA NA NA	\$3.50 NA \$18.14 \$18.14 \$8.06 \$8.06 NA NA NA NA NA NA NA NA	\$3.50 NA \$25.52 \$25.52 \$11.34 \$11.34 NA NA NA NA NA NA NA	\$3.50 NA \$38.07 \$38.07 NA NA NA NA NA NA NA NA NA NA	NA \$3.50 NA \$39.63 \$39.63 NA NA NA NA NA NA NA NA NA	N, \$3. N, N, N, N, N, N, N, N, N, N, N, N, N,
4	NRC - Electronic Svc Order, per LSR disconnect NRC - 2-wire VG - Incremental ChargeManual Svc Order - 1st NRC - 2-wire VG - Incremental ChargeManual Svc Order - Add'l NRC - 2-wire VG - Incremental ChargeManual Svc OrderDisconnect1st NRC - 2-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd'l NRC - 2-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd'l nteroffice Transport - Dedicated - 4-wire VG 4-Wire VG - per mile per month 1-Wire VG - Facility Termination per month NRC - 4-wire VG - Facility Termination -1st NRC - 4-wire VG - Facility Termination - Add'l NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -Add'l NRC - Manual Svc Order, per LSR NRC - Manual Svc Order, per LSR NRC - Electronic Svc Order, per LSR	SOMEC SOMEC SOMAN SOMAN SOMAN SOMAN 1L5XX U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 SOMAN SOMAN SOMEC	\$3.50 NA \$27.37 \$27.57 \$12.97 \$12.97 NA NA NA NA NA NA	\$3.87 \$2.77 \$0.43 NA NA NA NA S0.0100 \$23.82 \$81.73 \$55.26 \$31.26 \$12.88 \$21.73 \$3.87 \$2.77	\$3.50 NA \$18.94 \$18.94 NA NA NA NA NA NA NA NA NA	\$3.50 NA \$37.21 \$37.21 NA NA NA NA NA NA NA NA	\$3.50 NA \$18.14 \$18.14 \$8.06 \$8.06 NA NA NA NA NA	\$3.50 NA \$25.52 \$25.52 \$11.34 \$11.34 NA NA NA NA NA NA	\$3.50 NA \$38.07 \$38.07 NA NA NA NA NA NA NA NA	NA \$3.50 NA \$39.63 \$39.63 NA NA NA NA NA NA NA	\$19 N/ \$3.: N/ N/ N/ N/ N/ N/ N/ N/ N/ N/ N/ N/ N/

NRC - 4-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd Interoffice Transport - Dedicated - DS0 - 56 DS0 - per mile per month DS0 - Facility Termination per month	SOMAN	NA	NA	NA	NA	NA				
DS0 - per mile per month DS0 - Facility Termination per month						INA	NA	NA	NA	NA
DS0 - Facility Termination per month										+
DS0 - Facility Termination per month										1
	1L5XX	\$0.0339	\$0.0100	\$0.0222	\$0.0301	\$0.0384	\$0.0323	\$0.0282	\$0.0373	\$0.17
NDO BOO E W T	U1TD5	\$17.81	\$19.46	\$16.45	\$26.95	\$18.37	\$20.64	\$17.40	\$20.71	\$17.
NRC - DS0 - Facility Termination - 1st	U1TD5	\$107.11	\$81.74	\$79.61	\$142.31	\$76.20	\$106.72	\$137.48	\$136.44	\$55.
NRC - DS0 - Facility Termination - Add'l	U1TD5	\$48.27	\$55.26	\$36.08	\$56.21	\$34.54	\$48.83	\$52.58	\$51.37	\$17.
NRC - DS0 -Facility Termination - Disconnect Charge - 1st	U1TD5	\$37.16	\$31.26	NA	NA	\$28.03	\$38.05	NA	NA	\$27
NRC - DS0 - Facility Termination - Disconnect Charge - Add'l	U1TD5	\$5.88	\$12.88	NA	NA	\$5.37	\$7.23	NA	NA	\$3.
NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA	NA	NA	\$19
NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA	NA	NA	NA	NA	NA	N
NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3
NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA	\$0.43	NA	NA	NA	NA	NA	NA	N
NRC - DS0 -Incremental ChargeManual Svc Order - 1st	SOMAN	\$27.37	NA	\$18.94	\$37.21	\$18.14	\$25.52	\$38.07	\$39.63	N
NRC -DS0 - Incremental ChargeManual Svc Order - Add'l	SOMAN	\$27.37	NA	\$18.94	\$37.21	\$18.14	\$25.52	\$38.07	\$39.63	N
NRC - DS0 -Incremental ChargeManual Svc Order-Disconnect1st	SOMAN	\$12.97	NA	NA	NA	\$8.06	\$11.34	NA	NA	N
NRC - DS0 -Incremental ChargeManual Svc Order-Disconnect—Add'l	SOMAN	\$12.97	NA	NA	NA	\$8.06	\$11.34	NA	NA	N
		V 1 = 1 V 1				40.00	******			†
Interoffice Transport - Dedicated -64 KBPS			1					1		†
DS0 - per mile per month	1L5XX	\$0.0339	\$0.0100	\$0.0222	\$0.0301	\$0.0384	\$0.0323	\$0.0282	\$0.0373	\$0.
DS0 - Facility Termination per month	U1TD6	\$17.81	\$19.46	\$16.45	\$26.95	\$18.37	\$20.64	\$17.40	\$20.71	\$1
NRC - DS0 - Facility Termination - 1st	U1TD6	\$107.11	\$81.74	\$79.61	\$142.31	\$76.20	\$106.72	\$137.48	\$136.44	\$5
NRC - DS0 - Facility Termination - Add'l	U1TD6	\$48.27	\$55.26	\$36.08	\$56.21	\$34.54	\$48.83	\$52.58	\$51.37	\$1
NRC - DS0 - Facility Termination - Disconnect Charge - 1st	U1TD6	\$37.16	\$31.26	NA	NA	\$28.03	\$38.05	NA	NA	\$2
NRC - DS0 - Facility Termination - Disconnect Charge - 1st	U1TD6	\$5.88	\$12.88	NA NA	NA NA	\$5.37	\$7.23	NA NA	NA NA	\$3
NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA NA	\$19.99	NA	NA	NA NA	NA NA	\$1
NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA NA	NA	NA NA	NA	NA NA	NA NA	۱۳
NRC - Martidal Svc Order, per LSR disconnect	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3
NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA	\$0.43	NA	NA	NA	NA	NA	NA	1
NRC - DS0 -Incremental ChargeManual Svc Order - 1st	SOMAN	\$27.37	- \$0.43 NA	\$18.94	\$37.21	\$18.14	\$25.52	\$38.07	\$39.63	
NRC - DS0 - Incremental ChargeManual Svc Order - 1st	SOMAN	\$27.37	NA NA	\$18.94	\$37.21	\$18.14	\$25.52	\$38.07	\$39.63	+ 1
NRC - DS0 - Incremental ChargeManual Svc Order - Add i NRC - DS0 - Incremental ChargeManual Svc Order-Disconnect1st	SOMAN		NA NA	NA	νA		\$11.34	\$30.07 NA	\$39.63 NA	<u> </u>
NRC - DS0 -Incremental ChargeManual Svc Order-Disconnect—1st NRC - DS0 -Incremental ChargeManual Svc Order-Disconnect—Add'l	SOMAN	\$12.97 \$12.97	NA NA	NA NA	NA NA	\$8.06 \$8.06	\$11.34	NA NA	NA NA	
NRC - D50 -Incremental ChargeManual Svc Order-Disconnect—Add I	SOMAIN	\$12.97	INA	NA	NA	\$8.06	\$11.34	INA	INA	<u> </u>
Intereffice Transport Dedicated DC4										+
Interoffice Transport - Dedicated - DS1	41.577	ድር ርርርር	©0.000 E	#0.2000	© 0.4500	¢0.7004	ድ ስ ርድስስ	₾ 0.0700	₾0.7500	<u>Φ</u> Ω
DS1 - per mile per month	1L5XX	\$0.6920	\$0.2035	\$0.3068	\$0.4500	\$0.7831	\$0.6598	\$0.0783	\$0.7598	\$0.
DS1 - Facility Termination per month	U1TF1	\$79.69	\$93.31	\$63.39	\$55.05	\$93.40	\$74.40	\$71.29	\$94.98	\$7
NRC - DS1-Facility Termination - 1st	U1TF1	\$198.15	\$179.99	\$147.07	\$298.18	\$140.49	\$196.28	\$217.17	\$216.27	\$14
NRC - DS1 - Facility Termination - Add'l	U1TF1	\$148.18	\$164.95	\$111.75	\$231.23	\$106.69	\$147.31	\$163.75	\$162.70	\$10
NRC - DS1 - Facility Termination - Disconnect Charge - 1st	U1TF1	\$25.44	\$30.54	NA	NA	\$20.00	\$26.56	NA	NA	\$1
NRC - DS1 - Facility Termination -Disconnect Charge - Add'l	U1TF1	\$20.42	\$26.97	NA	NA	\$16.34	\$21.61	NA	NA	\$1
NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA	NA	NA	\$1
NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA 20.50	\$3.87	NA To 50	NA 20.50	NA To 50	NA To 50	NA To 50	NA 00.50	1
NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3
NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA	\$0.43	NA	NA	NA	NA	NA	NA	١
NRC - DS1 - Incremental ChargeManual Svc Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$38.07	\$39.63	١
NRC -DS1 - Incremental ChargeManual Svc Order - Add'l	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$38.07	\$39.63	1
NRC - DS1 - Incremental ChargeManual Svc Order-Disconnect1st	SOMAN	\$12.97	NA	NA	NA	\$8.06	\$11.31	NA	NA	١
NRC - DS1 - Incremental ChargeManual Svc Order-Disconnect—Add'l	SOMAN	\$12.97	NA	NA	NA	\$8.06	\$11.34	NA	NA	1
Interoffice Transport - Dedicated - DS3										Ţ
DS3 - per mile per month	1L5XX	\$4.98	\$4.25	\$2.75	\$12.62	\$6.78	\$15.02	\$12.98	\$8.13	\$5
DS3 -Facility Termination per month NRC - DS3 - Facility Termination -1st	U1TF3	\$898.15 \$511.77	\$1,130 \$562.06	\$796.59 \$516.67	\$1,204 \$946.23	\$1,025.00	\$744.38 \$686.74	\$720.38 \$794.94	\$967.70 \$606.72	\$76 \$62

	NRC - DS3 - Facility Termination - Add'I NRC - DS3 - Facility Termination - Disconnect Charge - 1st NRC - DS3 - Facility Termination - Disconnect Charge - Add'I	U1TF3									
	NRC - DS3 - Facility Termination - Disconnect Charge - 1st NRC - DS3 - Facility Termination - Disconnect Charge - Add'l		\$330.92	\$328.16	\$334.38	\$516.89	\$307.62	\$477.76	\$579.55	\$423.45	\$311.39
	NRC - DS3 - Facility Termination - Disconnect Charge - Add'l	U1TF3	\$121.72	\$112.44	\$123.65	NA NA	\$113.75	\$125.56	NA NA	NA NA	\$103.36
		U1TF3	\$118.54	\$109.19	\$120.44	NA	\$110.80	\$118.79	NA	NA	\$100.59
	NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA	NA	NA	\$19.99
	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
	NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA	\$0.43	NA	NA	NA	NA	NA	NA	NA
	NRC - DS3 - Incremental ChargeManual Svc Order - 1st	SOMAN	\$38.48	NA	\$37.96	\$93.12	\$50.25	\$64.97	\$91.26	\$54.26	NA
	NRC - DS3 - Incremental ChargeManual Svc Order - Add'l	SOMAN	\$38.48	NA	\$37.96	\$93.12	\$50.25	\$64.97	\$91.26	\$54.26	NA
	NRC - DS3 - Incremental ChargeManual Svc Order-Disconnect1st	SOMAN	\$19.03	NA	\$18.23	NA	\$20.94	\$27.08	NA	NA	NA
	NRC - DS3 - Incremental ChargeManual Svc Order-Disconnect—Add'l	SOMAN	\$19.03	NA	\$18.23	NA	\$20.94	\$27.08	NA	NA	NA
	tone Wine Transport De Books J. OTO 4										
	nteroffice Transport - Dedicated - STS-1 TS-1 - per mile per month	1L5XX	\$4.98	\$4.25	\$2.75	\$12.62	\$6.78	\$13.48	\$6.29	\$8.13	\$6.88
	TS-1 - per finite per frioritif	U1TFS	\$895.41	\$1,114	\$792.17	\$1,204	\$1.000.00	\$692.52	\$800.94	\$967.58	\$838.65
H 3	NRC - STS-1 - Facility Termination -1st	U1TFS	\$511.77	\$562.06	\$516.67	\$946.23	\$475.31	\$858.15	\$624.86	\$606.72	\$858.26
+++	NRC - STS-1 - Facility Termination - Add'l	U1TFS	\$330.92	\$328.16	\$454.82	\$516.89	\$307.62	\$524.58	\$436.36	\$423.45	\$525.25
+++	NRC - STS-1 - Facility Termination - Add1 NRC - STS-1 - Facility Termination - Disconnect Charge - 1st	U1TFS	\$121.72	\$112.44	\$123.65	NA	\$113.75	\$125.56	NA	NA	\$103.36
+++	NRC - STS-1 - Facility Termination - Disconnect Charge - Add'l	U1TFS	\$118.54	\$109.19	\$120.44	NA NA	\$110.80	\$118.79	NA	NA	\$100.59
+++	NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA	NA	NA	\$19.99
	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA NA	NA	NA	NA NA	NA.	NA	NA
+++	NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
\Box	NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA	\$0.43	NA	NA	NA	NA	NA	NA	NA
\Box	NRC - STS-1 - Incremental ChargeManual Svc Order - 1st	SOMAN	\$38.48	NA	\$37.96	\$93.12	\$50.25	\$94.50	\$55.00	\$54.26	NA
	NRC - STS-1 - Incremental ChargeManual Svc Order - Add'l	SOMAN	\$38.48	NA.	\$37.96	\$93.12	\$50.25	\$94.50	\$55.00	\$54.26	NA
	NRC - DS3 - Incremental ChargeManual Svc Order-Disconnect1st	SOMAN	\$19.03	NA	\$18.23	NA	\$20.94	\$27.08	NA	NA	NA
	NRC - DS3 - Incremental ChargeManual Svc Order-Disconnect—Add'l	SOMAN	\$19.03	NA	\$18.23	NA	\$20.94	\$27.08	NA	NA	NA
 	nteroffice Transport - Dedicated - OC3										
	C3 -per mile per month	1L5XX	\$7.35	\$8.38	\$4.42	\$28.56	\$23.89	\$18.35	\$14.10	\$9.75	\$13.45
	C3 -Facility Termination per month	TBD	\$2,475	\$3,043	\$2,211	\$1,493.00	\$2,990	\$1,892.00	\$2,071	\$2,802	\$2,124
HH	NRC - OC-3 - Facility Termination - 1st	TBD	\$820.85	\$876.46	\$828.22	\$1,543.00	\$927.35	\$1,283.00	\$1,381	\$915.64	\$950.10
+++	NRC - OC-3 - Facility Termination - Add'l	TBD	\$317.48	\$314.49	\$320.83	\$661.23	\$304.90	\$404.94	\$509.93	\$410.02	\$311.39
+++	NRC - OC-3 - Facility Termination - Disconnect Charge - 1st	TBD	\$121.72	\$112.44	\$123.65	NA	\$102.16	\$134.07	NA	NA NA	\$103.36
+++	NRC - OC-3 - Facility Termination - Disconnect Charge - Add'l	TBD	\$118.54	\$109.19	\$120.44	NA.	\$99.46	\$130.59	NA.	NA	\$100.59
+++	NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA	NA	NA	\$19.99
	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
	NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA	\$0.43	NA	NA	NA	NA	NA	NA	NA
	NRC - OC3 - Incremental Cost - Manual Svc Order vs. Electronic-1st	SOMAN	\$38.48	NA	\$37.96	\$93.12	\$50.25	\$68.62	\$94.77	\$54.26	NA
	NRC - OC3 - Incremental Cost - Manual Svc Order vs. Electronic-Add'l	SOMAN	\$38.48	NA	\$37.96	\$93.12	\$50.25	\$68.62	\$94.77	\$54.26	NA
	NRC - OC3 - Incremental Cost - Manual Svc Order vs. Electronic-Disconnect-	SOMAN	\$19.03	NA	\$18.23	NA	\$20.94	\$28.59	NA	NA	NA
	NRC - OC3 - Incremental Cost - Manual Svc Order vs. Electronic-Disconnect-	SOMAN	\$19.03	NA	\$18.23	NA	\$20.94	\$28.59	NA	NA	NA
 	stavelfice Transport Dedicated 0042										
	nteroffice Transport - Dedicated - OC12	1L5XX	£10.00	\$2C 04	¢45 04	\$04.00	\$74.44	\$60.42	#20.20	¢20.50	£40.00
	IC12 -per mile per month IC12 -Facility Termination	TBD	\$19.26 \$9,763	\$26.91	\$15.21	\$84.88	\$74.44 \$11,517		\$30.38	\$32.52 \$11,132	\$49.80 \$8,015
HH^0	NRC - OC12- Facility Termination - 1st	TBD	\$9,763	\$11,685 \$1,095	\$8,291 \$1,045	\$12,344 \$1,713	\$11,517	\$7,182.00 \$1,598.00	\$2,122 \$1,722	\$11,132	\$8,015
+++	NRC - OC12- Facility Termination - 1st NRC - OC12- Facility Termination - Add'l	TBD	\$1,036	\$314.49	\$320.83	\$1,713	\$1,147	\$404.94	\$542.73	\$410.02	\$311.39
++	NRC - OC12 - Facility Termination - Add 1 NRC - OC12 - Facility Termination - Disconnect Chg - 1st	TBD	\$17.48	\$112.44	\$123.65	NA	\$102.16	\$404.94 \$134.07	\$131.65	\$410.02 NA	\$103.36
++	NRC - OC12 - Facility Termination - Disconnect Crig - 1st NRC - OC12 - Facility Termination - Disconnect Crig - Add'l	TBD	\$121.72	\$109.19	\$120.44	NA NA	\$99.46	\$134.07	\$128.19	NA NA	\$100.59
++	NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA	NA	NA NA	\$100.39
++	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA NA	NA	NA	NA NA	NA	NA	NA
+++	NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50

	DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN
	NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA	\$0.43	NA	NA	NA	NA	NA	NA	NA
H	NRC - OC12 - Incremental Cost - Manual Svc Order vs. Electronic-1st	SOMAN	\$38.48	NA	\$37.96	\$93.12	\$50.25	\$68.62	\$69.34	\$54.26	NA
H	NRC - OC12 - Incremental Cost - Manual Svc Order vs. Electronic-Add'l	SOMAN	\$38.48	NA	\$37.96	\$93.12	\$50.25	\$68.62	\$69.34	\$54.26	NA
	NRC - OC12 - Incremental Cost - Manual Svc Order vs. Elect-Disconnect-1st		\$19.03	NA	\$18.23	NA	\$20.94	\$28.59	\$29.76	NA	NA
	NRC - OC12 - Incremental Cost - Manual Svc Order vs. Elect-Disconnect-Add	SOMAN	\$19.03	NA	\$18.23	NA	\$20.94	\$28.59	\$29.76	NA	NA
	Interoffice Transport - Dedicated - OC48										
	OC48 -per mile per month	1L5XX	\$30.65	\$34.66	\$25.98	\$138.02	\$128.59	\$102.43	\$120.02	\$45.92	\$106.55
	OC48 -Facility Termination per month	TBD	\$11,691	\$12,554	\$11,255	\$16,017	\$14,950	\$11,480.00	\$1,677	\$967.58	\$11,632
	OC48 -per Interface OC12 on OC48 per month	TBD	\$1,424	\$1,208	\$1,149	\$1,497	\$1,451	\$1,351.00	\$582.66	\$1,561	\$1,170
	NRC - OC48 - Facility Termination - 1st	TBD	\$1,036	\$1,095	\$1,045	\$1,713	\$1,147	\$1,598.00	\$1,722	\$1,131	\$1,176
	NRC - OC48 - Facility Termination - Add'l	TBD	\$317.48	\$314.49	\$320.83	\$516.89	\$304.90	\$404.94	\$542.73	\$410.02	\$311.39
	NRC - OC48 - Interface OC12 on OC48 - 1st	TBD	\$540.10	\$547.98	\$545.24	\$844.21	\$532.13	\$729.04	\$720.81	\$635.04	\$544.55
	NRC - OC48 - Interface OC12 on OC48 - Add'l	TBD	\$317.48	\$314.49	\$320.83	\$516.89	\$304.90	\$404.94	\$400.38	\$410.02	\$311.39
$\sqcup \sqcup$	NRC - OC48 - Facility Termination - Disconnect Chg - 1st	TBD	\$121.72	\$112.44	\$123.65	NA	\$102.16	\$134.07	\$131.65	NA	\$103.36
	NRC - OC48 - Facility Termination - Disconnect Chg - Add'l	TBD	\$118.54	\$109.19	\$120.44	NA	\$99.46	\$130.59	\$128.19	NA	\$100.59
\vdash	NRC - OC48 - Interface OC12 on OC48 - Disconnect - 1st	TBD	\$121.72	\$112.44	\$123.65	NA	\$102.16	\$134.07	\$131.65	NA	\$103.36
	NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'l	TBD	\$118.54	\$109.19	\$120.44	NA	\$99.46	\$130.59	\$128.19	NA	\$100.59
\vdash	NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA	NA	NA	\$19.99
\vdash	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA 20.50	\$3.87	NA To 50	NA 20.50	NA no so	NA 20.50	NA To 50	NA To 50	NA On 50
HH	NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
\square	NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA 1000 400	\$0.43	NA	NA 100 40	NA	NA	NA 1000 0.4	NA	NA
-	NRC - OC48 - Incremental Cost - Manual Svc. Order vs. Electronic-1st	SOMAN	\$38.48	NA	\$37.96	\$93.12	\$50.25	\$68.62	\$69.34	\$54.26	NA
++	NRC - OC48 - Incremental Cost - Manual Svc. Order vs. Electronic-Add'l	SOMAN	\$38.48	NA	\$37.96	\$93.12	\$50.25	\$68.62	\$69.34	\$54.26	NA
++			\$38.48	NA	\$37.96	\$93.12	\$50.25	\$68.62	\$69.34	\$54.26	NA
++			\$38.48	NA	\$37.96	\$93.12	\$50.25	\$68.62	\$69.34	\$54.26	NA NA
++	NRC - OC48 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1s		\$19.03	NA	\$18.23	NA	\$20.94	\$28.59	\$29.76	NA	NA NA
\vdash	NRC - OC48 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Ad		\$19.03	NA	\$18.23	NA	\$20.94	\$28.59	\$29.76	NA	
++-	NRC - OC48-Interface-Incremental Cost-Manual Svc. Order vs. Elec-Disconn		\$19.03	NA NA	\$18.23	NA NA	\$20.94	\$28.59	\$29.76	NA NA	NA NA
++	NRC - OC48-Interface-Incremental Cost-Manual Svc. Order vs. Elec-Disconn	SOMAN	\$19.03	NA	\$18.23	NA	\$20.94	\$28.59	\$29.76	NA	INA
++-	UNBUNDLED CHANNELIZATION										
++	DS3 Channelization (DS3 to DS1)										
++-	per Channelized System (28 DS1) per month	MQ3	\$225.36	\$222.61	\$184.02	\$236.32	\$245.84	\$229.30	\$226.81	\$200.01	\$222.98
++-	NRC - 1st	MQ3	\$265.87	\$359.20	\$268.81	\$425.41	\$259.76	\$356.80	\$351.95	\$321.54	\$265.08
++-	NRC - Add'l	MQ3	\$188.51	\$299.24	\$190.84	\$303.33	\$182.64	\$247.40	\$243.76	\$234.30	\$185.94
++-	NRC -1st - Disconnect	MQ3	\$71.76	\$189.04	\$73.29	NA	\$60.96	\$79.94	\$77.90	NA	\$61.09
++	NRC -Add'l - Disconnect	MQ3	\$52.03	\$186.37	\$60.61	NA	\$50.46	\$65.20	\$63.32	NA NA	\$50.31
++	per Interface per month (COCI)	UC1D1	\$17.22	\$14.51	\$11.14	\$8.52	\$7.55	\$5.58	\$4.61	\$11.99	\$3.91
H + H	NRC - 1st	UC1D1	\$12.05	\$13.26	\$12.15	\$15.86	\$12.29	\$15.85	\$15.76	\$12.05	\$12.61
H	NRC - Add'l	UC1D1	\$8.69	\$9.50	\$8.76	\$11.36	\$8.80	\$11.35	\$11.28	\$8.68	\$9.03
H	NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA	NA	NA	\$19.99
H	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
	NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA	\$0.43	NA	NA	NA	NA	NA	NA	NA
	Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -1st	SOMAN	\$15.61	NA	\$14.91	\$41.47	\$19.74	\$26.95	\$28.13	\$25.59	\$21.71
	Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -Add'l	SOMAN	\$7.39	NA	\$6.63	\$11.99	\$8.77	\$11.98	\$13.33	\$8.92	\$10.46
	Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - 1st	SOMAN	\$11.67	NA	\$10.82	NA	\$12.43	\$16.97	\$18.26	NA	\$14.21
ПТ	Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - Add'l	SOMAN	\$0.9469	NA	NA	NA	NA	NA	\$1.48	NA	\$1.46
	DS1 Channelization (DS1 to DS0)										
	per Channelized System (24 DS0) per month	MQ1	\$136.82	\$154.74	\$127.60	\$200.01	\$209.87	\$146.87	\$177.72	\$147.51	\$165.21
П	NRC - 1st	MQ1	\$197.98	\$183.57	\$200.38	\$302.82	\$193.63	\$271.52	\$267.19	\$220.89	\$197.21
	NRC - Add'l	MQ1	\$123.12	\$126.16	\$124.93	\$184.20	\$118.37	\$164.56	\$161.43	\$137.15	\$119.99
	NRC -1sr - Disconnect	MQ1	\$30.18	\$19.68	\$31.37	NA	\$26.44	\$36.38	\$34.55	NA	\$25.66

	DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN
	NRC -Add'l - Disconnect	MQ1	\$18.86	\$18.29	\$19.97	NA	\$16.83	\$11.98	\$21.14	NA	\$15.81
	- Interface (COCI)		Ţ	* · · · · ·	*		V	*******	*		¥10101
+	per OCU-DP(data) card per month (2.4-64kbs)	1D1DD	\$1.66	\$2.22	\$1.88	\$2.94	\$3.12	\$2.86	\$2.88	\$2.34	\$2.46
	NRC - 1st	1D1DD	\$12.05	\$13.26	\$12.15	\$15.86	\$12.29	\$15.85	\$15.76	\$12.05	\$12.61
	NRC - Add'l	1D1DD	\$8.69	\$9.50	\$8.76	\$11.36	\$8.80	\$11.35	\$11.28	\$8.68	\$9.03
+	per BRITE card per month	UC1CA	\$3.41	\$3.86	\$3.41	\$4.04	\$4.18	\$3.88	\$3.76	\$4.21	\$3.33
H			40	40.00	40111		*****	40.00	70	¥	40.00
	NRC - 1st	UC1CA	\$12.05	\$13.26	\$12.15	\$15.86	\$12.29	\$15.85	\$15.76	\$12.05	\$12.61
	NRC - Add'l	UC1CA	\$8.69	\$9.50	\$8.76	\$11.36	\$8.80	\$11.35	\$11.28	\$8.68	\$9.03
	per VG card per month (DS0)	1D1VG	\$0.8586	\$1.46	\$1.18	\$1.40	\$1.62	\$1.45	\$1.64	\$1.47	\$1.25
	NRC - 1st	1D1VG	\$12.05	\$13.26	\$12.15	\$15.86	\$12.29	\$15.85	\$15.76	\$12.05	\$12.61
	NRC - Add'l	1D1VG	\$8.69	\$9.50	\$8.76	\$11.36	\$8.80	\$11.35	\$11.28	\$8.68	\$9.03
	NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA	NA	NA	\$19.99
	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
	NRC - Electronic Svc Order, per LSR disconnect	SOMAN	NA	\$0.43	NA	NA	NA	NA	NA	NA	NA
	Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -1st	SOMAN	\$15.61	NA	\$14.91	\$41.47	\$19.74	\$26.95	\$28.13	\$25.59	\$25.66
	Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -Add'l	SOMAN	\$7.39	NA	\$6.63	\$11.99	\$8.77	\$11.98	\$13.33	\$8.92	\$15.81
	Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - 1st	SOMAN	\$11.67	NA	\$10.82	NA	\$12.43	\$16.97	\$18.26	NA	\$14.21
	Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - Add'l	SOMAN	\$0.9469	NA	NA	NA	NA	NA	\$1.48	NA	\$1.46
+++	UNBUNDLED DARK FIBER										
++	Dark Fiber - Interoffice (four fiber strands) per route mile or fraction thereof, per mo	1L5DF	\$25.80	\$29.28	\$24.96	\$31.95	\$32.28	\$33.93	\$29.86	\$36.75	\$28.60
++	NRC - Per each four-fiber dark fiber arrangement - 1st	UDF14	\$1.739.00	\$1.289	\$1.737.00	\$1,741.00				\$1.747.00	
++	NRC - Per each four-fiber dark fiber arrangement - Add'l	UDF14	\$563.09	\$277.98	\$562.39	\$563.75	\$565.20	\$563.79	\$562.82	\$565.53	\$564.08
++	NRC - Per each lour-liber dark liber arrangement - Add 1	UDF14	NA	\$592.25	Ψ362.39 NA	\$363.75 NA	λ303.20 NA	NA	NA	, ф363.33 NA	\$304.06 NA
++	NRC -DisconnectAdd'l	UDF14	NA NA	\$369.22	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+++	NAC -DisconnectAdd t	UDF 14	INA	\$309.22	INA	INA	INA	INA	INA	INA	INA
	Dark Fiber - Local Channel(four fiber strands) per route mile or fraction thereof, per	1L5DC	\$70.82	\$59.03	\$54.63	\$49.07	\$64.72	\$71.55	\$56.47	\$100.37	\$60.06
	NRC - Per each four-fiber dark fiber arrangement - 1st	UDFC4	\$1,739.00	\$1,289	\$1,737.00	\$1,741.00	\$1,746.00	\$1,741.00	\$1,738.00	\$1,747.00	\$1,742.00
	NRC - Per each four-fiber dark fiber arrangement - Add'l	UDFC4	\$563.09	\$277.98	\$562.39	\$563.75	\$565.20	\$563.79	\$562.82	\$565.53	\$564.08
	NRC -Disconnect1st	UDFC4	NA	\$592.25	NA	NA	NA	NA	NA	NA	NA
	NRC -DisconnectAdd'l	UDFC4	NA	\$369.22	NA	NA	NA	NA	NA	NA	NA
	Dark Fiber - Local Loop (four fiber strands) per route mile or fraction thereof, per m	1L5DL	\$70.82	\$59.03	\$54.63	\$49.07	\$64.72	\$71.55	\$56.47	\$100.37	\$60.06
	NRC - Per each four-fiber dark fiber arrangement - 1st	UDFL4	\$1,739.00	\$1,289	\$1,737.00	\$1,741.00			\$1,738.00		
	NRC - Per each four-fiber dark fiber arrangement - Add'l	UDFL4	\$563.09	\$277.98	\$562.39	\$563.75	\$565.20	\$563.79	\$562.82	\$565.53	\$564.08
	NRC -Disconnect1st	UDFL4	NA	\$592.25	NA	NA	NA	NA	NA	NA	NA
	NRC -DisconnectAdd'l	UDFL4	NA	\$369.22	NA	NA	NA	NA	NA	NA	NA

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
JNBUNDLED LOOP COMBINATIONS										
Jnbundled Loop/Port Combinations (Note 4)										
MARKET RATES (INCLUDING ALL VERTICAL FEATURES) (Note 1)										
Density Zone 1 / Top 8 MSAs in BellSouth Region			Orlando, Ft. Lauderdale, Miami	Atlanta		New Orleans		Greensboro- Winston Salem- Highpoint/ Charlotte- Gastonia-Rock Hill		Nashville
Customers with 4 or more DS0 Equivalent										
Currently Combined (Note2)										
2-Wire Voice Grade Loop with 2-Wire Line Port (Res. and Bus.)										
2-Wire Voice Grade Line Port (Res.), per month										
2- wire voice unbundled port - residence	UEPRL	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
2-wire voice unbundled port with caller ID - residence	UEPRC	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
2-wire voice unbundled port outgoing only - residence	UEPRO	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
2-wire voice unbundled area plus port with caller ID - residence	UEPRM	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
2-wire voice unbundled Florida area calling with caller ID - residence	UEPAF	NA	\$14.00	NA	NA	NA	NA	NA	NA	NA
2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL)	UEPAG	NA	NA	NA	NA	\$14.00	NA	NA	NA	NA
2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7)	UEPAH	NA	NA	NA	NA	\$14.00	NA	NA	NA	NA
2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence	UEDAI	l			l			1		
(LW8)	UEPAJ	NA	NA	NA	NA	NA	NA	NA	NA	NA
Outline with well-of Terrore Area O. III. 1911 O. II. ID. 1911 (TOD)	LIEDAY			N/ A			A 1 A	l NA	NIA	044.00
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R)	UEPAK	NA	NA	NA	NA	NA	NA	NA	NA	\$14.00
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence	LIEDAL									044.00
(TACER)	UEPAL	NA	NA	NA	NA	NA	NA	NA	NA	\$14.00
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence	LIEDANA									04400
(TACSR) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence	UEPAM	NA	NA	NA	NA	NA	NA	NA	NA	\$14.00
(1MF2X)	UEPAN	NA	NA	NA	NA	NA	NA	NA	NA	\$14.00
(TMF2X)	UEPAN	NA	NA NA	NA	NA	NA	NA	NA	INA	\$14.00
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR)	UEPAO	NA	NA	NA	NA	NA	NA	NA	NA	\$14.00
2-wire voice unburided Terrinessee Area Carring port with Caller ID - Tesiderice (2MR) 2-wire voice unbundled res, low usage line port with Caller ID (LUM)	UEPAD	NA NA	\$14.00	\$14.00	NA NA	\$14.00	NA NA	\$14.00	NA NA	\$14.00 \$14.00
2-Wire Voice Grade Line Port (Bus.), per month	UEPAP	INA	\$14.00	\$14.00	INA	\$14.00	INA	\$14.00	INA	\$14.00
2-wire voice grade Line For (Bus.), per month 2-wire voice unbundled port without Caller ID	UEPBL	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
2-wire voice unbundled port without Caller ID 2-wire voice unbundled port with unbundled port with Caller+E484 ID	UEPBC	NA NA	\$14.00	\$14.00 \$14.00	NA NA	\$14.00	NA NA	\$14.00	NA NA	\$14.00 \$14.00
2-wire voice unburidied port with dribdhaled port with Caller+E464 ID	UEPBO	NA NA	\$14.00	\$14.00	NA NA	\$14.00	NA NA	\$14.00	NA NA	\$14.00
2-wire voice unburidled outgoing only port 2-wire voice unbundled area plus port with Caller ID	UEPBM	NA NA	\$14.00	\$14.00	NA NA	\$14.00	NA	\$14.00	NA NA	\$14.00
2-wire voice unburidled area pids port with Caller ID 2-wire voice unbundled incoming only port with Caller ID	UEPB1	NA NA	\$14.00	\$14.00	NA NA	\$14.00	NA NA	\$14.00	NA NA	\$14.00
2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC)	UEPAA	NA NA	NA	NA	NA NA	\$14.00	NA NA	NA	NA NA	NA
2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB)	UEPAB	NA.	NA NA	NA	NA.	NA	NA	NA NA	NA	NA NA
			1		1			1		
2-wire voice unbundled TN Bus 2-Way Area Calling Port Economy Option (TACC1)	UEPAC	NA	NA	NA	NA	NA	NA	NA	NA	\$14.00
2-wire voice unbundled TN Bus 2-Way Area Calling Port Standard Option (TACC2)	UEPAD	NA	NA	NA	NA	NA	NA	NA	NA	\$14.00
2-wire voice unbundled TN Bus 2-WAY Collierville and Memphis Local Calling Port									ĺ	
(B2F)	UEPAE	NA	NA	NA	NA	NA	NA	NA	NA	\$14.00
2-Wire Voice Grade Loop (SL1) (Res. and Bus.)										
RC - 2-Wire Voice Grade Loop - Statewide	UEPLX	NA	NA	NA	NA	NA	NA	\$14.18	NA	NA
RC - 2-Wire Voice Grade Loop Zone 1	UEPLX	NA	\$13.75	\$10.80	NA	\$14.05	NA	NA	NA	\$15.92
RC - 2-Wire Voice Grade Loop Zone 2	UEPLX	NA	\$20.13	\$12.47	NA	\$24.14	NA	NA	NA	\$20.79
RC - 2-Wire Voice Grade Loop Zone 3	UEPLX	NA	\$44.40	\$19.83	NA	\$49.30	NA	NA	NA	\$27.18
Combination Rates								1		
RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Statewide	Note 8	NA	NA	NA	NA	NA	NA	\$28.18	NA	NA
RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 1 (Note 6)	Note 8	NA	\$27.75	\$24.80	NA	\$28.05	NA	NA NA	NA	\$29.92
RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 2 (Note 6)	Note 8	NA	\$34.13	\$26.47	NA	\$38.14	NA	NA NA	NA	\$34.79
RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 3 (Note 6)	Note 8	NA.	\$58.40	\$33.83	NA.	\$63.30	NA	NA NA	NA NA	\$41.18

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch as is	TBD	NA	\$41.50	\$41.50	NA	\$41.50	NA	\$41.50	NA	\$41.50
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, Switch as is	TBD	NA	\$41.50	\$41.50	NA	\$41.50	NA	\$41.50	NA	\$41.50
NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch with change	TBD	NA	\$41.50	\$41.50	NA	\$41.50	NA	\$41.50	NA	\$41.50
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, Switch with change	TBD	NA	\$41.50	\$41.50	NA	\$41.50	NA	\$41.50	NA	\$41.50
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	TBD	NA	\$10.00	\$10.00	NA	\$10.00	NA	\$10.00	NA	\$10.00
NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge,										
Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces	SOMEC	NA	\$3.50	\$3.50	NA	\$3.50	NA	\$3.50	NA	\$3.50
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual										
Svc.Order vs. Electronic - 1st	SOMAN	NA	\$19.99	\$33.76	NA	\$31.92	NA	\$40.18	NA	\$30.89
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual										
Svc.Order vs. Electronic - Add'l	SOMAN	NA	\$19.99	\$7.86	NA	\$7.32	NA	\$9.45	NA	\$7.03
NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database										·
Update - Electronic	TBD	NA	TBD	TBD	NA	\$2.11	NA	\$1.42	NA	TBD
NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database						*		*		
Update - Manual Service Order	TBD	NA	TBD	TBD	NA	\$5.12	NA	\$10.27	NA	TBD
NRC - Incremental Manual Service Order Disconnect	TBD	NA	\$20.00	\$20.00	NA	\$20.00	NA	\$20.00	NA	\$20.00
		İ			Ì				1	
		İ							1	
2- Wire Voice Grade Loop - Bus Only with 2 -Wire DID Trunk Port										
	LIEDD4	NIA	TDD	TBD	NIA	TBD	NΙΛ	TDD	NA	TDD
2 - Wire Line Port - DID Trunk Port, per month 2-Wire Voice Grade Loop (SL2)	UEPD1	NA	TBD	IBD	NA	IBD	NA	TBD	NA	TBD
	LIEOD4							044.70	210	N10
RC - 2-Wire Voice Grade Loop - Statewide	UECD1	NA	NA	NA	NA	NA	NA	\$11.76	NA	NA 0.15.00
RC - 2-Wire Voice Grade Loop Zone 1	UECD1	NA	\$18.28	\$16.84	NA	\$17.65	NA	NA	NA	\$15.92
RC - 2-Wire Voice Grade Loop Zone 2	UECD1	NA	\$22.34	\$19.45	NA	\$30.32	NA	NA	NA	\$20.79
RC - 2-Wire Voice Grade Loop Zone 3	UECD1	NA	\$27.97	\$30.92	NA	\$61.93	NA	NA	NA	\$27.18
Combination Rates										
RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Statewide	Note 8	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD
RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Zone 1 (Note 6)	Note 8	NA	TBD	TBD	NA	TBD	NA	NA	NA	TBD
RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Zone 2 (Note 6)	Note 8	NA	TBD	TBD	NA	TBD	NA	NA	NA	TBD
RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Zone 3 (Note 6)	Note 8	NA	TBD	TBD	NA	TBD	NA	NA	NA	TBD
NRC- 2- Wire Voice Grade Loop with 2- Wire Line Port - 1st	TBD	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD
NRC- 2- Wire Voice Grade Loop with 2- Wire Line Port - Addl	TBD	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD
NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge,										
Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces										
(Note 7)	SOMEC	NA	\$3.50	\$3.50	NA	\$3.50	NA	\$3.50	NA	\$3.50
NRC- 2- Wire Voice Grade Loop with 2- Wire Line Port - Incremental Cost- Manual										
Service Order - 1st	TBD	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD
NRC- 2- Wire Voice Grade Loop with 2- Wire Line Port - Incremental Cost- Manual										
Service Order - Addl	TBD	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD
2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port										
2-wire ISDN Digital Port, per month	UEPPB	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD
2-Wire ISDN Digital Grade Loop										·
RC - 2-Wire ISDN Digital Grade Loop - Statewide	USL2X	NA	NA	NA	NA	NA	NA	\$19.08	NA	NA
RC - 2-Wire ISDN Digital Grade Loop - Zone 1	USL2X	NA	\$32.34	\$21.89	NΑ	\$21.15	NΑ	NA	NΑ	\$15.92
RC - 2-Wire ISDN Digital Grade Loop - Zone 2	USL2X	NA	\$47.35	\$25.27	NA	\$36.32	NA	NA	NA	\$20.79
RC - 2-Wire ISDN Digital Grade Loop - Zone 3	USL2X	NA	\$104.47	\$40.17	NA	\$74.19	NA	NA	NA	\$27.18
Combination Rates									ĺ	
RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Statewide	Note 8	NA	NA	NA	NA	NA	NA		NA	NA
RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 1	Note 8	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD
RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 2	Note 8	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD
RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 3	Note 8	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD
J		1							1	. ==
		NA	TBD	TBD	NA	TBD	NA	TBD		TBD

DESC	RIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
	NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Add'l conversion NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Non Feature	USACB	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD
	Subsequent Activity	USASB	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD
++	NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge,	USASB	INA	עפו	וסטו	NA NA	עמו	INA	עפו	INA	עמו
	Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces										
	(Note 7)	SOMEC	NA	\$3.50	\$3.50	NA	\$3.50	NA	\$3.50	NA	\$3.50
	(Note 1)	COMEC	10/	ψ0.00	ψ0.00	147.	ψο.οο	107	ψο.σσ	107	ψ0.00
	4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port					NA		NA		NA	
	4 - Wire ISDN DS1 Digital Trunk Port	UEPPP	NA	TBD	TBD	NA.	TBD	NA	TBD	NA.	TBD
	4 - Wire DS1 Digital Loop		NA								
	RC - 4- Wire DS1 Digital Loop- Statewide	USL4P	NA	NA	NA	NA	NA	NA	\$62.71	NA	NA
	RC - 4- Wire DS1 Digital Loop- Zone 1	USL4P	NA	\$64.69	\$55.53	NA	\$56.32	NA	NA	NA	\$57.73
	RC - 4- Wire DS1 Digital Loop- Zone 2	USL4P	NA	\$94.71	\$64.13	NA	\$96.73	NA	NA	NA	\$75.40
	RC - 4- Wire DS1 Digital Loop- Zone 3	USL4P	NA	\$208.93	\$101.93	NA	\$197.57	NA	NA	NA	\$98.59
	Combination Rates										
+	RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Statewide	Note 8	NA	NA	NA	NA	NA	NA	TBD	NA	NA
	RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 1	Note 8	NA	TBD	TBD	NA	TBD	NA	NA	NA	TBD
+	RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 2	Note 8	NA	TBD	TBD	NA	TBD	NA	NA NA	NA	TBD
	RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 3 NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - 1st	Note 8	NA	TBD	TBD	NA	TBD	NA	NA	NA	TBD
	conversion	TBD	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD
+	NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination -	100	INA	160	IBD	INA	100	INA	100	INA	TBD
	Add'l conversion	TBD	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD
+ +	NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port -	100	10/	100	100	147.	100	10.	155	107	100
	Subsequent Channel Activation - Per Channel	TBD	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD
11	NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port -										
	Subsequent Inward/2way Telephone Numbers	TBD	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD
	NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port -										
	Subsequent Outward Telephone Numbers	TBD	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD
	NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port -										
	Subsequent Inward Telephone Numbers	TBD	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD
	NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port -	TDD		TDD	TDD		TDD		TDD		TDD
++-	Subsequent Service Order Per Order NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge,	TBD	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD
	Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces										
	(Note 7)	SOMEC	NA	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
+ + -	4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port	COMEO	1471	ψ0.00	ψ0.00	ψ0.00	ψ0.00	NA	ψ0.00	ψ0.00	ψ0.00
+ +	4 - Wire DID Trunk Port	TBD	NA	TBD	TBD	NA	TBD	NA NA	TBD	NA	TBD
+	4 - Wire DS1 Digital Loop		1						1		
	RC - 4- Wire DS1 Digital Loop- Statewide	TBD	NA	NA	NA	NA	NA	NA	\$62.71	NA	NA
	RC - 4- Wire DS1 Digital Loop- Zone 1	TBD	NA	\$64.69	\$55.53	NA	\$56.32	NA	NA	NA	\$57.73
	RC - 4- Wire DS1 Digital Loop- Zone 2	TBD	NA	\$94.71	\$64.13	NA	\$96.73	NA	NA	NA	\$75.40
	RC - 4- Wire DS1 Digital Loop- Zone 3	TBD	NA	\$208.93	\$101.93	NA	\$197.57	NA	NA	NA	\$98.59
	RC - 4-Wire DS1 Digital Loop with 4-wire DID Trunk Port - Statewide	Note 8	NA	NA	NA	NA	NA	NA	TBD	NA	NA
	RC - 4-Wire DS1 Digital Loop with 4-wire DID Trunk Port - Zone 1	Note 8	NA	TBD	TBD	NA	TBD	NA	NA	NA	TBD
	RC - 4-Wire DS1 Digital Loop with 4-wire DID Trunk Port - Zone 2	Note 8	NA	TBD	TBD	NA	TBD	NA	NA	NA	TBD
	RC - 4-Wire DS1 Digital Loop with 4-wire DID Trunk Port - Zone 3	Note 8	NA	TBD	TBD	NA	TBD	NA	NA	NA	TBD
+	NRC -4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - 1st	TBD	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD
	NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - Addl	TBD	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD
+	NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - Addi NRC -4 - Wire DS1 Digital Loop with 4 - Wire DIDTrunk Port - Subsequent Channel	IRD	NA	IRD	IRD	NA NA	IRD	INA	IRD	NA	IRD
	Activation - Per Channel	TBD	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD
++	NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port -	טטו	IVA	טטו	טטו	INA	טטו	INA	100	INA	I DU
	Subsequent Telephone Numbers	TBD	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD
	NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port -			. 55	. 55	,,	. 55			, .	. 55
1 1	Subsequent Signaling Changes	TBD	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port -				1				1	1 7	
Subsequent Service Order Per Order	TBD	NA	TBD	TBD	NA	TBD	NA	TBD	NA	TBD
NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge,										
Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces			4	4				4		4
(Note 7)	SOMEC	NA	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
O William Market Committee										
2-Wire Voice Grade Loop with 2-Wire Line Port PBX										
2-Wire Analog Line Port (PBX), per month	LIEDDD		21122	21122				21122		****
2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence	UEPRD	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS	UEPPC	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS	UEPPO UEPP1	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING	UEPPT	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
PORT	UEPA2	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA CALLING	UEPAZ	INA	INA	INA	INA	INA	INA	INA	INA	INA
PORT	UEPL2	NA	NA	NA	NA	\$14.00	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS	UEPLD	NA NA	\$14.00	\$14.00	NA NA	\$14.00	NA NA	\$14.00	NA NA	\$14.00
	OLILD	INA	ψ17.00	ψ17.00	11/7	ψ17.00	INA	ψ17.00	ING	Ψ17.00
PORT	UEPT2	NA	NA	NA	NA	NA	NA	NA	NA	\$14.00
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING	02112				, .	. ",	, .		,	ψ.π.ου
PORT	UEPTO	NA	NA	NA	NA	NA	NA	NA	NA	\$14.00
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT	UEPXA	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA NA	\$14.00
2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS	UEPXB	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT	UEPXC	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT	UEPXD	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD CAPABLE										·
PORT	UEPXE	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING										·
PORT WITHOUT LUD	UEPXF	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT	UEPXG	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT	UEPXH	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT										
WITHOUT LUD	UEPXJ	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING										
PORT	UEPXK	NA	NA	NA	NA	\$14.00	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY			_							
ADMINISTRATIVE CALLING PORT	UEPXL	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM	LIEBY C.		04100	04 :		04 (00			[<u>, , </u>	04 : 00
CALLING PORT	UEPXM	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL	LIEDVAL	NI A	N.A	NI A	NI A	N/A	NI A	NIA.	NIA	¢4.4.00
ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL	UEPXN	NA	NA	NA	NA	NA	NA	NA	NA	\$14.00
DIACOUNT ROOM CALLING PORT	UEPXO	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL	UEPAU	INA	\$14.00	\$14.00	INA	\$14.00	INA	\$14.00	INA	Φ14.00
DISCOUNT CALLING PORT	UEPXP	NA	NA	NA	NA	\$14.00	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY	UEFAF	INA	INA	INA	INA	φ14.00	INA	INA	INA	INA
CALLING PORT	UEPXQ	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL	المارين المارين	14/5	14/7	14/3	14/3	14/7	14/7	14/5	11/2	11/1
CALLING PORT	UEPXR	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT	UEPXS	NA NA	\$14.00	\$14.00	NA.	\$14.00	NA.	\$14.00	NA NA	\$14.00
2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS		1	Ţ <u>-</u>	******		******		¥ :	1	******
CALLING PORT	UEPXT	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT	UEPXU	NA	NA	NA	NA	NA	NA	NA	NA	\$14.00
2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING									j	
PORT	UEPXV	NA	NA	NA	NA	NA	NA	NA	NA	\$14.00
LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT)	LNPCP			1						
		1	1		1	I	I	1		

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN
2-Wire Voice Grade Loop (SL1)		1								
RC - 2- Wire Voice Grade Loop - Statewide	UEPLX	NA	NA	NA	NA	NA	NA	\$14.18	NA	NA
RC - 2- Wire Voice Grade Loop - Zone 1	UEPLX	NA	\$13.75	\$10.80	NA	\$14.05	NA	NA	NA	\$15.92
RC - 2- Wire Voice Grade Loop - Zone 2	UEPLX	NA	\$20.13	\$12.47	NA	\$24.14	NA	NA	NA	\$20.79
RC - 2- Wire Voice Grade Loop - Zone 3	UEPLX	NA	\$44.40	\$19.83	NA	\$49.30	NA	NA	NA	\$27.18
RC - 2- Wire Voice Grade Loop - Zone 4	UEPLX	NA	NA	NA	NA	NA	NA	NA	NA	NA
Combination Rates		1								
RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Statewide	Note 8	NA	NA	NA	NA	NA	NA	\$28.18	NA	NA
RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 1 (Note 6)	Note 8	NA	\$27.75	\$24.80	NA	\$28.05	NA	NA	NA	\$29.92
RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 2 (Note 6)	Note 8	NA	\$34.13	\$26.47	NA	\$38.14	NA	NA	NA	\$34.79
RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 3 (Note 6)	Note 8	NA	\$58.40	\$33.83	NA	\$63.30	NA	NA	NA	\$41.18
NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch as is	TBD	NA	\$41.50	\$41.50	NA	\$41.50	NA	\$41.50	NA	\$41.50
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, Switch as is	TBD	NA	\$41.50	\$41.50	NA	\$41.50	NA	\$41.50	NA	\$41.50
NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch with change	TBD	NA	\$41.50	\$41.50	NA	\$41.50	NA	\$41.50	NA	\$41.50
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, Switch with change	TBD	NA	\$41.50	\$41.50	NA	\$41.50	NA	\$41.50	NA	\$41.50
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add i, Switch with change	TBD	NA NA	\$41.50 \$10.00	\$41.50 \$10.00	\$10.00	\$41.50 \$10.00	NA NA	\$41.50 \$10.00	NA NA	\$41.50
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge,	עמו	INA	φ10.00	φ10.00	φ10.00	φ10.00	INA	φ10.00	INA	φ10.00
Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces		1					1			
(Note 7)	SOMEC	NA	\$3.50	\$3.50	NA	\$3.50	NA	\$3.50	NA	\$3.50
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual	OOMILO	11/7	ψυ.υυ	ψυ.υυ	1477	ψυ.υυ	147	ψυ.υυ	13/7	ψυ.υυ
Syc.Order vs. Electronic - 1st	SOMAN	NA	\$19.99	\$33.67	NA	\$31.92	NA	\$40.18	NA	\$30.89
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual	0011111111	- 101	Ψ10.00	φοσ.στ	10/1	ψ01.02	1471	Ψ10.10	10.	Ψ00.00
Svc.Order vs. Electronic - Add'l	SOMAN	NA	\$19.99	\$7.88	NA	\$7.32	NA	\$9.45	NA	\$7.03
NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database		†								
Update - Electronic	TBD	NA	TBD	TBD	NA	\$2.11	NA	\$1.42	NA	TBD
NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database		 				* =		****		
Update - Manual Service Order	TBD	NA	TBD	TBD	NA	\$5.12	NA	\$10.27	NA	TBD
NRC - Incremental Manual Service Order Disconnect	TBD	NA	\$20.00	\$20.00	NA	\$20.00	NA	\$20.00	NA	\$20.00
NRCs for New (not Currently Combined) in Georgia:		1		*		*				
NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st	TBD	NA	NA	\$90.00	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'I	TBD	NA	NA	\$90.00	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	TBD	NA	NA	\$10.00	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - 1st	TBD	NA	NA	\$8.45	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - Add'l	TBD	NA	NA	\$3.91	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge,										
Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs.	SOIVIEC	INA	INA	φ3.50	INA	INA	INA	INA	INA	INA
Electronic - New - 1st	TBD	NA	NA	\$37.06	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs.	100	11/7	11/7	ψ57.00	11/7	INA	INA	11/7	11/7	INA
Electronic - New - Add'l	TBD	NA	NA	\$8.19	NA	NA	NA	NA	NA	NA
NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database										
Update - Electronic	TBD	NA	NA	TBD	NA	NA	NA	NA	NA	NA
NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database		1								
Update - Manual Service Order	TBD	NA	NA	TBD	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs.		1								
Electronic - New - Disconnect	TBD	NA	NA	\$11.17	NA	NA	NA	NA	NA	NA
OST BASED RATES (Notes 2 & 3)									Ι Τ	
Currently Combined										
2-Wire Voice Grade Loop with 2-Wire Line Port										
2-Wire Voice Grade Line Port (Res.), per month										
2- wire voice unbundled port - residence	UEPRL	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
			00.00	04.70	00.04	\$2.55	00.40	\$2.28	\$3.69	\$1.90
2-wire voice unbundled port with caller ID - residence	UEPRC	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12 \$2.12	\$2.28	\$3.69	\$1.90

Attachment 2 Exhibit C Rates - Page 40

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
2-wire voice unbundled area plus port with caller ID - residence	UEPRM	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
2-wire voice unbundled Florida area calling with caller ID - residence	UEPAF	NA	\$2.00	NA	NA	NA	NA	NA	NA	NA
2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL)	UEPAG	NA	NA	NA	NA	\$2.55	NA	NA	NA	NA
2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7)	UEPAH	NA	NA	NA	NA	\$2.55	NA	NA	NA	NA
2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8)	UEPAJ	NA	NA	NA	NA	NA	NA	NA	\$3.69	NA
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R)	UEPAK	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER)	UEPAL	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR)	UEPAM	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X)	UEPAN	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR)	UEPAO	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
2-wire voice unbundled res, low usage line port with Caller ID (LUM)	UEPAP	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
2-Wire Voice Grade Line Port (Bus.), per month										
2-wire voice unbundled port without Caller ID	UEPBL	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
2-wire voice unbundled port with unbundled port with Caller+E484 ID	UEPBC	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
2-wire voice unbundled outgoing only port	UEPBO	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
2-wire voice unbundled area plus port with Caller ID	UEPBM	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
2-wire voice unbundled incoming only port with Caller ID	UEPB1	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC)	UEPAA	NA	NA	NA	NA	\$2.55	NA	NA	NA	NA
2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB)	UEPAB	NA	NA	NA	NA	NA	NA	NA	\$3.69	NA
2-wire voice unbundled TN Bus 2-Way Area Calling Port Economy Option (TACC1)	UEPAC	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
2-wire voice unbundled TN Bus 2-Way Area Calling Port Standard Option (TACC2)	UEPAD	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
2-wire voice unbundled TN Bus 2-WAY Collierville and Memphis Local Calling Port (B2F)	UEPAE	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
2-Wire Voice Grade Loop (SL1)										
RC - 2- Wire Voice Grade Loop - Statewide	UEPLX	NA	NA	NA	NA	NA	NA	\$14.18	NA	NA
RC - 2- Wire Voice Grade Loop - Zone 1	UEPLX	\$14.35	\$13.75	\$10.80	\$14.79	\$14.05	\$14.59	NA	\$17.02	\$15.92
RC - 2- Wire Voice Grade Loop - Zone 2	UEPLX	\$23.31	\$20.13	\$12.47	\$27.68	\$24.14	\$19.33	NA	\$25.66	\$20.79
RC - 2- Wire Voice Grade Loop - Zone 3	UEPLX	\$42.24	\$44.40	\$19.83	\$47.78	\$49.30	\$27.63	NA	\$33.99	\$27.18
RC - 2- Wire Voice Grade Loop - Zone 4	UEPLX	NA	NA	NA	NA	NA	\$36.47	NA	NA	NA
Combination Rates										
RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Statewide	Note 8	NA	NA	NA	NA	NA	NA	\$16.46	NA	NA
RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 1 (Note 6)	Note 8	\$16.55	\$15.75	\$12.59	\$17.40	\$16.60	\$16.71	NA	\$20.71	\$17.84
RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 2 (Note 6)	Note 8	\$25.51	\$22.13	\$14.26	\$30.29	\$26.69	\$21.45	NA	\$29.35	\$22.69
RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 3 (Note 6)	Note 8	\$44.44	\$46.40	\$21.62	\$50.39	\$51.85	\$29.75	NA	\$37.68	\$29.08
RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 4 (Note 6)	Note 8	NA	NA	NA	NA	NA	\$38.59	NA	NA	NA
NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch as is	USAC2	\$2.80	\$1.46	\$2.01	\$10.00	\$3.80	\$5.20	\$2.77	\$1.59	\$1.03
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, Switch as is	USAC2	\$0.41	\$0.93	\$0.3108	\$10.00	\$0.29	\$0.41	\$0.40	\$0.40	\$0.2886
NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch with change	USACC	\$2.80	\$1.46	\$2.01	\$10.00	\$3.80	\$5.20	\$2.77	\$1.59	\$1.03
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, Switch with change	USACC	\$0.41	\$0.93	\$0.3108	\$10.00	\$0.29	\$0.41	\$0.40	\$0.40	\$0.2886
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	USAS2	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00
NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces										
(Note 7)	SOMEC	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Svc.Order vs. Electronic - 1st	SOMAN	\$40.71	\$19.99	\$33.67	\$19.99	\$31.92	\$43.52	\$40.18	\$43.19	\$30.89
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Svc.Order vs. Electronic - Add'l	SOMAN	\$9.58	\$19.99	\$7.88	\$19.99	\$7.32	\$9.99	\$9.45	\$9.91	\$7.03
NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Electronic	TBD	\$1.44	TBD	TBD	TBD	\$2.11	\$2.87	\$1.42	\$0.71	\$0.76

Version 1Q00: 7/26/00

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database										
Update - Manual Service Order	TBD	\$8.25	TBD	TBD	TBD	\$5.12	\$6.88	\$10.27	\$8.91	\$7.97
NRC - Incremental Manual Service Order Disconnect	TBD	\$20.00	\$20.00	\$20.00	\$20.00	\$20.00	\$20.00	\$20.00	\$20.00	\$20.00
NRCs for New (not Currently Combined) as ordered in Georgia:										
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	TBD	NA	NA	\$22.14	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l	TBD	NA	NA	\$15.25	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	USAS2	NA	NA	\$10.00	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - 1st	TBD	NA	NA	\$8.45	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - Add'l	TBD	NA	NA	\$3.91	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge,										
Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces										
(Note 7)	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs.										
Electronic - New - 1st	TBD	NA	NA	\$37.06	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs.										
Electronic - New - Add'l	TBD	NA	NA	\$8.19	NA	NA	NA	NA	NA	NA
NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database										
Update - Electronic	TBD	NA	NA	TBD	NA	NA	NA	NA	NA	NA
NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database										
Update - Manual Service Order	TBD	NA	NA	TBD	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs.										
Electronic - New - Disconnect	TBD	NA	NA	\$11.17	NA	NA	NA	NA	NA	NA
2- Wire Voice Grade Loop - Bus Only with 2 -Wire DID Trunk Port										
2 - Wire Line Port - DID Trunk Port, per month	UEPD1	TBD	\$9.60	\$11.35	TBD	\$13.12	\$14.63	\$12.12	TBD	\$8.78
2-Wire Voice Grade Loop (SL2)										•
RC - 2- Wire Voice Grade Loop - Statewide	UECD1	NA	NA	NA	NA	NA	NA	\$11.76	NA	NA
RC - 2- Wire Voice Grade Loop - Zone 1	UECD1	\$17.95	\$18.28	\$16.84	\$17.27	\$17.65	\$18.35	NA	\$21.57	\$15.92
RC - 2- Wire Voice Grade Loop - Zone 2	UECD1	\$29.16	\$22.34	\$19.45	\$32.32	\$30.32	\$24.33	NA	\$32.53	\$20.79
RC - 2- Wire Voice Grade Loop - Zone 3	UECD1	\$52.84	\$27.97	\$30.92	\$55.78	\$61.93	\$34.77	NA	\$43.08	\$27.18
RC - 2- Wire Voice Grade Loop - Zone 4	UECD1	NA	NA	NA	NA	NA	\$45.88	NA	NA	NA
Combination Rates										
RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Statewide	Note 8	NA	NA	NA	NA	NA	NA	\$23.79	NA	NA
RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Zone 1 (Note 6)	Note 8	TBD	\$27.88	\$28.19	TBD	\$30.77	TBD	NA	TBD	\$24.70
RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Zone 2 (Note 6)	Note 8	TBD	\$31.94	\$30.80	TBD	\$43.44	TBD	NA	TBD	\$29.57
RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Zone 3 (Note 6)	Note 8	TBD	\$37.57	\$42.27	TBD	\$75.05	TBD	NA	TBD	\$35.96
RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Zone4 (Note 6)	Note 8	NA	NA	NA	NA	NA	TBD	NA	NA	NA
NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - 1st	TBD	TBD	\$14.73	\$14.73	TBD	TBD	TBD	\$13.26	TBD	\$8.76
NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - Addl	TBD	TBD	\$3.76	\$3.76	TBD	TBD	TBD	\$8.39	TBD	\$5.75
NRC for New (not currently Combined) as ordered in Georgia										
NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - 1st	TBD	NA	NA	\$166.08	NA	NA	NA	NA	NA	NA
NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - Addl	TBD	NA	NA	\$140.01	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge,										
Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces										
(Note 7)	SOMEC	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - Incremental Cost- Manual										
Service Order - 1st	TBD	TBD	TBD	\$37.88	TBD	TBD	TBD	\$53.89	TBD	\$41.43
NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - Incremental Cost- Manual										
Service Order - Addl	TBD	TBD	TBD	\$16.84	TBD	TBD	TBD	\$11.34	TBD	\$9.80
2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port										
2-wire ISDN Digital Port per month	UEPPB	\$16.42	\$13.00	\$13.47	\$12.33	\$23.33	\$51.91	\$24.37	\$33.74	\$18.21
O Mice ICON Digital Conde Laur									<u> </u>	
2-Wire ISDN Digital Grade Loop		<u> </u>								
2-Wire ISDN Digital Grade Loop RC - 2-Wire ISDN Digital Grade Loop - Statewide	USL2X	NA	NA	NA	NA	NA	NA	\$19.08	NA	NA
	USL2X USL2X USL2X	NA \$23.23	NA \$32.34 \$47.35	NA \$21.89	NA \$23.66	NA \$21.15	NA \$21.86	\$19.08 NA	NA \$26.68	NA \$15.92

DES	CRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
	RC - 2-Wire ISDN Digital Grade Loop - Zone 3	USL2X	\$68.38	\$104.47	\$40.17	\$76.42	\$74.19	\$41.40	NA	\$53.29	\$27.18
	RC - 2-Wire ISDN Digital Grade Loop - Zone 4	USL2X	NA	NA	NA	NA	NA	\$54.64	NA	NA	NA
	Combination Rates							,			
	RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Statewide	Note 8	NA	NA	NA	NA	NA	NA	\$43.45	NA	NA
	RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 1	Note 8	\$39.65	\$45.34	\$35.36	\$35.99	\$44.48	\$73.77	NA	\$60.42	\$34.13
	RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 2	Note 8	\$54.16	\$60.35	\$38.74	\$56.61	\$59.65	\$80.78	NA	\$73.98	\$39.00
	RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 3	Note 8	\$84.80	\$117.47	\$53.64	\$88.75	\$97.52	\$93.31	NA	\$87.03	\$45.39
	RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 4	Note 8	NA	NA	NA	NA	NA	\$106.55	NA	NA	NA
	Jan 1 Jan 1							,			
	NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - 1st conversion	USACB	TBD	\$3.02	TBD	TBD	TBD	TBD	\$174.35	TBD	\$117.23
	NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Add'l conversion	USACB	TBD	\$2.49	TBD	TBD	TBD	TBD	\$174.35	TBD	\$117.23
	NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Non Feature										
	Subsequent Activity	USASB	TBD	TBD	TBD	TBD	TBD	TBD	\$286.15	TBD	\$212.88
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge,										
	Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces										
	(Note 7)	SOMEC	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
\coprod			ļ			ļ					
Ш	4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port										
Щ	4 - Wire ISDN DS1 Digital Trunk Port	UEPPP	\$186.02	\$125.00	\$163.16	\$275.48	\$194.72	\$213.21	\$179.01	\$214.79	\$78.40
\coprod	4 - Wire DS1 Digital Loop									1	
	RC - 4- Wire DS1 Digital Loop- Statewide	USL4P	NA	NA	NA	NA	NA	NA	\$62.71	NA	NA
	RC - 4- Wire DS1 Digital Loop- Zone 1	USL4P	\$51.74	\$64.69	\$55.53	\$50.26	\$56.32	\$50.99	NA	\$59.61	\$57.73
	RC - 4- Wire DS1 Digital Loop- Zone 2	USL4P	\$84.05	\$94.71	\$64.13	\$94.06	\$96.73	\$67.58	NA	\$89.90	\$75.40
	RC - 4- Wire DS1 Digital Loop- Zone 3	USL4P	\$152.29	\$208.93	\$101.93	\$162.34	\$197.57	\$96.58	NA	\$119.06	\$98.59
	RC - 4-Wire DS1 Digital Loop - Zone 4	USL4P	NA	NA	NA	NA	NA	\$127.47	NA	NA	NA
	Combination Rates										
	RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Statewide	Note 8	NA	NA	NA	NA	NA	NA	\$241.72	NA	NA
	RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 1	Note 8	\$237.76	\$189.69	\$218.69	\$325.74	\$251.04	\$264.20	NA	\$274.40	\$136.13
	RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 2	Note 8	\$270.07	\$219.71	\$227.29	\$369.54	\$291.45	\$280.79	NA	\$304.69	\$153.80
	RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 3	Note 8	\$338.31	\$333.93	\$265.09	\$437.82	\$392.29	\$309.79	NA	\$333.85	\$176.99
	RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 4	Note 8	NA	NA	NA	NA	NA	\$340.68	NA	NA	NA
	NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - 1st										
	conversion	USACP	TBD	\$2.00	TBD	TBD	TBD	TBD	\$481.51	TBD	\$328.53
	NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination -										
	Add'l conversion	USACP	TBD	\$1.22	TBD	TBD	TBD	TBD	\$481.51	TBD	\$328.53
	NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port -			***							***
++	Subsequent Channel Activation - Per Channel	USASP	TBD	\$29.28	TBD	TBD	TBD	TBD	\$36.92	TBD	\$28.39
	NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination -								.		
$\perp \perp$	Subsequent Inward/2-way Telephone Numbers	PR7TG	TBD	\$0.99	TBD	TBD	TBD	TBD	\$1.17	TBD	\$0.9353
	NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination -	חבדה	TDD	# 00.00	TOD	TDD	TDD	TDD	POC 47	TDD	# 22.00
	Subsequent Outward Telephone numbers NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination -	PR7TP	TBD	\$23.20	TBD	TBD	TBD	TBD	\$28.17	TBD	\$22.36
	Subsequent Inward Telephone Numbers	PR7ZT	TBD	\$46.41	TBD	TBD	TBD	TBD	\$56.33	TBD	\$44.71
++	NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination -	PRILI	חסו	φ40.41	IDU	עפו	עפו	ושו	\$20.33	וסטו	Ф44. / I
	Subsequent Service Order Per Order	USASP	TBD	TBD	TBD	TBD	TBD	TBD	\$255.25	TBD	\$189.76
++	NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge,	USASP	עמו	טטו	עפו	עפו	עמו	עמו	φ∠υ၁.∠υ	IBU	φ103./0
	Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces										
	(Note 7)	SOMEC	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
++	(JOIVILO	ψυ.υυ	ψυ.υυ	ψυ.υυ	ψυ.υυ	ψυ.υυ	ψυ.υυ	ψυ.υυ	ψυ.υυ	ψυ.υυ
++	4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port					†				+ +	
H +	4 - Wire DID Trunk Port	TBD	TBD	\$63.85	\$120.80	TBD	\$149.27	\$146.46	\$123.52	TBD	\$35.55
++	4 - Wire DS1 Digital Loop	טטו	100	ψ03.03	ψ120.00	100	Ψ143.21	ψ140.40	Ψ120.02	100	ψυυ.υυ
++	4 - Wire DS1 Digital Loop - Statewide	TBD	NA	NA		NA	NA	NA	\$62.71	NA	NA
++	4 - Wire DS1 Digital Loop - Statewide	TBD	\$51.74	\$64.69	\$55.53	\$50.26	\$56.32	\$50.99	NA	\$59.61	\$57.73
++	4 - Wire DS1 Digital Loop - Zone 1	TBD	\$84.05	\$94.71	\$64.13	\$94.06	\$96.73	\$67.58	NA NA	\$89.90	\$75.40
++	4 - Wire DS1 Digital Loop - Zone 3	TBD	\$152.29	\$208.93	\$101.93	\$162.34	\$197.57	\$96.58	NA NA	\$119.06	\$98.59
$\perp \perp \perp$	1 = 2 = 200 = 2010 0	100	Ψ102.20	Ψ200.00	ψ101.00	ψ102.01	Ψ107.07	ψ00.00	11/1	ψ110.00	ψ00.00

DESC	CRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
	4 - Wire DS1 Digital Loop - Zone 4	TBD	NA	NA	NA	NA	NA	\$127.47	NA	NA	NA
	Combination Rates										
	4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Statewide	Note 8	NA	NA	NA	NA	NA	NA	\$186.23	NA	NA
	4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Zone 1	Note 8	TBD	\$128.54	\$176.33	TBD	\$205.59	\$197.45	NA	TBD	\$93.28
H	4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Zone 2	Note 8	TBD	\$158.56	\$184.93	TBD	\$246.00	\$214.04	NA	TBD	\$110.95
	4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Zone 3	Note 8	TBD	\$272.78	\$222.73	TBD	\$346.84	\$243.04	NA.	TBD	\$134.14
	4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Zone 4	Note 8	NA.	NA NA	NA NA	NA	NA NA	\$273.93	NA.	NA NA	NA NA
	The state of the s	11010 0						ψ27 0.00			101
	NRC -4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - 1st	TBD	TBD	TBD	\$320.64	TBD	TBD	TBD	\$490.38	TBD	\$312.91
	NRC -4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Addl	TBD	TBD	TBD	\$320.64	TBD	TBD	TBD	\$490.38	TBD	\$312.91
++	NRCs for New(not Currently Combined) as ordered in Georgia	100	100	100	Ψ020.01	100	100	100	Ψ100.00	100	φ012.01
++-	NRC -4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - 1st	TBD	NA	NA	\$519.42	NA	NA	NA	NA	NA	
++-	NRC -4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Addl	TBD	NA NA	NA NA	\$320.64	NA	NA NA	NA	NA NA	NA	
++	NRC -4 - Wire DS1 Digital Loop with 4 - Wire DIDTrunk Port - Subsequent Channel	100	14/4	IVA	Ψ020.04	INA	IVA	IVA	INA	14/3	
	Activation - Per Channel	TBD	TBD	TBD	TBD	TBD	TBD	TBD	\$146.91	TBD	\$108.67
++	NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port -	100	100	100	100	100	100	100	ψ1-10.01	100	ψ100.01
	Subsequent Telephone Numbers	TBD	TBD	TBD	TBD	TBD	TBD	TBD	\$120.96	TBD	\$88.68
++	NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port -	, 50	100	100	100	. 50	100	1,50	ψ120.00	, 50	ψου.υυ
	Subsequent Signaling Changes	TBD	TBD	TBD	TBD	TBD	TBD	TBD	\$29.65	TBD	\$22.92
++	NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port -	, 50		100	1.00		100		Ψ20.00	, 50	ψεε. σε
	Subsequent Service Order Per Order	TBD	TBD	TBD	TBD	TBD	TBD	TBD	\$127.63	TBD	\$94.88
+	NRC - 4-Wire DS1 Digital Loop with 4-Wire DID Trunk Port Combination - OSS LSR			. 55	. 55		. 55		Ψ.27.00	1	ψο 1.00
	Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive				ĺ			1			
	interfaces (Note 7)	SOMEC	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
++-	NRC- 4-Wire DS1 Digital Loop with 4-Wire DID Trunk Port - Incremental Cost-	COMEO	ψο.οο	ψ0.00	ψο.σσ	ψ0.00	ψ0.00	ψ0.00	ψο.σσ	ψ0.00	ψο.σο
	Manual Service Order - 1st	TBD	TBD	TBD	\$37.88	TBD	TBD	TBD	TBD	TBD	TBD
 	NRC- 4-Wire DS1 Digital Loop with 4-Wire DID Trunk Port - Incremental Cost-	100	100	100	ψον.οο	100	100	100	100	100	188
	Manual Service Order - Add'l	TBD	TBD	TBD	\$16.84	TBD	TBD	TBD	TBD	TBD	TBD
++	Internation Control Order Addit	100	100	100	Ψ10.04	100	100	100	100	100	100
2-	Wire Voice Grade Loop with 2-Wire Line Port PBX										
HF	2-Wire Analog Line Port (PBX), per month										
	2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence	UEPRD	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
++-	LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS	UEPPC	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
++-	LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS	UEPPO	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
++	LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS	UEPP1	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
 	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING	02	Ψ2.20	Ψ2.00	Ψ1.70	Ψ2.01	Ψ2.00	Ψ2.12	ΨΣ.ΣΟ	ψ0.00	ψ1.00
	PORT	UEPA2	\$2.20	NA	NA	NA	NA	NA	NA	NA	NA
++-	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA CALLING	OLITE	ψ2.20	1471	1471	1471	1471	14/1	1471	14/	107
	PORT	UEPL2	NA	NA	NA	NA	\$2.55	NA	NA	NA	NA
++-	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS	UEPLD	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
++	2-WIRE VOICE UNBUNDLED 1-BX ED TERMINALT ORTO	OLI LD	Ψ2.20	Ψ2.00	ψ1.75	Ψ2.01	Ψ2.00	Ψ=.12	Ψ2.20	ψ0.00	ψ1.00
	PORT	UEPT2	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
++	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING	J 12		, .	. 4/ 1	, .	.4/ \	· •/·		1	ψσσ
	PORT	UEPTO	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
+	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT	UEPXA	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
+	2-WIRE VOICE UNBUNDLED 2-WAT COMBINATION T BX COACE T ON T	UEPXB	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
++	2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT	UEPXC	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
++	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT	UEPXD	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
++	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD CAPABLE	OLI AD	Ψ2.20	Ψ2.00	ψσ	Ψ2.01	Ψ2.00	Ψ2.12	Ψ2.20	ψ0.00	ψ1.00
	PORT	UEPXE	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
HH	2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING	0 L. /\L	¥2.20	\$2.00	¥	\$2.0 .	\$2.00	\$22	¥2.20	Ψ0.00	ψ
	PORT WITHOUT LUD	UEPXF	NA	NA	NA	\$2.61	NA	NA	NA	NA	NA
+	2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT	UEPXG	NA NA	NA NA	NA NA	\$2.61	NA NA	NA NA	NA NA	NA NA	NA NA
++	2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT	UEPXH	NA NA	NA NA	NA NA	\$2.61	NA NA	NA NA	NA NA	NA NA	NA NA
	2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT	OLI AIT	14/1	14/1	14/1	Ψ2.01	14/1	1171	14/1	177	14/1
	WITHOUT LUD	UEPXJ	NA	NA	NA	\$2.61	NA	NA	NA	NA	NA
++	2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING	02170	14/5	14/7	14/5	Ψ2.01	14/7	14/5	14/5	11/7	11/1
	PORT PORT	UEPXK	NA	NA	NA	NA	\$2.55	NA	NA	NA	NA
	II OIN	OLI AIX	13/3	1177	1 17/1	13/7	Ψ2.55	111/1	14/1	14/3	11/7

DESCRIPTION	_	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
	EL/HOSPITAL ECONOMY				<u> </u>	1		0		"	
ADMINISTRATIVE CALLING PORT		UEPXL	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
2-WIRE VOICE UNBUNDLED 2-WAY PBX HOT	EL/HOSPITAL ECONOMY ROOM	-		*			*	·	•	,	
CALLING PORT		UEPXM	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOIN	NG PBX HOTEL/HOSPITAL										
ECONOMY ADMINIATRATIVE CALLING PORTI	TENNESSEE CALLING PORT	UEPXN	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOIN	NG PBX HOTEL/HOSPITAL										
DIACOUNT ROOM CALLING PORT		UEPXO	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOIN	NG PBX LOUISIANA LOCAL										
DISCOUNT CALLING PORT		UEPXP	NA	NA	NA	NA	\$2.55	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX MISS	SISSIPPI LOCAL ECONOMY										
CALLING PORT		UEPXQ	NA	NA	NA	NA	NA	\$2.12	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX MISS	SISSIPPI LOCAL OPTIONAL										
CALLING PORT		UEPXR	NA	NA	NA	NA	NA	\$2.12	NA	NA	NA
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOIN		UEPXS	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
2-WIRE VOICE UNBUNDLED 2-WAY PBX SOU	TH CAROLINA AREA PLUS										
CALLING PORT		UEPXT	NA	NA	NA	NA	NA	NA	NA	\$3.69	NA
A WIDE VOICE LINE IN ED BRY CO	LE 0 MEMBLIO CALLINO DODE	LIEBY "								,,	04.65
2-WIRE VOICE UNBUNDLED PBX COLLIERVIL		UEPXU	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
2-WIRE VOICE UNBUNDLED 2-WAY PBX TENI	NESSEE KEGIUNSEKV CALLING	LIEDVA /	NI A	NI A	NI A	N.A	NI A	N/A	NIA.	NIA	£4.00
PORT		UEPXV	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
LOCAL NUMBER PORTABILITY (REQUIRES OF	NE DED DODT)	LNPCP	1							+	
LOCAL NUMBER PORTABILITY (REQUIRES OF	NE PER PORT)	LINPUP									
2-Wire Voice Grade Loop (SL1)											
1 1 /		UEPLX	NA	NA	NA	NA	NA	NA	\$14.18	NA	NA
RC - 2- Wire Voice Grade Loop - Statewide RC - 2- Wire Voice Grade Loop - Zone 1		UEPLX	\$14.35	\$13.75	\$10.80	\$14.79	\$14.05	\$14.59	\$14.16 NA	\$17.02	\$15.92
RC - 2- Wire Voice Grade Loop - Zone 2		UEPLX	\$23.31	\$20.13	\$10.60	\$14.79	\$24.14	\$14.59	NA NA	\$25.66	\$20.79
RC - 2- Wire Voice Grade Loop - Zone 2		UEPLX	\$42.24	\$44.40	\$19.83	\$47.78	\$49.30	\$27.63	NA NA	\$33.99	\$27.18
RC - 2- Wire Voice Grade Loop - Zone 4		UEPLX	NA NA	NA	NA	NA	NA	\$36.47	NA NA	Ψ33.99 NA	NA
Combination Rates		OLILA	IVA	IVA	19/3	IVA	14/3	ψ50.47	INA	14/3	IVA
RC - 2-Wire Voice Grade Loop with 2-Wire Line	Port Statewide	Note 8	NA	NA	NA	NA	NA	NA	\$16.46	NA	NA
RC - 2-Wire Voice Grade Loop with 2-Wire Line		Note 8	\$16.55	\$15.75	\$12.59	#VALUE!	\$16.60	\$16.71	NA NA	\$20.71	\$17.84
RC - 2-Wire Voice Grade Loop with 2-Wire Line		Note 8	\$25.51	\$22.13	\$14.26	#VALUE!	\$26.69	\$21.45	NA NA	\$29.35	\$22.69
RC - 2-Wire Voice Grade Loop with 2-Wire Line		Note 8	\$44.44	\$46.40	\$21.62	#VALUE!	\$51.85	\$29.75	NA NA	\$37.68	\$29.08
RC - 2-Wire Voice Grade Loop with 2-Wire Line		Note 8	NA	NA NA	NA	NA NA	NA	\$38.59	NA NA	NA	NA NA
NRC - 2-Wire Voice Grade Loop/Line Port Comb		USAC2	\$2.80	\$1.46	\$2.01	\$10.00	\$3.80	\$5.20	\$2.77	\$1.59	\$1.03
NRC - 2-Wire Voice Grade Loop/Line Port Comb		USAC2	\$0.41	\$0.93	\$0.3108	\$10.00	\$0.29	\$0.41	\$0.40	\$0.40	\$0.2886
			*****	*	40.0.03	7	**	*****	+	7	**
NRC - 2-Wire Voice Grade Loop/Line Port Comb	pination - 1st, Switch with change	USACC	\$2.80	\$1.46	\$2.01	\$10.00	\$3.80	\$5.20	\$2.77	\$1.59	\$1.03
	, , , , , , , , , , , , , , , , , , , ,		1							1	
NRC - 2-Wire Voice Grade Loop/Line Port Comb	ination Addll Curitals with abanda	USACC	\$0.41	\$0.93	\$0.3108	\$10.00	\$0.29	\$0.41	\$0.40	\$0.40	\$0.2886
	omation - Add i, Switch with change	USACC	Ψ0.41		ψ0.5100	φ10.00					040.00
NRC - 2-Wire Voice Grade Loop/Line Port Comb	pination - Subsequent	USAS2	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00
NRC - 2-Wire Voice Grade Loop/Line Port Comb NRC - 2-Wire Voice Grade Loop/Line Port Comb	oination - Subsequent oination - OSS LSR Charge,						\$10.00	\$10.00	\$10.00	\$10.00	\$10.00
NRC - 2-Wire Voice Grade Loop/Line Port Comb NRC - 2-Wire Voice Grade Loop/Line Port Comb Electronic, per LSR received from the CLEC by o	oination - Subsequent oination - OSS LSR Charge,						\$10.00	\$10.00	\$10.00	\$10.00	\$10.00
NRC - 2-Wire Voice Grade Loop/Line Port Comb NRC - 2-Wire Voice Grade Loop/Line Port Comb Electronic, per LSR received from the CLEC by o (Note 7)	oination - Subsequent oination - OSS LSR Charge, one of the OSS interactive interfaces						\$10.00 \$3.50	\$10.00 \$3.50	\$10.00 \$3.50	\$10.00 \$3.50	\$10.00
NRC - 2-Wire Voice Grade Loop/Line Port Comb NRC - 2-Wire Voice Grade Loop/Line Port Comb Electronic, per LSR received from the CLEC by c (Note 7) NRC - 2-Wire Voice Grade Loop/Line Port Comb	oination - Subsequent oination - OSS LSR Charge, one of the OSS interactive interfaces	USAS2 SOMEC	\$10.00 \$3.50	\$10.00 \$3.50	\$10.00 \$3.50	\$10.00 \$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
NRC - 2-Wire Voice Grade Loop/Line Port Comb NRC - 2-Wire Voice Grade Loop/Line Port Comb Electronic, per LSR received from the CLEC by c (Note 7) NRC - 2-Wire Voice Grade Loop/Line Port Comb Svc.Order vs. Electronic - 1st	oination - Subsequent oination - OSS LSR Charge, one of the OSS interactive interfaces oination - Incremental Cost - Manual	USAS2	\$10.00	\$10.00	\$10.00	\$10.00	-	·	-		
NRC - 2-Wire Voice Grade Loop/Line Port Comb NRC - 2-Wire Voice Grade Loop/Line Port Comb Electronic, per LSR received from the CLEC by c (Note 7) NRC - 2-Wire Voice Grade Loop/Line Port Comb Svc.Order vs. Electronic - 1st NRC - 2-Wire Voice Grade Loop/Line Port Comb	oination - Subsequent oination - OSS LSR Charge, one of the OSS interactive interfaces oination - Incremental Cost - Manual	USAS2 SOMEC SOMAN	\$10.00 \$3.50 \$40.71	\$10.00 \$3.50 \$19.99	\$10.00 \$3.50 \$33.67	\$10.00 \$3.50 \$19.99	\$3.50 \$31.92	\$3.50 \$43.52	\$3.50 \$40.18	\$3.50 \$43.19	\$3.50 \$30.89
NRC - 2-Wire Voice Grade Loop/Line Port Comb NRC - 2-Wire Voice Grade Loop/Line Port Comb Electronic, per LSR received from the CLEC by c (Note 7) NRC - 2-Wire Voice Grade Loop/Line Port Comb Svc.Order vs. Electronic - 1st	oination - Subsequent oination - OSS LSR Charge, one of the OSS interactive interfaces oination - Incremental Cost - Manual	USAS2 SOMEC	\$10.00 \$3.50	\$10.00 \$3.50	\$10.00 \$3.50	\$10.00 \$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
NRC - 2-Wire Voice Grade Loop/Line Port Comb NRC - 2-Wire Voice Grade Loop/Line Port Comb Electronic, per LSR received from the CLEC by o (Note 7) NRC - 2-Wire Voice Grade Loop/Line Port Comb Svc.Order vs. Electronic - 1st NRC - 2-Wire Voice Grade Loop/Line Port Comb Svc.Order vs. Electronic - Add'l	pination - Subsequent pination - OSS LSR Charge, pine of the OSS interactive interfaces pination - Incremental Cost - Manual pination - Incremental Cost - Manual	USAS2 SOMEC SOMAN	\$10.00 \$3.50 \$40.71	\$10.00 \$3.50 \$19.99	\$10.00 \$3.50 \$33.67	\$10.00 \$3.50 \$19.99	\$3.50 \$31.92	\$3.50 \$43.52	\$3.50 \$40.18	\$3.50 \$43.19	\$3.50 \$30.89
NRC - 2-Wire Voice Grade Loop/Line Port Comb NRC - 2-Wire Voice Grade Loop/Line Port Comb Electronic, per LSR received from the CLEC by o (Note 7) NRC - 2-Wire Voice Grade Loop/Line Port Comb Svc.Order vs. Electronic - 1st NRC - 2-Wire Voice Grade Loop/Line Port Comb Svc.Order vs. Electronic - Add'l NRC - 2 Wire Voice Grade Loop/Line Port Comb	pination - Subsequent pination - OSS LSR Charge, pine of the OSS interactive interfaces pination - Incremental Cost - Manual pination - Incremental Cost - Manual	SOMEC SOMAN SOMAN	\$10.00 \$3.50 \$40.71 \$9.58	\$10.00 \$3.50 \$19.99 \$19.99	\$10.00 \$3.50 \$33.67 \$7.88	\$10.00 \$3.50 \$19.99 \$19.99	\$3.50 \$31.92 \$7.32	\$3.50 \$43.52 \$0.99	\$3.50 \$40.18 \$9.45	\$3.50 \$43.19 \$9.91	\$3.50 \$30.89 \$7.03
NRC - 2-Wire Voice Grade Loop/Line Port Comb NRC - 2-Wire Voice Grade Loop/Line Port Comb Electronic, per LSR received from the CLEC by o (Note 7) NRC - 2-Wire Voice Grade Loop/Line Port Comb Svc.Order vs. Electronic - 1st NRC - 2-Wire Voice Grade Loop/Line Port Comb Svc.Order vs. Electronic - Add'l NRC - 2 Wire Voice Grade Loop/Line Port Combi Update - Electronic	oination - Subsequent oination - OSS LSR Charge, one of the OSS interactive interfaces oination - Incremental Cost - Manual oination - Incremental Cost - Manual oination - Subsequent Database	USAS2 SOMEC SOMAN	\$10.00 \$3.50 \$40.71	\$10.00 \$3.50 \$19.99	\$10.00 \$3.50 \$33.67	\$10.00 \$3.50 \$19.99	\$3.50 \$31.92	\$3.50 \$43.52	\$3.50 \$40.18	\$3.50 \$43.19	\$3.50 \$30.89
NRC - 2-Wire Voice Grade Loop/Line Port Comb NRC - 2-Wire Voice Grade Loop/Line Port Comb Electronic, per LSR received from the CLEC by c (Note 7) NRC - 2-Wire Voice Grade Loop/Line Port Comb Svc.Order vs. Electronic - 1st NRC - 2-Wire Voice Grade Loop/Line Port Comb Svc.Order vs. Electronic - Add'l NRC- 2 Wire Voice Grade Loop/Line Port Combi Update - Electronic NRC- 2 Wire Voice Grade Loop/Line Port Combi	oination - Subsequent oination - OSS LSR Charge, one of the OSS interactive interfaces oination - Incremental Cost - Manual oination - Incremental Cost - Manual oination - Subsequent Database	SOMEC SOMAN SOMAN TBD	\$10.00 \$3.50 \$40.71 \$9.58	\$10.00 \$3.50 \$19.99 \$19.99	\$10.00 \$3.50 \$33.67 \$7.88	\$10.00 \$3.50 \$19.99 \$19.99	\$3.50 \$31.92 \$7.32 \$2.11	\$3.50 \$43.52 \$0.99 \$2.87	\$3.50 \$40.18 \$9.45 \$1.42	\$3.50 \$43.19 \$9.91 \$0.71	\$3.50 \$30.89 \$7.03
NRC - 2-Wire Voice Grade Loop/Line Port Comb NRC - 2-Wire Voice Grade Loop/Line Port Comb Electronic, per LSR received from the CLEC by o (Note 7) NRC - 2-Wire Voice Grade Loop/Line Port Comb Svc.Order vs. Electronic - 1st NRC - 2-Wire Voice Grade Loop/Line Port Comb Svc.Order vs. Electronic - Add'l NRC - 2 Wire Voice Grade Loop/Line Port Combi Update - Electronic NRC- 2 Wire Voice Grade Loop/Line Port Combi Update - Manual Service Order	pination - Subsequent pination - OSS LSR Charge, pine of the OSS interactive interfaces pination - Incremental Cost - Manual pination - Incremental Cost - Manual pination - Subsequent Database pination - Subsequent Database	SOMEC SOMAN SOMAN TBD TBD	\$10.00 \$3.50 \$40.71 \$9.58 \$1.44 \$8.25	\$10.00 \$3.50 \$19.99 \$19.99 TBD	\$10.00 \$3.50 \$33.67 \$7.88 TBD	\$10.00 \$3.50 \$19.99 \$19.99 TBD	\$3.50 \$31.92 \$7.32 \$2.11 \$5.12	\$3.50 \$43.52 \$0.99 \$2.87 \$6.88	\$3.50 \$40.18 \$9.45 \$1.42 \$10.27	\$3.50 \$43.19 \$9.91 \$0.71 \$8.91	\$3.50 \$30.89 \$7.03 \$0.76 \$7.97
NRC - 2-Wire Voice Grade Loop/Line Port Comb NRC - 2-Wire Voice Grade Loop/Line Port Comb Electronic, per LSR received from the CLEC by o (Note 7) NRC - 2-Wire Voice Grade Loop/Line Port Comb Svc.Order vs. Electronic - 1st NRC - 2-Wire Voice Grade Loop/Line Port Comb Svc.Order vs. Electronic - Add'l NRC - 2 Wire Voice Grade Loop/Line Port Combi Update - Electronic NRC - 2 Wire Voice Grade Loop/Line Port Combi Update - Manual Service Order NRC - Incremental Manual Service Order Discon	pination - Subsequent pination - OSS LSR Charge, pine of the OSS interactive interfaces pination - Incremental Cost - Manual pination - Incremental Cost - Manual pination - Subsequent Database pination - Subsequent Database pination - Subsequent Database	SOMEC SOMAN SOMAN TBD	\$10.00 \$3.50 \$40.71 \$9.58	\$10.00 \$3.50 \$19.99 \$19.99	\$10.00 \$3.50 \$33.67 \$7.88	\$10.00 \$3.50 \$19.99 \$19.99	\$3.50 \$31.92 \$7.32 \$2.11	\$3.50 \$43.52 \$0.99 \$2.87	\$3.50 \$40.18 \$9.45 \$1.42	\$3.50 \$43.19 \$9.91 \$0.71	\$3.50 \$30.89 \$7.03
NRC - 2-Wire Voice Grade Loop/Line Port Comb NRC - 2-Wire Voice Grade Loop/Line Port Comb Electronic, per LSR received from the CLEC by o (Note 7) NRC - 2-Wire Voice Grade Loop/Line Port Comb Svc.Order vs. Electronic - 1st NRC - 2-Wire Voice Grade Loop/Line Port Comb Svc.Order vs. Electronic - Add'l NRC - 2 Wire Voice Grade Loop/Line Port Combi Update - Electronic NRC - 2 Wire Voice Grade Loop/Line Port Combi Update - Manual Service Order NRC - Incremental Manual Service Order Discon NRCs for New (not Currently Combined) as o	pination - Subsequent pination - OSS LSR Charge, pine of the OSS interactive interfaces pination - Incremental Cost - Manual pination - Incremental Cost - Manual pination - Subsequent Database pination - Subsequent Database pination - Subsequent Database pination - Subsequent Database pination - Subsequent Database pination - Subsequent Database pination - Subsequent Database pination - Subsequent Database pination - Subsequent Database	SOMEC SOMAN SOMAN TBD TBD TBD	\$10.00 \$3.50 \$40.71 \$9.58 \$1.44 \$8.25 \$20.00	\$10.00 \$3.50 \$19.99 \$19.99 TBD TBD \$20.00	\$10.00 \$3.50 \$33.67 \$7.88 TBD TBD \$20.00	\$10.00 \$3.50 \$19.99 \$19.99 TBD TBD \$20.00	\$3.50 \$31.92 \$7.32 \$2.11 \$5.12 \$20.00	\$3.50 \$43.52 \$0.99 \$2.87 \$6.88 \$20.00	\$3.50 \$40.18 \$9.45 \$1.42 \$10.27 \$20.00	\$3.50 \$43.19 \$9.91 \$0.71 \$8.91 \$20.00	\$3.50 \$30.89 \$7.03 \$0.76 \$7.97 \$20.00
NRC - 2-Wire Voice Grade Loop/Line Port Comb NRC - 2-Wire Voice Grade Loop/Line Port Comb Electronic, per LSR received from the CLEC by o (Note 7) NRC - 2-Wire Voice Grade Loop/Line Port Comb Svc.Order vs. Electronic - 1st NRC - 2-Wire Voice Grade Loop/Line Port Comb Svc.Order vs. Electronic - Add'l NRC - 2 Wire Voice Grade Loop/Line Port Combi Update - Electronic NRC - 2 Wire Voice Grade Loop/Line Port Combi Update - Manual Service Order NRC - Incremental Manual Service Order Discon	pination - Subsequent pination - OSS LSR Charge, pine of the OSS interactive interfaces pination - Incremental Cost - Manual pination - Incremental Cost - Manual pination - Subsequent Database pination - Subsequent Database pination - Subsequent Database pination - Subsequent Database pination - Subsequent Database pination - Subsequent Database pination - Subsequent Database pination - Subsequent Database pination - Subsequent Database pination - Subsequent Database pination - Subsequent Database pination - Subsequent Database pination - Subsequent Database pination - Subsequent Database pination - Subsequent Database	SOMEC SOMAN SOMAN TBD TBD	\$10.00 \$3.50 \$40.71 \$9.58 \$1.44 \$8.25	\$10.00 \$3.50 \$19.99 \$19.99 TBD	\$10.00 \$3.50 \$33.67 \$7.88 TBD	\$10.00 \$3.50 \$19.99 \$19.99 TBD	\$3.50 \$31.92 \$7.32 \$2.11 \$5.12	\$3.50 \$43.52 \$0.99 \$2.87 \$6.88	\$3.50 \$40.18 \$9.45 \$1.42 \$10.27	\$3.50 \$43.19 \$9.91 \$0.71 \$8.91	\$3.50 \$30.89 \$7.03 \$0.76 \$7.97

Version 1Q00: 7/26/00

INRC - 2-Vitre Votoc Grade Loop Line Port Combination - Subsequent 1 ISAS2 NA NA \$10.00 NA NA NA NA NA NA NA NA NA NA NA NA NA	DES	SCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
NRC -2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - Addft		NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	USAS2	NA	NA	\$10.00	NA	NA	NA	NA	NA	NA
ReC - 2-Virre Voice Grade Loop Line Port Combination - 0SSL SR Charge, [Note 7] NRC - 2-Virre Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs. Electronic - New - 1st Electronic - New -		NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - 1st	TBD	NA	NA	\$8.45	NA	NA	NA	NA	NA	NA
Electronic, por LSR received from the CLEC by one of the OSS interactive interfaces		NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - Add'l	TBD	NA	NA	\$3.91	NA	NA	NA	NA	NA	NA
Electronic - New - 1st		Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7)	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
Riectonic - New - Add Riectonic Rie		Electronic - New - 1st	TBD	NA	NA	\$37.06	NA	NA	NA	NA	NA	NA
Update - Electronic NRSC - 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Manual Service Order NRSC - 2 Wire Voice Grade Loop With 2-Wire Line Port - Incremental Cost Manual vs. Electronic - New - Disconnect Interpretation - New - Disconnect Interp		Electronic - New - Add'l	TBD	NA	NA	\$8.19	NA	NA	NA	NA	NA	NA
Update - Manual Service Order TBD NA NA TBD NA NA NA NA NA NA NA NA NA NA NA NA NA		Update - Electronic	TBD	NA	NA	TBD	NA	NA	NA	NA	NA	NA
Electronic - New - Disconnect TBD NA NA S11.17 NA NA NA NA NA NA NA NA NA NA NA NA NA		Update - Manual Service Order	TBD	NA	NA	TBD	NA	NA	NA	NA	NA	NA
LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT) LNPCX			TBD	NA	NA	\$11.17	NA	NA	NA	NA	NA	NA
NOTES: Market Rates will apply in those areas where BellSouth is not required to provide		All Other Loop/Port Combinations	TBD	TBD	TBD	Note 2	TBD	TBD	TBD	TBD	TBD	TBD
Market Rates will apply in those areas where BellSouth is not required to provide 1 circuit switching pursuant to FCC rules. 2 In Georgia, rates will apply for Currently Combined as well as not Currently Combined 1 bop/port combinations unless otherwise identified. 3 In the absence of ordered rates by a State Commission, the recurring rates for 2 Currently Combined combinations of loop/port network elements will be the sum of 3 the recurring rates for the UNEs which make up the combinations, and the 3 nonrecurring rates for the UNEs which make up the combinations, and the 3 nonrecurring rates shall be as set forth in this section. 4 Usage and Common Transport rates associated with the stand-alone UNE port 3 elements will apply to all combinations of loop/port network elements. 4 Usage and Common Transport rates associated with the stand-alone UNE port 4 elements will apply to all combinations of loop/port network elements. 5 Deleted 5 Deleted 6 Deleted 7 Deleted Survive May 1, 2000 statewide rates will be replaced by Deaveraged Loop Rates by 7 Zone where available. Until approximately December 31, 2000 or until such time that 8 BellSouth will bill at the Zone 1 Deaveraged Loop rate level only. After December 31, 9 2000 or such time that the billing systems have been developed to handle the new 9 2000 or such time that the billing systems have been developed to handle the new 9 2000 or such time that the billing systems have been developed to said the new 9 2000 or such time that the billing systems have been developed to said the new 9 2000 or such time that the billing systems have been developed to handle the new 9 2000 or such time that the billing systems have been developed to handle the new 9 2000 or such time that the billing systems have been developed to handle the new 1 2000 or such time that the billing systems have been developed to handle the new 1 2000 or such time that the billing systems have been developed to handle the new 2 2000 or such time the Zone 1 Deaveraged Loop Rates by 1 2 2 2 2 2 2 2		LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT)	LNPCX									
Market Rates will apply in those areas where BellSouth is not required to provide 1 circuit switching pursuant to FCC rules. 2 In Georgia, rates will apply for Currently Combined as well as not Currently Combined 1 cloop/port combinations unless otherwise identified. 2 In the absence of ordered rates by a State Commission, the recurring rates for 2 Currently Combined combinations of loop/port network elements will be the sum of 3 In the absence of ordered rates by a State Commission, the recurring rates for the UNEs which make up the combinations, and the 3 nonrecurring rates for the UNEs which make up the combinations, and the 3 nonrecurring rates shall be as set forth in this section. 4 Usage and Common Transport rates associated with the stand-alone UNE port 3 elements will apply to all combinations of loop/port network elements. 4 Usage and Common Transport rates associated with the stand-alone UNE port 4 elements will apply to all combinations of loop/port network elements. 5 Deleted 5 Deleted 6 Deleted 7 Deleted 7 Deleted 8 Deleted 8 Deleted 9	NO	TES:					+					Ī
loop/port combinations unless otherwise identified.		Market Rates will apply in those areas where BellSouth is not required to provide										
Currently Combined combinations of loop/port network elements will be the sum of the recurring rates for the UNEs which make up the combinations, and the nonrecurring rates shall be as set forth in this section. 4 Usage and Common Transport rates associated with the stand-alone UNE port elements will apply to all combinations of loop/port network elements. 5 Deleted Zone where available. Until approximately December 31, 2000 or until such time that BellSouth billing systems have been developed to handle the new zone rate structure, BellSouth will bill at the Zone 1 Deaveraged Loop rate level only. After December 31, 2000 or such time that the billing systems have been developed to handle the new zone rate structure, BellSouth will bill at the Zone 1 Deaveraged Loop rate level only. After December 31, 2000 or such time that the billing systems have been developed to handle the new zone rate structure, BellSouth will begin billing pursuant to CLEC-1's interconnection 6 agreement.												
elements will apply to all combinations of loop/port network elements. Deleted Effective May 1, 2000 statewide rates will be replaced by Deaveraged Loop Rates by Zone where available. Until approximately December 31, 2000 or until such time that BellSouth billing systems have been developed to handle the new zone rate structure, BellSouth will bill at the Zone 1 Deaveraged Loop rate level only. After December 31, 2000 or such time that the billing systems have been developed to handle the new zone rate structure, BellSouth will begin billing pursuant to CLEC-1's interconnection 6 agreement.		Currently Combined combinations of loop/port network elements will be the sum of the recurring rates for the UNEs which make up the combinations, and the										
5 Deleted Effective May 1, 2000 statewide rates will be replaced by Deaveraged Loop Rates by Zone where available. Until approximately December 31, 2000 or until such time that BellSouth billing systems have been developed to handle the new zone rate structure, BellSouth will bill at the Zone 1 Deaveraged Loop rate level only. After December 31, 2000 or such time that the billing systems have been developed to handle the new zone rate structure, BellSouth will begin billing pursuant to CLEC-1's interconnection 6 agreement.												
7 In the change of explained OCC rates by a state commission. Pall Couth will affer regionwide rates		5 Deleted Effective May 1, 2000 statewide rates will be replaced by Deaveraged Loop Rates by Zone where available. Until approximately December 31, 2000 or until such time that BellSouth billing systems have been developed to handle the new zone rate structure, BellSouth will bill at the Zone 1 Deaveraged Loop rate level only. After December 31, 2000 or such time that the billing systems have been developed to handle the new zone rate structure, BellSouth will begin billing pursuant to CLEC-1's interconnection 6 agreement.										
8 There is not a unique combination USOC. CLEC should submit the loop and port USOCs.		7 In the absence of ordered OSS rates by a state commission, BellSouth will offer region 8 There is not a unique combination USOC. CLEC should submit the loop and port USO										
	Ŧ											

E	NHANCED EXTENDED LINKS (EELs)										
	·										
	New EEL rates are the sum of the individual UNE network elements										
	(interoffice transport and loop [channelization if applicable].										
$\sqcup \! \! \perp \! \! \! \! \! \! \! \! \perp$	DS1 Interoffice Channel and 2-wire VG Local Loop EEL:	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
	Recurring Charges										
	2-wire VG Loop per month, statewide	UEAL2	NA	\$17.00	\$16.51	NA	\$19.35	NA	\$19.50	NA	\$18.00
Ш	2-wire VG Loop per month, Zone 1 (Note 1)	TBD	NA	\$13.75	\$16.84	NA	\$17.65	NA	TBD	NA	\$15.92
Ш	2-wire VG Loop per month, Zone 2 (Note 1)	TBD	NA	\$20.13	\$19.45	NA	\$30.32	NA	TBD	NA	\$20.79
	2-wire VG Loop per month, Zone 3 (Note 1)	NA	NA	\$44.40	\$30.92	NA	\$61.93	NA	TBD	NA	\$27.18
	2-wire VG Loop per month, Zone 4 (Note 1)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Interoffice Channel - Dedicated - DS1 - per mile per month	1L5XX	NA	\$0.2035	\$0.31	NA	\$0.78	NA	\$0.78	NA	\$0.35
$\sqcup \! \! \perp \! \! \! \! \! \! \! \! \perp$	Interoffice Channel - Dedicated - DS1 - Facility Termination per month	U1TF1	NA	\$93.31	\$63.39	NA	\$93.40	NA	\$93.40	NA	\$75.83
	DS1 Channelized System per month	MQ1	NA	\$154.74	\$127.60	NA	\$209.87	NA	\$209.87	NA	\$165.21
	VG (COCI) interface card per month	1D1VG	NA	\$1.46	\$1.18	NA	\$1.62	NA	\$1.62	NA	\$1.25
$\sqcup \!\!\! \perp$	Non-Recurring Charges - New EEL (Note 2)(Note 3)								 		ļ .
$\sqcup \!\!\! \perp \!\!\!\! \perp$	NRC- DS1 interoffice Facility Termination - 1st	U1TF1	NA	\$370.81	\$169.57	NA	\$160.49	NA	\$217.17	NA	\$165.53
	NRC-DS1 interoffice Facility Termination - Add'l	U1TF1	NA	\$247.73	\$112.77	NA	\$123.03	NA	\$163.75	NA	\$124.84
	NRC-2-wire VG Local Loop - 1st	UEAL2	NA	\$271.29	\$122.51	NA	\$128.42	NA	\$142.97	NA	\$103.76
	NRC-2-wire VG Local Loop - Add'l	UEAL2	NA	\$104.90	\$81.48	NA	\$93.60	NA	\$106.56	NA	\$65.84
	NRC-DS1 Channelization System -1st	MQ1	NA	\$127.67	\$138.85	NA	\$220.07	NA	\$193.63	NA	\$222.87
	NRC-DS1 Channelization System - Add'l	MQ1	NA	\$29.75	\$92.34	NA	\$135.20	NA	\$118.37	NA	\$135.80
	NRC-VG(COCI)interface card -1st	1D1VG	NA	\$12.26	\$12.15	NA	\$12.29	NA	\$15.76	NA	\$12.61
$\sqcup \bot \bot$	NRC-VG(COCI)interface card - Add'	1D1VG	NA	\$8.84	\$8.76	NA	\$8.80	NA	\$11.28	NA	\$9.03
$\sqcup \bot \bot$	NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination - I	SOMEC	NA	\$3.20	\$3.50	NA	\$3.50	NA	\$3.50	NA	\$3.50
	NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination - I	M SOMAN	NA	\$25.60	NA	NA	NA	NA	NA	NA	\$19.99
	NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination - I	M SOMAN	NA	NA	\$34.00	NA	\$242.20	NA	\$66.20	NA	NA
$\sqcup \bot \bot$	NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination - I	M SOMAN	NA	NA	\$27.79	NA	\$153.37	NA	\$51.40	NA	NA
	NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination - I	M SOMAN	NA	NA	\$20.10	NA	\$45.91	NA	NA	NA	NA
$\sqcup \!\!\! \perp \!\!\!\! \perp$	NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination - I	M SOMAN	NA	NA	\$11.98	NA	\$8.06	NA	NA	NA	NA
	DS1 Interoffice Channel and 4-wire VG Local Loop EEL:										
	Recurring Charges										
	4-wire VG Loop per month, statewide	UEAL4	NA	\$30.00	\$25.86	NA	\$31.52	NA	\$27.49	NA	\$18.00
	4-wire VG Loop per month, Zone 1 (Note 1)	TBD	NA	\$24.26	\$22.26	NA	\$24.36	NA	NA	NA	\$15.92
	4-wire VG Loop per month, Zone 2 (Note 1)	TBD	NA	\$35.51	\$78.35	NA	\$41.85	NA	NA	NA	\$20.79
	4-wire VG Loop per month, Zone 3 (Note 1)	TBD	NA	\$78.35	\$0.00	NA	\$86.47	NA	NA	NA	\$27.18
++	4-wire VG Loop per month, Zone 4 (Note 1)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
++	Interoffice Channel - Dedicated - DS1 - per mile per month	1L5XX	NA	\$0.2035	\$0.31	NA	\$0.78	NA	\$0.08	NA	\$0.35
$\sqcup \!\!\! \perp$	Interoffice Channel - Dedicated - DS1 - Facility Termination per month	U1TF1	NA	\$93.31	\$63.39	NA	\$93.40	NA	\$71.29	NA	\$75.83
$\sqcup \!\!\! \perp$	DS1 Channelized System per month	MQ1	NA	\$154.74	\$18.23	NA	\$209.87	NA	\$177.72	NA	\$165.21
	VG (COCI) interface card per month	1D1VG	NA	\$1.46	\$2.67	NA	\$1.62	NA	\$1.64	NA	\$1.25
++	Non-Recurring Charges - New EEL (Note 2) (Note 3)				 				1		! .
${++}$	NRC- DS1 interoffice Facility Termination - 1st	U1TF1	NA	\$370.81	\$169.57	NA	\$160.49	NA	\$534.48	NA	\$165.53
$\sqcup \!\!\! \perp$	NRC-DS1 interoffice Facility Termination - Add'l	U1TF1	NA	\$247.73	\$112.77	NA	\$123.03	NA	\$462.69	NA	\$124.84
\perp	NRC-4-wire VG Local Loop - 1st	UEAL4	NA	\$271.29	\$275.61	NA	\$128.42	NA	\$288.47	NA	\$103.76
\perp	NRC-4-wire VG Local Loop - Add'l	UEAL4	NA	\$104.90	\$225.76	NA	\$93.60	NA	\$237.45	NA	\$65.84
$+\!\!+\!\!\!+$	NRC-DS1 Channelization System -1st	MQ1	NA	\$127.67	\$138.85	NA	\$220.07	NA	\$301.74	NA	\$222.87
	NRC-DS1 Channelization System - Add'l	MQ1	NA	\$29.75	\$92.34	NA	\$135.20	NA	\$182.57	NA	\$135.80

	EN	IHANCED EXTENDED LINKS (EELs)										
		NRC-VG(COCI)interface card -1st	1D1VG	NA	\$12.26	\$12.15	NA	\$12.29	NA	\$15.76	NA	\$12.61
		NRC-VG(COCI)interface card - Add'	1D1VG	NA NA	\$8.84	\$8.78	NA.	\$8.80	NA	\$11.28	NA	\$9.03
		NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Electro		NA NA	\$3.20	\$3.50	NA.	\$3.50	NA	\$3.50	NA	\$3.50
+		NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual	SOMAN	NA NA	\$25.60	NA	NA	NA	NA	NA	NA	\$19.99
		NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual	SOMAN	NA NA	NA	\$30.42	NA NA	\$242.20	NA	\$66.20	NA	NA
		NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual		NA NA	NA	\$18.76	NA NA	\$153.37	NA	\$51.40	NA	NA NA
		NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local		NA NA	NA	\$12.15	NA NA	\$45.91	NA	NA	NA	NA NA
+	+	NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual		NA NA	NA NA	\$8.76	NA NA	\$8.06	NA	NA NA	NA	NA NA
		1410 DOT Interember channel and 4 wire VO Local Loop Combination - Manual	COMPAIN	14/3	14/3	ψ0.70	14/3	ψ0.00	14/1	14/3	1473	14/-1
		DS1 Interoffice Channel and 2-wire ISDN Local Loop:										
		Recurring Charges										
		2-wire ISDN Loop per month, statewide	U1L2X	NA	\$40.00	\$25.43	NA	\$27.36	NA	\$24.98	NA	\$18.00
		2-wire ISDN Loop per month, Zone 1 (Note 1)	TBD	NA	\$32.34	\$21.89	NA	\$21.15	NA	TBD	NA	\$15.54
		2-wire ISDN Loop per month, Zone 2 (Note 1)	TBD	NA NA	\$47.35	\$25.27	NA	\$36.22	NA	TBD	NA	\$19.55
$^{+}$	Ħ	2-wire ISDN Loop per month, Zone 3 (Note 1)	TBD	NA NA	\$104.47	\$40.17	NA	\$74.19	NA	TBD	NA	\$28.02
\dagger	Ħ	2-wire ISDN Loop per month, Zone 4 (Note 1)	NA	NA NA	NA	NA	NA NA	NA	NA	NA NA	NA	NA
+	+	Interoffice Channel - Dedicated - DS1 - per mile per month	1L5XX	NA NA	\$0.2035	\$0.31	NA NA	\$0.78	NA	\$0.08	NA	\$0.35
+	+	Interoffice Channel - Dedicated - DS1 - Facility Termination per month	U1TF1	NA NA	\$93.31	\$63.39	NA	\$93.40	NA	\$71.29	NA	\$75.83
+		DS1 Channelized System per month	MQ1	NA NA	\$154.74	\$127.60	NA NA	\$209.87	NA NA	\$177.72	NA NA	\$165.21
		2-wire ISDN(BRITE COCI) per month	UC1CA	NA NA	\$3.86	\$3.41	NA NA	\$4.18	NA NA	\$3.76	NA NA	\$3.33
		Non-Recurring Charges - New EEL (Note 2)(Note 3)	OCTOR	INA	φ3.00	φ3.41	INA	φ4.10	INA	φ3.70	INA	φ3.33
+		NRC- DS1 interoffice Facility Termination - 1st	U1TF1	NA	\$370.81	\$169.57	NA	\$160.49	NA	\$217.17	NA	\$165.53
		NRC-DS1 Interoffice Facility Termination - 1st	U1TF1	NA NA	\$247.73	\$112.77	NA NA	\$100.49	NA NA	\$163.75	NA NA	\$124.84
		NRC- 2-wire ISDN Local Loop - 1st	U1L2X	NA NA	\$271.29	\$122.51	NA NA	\$223.27	NA NA	\$325.91	NA NA	\$58.50
+		NRC- 2-wire ISDN Local Loop - 1st NRC- 2-wire ISDN Local Loop - Add'l	U1L2X	NA NA	\$104.90	\$81.48	NA NA	\$172.63	NA NA	\$251.31	NA NA	\$31.00
+	+	NRC-DS1 Channelization System -1st	MQ1	NA NA	\$104.90	\$138.85	NA NA	\$220.07	NA NA	\$301.74	NA NA	\$222.87
		NRC-DS1 Channelization System - 1st NRC-DS1 Channelization System - Add'I	MQ1	NA NA	\$29.75	\$92.34	NA NA	\$135.20	NA NA	\$182.57	NA NA	\$135.80
+		NRC-DST Charmelization System - Add to NRC-2-wire BRITE(COCI)interface card -1st	UC1CA	NA NA	\$12.26	\$12.15	NA NA	\$133.20	NA NA	\$15.76	NA NA	\$12.61
		NRC-2-wire BRITE(COCI)interface card -1st NRC-2-wire BRITE(COCI)interface card -Add'l	UC1CA	NA NA	\$8.84	\$8.76	NA NA	\$8.80	NA NA	\$11.28	NA NA	\$9.03
+	+	NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Elec	SOMEC	NA NA	\$3.20	\$3.50	NA NA	\$3.50	NA NA	\$3.50	NA NA	\$3.50
		NRC-DS1 Interoffice channel and 2-wire ISDN Local Loop Combination - Elect NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Man	SOMAN	NA NA	\$3.20	\$3.50 NA	NA NA	\$3.50 NA	NA NA	\$3.50 NA	NA NA	\$3.50 \$19.99
		NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Man	SOMAN	NA NA	\$25.60 NA	\$34.00	NA NA	\$57.58	NA NA	\$38.07	NA NA	NA
			SOMAN	NA NA	NA NA		NA NA	1			NA NA	NA NA
		NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Man NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Man	SOMAN	NA NA	NA NA	\$27.79 \$20.10	NA NA	\$36.31 \$16.12	NA NA	\$38.07 NA	NA NA	NA NA
+		,		NA NA	NA NA	·	NA NA		NA NA	NA NA	NA NA	NA NA
+		NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Man	SOMAN	INA	INA	\$11.98	INA	\$8.06	INA	INA	INA	INA
+	+	DS1 Interoffice Channel and 4-wire 56 kbps Local Loop:								+		
+	+	Recurring Charges								+		
+	+	4-wire 56kbps Loop per month, statewide	UDL56	NA	\$48.33	\$29.92	NA	\$35.58	NA	\$32.67	NA	\$42.23
\dashv	+	4-wire 56kbps Loop per month, Zone 1 (Note 1)	TBD	NA NA	\$39.08	\$25.75	NA NA	\$27.50	NA NA	TBD	NA NA	\$36.45
+	+	4-wire 56kbps Loop per month, Zone 1 (Note 1) 4-wire 56kbps Loop per month, Zone 2 (Note 1)	TBD	NA NA	\$57.21	\$29.74	NA NA	\$47.24	NA NA	TBD	NA NA	\$45.87
+	+	4-wire 56kbps Loop per month, Zone 2 (Note 1) 4-wire 56kbps Loop per month, Zone 3 (Note 1)	TBD	NA NA	\$126.22	\$47.27	NA NA	\$96.48	NA NA	TBD	NA NA	\$65.75
+	+	4-wire 56kbps Loop per month, Zone 3 (Note 1) 4-wire 56kbps Loop per month, Zone 4 (Note 1)	NA	NA NA	NA	547.27 ΝΑ	NA NA	\$90.46 NA	NA NA	NA NA	NA NA	\$65.75 NA
+	+	Interoffice Channel - Dedicated - DS1 - per mile per month	1L5XX	NA NA	\$0.2035	\$0.31	NA NA	\$0.78	NA NA	\$0.08	NA NA	\$0.35
+	+		U1TF1	NA NA	\$93.31	\$63.39	NA NA	\$93.40	NA NA	\$71.29	NA NA	\$75.83
+	+	Interoffice Channel - Dedicated - DS1 - Facility Termination per month					NA NA	1	NA NA		NA NA	
	+	DS1 Channelized System per month	MQ1 1D1DD	NA NA	\$154.74	\$18.23		\$209.87		\$177.72		\$165.21
+	+	4-wire 56kbps card COCI per month Non-Recurring Charges - New EEL (Note 2) (Note 3)	טטוטו	NA	\$2.22	\$1.06	NA	\$3.12	NA	\$2.88	NA	\$2.46
-	+		LIATEA	NIA.	#070.01	£400.57	NIA	£400.40	NIA	0047.47	NIA	£405 50
		NRC- DS1 interoffice Facility Termination - 1st	U1TF1	NA	\$370.81	\$169.57	NA	\$160.49	NA	\$217.17	NA	\$165.53

E	NHANCED EXTENDED LINKS (EELs)										1
	NRC-DS1 interoffice Facility Termination - Add'l	U1TF1	NA	\$247.73	\$112.77	NA	\$123.03	NA	\$163.75	NA	\$124.84
	NRC-4-wire 56kbps Local Loop - 1st	UDL56	NA	\$271.29	\$443.56	NA NA	\$333.28	NA NA	\$489.04	NA	\$643.00
	NRC-4-wire 56kbps Local Loop - Add'l	UDL56	NA	\$104.90	\$269.01	NA NA	\$230.50	NA	\$337.51	NA	\$421.26
	NRC-DS1 Channelization System -1st	MQ1	NA NA	\$127.67	\$138.85	NA NA	\$220.07	NA	\$301.74	NA NA	\$222.87
	NRC-DS1 Channelization System - Add'l	MQ1	NA NA	\$29.75	\$92.34	NA NA	\$135.20	NA NA	\$182.57	NA NA	\$135.80
	NRC-4-wire 56kbps(COCI)interface card -1st	1D1DD	NA NA	\$12.26	\$12.15	NA NA	\$12.29	NA NA	\$15.76	NA NA	\$12.61
	NRC-4-wire 56kbps(COCI)interface card -Add'l	1D1DD	NA	\$8.84	\$8.76	NA	\$8.80	NA	\$11.28	NA	\$9.03
	NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - E	SOMEC	NA	\$3.20	\$3.50	NA	\$3.50	NA	\$3.50	NA	\$3.50
	NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - M	SOMAN	NA	\$25.60	NA NA	NA	NA NA	NA	NA NA	NA	\$19.99
	NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - M	SOMAN	NA	NA NA	\$34.00	NA	\$242.20	NA	\$38.07	NA	NA
	NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - M	SOMAN	NA	NA	\$27.79	NA	\$153.37	NA	\$38.07	NA	NA
	NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - M	SOMAN	NA	NA	\$20.10	NA	\$45.91	NA	NA	NA	NA
	NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - M	SOMAN	NA	NA	\$11.98	NA	\$8.06	NA	NA	NA	NA
	The Service of American and Third Service 2004 2009 Service of American	00			\$11.00		ψο.σσ		10.		
	DS1 Interoffice Channel and 4-wire 64 kbps Local Loop:										
	Recurring Charges								İ		
	4-wire 64kbps Loop per month, statewide	UDL64	NA	\$48.33	\$29.92	NA	NA	NA	\$32.67	NA	\$42.23
	4-wire 64kbps Loop per month, Zone 1 (Note 1)	TBD	NA	\$39.08	\$25.75	NA NA	\$27.50	NA NA	TBD	NA	\$36.45
	4-wire 64kbps Loop per month, Zone 2 (Note 1)	TBD	NA	\$57.21	\$29.74	NA NA	\$47.24	NA	TBD	NA	\$45.87
	4-wire 64kbps Loop per month, Zone 3 (Note 1)	TBD	NA	\$126.22	\$47.27	NA NA	\$96.48	NA	TBD	NA	\$65.75
	4-wire 64kbps Loop per month, Zone 4 (Note 1)	NA	NA	NA	NA NA	NA NA	NA	NA	NA	NA	NA
	Interoffice Channel - Dedicated - DS1 - per mile per month	1L5XX	NA	\$0.2035	\$0.31	NA	\$0.78	NA	\$0.08	NA	\$0.35
	Interoffice Channel - Dedicated - DS1 - Facility Termination per month	U1TF1	NA	\$93.31	\$63.39	NA	\$93.40	NA	\$71.29	NA	\$75.83
	DS1 Channelized System per month	MQ1	NA	\$154.74	\$18.23	NA NA	\$209.87	NA	\$177.72	NA	\$165.21
	4-wire 64kbps card COCI per month	1D1DD	NA	\$1.06	\$1.06	NA	\$3.12	NA	\$2.88	NA	\$2.46
	Non-Recurring Charges - New EEL (Note 2) (Note 3)			ψσ	ψσσ		Ψ0.12		Ψ2.00		\$2.70
	NRC- DS1 interoffice - 1st	U1TF1	NA	\$370.81	\$169.57	NA	\$160.49	NA	\$217.17	NA	\$165.53
	NRC- DS1 interoffice - Add'l	U1TF1	NA	\$247.73	\$112.77	NA	\$123.03	NA	\$163.75	NA	\$124.84
	NRC-4-wire 64kbps Local Loop - 1st	UDL64	NA	\$271.29	\$443.56	NA	\$333.28	NA	\$489.04	NA	\$103.76
	NRC-4-wire 64kbps Local Loop - Add'l	UDL64	NA	\$104.90	\$269.01	NA	\$230.50	NA	\$337.51	NA	\$65.84
	NRC-DS1 Channelization System -1st	MQ1	NA	\$127.67	\$138.85	NA	\$220.07	NA	\$301.74	NA	\$222.87
	NRC-DS1 Channelization System - Add'l	MQ1	NA	\$29.75	\$92.34	NA	\$135.20	NA	\$288.33	NA	\$135.80
	NRC-4-wire 64kbps(COCI)interface card -1st	1D1DD	NA	\$12.26	\$12.15	NA	\$12.29	NA	\$15.76	NA	\$12.61
	NRC-4-wire 64kbps(COCI)interface card -Add'l	1D1DD	NA	\$8.84	\$8.76	NA	\$8.80	NA	\$11.28	NA	\$9.03
	NRC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - E	SOMEC	NA	\$3.20	\$3.50	NA	\$3.50	NA	\$3.50	NA	\$3.50
	NRC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - M	SOMAN	NA	\$25.60	NA	NA	NA	NA	NA	NA	\$19.99
	NRC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - M	SOMAN	NA	NA	\$34.00	NA	\$242.20	NA	\$38.07	NA	NA
	NRC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - M	SOMAN	NA	NA	\$27.79	NA	\$153.37	NA	\$38.07	NA	NA
	NRC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - M	SOMAN	NA	NA	\$20.10	NA	\$45.91	NA	NA	NA	NA
	NRC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - M	SOMAN	NA	NA	\$11.98	NA	\$8.06	NA	NA	NA	NA
	, , , , , , , , , , , , , , , , , , , ,										
Ш	DS1 Interoffice Channel and DS1 Interoffice Local Loop:										
	Recurring Charges										
	DS1 Loop per month,State wide	USLXX	NA	\$80.00	\$64.52	NA	\$72.86	NA	\$62.78	NA	NA
	DS1 Loop per month, Zone 1 (Note 1)	TBD	NA	\$64.69	\$55.53	NA	\$56.32	NA	TBD	NA	NA
	DS1 Loop per month, Zone 2 (Note 1)	TBD	NA	\$94.71	\$64.13	NA	\$96.73	NA	TBD	NA	NA
Ш	DS1 Loop per month, Zone 3 (Note 1)	TBD	NA	\$208.93	\$101.93	NA	\$197.57	NA	TBD	NA	NA
	DS1 Loop per month, Zone 4 (Note 1)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Interoffice Channel - Dedicated - DS1 - per mile per month	1L5XX	NA	\$0.2035	\$0.31	NA	\$0.78	NA	\$0.08	NA	NA

П	ΕN	NHANCED EXTENDED LINKS (EELs)										
H		Interoffice Channel - Dedicated - DS1 - Facility Termination per month	U1TF1	NA	\$93.31	\$63.39	NA	\$93.40	NA	\$71.29	NA	NA
H	_	Non-Recurring Charges - New EEL (Note 2) (Note 3)	01111	14/-1	ψ55.51	ψ00.00	14/3	ψ55.40	14/3	Ψ71.25	14/3	14/3
Ħ		NRC- DS1 interoffice - 1st	U1TF1	NA	\$370.81	\$169.57	NA	\$160.49	NA	\$217.17	NA	NA
\vdash		NRC- DS1 interoffice - Add'l	U1TF1	NA NA	\$247.73	\$112.77	NA NA	\$123.03	NA	\$163.75	NA NA	NA
\vdash		NRC-DS1 Interoffice - Add1	USLXX	NA NA	\$434.24	\$535.73	NA NA	\$502.73	NA NA	\$714.84	NA NA	NA NA
H	-	NRC-DS1 Local Loop - 1st	USLXX	NA NA	\$235.29	\$227.04	NA NA	\$293.92	NA NA	\$421.47	NA NA	NA NA
Ħ	-	NRC-DS1 interoffice channel and DS1 Local Loop Combination - Electronic \$	SOMEC	NA NA	\$3.20	\$3.50	NA NA	\$3.50	NA NA	\$3.50	NA NA	\$3.50
H	-	NRC-DS1 interoffice channel and DS1 Local Loop Combination - Electronic S	SOMAN	NA NA	\$25.60	NA	NA NA	\$3.50 NA	NA NA	\$3.50 NA	NA NA	\$19.99
H		NRC-DS1 interoffice channel and DS1 Local Loop Combination - Manual Svo	SOMAN	NA NA	\$25.60 NA	\$34.00	NA NA	\$242.20	NA NA	\$38.07	NA NA	\$19.99 NA
\vdash		NRC-DS1 interoffice channel and DS1 Local Loop Combination - Manual Svo	SOMAN	NA NA	NA NA	\$27.79	NA NA	\$153.37	NA NA	\$38.07	NA NA	NA NA
H	-											
H	-	NRC-DS1 interoffice channel and DS1 Local Loop Combination - Manual Svo	SOMAN	NA NA	NA	\$20.10	NA NA	\$45.91	NA NA	NA	NA	NA
H	-	NRC-DS1 interoffice channel and DS1 Local Loop Combination - Manual Svo	SOMAN	NA	NA	\$11.98	NA	\$8.06	NA	NA	NA	NA
H	-	D001 / // 01 1 1 D001 11										
H	_	DS3 Interoffice Channel and DS3 Local Loop:										
H	_	Recurring Charges			A 10= =5	0001-5						***
$\vdash \vdash$		DS3 Loop per Facility Termination per month	UE3PX	NA	\$407.58	\$394.59	NA	\$669.01	NA	\$387.01	NA	\$607.28
4	-	DS3 Loop per mile	1L5ND	NA	\$11.97	\$8.99	NA	\$30.34	NA	\$32.53	NA	\$23.76
$\sqcup \!\! \perp$		Interoffice Channel - Dedicated - DS3 - FacilityTermination per month	1L5XX	NA	\$1,130	\$717.60	NA	\$1,101	NA	\$720.38	NA	\$760.20
_	_	Interoffice Channel - Dedicated - DS3 - per mile per month	U1TF3	NA	\$4.25	\$0.31	NA	\$14.04	NA	\$12.98	NA	\$5.89
Ш		Non-Recurring Charges - New EEL (Note 2)(Note 3)										
		NRC- DS3 interoffice - 1st	U1TF3	NA	\$682.89	\$456.02	NA	\$713.57	NA	\$794.94	NA	\$729.27
Ш		NRC- DS3 interoffice - Add'l	U1TF3	NA	\$288.32	\$255.71	NA	\$404.36	NA	\$579.55	NA	\$411.98
		NRC-DS3 Local Loop - 1st	UE3PX	NA	\$502.08	\$770.12	NA	\$811.30	NA	\$964.04	NA	\$829.52
		NRC-DS3 Local Loop - Add'l	UE3PX	NA	\$307.56	\$551.49	NA	\$502.09	NA	\$542.73	NA	\$512.23
		NRC-DS3 interoffice channel and DS3 Local Loop Combination - Electronic \$	SOMEC	NA	\$3.20	\$3.50	NA	\$3.50	NA	\$3.50	NA	\$3.50
		NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Svo	SOMAN	NA	\$25.60	NA	NA	NA	NA	NA	NA	\$19.99
		NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Svo	SOMAN	NA	NA	\$37.96	NA	\$100.50	NA	\$56.25	NA	NA
		NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Svo	SOMAN	NA	NA	\$37.96	NA	\$100.50	NA	\$56.25	NA	NA
		NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Svo	SOMAN	NA	NA	\$18.23	NA	\$41.88	NA	NA	NA	NA
		NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Svo	SOMAN	NA	NA	\$18.23	NA	\$41.88	NA	NA	NA	NA
		STS-1 Interoffice Channel and STS-1 Local Loop:										
		Recurring Charges										
		STS-1 Loop per Facility Termination per month	UDLS1	NA	\$449.40	\$426.19	NA	\$497.08	NA	\$387.01	NA	\$400.21
		STS-1 Loop per mile	1L5ND	NA	\$11.97	\$8.99	NA	\$497.08	NA	\$32.53	NA	\$30.53
		Interoffice Channel - Dedicated - STS-1 - FacilityTermination per month	U1TFS	NA	\$1,114	\$792.17	NA	\$1,101	NA	\$800.94	NA	\$838.65
Ħ		Interoffice Channel - Dedicated - STS-1 - per mile per month	1L5XX	NA	\$4.25	\$2.75	NA	\$14.04	NA	\$6.29	NA	\$6.88
T		Non-Recurring Charges - New EEL (Note 2)(Note 3)								,		
H		NRC- STS-1 interoffice - 1st	U1TFS	NA	\$682.89	\$640.32	NA	\$713.57	NA	\$624.86	NA	\$961.62
ΠŤ		NRC- STS-1 interoffice - Add'l	U1TFS	NA	\$288.32	\$575.26	NA.	\$404.36	NA	\$436.36	NA	\$625.84
Ħ		NRC-STS-1 Local Loop - 1st	UDLS1	NA.	\$502.08	\$770.12	NA.	\$811.30	NA	\$964.04	NA	\$829.52
Ħ	1	NRC-STS-1 Local Loop - Add'l	UDLS1	NA	\$307.56	\$551.49	NA NA	\$502.09	NA	\$542.73	NA NA	\$512.23
H	+	NRC-STS-1 interoffice channel and STS-1 Local Loop Combination - Electron	SOMEC	NA NA	\$3.20	\$3.50	NA NA	\$3.50	NA NA	\$3.50	NA	\$3.50
H	+	NRC-STS-1 interoffice channel and STS-1 Local Loop Combination - Manual	SOMAN	NA NA	\$25.60	NA	NA NA	NA	NA	NA	NA	\$19.99
H		NRC-STS-1 interoffice channel and STS-1 Local Loop Combination - Manual	SOMAN	NA NA	NA	\$37.96	NA NA	\$100.50	NA	\$55.00	NA	NA
\forall		NRC-STS-1 interoffice channel and STS-1 Local Loop Combination - Manual	SOMAN	NA NA	NA NA	\$37.96	NA NA	\$100.50	NA	\$55.00	NA NA	NA
\dashv	-	NRC-STS-1 interoffice channel and STS-1 Local Loop Combination - Manual	SOMAN	NA NA	NA NA	\$18.23	NA NA	\$41.88	NA NA	NA	NA NA	NA NA
+		NRC-STS-1 Interoffice channel and STS-1 Local Loop Combination - Manual	SOMAN	NA NA	NA NA	\$18.23	NA NA	\$41.88	NA NA	NA NA	NA NA	NA NA
H	+	INTO-010-1 Interoffice charmer and 010-1 Local Loop Combination - Manual	SOMAN	INA	INA	φ10.23	INA	φ41.00	INA	INA	INA	INA
oxdot										1		1

П	ΕN	IHANCED EXTENDED LINKS (EELs)										
Ħ		DS3 Interoffice Channel and DS1 Local Loop:										
\pm		Recurring Charges										
H		DS1 Loop per month, State wide	USLXX	NA	\$80.00	\$60.88	NA	\$72.86	NA	\$62.78	NA	NA
H	+	DS1 Loop per month, Zone 1 (Note 1)	TBD	NA NA	\$64.69	\$55.53	NA NA	\$56.32	NA NA	TBD	NA NA	NA NA
\vdash		DS1 Loop per month, Zone 2 (Note 1)	TBD	NA NA	\$94.71	\$64.13	NA NA	\$96.73	NA NA	TBD	NA NA	NA NA
\vdash		DS1 Loop per month, Zone 3 (Note 1)	TBD	NA NA	\$208.93	\$101.93	NA NA	\$197.57	NA NA	TBD	NA NA	NA NA
\vdash		DS1 Loop per month, Zone 4 (Note 1)	NA	NA NA	Ψ200.93 NA	NA	NA NA	NA	NA NA	NA	NA NA	NA NA
\vdash		Interoffice Channel - Dedicated - DS3 - FacilityTermination per month	U1TF3	NA NA	\$1,130	\$717.60	NA NA	\$1,101	NA NA	\$720.38	NA NA	NA NA
\vdash		Interoffice Channel - Dedicated - DS3 - Practify reminification per month	1L5XX	NA NA	\$4.25	\$6.46	NA NA	\$14.04	NA NA	\$12.98	NA NA	NA NA
\vdash		DS3 Channelized System per month	MQ3	NA NA	\$222.61	\$202.91	NA NA	\$245.84	NA NA	\$226.81	NA NA	NA NA
\vdash		DS3 Interface per month (DS1 COCI)	UC1D1	NA NA	\$14.51	\$0.67	NA NA	\$7.55	NA NA	\$4.61	NA NA	NA NA
\pm		Non-Recurring Charges - New EEL (Note 2)(Note 3)	ОСТЫ	INA	\$14.51	φ0.07	INA	\$7.55	INA	φ4.01	INA	INA
\vdash		NRC- DS3 interoffice - 1st	U1TF3	NA	\$682.89	\$456.02	NA	\$713.57	NA	\$794.94	NA	NA
+	+	NRC- DS3 interoffice - Add'l	U1TF3	NA NA	\$288.32	\$255.71	NA NA	\$404.36	NA NA	\$579.55	NA NA	NA NA
\dashv	+	NRC-DS3 Interollice - Add1 NRC-DS1 Local Loop - 1st	USLXX	NA NA	\$434.24	\$343.73	NA NA	\$502.73	NA NA	\$579.55 \$714.84	NA NA	NA NA
+	+	NRC-DS1 Local Loop - 1st NRC-DS1 Local Loop - Add'l	USLXX	NA NA	\$434.24 \$235.29	\$343.73 \$192.75	NA NA	\$293.92	NA NA	\$421.47	NA NA	NA NA
H		NRC-DS1 Local Loop - Add1 NRC-DS3 Channelization System -1st	MQ3	NA NA	\$235.29	\$192.75	NA NA	\$293.92	NA NA	\$351.95	NA NA	NA NA
\dashv		NRC-DS3 Channelization System - 1st NRC-DS3 Channelization System - Add'l	MQ3	NA NA	\$240.04 \$106.82	\$189.93	NA NA	\$233.10	NA NA	\$243.76	NA NA	NA NA
\dashv		NRC-DS3 Channelization System - Add1 NRC-DS1(COCI)interface card -1st	UC1D1	NA NA	\$106.82	\$106.50	NA NA	\$233.10	NA NA	\$243.76	NA NA	NA NA
-		NRC-DS1(COCI)interface card -1st NRC-DS1(COCI)interface card -Add'l	UC1D1	NA NA	\$8.84	\$8.76	NA NA	\$8.80	NA NA	\$11.28	NA NA	NA NA
\dashv	+	NRC-DS3 interoffice channel and DS1 Local Loop Combination - Electronic \$	SOMEC	NA NA	\$3.20	\$3.50	NA NA	\$3.50	NA NA	\$3.50	NA NA	NA NA
H		NRC-DS3 interoffice channel and DS1 Local Loop Combination - Electronic \$	SOMAN	NA NA	\$25.60	\$34.00	NA NA	φ3.50 NA	NA NA	\$3.50 NA	NA NA	NA NA
-		NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manual Svo	SOMAN	NA NA	\$25.60 NA	\$34.00	NA NA	\$36.28	NA NA	\$91.26	NA NA	NA NA
+			SOMAN	NA NA	NA NA	· ·	NA NA		NA NA	1	NA NA	NA NA
-		NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manual Svo	SOMAN	NA NA	NA NA	\$20.10	NA NA	\$26.20 \$19.47	NA NA	\$91.26 NA	NA NA	NA NA
+		NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manual Svo	SOMAN	NA NA	NA NA	\$11.98 GA	NA NA	\$8.06	NA NA	NA NA	NA NA	NA NA
H		NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manual Svo	SOMAN	INA	NA NA	GA	INA	\$8.06	INA	INA	INA	INA
\vdash		STS-1 Interoffice Channel and DS1 Local Loop:										
\pm		Recurring Charges										
H			USLXX	NA	\$80.00	\$60.88	NA	Ф70 OC	NA	\$62.78	NA	NA
\pm		DS1 Loop per month, State wide DS1 Loop per month, Zone 1 (Note 1)	TBD	NA NA	\$64.69	\$22.88	NA NA	\$72.86 \$56.32	NA NA	TBD	NA NA	NA NA
H		DS1 Loop per month, Zone 2 (Note 1)	TBD	NA NA	\$94.71	\$26.42	NA NA	\$96.73	NA NA	TBD	NA NA	NA NA
H			TBD	NA NA	\$208.93	· ·	NA NA	\$197.57	NA NA		NA NA	NA NA
\dashv		DS1 Loop per month, Zone 3 (Note 1) DS1 Loop per month, Zone 4 (Note 1)	NA NA	NA NA	\$208.93 NA	\$41.99 NA	NA NA	\$197.57 NA	NA NA	TBD NA	NA NA	NA NA
\dashv	+	Interoffice Channel - Dedicated - STS-1 - FacilityTermination per month	U1TFS	NA NA	\$1,114	\$1,114	NA NA	\$1,101	NA NA	\$387.01	NA NA	NA NA
\dashv		Interoffice Channel - Dedicated - STS-1 - Pacifity remination per month	1L5XX	NA NA	\$4.25	\$4.25	NA NA	\$14.04	NA NA	\$307.01	NA NA	NA NA
+	+	DS3 Channelized System per month	MQ3	NA NA	\$4.25 \$222.61	\$4.25 \$184.02	NA NA	\$14.04	NA NA	\$226.81	NA NA	NA NA
H	+	DS3 Interface per month (DS1 COCI)	UC1D1	NA NA	\$222.61	\$184.02	NA NA	\$7.55	NA NA	\$4.61	NA NA	NA NA
H		Non-Recurring Charges - New EEL (Note 2)(Note 3)	OCIDI	INA	φ14.51	Φ11.1 4	INA	Φ7.00	INA	Φ4.01	INA	INA
H		NRC-DS1 Local Loop - 1st	USLXX	NA	\$434.24	\$429.98	NA	\$502.73	NA	\$714.84	NA	NA
+	+	NRC-DS1 Local Loop - 1st NRC-DS1 Local Loop - Add'l	USLXX	NA NA	·	\$429.98 \$268.18	NA NA	· ·	NA NA		NA NA	NA NA
\vdash	-		USLXX U1TFS	NA NA	\$235.29 \$682.89	\$268.18 \$770.12	NA NA	\$293.92 \$713.57	NA NA	\$421.47 \$624.86	NA NA	NA NA
H		NRC- STS-1 interoffice - 1st					NA NA			1 1	NA NA	
H		NRC- STS-1 interoffice - Add'l	U1TFS MO2	NA NA	\$288.32	\$551.49	NA NA	\$404.36 \$320.72	NA NA	\$436.36	NA NA	NA NA
+	+	NRC-DS3 Channelization System -1st	MQ3		\$240.04	\$342.10			NA NA	\$351.95		
+	+	NRC-DS3 Channelization System - Add'l	MQ3	NA NA	\$106.82	\$251.45	NA NA	\$233.10	NA NA	\$243.76	NA NA	NA NA
\dashv	-	NRC-DS1(COCI)interface card -1st	UC1D1	NA NA	\$12.26	\$12.15	NA NA	\$12.29	NA NA	\$15.76	NA NA	
\dashv	-	NRC-DS1(COCI)interface card -Add'l	UC1D1	NA NA	\$8.84	\$8.76	NA NA	\$8.80	NA NA	\$11.28	NA NA	NA NA
+	+	NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Electronic	SOMEC	NA NA	\$3.20	\$3.50	NA NA	\$3.50	NA NA	\$3.50	NA NA	NA NA
		NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual S	SOMAN	NA	\$25.60	NA	NA	NA	NA	NA	NA	NA

	EN	HANCED EXTENDED LINKS (EELs)										
	Ti	NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual S	SOMAN	NA	NA	\$56.90	NA	\$68.39	NA	\$55.00	NA	NA
		NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual S	SOMAN	NA	NA	\$46.38	NA	\$58.31	NA	\$55.00	NA	NA.
		NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual S	SOMAN	NA	NA	\$37.17	NA	\$50.49	NA	NA NA	NA	NA
		NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual S	SOMAN	NA NA	NA	\$26.65	NA NA	\$29.00	NA NA	NA.	NA	NA.
	Ť	With the Finite office of an included Educate Educate Educate Complete and Complete	CONTAIN	14/3	14/	Ψ20.03	14/3	Ψ23.00	14/1	14/1	14/1	14/3
	1	2-wire VG Interoffice Channel and 2-wire VG Local Loop:										
		Recurring Charges										
		2-wire VG Loop per month, statewide	UEAL2	NA	\$17.00	\$16.51	NA	\$19.35	NA	NA	NA	\$18.00
		2-wire VG Loop per month, Zone 1 (Note 1)	TBD	NA	\$13.75	\$19.45	NA	\$17.65	NA	NA	NA	\$15.54
		2-wire VG Loop per month, Zone 2 (Note 1)	TBD	NA	\$20.13	\$16.41	NA	\$30.32	NA	NA	NA	\$19.55
		2-wire VG Loop per month, Zone 3 (Note 1)	TBD	NA	\$44.40	\$30.92	NA	\$61.93	NA	NA	NA	\$28.02
	:	2-wire VG Loop per month, Zone 4 (Note 1)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
		nteroffice Channel - Dedicated - 2-wire VG - FacilityTermination per month	U1TV2	NA	\$26.72	\$17.07	NA	\$19.10	NA	NA	NA	\$18.33
		nteroffice Channel - Dedicated - 2-wire VG - per mile per month	1L5XX	NA	\$0.0100	\$0.02	NA	\$0.04	NA	NA	NA	\$0.02
		Non-Recurring Charges - New EEL (Note 2)(Note 3)										
		NRC- 2-wire VG interoffice - 1st	U1TV2	NA	\$222.65	\$79.61	NA	\$104.23	NA	NA	NA	\$83.35
		NRC- 2-wire VG interoffice - Add'l	U1TV2	NA	\$118.83	\$36.08	NA	\$39.91	NA	NA	NA	\$20.88
		NRC-2-wire VG Local Loop - 1st	UEAL2	NA	\$271.29	\$104.17	NA	\$128.42	NA	NA	NA	\$192.97
		NRC-2-wire VG Local Loop - Add'l	UEAL2	NA	\$104.90	\$78.10	NA	\$93.60	NA	NA	NA	\$140.72
	T	NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination -	SOMEC	NA	\$3.20	\$3.50	NA	\$3.50	NA	NA	NA	\$3.50
	T	NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination -	M SOMAN	NA	\$25.60	NA	NA	NA	NA	NA	NA	\$19.99
	T	NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination -	/ SOMAN	NA	NA	\$37.88	NA	\$36.28	NA	NA	NA	NA
	T	NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination -	/ SOMAN	NA	NA	\$27.36	NA	\$26.20	NA	NA	NA	NA
	T i	NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination -	/ SOMAN	NA	NA	NA	NA	\$19.47	NA	NA	NA	NA
	T	NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination -	/ SOMAN	NA	NA	NA	NA	\$8.06	NA	NA	NA	NA
	•	I-wire VG Interoffice Channel and 4-wire VG Local Loop:										
		Recurring Charges										
		I-wire VG Loop per month, statewide	UEAL4	NA	\$30.00	NA	NA	NA	NA	NA	NA	NA
		I-wire VG Loop per month, Zone 1 (Note 1)	TBD	NA	\$24.26	NA	NA	NA	NA	NA	NA	NA
		I-wire VG Loop per month, Zone 2 (Note 1)	TBD	NA	\$35.51	NA	NA	NA	NA	NA	NA	NA
		I-wire VG Loop per month, Zone 3 (Note 1)	TBD	NA	\$78.35	NA	NA	NA	NA	NA	NA	NA
		I-wire VG Loop per month, Zone 4 (Note 1)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
		nteroffice Channel - Dedicated - 4-wire VG - FacilityTermination per month	U1TV4	NA	\$23.82	NA	NA	NA	NA	NA	NA	NA
	_	nteroffice Channel - Dedicated - 4-wire VG - per mile per month	1L5XX	NA	\$0.0100	NA	NA	NA	NA	NA	NA	NA
		Non-Recurring Charges - New EEL (Note 2)(Note 3)										
$\perp \downarrow \downarrow$		NRC- 4-wire VG interoffice - 1st	U1TV4	NA	\$222.65	NA	NA	NA	NA	NA	NA	NA
\perp		NRC- 4-wire VG interoffice - Add'l	U1TV4	NA	\$118.83	NA	NA	NA	NA	NA	NA	NA
\perp		NRC-4-wire VG Local Loop - 1st	UEAL4	NA	\$271.29	NA	NA	NA	NA	NA	NA	NA
\perp		NRC-4-wire VG Local Loop - Add'l	UEAL4	NA	\$104.90	NA	NA	NA	NA	NA	NA	NA
\perp		NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination -	SOMEC	NA	\$3.20	NA	NA	NA	NA	NA	NA	NA
\perp		NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination -	SOMAN	NA	\$25.60	NA	NA	NA	NA	NA	NA	NA
\perp	_	NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination -	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
\perp		NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination -	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
\perp		NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination -	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
\perp	_	NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination -	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
\dashv	4											
\dashv	_	I-wire 56 kbps Interoffice Channel and 4-wire 56kbps Local Loop:										
		Recurring Charges										l

ENHANCI	ED EXTENDED LINKS (EELs)										
4-wire (56kbps Loop per month, statewide	UDL56	NA	\$48.33	NA	NA	\$35.58	NA	\$32.67	NA	\$42.23
	56kbps Loop per month, Zone 1 (Note 1)	TBD	NA	\$24.26	TBD	NA	\$24.36	NA	TBD	NA	\$15.92
	56kbps Loop per month, Zone 2 (Note 1)	TBD	NA	\$35.51	TBD	NA	\$41.85	NA	TBD	NA	\$20.79
	56kbps Loop per month, Zone 3 (Note 1)	TBD	NA	\$78.35	TBD	NA	\$86.47	NA	TBD	NA	\$27.18
	56kbps Loop per month, Zone 4 (Note 1)	NA	NA NA	NA NA	NA.	NA	NA NA	NA.	NA.	NA	NA NA
	fice Channel - Dedicated - 4-wire 56kbps - FacilityTermination per mon	U1TD5	NA NA	\$23.82	\$16.45	NA	\$18.37	NA	\$17.40	NA	\$17.74
	fice Channel - Dedicated - 4-wire 56kbps - per mile per month	1L5XX	NA NA	\$0.0100	\$0.02	NA	\$0.04	NA	\$0.03	NA	\$0.17
	Recurring Charges - New EEL (Note 2)(Note 3)	. 20,01		ψοιο ι σο	Ψ0.02		Ψ0.01		ψ0.00		Ψοιιι
	4-wire 56kbps interoffice - 1st	U1TD6	NA	\$222.65	\$79.61	NA	\$104.23	NA	\$137.48	NA	\$83.35
	4-wire 56kbps interoffice - Add'l	U1TD6	NA	\$118.83	\$36.08	NA	\$39.91	NA	\$52.58	NA	\$20.88
	I-wire 56kbps Local Loop - 1st	U1TD5	NA	\$271.29	\$348.55	NA	\$421.27	NA	\$489.04	NA	\$643.00
	I-wire 56kbps Local Loop - Add'l	U1TD5	NA	\$104.90	\$241.20	NA	\$274.74	NA.	\$337.51	NA	\$421.28
	I-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Combin	SOMEC	NA NA	\$3.20	\$3.50	NA NA	\$3.50	NA NA	\$3.50	NA NA	\$3.50
	I-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Combin	SOMAN	NA NA	\$25.60	NA	NA NA	NA	NA NA	NA	NA NA	\$19.99
	I-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Combin	SOMAN	NA NA	NA	\$37.88	NA NA	\$36.28	NA NA	\$38.07	NA NA	NA
	I-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Combin	SOMAN	NA NA	NA NA	\$27.36	NA NA	\$26.20	NA NA	\$38.07	NA NA	NA NA
	I-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Combin	SOMAN	NA NA	NA NA	Ψ27.30 NA	NA NA	\$11.41	NA NA	NA	NA NA	NA NA
	I-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Combin	SOMAN	NA NA	NA NA	NA NA	NA NA	NA	NA NA	NA NA	NA NA	NA NA
INRC-4	r-wire sokops interoffice charmer and 4-wire sokops Local Loop Combit	SOMAN	INA	INA	INA	INA	INA	INA	INA	INA	INA
4 wire	e 64 kbps Interoffice Channel and 4-wire 64 kbps Local Loop:										1
											1
	ring Charges	UDL64	NIA	£40.00	¢20.72	NA	605.50	NIA	\$32.67	NIA	£42.22
	64kbps Loop per month, statewide		NA NA	\$48.33	\$30.72		\$35.58	NA NA		NA NA	\$42.23
	64kbps Loop per month, Zone 1 (Note 1)	TBD	NA NA	\$39.08	TBD	NA NA	\$27.50	NA NA	TBD	NA NA	\$36.45
	64kbps Loop per month, Zone 2 (Note 1)	TBD	NA	\$57.21	TBD	NA	\$47.24	NA	TBD	NA	\$45.87
	64kbps Loop per month, Zone 3 (Note 1)	TBD	NA	\$126.22	TBD	NA	\$96.48	NA	TBD	NA	\$65.75
	64kbps Loop per month, Zone 4 (Note 1)	NA	NA	NA • • • • •	NA	NA	NA 210.07	NA	NA O I = I O	NA	NA
	fice Channel - Dedicated - 4-wire 64kbps - FacilityTermination per mon	U1TD6	NA	\$19.46	\$16.45	NA	\$18.37	NA	\$17.40	NA	\$17.74
	fice Channel - Dedicated - 4-wire 64kbps - per mile per month	1L5XX	NA	\$0.0100	\$0.02	NA	\$0.04	NA	\$0.03	NA	\$0.17
	tecurring Charges - New EEL (Note 2)(Note 3)	====					^-				
	4-wire 64kbps interoffice - 1st	U1TD6	NA	\$222.65	\$79.61	NA	\$713.57	NA	\$137.48	NA	\$729.27
	4-wire 64kbps interoffice - Add'l	U1TD6	NA	\$118.83	\$36.08	NA	\$404.36	NA	\$52.58	NA	\$411.98
	I-wire 64kbps Local Loop - 1st	UDL64	NA	\$271.29	\$348.55	NA	\$811.30	NA	\$489.04	NA	\$829.52
	I-wire 64kbps Local Loop - Add'l	UDL64	NA	\$104.90	\$241.20	NA	\$502.09	NA	\$337.51	NA	\$512.23
	I-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combin	SOMEC	NA	\$3.20	\$3.50	NA	\$3.50	NA	\$3.50	NA	\$3.50
	4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combin	SOMAN	NA	\$25.60	NA	NA	NA	NA	NA	NA	\$19.99
	4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combin	SOMAN	NA	NA	\$37.96	NA	\$100.50	NA	\$38.07	NA	NA
	I-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combin	SOMAN	NA	NA	\$37.96	NA	\$100.50	NA	\$38.07	NA	NA
	I-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combin	SOMAN	NA	NA	\$18.23	NA	\$41.88	NA	NA	NA	NA
NRC-4	-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combin	SOMAN	NA	NA	\$18.23	NA	\$41.88	NA	NA	NA	NA
 		11000			6:	101		1.0	1.0		
	ng Combinations/Ordinarily Combined in GA	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
Local								****			
	e Analog Voice Grade Loop - Service Level 1	UEAL2	\$19.04	\$17.00	\$16.51	\$20.00	\$19.35	\$21.26	\$19.50	\$22.49	\$18.00
Zone 1		TBD	\$15.24	\$13.75	\$19.45	\$14.79	\$14.98	\$15.56	TBD	\$18.48	\$15.54
Zone 2		TBD	\$24.75	\$20.13	\$16.41	\$27.68	\$25.69	\$20.65	TBD	\$27.87	\$19.55
Zone 3		TBD	\$44.85	\$44.40	\$30.92	\$47.78	\$52.47	\$29.51	TBD	\$36.91	\$28.02
Zone 4		TBD	NA	NA	NA	NA	NA	\$38.94	NA	NA	NA
	Ordinarily Combined in GA (Note 5)					ļ				ļ	
NRC -	1st	UEAL2	NA	NA	\$104.17	NA	NA	NA	NA	NA	NA

ENHANCED EXTENDED LINKS (EELs)										
NRC - Add'l	UEAL2	NA	NA	\$78.10	NA	NA	NA	NA	NA	N.
NRC - Disconnect Charge - 1st	UEAL2	NA	NA	NA	NA	NA	NA	NA	NA	N
NRC - Disconnect Charge - Add'l	UEAL2	NA	NA	NA	NA	NA	NA	NA	NA	N
NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	١
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	\$18.94	NA	NA	NA	NA	NA	1
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA	NA	\$8.42	NA	NA	NA	NA	NA	1
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	l l
NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)										
NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1s	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$5
NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$3
NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$(
NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$(
4-Wire Analog Voice Grade Loop	UEAL4	\$30.00	\$30.00	\$25.86	\$28.28	\$31.52	\$30.55	\$27.49	\$35.86	\$1
Zone 1	TBD	\$24.01	\$24.26	\$22.26	\$20.92	\$24.36	\$22.38	TBD	\$49.47	\$1
Zone 2	TBD	\$39.00	\$35.51	\$25.70	\$39.14	\$41.85	\$29.67	TBD	\$44.44	\$1
Zone 3	TBD	\$70.67	\$78.35	\$40.85	\$67.56	\$85.47	\$42.40	TBD	\$58.85	\$2
Zone 4	TBD	NA	NA	NA	NA	NA	\$55.96	NA	NA	
NRC - Ordinarily Combined in GA (Note 5)										
NRC - 1st	UEAL4	NA	NA	\$206.95	NA	NA	NA	NA	NA	
NRC - Add'l	UEAL4	NA	NA	\$170.57	NA	NA	NA	NA	NA	
NRC - Disconnect Charge - 1st	UEAL4	NA	NA	NA	NA	NA	NA	NA	NA	
NRC - Disconnect Charge - Add'l	UEAL4	NA.	NA.	NA NA	NA	NA NA	NA	NA	NA	İ
NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA.	NA.	NA NA	NA NA	NA NA	NA	NA	NA	İ
NRC - Incremental Charge - Manual Service Order - Add'I	SOMAN	NA	NA	\$8.42	NA	NA NA	NA	NA	NA	l i
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA.	NA.	NA	NA NA	NA NA	NA	NA	NA	İ
NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)	CONTRA	147	147	10/	14/	147	14/		147	
NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$5
NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$3
NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$(
NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$(
THE ZET WHILE VO COMMUNICATION - COMMUNICATION CONTROL CHANGE - DI	011000	ψ0.00	ψ10.00	ψ12.01	ψ0.00	ψυ.υυ	ψ0.00	ψ0.00	ψ0.00	۱۹
2-Wire ISDN Digital Grade Loop	U1L2X	\$29.03	\$40.00	\$25.43	\$31.99	\$27.36	\$29.83	\$24.98	\$32.47	\$1
Zone 1	TBD	\$23.23	\$32.34	\$21.89	\$23.66	\$21.15	\$21.86	TBD	\$26.68	\$1
Zone 2	TBD	\$37.74	\$47.35	\$25.27	\$44.28	\$36.32	\$28.97	TBD	\$40.24	\$1
Zone 3	TBD	\$68.38	\$104.47	\$40.17	\$76.42	\$74.19	\$41.40	TBD	\$53.29	\$2
Zone 4	TBD	NA	NA	NA	Ψ70.42 NA	NA	\$54.64	NA NA	NA	ΨΖ
NRC - Ordinarily Combined in GA (Note 5)	טטו	14/\(\tau\)	14/7	14/1	14/7	11/	ψυ+.υ+	14/7	14/7	- -'
NRC - 1st	U1L2X	NA	NA	\$233.38	NA	NA	NA	NA	NA	
NRC - Add'l	U1L2X	NA NA	NA NA	\$233.36 \$180.35	NA NA	NA NA	NA NA	NA NA	NA NA	
NRC - Disconnect Dharge - 1st	U1L2X	NA NA	NA NA	NA	NA NA	NA NA	NA NA	NA NA	NA NA	
NRC - Disconnect Charge - Add'l	U1L2X	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	<u>'</u>
NRC - Electronic Svc Order, per LSR	SOMEC	NA NA	NA NA	\$3.50	NA NA	NA NA	NA NA	NA NA	NA NA	<u>'</u>
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA NA	NA NA	\$3.50 \$18.94	NA NA	NA NA	NA NA	NA NA	NA NA	'
NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Add'l					NA NA	NA NA	NA NA	NA NA	NA NA	
	SOMAN	NA NA	NA NA	\$8.42	NA NA	NA NA	NA NA	NA NA	NA NA	1
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA	NA NA	NA	INA	NA NA	INA	INA	INA	
NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)								l		Щ.

	EN	IHANCED EXTENDED LINKS (EELs)										
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
1		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
+	+	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		TATO 274 WITE VO COMBINATION COMMITTED CONTROLSION CHarge Di	011000	ψ0.00	ψ10.00	Ψ12.01	Ψ0.00	Ψ0.00	ψ0.00	ψ0.00	ψ0.00	Ψ0.00
		4-Wire 56 kbps Digital Grade Loop	UDL56	\$34.15	\$48.33	\$29.92	NA	\$35.58	\$34.95	\$32.67	\$41.70	\$42.23
+	+	Zone 1	TBD	\$27.33	\$39.08	\$25.75	NA.	\$27.50	\$25.61	TBD	\$34.26	\$36.45
		Zone 2	TBD	\$44.40	\$57.21	\$29.74	NA NA	\$47.25	\$33.94	TBD	\$51.67	\$45.87
		Zone 3	TBD	\$80.45	\$126.22	\$47.27	NA NA	\$96.48	\$48.51	TBD	\$68.43	\$65.75
		Zone 4	TBD	NA	NA	NA	NA NA	NA	\$64.02	NA	NA	Ψ03.73 NA
\pm	+	NRC - Ordinarily Combined in GA (Note 5)	TDD	INA	INA	INA	INA	INA	ψ04.02	INA	INA	INA
		NRC - 1st	UDL56	NA	NA	\$348.55	NA	NA	NA	NA	NA	NA
		NRC - Add'l	UDL56	NA NA	NA NA	\$241.20	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+	+	NRC - Disconnect Dharge - 1st	UDL56	NA NA	NA NA	Ψ241.20 NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
-	+	NRC - Disconnect Charge - Add'l		NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+	-		UDL56									
+		NRC - Electronic Svc Order, per LSR	SOMEC	NA NA	NA NA	\$3.50	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA NA	NA NA	\$18.94 \$8.42	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+	+	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN			* -			NA NA			
+	+	NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)	UNCCC	054.00	¢44.07	# 50.40	# 54.00	# 54.00	#54.00	# 54.00	# 54.00	0 54.40
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1s		\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
_	-	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		4-Wire 64 kbps Digital Grade Loop	UDL64	\$34.15	\$48.33	\$29.92	NA	\$35.58	\$34.95	\$32.67	\$41.70	\$42.23
		Zone 1	TBD	\$27.33	\$39.08	\$25.75	NA NA	\$27.50	\$25.61	TBD	\$34.26	\$36.45
		Zone 2	TBD	\$44.40	\$57.21	\$29.74	NA NA	\$47.25	\$33.94	TBD	\$51.67	\$45.87
		Zone 3	TBD	\$80.45	\$126.22	\$47.27	NA NA	\$96.48	\$48.51	TBD	\$68.43	\$65.75
		Zone 4	TBD	NA	Ψ120.22 NA	NA	NA NA	NA	\$64.02	NA	NA	NA
\pm	+	NRC - Ordinarily Combined in GA (Note 5)	IBD	INA	INA	INA	INA	INA	φ04.02	INA	INA	INA
		NRC - 1st	UDL64	NA	NA	\$348.55	NA	NA	NA	NA	NA	NA
		NRC - Add'l	UDL64	NA NA	NA NA	\$241.20	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
\pm	+	NRC - Disconnect Dharge - 1st	UDL64	NA NA	NA	Ψ241.20 NA	NA	NA NA	NA NA	NA NA	NA NA	NA NA
		NRC - Disconnect Charge - 1st	UDL64	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
		NRC - Electronic Svc Order, per LSR	SOMEC	NA NA	NA NA	\$3.50	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA NA	NA NA	\$3.50 \$18.94	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+	+	NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA NA	NA NA	\$18.94	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
H	+	NRC - Incremental Charge - Manual Service Order - Add I NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA NA	NA NA	\$8.42 NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
		NRC - Incremental Charge - Manual Service Order - Disconnect NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)	JUIVIAIN	INA	INA	INA	INA	INA	INA	INA	INA	INA
H		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge (Note 6)	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
+	+		UNCCC			·	<u> </u>		·	·	\$54.26 \$32.25	
\vdash		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	-	\$32.17
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - DI	UNCCC	\$0.00 \$0.00	\$13.03 \$13.03	\$12.61	\$0.00 \$0.00	\$0.00 \$0.00	\$0.00 \$0.00	\$0.00 \$0.00	\$0.00 \$0.00	\$0.00 \$0.00
+	+	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	φυ.00	φ13.U3	\$12.61	φυ.υυ	φυ.υυ	φυ.υυ	φυ.00	φυ.υυ	φυ.υυ
+	+	4-Wire DS1 Digital Loop	USLXX	\$64.65	\$80.00	\$64.52	\$67.96	\$72.86	\$69.59	\$62.78	\$72.55	NA
+		Zone 1	TBD	\$51.74	\$64.69	\$55.53	\$50.28	\$72.86 \$56.32	\$50.99	\$62.78 TBD	\$72.55 \$59.61	NA NA
+	-		TBD		\$94.71	·	\$50.28 \$94.06		\$50.99 \$67.58	TBD	\$59.61	NA NA
+		Zone 2	TBD	\$84.05 \$152.29	\$94.71	\$64.13 \$101.93	· ·	\$96.73 \$197.57	· ·	TBD	\$89.90 \$119.06	NA NA
+		Zone 3					\$162.34	· ·	\$96.58			
		Zone 4	TBD	NA	NA	NA	NA	NA	\$127.47	NA	NA	NA

	ΕN	IHANCED EXTENDED LINKS (EELs)										
	_	NRC - Ordinarily Combined in GA (Note 5)										
+	+	NRC - 1st	USLXX	NA	NA	\$429.98	NA	NA	NA	NA	NA	NA
+	+	NRC - Add'l	USLXX	NA NA	NA NA	\$268.18	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+		NRC - Disconnect Charge - 1st	USLXX	NA NA	NA NA	NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
		NRC - Disconnect Charge - 1st	USLXX	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
		NRC - Electronic Svc Order, per LSR	SOMEC	NA NA	NA NA	\$3.50	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA NA	NA NA	\$18.94	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
		NRC - Incremental Charge - Manual Service Order - Add'I	SOMAN	NA NA	NA NA	\$8.42	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA NA	NA NA	NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)	OOMAT	14/3	14/1	14/1	14/3	1973	TVA	1973	14/3	14/-1
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
+	+	TAILO 2/7 WITE VO COMBINATION - OWIGH AS IS CONVESION CHARGE DI	JINOCO	ψυ.υυ	ψ10.00	Ψ12.01	ψυ.υυ	ψ0.00	ψ0.00	ψ0.00	ψυ.υυ	ψ0.00
+	+	DS3 Loop										
+	+	per mile per month	1L5ND	\$10.85	\$11.97	\$8.90	\$43.69	\$38.98	\$54.39	\$32.53	\$15.53	\$30.53
		facitility termination per month	UE3PX	\$419.65	\$419.65	\$390.34	\$436.95	\$497.08	\$427.81	\$387.01	\$421.60	\$400.21
		NRC - Ordinarily Combined in GA (Note 5)	OLSI X	ψ419.03	ψ419.05	ψ390.34	ψ430.93	ψ497.00	ψ421.01	ψ307.01	ψ421.00	ψ400.21
		NRC - Facility Termination - 1st	UE3PX	NA	NA	\$639.50	NA	NA	NA	NA	NA	NA
		NRC - Facility Termination - Add'l	UE3PX	NA NA	NA NA	\$426.40	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
		NRC - Facility Termination - Add 1	UE3PX	NA NA	NA NA	\$122.31	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+		NRC - Facility Termination - Disconnect - Add'l	UE3PX	NA NA	NA NA	\$119.14	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+		NRC - Manual Svc Order, per LSR	SOMAN	NA NA	NA NA	- γ119.14 NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+		NRC - Manual Svc Order, per LSR NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+		NRC - Manual Svc Order, per LSR disconnect NRC - Electronic Svc Order, per LSR	SOMEC	NA NA	NA NA	\$3.50	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
		NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA NA	NA NA	NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
		NRC - Incremental ChargeManual Svc Order - 1st	SOMAN	NA NA	NA NA	\$37.55	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
		NRC - Incremental ChargeManual Svc Order - 1st NRC - Incremental ChargeManual Svc Order - Add'l	SOMAN	NA NA	NA NA	\$37.55	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
		NRC - Incremental Charges-Manual Svc. Order vs. Elect-Disconnect-1st	SOMAN	NA NA	NA NA		NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
		NRC - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Ad	SOMAN	NA NA	NA NA	\$18.03 \$18.03	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+	+	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)	SOMAN	INA	INA	\$10.03	INA	INA	INA	INA	INA	INA
+		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
+			UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
+	+	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - D	UNCCC	\$0.00	\$13.03	\$26.99	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
+	-	NRC- 2/4-WIRE VG COMBINATION - Switch As is Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
-	-	TAILO- 2/4-WIILL VO COIVIDIIVATION - SWILLIT AS IS COIVEISION CHarge - DI	UNCCC	φυ.υυ	φ13.03	φ12.01	φυ.υυ	φυ.υυ	φυ.υυ	φυ.υυ	φυ.υυ	φυ.υυ
-	-	STS-1 Loop										
-	+	per mile per month	1L5ND	\$10.85	\$11.97	\$8.90	\$43.69	\$38.98	\$54.39	\$32.53	\$15.53	\$30.53
-	-	facitility termination per month	UDLS1	\$434.31	\$449.40	\$421.59	\$436.95	\$497.08	\$427.81	\$387.01	\$431.32	\$400.21
-	-	NRC - Ordinarily Combined in GA (Note 5)	UDLUT	φ 434.3 1	ψ 44 3.40	ψ 4 ∠1.08	φ430.93	φ431.00	φ4∠1.01	φ301.01	φ431.32	φ400.21
+	+	NRC - STS-1 - Facility Termination - 1st	UDLS1	NA	NA	\$639.50	NA	NA	NA	NA	NA	NA
+	+	NRC - STS-1 - Facility Termination - Tst NRC - STS-1 - Facility Termination - Add'l	UDLS1	NA NA	NA NA	\$426.40	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+	-	NRC - STS-1 - Facility Termination - Add 1 NRC - STS-1 - Facility Termination - Disconnect - 1st	UDLS1	NA NA	NA NA	\$122.31	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+	+	NRC - STS-1 - Facility Termination - Disconnect - 1st NRC - STS-1 - Facility Termination - Disconnect - Add'l	UDLS1	NA NA	NA NA	\$122.31	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+	-	NRC - Manual Svc Order, per LSR	SOMAN	NA NA	NA NA	- γ119.14 NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+	-	NRC - Manual Svc Order, per LSR NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+	-	NRC - Manual Svc Order, per LSR disconnect NRC - Electronic Svc Order, per LSR	SOMEC	NA NA	NA NA		NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+	+			NA NA		\$3.50						
		NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA.	NA	NA	NA	NA	NA	NA	NA	NA

	EN	HANCED EXTENDED LINKS (EELs)										
		NRC - STS-1 - Incremental ChargeManual Svc Order - 1st	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
		NRC - STS-1 - Incremental ChargeManual Svc Order - Add'l	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
		NRC - STS-1 - Incremental Cost - Manual Svc. Order vs. Elect-Discon	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
		NRC - STS-1 - Incremental Cost - Manual Svc. Order vs. Elect-Discon	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)										
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		OC-3 Loop	1L5ND	\$1,123	\$9.08	\$6.75	\$33.15	\$29.58	\$41.27	\$24.69	\$11.78	\$23.16
		per mile per month	TBD	\$7.09	\$651.40	\$630.21	\$436.95	\$753.65	\$689.68	\$611.36	\$701.71	\$620.20
		facility termiantion per month										
		NRC - Ordinarily Combined in GA (Note 5)										
		NRC - OC3 - Facility Termination - 1st	TBD	NA	NA	\$6.75	NA	NA	NA	NA	NA	NA
Ш	Ш	NRC - OC3 - Facility Termination - Add'l	TBD	NA	NA	\$630.21	NA	NA	NA	NA	NA	NA
Ш	Ш	NRC - OC3 - Facility Termination - Disconnect - 1st	TBD	NA	NA	\$947.69	NA	NA	NA	NA	NA	NA
		NRC - OC3 - Facility Termination - Disconnect - Add'l	TBD	NA	NA	\$413.00	NA	NA	NA	NA	NA	NA
Ш	Ш	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
		NRC - OC3 - Incremental ChargeManual Svc Order - 1st	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
		NRC - OC3 - Incremental ChargeManual Svc Order - Add'l	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
		NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconne	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
		NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconne	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
Ш		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)										
Ш		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
Ш	Ш	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Ш	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
$\vdash \vdash$												
	\sqcup	OC-12 Loop										
H	+	per mile per month	1L5ND	\$10.13	\$11.18	\$8.31	\$40.80	\$36.40	\$50.79	\$30.38	\$14.50	\$28.51
$\vdash \vdash$	+	facility termination per month	TBD	\$5,630	\$2,068	\$2,109.00	\$2,457	\$2,571	\$2,371	\$2,122	\$2,663	\$2,079
$\vdash \vdash$	+	NRC - Ordinarily Combined in GA (Note 5)										
		NRC - OC12 - Facility Termination - 1st	TBD	NA	NA	\$1,162.00	NA	NA	NA	NA	NA	NA
H	+	NRC - OC12 - Facility Termination - Add'l	TBD	NA	NA	\$413.00	NA	NA	NA	NA	NA	NA
H	+	NRC - OC12 - Facility Termination - Disconnect - 1st	TBD	NA	NA	\$122.31	NA	NA	NA	NA	NA	NA
\vdash	+	NRC - OC12 - Facility Termination - Disconnect - Add'l	TBD	NA NA	NA	\$119.14	NA	NA NA	NA NA	NA NA	NA NA	NA NA
\vdash	+	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA NA	\$3.50	NA	NA NA	NA NA	NA NA	NA	NA NA
$\vdash \vdash$	+	NRC -OC12 - Incremental Charge - Manual Svc Order - 1st	SOMAN	NA NA	NA NA	\$37.55	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
\vdash	+	NRC - OC12 - Incremental Charge - Manual Svc Order - Add'l	SOMAN	NA NA	NA NA	\$37.55	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
H	+	NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconne		NA NA	NA NA	\$18.03	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
\vdash	+	NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconne	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
\vdash	+	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)	LINICCC	¢54.02	¢11.07	\$50.42	¢54.00	ΦE4 22	\$E4.00	ΦE4.00	ΦE 4.26	¢E4.40
\vdash	+	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1s	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
\vdash	+	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
\vdash	+	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - DI	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
\vdash	+	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
H	+	OC-48 Loop									-	
$oldsymbol{ol}}}}}}}}}}}}}}}}}}$		00-40 F00h						l				

E	NHANCED EXTENDED LINKS (EELs)										
	per mile per month	1L5ND	\$33.22	\$36.67	\$27.25	\$166.59	\$119.40	\$166.59	\$120.02	\$47.57	\$93.50
	facility termination per month	TBD	\$1,947	\$1,699	\$1,598.00	\$2,129	\$2,268	\$1,753	\$1,677	\$1,733	\$1,832
	OC-12 Interface on OC-48 Loop per month	TBD	\$699.62	\$592.09	\$594.80	\$725.77	\$723.29	\$667.00	\$582.66	\$773.40	\$570.5
	NRC - Ordinarily Combined in GA (Note 5)										
	NRC - OC48 - Facility Termination - 1st	TBD	NA	NA	\$1,162.00	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Facility Termination - Add'l	TBD	NA	NA	\$413.00	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface OC12 on OC48 - 1st	TBD	NA	NA	\$539.36	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface OC12 on OC48 - Add'l	TBD	NA	NA	\$317.38	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Facility Termination - Disconnect - 1st	TBD	NA	NA	\$122.31	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Facility Termination - Disconnect - Add'l	TBD	NA	NA	\$119.14	NA	NA	NA	NA	NA	NA
	NRC - OC48- Interface OC12 on OC48 - Disconnect - 1st	TBD	NA	NA	\$122.31	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'l	TBD	NA	NA	\$119.14	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disc	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disc	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-1	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-A	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
	NRC - OC-48 - Incremental ChargeManual Svc Order-1st	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
	NRC - OC-48 - Incremental ChargeManual Svc Order-Add'l	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface OC12 on OC48 - Incremental ChargeManual	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface OC12 on OC48 - Incremental ChargeManual	SOMAN	NA	NA	\$18.03	NA NA	NA.	NA.	NA	NA.	NA
+	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)	00			ψ.σ.σσ						
	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.1
	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.1
	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	THE ET WINE TO COMBINATION OWNORTH TO CONTROLLING DIALOGO DI	011000	ψο.σσ	ψ10.00	ψ12.01	ψ0.00	Ψ0.00	Ψ0.00	Ψ0.00	Ψ0.00	Ψ0.0
	Local Channels:										
	Local Channel - Dedicated - 2-Wire VG										
	Monthly Recurring per month	ULDV2	\$14.61	\$26.31	\$18.28	\$22.26	\$14.94	\$17.83	\$14.83	\$16.83	\$19.0
	NRC - Ordinarily Combined in GA (Note 5)	OLDVL	Ψ11.01	Ψ20.01	ψ10.20	Ψ <u></u>	Ψ11.01	Ψ17.00	Ψ11.00	Ψ10.00	Ψ10.0
	NRC - 2-wire VG Local Channel - 1st	ULDV2	NA	NA	\$292.24	NA	NA	NA	NA	NA	NA
\dagger	NRC - 2-wire VG Local Channel -Add'l	ULDV2	NA NA	NA	\$63.61	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+	NRC - Electronic Svc Order, per LSR	SOMEC	NA NA	NA	\$3.50	NA NA	NA NA	NA	NA NA	NA NA	NA NA
t	NRC - 2-Wire VG - Incremental ChargeManual Svc Order - 1st	SOMAN	NA NA	NA	\$34.00	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
\dagger	NRC - 2-Wire VG - Incremental ChargeManual Svc Order - 1st	SOMAN	NA NA	NA	\$21.58	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
t	NRC - 2-Wire VG - Incremental ChargeManual Svc Order - Add 1	SOMAN	NA NA	NA	\$22.48	NA NA	NA NA	NA NA	NA NA	NA NA	NA
\dagger	NRC - 2-Wire VG - Incremental ChargeManual Svc Order - Disconnect - Ad		NA NA	NA NA	\$8.17	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
\dagger	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)	OCIVIAIN	14/7	14/7	ψ0.17	14/7	14/7	11/7	11/7	11/7	19/4
t	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.
t	NRC-2/4-WIRE VG COMBINATION - Switch As Is Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$34.00	\$32.25	\$32.
H	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.0
╁	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.0
H	THING- 214-WINE VG CONDINATION - SWILLING IS CONVEISION CHarge - D	JINCCC	φυ.υυ	φ13.03	φ1Z.U1	φυ.υυ	φυ.υυ	φυ.υυ	φυ.υυ	φυ.υυ	φυ.(
H	Local Channel - Dedicated - 4-Wire VG										
H		ULDV4	\$15.77	\$27.48	\$17.18	\$23.38	\$16.21	\$19.03	\$15.87	\$18.05	\$20.
1	Monthly Recurring per month NPC - Ordinarily Combined in GA (Note 5)	ULDV4	φ15.//	Φ∠1.4δ	φ1/.1δ	Φ∠3.38	φισ.∠Ι	φ19.U3	φ13.87	φ16.05	ֆ∠∪.
H	NRC - Ordinarily Combined in GA (Note 5) NRC-4-wire VG Local Channel - 1st	LIL DV/4	NIA	N/A	#202.24	N/A	N/A	N1A	N.O.	NA	h 1 /
		ULDV4	NA	NA	\$292.24	NA	NA	NA	NA	ı NA	N/

E	NHANCED EXTENDED LINKS (EELs)										
	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
	NRC - 4-Wire VG Local Channel - Incremental ChargeManual Svc Order -	SOMAN	NA	NA	\$34.00	NA	NA	NA	NA	NA	NA
	NRC - 4-Wire VG Local Channel - Incremental ChargeManual Svc Order -	A SOMAN	NA.	NA	\$21.58	NA.	NA.	NA NA	NA.	NA NA	NA
	NRC - 4-Wire VG Local Channel - Incremental ChargeManual Svc Order -		NA.	NA	\$22.48	NA	NA	NA	NA	NA NA	NA
	NRC - 4-Wire VG Local Channel - Incremental ChargeManual Svc Order -	O SOMAN	NA NA	NA	\$8.17	NA NA	NA NA	NA NA	NA NA	NA NA	NA.
+++	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)	O O O IVIAIN	1973	14/3	ψ0.17	19/3	TVA	14/3	1973	14/3	14/3
	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
+	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
+	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
+	INC-2/4-WIRE VG COMBINATION - SWICH AS IS CONVEISION CHarge - Di	UNCCC	φυ.υυ	\$13.03	\$12.01	\$0.00	φ0.00	φ0.00	\$0.00	φ0.00	φ0.00
	Local Channel - Dedicated - DS1										
	DS1 Monthly Recurring per month	ULDF1	\$35.52	\$42.98	\$38.57	\$43.80	\$43.80	\$38.91	\$35.68	\$37.20	\$40.27
	NRC - Ordinarily Combined in GA (Note 5)										
	NRC - DS1 Local Channel - 1st	ULDF1	NA	NA	\$169.57	NA	NA	NA	NA	NA	NA
	NRC - DS1 Local Channel - Add'l	ULDF1	NA.	NA	\$112.77	NA.	NA.	NA NA	NA.	NA NA	NA
11	NRC - Electronic Svc Order, per LSR	SOMEC	NA NA	NA	\$3.50	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+++	NRC - DS1 Local Channel - Incremental ChargeManual Svc Order - 1st	SOMAN	NA NA	NA	\$34.00	NA NA	NA NA	NA NA	NA NA	NA NA	NA
	NRC - DS1 Local Channel - Incremental ChargeManual Svc Order - Add'l	SOMAN	NA NA	NA	\$21.58	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
	NRC - DS1 Local Channel - Incremental ChargeManual Svc Order - Discon		NA NA	NA	\$22.48	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
++	NRC - DS1 Local Channel - Incremental ChargeManual Svc Order - Discon		NA NA	NA NA	\$8.17	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
++	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)	JOWAN	INA	INA	φ0.17	INA	INA	INA	INA	INA	INA
H	NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
++		UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
	NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - Add'I				· ·						-
++	NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
++	NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Local Channel - Dedicated - DS3	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
Ħ	DS3 Local Channel - per mile per month	1L5NC	\$8.44	\$9.32	\$7.00	\$34.00	\$30.34	NA	NA NA	\$12.08	\$23.76
++	DS3 Local Channel - Facility Termination per month	ULDF3	\$525.40	\$560.39	\$523.20	\$635.09	\$558.00	\$531.39	\$512.00	\$481.14	\$615.65
++	NRC - Ordinarily Combined in GA (Note 5)	ULDF3	φ525.40	\$500.59	\$525.20	\$635.09	\$556.00	φοσ1.σ 9	\$512.00	Φ 4 01.14	φ013.03
++	NRC - DS3 Local Channel Facility Termination - 1st	ULDF3	NA	NA	\$770.12	NA	NA	NA	NA	NA	NA
H	NRC - DS3 Local Channel - Facility Termination - 1st	ULDF3	NA NA	NA NA		NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
++	NRC - Electronic Svc Order, per LSR	SOMEC	NA NA	NA NA	\$551.49 \$3.50	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
++											
++	NRC - DS3 Local Channel - Incremental ChargeManual Svc Order - 1st	SOMAN	NA NA	NA	\$66.21	NA NA	NA NA	NA NA	NA	NA NA	NA NA
	NRC - DS3 Local Channel - Incremental ChargeManual Svc Order - Add'l	SOMAN	NA	NA	\$33.90	NA	NA	NA	NA	NA	NA
\vdash	NRC - DS3 Local Channel - Incremental ChargeManual Svc Order - Discon		NA	NA	\$36.15	NA	NA	NA	NA	NA	NA
++	NRC - DS3 Local Channel - Incremental ChargeManual Svc Order - Discon	SOMAN	NA	NA	\$14.20	NA	NA	NA	NA	NA	NA
++	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)	1111000	05/00	011	074 0 1	051.00	05/.00	AF (05/.00	05/00	05:::
++	NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$71.04	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
++	NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.11	\$11.27	\$39.60	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
++	NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
₩	NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
++	Local Channel - Dedicated - STS-1										
++		41.5210	CO 44	#0.00	#7.00	#24.00	#0.77	#20.00	N/A	£40.00	#05.44
₩	STS-1 Local Channel - per mile per month	1L5NC	\$8.44	\$9.32	\$7.00	\$34.00	\$8.77	\$38.98	NA ©540.00	\$12.08	\$25.11
++	STS-1 Local Channel - Facility Termination per month	ULDFS	\$525.40	\$569.67	\$523.20	\$635.09	\$558.00	\$531.39	\$512.00	\$481.14	\$615.65
\vdash	NRC - Ordinarily Combined in GA (Note 5)				A						
	NRC - STS-1 Local Channel Facility Termination - 1st	ULDFS	NA	NA	\$770.12	NA	NA	NA	NA	NA	NA

E	NHANCED EXTENDED LINKS (EELs)										
	NRC - STS-1 Local Channel - Facility Termination - Add'l	ULDFS	NA	NA	\$551.49	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA NA	NA NA	NA NA	NA NA	NA NA
	NRC - STS-1 Local Channel - Incremental ChargeManual Svc Order - 1st	SOMAN	NA NA	NA	\$37.96	NA	NA NA	NA NA	NA NA	NA NA	NA
	NRC - STS-1 Local Channel - Incremental ChargeManual Svc Order - 1st	SOMAN	NA NA	NA NA	\$37.96	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
	NRC - STS-1 Local Channel - Incremental ChargeManual Svc Order - Add		NA NA	NA NA	\$18.23	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
-	NRC - STS-1 Local Channel - Incremental ChargeManual Svc Order - Disco		NA NA	NA NA	\$18.23	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)	JOINAIN	INA	INA	ψ10.23	INA	INA	INA	INA	INA	INA
-	NRC-STS-1 COMBINATION - "Switch As Is" Conversion Charge (Note of	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
	NRC-STS-1 COMBINATION - "Switch As Is" Conversion Charge - Add'I	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$34.00	\$32.25	\$32.17
	NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconne		\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
+	NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconne		\$0.00	\$13.03	· ·	\$0.00	\$0.00	·	·	\$0.00	\$0.00
+	NRC- 313-1 COMBINATION - SWILCH AS IS CONVEISION CHarge - Disconne	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Local Channel - OC3										
+		TDA	#0.22	Ф 7 00	<u></u>	COD 45	#20.50	£44.07	£24.00	£44.70	#22.40
++	Local Channel - OC3 - per Mile	TBA	\$8.23	\$7.83	\$6.75	\$33.15	\$29.58	\$41.27	\$24.69	\$11.78	\$23.16
++	Local Channel - OC3 - per Facility Termination	TBA	\$691.33	\$940.35	\$630.21	\$713.29	\$753.65	\$689.68	\$611.36	\$701.71	\$620.20
+	NRC - Ordinarily Combined in GA (Note 5)	TD A	NIA	NIA	CO 47 CC	NIA	NIA.	NIA.	NIA.	NIA.	NIA
+	NRC - OC3 - Facility Termination - 1st	TBA	NA	NA NA	\$947.69	NA	NA	NA	NA	NA	NA
	NRC - OC3 - Facility Termination - Add'l	TBA	NA	NA	\$413.00	NA	NA	NA	NA	NA	NA
	NRC - OC3 - Facility Termination - Disconnect - 1st	TBA	NA	NA	\$122.31	NA	NA	NA	NA	NA	NA
	NRC - OC3 - Facility Termination - Disconnect - Add'l	TBA	NA	NA	\$119.14	NA	NA	NA	NA	NA	NA
+	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
	NRC - OC3 - Incremental ChargeManual Svc Order - 1st	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
	NRC - OC3 - Incremental ChargeManual Svc Order - Add'l	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
	NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
	NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)										
\perp	NRC-OC-3 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
	NRC-OC-3 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
	NRC- OC-3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	NRC- OC-3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Local Channel - OC12	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
	Local Channel - OC12 - per Mile	TBA	\$10.13	\$11.18	\$8.31	\$40.80	\$36.40	\$50.79	\$30.38	\$14.50	\$28.51
	Local Channel - OC12 - per Facility Termination	TBA	\$2,557	\$2,753	\$2,109.00	\$2,457	\$2,571	\$2,371	\$2,122	\$2,663	\$2,079
	NRC - Ordinarily Combined in GA (Note 5)										
	NRC - OC12 - Facility Termination - 1st	TBA	NA	NA	\$1,162.00	NA	NA	NA	NA	NA	NA
	NRC - OC12 - Facility Termination - Add'l	TBA	NA	NA	\$413.00	NA	NA	NA	NA	NA	NA
$\bot \bot$	NRC - OC12 - Facility Termination - Disconnect - 1st	TBA	NA	NA	\$122.31	NA	NA	NA	NA	NA	NA
$\perp \! \! \perp \! \! \! \perp$	NRC - OC12 - Facility Termination - Disconnect - Add'l	TBA	NA	NA	\$119.14	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
	NRC -OC12 - Incremental Charge - Manual Svc Order - 1st	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
	NRC - OC12 - Incremental Charge - Manual Svc Order - Add'l	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
	NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-1st	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
	NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-Ad	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)										
	NRC-OC-12 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
	NRC-OC-12 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
	NRC- OC-12 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	NRC- OC-12 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00

E	NHANCED EXTENDED LINKS (EELs)										
	Local Channel - OC48	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
	Local Channel - OC48 - per Mile	TBA	\$33.22	\$36.67	\$27.25	\$133.84	\$119.40	\$166.59	\$120.02	\$47.57	\$93.50
	Local Channel - OC48 - per Facility Termination	TBA	\$1,713	\$1.944	\$1,598.00	\$2,129	\$2,268	\$1,753	\$1,677	\$1,733	\$1,832
	Local Channel - OC12 interface on OC48 Facility	TBA	\$736.71	\$586.28	\$594.80	\$725.77	\$723.29	\$667.00	\$582.66	\$773.40	\$570.5
	NRC - Ordinarily Combined in GA (Note 5)		*******		***************************************	¥. =	7	*******	7	*******	40.00
	NRC - OC48 - Facility Termination - 1st	TBA	NA	NA	\$1,175	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Facility Termination - Add'l	TBA	NA	NA	\$417.50	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface OC12 on OC48 - 1st	TBA	NA	NA	\$545.24	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface OC12 on OC48 - Add'l	TBA	NA	NA	\$320.83	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Facility Termination - Disconnect - 1st	TBA	NA	NA	\$123.65	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Facility Termination - Disconnect - Add'l	TBA	NA NA	NA	\$120.44	NA.	NA	NA.	NA	NA	NA
	NRC - OC48- Interface OC12 on OC48 - Disconnect - 1st	TBA	NA NA	NA	\$123.65	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'l	TBA	NA NA	NA NA	\$120.44	NA.	NA NA	NA NA	NA NA	NA.	NA.
H	NRC - Electronic Svc Order, per LSR	SOMEC	NA NA	NA NA	\$3.50	NA NA	NA NA	NA NA	NA NA	NA NA	NA.
\vdash	NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconne	SOMAN	NA NA	NA NA	\$18.23	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
H	NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconnec		NA NA	NA NA	\$18.23	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
H	NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-1st	SOMAN	NA NA	NA NA	\$18.23	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
H	NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-Add'l	SOMAN	NA NA	NA NA	\$18.23	NA NA	NA NA	NA NA	NA NA	NA NA	NA.
\vdash	NRC - OC-48 - Incremental ChargeManual Svc Order-1st	SOMAN	NA NA	NA	\$37.96	NA NA	NA NA	NA NA	NA NA	NA NA	NA
\vdash	NRC - OC-48 - Incremental ChargeManual Svc Order-1st	SOMAN	NA NA	NA NA	\$37.96	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
\vdash	NRC - OC48 - Interface OC12 on OC48 - Incremental ChargeManual Svc O	SOMAN	NA NA	NA NA	\$37.96	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+	NRC - OC46 - Interface OC12 on OC48 - Incremental ChargeManual Svc Q		NA NA	NA NA	\$37.96	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
H	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6		INA	INA	φ37.90	INA	INA	INA	INA	INA	INA
H	NRC-OC-48 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
H	NRC-OC-48 COMBINATION - Switch As Is Conversion Charge - 1st	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
H	NRC- OC-48 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
\vdash	NRC- OC-46 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
\vdash	NRC- OC-46 COMBINATION - SWILCH AS IS CONVEISION Charge - Disconne	UNCCC	\$0.00	φ13.03	\$12.01	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	φ0.00
\vdash	Interoffice Channels:										
\vdash	Interoffice Channel - Dedicated - 2-wire VG										
\vdash	Interoffice Channel - Dedicated 2-wire VG - per mile per month	1L5XX	\$0.03	\$0.0100	\$0.02	\$0.03	\$0.04	\$0.03	\$0.03	\$0.04	\$0.02
	Interoffice Channel - Dedicated 2-wire VG - Facility Termination per month	U1TV2	\$18.49	\$26.72	\$17.07	\$27.66	\$19.10	\$21.33	\$18.01	\$21.42	\$18.3
	NRC - Ordinarily Combined in GA (Note 5)	UTIVZ	\$10.49	\$20.72	\$17.07	φ27.00	\$19.10	φ21.33	\$10.01	Ψ21.42	φ10.3
\vdash	NRC - 2-wire VG Interoffice Channel - Facility Termination - 1st	U1TV2	NA	NA	\$79.61	NA	NA	NA	NA	NA	NA
\vdash	NRC - 2-wire VG Interoffice Channel - Facility Termination - 1st NRC - 2-wire VG Interoffice Channel - Facility Termination - Add'l	U1TV2	NA NA	NA NA	\$36.08	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
\vdash	NRC - Electronic Svc Order, per LSR	SOMEC	NA NA	NA NA	\$3.50	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
\vdash	NRC - 2-wire VG Interoffice Channel - Incremental ChargeManual Svc Orde	SOMAN	NA NA	NA NA	\$18.94	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
\vdash	NRC - 2-wire VG Interoffice Channel - Incremental ChargeManual Svc Orde	SOMAN	NA NA	NA NA	\$18.94	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
\vdash	NRC - 2-wire VG Interoffice Channel - Incremental ChargeManual Svc Orde	SOMAN	NA NA	NA NA	λ10.94 NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+	NRC - 2-wire VG Interoffice Channel - Incremental ChargeManual Svc Orde	SOMAN	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6		INA	INA	INA	INA	INA	INA	INA	INA	INA
+	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.1
+	NRC-2/4-WIRE VG COMBINATION - Switch As Is Conversion Charge - Is NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.1
+	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$32.11	\$11.27 \$13.03	\$26.99 \$12.61	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.1
+		UNCCC			·			·			
	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
T											1
F	Interoffice Channel - Dedicated - 4-wire VG										

	EN	HANCED EXTENDED LINKS (EELs)										
		Interoffice Channel - Dedicated 4-wire VG - Facility Termination per month	U1TV4	NA	\$23.82	NA	NA	NA	NA	NA	NA	NA
_		NRC - Ordinarily Combined in GA (Note 5)	01114	14/3	Ψ25.02	14/1	14/3	1973	14/3	14/1	14/3	14/3
		NRC - 4-wire VG Interoffice Channel - Facility Termination - 1st	U1TV4	NA	NA	NA	NA	NA	NA	NA	NA	NA
-	H	NRC - 4-wire VG Interoffice Channel - Facility Termination - 1st	U1TV4	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
-	H	NRC - Electronic Svc Order, per LSR	SOMEC	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
-		NRC - Electronic Svc Order, per LSR NRC - 4-wire VG Interoffice Channel - Incremental ChargeManual Svc Orde	SOMAN	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
	H	NRC - 4-wire VG Interoffice Channel - Incremental ChargeManual Svc Orde	SOMAN	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
+	H	NRC - 4-wire VG Interoffice Channel - Incremental ChargeManual Svc Orde	SOMAN	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
-		g	SOMAN	NA NA	NA NA	NA NA	NA NA	NA NA		NA NA	NA NA	NA NA
	H	NRC - 4-wire VG Interoffice Channel - Incremental ChargeManual Svc Orde		NA	NA	NA	NA	NA	NA	NA	NA	NA
	H	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note of AND OCCUPANT ON TOWN TOWN TOWN TOWN TOWN TOWN TOWN	•	#54.00	£44.07	#50.40	#54.00	# 54.00	#54.00	# 54.00	# 54.00	CE4.40
_	H	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1s	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
_		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
_	H	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
_	Н	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
-	Н			 			 		 			
-	\vdash	Interoffice Channel - Dedicated - DS0 - 56kbps										
+	$\vdash \vdash$	Interoffice Channel - Dedicated - DS0 - 56kbps - per mile per month	1L5XX	\$0.03	\$0.0100	\$0.02	\$0.0301	\$0.04	\$0.03	\$0.03	\$0.04	\$0.17
_	Ш	Interoffice Channel - Dedicated - DS0 - 56 kbps - Facility Termination per m	U1TD5	\$17.81	\$19.46	\$16.45	\$26.95	\$18.37	\$20.64	\$17.40	\$20.71	\$17.74
_	Ш	NRC - Ordinarily Combined in GA (Note 5)										
_		NRC - 4-wire 56kbps Interoffice Channel - Facility Termination - 1st	U1TD5	NA	NA	\$79.61	NA	NA	NA	NA	NA	NA
	Ш	NRC - 4-wire 56 kbps Interoffice Channel - Facility Termination - Add'l	U1TD5	NA	NA	\$36.08	NA	NA	NA	NA	NA	NA
	Ш	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
		NRC - 4-wire 56 kbps Interoffice Channel - Incremental ChargeManual Svc	SOMAN	NA	NA	\$18.94	NA	NA	NA	NA	NA	NA
		NRC - 4-wire 56 kbps Interoffice Channel - Incremental ChargeManual Svc	SOMAN	NA	NA	\$18.94	NA	NA	NA	NA	NA	NA
	Ш	NRC - 4-wire 56 kbps Interoffice Channel - Incremental ChargeManual Svc	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
		NRC - 4-wire 56 kbps Interoffice Channel - Incremental ChargeManual Svc	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Ш	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note	6)									
	Ш	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Interoffice Channel - Dedicated - DS0 - 64kbps										
		Interoffice Channel - Dedicated - DS0 - 64kbps - per mile per month	1L5XX	\$0.03	\$0.0100	\$0.02	\$0.0301	\$0.04	\$0.03	\$0.03	\$0.04	\$0.17
		Interoffice Channel - Dedicated - DS0 - 64 kbps - Facility Termination per m	U1TD6	\$17.81	\$19.46	\$16.45	\$26.95	\$18.37	\$20.64	\$17.40	\$20.71	\$17.74
	$oxed{\Box}$	NRC - Ordinarily Combined in GA (Note 5)										
		NRC - 4-wire 64kbps Interoffice Channel - Facility Termination - 1st	U1TD6	NA	NA	\$79.61	NA	NA	NA	NA	NA	NA
I		NRC - 4-wire 64 kbps Interoffice Channel - Facility Termination - Add'l	U1TD6	NA	NA	\$36.08	NA	NA	NA	NA	NA	NA
I		NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
		NRC - 4-wire 64 kbps Interoffice Channel - Incremental ChargeManual Svc	SOMAN	NA	NA	\$18.94	NA	NA	NA	NA	NA	NA
		NRC - 4-wire 64 kbps Interoffice Channel - Incremental ChargeManual Svc	SOMAN	NA	NA	\$18.94	NA	NA	NA	NA	NA	NA
		NRC - 4-wire 64 kbps Interoffice Channel - Incremental ChargeManual Svc	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
		NRC - 4-wire 64 kbps Interoffice Channel - Incremental ChargeManual Svc	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note										
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		- · · · · ·										

	EN	HANCED EXTENDED LINKS (EELs)										
		Interoffice Channel - Dedicated - DS1										
		Interoffice Channel - Dedicated - DS1 - per mile per month	1L5XX	\$0.69	\$0.2035	\$0.31	\$0.45	\$0.78	\$0.66	\$0.08	\$0.76	\$0.35
		Interoffice Channel - Dedicated - DS1 - Facility Termination per month	U1TF1	\$79.69	\$93.31	\$63.39	\$55.05	\$93.40	\$74.40	\$71.29	\$94.98	\$75.83
		NRC - Ordinarily Combined in GA (Note 5)			•		•					•
		NRC - DS1 Interoffice Channel - Facility Termination - 1st	U1TF1	NA	NA	\$169.57	NA	NA	NA	NA	NA	NA
		NRC - DS1 Interoffice Channel - Facility Termination - Add'l	U1TF1	NA	NA	\$112.77	NA	NA	NA	NA	NA	NA
		NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
		NRC - DS1 Interoffice Channel - Incremental ChargeManual Svc Order - 1st	SOMAN	NA	NA	\$23.98	NA	NA	NA	NA	NA	NA
		NRC - DS1 Interoffice Channel - Incremental ChargeManual Svc Order - Ac	SOMAN	NA	NA	\$17.77	NA	NA	NA	NA	NA	NA
		NRC - DS1 Interoffice Channel - Incremental ChargeManual Svc Order - Dis	SOMAN	NA	NA	\$15.13	NA	NA	NA	NA	NA	NA
		NRC - DS1 Interoffice Channel - Incremental ChargeManual Svc Order - Dis		NA	NA	\$7.02	NA	NA	NA	NA	NA	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note				.						
		NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
		NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
H	$\dagger \dagger$	NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
Ħ	$\dagger \dagger$	NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
H	$\dagger \dagger$		3	¥0.00	Ψ.σ.σσ	ψ·Ξ.σ·	¥0.00	Ψ0.00	¥0.00	\$ 0.00	¥0.00	ψο.οο
	\dagger	Interoffice Channel - Dedicated - DS3 - per mile per month										
		Interoffice Channel - Dedicated - DS3 - per mile per month	1L5XX	\$4.98	\$4.25	\$6.46	\$12.06	\$16.15	\$13.48	\$12.98	\$19.14	\$6.88
		Interoffice Channel - Dedicated - DS3 - Facility Termination per month	U1TF3	\$898.15	\$1,130	\$717.60	\$1,112.02	\$1.131.09	\$686.84	\$720.38	\$904.49	\$840.61
		NRC - Ordinarily Combined in GA (Note 5)			, , , , , , , , , , , , , , , , , , , ,	•	,	, , , , , , , , , , , , , , , , , , , ,				•
	T	NRC - DS3 Interoffice Channel - Facility Termination - 1st	U1TF3	NA	NA	\$578.97	NA	NA	NA	NA	NA	NA
		NRC - DS3 Interoffice Channel - Facility Termination - Add'l	U1TF3	NA	NA	\$312.17	NA	NA	NA	NA	NA	NA
		NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
	T	NRC - DS3 Interoffice Channel - Incremental ChargeManual Svc Order - 1st	SOMAN	NA	NA	\$51.27	NA	NA	NA	NA	NA	NA
		NRC - DS3 Interoffice Channel - Incremental ChargeManual Svc Order - Ac	SOMAN	NA	NA	\$38.87	NA	NA	NA	NA	NA	NA
		NRC - DS3 Interoffice Channel - Incremental ChargeManual Svc Order - Dis		NA	NA	\$30.42	NA	NA	NA	NA	NA	NA
		NRC - DS3 Interoffice Channel - Incremental ChargeManual Svc Order - Dis		NA	NA	\$18.76	NA	NA	NA	NA	NA	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note										
		NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
		NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
		NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		<u> </u>										-
		Interoffice Channel - Dedicated - STS-1										
		Interoffice Channel - Dedicated - STS-1 - per mile per month	1L5XX	\$4.98	\$9.32	\$2.75	\$12.62	\$14.04	\$15.02	\$12.98	\$8.13	\$5.89
		Interoffice Channel - Dedicated - STS-1 - Facility Termination per month	U1TFS	\$898.15	\$569.67	\$796.59	\$1,204	\$1,101	\$744.38	\$720.38	\$967.70	\$760.20
		NRC - Ordinarily Combined in GA (Note 5)										
	$oxed{\Box}$	NRC - STS-1 Interoffice Channel - Facility Termination - 1st	U1TFS	NA	NA	\$640.32	NA	NA	NA	NA	NA	NA
	$oxed{\Box}$	NRC - STS-1 Interoffice Channel - Facility Termination - Add'l	U1TFS	NA	NA	\$575.26	NA	NA	NA	NA	NA	NA
		NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
Ш	$oxed{\Box}$	NRC - STS-1 Interoffice Channel - Incremental ChargeManual Svc Order - 1	SOMAN	NA	NA	\$37.96	NA	NA	NA	NA	NA	NA
		NRC - STS-1 Interoffice Channel - Incremental ChargeManual Svc Order -	SOMAN	NA	NA	\$37.96	NA	NA	NA	NA	NA	NA
Щ		NRC - STS-1 Interoffice Channel - Incremental ChargeManual Svc Order -	SOMAN	NA	NA	\$18.23	NA	NA	NA	NA	NA	NA
Щ		NRC - STS-1 Interoffice Channel - Incremental ChargeManual Svc Order -	SOMAN	NA	NA	\$18.23	NA	NA	NA	NA	NA	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note	6)									
		NRC-STS-1 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
Ш		NRC-STS-1 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
		NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00

E	NHANCED EXTENDED LINKS (EELs)										
	NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
\top	The Grant Complete Co	0.1000	ψο.σσ	ψ.σ.σσ	ψ. <u>Σ.</u> σ.	ψο.σσ	Ψ0.00	ψσ.σσ	ψο.σσ	ψο.σσ	ψυ.υυ
	Interoffice Channel - OC3										
	Interoffice Channel - OC3 - per Mile	1L5XX	\$7.35	\$8.38	\$4.37	\$27.97	\$23.89	\$18.35	\$14.10	\$9.75	\$13.45
	Interoffice Channel - OC3 - per Facility Termination	TBA	\$2.475	\$3.043	\$2.187.00	\$3.390	\$2.990	\$1.892.00	\$2,071	\$2.802	\$2.124
	NRC - Ordinarily Combined in GA (Note 5)		*= ,			7-1	*= ,	* 1,000	¥=,		¥=1
	NRC - OC3 - Facility Termination - 1st	TBA	NA	NA	\$947.69	NA	NA	NA	NA	NA	NA
	NRC - OC3 - Facility Termination - Add'I	TBA	NA	NA	\$413.00	NA	NA	NA	NA	NA	NA
	NRC - OC3 - Facility Termination - Disconnect - 1st	TBA	NA	NA	\$122.31	NA	NA	NA	NA	NA	NA
	NRC - OC3 - Facility Termination - Disconnect - Add'l	TBA	NA	NA	\$119.14	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
	NRC - OC3 - Incremental ChargeManual Svc Order - 1st	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
	NRC - OC3 - Incremental ChargeManual Svc Order - Add'l	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
	NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
	NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note										
	NRC-OC-3 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
	NRC-OC-3 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
	NRC- OC-3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	NRC- OC-3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
				•				·	-		
	Interoffice Channel - OC12										
	Interoffice Channel - OC12 - per Mile	TBA	\$19.26	\$26.91	\$15.05	\$84.88	\$74.44	\$60.42	\$30.38	\$32.52	\$49.80
	Interoffice Channel - OC12 - per Facility Termination	TBA	\$9,763	\$11,685	\$8,202.00	\$12,344	\$11,517	\$7,182.00	\$2,122	\$11,132	\$8,015
	NRC - Ordinarily Combined in GA (Note 5)			,		,			,		
	NRC - OC12 - Facility Termination - 1st	TBA	NA	NA	\$1,034.00	NA	NA	NA	NA	NA	NA
	NRC - OC12 - Facility Termination - Add'I	TBA	NA	NA	\$317.38	NA	NA	NA	NA	NA	NA
	NRC - OC12 - Facility Termination - Disconnect - 1st	TBA	NA	NA	\$122.31	NA	NA	NA	NA	NA	NA
	NRC - OC12 - Facility Termination - Disconnect - Add'l	TBA	NA	NA	\$119.14	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
	NRC -OC12 - Incremental Charge - Manual Svc Order - 1st	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
	NRC - OC12 - Incremental Charge - Manual Svc Order - Add'l	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
	NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-1st	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
	NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-Add	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note	6)									
	NRC-OC-12 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
	NRC-OC-12 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
	NRC- OC-12 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	NRC- OC-12 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Interoffice Channel - OC48										
	Interoffice Channel - OC48 - per Mile	TBA	\$30.65	\$34.66	\$25.70	\$138.02	\$128.59	\$102.43	\$120.02	\$45.92	\$106.55
	Interoffice Channel - OC48 - per Facility Termination	TBA	\$11,691	\$12,554	\$11,134.00	\$16,017	\$14,950	\$11,480.00	\$1,677	\$967.58	\$11,632
	Interoffice Channel - OC12 interface on OC48 Facility	TBA	\$1,424	\$1,208	\$1,137.00	\$1,497	\$1,451	\$1,351.00	\$582.66	\$1,561	\$1,170
	NRC - Ordinarily Combined in GA (Note 5)										
	NRC - OC48 - Facility Termination - 1st	TBA	NA	NA	\$1,034.00	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Facility Termination - Add'l	TBA	NA	NA	\$317.38	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface OC12 on OC48 - 1st	TBA	NA	NA	\$539.36	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface OC12 on OC48 - Add'l	TBA	NA	NA	\$317.38	NA	NA	NA	NA	NA	NA

E	NHANCED EXTENDED LINKS (EELs)										
	NRC - OC48 - Facility Termination - Disconnect - 1st	TBA	NA	NA	\$122.31	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Facility Termination - Disconnect - Add'l	TBA	NA	NA	\$119.14	NA	NA	NA	NA	NA	NA
	NRC - OC48- Interface OC12 on OC48 - Disconnect - 1st	TBA	NA	NA	\$122.31	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'l	TBA	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconne	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconne	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-1st	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-Add'l	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
	NRC - OC-48 - Incremental ChargeManual Svc Order-1st	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
	NRC - OC-48 - Incremental ChargeManual Svc Order-Add'l	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface OC12 on OC48 - Incremental ChargeManual Svc O	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface OC12 on OC48 - Incremental ChargeManual Svc O	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note	6)									
	NRC-OC-48 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
	NRC-OC-48 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
	NRC- OC-48 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	NRC- OC-48 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Channelization:										
	DS3 Channelization										
	DS3 Channelized System per month	MQ3	\$225.36	\$222.61	\$202.91	\$236.32	\$245.84	\$229.30	\$226.81	\$200.01	\$222.98
	DS3 Interface per month (DS1 COCI)	UC1D1	\$17.22	\$14.51	\$0.67	\$8.52	\$7.55	\$5.58	\$4.61	\$11.99	\$3.91
	NRC - Ordinarily Combined in GA (Note 5)										
	NRC - DS3 Channelization - 1st	MQ3	NA	NA	\$241.14	NA	NA	NA	NA	NA	NA
	NRC - DS3 Channelization - Add'l	MQ3	NA	NA	\$130.02	NA	NA	NA	NA	NA	NA
	NRC - Channel Activation - 1st	UC1D1	NA	NA	\$12.15	NA	NA	NA	NA	NA	NA
$\sqcup \! \! \perp \! \! \! \perp$	NRC - Channel Activation - Add'l	UC1D1	NA	NA	\$8.76	NA	NA	NA	NA	NA	NA
$\sqcup \!\!\! \perp$	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
$\sqcup \!\!\! \perp$	NRC - DS3 Channelization - Incremental ChargeManual Svc Order - 1st	SOMAN	NA	NA	\$14.91	NA	NA	NA	NA	NA	NA
	NRC - DS3 Channelization - Incremental ChargeManual Svc Order - Add'l	SOMAN	NA	NA	\$6.63	NA	NA	NA	NA	NA	NA
$\sqcup \bot \bot$	NRC - DS3 Channelization - Incremental ChargeManual Svc Order - Discor	SOMAN	NA	NA	\$10.88	NA	NA	NA	NA	NA	NA
$\vdash \vdash \vdash$	NRC - DS3 Channelization - Incremental ChargeManual Svc Order - Discor	SOMAN	NA	NA	\$0.00	NA	NA	NA	NA	NA	NA
$\vdash \vdash$	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note			<u> </u>							
$\vdash \vdash \vdash$	NRC-STS-1 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
++	NRC-STS-1 COMBINATION - "Switch As Is" Conversion Charge - Add'I	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
++	NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconne		\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
++	NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
${++}$	OR	LINIOOC	# 54.00	C44.07	#50.40	# 54.00	Ø54.00	Ø5.4.00	Ø54.00	# 54.00	05446
++	NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
++	NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - Add'I	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
++	NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
++	NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
++	DS1 Channelization										
++		MQ1	\$136.82	\$154.74	\$18.23	\$200.01	\$209.87	\$146.87	\$177.72	\$147.51	\$165.21
$\vdash\vdash\vdash$	DS1 Channelized System per month OCLL DP/data) interface card per month (2.4.64kbs)	1D1DD	· ·	\$154.74		\$200.01	\$209.87 \$3.12	·	\$177.72	\$147.51	\$165.21
++	OCU-DP(data) interface card per month (2.4-64kbs) VG interface card per month	1D1VG	\$1.66 \$0.8586	\$2.22 \$1.46	\$1.06 \$2.67	\$2.94 \$1.40	\$3.12 \$1.62	\$2.86 \$1.45	\$2.88 \$1.64	\$2.34 \$1.47	\$2.46 \$1.25
++	·				· ·		·	·	·	·	· ·
	2-wire ISDN(BRITE card) per month	UC1CA	\$3.41	\$3.86	\$3.41	\$4.04	\$4.18	\$3.88	\$3.76	\$4.21	\$3.33

П	ΕN	NHANCED EXTENDED LINKS (EELs)										
Ħ	_	NRC - Ordinarily Combined in GA (Note 5)										
Ħ		NRC - DS1 Channelization - 1st	MQ1	NA	NA	\$138.85	NA	NA	NA	NA	NA	NA
		NRC - DS1 Channelization - Add'l	MQ1	NA NA	NA	\$92.34	NA NA	NA	NA	NA NA	NA	NA
Ħ		NRC - Channel Activation VG - 1st	1D1VG	NA NA	NA	\$12.15	NA NA	NA	NA	NA NA	NA	NA
		NRC - Channel Activation VG - Add'l	1D1VG	NA NA	NA NA	\$8.76	NA NA	NA NA	NA	NA NA	NA NA	NA.
Ħ		NRC - Channel Activation OCU-DP- 1st	1D1DD	NA NA	NA NA	\$12.15	NA	NA NA	NA	NA NA	NA	NA NA
Ħ		NRC - Channel Activation OCU-DP- Add'l	1D1DD	NA NA	NA	\$8.76	NA NA	NA NA	NA	NA NA	NA	NA
Ħ		NRC - Channel Activation BRITE - 1st	UCICA	NA NA	NA	\$12.15	NA NA	NA NA	NA	NA NA	NA	NA.
		NRC - Channel Activation BRITE - Add'l	UCICA	NA NA	NA	\$8.76	NA NA	NA NA	NA	NA NA	NA	NA
		NRC - Electronic Svc Order, per LSR	SOMEC	NA NA	NA NA	\$3.50	NA NA	NA NA	NA	NA NA	NA NA	NA.
		NRC - DS1 Channelization - Incremental ChargeManual Svc Order - 1st	SOMAN	NA NA	NA	\$34.00	NA NA	NA NA	NA	NA NA	NA	NA
H	-	NRC - DS1 Channelization - Incremental ChargeManual Svc Order - Add'l	SOMAN	NA NA	NA NA	\$27.79	NA NA	NA NA	NA	NA NA	NA NA	NA.
		NRC - DS1 Channelization - Incremental ChargeManual Svc Order - Discor	SOMAN	NA NA	NA	\$20.10	NA	NA NA	NA	NA NA	NA	NA
H	_	NRC - DS1 Channelization - Incremental ChargeManual Svc Order - Discor	SOMAN	NA NA	NA NA	\$11.98	NA	NA NA	NA NA	NA NA	NA	NA.
H	-	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note		INA	INA	ψ11.90	INA	INA	INA	INA	INA	INA
\vdash	-	NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
\vdash		NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$34.13
+	+	NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		NRC- DS1 COMBINATION - Switch As is Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
H			UNCCC	\$0.00	φ13.03	\$12.01	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
H		Access to DCS - Customer Reconfiguration (FlexServ)										
+	+	DS1 DSC Termination with DS0 Switching	TBD	TBD	\$28.72	\$22.86	TBD	TBD	TBD	TBD	TBD	TBD
H	_	DS1 DSC Termination with DS1 Switching	TBD	TBD	\$12.23	\$8.64	TBD	TBD	TBD	TBD	TBD	TBD
\vdash		DS3 DSC Termination with DS1 Switching	TBD	TBD	·		TBD	TBD	TBD	TBD	TBD	TBD
H	_	NRC - Ordinarily Combined in GA:	וסט	IBD	\$154.31	\$151.85	IBD	IBD	IBD	IBD	IBD	IDD
H		,	TBD	TBD	\$2.97	\$2.91	TBD	TBD	TBD	TBD	TBD	TBD
	-	NRC - Customer Configuration Establishment NRC - Customer Configuration Establishment - Disconnect	TBD	TBD	\$2.97		TBD	TBD	TBD	TBD	TBD	TBD
H		NRC - Customer Conliguration Establishment - Disconnect NRC- DS1 DSC Termination with DS0 Switching - 1st	TBD	TBD	\$3.44 \$51.50	\$3.36 \$32.07	TBD	TBD	TBD	TBD	TBD	TBD
H		NRC- DS1 DSC Termination with DS0 Switching - 1st NRC- DS1 DSC Termination with DS0 Switching - Add'l	TBD	TBD			TBD	TBD	TBD	TBD	TBD	TBD
H		NRC- DS1 DSC Termination with DS0 Switching - Add1	TBD	TBD	\$39.64 \$31.06	\$31.49 \$20.16	TBD	TBD	TBD	TBD	TBD	TBD
\vdash			TBD	TBD	\$31.06		TBD	TBD	TBD	TBD	TBD	TBD
\vdash		NRC- DS1 DSC Termination with DS0 Switching - Disconnect - Add'l NRC- DS1 DSC Termination with NRC- DS1 Switching - 1st	TBD	TBD	\$37.23	\$20.16 \$18.07	TBD	TBD	TBD	TBD	TBD	TBD
	-		TBD	TBD	·		TBD		TBD	TBD	TBD	1
	-	NRC- DS1 DSC Termination with NRC- DS1 Switching - Add'l	TBD	TBD	\$25.36	\$17.49 \$42.40	TBD	TBD		TBD	TBD	TBD
H		NRC- DS1 DSC Termination with NRC- DS1 Switching - Disconnect - 1st	TBD	TBD	\$22.81	\$12.10	TBD	TBD TBD	TBD TBD	TBD	TBD	TBD TBD
\vdash	+	NRC- DS1 DSC Termination with NRC- DS1 Switching - Disconnect - Add'l	TBD	TBD	\$16.73 \$51.50	\$12.10 \$32.07	TBD	TBD	TBD	TBD	TBD	TBD
\vdash		NRC- DS3 DSC Termination with DS1 Switching - 1st	TBD	TBD	· ·		TBD	TBD	TBD	TBD	TBD	TBD
\vdash		NRC- DS3 DSC Termination with DS1 Switching - Add'l NRC- DS3 DSC Termination with DS1 Switching - Disconnect - 1st	TBD	TBD	\$39.64 \$31.06	\$31.49 \$20.16	TBD	TBD	TBD	TBD	TBD	TBD
\vdash	-	NRC- DS3 DSC Termination with DS1 Switching - Disconnect - 1st NRC- DS3 DSC Termination with DS1 Switching - Disconnect - Add'l	TBD	TBD	\$31.06 \$24.98	\$20.16	TBD	TBD	TBD	TBD	TBD	TBD
\vdash	_	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note		טפו	Φ 24.90	Φ∠ U.10	עסו	עפו	וסט	עפו	וסט	עסו
\vdash	+	NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
H		NRC-DS1 COMBINATION - Switch As Is Conversion Charge - 1st NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
H		NRC-DS1 COMBINATION - Switch As Is Conversion Charge - Add I	UNCCC	\$0.00	\$11.27	\$26.99	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
H		i		\$0.00	· ·			\$0.00		\$0.00	\$0.00	\$0.00
\vdash		NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
H												
\vdash	+	Notes										
-	_	Deaveraged Rates will be effective May 1, 2000										
+	_	New EELs will only be available in the State of Georgia and in density Zone 1	of the followin	a MSAc in th	DollSouth D	ogion:						
	4	Inew EELS will only be available in the State of Georgia and in density Zone 1	or the following	ig ivioas in th	e delloudin Ri	egion.		l				1

EN	NHANCED EXTENDED LINKS (EELs)							
	Florida - Miami, Orlando, Ft. Lauderdale							
	Louisiana - New Orleans							
	N. Carolina - Greensboro, Charlotte							
	Tennessee - Nashville							
3	Unapproved rates are subject to true up.							
4	Add together the recurring rates of all the applicable network elements in order	to obtain tot	al monthly red	urring rate.				
	* Examples:							
	- 2-wire VG Loop + Voice Grade Interface Card + DS1 Channelization System	n + DS1 Inte	roffice Chann	el				
	- DS1 Loop + DS1 Interface Card + DS3 Channelization System + DS3 Interc	office Chann	el					
	- DS3 Local Channel + DS3 Interoffice Channel + DS3 Channelization System	m + DS1 Inte	erface Card					
5	The Ordinarily Combined in GA NRC applies to new combinations within the St	ate of Georg	jia.					
6	The "Switch As Is" NRC is a conversion charge. One SAI charge is applicable p	per circuit.						

DES	CRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN
	tional Support Systems			† · - -				0	··•	 	
I I	Recovery of incremental OSS costs, per CLP, per month	TBD	NA	NA	NA	NA	NA	NA	\$305.00	NA	NA
+	RC - OSS OLEC Daily Usage File: Recording, Per Message	TBD	\$0.0002	\$0.008	\$0.0001275		1	\$0.0001179		\$0.0002862	\$0.008
1 1	RC- OSS OLEC Daily Usage File: Message Processing, Per Message	TBD	\$0.0033	\$0.004	\$0.0062548	\$0.0032357	\$0.0024	\$0.0032089	\$0.0032	\$0.0032344	\$0.004
+	RC - OSS OLEC Daily Usage File: Message Distribution, Per Magnetic Tape	TBD	\$55.19	\$54.95	\$28.25	\$55.68	\$47.3000	\$54.62	\$54.61	\$54.72	\$54.95
1 1	RC - OSS OLEC Daily Usage File: Data Transmission (CONNECT:DIRECT), Per	TBD	\$0.00004	\$0.001	\$0.0000434	\$0.0000365		\$0.0000354		\$0.0000357	\$0.001
Δcc	ess Daily Usage File (ADUF)	100	ψ0.00004	ψ0.001	ψ0.0000-0-1	ψ0.000000	ψ0.0000000	ψ0.0000004	ψ0.00004	ψ0.0000001	Ψ0.001
700	RC - ADUF, Message Processing, per message	TBD	\$0.004	\$0.004	\$0.0136327	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004
++	RC - ADUF, Message Distribution, per Magnetice Tape provisioned	TBD	\$54.95	\$54.95	\$28.85	\$54.95	\$54.95	\$54.95	\$54.95	\$54.95	\$54.95
1 1	RC - ADUF, Data Transmision (CONNECT:DIRECT), per message	TBD	\$0.001	\$0.001	\$0.0000434	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001
Enh	anced Optional Daily Usage File (EODUF)	100	ψ0.001	ψ0.001	ψ0.0000-0-1	ψ0.001	ψ0.001	Ψ0.001	ψ0.001	ψ0.001	ψ0.001
 -:::	Enhanced Optional Daily Usage File: Message Processing, Per Message	TBD	\$0.004	\$0.004	\$0.0034555	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004
++	Enhanced Optional Daily Usage File: Message Processing, per magnetic tape	TBD	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30
1 1	Enhanced Optional Daily Usage File: Data Transmision (CONNECT:DIRECT),	TBD	\$0.0000364		NA NA	\$0.0000364	\$0.0000364				\$0.0000364
++	Emilianosa optional bally osago File. Bala Handmoon (OoTweet),	100	ψ0.0000004	ψ0.0000004	14/4	ψ0.0000004	ψ0.000000-	ψ0.0000004	ψ0.000000-	ψ0.0000004	ψ0.0000004
SWA	BXX Toll Free Dialing Ten Digit Screening Service (Note 1)			TBD							
	Access Ten Digit Screening (all types), per call (Note 2)	N/A	\$0.0005	NA.	\$0.0004868	NA	\$0.0005305	\$0.0005321	\$0.00050	\$0.0005227	NA
	Access Ten Digit Screening Svc. W/8XX No. Delivery		Ţ	1			, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		,,,,,,,,,,		
	per query	N/A	NA	NA	NA	\$0.0010	NA	NA	\$0.00365	NA	\$0.004
	for 8XX Numbers, with Optional Complex Features, per query	N/A	NA	NA	NA	\$0.0011	NA	NA	\$0.00431	NA	\$0.004
8XX	Access Ten Digit Screening Svc. W/POTS No. Delivery					40.00	1		***************************************		*******
1	per query	N/A	NA	NA	NA	\$0.0010	NA	NA	\$0.00383	NA	\$0.004
	with Optional Complex Features, per query	N/A	NA	NA	NA	\$0.0011	NA	NA	\$0.00431	NA	\$0.004
8XX	Access Ten Digit Screening Svc. W/800 No. Delivery					40.00	1		***************************************		*******
1 1	per message	N/A	NA	NA	NA	NA	NA	NA	NA	NA	NA
+	for 8XX Numbers, w/Optional Complex Features, per message	N/A	NA	NA	NA NA	NA.	NA	NA	NA	NA	NA
8XX	Access Ten Digit Screening Svc. W/POTS No. Delivery						1				
	per message	N/A	NA	NA	NA	NA	NA	NA	NA	NA	NA
+	with Optional Complex Features, per message	N/A	NA	NA	NA	NA	NA	NA	NA	NA	NA
Res	ervation Charge per 8XX number reserved						1				
	INRC - 1st	N8R1X	\$7.13	NA	\$6.57	\$10.05	\$6.29	\$8.46	\$7.05	\$6.38	\$30.00
	NRC - Addl'I	N8R1X	\$0.97	NA	\$0.76	\$1.19	\$0.73	\$0.96	\$0.96	\$0.9583	\$0.50
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$27.84	NA
+	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
Per	8XX # Established w/o POTS (w/8XX No.) Translations										
	NRC - 1st	N/A	\$15.88	NA	\$12.81	\$30.59	\$12.27	\$17.04	\$23.82	\$22.63	\$67.50
T	NRC - Addi'l	N/A	\$1.97	NA	\$1.45	\$3.22	\$1.39	\$1.93	\$2.73	\$2.73	\$1.50
+	NRC - Disconnect Charge - 1st	N/A	\$10.04	NA	NA	NA	\$8.30	\$11.32	NA	\$42.95	NA
+	NRC - Disconnect Charge - Add'l	N/A	\$0.97	NA	NA	NA	\$0.73	\$0.96	NA	NA	NA
+	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$41.35	NA	NA
+	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA NA	NA	NA	NA	NA	NA	NA	NA	NA
+	NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$17.75	NA	NA	NA NA	\$11.40	\$16.05	NA	NA	NA
Per	8XX # Established with POTS Translations	OOM/ II V	ψ17.70	10/1	1471	1471	Ψ11.10	Ψ10.00	10/	107	147.
1 1	NRC - 1st	N8FTX	\$15.88	NA	\$12.81	\$30.59	\$12.27	\$17.04	\$23.82	\$22.63	\$67.50
++	NRC - Addi'l	N8FTX	\$1.97	NA NA	\$1.45	\$3.22	\$1.39	\$1.93	\$2.73	\$2.73	\$1.50
++	NRC - Disconnect Charge - 1st	N8FTX	\$10.04	NA NA	NA	NA	\$8.30	\$11.32	NA	\$42.95	NA
++	NRC - Disconnect Charge - 1st	N8FTX	\$0.97	NA NA	NA NA	NA NA	\$0.73	\$0.96	NA NA	NA	NA NA
++	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA NA	\$18.94	NA NA	\$18.14	\$25.52	\$41.35	NA NA	NA NA
++	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37 NA	NA NA	\$18.94 NA	NA NA	\$18.14 NA	\$25.52 NA	\$41.35 NA	NA NA	NA NA
++	NRC - Incremental Charge - Manual Service Order - Add I NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$17.75	NA NA	NA NA	NA NA	\$11.40	\$16.05	NA NA	NA NA	NA NA
C	tomized Area of Service per 8XX Number	SUIVIAIN	φ1/./5	INA	INA	INA	\$11.4U	\$10.05	INA	NA	NA
cus	NRC - 1st	N8FCX	\$5.69	NA	\$4.46	\$6.97	\$4.27	\$5.63	\$5.63	\$5.64	\$3.00
++	NRC - Addi'l	N8FCX N8FCX		NA NA	\$4.46	\$6.97 \$3.49		\$5.63	\$5.63	\$5.64	\$3.00 \$1.50
	INKC - Addit		\$2.85				\$2.14				
++	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN
Multiple Inter LATA Carrier Routing per Carrier Requested per 8XX #										
NRC - 1st	N8FMX	\$6.66	NA	\$5.22	\$8.16	\$5.00	\$6.59	\$6.59	\$6.60	\$3.50
NRC - Addl'I	N8FMX	\$3.81	NA	\$2.99	\$4.67	\$2.86	\$3.77	\$3.77	\$3.78	\$2.00
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
Change Charge per request										
NRC - 1st	N8FAX	\$8.10	NA	\$7.33	\$11.24	\$7.01	\$9.42	\$8.01	\$7.34	\$48.50
NRC - Addi'l	N8FAX	\$0.97	NA	\$0.76	\$1.19	\$0.73	\$0.96	\$0.96	\$0.9583	\$0.50
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$27.84	NA
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
Call Handling and Destination Features	NOEDV	\$5.00	NIA	04.70	CO 07	#4.07	#F 00	#F 00	\$5.04	#0.00
NRC - 1st NRC - Add'l	N8FDX N8FDX	\$5.69 NA	NA NA	\$4.72 \$4.46	\$6.97 \$6.97	\$4.27 \$4.27	\$5.63 \$5.63	\$5.63 NA	\$5.64 \$5.64	\$3.00 \$3.00
NRC - Add I	N8FDX	NA NA	NA	\$4.46	\$6.97	\$4.27	\$5.63	NA	\$5.64	\$3.00
LINE INFORMATION DATABASE ACCESS (LIDB)										
LIDB Common Transport per query	OQT	\$0.00004	\$0.0003	\$0.0000338	\$0.00006	\$0,0000418	\$0.0000446	\$0.0003	\$0.0000442	\$0.0003
LIDB Validation per query	OQU	\$0.041003	\$0.041003	\$0.0105974	\$0.00938		\$0.0142132	\$0.013400		\$0.041003
LIDB Originating Point Code Establishment or Change - NRC	N/A	\$64.36	NA	\$50.30	\$107.60	\$48.17	\$63.63	\$91.00	\$61.62	NA
NRC - Incremental Charge - Electronic Service Order	TBD	NA	NA	NA	NA	NA	NA	\$62.26	NA	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$25.93	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$27.84	\$91.00
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA	NA	NA	NA	NA	NA	NA	\$27.84	NA
CCS7 SIGNALING TRANSPORT SERVICE										
CCS7 Signaling Connection, per link (A link) per month		\$18.79	\$5.00	\$17.05	\$16.31	\$19.48	\$21.58	\$155.00	\$21.79	\$155.00
NRC		\$171.98	\$400.00	\$131.96	\$354.95	\$126.34	\$169.72	\$510.00	\$277.07	\$510.00
NRC - Disconnect		\$135.70	NA	NA	NA	\$101.10	\$134.08	NA	\$42.95	NA
NRC - Incremental Charge - Manual Service Order	SOMAN	\$25.93	NA	\$18.94	NA	\$18.14	\$25.52	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$16.31	NA	NA	NA	\$11.40	\$16.05	NA	NA	NA
CCS7 Signaling Connection, per link (B link) (also known as D link) per month		\$18.79	\$5.00	\$17.05	\$16.31	\$19.48	\$21.58	\$155.00	\$21.79	Not available
NRC		\$171.98	\$400.00	\$131.96	\$354.95	\$126.34	\$169.72	\$510.00	\$277.07	\$510.00
NRC - Disconnect	001441	\$135.70	NA	NA	NA NA	\$101.10	\$134.08	NA	\$42.95	NA
NRC - Incremental Charge - Manual Service Order	SOMAN	\$25.93	NA	\$18.94	NA NA	\$18.14	\$25.52	NA	NA NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect CCS7 Signaling Termination, per STP port per month	SOMAN	\$16.31	NA C442.00	NA \$133.99	NA ************************************	\$11.40	\$16.05	NA \$132.88	\$156.33	NA COEF OO
CCS7 Signaling Termination, per STP port per month CCS7 Signaling Usage, per ISUP message		\$148.72 \$0.00004	\$113.00 \$0.00001	\$0.0000354	\$174.08 \$0.000037893	\$161.99	\$161.12 \$0.0000456	\$0.00004	\$0.0000452	\$355.00 \$0.000023
(applicable when measurement and billing capability exists.)		\$0.00004	\$0.00001	\$0.0000334	\$0.000037693	\$0.0000430	\$0.0000430	\$0.00004	\$0.0000432	\$0.000023
CCS7 Signaling Usage, per TCAP message		\$0.0001	\$0.00004	\$0,0000870	\$0.000102042	\$0.0001052	\$0.0001115	\$0.00009	\$0.0001108	\$0.00005
(applicable when measurement and billing capability exists.)		ψ0.0001	ψ0.00004	\$0.0000070	ψ0.000102042	ψ0.0001032	ψ0.0001113	ψ0.00009	ψ0.0001100	ψ0.00003
CCS7 Signaling Usage Surrogate, per link per LATA per mo (9)		\$376.12	\$64.00	\$340.67	\$329.98	\$406.71	\$406.53	\$338.98	\$396.55	\$395.00
CCS7 Signaling Point Code, Establishment or Change, per STP affected	1	12:0:.2	Ţ	Ţ	Ţ==0.00	Ţ	Ţ	+==0.00	Ţ	+0.00
NRC		\$62.00	\$62.00	\$62.00	\$62.00	\$62.00	\$62.00	\$62.00	\$62.00	\$62.00
OPERATOR CALL PROCESSING										<u> </u>
Operator Provided Call Handling per min - Using BST LIDB	N/A	\$1.21	\$1.00	\$0.9680296	\$1.6016	\$0.91	\$1.19	\$1.20	\$1.21	NA
Call Completion Access Termination Charge per call attempt	N/A	\$0.08	NA	NA	NA	NA	NA	NA	\$0.08	NA
Operator Provided Call Handling per min - Using Foreign LIDB	N/A	\$1.25	\$1.00	\$1.02	\$1.6249	\$0.96	\$1.24	\$1.24	\$1.25	NA
Call Completion Access Termination Charge per call attempt	N/A	\$0.08	NA	NA	NA	NA	NA	NA	\$0.08	NA
Operator Provided Call Handling, per call	N/A	NA Do 44	NA To 40	NA An azza taa	NA Do 2050	NA To 40	NA An 4070004	NA	NA 00 1115000	\$0.30
Fully Automated Call Handling per call - Using BST LIDB	N/A	\$0.11	\$0.10	\$0.0776409	\$0.0856	\$0.10	\$0.1072884	\$0.11	\$0.1115808	\$0.15
Fully Automated Call Handling per call - Using Foreign LIDB Professional recording of name (OCP alone)	N/A USOD1	\$0.13 \$7.000.00	\$0.10 \$7,000.00	\$0.0976984 \$7,000.00	\$0.1071 \$7,000.00	\$0.12	\$0.1253666 \$7,000.00	\$0.12 \$7,000.00	\$0.1293459 \$7,000.00	\$0.15 \$7,000.00
Professional recording of name (OCP alone) Professional recording of name (DA and OCP alone)	USOD1 USOD1	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00 \$7,000.00	\$7,000.00 \$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00
DRAM or front-end loading, per TOPS switch	USOD1 USOD2	\$250.00	\$250.00	\$250.00	\$7,000.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00
AABS or back-end loading, per IVS	USOD2	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00
EBAS or 0- automation loading, per NAV shelf	USOD2	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00
Recording Charge per Branded Announcement – Disconnect – Initial	N/A	\$9.61	\$270.00 NA	NA	NA	NA	NA	NA	\$270.00 NA	NA
Incoording onarge per branded Announcement - Disconnect - Initial	1 11/7	ψυ.υι	14/4	14/4	14/4	14/4	INA	14/4	INA	INA

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN
Recording Charge per Branded Announcement – Disconnect – Subsequent	N/A	\$9.61	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
Recording Gharge per Branded Announcement - Disconnect - Subsequent	IN/A	ψ3.01	INA	INA	INA	INA	INA	INA	INA	INA
INWARD OPERATOR SERVICES		+								
Verification, per minute	N/A	\$1.16	NA	\$0.921083	NA	\$0.86	\$1.14	\$1.15	\$1.15	NA
Verification and Emergency Interrupt, per minute	N/A	\$1.16	NA NA	\$0.921083	NA NA	\$0.86	\$1.14	\$1.15	\$1.15	NA NA
Verification, per call	VIL	NA	\$0.80	NA	\$1.00	NA NA	NA	\$0.54	NA NA	\$0.90
Verification and Emergency Interrupt, per call	N/A	NA NA	\$1.00	NA NA	\$1.111	NA NA	NA NA	\$0.65	NA NA	\$1.95
	14//	10.	Ψ1.00	1471	Ψι.ιιι	107	1471	ψ0.00	10/	ψ1.00
DIRECTORY ASSISTANCE SERVICES										
Directory Assist Call Completion Access Svc (DACC), per call attempt	N/A	\$0.10	\$0.10	\$0.10	\$0.10	\$0.10	\$0.10	\$0.062	\$0.10	\$0.10
Call Completion Access Term charge per completed call	N/A	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA	\$0.08	NA NA
Number Services Intercept per query	N/A	\$0.0235	\$0.01	\$0.0097497	\$0.0086	\$0.02	\$0.0188268	\$0.0110	\$0.0124036	\$0.15
Number Services Intercept per Intercept Query Update	N/A	NA	NA NA	NA	\$0.0055	NA	NA	NA NA	NA	NA NA
Directory Assistance Access Service Calls, per call	14//	\$0.275	\$0.275	\$0.275	\$0.275	\$0.275	\$0.275	\$0.260000	\$0.275	\$0.275
Professional recording of name (DA alone)		\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00
Professional recording of name (DA and OCP alone)		\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7.000.00
DRAM or front-end loading, per TOPS switch		\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00
AABS or back-end loading, per IVS		\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	NA	\$225.00	\$225.00
EBAS or 0- automation loading, per NAV shelf		\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	NA NA	\$270.00	\$270.00
Recording Charge per Branded Announcement – Disconnect – Initial	N/A	\$9.61	NA	NA	NA	NA NA	NA	NA	NA	NA
Recording Charge per Branded Announcement – Disconnect – Subsequent	N/A	\$9.61	NA NA	NA NA	NA NA	NA.	NA.	NA.	NA.	NA NA
Trecording Gharge per Branded Announcement Bisconnect Gabsequent	14/73	Ψ3.01	19/3	14/3	14/1	19/3	14/3	14/3	14/4	14/3
Directory Transport		+								
Directory Transport - Local Channel DS1, per month	N/A	\$35.52	\$43.64	\$38.36	\$36.32	\$43.83	\$38.91	\$35.68	\$37.20	\$133.81
NRC - 1st	N/A	\$503.57	\$242.45	\$356.15	\$637.46	\$339.69	\$494.83	\$534.48	\$534.81	\$868.97
NRC - Add'I	N/A	\$442.84	\$226.44	\$312.89	\$546.94	\$298.29	\$435.28	\$462.69	\$462.81	\$486.83
NRC - Disconnect Charge - 1st	N/A	\$46.28	NA NA	NA	NA	\$33.02	\$46.85	NA	NA	NA
NRC - Disconnect Charge - Add'l	N/A	\$32.18	NA NA	NA NA	NA NA	\$23.32	\$33.02	NA	NA NA	NA NA
NRC - Incremental Charge-Manual Svc Order - NRC - 1st	SOMAN	\$61.99	NA NA	\$44.22	NA NA	\$42.34	\$59.58	\$86.15	\$87.99	NA NA
NRC - Incremental Charge-Manual Svc Order - NRC -addl	TBD	NA NA	NA NA	NA	NA NA	NA NA	NA	\$1.77	NA	NA NA
NRC - Incremental Charge-Manual Svc Order - NRC-Disconnect	SOMAN	\$29.27	NA NA	NA NA	NA NA	\$19.48	\$27.41	NA	\$3.11	NA NA
Directory Transport - Dedicated DS1 Level Interoffice per mile per mo	N/A	\$0.6923	\$0.6013	\$0.4523	\$0.45	\$0.78	\$0.6598	\$0.5753	\$0.7598	\$23.00
Directory Transport - Dedicated DS1 Level Interoffice per facility termination per r		\$79.69	\$99.79	\$78.47	\$55.05	\$93.40	\$74.40	\$71.29	\$94.98	\$90.00
NRC - 1st	N/A	\$198.15	\$45.91	\$147.07	\$298.18	\$140.49	\$196.28	\$217.17	\$216.27	\$100.49
NRC - Add'l	N/A	\$148.18	\$44.18	\$111.75	\$231.18	\$106.69	\$147.31	\$163.75	\$162.70	\$100.49
NRC - Disconnect Charge - 1st	N/A	\$25.44	NA NA	NA NA	NA NA	\$20.00	\$26.56	NA	NA	NA
NRC - Disconnect Charge - 1st	N/A	\$20.42	NA NA	NA NA	NA NA	\$16.34	\$21.61	NA NA	NA NA	NA NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA NA	\$18.94	NA NA	\$18.14	\$25.52	\$38.07	\$39.63	NA NA
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$27.37	NA NA	NA	NA NA	\$18.14	\$25.52	\$38.07	\$39.63	NA NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$12.97	NA NA	NA NA	NA NA	\$8.06	\$11.34	NA	Ψ39.03 NA	NA NA
NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	\$12.97	NA NA	NA NA	NA NA	\$8.06	\$11.34	NA.	NA.	NA NA
Switched Common Transport per DA Access Service per call	N/A	\$0.0003	\$0.0003	\$0.0002906	\$0.000175	\$0.0003274		\$0.00020	\$0.000327	NA NA
Switched Common Transport per DA Access Service per call per mile	N/A	\$0.00003	\$0.00001	\$0.0000186	\$0.000004	\$0.0000175		\$0.00003	\$0.0000303	NA NA
Access Tandem Switching per DA Access Service per call	N/A	\$0.0023	\$0.00055	\$0.0019152	\$0.000783	\$0.0025257		\$0.0021	\$0.0024809	NA NA
DA Interconnection, per DA Access Service Call	N/A	\$0.00269	NA	\$0.00269	NA	NA NA	NA NA	\$0.00	\$0.000269	NA NA
Directory Transport-Installation NRC, per trunk or signaling connection	N/A	72.20200	1	71.10200		1	1	+ =	,	
NRC - 1st	N/A	\$260.69	\$206.06	\$204.23	\$501.98	\$195.54	\$257.73	NA	\$407.81	NA
NRC - Add'l	N/A	\$5.95	\$4.71	\$4.42	\$13.32	\$4.23	\$5.85	NA.	\$11.00	NA NA
NRC - Disconnect Charge - 1st	N/A	\$173.46	NA NA	NA	NA	NA	NA	NA NA	NA	NA NA
NRC - Disconnect Charge - Add'I	N/A	\$5.95	NA NA	NA NA	NA NA	NA.	NA NA	NA NA	NA NA	NA NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA NA	\$44.22	NA NA	\$130.05	\$171.49	NA	NA NA	NA NA
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA NA	NA NA	NA	NA NA	\$4.23	\$5.85	NA NA	NA NA	NA NA
NRC - Manual Service Order - 1st	TBD	NA NA	NA NA	NA NA	NA NA	NA	NA	\$407.53	NA NA	NA NA
NRC - Manual Service Order - Add'l	TBD	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	\$10.98	NA NA	NA NA
The state of the s	, 50	14/1	14/3	14/7	14/1	14/1	14/1	ψ10.00	14/1	14/3
Directory Assistance Database Service (DADS)		+	 	1		1			 	
Directory Assistance Database dervice (DADO)		1	1			I	i	l	1	

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN
Directory Assistance Database Service charge per listing	N/A	\$0.0446	\$0.001	\$0.0445	\$0.0193	\$0.0443	\$0.0447	\$0.04460	\$0.0444	NA
Directory Assistance Database Service, per month	DBSOF	\$128.55	\$100.00	\$95.50	\$120.76	\$90.54	\$126.17	\$126.26	\$127.23	NA
irect Access to Directory Assistance Service (DADAS)										
Direct Access to Directory Assistance Service, per month	DBSDS	\$7,055.00	\$5,000.00	\$5,254.00	\$7,235.01	\$4,982.00	\$6,926.00	\$6,930.00	\$6,983.00	NA
Direct Access to Directory Assistance Service, per query	DBSDA	\$0.0472685	\$0.01	\$0.0469016	\$0.0052	\$0.0460	\$0.0461336	\$0.0456	\$0.0468212	NA
Direct Access to Directory Assistance Service, svc estab charge	DBSDE									
NRC	DBSDE	\$1,118.00	\$820.00	\$788.24	\$1,186.94	\$786.82	\$1,097.00	\$1,164.00	\$1,173.00	NA
NRC - Disconnect	DBSDE	\$81.83	NA	NA	NA	NA	NA	NA	NA	NA
NRC - Incremental Charge Manual Service Order - 1st	SOMAN	NA	NA	NA	NA	\$57.23	\$80.52	NA	NA	NA
IN (Note 4)										TBD
AIN, per message	CAM	NA	\$0.00004	NA	NA	NA	NA	NA	NA	NA
AIN - BellSouth AIN SMS Access Service	CAM								NA	NA
Service Establishment Charge, per state, initial set-up										
NRC	CAMSE	\$197.49	NA	\$90.25	NA	\$153.31	\$174.03	\$294.77	\$296.16	NA
NRC - Disconnect	CAMSE	\$114.22	NA	NA	NA	\$78.06	\$135.96	NA	NA	NA
Port Connection - Dial/Shared Access										
NRC	CAMDP	\$64.05	NA	\$29.66	NA	\$50.07	\$53.47	\$86.94	\$87.29	NA
NRC - Disconnect	CAMDP	\$27.04	NA	NA	NA	\$18.61	\$37.70	NA	NA	NA
Port Connection - ISDN Access										
NRC	CAM1P	\$64.05	NA	\$29.66	NA	\$50.07	\$53.47	\$86.94	\$87.29	NA
NRC - Disconnect	CAM1P	\$27.04	NA	NA	NA	\$18.61	\$37.70	NA	NA	NA
User ID Codes - per User ID Code										
NRC	CAMAU	\$141.84	NA	\$84.43	NA	\$104.95	\$129.83	\$200.83	\$202.08	NA
NRC - Disconnect	CAMAU	\$70.05	NA	NA	NA	\$48.95	\$79.91	NA	NA	NA
Security Card per User ID Code, initial or replacement										
NRC	CAMRC	\$142.13	NA	\$35.44	NA	\$125.33	\$131.54	\$172.05	\$172.26	NA
NRC - Disconnect	CAMRC	\$35.26	NA	NA	NA	\$24.40	\$45.77	NA	NA	NA
Storage, per unit (100Kb)	N/A	\$0.0026	NA	\$0.0023	NA	\$0.0029	\$0.0029	\$0.0023	\$0.0028	NA
Session per minute	N/A	\$0.0892	NA	\$0.0795604	NA	\$0.10	\$0.0975650	\$0.0791	\$0.0942966	NA
C0. Performed Session, per minute					NA	\$1.97	\$2.09	\$2.08	\$2.07	NA
AIN - BellSouth AIN Toolkit Service										
AIN, Service Creation Tools	CAMBP	NA	TBD	NA	NA	NA	NA	NA	NA	NA
Service Establishment Charge, per state, initial set-up										
NRC	BAPSC	\$192.69	NA	\$86.74	NA	\$153.25	\$169.31	\$290.05	\$291.41	NA
NRC - Disconnect	BAPSC	\$114.22	NA	NA	NA	\$78.05	\$135.96	NA	NA	NA
Training Session, per customer	5.15.0.	00.000.00		0001001		000170	00.0=0.00	00.000.00	00.000.00	
NRC	BAPVX	\$8,363.00	NA	\$8,348.00	NA	\$8,315.00	\$8,379.00	\$8,363.00	\$8,333.00	NA
NRC - Disconnect	BAPVX	NA	NA	NA	NA	NA	NA	NA	NA	NA
Trigger Access Charge, per trigger, per DN, Term. Attempt										
NRC	BAPTT	\$49.64	NA	\$19.13	NA	\$41.08	\$39.30	\$72.76	\$73.02	NA
NRC - Disconnect	BAPTT	\$27.04	NA	NA	NA	\$18.60	\$37.70	NA	NA	NA
Trigger Access Charge, per trigger per DN, Off-Hook Delay		0.45.5.		044:00		04: 55	000.00	A76	A70.00	
NRC	BAPTD	\$49.64	NA	\$114.80	NA	\$41.08	\$39.30	\$72.76	\$73.02	NA
NRC - Disconnect	BAPTD	\$27.04	NA	NA	NA	\$18.60	\$37.70	NA	NA	NA
Trigger Access Charge, per trigger, per DN, Off-Hook Immediate	DART:	040.01		210.10		044.05	000.00	A70.76	#70.00	
NRC	BAPTM	\$49.64	NA	\$19.13	NA	\$41.08	\$39.30	\$72.76	\$73.02	NA
NRC - Disconnect	BAPTM	\$27.04	NA	NA	NA	\$18.60	\$37.70	NA	NA	NA
Trigger Access Charge, per trigger, per DN, 10-Digit PODP										
NRC	BAPTO	\$117.98	NA	\$70.06	NA	\$92.99	\$106.90	\$149.95	\$150.25	NA
NRC - Disconnect	BAPTO	\$37.90	NA	NA	NA	\$26.73	\$48.44	NA	NA	NA
Trigger Access Charge, per trigger, per DN, CDP										
NRC	BAPTC	\$117.98	NA	\$70.06	NA	\$92.99	\$106.90	\$149.95	\$150.25	NA
NRC - Disconnect	BAPTC	\$37.90	NA	NA	NA	\$26.73	\$48.44	NA	NA	NA

DESCRIPTION	USOC	AL	FL	GA	кү	LA	MS	NC	sc	TN
Trigger Access Charge, per trigger, per DN, Feature Code		7.2		- OA	10.		0		"	
NRC	BAPTF	\$117.98	NA	\$70.06	NA	\$92.99	\$106.90	\$149.95	\$150.25	NA
NRC - Disconnect	BAPTF	\$37.90	NA	NA	NA NA	\$26.73	\$48.44	NA NA	NA NA	NA
Query Charge, per query		\$0.024	NA	\$0.0209223	NA	\$0.03	\$0.0256138	\$0.02	\$0.0250662	NA
Type 1 Node Charge, per AIN Toolkit Subscription, per node, per guery		\$0.006	NA	\$0.0053137	NA	\$0.0065	\$0.0065161	\$0.005	\$0.0062979	NA
		70.000				***************************************	***************************************	*******	***************************************	
SCP Storage Charge, per SMS Access Acct, per 100 Kb	N/A	\$1.63	NA	\$1.46	NA	\$1.79	\$1.79	\$1.45	\$1.73	NA
Monthly Report - per AIN Toolkit Service Subscription	BAPMS	\$16.00	NA	\$15.96	NA	\$15.89	\$16.01	\$15.98	\$15.93	NA
NRC .	BAPMS	\$44.56	NA	\$22.64	NA	\$34.61	\$44.02	\$71.80	\$72.15	NA
NRC - Disconnect	BAPMS	\$31.84	NA	NA	NA	\$21.97	\$31.28	NA	NA	NA
Special Study - per AIN Toolkit Service Subscription	BAPLS	\$0.10	NA	\$0.0861109	NA	\$0.08	\$0.0810536	\$0.08	\$0.0872769	NA
NRC	BAPLS	\$47.74	NA	\$22.64	NA	\$37.77	\$47.21	\$47.20	\$47.35	NA
NRC - Disconnect	BAPLS	\$15.90	NA	NA	NA	NA	NA	NA	NA	NA
Call Event Report - per AIN Toolkit Service Subscription	BAPDS	\$15.90	NA	\$15.87	NA	\$15.81	\$15.93	\$15.90	\$15.84	NA
NRC	BAPDS	\$44.56	NA	\$22.64	NA	\$34.61	\$44.02	\$71.80	\$72.15	NA
NRC - Disconnect	BAPDS	\$31.84	NA	NA	NA	\$21.97	\$31.28	NA	NA	NA
Call Event special Study - per AIN Toolkit Service Subscription	BAPES	\$0.003	NA	\$0.0028704	NA	\$0.0026	\$0.0027018	\$0.003	\$0.0029092	NA
NRC NRC	BAPES	\$47.74	NA	\$22.64	NA	\$37.77	\$47.21	\$47.20	\$47.35	NA
NRC - Disconnect	BAPES	\$15.90	NA	NA	NA	\$37.77	NA	NA	NA	NA
CALLING NAME (CNAM) QUERY SERVICE	NI/A	CO 040	CO 040	CO 040	CO 040	CO 040	CO 040	CO 040	DO 040	CO 040
CNAM (Database Owner), Per Query CNAM (Non-Database Owner), Per Query *	N/A N/A	\$0.016 \$0.01	\$0.016 \$0.01	\$0.016 \$0.01	\$0.016 \$0.01	\$0.016 \$0.01	\$0.016 \$0.01	\$0.016 \$0.01	\$0.016 \$0.01	\$0.016 \$0.01
NRC, applicable when CLEC-1 uses the Character Based User Interface (CHUI)	N/A N/A	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00
* Volume and term arrangements are also available.	IN/A	\$595.00	\$393.00	\$393.00	\$393.00	φ393.00	\$393.00	φ595.00	\$393.00	φ393.00
Volume and term arrangements are also available.		1		1					 	
SELECTIVE ROUTING (Note 5)									 	
Per Line or PBX Trunk, each		NA	NA	NA	\$10.00 (Interim	NA	NA	NA	NA	TBD
INRC		NA	NA	NA	NA	NA	NA	NA	NA	TBD
Customized routing per unique line class code, per request, per switch						NA	NA	NA	NA	NA
NRC	USRCR	\$230.60	\$229.65	\$180.62	\$229.65	\$229.65	\$227.99	\$229.65	\$226.22	\$229.65
NRC - Incremental Charge - Manual Service Order		\$25.93	NA	\$18.94	NA	NA	\$253.51	NA	\$27.84	NA
VIRTUAL COLLOCATION										1
NRC - Virtual Collocation - Application Cost - Manual	TBD	NA	NA	NA	NA	NA	NA	\$3,622.00	NA	NA
NRC - Virtual Collocation - Cable Installation Cost per Cable - Manual	TBD	NA	NA	NA	NA	NA	NA	\$2,305.00	NA	NA
RC - Virtual Collocation - Floor space per square feet	TBD	NA	NA	NA	NA	NA	NA	\$3.45	NA	NA
RC - Virtual Collocation - Floor space power, per ampere	TBD	NA	NA	NA	NA	NA	NA	\$6.65	NA	NA
RC - Virtual Collocation - Cable support structure, per entrance cable	TBD	NA	NA	NA	NA	NA	NA	\$18.66	NA	NA
2-wire Cross-Connect	LIEAGO	#0.00	CO FO	#0.00	CO 04	#0.00	#0.0000	#0.00	#0.0040	#0.00
RC NRC - 1st	UEAC2 UEAC2	\$0.28 \$30.76	\$0.524 \$11.57	\$0.30 \$12.60	\$0.31 \$54.21	\$0.26 \$23.04	\$0.3996 \$30.93	\$0.09 \$41.78	\$0.3648 \$41.50	\$0.30 \$19.20
NRC - Add'l	UEAC2	\$30.76	\$11.57 \$11.57	\$12.60	\$54.21 \$51.07	\$23.04 \$22.11	\$30.93 \$29.59	\$41.78	\$41.50	\$19.20 \$19.20
NRC - Add 1	TBD	\$29.40 NA	- \$11.57 NA	\$12.60 NA	\$51.07 NA	NA	\$29.59 NA	\$4.75	\$38.94 NA	\$19.20 NA
NRC - Add'l - Manual Service Order	TBD	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	\$4.75	NA NA	NA NA
NRC - Disconnect - 1st	UEAC2	\$12.75	NA NA	NA NA	NA NA	\$9.48	\$12.76	NA	NA NA	NA NA
NRC - Disconnect - Add'l	UEAC2	\$11.38	NA NA	NA NA	NA NA	\$8.54	\$11.43	NA NA	NA NA	NA NA
4-wire Cross-Connect	02/102	\$.1.00	, ,	1 .,,	, (Ψ0.01	Çio	, .	 	
RC	UEAC4	\$0.56	\$0.524	\$0.50	\$0.62	\$0.52	\$0.7992	\$0.18	\$0.7297	\$0.50
NRC - 1st	UEAC4	\$66.71	\$11.57	\$12.60	\$54.23	\$23.23	\$31.17	\$41.91	\$41.56	\$19.20
NRC - Add'l	UEAC4	\$50.43	\$11.57	\$12.60	\$50.96	\$22.24	\$29.77	\$39.25	\$38.90	\$19.20
NRC - 1st - Manual Service Order		NA	NA	NA	NA	NA	NA	\$4.73	NA	NA
INIC - 1st - Manual Service Order	TBD	1 1/1								
NRC - Add'l - Manual Service Order	TBD	NA	NA	NA	NA	NA	NA	\$4.73	NA	NA
NRC - Add'l - Manual Service Order NRC - Disconnect - 1st	TBD UEAC4	NA \$12.82	NA NA	NA NA	NA	\$9.53	\$12.83	NA	NA	NA
NRC - Add'l - Manual Service Order	TBD	NA	NA	NA						

DESCRIPTION	usoc	AL	FL	GA	KY	LA	MS	NC	sc	TN
RC	CNC2F	\$12.10	NA	\$15.64	\$15.64	\$19.13	\$15.64	\$15.99	\$15.06	\$15.64
NRC - 1st	CNC2F	\$55.46	NA	\$41.56	\$41.56	\$41.07	\$41.56	\$67.34	\$69.28	\$41.56
NRC - Add'l	CNC2F	\$39.18	NA	\$29.82	\$29.82	\$29.63	\$29.82	\$48.55	\$48.89	\$29.82
NRC - Disconnect - 1st	CNC2F	\$16.83	NA	NA	NA	\$12.84	\$12.96	NA	NA	NA
NRC - Disconnect - Add'l	CNC2F	\$13.27	NA	NA	NA	\$10.29	\$10.34	NA	NA	NA
4-fiber Cross-Connect										
RC	CNC4F	\$21.75	NA	\$28.11	\$28.11	\$34.38	\$28.11	\$28.74	\$27.08	\$28.11
NRC - 1st	CNC4F	\$66.71	NA	\$50.53	\$50.53	\$49.81	\$50.53	\$82.35	\$84.07	\$50.53
NRC - Add'l	CNC4F	\$50.43	NA	\$38.78	\$38.78	\$38.37	\$38.78	\$63.56	\$63.68	\$38.78
NRC - Disconnect - 1st	CNC4F	\$21.86	NA	NA	NA	\$16.75	\$16.97	NA	NA	NA
NRC - Disconnect - Add'l	CNC4F	\$18.31	NA	NA	NA	\$14.20	\$14.35	NA	NA	NA
DS1 Cross-Connects										
RC	TBD	NA	NA	NA	NA	NA	NA	\$0.97	NA	NA
NRC - 1st	TBD	NA	NA	NA	NA	NA	NA	\$71.02	NA	NA
NRC - Add'l	TBD	NA	NA	NA	NA	NA	NA	\$51.08	NA	NA
NRC - Manual Service Order - 1st	TBD	NA	NA	NA	NA	NA	NA	\$4.70	NA	NA
NRC - Manual Service Order - Add'l	TBD	NA	NA	NA	NA	NA	NA	\$4.70	NA	NA
DS3 Cross-Connects										
RC	TBD	NA	NA	NA	NA	NA	NA	\$12.33	NA	NA
NRC - 1st	TBD	NA	NA	NA	NA	NA	NA	\$69.84	NA	NA
NRC - Add'l	TBD	NA	NA	NA	NA	NA	NA	\$49.43	NA	NA
NRC - Manual Service Order - 1st	TBD	NA	NA	NA	NA	NA	NA	\$4.70	NA	NA
NRC - Manual Service Order - Add'l	TBD	NA	NA	NA	NA	NA	NA	\$4.70	NA	NA
If no rate is identified in the contract, the rate for the specific service or function will be as	set forth in applica	able BellSouth t	ariff or as neg	otiated by the	parties upon requ	uest by either p	arty.			
A Dellocath and OLEO shall as a distance for this effection. If a managed is not										
1 BellSouth and CLEC shall negotiate rates for this offering. If agreement is not										
reached within sixty (60) days of the Effective Date, either party may petition the										
Florida PSC to settle the disputed charge or charges. (FL)										
2 This rate element is for those states w/o separate rates for 800 calls with 800 No.										
Delivery vs. POTS No. Delivery and calls with Optional Complex Features vs. w/o										
Optional Complex Features.										
3 This charge is only applicable where signaling usage measurement or billing capability does not exist.										
Prices for AIN to be determined upon development of mediation device. (TN)										
5 Price for Line Class Codes for Selective Routing shall be determined by the TRA.										
(TN)					I					

Attachment 3

Local Interconnection

TABLE OF CONTENTS

1.	Network Interconnection	3
2.	Interconnection Trunking and Routing	8
3.	Network Design and Management for Interconnection	12
4.	Parity in Ordering and Provisioning	14
5.	Local Dialing Parity	15
6.	Interconnection Compensation	15
7.	Frame Relay Service	22
8.	Operational Support Systems (OSS) Rates	22
Rates		Exhibit A
Basic	Architecture	Exhibit B
One-	Way Trunking Architecture	Exhibit C
Two-	Way Trunking Architecture	Exhibit D
Supe	rgroup Architecture	Exhibit E

Local Interconnection: Call Transport and Termination

The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (local) and exchange access (intraLATA toll and switched access) on the following terms:

1. Network Interconnection

- 1.1 Interconnection is available to both Parties through: (1) delivery of a Party's facilities to a collocation arrangement or Fiber Meet arrangement as defined in this Agreement; or (2) interconnection via purchase of facilities from the other Party. Interconnection may be provided by the Parties at any other technically feasible point. Requests to BellSouth for interconnection at other points may be made through the Bona Fide Request/New Business Request process set out in General Terms and Conditions.
- 1.2 Al-Call must establish, at a minimum, a single Point of Presence, Interface, and Interconnection with BellSouth within the LATA for the delivery of Al-Call originated local, intraLATA toll and transit traffic. If Al-Call chooses to interconnect at a single Point of Interconnection within a LATA, the interconnection must be at a BellSouth Access Tandem. Furthermore, Al-Call must establish Points of Interconnection at all BellSouth access and local tandems where Al-Call NXXs are "homed." A "Homing" arrangement is defined by a "Final" Trunk Group between the BellSouth Tandem and Al-Call End Office switch. A "Final" Trunk Group is the last choice telecommunications path between the Tandem and End Office switch. It is Al-Call's responsibility to enter its own NPA/NXX access and/or local tandem "homing" arrangements into the national Local Exchange Routing Guide (LERG).
- 1.2.1 In order for Al-Call to home its NPA/NXX(s) on a BellSouth Tandem, Al-Call's NPA/NXX(s) must be assigned to an Exchange Rate Center Area served by that BellSouth Tandem and as specified by BellSouth. The specified association between BellSouth Tandems and Exchange Rate Center Areas is defined in the Local Exchange Routing Guide (LERG) as it is revised from time to time.
- 1.3 A **Point of Presence (POP)** is the physical location (a structure where the environmental, power, air conditioning, etc. specifications for a Party's terminating equipment can be met) at which a Party establishes itself for obtaining access to the other Party's network. The POP is the physical location within which the Point of Interfaces occur.

- 1.4 A **Point of Interface** is the physical telecommunications interface between BellSouth and Al-Call's interconnection functions. It establishes the technical interface and point of operational responsibility. The primary function of the Point of Interface is to serve as the terminus for the interconnection service. The Point of Interface has the following main characteristics:
 - 1. It is a cross-connect point to allow connection, disconnection, transfer or restoration of service.
 - 2. It is a point where BellSouth and Al-Call can verify and maintain specific performance objectives.
 - 3. It is specified according to the interface offered in the applicable tariff or local interconnection agreement (for example: for DS1 service the FCC # 1 tariff specifies that the interface meets the technical specifications detailed in Generic Requirements GR-342-CORE, Issue 1, December 1995.)
 - 4. The Parties provide their own equipment (CPE) to interface with the DS0, DS1, DS3, STS1 and/or OCn circuits on the customer premises.
- 1.5 The **Point of Interconnection** is the point at which the originating Party delivers its originated traffic to the terminating Party's first point of switching on the terminating Party's common (shared) network for call transport and termination. Points of Interconnection are available at either Access Tandems, Local Tandems, or End Offices as described in this Agreement. Al-Call's requested Point of Interconnection will also be used for the receipt and delivery of transit traffic at BellSouth Access and Local Tandems. Points of Interconnection established at the BellSouth Local Tandem shall not be used to interconnect for the exchange of Switched Access Traffic or intraLATA toll.
- 1.6 Al-Call, at its option, shall establish Points of Presence and Points of Interface for the delivery of its originated local and intraLATA toll traffic to BellSouth. The Point of Interface may not necessarily be established at the Point of Interconnection. BellSouth shall designate the Points of Presence and Points of Interface for the delivery of traffic originated by BellSouth to Al-Call for call transport and termination by Al-Call.
- 1.7 The Parties shall institute a bill and keep compensation plan under which neither Party will charge the other Party recurring and nonrecurring charges associated with trunks and facilities for the exchange of traffic other than Transit Traffic. Both Parties, as appropriate, shall be compensated for the ordering of trunks and facilities transporting Transit Traffic.

1.8 Interconnection via Purchase of Facilities

1.8.1 Either Party may purchase Local Channel facilities from the Party's specified Point of Interface to its designated serving wire center. The Parties agree that charges for such Local Channel facilities are as set forth in Exhibit A to this

Attachment. If a nonrecurring or recurring rate is not identified in Exhibit A for a Local Channel, the rate shall be as set forth in the appropriate Party's intrastate or interstate tariff for switched access services as filed and effective with the appropriate Commission.

Additionally, either Party may purchase Dedicated Transport facilities from its designated serving wire center to the other Party's first point of switching. The Parties agree that charges for such Dedicated Transport facilities are as set forth in Exhibit A to this Attachment. If a nonrecurring or recurring rate is not identified in Exhibit A for Dedicated Transport, the rate shall be as set forth in the appropriate Party's intrastate or interstate tariff for switched access services as filed and effective with the appropriate Commission.

- 1.8.2 For the purposes of this Attachment, <u>Local Channel</u> is defined as a switch transport facility between a Party's Point of Presence and its designated serving wire center.
- 1.8.3 For the purposes of this Attachment, <u>Serving Wire Center</u> is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its Point of Presence.
- 1.8.4 For the purposes of this Attachment, <u>Dedicated Transport</u> is defined as a switch transport facility between a Party's designated serving wire center and the first point of switching on the other Party's common (shared) network.
- BellSouth Multiple Tandem Access (MTA) provides for LATA wide
 BellSouth transport and termination of Al-Call-originated local and intraLATA
 toll traffic transported by BellSouth by establishing a Point of Interconnection at
 a BellSouth access tandem with routing through multiple BellSouth access
 tandems as required. However, Al-Call must still establish Points of
 Interconnection at all BellSouth access tandems where Al-Call NXXs are
 "homed". If Al-Call does not have NXXs homed at a BellSouth access tandem
 within a LATA and elects not to establish Points of Interconnection at such
 BellSouth access tandem, Al-Call can order MTA in each BellSouth access
 tandem within the LATA where it does have a Point of Interconnection and
 BellSouth will terminate traffic to end-users served through those BellSouth
 access tandems where Al-Call does not have a Point of Interconnection. MTA
 shall be provisioned in accordance with BellSouth's reasonable and
 nondiscriminatory Ordering Guidelines.
- 1.9.1 MTA does not include switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched Access traffic will be delivered to and by IXCs based on Al-Call's NXX Access Tandem homing arrangement as specified by Al-Call in the national Local Exchange Routing Guide (LERG).

- 1.9.2 For Al-Call -originated local and intraLATA toll traffic that BellSouth transports but is destined for termination by a third Party network (transit traffic), BellSouth MTA is required if multiple BellSouth access tandems are necessary to deliver the call to the third Party network.
- 1.9.3 With MTA, for the delivery of Al-Call's local and ISP bound traffic, Al-Call will be accessed charges as specified in Exhibit A to this Attachment for the additional transport and tandem switching required as a result of MTA on an elemental basis in addition to the reciprocal compensation rate to which the Parties have agreed in Section 6.1.2. In the situation of tandem exhaust at any particular tandem, where the Parties choose MTA as an alternative routing plan, the Parties will negotiate appropriate rates, terms and conditions.
- 1.9.4 To the extent Al-Call does not purchase MTA in a calling area that has multiple access tandems serving the calling area as defined by BellSouth, Al-Call must establish Points of Interconnection to every access tandem in the calling area in order to serve the entire calling area. To the extent Al-Call does not purchase MTA and provides intraLATA toll service to its customers, it may be necessary for it to establish a Point of Interconnection to additional BellSouth access tandems that serve end offices outside the local calling area.
- 1.10 **Local Tandem Interconnection**. This interconnection arrangement allows Al-Call to establish a Point of Interconnection at BellSouth local tandems for: (1) the delivery of Al-Call-originated local traffic transported and terminated by BellSouth to BellSouth end offices within the local calling area as defined in BellSouth's GSST, section A3 served by those BellSouth local tandems, and (2) for local transit traffic transported by BellSouth for third party network providers who have also established Points of Interconnection at those BellSouth local tandems.
- 1.10.1 When a specified local calling area is served by more than one BellSouth local tandem, Al-Call must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, Al-Call may choose to establish a Point of Interconnection at the BellSouth local tandems where it has no codes homing but is not required to do so. Al-Call may deliver local traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where Al-Call does not choose to establish a Point of Interconnection. It is Al-Call's responsibility to enter its own NPA/NXX local tandem homing arrangements into the Local Exchange Routing Guide (LERG) either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to Al-Call's codes. Likewise, Al-Call shall obtain its routing information from the LERG.

- 1.10.2 Notwithstanding establishing Points of Interconnection to BellSouth's local tandems, Al-Call must also establish Points of Interconnection to BellSouth access tandems within the LATA on which Al-Call has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth cannot switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff.)
- 1.10.3 BellSouth's provisioning of local tandem interconnection assumes that Al-Call has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.

1.11 Fiber Meet

- 1.11.1 "Fiber-Meet" is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface (as opposed to an electrical interface) at a mutually agreed upon location, at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends (i.e. Point Of Interface).
- 1.11.2 If Al-Call elects to establish a Point of Interconnection with BellSouth pursuant to a Fiber Meet, Al-Call and BellSouth shall jointly engineer and operate a Synchronous Optical Network ("SONET") transmission system by which they shall interconnect their transmission and routing of local traffic via a Local Channel facility at either the DS0, DS1, or DS3 level and shall be ordered via an Access Services Request ("ASR") in the initial phase of this offering. The Parties shall work jointly to determine the specific transmission system. However, Al-Call's SONET transmission must be compatible with BellSouth's equipment in the serving wire center. The same vendor's equipment and software version must be used, and the Data Communications Channel (DCC) must be turned off.
- 1.11.3 BellSouth shall, wholly at its own expense, procure, install and maintain the agreed upon SONET equipment in the BellSouth Interconnection Wire Center ("BIWC").
- 1.11.4 Al-Call shall, wholly at its own expense, procure, install and maintain the agreed upon SONET equipment in the Al-Call Interconnection Wire Center (" Al-Call Wire Center").
- 1.11.5 BellSouth shall designate a Point of Interface outside the BIWC as a Fiber Meet point, and shall make all necessary preparations to receive, and to allow and enable Al-Call to deliver, fiber optic facilities into the Point of Interface with

sufficient spare length to reach the fusion splice point at the Point of Interface. BellSouth shall, wholly at its own expense, procure, install, and maintain the fusion splicing point in the Point of Interface. A Common Language Location Identification ("CLLI") code will be established for each Point of Interface. The code established must be a building type code. All orders shall originate from the Point of Interface (i.e., Point of Interface to Al-Call, Point of Interface to BellSouth).

- 1.11.6 Al-Call shall deliver and maintain such strands wholly at its own expense. Upon verbal request by Al-Call, BellSouth shall allow Al-Call access to the Fiber Meet entry point for maintenance purposes as promptly as possible.
- 1.11.7 The Parties shall jointly coordinate and undertake maintenance of the SONET transmission system. Each Party shall be responsible for maintaining the components of their own SONET transmission system.
- 1.11.8 Each Party will be responsible for (i) providing its own transport facilities to the Fiber Meet, and (ii) the cost to build-out its facilities to such Fiber Meet.
- 1.11.9 Neither Party shall charge the other for its portion of the Fiber Meet facility used exclusively for non-transit local traffic (i.e., the Local Channel). Charges incurred for other services including dedicated transport facilities to the Point of Interconnection if applicable will apply. Charges for Switched and Special Access Services shall be billed in accordance with the Parties' applicable Access Service tariffs (e.g., the BellSouth Interstate or Intrastate Access Services Tariff).
- 1.11.10 The term "Special Access Service" means the offering of dedicated facilities for the purpose of the origination or termination of telecommunications traffic to or from an interexchange carrier to or from each Parties' telephone exchange service customers in a given area.

2. Interconnection Trunking and Routing

2.1 BellSouth and Al-Call shall establish interconnecting trunk groups and trunking configurations between networks including the establishment of one-way or two-way trunks in accordance with Sections 2.4 and 2.5 of this attachment.

- Any Al-Call interconnection request that deviates from the standard trunking configurations as described in the *BellSouth Call Transport & Termination Service For Facility Based CLECs section of the Facility Based CLEC Activation Requirements Customer Guide* that affects traffic delivered to Al-Call from a BellSouth switch that requires special BellSouth switch translations and other network modifications will require Al-Call to submit a Bona Fide Request/New Business Request via the Bona Fide Request/New Business Request Process set forth in General Terms and Conditions.
- All terms and conditions, as well as charges, both non-recurring and recurring, associated with interconnecting trunk groups between BellSouth and Al-Call not addressed in Exhibit A shall be as set forth in the appropriate intrastate or interstate tariff for switched access services of the Parties. For two-way trunking that carries the Parties' local and intraLATA toll traffic, excluding transit traffic, the Parties shall be compensated for the nonrecurring and recurring charges for trunks and DS1 facilities at 50% of the applicable contractual or tariff rates for the services provided by each Party. Al-Call shall be responsible for ordering and paying for any two-way trunks carrying transit traffic.

2.4 Two-Way Trunking Requirements:

The following requirements apply to two-way trunking that carries the Parties local and intraLATA toll.

- 1. If a Party chooses to interconnect using two-way trunking, that Party shall initiate such two-way trunking request. The quantity of two way trunking shall be mutually agreed upon and shall be jointly provisioned.
- 2. The Point of Interface will be located at a mutually agreed upon location.
- 3. BellSouth and Al-Call will jointly review the trunk forecast, as needed, on a periodic basis, or at least every six (6) months.
- 4. Al-Call will order trunks using access service request (ASR) process in place for Local Interconnection after the joint planning meeting takes place between BellSouth and Al-Call.
- 5. BellSouth and Al-Call will agree on traffic engineering parameters that will be used in the engineering of the trunk groups. BellSouth will provide the same quality of service that it provides to itself.
- 6. BellSouth and Al-Call agree to meet and resolve service-affecting situations in a timely manner. This contact will normally be made through the Account Team and Al-Call's Vice President of Engineering .

- 7. Establishing a two-way trunk group does not preclude BellSouth or Al-Call from adding one-way trunk groups within the same Local Calling Area.
- 8. For technical reasons, two-way trunk groups may not be ordered to a BellSouth DMS100 Local Tandem or DMS100 End Office.
- 9. BellSouth will be responsible for the installation and maintenance of its trunks and facilities to the mutually agreed Point of Interface, and Al-Call will be responsible for the installation and maintenance of its trunks and facilities to the mutually agreed to Point of Interface.

2.5 BellSouth Access Tandem Interconnection Architectures

2.5.1 BellSouth Access Tandem Interconnection provides intra-tandem access to subtending end offices. BellSouth Multiple Tandem Access (MTA), described later in this Agreement, may be ordered using any of the following access tandem architectures.

2.5.2 Basic Architecture

2.5.2.1 In this architecture, Al-Call's originating Local and IntraLATA Toll and originating and terminating Transit Traffic is transported on a single two-way trunk group between Al-Call and BellSouth access tandem(s) within a LATA. This group carries intra-tandem Transit Traffic between Al-Call and Independent Companies, Interexchange Carriers, other CLECs and other network providers with which Al-Call desires interconnection and has the proper contractual arrangements. This group also carries Al-Call originated inter-tandem traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local and intraLATA Toll traffic is transported on a single one-way trunk group terminating to Al-Call. Other trunk groups for operator services, directory assistance, emergency services and intercept may be established if required. The LERG should be referenced for current routing and tandem serving arrangements. The Basic Architecture is illustrated in Exhibit B.

2.5.3 One-Way Trunking Architecture

2.5.3.1 In this architecture, the Parties interconnect using two one-way trunk groups. One one-way trunk group carries Al-Call-originated local and intraLATA toll traffic destined for BellSouth end-users. The other one-way trunk group carries BellSouth-originated local and intraLATA toll traffic destined for Al-Call end-users. A third two-way trunk group is established for Al-Call's originating and terminating Transit Traffic. This group carries intra-tandem Transit Traffic between Al-Call and Independent Companies, Interexchange Carriers, other CLECs and other network providers with which Al-Call desires interconnection

and has the proper contractual arrangements. This group also carries Al-Call originated inter-tandem traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. Other trunk groups for operator services, directory assistance, emergency services and intercept may be established if required. The LERG should be referenced for current routing and tandem serving arrangements. The One-Way Trunking Architecture is illustrated in Exhibit C.

2.5.4 Two-Way Trunking Architecture

2.5.4.1 The Two-Way Trunking Architecture establishes one two-way trunk group to carry local and intraLATA toll traffic between Al-Call and BellSouth. To establish this architecture, Al-Call and BellSouth must meet the Two-way Trunking Requirements described in this Attachment. In addition, a two-way transit trunk group must be established for Al-Call's originating and terminating Transit Traffic. This group carries intra-tandem Transit Traffic between Al-Call and Independent Companies, Interexchange Carriers, other CLECs and other network providers with which Al-Call desires interconnection and has the proper contractual arrangements. This group also carries Al-Call originated intertandem traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. Other trunk groups for operator services, directory assistance, emergency services and intercept may be established if required. The LERG should be referenced for current routing and tandem serving arrangements. The Two-Way Trunking Architecture is illustrated in Exhibit D.

2.5.5 <u>Supergroup Architecture</u>

- 2.5.5.1 In the Supergroup Architecture, the Parties Local and IntraLATA Toll and Al-Call's Transit Traffic is exchanged on a single two-way trunk group between Al-Call and BellSouth. To establish this architecture, Al-Call and BellSouth must meet the Two-way Trunking Requirements described in this Attachment. This group carries intra-tandem Transit Traffic between Al-Call and Independent Companies, Interexchange Carriers, other CLECs and other network providers with which Al-Call desires interconnection and has the proper contractual arrangements. This group also carries Al-Call originated inter-tandem traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. Other trunk groups for operator services, directory assistance, emergency services and intercept may be established if required. The LERG should be referenced for current routing and tandem serving arrangements. The Supergroup Architecture is illustrated in Exhibit E.
- 2.6 Al-Call may establish interconnection at BellSouth end offices for the delivery of Al-Call originated local and intraLATA toll traffic destined for BellSouth end-users served by that end-office.

- 2.6.1 When end office trunking is ordered by BellSouth to deliver BellSouth originated traffic to Al-Call, BellSouth will provide overflow routing through BellSouth tandems consistent with how BellSouth overflows its traffic. The overflow will be based on the homing arrangements Al-Call displays in the LERG. Likewise, if Al-Call interconnects to a BellSouth end office for delivery of Al-Call originated traffic, Al-Call will overflow the traffic through the BellSouth tandems based on the BellSouth homing arrangements shown in the LERG.
- 2.6.2 The Parties shall utilize direct end office trunking under the following conditions:
 - (1) Tandem Exhaust If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan or an alternative routing plan that will alleviate the tandem capacity shortage and ensure completion of traffic between Al-Call and BellSouth's subscribers.
 - (2) Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between a Al-Call switching center and a BellSouth end office, that Party shall install and retain direct end office trunking sufficient to handle actual or reasonably forecasted traffic volumes, whichever is greater, between a Al-Call switching center and a BellSouth end office where the traffic exceeds or is forecasted to exceed two DS1s of local traffic per month. Either Party will install additional capacity between such points when overflow traffic between Al-Call's switching center and BellSouth's end office exceeds or is forecasted to exceed two DS1s of local traffic per month. In the case of one way trunking from Al-Call, additional trunking shall be required when its traffic volume has achieved the preceding threshold. Additionally, in the case of one-way trunks from BellSouth, additional trunking may be requested by either party when its traffic volume has achieved a single DS1 of local traffic per month.
 - (3) Mutual Agreement The Parties may install direct end office trunking upon mutual agreement in the absence of the conditions (1) or (2) above.
- 2.7 Switched Access traffic will be delivered to and by IXCs based on Al-Call's NXX Access Tandem homing arrangement as specified by Al-Call in the national Local Exchange Routing Guide (LERG).
- 2.8 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible.

3. Network Design and Management for Interconnection

3.1 <u>Network Management and Changes</u>. Both Parties will work cooperatively with each other to install and maintain the most effective and reliable interconnected

telecommunications networks, including but not limited to, the exchange of toll-free maintenance contact numbers and escalation procedures. Both Parties agree to provide public notice of changes in the information necessary for the transmission and routing of services using its local exchange facilities or networks, as well as of any other changes that would affect the interoperability of those facilities and networks.

- Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Telcordia Standard No. TR-NWT-00499. Signal transfer point, Signaling System 7 ("SS7") connectivity is required at each interconnection point. BellSouth will provide out-of-band signaling using Common Channel Signaling Access Capability where technically feasible, in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall hand off calling number ID (Calling Party Number) when technically feasible.
- Quality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection. BellSouth shall provide interconnection facilities that meet the same technical criteria and service standards used in BellSouth's own network including the probability of blocking in peak hours and transmission standards.
- 3.4 <u>Network Management Controls.</u> Both Parties will work cooperatively with each other to apply sound network management principles by invoking appropriate network management controls, *e.g.*, call gapping, to alleviate or prevent network congestion.
- Common Channel Signaling. Both Parties will provide LEC-to-LEC Common Channel Signaling ("CCS") to each other, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All CCS signaling parameters will be provided, including automatic number identification ("ANI"), originating line information ("OLI") calling company category, charge number, etc. All privacy indicators will be honored, and each Party will cooperate with each other on the exchange of Transactional Capabilities Application Part ("TCAP") messages to facilitate full interoperability of CCS-based features between the respective networks.

Forecasting Requirements

- 3.6.1 The Parties shall exchange technical descriptions and forecasts of their interconnection and traffic requirements in sufficient detail necessary to establish the interconnections required to assure traffic completion to and from all customers in their respective designated service areas. In order for BellSouth to provide as accurate reciprocal trunking forecasts as possible to Al-Call, Al-Call must inform BellSouth of any known or anticipated events that may affect BellSouth reciprocal trunking requirements. If State refuses to provide such information, BellSouth shall provide reciprocal trunking forecasts based only on existing trunk group growth and BellSouth annual estimated percentage of BellSouth's subscriber line growth.
- 3.6.2 Both Parties shall meet every six months or at otherwise mutually agreeable intervals for the purpose of exchanging non-binding forecast of its traffic and volume requirements for the interconnection and network elements provided under this Agreement, in the form and in such detail as agreed by the Parties. The Parties agree that each forecast provided under this Section shall be deemed "Confidential Information" in the General Terms and Conditions Part A of this Agreement.
- 3.6.3 The trunk forecast should include trunk requirements for all of the interconnecting trunk groups for the current year plus the next two future years. The forecast meeting between the two companies may be a face-to-face meeting, video conference or audio conference. It may be held regionally or geographically. Ideally, these forecast meetings should be held at least semiannually, or more often if the forecast is no longer usable. Updates to a forecast or portions thereof should be made whenever the Party providing the forecast deems that the latest trunk requirements exceed the original quantities by 48 trunks or 10%, whichever is greater. Either Party should notify the other Party if they have measurements indicating that a trunk group is exceeding its designed call carrying capacity and is impacting other trunk groups in the network. Also, either Party should notify the other Party if they know of situations in which the traffic load is expected to increase significantly and thus affect the interconnecting trunk requirements as well as the trunk requirements within the other Party's network. The Parties agree that the forecast information provided under this Section shall be deemed "Confidential Information" as set forth in the General Terms and Conditions of this Agreement.
- 3.6.4 For a non-binding trunk forecast, agreement between the two Parties on the trunk quantities and the timeframe of those trunks does not imply any liability for failure to perform if the trunks are not available for use at the required time ordered. However, if one Party cannot meet an order at the time ordered, it will use its best efforts to meet such order within 180 days of the requested time.
- 3.7 <u>Signaling Call Information.</u> BellSouth and Al-Call will send and receive 10 digits for local traffic. Additionally, BellSouth and Al-Call will exchange the proper call information, i.e., originated call company number and destination call

company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

4. Parity in Ordering and Provisioning

Each Party shall provide interconnection ordering and provisioning services to the other Party that are Equal in Quality to the ordering and provisioning services the Parties provide themselves. "Equal in Quality" shall have the meaning accorded in Section 51.305(a)(3) of the FCC's Rules, 47 C.F.R. § 51.305(a)(3). Reasonable and nondiscriminatory procedures for ordering and provisioning BellSouth interconnection services are set forth in the *BellSouth Call Transport & Termination Service For Facility Based CLECs section of the Facility Based CLEC Activation Requirements Customer Guide*.

5. Local Dialing Parity

Each Party shall provide local dialing parity, meaning that each Party's customers will not have to dial any greater number of digits than the other Party's customers to complete the same call. In addition, under equivalent interconnection arrangements, Al-Call local service customers will experience at least the same quality as BellSouth local service customers regarding post-dial delay, call completion rate and transmission quality.

6. Interconnection Compensation

- 6.1 Compensation for Call Transportation and Termination for Local Traffic and ISP-Bound Traffic, excluding access traffic.
- 6.1.1 Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or a corresponding Extended Area Service ("EAS") exchange.
- 6.1.2 The Parties will compensate each other on a mutual and reciprocal basis for the transport and termination of Local Traffic and ISP-bound traffic at the following rates:

Effective date - 3/31/01	\$.00200 per MOU
4/1/01 - 3/31/02	\$.00175 per MOU
4/1/02 - 3/31/03	\$.00150 per MOU
4/1/03 - 10/5/03	The Parties will negotiate a rate for

the exchange of traffic. If the parties fail to negotiate a rate by 4/1/03, the applicable FCC or State Commission approved rates for local and isp bound traffic will apply.

The Parties recognize and agree that they negotiated these annual rates together as a complete rate structure to apply over the full three-year term of this

Agreement and that the parties would not have mutually agreed to accept a single annual rate in any single year. Nothing in this Paragraph shall limit Al-Call's rights pursuant to Paragraph 6.1.3.3.

- 6.1.3 The Parties have been unable to agree upon whether dial up calls to Information Service Providers ("ISPs") should be considered Local Traffic for purposes of this Agreement. Dial-up Calls are defined as calls to an ISP that are dialed by using a local dialing pattern (7 or 10 digits) by the calling party (hereinafter referred to as "ISP-bound traffic"). However, without prejudice to either Party's position concerning the nature of ISP-bound traffic, the Parties agree for purposes of this Agreement only, to compensate each other for ISP-bound traffic at the same per minute of use rates set forth in Paragraph 6.1.2. It is expressly understood and agreed that this inter-carrier compensation mechanism for ISP-bound traffic is being established: (1) in consideration for a waiver and release by each party for any and all claims for reciprocal compensation for ISP-bound traffic exchanged between the parties prior to April 1, 2000, which is hereby acknowledged; and (2) subject to the terms and conditions in section 6.1.4.
- 6.1.3.1 The Parties recognize and agree that the FCC, courts of competent jurisdiction, or state commissions with jurisdiction over the Parties will issue subsequent decisions on ISP-bound traffic ("Subsequent Decisions"). Notwithstanding any provision in this Agreement to the contrary, the inter-carrier compensation mechanism established in section 6.1.3 shall continue at the rates set forth in section 6.1.2 for the full term of this Agreement without regard to such Subsequent Decisions, except as provided for in section 6.1.3.2 and 6.1.3.3.
- 6.1.3.2 To the extent such Subsequent Decisions render the inter-carrier compensation mechanism for ISP-bound traffic set forth in section 6.1.3 in violation of applicable federal or state law, the Parties agree to amend this Agreement within thirty (30) days of the effective date of any such Subsequent Decision to conform the inter-carrier compensation mechanism set forth in section 6.1.3 with such Subsequent Decision. In the event of such an amendment, there will be no true-up for compensation paid prior to the amendment. In the event of such an amendment, there will be no true-up for compensation paid prior to the amendment, except to the extent expressly required by law.
- Nothing herein shall preclude Al-Call from exercising its rights under this Agreement or Section 252(i) of the 1996 Act and applicable FCC regulations to elect rates, terms, and conditions with respect to the payment of reciprocal compensation from any other approved interconnection agreement executed by BellSouth under which BellSouth is paying reciprocal compensation for ISP-bound traffic other than on an interim basis. The Parties recognize and agree that this provision is intended to ensure that Al-Call is treated in the same manner with respect to the payment of reciprocal compensation for ISP-bound traffic as the competing local exchange carrier from whose interconnection agreement Al-Call seeks to elect rates, terms, and conditions. Accordingly, Al-

Call agrees that it will not seek to elect reciprocal compensation rates, terms, or conditions from another interconnection agreement unless those rates, terms, and conditions apply to ISP-bound traffic (other than on an interim basis), either by the express terms of that agreement, by voluntary action by BellSouth, or pursuant to an effective state Commission or court order.

- 6.1.4 The Parties recognize and agree that the compensation for the transport and termination of Local Traffic set forth in section 6.1.2 and the inter-carrier compensation mechanism for ISP-bound traffic set forth in section 6.1.3 are intended to allow each Party to recover costs associated with such traffic. Accordingly, the Parties recognize and agree that such compensation will not be billed and shall not be paid for a call placed from a local exchange service provided by a Party, to establish or maintain a network connection if: (1) such call is not recognized by current industry practice to constitute traffic (voice or data) which results from a telephone call; (2) the end user customer does not control the dialed number destination and content of that call; or (3) a primary purpose of that call is to generate the payment of reciprocal compensation as a result of establishing or maintaining the network connection.
- 6.1.5 Neither Party shall represent switched access services traffic as Local Traffic for purposes of payment of reciprocal compensation.
- Unidentifiable traffic. Unidentifiable traffic. Al-Call shall utilize its NPA/NXXs in such a way and will provide the necessary information so that BellSouth shall be able to distinguish Local from IntraLATA Toll traffic for BellSouth originated traffic. Al-Call end users' assigned NPA/NXX line numbers shall be physically located in the BellSouth rate center with which the NPA/NXX has been associated. Whenever BellSouth delivers traffic to Al-Call for termination on the Al-Call 's network, if BellSouth cannot determine, because of the manner in which Al-Call has utilized its NXX codes whether the traffic is local or toll, BellSouth will charge the applicable rates for originating intrastate network access service as reflected in BellSouth's Intrastate Access Service Tariff. BellSouth will make appropriate billing adjustments if Al-Call can provide sufficient information for BellSouth to determine whether said traffic is local or toll.
- 6.3 Percent Local Use. Each Party will report to the other a Percentage Local Usage ("PLU"). The application of the PLU will determine the amount of local minutes to be billed to the other Party. For purposes of developing the PLU, each Party shall consider every local call and every long distance call, excluding intermediary traffic. By the first of January, April, July and October of each year, BellSouth and Al-Call shall provide a positive report updating the PLU. Notwithstanding the foregoing, where the terminating company has message recording technology that identifies the traffic terminated, such information, in

lieu of the PLU factor, shall at the company's option be utilized to determine the appropriate local usage compensation to be paid.

- 6.4 Percentage Interstate Usage. For combined interstate and intrastate Al-Call traffic terminated by BellSouth over the same facilities, Al-Call will be required to provide a projected Percentage Interstate Usage ("PIU") to BellSouth. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to Al-Call. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU factor will be used for application and billing of local interconnection. Notwithstanding the foregoing, where the terminating company has message recording technology that identifies the traffic terminated, such information, in lieu of the PLU factor, shall at the company's option be utilized to determine the appropriate local usage compensation to be paid.
- 6.5 Audits. On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and Al-Call shall retain records of call detail for a minimum of nine months from which a PLU and/or PIU can be ascertained. The audit shall be accomplished during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditory paid for by the Party requesting the audit. The PLU and/or PIU shall be adjusted based upon the audit results and shall apply to the usage for the quarter the audit was completed, to the usage for the quarter prior to the completion of the audit, and to the usage for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

6.6 Rate True-up

This section applies only to Tennessee.

- 6.6.1 The interim prices for Unbundled Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:
- 6.6.2 The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one

Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 12 of the General Terms and Conditions and Attachment 1 of the Agreement.

- 6.6.3 The Parties may continue to negotiate toward final prices, but in the event that no such agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in the General Terms and Conditions of the Agreement, so long as they file the resulting Agreement with the Commission as a "negotiated agreement" under Section 252(e) of the Act.
- A final order of this Commission that forms the basis of a true-up shall be the final order as to prices based on appropriate cost studies, or potentially may be a final order in any other Commission proceeding which meets the following criteria:
 - (a) BellSouth and CLEC is entitled to be a full Party to the proceeding;
 - (b) It shall apply the provisions of the federal Telecommunications Act of 1996, including but not limited to Section 252(d)(1) (which contains pricing standards) and all then-effective implementing rules and regulations; and,
 - (c) It shall include as an issue the geographic deaveraging of unbundled element prices, which deaveraged prices, if any are required by said final order, shall form the basis of any true-up.
- 6.7 Compensation for IntraLATA Toll Traffic
- 6.7.1 <u>IntraLATA Toll Traffic</u>. IntraLATA Toll Traffic is defined as all traffic that originates and terminates within a single LATA, but is not treated as local or EAS traffic under this Attachment.
- 6.7.2 <u>Compensation for intraLATA toll traffic</u>. For terminating its intraLATA toll traffic on the other company's network, the originating Party will pay the terminating Party's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in the terminating Party's Intrastate or Interstate Access Services Tariff as filed and in effect with the FCC or state Commission. The appropriate charges will be determined by the routing of the call. If one Party is the other Party's end user's presubscribed interexchange carrier or if one Party's end user uses the other Party as an

interexchange carrier on a 101XXXX basis, the originating Party will charge the other Party the appropriate originating switched access tariff rates as set forth in the originating Party's Intrastate or Interstate Access Services Tariff as filed and in effect with the FCC or appropriate state Commission.

- 6.7.3 <u>Compensation for 800 Traffic</u>. Each Party shall compensate the other pursuant to the appropriate switched access charges, including the database query charge as set forth in the providing Party's tariff, as filed and effective with the FCC or appropriate State Commission.
- 6.7.4 Records for 800 Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 800 customers. The records provided will be in a standard EMI format for a fee of \$0.013 per record.
- 6.7.5 <u>800 Access Screening</u>. Should Al-Call require 800 Access Ten Digit Screening Service from BellSouth, it shall have signaling transfer points connecting directly to BellSouth's local or regional signaling transfer point for service control point database query information. Al-Call shall utilize SS7 signaling links, ports and usage as set forth in Attachment 2. Al-Call will not utilize switched access FGD service. 800 Access Ten Digit Screening Service is an originating service that is provided via 800 Switched Access Service trunk groups from BellSouth's SS7 equipped end office or access tandem providing an IXC identification function and delivery of a call to the IXC based on the dialed ten digit number. The terms and conditions for this service are set out in BellSouth's Intrastate Access Services Tariff as amended.

6.8 <u>Mutual Provision of Switched Access Service</u>

- 6.8.1 The term "Switched Access Service" means the offering of switched facilities for the purpose of the origination or termination of telecommunications traffic to or from an interexchange carrier to or from each Parties' telephone exchange service customers in a given area. Switched Access Services include the following traffic types: Feature Group A, Feature Group B, Feature Group D, 800 access and 900 access services.
- When BellSouth and Al-Call provide an access service connection between an interexchange carrier ("IXC") and each other, each Party will provide its own access services to the IXC on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by the Party providing the end office function. The Parties will use the Multiple Exchange Carrier Access Billing (MECAB) system to establish meet point billing for all applicable traffic, including traffic terminated to ported numbers via INP and non-geographic NPAs. Thirty (30)-day billing periods will be employed for these arrangements. The recording Party agrees to provide to the initial billing

company, at no charge, the switched access detailed usage data within no more than sixty (60) days after the recording date. The initial billing company will provide the switched access summary usage data to all subsequent billing companies within 10 days of rendering the initial bill to the IXC. Each company will notify the other when it is not feasible to meet these requirements so that the customers may be notified for any necessary revenue accrual associated with the significantly delayed recording or billing. As business requirements change data reporting requirements may be modified as necessary, by mutual agreement of the Parties.

- 6.8.3 In the event that either Party fails to provide switched access detailed usage data to the other Party within 90 days after the recording date and the receiving Party is unable to bill and/or collect access revenues due to the sending Party's failure to provide such data within said time period, then the Party failing to send the data as specified herein shall be liable to the other Party in an amount equal to the unbillable or uncollectible revenues. Each company will provide complete documentation to the other to substantiate any claim of unbillable access revenues. A negotiated settlement will be agreed upon between the companies.
- 6.8.4 Each company will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data which is lost or damaged by their company or any third party involved in processing or transporting data.
- Each company agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- Each company also agrees to process the recreated data within forty-eight (48) hours of receipt at its data processing center.
- 6.8.7 All claims should be filed with the other company within 120 days of the receipt of the date of the unbillable usage.
- 6.8.8 The Initial Billing Company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Company to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial billing Company. Each company agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.
- 6.9 **Transit Traffic Service**. Each Party shall provide tandem switching and transport services for the other's transit traffic. Transit traffic is traffic originating on one carrier's network that is switched and transported by the other Party and terminates on a third carrier's network. Rates for local transit traffic

shall be the applicable call transport and termination charges as set forth in Exhibit A to this Attachment. Rates for intraLATA toll and Switched Access transit traffic shall be the applicable call transport and termination rates as set forth in the providing Party's Interstate or Intrastate Switched Access tariffs. Billing associated with all transit traffic shall be pursuant to MECAB procedures. Wireless Type 1 traffic shall not be treated as transit traffic from a routing or billing perspective. Wireless Type 2A traffic shall not be treated as transit traffic from a routing or billing perspective until BellSouth and the Wireless carrier have the capability to properly meet-point-bill in accordance with MECAB guidelines.

- 6.9.1 The delivery of traffic which transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees and will be delivered at the rates as set forth in Exhibit A to this Attachment. Al-Call is responsible for and shall negotiate the necessary agreements or the placement of valid orders with the terminating carrier for the receipt of this traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier as a result of providing the transit function. Further, Al-Call agrees to compensate BellSouth for any charges or costs for the delivery of transit traffic to a connecting carrier on behalf of Al-Call for which a valid contract or order has not been established. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.
- 6.9.2 Except for as provided in 6.9.3, transit charges shall only be assessed on the originating carrier and shall not be assessed on the terminating carrier.
- 6.9.3 Transit charges associated with the provisioning of toll free services (e.g., 800/888/877) shall be assessed upon the terminating carrier and shall not be imposed on the originating carrier.

7. Frame Relay Service

7.1 Al-Call and BellSouth agree that, at the request of either Party, they will negotiate an amendment to this Agreement that provides rates, terms and conditions for frame relay service.

8. Operational Support Systems (OSS) Rates

BellSouth has developed and made available the following mechanized systems by which Al-Call may submit LSRs electronically.

LENS Local Exchange Navigation System

EDI Electronic Data Interface

EDI-PC Electronic Data Interface – Personal Computer

TAG Telecommunications Access Gateway

LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic ordering charge as specified in the table below. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below:

	AL, GA, LA, MS, SC	FL, KY, NC, TN
OPERATIONAL SUPPORT SYSTEMS		
OSS LSR charge, per LSR received from the	\$3.50	\$3.50
CLEC by one of the OSS interactive interfaces		
	SOMEC	SOMEC
Incremental charge per LSR received from the	See applicable rate	\$19.99
CLEC by means other than one of the OSS	element	
interactive interfaces		SOMAN

Note: In addition to the OSS charges, applicable discounted service order and related discounted charges apply per the tariff.

Denial/Restoral OSS Charge

In the event Al-Call provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

Cancellation OSS Charge

Al-Call will incur an OSS charge for an accepted LSR that is later canceled by Al-Call.

Note: Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

Network Elements and Other Services Manual Additive

The Commissions in Alabama, Georgia, Louisiana, Mississippi and South Carolina have ordered incremental manual non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR.

Threshold Billing Plan

The Parties agree that Al-Call will incur the mechanized rate for all LSRs, both mechanized and manual, if the percentage of mechanized LSRs to total LSRs meets or exceeds the threshold percentages shown below:


Year	Ratio: Mechanized/Total LSRs
2000	80%
2001	90%

The threshold plan will be discontinued in 2002.


In calculating the percentages above, all orders submitted via BellSouth's mechanized LSR systems (LENS, EDI, EDI-PC, and TAG) will count as mechanized LSRs, regardless of whether an order falls out of the mechanized process or requires manual intervention in order to be properly completed and processed.

BellSouth will track the total LSR volume for each CLEC for each quarter. At the end of that time period, a Percent Electronic LSR calculation will be made for that quarter based on the LSR data tracked in the LCSC. If this percentage exceeds the threshold volume, all of that CLEC's future manual LSRs will be billed at the mechanized LSR rate. To allow time for obtaining and analyzing the data and updating the billing system, this billing change will take place on the first day of the second month following the end of the quarter (e.g. May 1 for 1Q, Aug 1 for 2Q, etc.). There will be no adjustments to the amount billed for previously billed LSRs.


Basic Architecture




One-Way Trunking Architecture



Two-Way Trunking Architecture



SuperGroup Architecture



			RATES BY STATE										
DE	ESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN		
CON	MPENSATION												
	Year 2000 Per Mou Rate for Local Interconnection and ISP-Bound Traffic	N/A	\$0.0020	\$0.0020	\$0.0020	\$0.0020	\$0.0020	\$0.0020	\$0.0020	\$0.0020	\$0.0020		
	Year 2001 Per Mou Rate for Local Interconnection and ISP-Bound Traffic	N/A	\$0.00175	\$0.00175	\$0.00175	\$0.00175	\$0.00175	\$0.00175	\$0.00175	\$0.00175	\$0.00175		
	Year 2002 Per Mou Rate for Local Interconnection and ISP-Bound Traffic	N/A	\$0.0015	\$0.0015	\$0.0015	\$0.0015	\$0.0015	\$0.0015	\$0.0015	\$0.0015	\$0.0015		
LOC	AL INTERCONNECTION (CALL TRANSPORT AND TERMINATION) FOR TRANS	IT TRAFFIC ANI			******	*	*	,	, , , , , ,	*	***************************************		
	End Office Switching, per mou	N/A	\$0.0018	NA	\$0.0016333	\$0.002562	NA	\$0.0023771	\$0.0017	\$0.0019295	\$0.0019		
	Direct Local Interconnection, per mou (same as End Office Switching in FL & LA)		NA	\$0.002	NA	NA	\$0.00209	NA	NA	NA	NA		
	Tandem Switching, per mou	N/A	\$0.00063	\$0.00029	\$0.0006757	\$0.001096	NA	\$0.0007834	\$0.0009	\$0.0006843	\$0.000676		
	Tandem Switching (assumes 5 miles of transport per mou)	N/A	NA NA	NA	NA	NA	\$0.00430	NA	NA	NA	NA		
	Tandem Local Interconnection, per mou (includes end office switching element)		NA	\$0.00325	NA	NA	\$0.00639	NA	NA	NA	NA		
	Multiple Tandem Switching, per mou (applies to initial tandem only), effective 10/99)	NA	\$0.00125	NA	NA	\$0.00430	NA	NA.	NA	NA		
	Local Intermediary, per mou (applies to transit traffic only)		NA.	\$0.00125	NA.	NA.	\$0.00430	NA.	NA NA	NA NA	NA NA		
	Tandem Intermediary Charge, per mou*	N/A	\$0.0015	NA	NA NA	\$0.001096	NA	NA.	NA NA	NA NA	NA		
	*(This charge is applicable only to transit traffic and is applied in addition to	14// (ψο.σσ.τσ	147	10.	ψο.σσ.τσσσ	1471	107	1471	10/	1471		
	applicable switching and/or interconnection charges.)												
TR	RUNK PORT CHARGE												
	All terms and conditions, as well as charges, both non-recurring and recurring,												
	associated with interconnecting trunk groups between BellSouth and CLEC-1												
	shall be as set forth in Section E.6 of the appropriate BellSouth intrastate												
	access tariff. At such time as BellSouth develops a cost based rate for such												
	interconnecting trunk groups, the Parties shall amend this agreement to		BST State	BST State	BST State	BST State	BST State	BST State	BST State	BST State	BST State		
	include such cost based rates and shall true up such charges in accordance		Access	Access	Access	Access	Access	Access	Access	Access	Access		
	with this Attachment.		Tariff Rates	Tariff Rates	Tariff Rates	Tariff Rates	Tariff Rates	Tariff Rates	Tariff Rates	Tariff Rates	Tariff Rates		
IN ⁻	TEROFFICE TRANSPORT												
Co	ommon (Shared) Transport												
	Common (Shared) Transport per mile per mou	N/A	\$0.00001	\$0.000012	\$0.000008	\$0.0000049	\$0.0000083	\$0.0000091	\$0.00001	\$0.0000121	\$0.00004		
	Common (Shared) Transport Facilities Termination per mou	N/A	\$0.00045	\$0.0005	\$0.0004152	\$0.000426	\$0.00047	\$0.0004281	\$0.00034	\$0.0004672	\$0.00036		
	teroffice Channel Transport - Dedicated - VG		70.000.0	***************************************	***************************************	***************************************	40.000	*	40.000	**********	*		
	Interoffice Transport - Dedicated - 2-Wire VG - per mile	1L;5XF	\$0.03390	NA	\$0.0222	NA	\$0.0384	NA	\$0.0282	\$0.0373	\$0.0173		
	Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month	1L;5XF	\$18.49	NA	\$17.07	NA	\$19.10	NA	\$18.00	\$21.42	\$18.33		
	INRC - 1st	1L;5XF	\$144.27	NA	\$79.61	NA	\$104.23	NA	\$137.48	\$136.44	\$83.35		
	NRC - Add'l	1L:5XF	\$54.15	NA	\$36.08	NA	\$39.91	NA	\$52.58	\$51.37	\$20.88		
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAC	\$40.34	NA.	\$18.94	NA.	\$26.20	NA.	\$38.07	\$39.63	\$30.15		
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAC	\$40.54	NA.	\$18.94	NA.	\$26.20	NA.	\$38.07	\$39.63	\$31.63		
Int	teroffice Channel Transport - Dedicated - VG - Kentucky & Mississippi	001111110	Ψ10.0 τ	1471	Ψ10.07	1471	Ψ20.20	177	ψου.υτ	ψου.ου	ψ01.00		
	Interoffice Transport - Dedicated - 2-Wire VG - per mile	1L5NF	NA	NA	NA	\$0.03	NA	\$0.0323	NA	NA	NA		
	Interoffice Transport - Dedicated - 2-Wire VG - per fille Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month	1L5NF	NA NA	NA	NA NA	\$27.66	NA NA	\$21.33	NA NA	NA NA	NA NA		
	NRC - Facility Termination -1st	1L5NF	NA.	NA.	NA NA	\$142.31	NA.	\$144.77	NA.	NA NA	NA		
	NRC - Facility Termination - Add'l	1L5NF	NA NA	NA NA	NA NA	\$56.21	NA NA	\$56.06	NA NA	NA	NA		
	NRC - Incremental ChargeManual Svc Order - 1st	SOMAC	NA	NA	NA	\$37.21	NA	\$36.86	NA	NA	NA		
	NRC - Incremental ChargeManual Svc Order - Add'l	SOMAC	NA	NA	NA	\$37.21	NA	\$36.86	NA	NA	NA		
Int	teroffice Channel Transport - Dedicated - DS0 - 56/64 KBPS		1		1			1					
	Interoffice Transport - Dedicated - DS0 - per mile per month	1L5XK	\$0.0339	\$0.0252	\$0.0222	NA	\$0.0384	NA	\$0.0282	\$0.0373	\$0.17		
			*			1							

		RATES BY STATE									
DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN	
Interoffice Transport - Dedicated - DS0 - facility termination per month	1L5XK	\$17.81	\$21.33	\$16.45	NA	\$18.37	NA	\$17.40	\$20.71	\$17.74	
NRC - 1st	1L5XK	\$144.27	\$137.15	\$79.61	NA	\$104.23	NA	\$137.48	\$136.44	\$83.35	
NRC - Add'l	1L5XK	\$54.15	\$64.45	\$36.08	NA	\$39.91	NA	\$52.58	\$51.37	\$20.88	
NRC - Incremental Charge - Manual Service Order - 1st	SOMAC	\$40.34	NA	\$18.94	NA	\$26.20	NA	\$38.07	\$39.63	\$30.15	
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAC	\$40.34	NA	\$18.94	NA	\$26.20	NA	\$38.07	\$39.63	\$31.63	
Interoffice Transport - Dedicated - DS0 - 56/64 KBPS - Kentucky & Mississippi											
DS0 - per mile	1L5NK	NA	NA	NA	\$0.03	NA	\$0.0323	NA	NA	NA	
DS0 - Facility Termination	1L5NK	NA	NA	NA	\$26.95	NA	\$20.64	NA	NA	NA	
NRC - Facility Termination - 1st	1L5NK	NA	NA	NA	\$142.31	NA	\$144.77	NA	NA	NA	
NRC - Facility Termination - Add'l	1L5NK	NA	NA	NA	\$56.21	NA	\$56.06	NA	NA	NA	
NRC - Incremental ChargeManual Svc Order - 1st	SOMAC	NA	NA	NA	\$37.21	NA	\$36.86	NA	NA	NA	
NRC - Incremental ChargeManual Svc Order - Add'l	SOMAC	NA	NA	NA	\$37.21	NA	\$36.86	NA	NA	NA	
Interoffice Channel Transport - Dedicated - DS1											
Interoffice Transport - Dedicated - DS1 - per mile per month	1L5XL	\$0.69	\$0.6013	\$0.4523	NA	\$0.7831	NA	\$0.5753	\$0.7598	\$0.3525	
Interoffice Transport - Dedicated - DS1 - facility termination per month	1L5XL	\$79.69	\$99.79	\$78.47	NA	\$93.40	NA	\$71.29	\$94.98	\$75.83	
NRC - 1st	1L5XL	\$223.59	\$45.91	\$147.07	NA	\$160.49	NA	\$217.17	\$216.27	\$166.53	
NRC - Add'l	1L5XL	\$168.60	\$44.18	\$111.75	NA	\$123.03	NA	\$163.75	\$162.70	\$124.84	
NRC - Incremental Charge - Manual Service Order - 1st	SOMAC	\$40.34	NA	\$18.94	NA	\$26.20	NA	\$38.07	\$39.63	\$30.15	
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAC	\$40.34	NA	\$18.94	NA	\$26.20	NA	\$38.07	\$39.63	\$31.63	
Interoffice Channel Transport - Dedicated - DS1 - Kentucky & Mississippi											
Interoffice Transport - Dedicated - DS1 - per mile per month	1L5NL	NA	NA	NA	\$0.45	NA	\$0.6598	NA	NA	NA	
Interoffice Transport - Dedicated - DS1 - facilities termination per month	1L5NL	NA	NA	NA	\$55.05	NA	\$74.40	NA	NA	NA	
NRC - Facility Termination - 1st	1L5NL	NA	NA	NA	\$298.18	NA	\$222.81	NA	NA	NA	
NRC - Facility Termination - Add'l	1L5NL	NA	NA	NA	\$231.23	NA	\$168.92	NA	NA	NA	
NRC - Incremental ChargeManual Svc Order - 1st	SOMAC	NA	NA	NA	NA	NA	\$36.83	NA	NA	NA	
NRC - Incremental ChargeManual Svc Order - Add'l	SOMAC	NA	NA	NA	NA	NA	\$36.86	NA	NA	NA	
Interoffice Channel Transport - Dedicated - DS3											
Interoffice Transport - Dedicated - DS3 - per mile per month	1L5XM	\$12.56	\$10.22	\$6.53	NA	\$14.04	NA	\$12.98	\$19.08	\$5.89	
Interoffice Transport - Dedicated - DS3 - facility termination per month	1L5XM	\$771.60	\$984.55	\$725.53	NA	\$1,101.00	NA	\$720.38	\$960.82	\$760.20	
NRC - 1st	1L5XM	\$961.93	\$772.93	\$778.80	NA	\$713.57	NA	\$794.94	\$941.07	\$729.27	
NRC - Add'l	1L5XM	\$532.45	\$435.92	\$439.62	NA	\$404.36	NA	\$579.55	\$503.72	\$411.98	
NRC - Incremental Charge - Manual Service Order - 1st	SOMAC	\$100.19	NA	\$77.41	NA	\$71.19	NA	\$91.26	\$92.52	\$75.98	
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAC	\$100.19	NA	\$77.41	NA	\$71.19	NA	\$91.26	\$92.52	\$75.98	
Interoffice Channel Transport - Dedicated - DS3 - Kentucky & Mississippi											
Interoffice Channel Transport - Dedicated - DS3 - per mile											
Interoffice Transport - Dedicated - DS3 - facility termination per month	1L5NM	NA	NA	NA	\$12.62	NA	\$15.02	NA	NA	NA	
NRC - DS3 - Facility Termination -1st	1L5NM	NA	NA	NA	\$1,204.00	NA	\$744.38	NA	NA	NA	
NRC - DS3 - Facility Termination - Add'l	1L5NM	NA	NA	NA	\$946.23	NA	\$812.30	NA	NA	NA	
NRC - Incremental ChargeManual Svc Order - 1st	SOMAC	NA	NA	NA	\$516.89	NA	\$596.55	NA	NA	NA	
NRC - Incremental ChargeManual Svc Order - Add'l	SOMAC	NA	NA	NA	\$93.12	NA	\$64.97	NA	NA	NA	
Local Channel - Dedicated		+									
Local Channel - Dedicated - 2-Wire VG		+			 			+			
Monthly Recurring	TEFV2	\$14.61	\$18.02	\$13.91	\$22.26	\$14.94	\$17.83	\$14.82	\$16.83	\$19.02	
NRC - 1st	TEFV2		\$18.02	\$382.95	\$22.26 \$597.14	\$401.17	\$17.83 \$565.31	\$14.82 \$553.80	\$16.83	\$19.02	
NRC - Add'l		\$572.46									
	TEFV2	\$92.07	\$124.32	\$62.40	\$110.52	\$66.35	\$93.30	\$86.69	\$88.58	\$28.96	
NRC - Incremental Charge - Manual Service Order - 1st	SOMAC	\$45.12	NA	\$18.94	\$41.46	\$29.54	\$41.57	\$42.17	\$43.75	\$33.65	
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAC	\$18.73	NA	\$8.42	NA	\$19.46	\$27.39	\$12.76	\$13.55	\$23.84	

			RATES BY STATE										
DE	SCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN		
Lo	cal Channel - Dedicated - 4-Wire VG												
	Monthly Recurring	TEFV4	\$15.77	\$19.01	\$14.99	\$23.38	\$16.21	\$19.03	\$15.87	\$18.05	\$20.14		
	NRC - 1st	TEFV4	\$581.14	\$477.33	\$368.44	\$585.15	\$407.11	\$573.83	\$562.23	\$562.46	\$257.05		
	NRC - Add'l	TEFV4	\$95.21	\$124.32	\$64.05	\$98.53	\$68.61	\$96.40	\$92.67	\$91.57	\$30.34		
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAC	\$45.12	NA	\$18.94	\$98.53	\$29.54	\$41.57	\$42.17	\$43.64	\$33.65		
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAC	\$18.73	NA	\$8.42	\$11.99	\$19.46	\$27.39	\$12.76	\$13.55	\$23.84		
Lo	cal Channel - Dedicated - DS1												
	Monthly Recurring	TEFHG	\$35.52	\$44.35	\$38.36	\$43.80	\$43.80	\$38.91	\$35.68	\$37.20	\$40.27		
	NRC - 1st	TEFHG	\$549.85	\$246.50	\$356.15	\$538.95	\$396.86	\$588.53	\$534.48	\$534.81	\$343.71		
Ħ	NRC - Add'I	TEFHG	\$475.02	\$230.49	\$312.89	\$464.94	\$342.92	\$501.32	\$462.69	\$462.81	\$277.86		
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAC	\$91.22	NA	\$44.22	\$87.71	\$61.82	\$81.30	\$86.15	\$87.99	\$23.51		
t	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAC	NA	NA	NA	NA	NA	NA	\$1.77	\$3.11	\$21.75		
Lo	cal Channel - Dedicated – DS3	00							Ψ	ψο	Ψ2σ		
ĺΫ	Monthly Recurring	TEFHJ	\$559.98	\$630.65	\$558.51	\$697.89	\$696.07	\$533.33	\$498.87	\$602.18	\$633.15		
H	NRC - 1st	TEFHJ	\$1,106.14	\$879.42	\$882.03	\$1,091.00	\$811.30	\$569.08	\$562.25	\$1,091.00	\$829.52		
H	NRC - Add'l	TEFHJ	\$676.66	\$542.41	\$545.85	\$661.23	\$502.09	\$534.58	\$527.88	\$654.13	\$512.23		
H	NRC - Incremental Charge - Manual Service Order - 1st	SOMAC	\$100.19	NA	\$77.41	\$93.12	\$71.19	\$56.84	\$56.25	\$92.52	\$75.98		
H	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAC	\$100.19	NA NA	\$77.41	\$93.12	\$71.19	\$56.84	\$56.25	\$92.52	\$53.03		
CH	ANNELIZATION	SOMAC	\$100.19	INA	\$11.41	\$93.12	\$71.19	φ30.04	φ30.23	φ92.52	φ33.03		
	DS3 Channelization (DS3 to DS1)												
	per Channelized System per month	SATCS	€040.07	\$213.22	\$173.51	\$236.32	\$245.84	\$229.30	\$226.81	\$204.07	\$225.59		
H	NRC - 1st	SATCS	\$210.87 \$355.25	\$280.12	\$284.43	\$425.41	\$259.76	\$356.80	\$351.95	\$423.77	\$265.08		
\vdash	NRC - Add'l	SATCS	\$245.86	\$196.07	\$199.98	\$303.33	\$182.64	\$247.40	\$243.76	\$295.21	\$185.94		
\vdash	NRC - Add I	SATCS	\$78.43	\$64.06	\$66.76	φ303.33 NA	\$60.96	\$79.94	\$77.90	\$295.21 NA	\$61.09		
H	NRC -131 - Disconnect	SATCS	\$63.70	\$52.60	\$55.25	NA NA	\$50.46	\$65.20	\$63.32	NA NA	\$50.31		
H	NRC - Channel System - Incremental Cost - Manual Svc. Order -1st	SOMAC	\$28.44	Ψ32.00 NA	\$21.61	\$41.47	\$19.74	\$26.95	\$28.13	\$43.41	\$21.71		
H	NRC - Channel System - Incremental Cost - Manual Svc. Order - Add'l	SOMAC	\$13.47	NA	\$9.61	NA	\$8.77	\$11.98	\$13.33	\$15.36	\$10.46		
H	NRC - Channel System - Incremental Cost - Manual Svc. Order - Disconnect - 1	SOMAC	\$18.46	NA NA	\$13.61	NA NA	\$12.43	\$16.97	\$18.26	NA	\$14.21		
H	NRC - Channel System - Incremental Cost - Manual Svc. Order - Disconnect - A	SOMAC	\$1.50	NA NA	NA	NA NA	NA	NA NA	\$1.48	NA NA	\$1.46		
t t	per Interface per month	SATCO	\$4.53	\$6.31	\$7.13	\$8.52	\$7.55	\$5.58	\$4.61	\$9.69	\$3.91		
H	NRC - 1st	SATCO	\$15.85	\$13.39	\$13.45	\$15.86	\$12.29	\$15.85	\$15.76	\$15.54	\$12.61		
t	NRC - Add'I	SATCO	\$11.35	\$9.59	\$9.63	\$11.36	\$8.80	\$11.35	\$11.28	\$11.13	\$9.03		
DS	1 Channelization (DS1 to DS0)			40.00	40.00	Ţ	4 0.00	*******	******	******	40.00		
	per Channelized System per month	SATC1	\$139.58	\$163.88	\$137.97	\$200.01	\$209.87	\$146.87	\$177.72	\$179.81	\$165.21		
Ħ	NRC - 1st	SATC1	\$269.98	\$208.64	\$212.01	\$302.82	\$193.63	\$271.52	\$267.19	\$304.00	\$197.21		
	NRC - Add'I	SATC1	\$163.04	\$126.61	\$129.60	\$184.20	\$118.37	\$164.56	\$161.43	\$178.92	\$119.99		
	NRC -1sr - Disconnect	SATC1	\$34.88	\$26.42	\$28.95	NA	\$26.44	\$36.38	\$34.55	NA	\$25.66		
	NRC -Add'l - Disconnect	SATC1	\$21.32	\$15.95	\$18.43	NA	\$16.83	\$22.82	\$21.14	NA	\$15.81		
	NRC - Channel System - Incremental Cost - Manual Svc. Order -1st	SOMAC	\$28.44	NA	\$21.61	\$41.47	\$19.74	\$26.95	\$28.13	\$43.41	\$21.71		
	NRC - Channel System - Incremental Cost - Manual Svc. Order -Add'l	SOMAC	\$13.47	NA	\$9.61	\$11.99	\$8.77	\$11.98	\$13.33	\$15.36	\$10.46		
	NRC - Channel System - Incremental Cost - Manual Svc. Order - Disconnect -	SOMAC	\$18.46	NA	\$13.61	NA	\$12.43	\$16.97	\$18.26	NA	\$14.21		
	NRC - Channel System - Incremental Cost - Manual Svc. Order - Disconnect - A	SOMAC	\$1.50	NA	NA	NA	NA	NA	\$1.48	NA	\$1.46		
DS	1 Channization Interfaces	<u> </u>			-								
Ш	per OCU-DP(data) card per month(2.4-64kbps)	SATSA	\$2.61	\$3.13	\$2.65	\$2.94	\$3.12	\$2.86	\$2.88	\$3.36	\$2.46		
	NRC - 1st	SATSA	\$15.85	\$13.39	\$13.45	\$15.86	\$12.29	\$15.85	\$15.76	\$15.54	\$12.61		
$oxed{oxed}$	NRC - Add'I	SATSA	\$11.35	\$9.59	\$9.63	\$11.36	\$8.80	\$11.35	\$11.28	\$11.13	\$9.03		
	per VG card per month	SATSA	\$1.26	\$1.78	\$1.48	\$1.40	\$1.62	\$1.45	\$1.64	\$1.93	\$1.25		
ıΤ	NRC - 1st	SATSA	\$15.85	\$13.39	\$13.45	\$15.86	\$12.29	\$15.85	\$15.76	\$15.54	\$12.61		

		RATES BY STATE									
DESCRIPTION	usoc	AL	FL	GA	KY	LA	MS	NC	sc	TN	
NRC - Add'l	SATSA	\$11.35	\$9.59	\$9.63	\$11.36	\$8.80	\$11.35	\$11.28	\$11.13	\$9.03	
Local Interconnection Mid-Span Meet											
Local Channel - Dedicated - DS1											
DS1 Monthly Recurring per month	TEFHG	\$17.76	\$22.18	\$19.18	\$21.90	\$21.90	\$19.46	\$17.85	\$18.60	\$20.14	
NRC - DS1 - 1st	TEFHG	\$251.79	\$123.25	\$178.08	\$269.48	\$174.28	\$247.42	\$268.83	\$267.41	\$138.68	
NRC - DS1 - Add'l	TEFHG	\$221.42	\$115.25	\$156.45	\$232.47	\$150.15	\$217.64	\$232.73	\$231.41	\$116.63	
NRC - DS1 - Disconnect Chg - 1st	TEFHG	\$23.14	NA	NA	NA	\$12.08	\$23.43	NA	NA	\$16.59	
NRC - DS1 - Disconnect Chg - Add'l	TEFHG	\$16.09	NA	NA	NA	\$10.66	\$16.51	NA	NA	\$11.15	
NRC - DS1 - Incremental ChargeManual Svc Order - 1st	SOMAC	\$61.95	NA	\$44.22	\$87.71	\$42.34	\$59.58	\$623.92	\$87.99	\$45.68	
NRC - DS1 - Incremental ChargeManual Svc Order - Add'l	SOMAC	\$0.00	NA	NA	NA	NA	NA	\$467.22	\$3.11	\$1.76	
NRC - DS1 - Incremental ChargeManual Svc Order-Disconnect	SOMAC	\$29.27	NA	NA	NA	\$19.48	\$27.51	NA	NA	\$21.75	
Rates For CLEC-1 Remote Access Concentrator (RAS) Interconnection											
Port Termination charges apply in all cases											
Per DS1 Port Termination:		1									
Monthly Recurring Per DS1:	TBD	\$133.89	\$151.62	\$133.14	\$150.86	\$150.11	\$162.95	\$133.22	\$147.71	\$146.06	
Non-recurring per DS1:			*	,	•	•	•	,	·	,	
Non-recurring initial DS1	TBD	\$223.59	\$45.91	\$147.07	\$298.18	\$160.49	\$222.81	\$218.28	\$216.27	\$166.53	
Non-recurring per additional DS1	TBD	\$168.60	\$44.18	\$111.75	\$231.23	\$123.03	\$168.92	\$164.55	\$162.70	\$124.84	
NRC - Incremental Charge - Manual Service Order - 1st	TBD	\$40.34	NA	\$18.94	NA	\$26.20	\$36.83	\$38.12	\$39.63	\$30.15	
NRC - Incremental Charge - Manual Service Order - Add'l	TBD	\$40.34	NA	\$18.94	NA	\$26.20	\$36.86	\$38.12	\$39.63	\$31.63	
T		1		Ţ		V	700.00	1	7,00,00	*******	
Per DS3 Port Termination:											
Total Monthly Recurring per DS3:	TBD	\$4,130.93	\$4,755.41	\$4,178.21	\$4,687.59	\$4,794.16	\$5,105.69	\$4,237.73	\$4,666.49	\$4,611.99	
Total Non-recurring per DS3:		1 , ,	* ,	* , -	, ,	* , -	*-,	, , -	, ,	* /-	
Non-recurring initial DS3	TBD	\$961.93	\$772.93	\$778.80	\$946.23	\$713.57	\$812.30	\$798.95	\$941.07	\$729.27	
Non-recurring per additional DS3	TBD	\$532.45	\$435.92	\$439.62	\$516.89	\$404.36	\$596.55	\$582.33	\$503.72	\$411.98	
NRC - Incremental Charge - Manual Service Order - 1st	TBD	\$100.19	NA	\$77.41	\$93.12	\$71.19	\$64.97	\$91.37	\$92.52	\$75.98	
NRC - Incremental Charge - Manual Service Order - Add'l	TBD	\$100.19	NA	\$77.41	\$93.12	\$71.19	\$64.97	\$91.37	\$92.52	\$75.98	
		***************************************		******	***************************************	***************************************	70	70.101	***	******	
See Channelization rates in this Exhibit.											
Switching and Transport:											
In addition to Port Termination charges, these charges apply to BellSouth calls											
originating from BellSouth rate centers that are "intraLATA toll" to the rate											
center where CLEC-1's RAS is located.											
Interoffice Transport - Dedicated Per DS1											
Per Mile per month	TBD	\$0.69200	\$0.60130	\$0.45230	\$0.45000	\$0.78310	\$0.65980	\$0.57590	\$0.75980	\$0.35250	
Facility Termination per Month	TBD	\$79.69	\$99.79	\$78.47	\$55.05	\$93.40	\$74.40	\$71.32	\$94.98	\$75.83	
Non-recurring initial DS1	TBD	\$223.59	\$45.91	\$147.07	\$298.18	\$160.49	\$222.81	\$218.28	\$216.27	\$166.53	
Non-recurring per additional DS1	TBD	\$168.60	\$44.18	\$111.75	\$231.23	\$123.03	\$168.92	\$164.55	\$162.70	\$124.84	
NRC - Incremental Charge - Manual Service Order - 1st	TBD	\$40.34	NA	\$18.94	NA	\$26.20	\$36.83	\$38.12	\$39.63	\$30.15	
NRC - Incremental Charge - Manual Service Order - Add'l	TBD	\$40.34	NA	\$18.94	NA	\$26.20	\$36.86	\$38.12	\$39.63	\$31.63	
Interoffice Transport - Dedicated Per DS3											
	TDD	¢40.50	¢40.00	\$6.50	£40.00	¢44.04	¢4E 00	¢40.00	£40.00	ሶ ር ዕረ	
Per Mile per month	TBD	\$12.56	\$10.22	\$6.53	\$12.62	\$14.04	\$15.02	\$13.00	\$19.08	\$5.89	
Facility Termination per Month	TBD	\$771.60	\$984.55	\$725.53	\$1,204.00	\$1,101.00	\$744.38	\$720.65	\$960.82	\$760.20	

		RATES BY STATE										
DESCRIPTION	usoc	AL	FL	GA	KY	LA	MS	NC	sc	TN		
Non-recurring initial DS3	TBD	\$961.93	\$772.93	\$778.80	\$946.23	\$713.57	\$812.30	\$798.95	\$941.07	\$729.27		
Non-recurring per additional DS3	TBD	\$532.45	\$435.92	\$439.62	\$516.89	\$404.36	\$596.55	\$582.33	\$503.72	\$411.98		
NRC - Incremental Charge - Manual Service Order - 1st	TBD	\$100.19	NA	\$77.41	\$93.12	\$71.19	\$64.97	\$91.37	\$92.52	\$75.98		
NRC - Incremental Charge - Manual Service Order - Add'l	TBD	\$100.19	NA	\$77.41	\$93.12	\$71.19	\$64.97	\$91.37	\$92.52	\$75.98		
Common Transport:												
Per Mile per MOU	TBD	\$0.0000100	\$0.0000120	\$0.0000080	\$0.0000049	\$0.0000083	\$0.0000091	\$0.0000400	\$0.0000121	\$0.0000400		
Facility Termination - Per MOU	TBD	\$0.0004500	\$0.0005000	\$0.0004152	\$0.0004260	\$0.0004700	\$0.0004281	\$0.0003600	\$0.0004672	\$0.0003600		
Tandem Switching:												
Per MOU	TBD	\$0.0006300	\$0.0002900	\$0.0006757	\$0.0010960	\$0.0043000	\$0.0007834	\$0.0015000	\$0.0006843	\$0.0006760		
Shared trunk port per port per MOU (EO side)	TBD	\$0.0003300	\$0.0003986	\$0.0002126	\$0.0003796	\$0.0003000	\$0.0002834	\$0.0003693	\$0.0004034	\$0.0003904		
Total:	TBD	\$0.0009600	\$0.0006886	\$0.0008883	\$0.0014756	\$0.0046000	\$0.0010668	\$0.0018693	\$0.0010877	\$0.0010664		
NOTES:												
If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the parties upon request by either party.												

Attachment 4

Physical Collocation

Version 3Q00: 11/16/00

BELLSOUTH PHYSICAL COLLOCATION

1. Scope of Attachment

1.1 Scope of Attachment. The rates, terms, and conditions contained within this Attachment shall only apply when Al-Call is occupying the Collocation Space as a sole occupant or as a Host within a Premises location pursuant to Section 4. This Attachment is applicable to Premises owned or leased by BellSouth. However, if the Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions of this Attachment.

All the negotiated rates, terms and conditions set forth in this Attachment pertain to collocation and the provisioning of Collocation Space.

- Right to Occupy. BellSouth shall offer to Al-Call collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to Section 4 of this Attachment, BellSouth allows Al-Call to occupy that certain area designated by BellSouth within a BellSouth Premises, or on BellSouth property upon which the BellSouth Premises is located, of a size which is specified by Al-Call and agreed to by BellSouth (hereinafter "Collocation Space"). BellSouth Premises include BellSouth Central Offices and Serving Wire Centers. The necessary rates, terms and conditions for BellSouth locations other than BellSouth Premises shall be negotiated upon request for collocation at such location(s). Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.2.1 In all states other than Florida, the size specified by Al-Call may contemplate a request for space sufficient to accommodate Al-Call's growth within a two-year period.
- 1.2.2 In the state of Florida, the size specified by Al-Call may contemplate a request for space sufficient to accommodate Al-Call's growth within an eighteen (18) month period.
- Space Reclamation. In the event of space exhaust within a Central Office Premises, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Central Office Premises. Al-Call will be responsible for any justification of unutilized space within its space, if such justification is required by the appropriate state commission.
- 1.4 Use of Space. Al-Call shall use the Collocation Space for the purposes of installing, maintaining and operating Al-Call's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities, including access to unbundled network elements, for the provision of

telecommunications services. Pursuant to Section 5 following, Al-Call may, at its option, place Al-Call-owned fiber entrance facilities to the Collocation Space. The Collocation Space may be used for no other purposes except as specifically described herein or authorized in writing by BellSouth.

- 1.5 Rates and Charges. Al-Call agrees to pay the rates and charges identified in Exhibit A attached hereto.
- 1.6 Due Dates. In all states other than Georgia, if any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter.
- 1.7 The parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Notification

- 2.1 Availability of Space. Upon submission of an Application pursuant to Section 6, BellSouth will permit Al-Call to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Premises, unless BellSouth has determined that there is no space available due to space limitations or that physical collocation is not practical for technical reasons.
- 2.1.1 Availability Notification. Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Premises. This interval excludes National Holidays. If the amount of space requested is not available, BellSouth will notify Al-Call of the amount of space that is available.
- 2.1.2 BellSouth will respond to a Florida Application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Premises. If the amount of space requested is not available, BellSouth will notify Al-Call of the amount of space that is available.
- 2.1.3 BellSouth will respond to a Louisiana Application within ten (10) calendar days for space availability for one (1) to ten (10) Applications; fifteen (15) calendar days for eleven (11) to twenty (20) Applications; and for more than twenty (20) Applications, it is increased by five (5) calendar days for every five additional Applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Al-Call of the amount of space that is available.
- 2.1.4 BellSouth will respond to a Mississippi Application within ten (10) business days as to whether space is available or not available within a BellSouth Premises. If the amount of space requested is not available, BellSouth will notify Al-Call of the amount of space that is available.

- 2.2 Reporting. Upon request from Al-Call, BellSouth will provide a written report ("Space Availability Report") specifying the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements.
- 2.2.1 The request from Al-Call for a Space Availability Report must be written and must include the Premises and Common Language Location Identification ("CLLI") code of the Premises. Such information regarding Premises and CLLI code is located in the National Exchange Carriers Association (NECA) Tariff FCC No. 4.
- 2.2.2 BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Premises within the same state. The response time for requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten calendar day response time, BellSouth shall notify Al-Call and inform Al-Call of the time frame under which it can respond.
- 2.2.2.1 In Mississippi, BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) business days of receipt of such request. BellSouth will make best efforts to respond in ten (10) business days to such a request when the request includes from two (2) to five (5) Premises within the same state. The response time for requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten business day response time, BellSouth shall notify Al-Call and inform Al-Call of the time frame under which it can respond.
- <u>2.3</u> <u>Denial of Application</u>. After notifying Al-Call that BellSouth has no available space in the requested Premises ("Denial of Application"), BellSouth will allow Al-Call, upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Premises must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 2.3.1 Denial of Application. In Mississippi, after notifying Al-Call that BellSouth has no available space in the requested Premises ("Denial of Application"), BellSouth will allow Al-Call, upon request, to tour the entire Premises within ten (10) business days of such Denial of Application. In order to schedule said tour within ten (10) business days, the request for a tour of the Premises must be received by BellSouth within five (5) business days of the Denial of Application.
- 2.4 Filing of Petition for Waiver. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such

information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Al-Call to inspect any floor plans or diagrams that BellSouth provides to the Commission.

- Waiting List. Unless otherwise specified, on a first-come, first-served basis governed 2.5 by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list when space becomes available according to how much space becomes available and the position of telecommunications carrier on said waiting list. Al-Call must submit an updated, complete, and correct Application to BellSouth within 30 calendar days (in Mississippi, 30 business days) of such notification or notify BellSouth in writing within that time that Al-Call wants to maintain its place on the waiting list either without accepting such space or accepting an amount of space less than its original request. If Al-Call does not submit such an Application or notify BellSouth in writing as described above, BellSouth will offer such space to the next CLEC on the waiting list and remove Al-Call from the waiting list. Upon request, BellSouth will advise Al-Call as to its position on the list.
- 2.5.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. Sixty (60) days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of telecommunications carrier on said waiting list. If not known sixty (60) days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two days of the determination that space is available.
- 2.6 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Central Offices that are without available space. BellSouth shall update such document within ten (10) calendar days (in Mississippi, 10 business days) of the Denial of Application due to Space Exhaust. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Central Office previously on the space exhaust list. BellSouth shall allocate said available space pursuant to the waiting list referenced in Section 2.5.
- 2.7 Regulatory Agency Procedures. Notwithstanding the foregoing, should any state or federal regulatory agency impose procedures or intervals applicable to Al-Call that are different from procedures or intervals set forth in this section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals

shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof.

3. Collocation Options

- 3.1 Cageless. BellSouth shall allow Al-Call to collocate Al-Call's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Al-Call to have direct access to its equipment and facilities. BellSouth shall make cageless collocation available in single bay increments pursuant to Section 7. Except where Al-Call's equipment requires special technical considerations (e.g., special cable racking, isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Al-Call must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in BellCore (Telcordia) GR-63-Core and shall be responsible for constructing all special technical requirements associated with such equipment pursuant to Section 6 following.
- 3.2 Cages. BellSouth shall construct enclosures in compliance with Al-Call's collocation request. At Al-Call's request, BellSouth shall permit Al-Call to subcontract the construction of physical collocation arrangements with a contractor certified by BellSouth ("BellSouth Certified Contractor"), provided however, that BellSouth shall not unreasonably withhold approval of contractors.
- 3.3 When Al-Call subcontracts the construction, Al-Call must arrange with a BellSouth Certified Contractor to construct a collocation arrangement enclosure in accordance with BellSouth's guidelines and specifications prior to starting equipment installation and at Al-Call's sole expense. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard enclosure specification, Al-Call and Al-Call's BellSouth Certified Contractor must comply with the more stringent local building code requirements. Al-Call's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Al-Call and provide, at Al-Call's expense, the documentation, including architectural drawings, necessary for Al-Call to obtain the zoning, permits and/or other licenses. BellSouth shall pass on to Al-Call the costs of providing the documentation. The BellSouth Certified Contractor shall bill Al-Call directly for all work performed for Al-Call pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Contractor. Al-Call must provide the local BellSouth building contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access Al-Call's locked enclosure prior to notifying Al-Call.

- 3.3.1 BellSouth may elect to review Al-Call's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's guidelines and specifications. BellSouth shall complete its review within fifteen (15) calendar days. Al-Call shall be able to design caged enclosures in amounts as small as sufficient to house and maintain a single rack or bay of equipment. If BellSouth reviews Al-Call's plans and specifications prior to construction, then BellSouth will have the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications. If BellSouth elects not to review Al-Call's plans and specifications prior to construction, Al-Call will be entitled to request BellSouth to review; and in the event Al-Call does not request a BellSouth review, BellSouth shall have the right to inspect the enclosure after construction to make sure it is constructed according to BellSouth's guidelines and specifications. BellSouth may require Al-Call to remove or correct within seven (7) calendar days at Al-Call's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth guidelines and specifications.
- Shared (Subleased) Caged Collocation. Al-Call may allow other telecommunications carriers to share Al-Call's caged collocation arrangement pursuant to terms and conditions agreed to by Al-Call ("Host") and other telecommunications carriers ("Guests") and pursuant to this section, except where the BellSouth Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option. Al-Call shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days (in Mississippi, ten (10) business days) of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Al-Call that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and Al-Call.
- 3.4.1 Al-Call, as the host CLEC shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment; and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall prorate the costs of the collocation space based on the number of collocators and the space used by each. In all states other than Florida, and in addition to the foregoing, Al-Call shall be the responsible party to BellSouth for the purpose of submitting Applications for initial and additional equipment placement of Guest. In the event the Host and Guest jointly submit an initial Application, only one Application Fee will be assessed. A separate initial Guest application shall require the assessment of a Subsequent Application Fee, as set forth in Exhibit A, if this Application is not the initial Application made for the arrangement. Notwithstanding the foregoing, Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and Guest and for the provision of the services and access to unbundled network elements.

- 3.4.2 Al-Call shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Al-Call's Guests in the Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.5 <u>Adjacent Collocation</u>. BellSouth will permit adjacent collocation arrangements ("Adjacent Arrangement") on the Premises' property where physical collocation space within the Premises is legitimately exhausted, subject to technical feasibility, where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises property and where permitted by zoning and other applicable state and local regulations. The Adjacent Arrangement shall be constructed or procured by Al-Call and in conformance with BellSouth's design and construction specifications. Further, Al-Call shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the request for the Adjacent Arrangement.
- 3.5.1 Should Al-Call elect such option, Al-Call must arrange with a BellSouth Certified Contractor to construct an Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, Al-Call and Al-Call's BellSouth Certified Contractor must comply with the more stringent local building code requirements. Al-Call's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Al-Call's BellSouth Certified Contractor shall bill Al-Call directly for all work performed for Al-Call pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Contractor. Al-Call must provide the local BellSouth building contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Al-Call's locked enclosure prior to notifying Al-Call.
- 3.5.2 Al-Call must submit its plans and specifications to BellSouth with its Firm Order. BellSouth may elect to review Al-Call's plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure compliance with BellSouth's guidelines and specifications. BellSouth shall complete its review within fifteen (15) calendar days. If BellSouth reviews Al-Call's plans and specifications prior to construction, then BellSouth will have the right to inspect the Adjacent Arrangement after construction to make sure it is constructed according to the submitted plans and specifications. If BellSouth elects not to review Al-Call's plans and specifications prior to construction, Al-Call will be entitled to request BellSouth to review; and in the event Al-Call does not request a BellSouth review, BellSouth shall have the right to inspect the Adjacent Arrangement after construction to make sure it is constructed according to BellSouth's guidelines and specifications. BellSouth may require Al-Call to remove or correct within seven (7) calendar days at Al-Call's expense any structure that does not

- meet these plans and specifications or, where applicable, BellSouth's guidelines and specifications
- 3.5.3 Al-Call shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Al-Call's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. Al-Call's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement.
- 3.5.4 BellSouth shall allow Shared (Subleased) Caged Collocation within an Adjacent Arrangement pursuant to the terms and conditions set forth in Section 3.4 preceding.

4. Occupancy

- 4.1 <u>Commencement Date</u>. The "Commencement Date" shall be the day Al-Call's equipment becomes operational as described in Article 4.2, following.
- 4.2 Occupancy. BellSouth will notify Al-Call in writing that the Collocation Space is ready for occupancy. Al-Call must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for interconnected service until receipt of such notice. For purposes of this paragraph, Al-Call's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.
- 4.3 <u>Termination of Occupancy</u>. In addition to any other provisions addressing Termination of Occupancy in this Attachment, Termination of Occupancy may occur in the following circumstances:
- 4.3.1 Al-Call may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy.
- 4.3.2 Upon termination of such occupancy, Al-Call at its expense shall remove its equipment and other property from the Collocation Space. Al-Call shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of Al-Call's Guests, unless CLEC's guest has assumed responsibility for the collocation space housing the guest equipment and executed the documentation required by BellSouth prior to such removal date. Al-Call shall continue payment of monthly fees to BellSouth until such date as Al-Call has fully vacated the Collocation Space. Should Al-Call or Al-Call's Guest fail to vacate the Collocation Space within thirty (30) calendar days from the termination date, BellSouth shall have the right to remove the equipment and other property of Al-Call

or Al-Call's Guest at Al-Call's expense and with no liability for damage or injury to Al-Call or Al-Call's Guest's property unless caused by the gross negligence or intentional misconduct of BellSouth. Upon termination of Al-Call's right to occupy Collocation Space, Al-Call shall surrender such Collocation Space to BellSouth in the same condition as when first occupied by Al-Call except for ordinary wear and tear, unless otherwise agreed to by the Parties. Al-Call shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits), at the termination of occupancy and restoring the grounds to their original condition.

5. Use of Collocation Space

- 5.1 <u>Equipment Type</u>. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to unbundled network elements in the provision of telecommunications services.
- 5.1.1 Such equipment must at a minimum meet the following BellCore (Telcordia) Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in the BellCore (Telcordia) Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Al-Call's failure to comply with this section.
- Al-Call shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the transmission equipment physically installed in the arrangement. The total capacity of the transmission equipment collocated in the arrangement will include equipment contained in the application in question as well as equipment already placed in the arrangement. Collocated cross-connect devices are not considered transmission equipment. If full network termination capacity of the transmission equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event that Al-Call submits an application for terminations that exceed the total capacity of the collocated equipment, Al-Call will be informed of the discrepancy and will be required to submit a revision to the application.
- 5.1.3 Al-Call shall not use the Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Collocation Space or on the grounds of the Premises.
- 5.1.4 Al-Call shall place a plaque or other identification affixed to Al-Call's equipment necessary to identify Al-Call's equipment, including a list of emergency contacts with telephone numbers.

- 5.2 Entrance Facilities. Al-Call may elect to place Al-Call-owned or Al-Call-leased fiber entrance facilities into the Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as an entrance manhole or a cable vault which are physically accessible by both Parties. Al-Call will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. Al-Call will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced, which will extend from the splice location to Al-Call's equipment in the Collocation Space. In the event Al-Call utilizes a non-metallic, riser-type entrance facility, a splice will not be required. Al-Call must contact BellSouth for instructions prior to placing the entrance facility cable in the manhole. Al-Call is responsible for maintenance of the entrance facilities. At Al-Call's option BellSouth will accommodate where technically feasible a microwave entrance facility pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, unless BellSouth determines that limited space is available for the entrance facilities, copper facilities may be used between the adjacent collocation arrangement and the central office termination point.
- Dual Entrance. BellSouth will provide at least two interconnection points at each Premises where there are at least two such interconnection points available and where capacity exists. Upon receipt of a request for physical collocation under this Attachment, BellSouth shall provide Al-Call with information regarding BellSouth's capacity to accommodate dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose for utilization within 12 months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to Al-Call's arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance is not available due to lack of capacity, BellSouth will so state in the Application Response.
- 5.2.2 <u>Shared Use</u>. Al-Call may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to another Al-Call collocation arrangement within the same BellSouth Premises. Al-Call must arrange with BellSouth for BellSouth to splice the utilized entrance facility capacity to Al-Call-provided riser cable.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between Al-Call's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame. Al-Call shall be responsible for providing, and a supplier certified by BellSouth ("Al-Call's BellSouth Certified Supplier") shall be responsible for installing and properly labeling/stenciling, the common block, and necessary cabling pursuant to Section 6.5. For all other terminations BellSouth shall designate a demarcation point on a per arrangement basis. Al-Call or its agent must perform all

required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.4, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. At Al-Call's option and expense, a Point of Termination ("POT") bay or frame may be placed in the Collocation Space, but will not serve as the demarcation point. Al-Call must make arrangements with a BellSouth Certified Supplier for such placement.

- Al-Call's Equipment and Facilities. Al-Call, or if required by this Attachment, Al-Call's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Al-Call which must be performed in compliance with all applicable BellSouth policies and guidelines. Such equipment and facilities may include but are not limited to cable(s); equipment; and point of termination connections. Al-Call and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- 5.5 BellSouth's Access to Collocation Space. From time to time BellSouth may require access to the Collocation Space. BellSouth retains the right to access such space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cables). BellSouth will give notice to Al-Call at least 48 hours before access to the Collocation Space is required. Al-Call may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Al-Call will not bear any of the expense associated with this work.
- 5.6 Access. Pursuant to Section 11, Al-Call shall have access to the Collocation Space twenty-four (24) hours a day, seven (7) days a week. Al-Call agrees to provide the name and social security number or date of birth or driver's license number of each employee, contractor, or agents of Al-Call or Al-Call's Guests provided with access keys or devices ("Access Keys") prior to the issuance of said Access Keys. Key acknowledgement forms must be signed by Al-Call and returned to BellSouth Access Management within 15 calendar days of Al-Call's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Al-Call agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Al-Call employees, contractors, Guests, or agents after termination of the employment relationship, contractual obligation with Al-Call or upon the termination of this Attachment or the termination of occupancy of an individual collocation arrangement.
- 5.6.1 Lost or Stolen Access Keys. Al-Call shall notify BellSouth in writing within 24 hours of becoming aware in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Al-Call shall pay for all reasonable costs associated with the re-keying or deactivating the card.

- <u>5.7</u> Interference or Impairment. Notwithstanding any other provisions of this Attachment, Al-Call shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Al-Call violates the provisions of this paragraph, BellSouth shall give written notice to Al-Call, which notice shall direct Al-Call to cure the violation within forty-eight (48) hours of Al-Call's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.
- 5.7.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Al-Call fails to take curative action within 48 hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Al-Call's equipment. BellSouth will endeavor, but is not required, to provide notice to Al-Call prior to taking such action and shall have no liability to Al-Call for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.7.2 For purposes of this Section 5.7, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Al-Call fails to take curative action within 48 hours then BellSouth will establish before the relevant Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Al-Call or, if subsequently necessary, the relevant Commission, must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, Al-Call shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.

- <u>5.8</u> Personalty and its Removal. Facilities and equipment placed by Al-Call in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Al-Call at any time. Any damage caused to the Collocation Space by Al-Call's employees, agents or representatives during the removal of such property shall be promptly repaired by Al-Call at its expense.
- Alterations. In no case shall Al-Call or any person acting on behalf of Al-Call make any rearrangement, modification, improvement, addition, repair, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by Al-Call. Any material rearrangement, modification, improvement, addition, repair, or other alteration shall require a Subsequent Application and Subsequent Application Fee, pursuant to sub-section 6.2.2.
- 5.10 Janitorial Service. Al-Call shall be responsible for the general upkeep of the Collocation Space. Al-Call shall arrange directly with a BellSouth Certified Contractor for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such contractors on a site-specific basis upon request.

6. Ordering and Preparation of Collocation Space

- Should any state or federal regulatory agency impose procedures or intervals applicable to Al-Call that are different from procedures or intervals set forth in this section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof.
- 6.2 <u>Application for Space</u>. Al-Call shall submit an application document when Al-Call or Al-Call's Guest(s), as defined in Section 3.4, desires to request or modify the use of the Collocation Space.
- 6.2.1 <u>Initial Application</u>. For Al-Call or Al-Call's Guest(s) initial equipment placement, Al-Call shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Application"). The Application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. The Bona Fide Application shall contain a detailed description and schematic drawing of the equipment to be placed in Al-Call's Collocation Space(s) and an estimate of the amount of square footage required.
- 6.2.2 <u>Subsequent Application.</u> In the event Al-Call or Al-Call's Guest(s) desires to modify the use of the Collocation Space ("Augmentation"), Al-Call shall complete an

Application detailing all information regarding the modification to the Collocation Space ("Subsequent Application"). The minimum Subsequent Application Fee shall be considered a partial payment of the applicable Subsequent Application Fee which shall be calculated as set forth below. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by Al-Call in the Application. Such necessary modifications to the Premises may include but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc. The fee paid by Al-Call for its request to modify the use of the Collocation Space shall be dependent upon the level of assessment needed for the modification requested. Where the Subsequent Application does not require assessment for provisioning or construction work by BellSouth, no Subsequent Application Fee will be required and the pre-paid fee shall be refunded to Al-Call. The fee for an Application where the modification requested has limited effect (e.g., does not require assessment related to capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit A. If the modification requires capital expenditure assessment, a full Application Fee shall apply. In the event such modifications require the assessment of a full Application Fee as set forth in Exhibit A, the outstanding balance shall be due by Al-Call within 30 calendar days following Al-Call's receipt of a bill or invoice from BellSouth. The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Application are completed with the appropriate type of information.

- Application Response. In Alabama, North Carolina, and Tennessee, in addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. Sufficient detail will be provided to permit Al-Call a reasonable opportunity to correct each deficiency. Al-Call must correct any deficiencies in its Application and resubmit a Bona Fide Application within ten (10) calendar days of being notified of the deficiencies in the original Application. If Al-Call fails to resubmit its Application as Bona Fide within this ten (10) day period, Al-Call will lose its place in the collocation queue. When space has been determined to be available, BellSouth will provide a written response ("Application Response"), which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7.
- Application Response. Except as otherwise provided, for all States that have ordered provisioning intervals but not application response intervals, the following will apply. In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as

described in Section 7. When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) calendar days for Bona Fide Applications 1-5; within thirty-six (36) calendar days for Bona Fide Applications 6-10; within forty-two (42) calendar days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.

- Application Response (Florida). Within fifteen (15) calendar days of receipt of a Bona Fide Application, BellSouth will respond as to whether space is available or not available within a particular Premises. Additionally, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide a written response ("Application Response") including sufficient information to enable Al-Call to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7. When Al-Call submits ten (10) or more Applications within ten (10) calendar days, the initial fifteen (15) day response period will increase by ten (10) days for every additional ten (10) Applications or fraction thereof.
- Application Response (Georgia) In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available for caged or cageless arrangements, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7.
- Application Response (Kentucky) In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7. When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) calendar days for Bona Fide Applications 1-5; within thirty-six (36) calendar days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15

must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.

- Application Response (Louisiana). In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. BellSouth will respond as to whether space is available or not available within a particular Premises in accordance with Section 2. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7. BellSouth will respond with a full Application Response within 30 calendar days for one to ten Applications; 35 calendar days for eleven to twenty Applications; and for requests of more than twenty Application it is increased by five calendar days for every five Applications received within five business days.
- 6.3.6 Application Response (Mississippi). In addition to the notice of space availability pursuant to Section 2. BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) business days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7. When multiple applications are submitted in a state within a fifteen (15) business day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) business days for Bona Fide Applications 1-5; within thirty-six (36) business days for Bona Fide Applications 6-10; within forty-two (42) business days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.
- Application Modifications. In Alabama, North Carolina, and Tennessee, if a modification or revision is made to any information in the Bona Fide Application for Physical Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Al-Call or necessitated by technical considerations, said Application shall be considered a new Application and shall be handled as a new Application for purposes of the provisioning interval and BellSouth shall charge Al-Call a Subsequent Application Fee. Major changes such as requesting additional space or adding equipment may require Al-Call to submit the Application with an Application Fee.
- 6.4.1 <u>Application Modifications</u>. For all States that have ordered provisioning intervals but not application response intervals, and except as otherwise specified, the following_will apply: If a modification or revision is made to any information in the Bona Fide

Application for Physical Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Al-Call or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) calendar days after BellSouth receives such revised application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate Al-Call's Bona Fide Application as a result of changes requested by Al-Call to Al-Call's original application, then BellSouth will charge Al-Call a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require Al-Call to resubmit the Application with an Application Fee.

- Application Modifications (Florida). If a modification or revision is made to any information in the Bona Fide Application for Physical Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Al-Call or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within fifteen (15) calendar days after BellSouth receives such revised Application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate Al-Call's Bona Fide Application as a result of changes requested by Al-Call to Al-Call's original Application, then BellSouth will charge Al-Call a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require Al-Call to resubmit the Application with an Application Fee.
- Application Modifications (Kentucky & Georgia). If a modification or revision is made to any information in the Bona Fide Application for Physical Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Al-Call or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) calendar days after BellSouth receives such revised Application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate Al-Call's Bona Fide Application as a result of changes requested by Al-Call to CLEC's original Application, then BellSouth will charge Al-Call a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require Al-Call to resubmit the Application with an Application Fee.
- 6.4.4 <u>Application Modifications (Mississippi)</u>. If a modification or revision is made to any information in the Bona Fide Application for Physical Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Al-Call or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) business days after BellSouth receives such revised Application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate Al-Call's Bona Fide Application as a result of changes

requested by Al-Call to CLEC's original Application, then BellSouth will charge Al-Call a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require Al-Call to resubmit the Application with an Application Fee.

- 6.4.5 Application Modifications (Louisiana). If a modification or revision is made to any information in the Bona Fide Application for Physical Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Al-Call or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) calendar days after BellSouth receives such revised application or at such other date as the Parties agree. BellSouth will respond to such modifications or revisions within 30 calendar days for one to ten revised Applications; 35 calendar days for eleven to twenty revised Applications; and for requests of more than twenty revised Applications it is increased by five calendar days for every five revised Applications received within five business days. If, at any time, BellSouth needs to reevaluate Al-Call's Bona Fide Application as a result of changes requested by Al-Call to CLEC's original application, then BellSouth will charge Al-Call a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require Al-Call to resubmit the application with an Application Fee.
- 6.5 Bona Fide Firm Order. In Alabama, North Carolina, and Tennessee, Al-Call shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Al-Call has completed the Application/Inquiry process described in Section 6.2, preceding, and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than seven (7) calendar days after BellSouth's Application Response to Al-Call's Bona Fide Application, unless BellSouth provides an Application Response on or before the ten-day response interval set forth in section 2.1, in which case Al-Call must submit its Bona Fide Firm Order to BellSouth within seventeen (17) calendar days of BellSouth's receipt of the Bona Fide Application. If Al-Call fails to submit its Bona Fide Firm Order to BellSouth within the time frames set forth above, the provisioning intervals set forth in section 6.6 shall apply from the date of receipt of the Bona Fide Firm Order and not from the date of the Bona Fide Application. If Al-Call fails to submit a Bona Fide Firm Order within fifteen (15) days of receipt of An Application Response, the Application will expire.
- 6.5.1 <u>Bona Fide Firm Order</u>. Except as otherwise provided, in all States that have ordered provisioning intervals but not addressed Firm Order intervals, the following shall apply._Al-Call shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Al-Call has completed the Application/Inquiry process described in Section 6.2,

preceding and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Al-Call's Bona Fide Application or the Application will expire.

- Bona Fide Firm Order (Kentucky & Mississippi). Al-Call shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Al-Call has completed the Application/Inquiry process described in Section 6.2, preceding and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days (in Mississippi 30 business days) after BellSouth's Application Response to Al-Call's Bona Fide Application or the Application will expire.
- 6.5.3 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a Bona Fide Firm Order. BellSouth will acknowledge the receipt of Al-Call's Bona Fide Firm Order within seven (7) calendar days of receipt indicating that the Bona Fide Firm Order has been received. A BellSouth response to a Bona Fide Firm Order will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a Bona Fide Firm Order.
- 6.5.4 BellSouth will permit one accompanied site visit to Al-Call's designated collocation arrangement location after receipt of the Bona Fide Firm Order without charge to Al-Call.
- 6.5.5 Al-Call must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Premises a minimum of 30 calendar days prior to the date Al-Call desires access to the Collocation Space. Al-Call may submit such a request at any time subsequent to BellSouth's receipt of the Bona Fide Firm Order. In the event Al-Call desires access to the Collocation Space after submitting such a request but prior to access being approved, BellSouth shall permit Al-Call to access the Collocation Space, accompanied by a security escort at Al-Call's expense. Al-Call must request escorted access at least three (3) business days prior to the date such access is desired.

6.6

6.6.1 Construction and Provisioning Interval. In Alabama, North Carolina, and Tennessee, BellSouth will complete construction for collocation arrangements within a maximum of 90 calendar days from receipt of an Application or as agreed to by the Parties. Under extraordinary conditions, BellSouth may elect to renegotiate an alternative provisioning interval with Al-Call or seek a waiver from this interval from the Commission. Examples of extraordinary conditions include, but are not limited to,

extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length.

- Construction and Provisioning Interval (Florida). BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of 90 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. For changes to collocation space after initial space completion, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of 45 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Al-Call cannot agree upon a completion date, within 45 calendar days of receipt of the Bona Fide Firm Order for an initial request, and within 30 calendar days for Augmentations, BellSouth may seek an extension from the Florida PSC.
- 6.6.3 Construction and Provisioning Interval (Georgia). BellSouth will use best efforts to complete construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of 90 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. BellSouth will use best efforts to complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of 60 calendar days from receipt of a Bona Fide Firm Order and 90 calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth may elect to renegotiate an alternative provisioning interval with Al-Call or seek a waiver from this interval from the Commission.
- 6.6.4 Construction and Provisioning Interval (Louisiana). BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 120 calendar days from receipt of a Bona Fide Firm Order for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within 180 calendar days of the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to,

extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth may elect to renegotiate an alternative provisioning interval with Al-Call or seek a waiver from this interval from the Commission.

- 6.6.5 Construction and Provisioning Interval (Mississippi). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 120 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within 180 calendar days of the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth may elect to renegotiate an alternative provisioning interval with Al-Call or seek a waiver from this interval from the Commission.
- 6.6.6 Construction and Provisioning Interval (Kentucky). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will use best efforts to complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 90 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will use best efforts to complete construction of all other Collocation Space ("extraordinary conditions") within 130 calendar days of the receipt of a Bona Fide Firm Order. Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth may elect to renegotiate an alternative provisioning interval with Al-Call or seek a waiver from this interval from the Commission.
- 6.6.7 <u>Construction and Provisioning Interval (South Carolina)</u>. BellSouth will complete the construction and provisioning activities for cageless and caged collocation arrangements as soon as possible, but no later than 90 calendar days from receipt of a

bona fide firm order. BellSouth may elect to renegotiate an alternative provisioning interval with Al-Call or seek a waiver from this interval from the Commission.

- 6.7 <u>Joint Planning</u>. Joint planning between BellSouth and Al-Call will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a Bona Fide Firm Order. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide Application and affirmed in the Bona Fide Firm Order. The Collocation Space completion time period will be provided to Al-Call during joint planning.
- 6.8 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- 6.9 Acceptance Walk Through. Al-Call will contact BellSouth within seven (7) days of collocation space being ready to schedule an acceptance walk through of each Collocation Space requested from BellSouth by Al-Call. BellSouth will correct any deviations to Al-Call's original or jointly amended requirements within seven (7) calendar days after the walk through, unless the Parties jointly agree upon a different time frame.
- 6.10 Use of BellSouth Certified Supplier. Al-Call shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. Al-Call and Al-Call's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Al-Call must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide Al-Call with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Al-Call's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and Al-Call upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill Al-Call directly for all work performed for Al-Call pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall consider certifying Al-Call or any supplier proposed by Al-Call. All work performed by or for Al-Call shall conform to generally accepted industry guidelines and standards.
- Alarm and Monitoring. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. Al-Call shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Al-Call's Collocation Space. Upon request, BellSouth will provide Al-Call with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Al-Call. Both Parties shall use best efforts to notify the other of any verified environmental hazard known to that Party.

- 6.12 <u>Basic Telephone Service</u>. Upon request of Al-Call, BellSouth will provide basic telephone service to the Collocation Space under the rates, terms and conditions of the current tariff offering for the service requested.
- 6.13 Virtual to Physical Collocation Relocation. In the event physical Collocation Space was previously denied at a location due to technical reasons or space limitations, and that physical Collocation Space has subsequently become available, Al-Call may relocate its virtual collocation arrangements to physical collocation arrangements and pay the appropriate non-recurring fees for physical collocation and for the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical collocation may become available at the location requested by Al-Call, such information will be provided to Al-Call in BellSouth's written denial of physical collocation. To the extent that (i) physical Collocation Space becomes available to Al-Call within 180 calendar days of BellSouth's written denial of Al-Call's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Al-Call was not informed in the written denial that physical Collocation Space would become available within such 180 calendar days, then Al-Call may transition its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. Al-Call must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.
- 6.14 <u>Cancellation</u>. If, at anytime prior to space acceptance, Al-Call cancels its order for the Collocation Space(s), Al-Call will reimburse BellSouth in the following manner: BellSouth will ascertain how far preparation work has progressed. Al-Call will be billed the applicable non recurring rate for any and all work processes for which work has begun.
- 6.15 <u>Licenses.</u> Al-Call, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Collocation Space.
- 6.16 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified as Exhibit B attached hereto.

7. Rates and Charges

7.1 BellSouth shall assess an Application Fee via a service order which shall be issued at the time BellSouth responds that space is available pursuant to section 2.1. Payment of said Application Fee will be due as dictated by Al-Call's current billing cycle and is non-refundable.

- Order Processing and monthly recurring charges for Central Office Modifications, assessed per arrangement, per square foot, and Common Systems Modifications, assessed per arrangement, per square foot for cageless and per cage for caged collocation. Al-Call shall remit payment of the nonrecurring Firm Order Processing Fee coincident with submission of a Bona Fide Firm Order. The recurring charges for space preparation apply beginning on the date on which BellSouth releases the Collocation Space for occupancy or on the date Al-Call first occupies the Collocation Space, whichever is sooner. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Al-Call opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to Al-Call as prescribed in Section 7.7.
- Space Preparation Fee in Florida. Space preparation fees include a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications, assessed per arrangement, per square foot, and Common Systems Modifications, assessed per arrangement, per square foot for cageless and per cage for caged collocation. Al-Call shall remit payment of the nonrecurring Firm Order Processing Fee coincident with submission of a Bona Fide Firm Order. The recurring charges for space preparation apply beginning on the date on which BellSouth releases the Collocation Space for occupancy or on the date Al-Call first occupies the Collocation Space, whichever is sooner. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Al-Call opts for cageless space, space preparation fees will be assessed based on the total floor space dedicated to Al-Call as prescribed in Section 7.7
- 7.4 <u>Space Preparation Fee in Georgia</u>. In Georgia, the Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers a portion of costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, power, building and support systems. This is a set fee of \$100 per square foot as established by the Georgia Public Service Commission Order in Docket No. 7061-U. In the event Al-Call opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to Al-Call as prescribed in Section 7.7.
- 7.5 Space Preparation Fee in North Carolina. In North Carolina, space preparation fees consist of monthly recurring charges for Central Office Modifications, assessed per arrangement, per square foot; Common Systems Modifications, assessed per arrangement, per square foot for cageless and per cage for caged collocation; and Power, assessed per the nominal –48V DC ampere requirements specified by Al-Call on the Bona Fide Application. The space preparation charges apply beginning on the date on which BellSouth releases the Collocation Space for occupancy or on the date Al-Call first occupies the Collocation Space, whichever is sooner. The charges

recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Al-Call opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to Al-Call as described in Section 7.7.

- 7.6 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance cable placed.
- 7.7 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not recover any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, Al-Call shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, Al-Call shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle)depth) + (0.5 x wiring aisle depth) X (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event Al-Call's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, Al-Call shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement. Floor space charges are due beginning with the date on which BellSouth releases the Collocation Space for occupancy or on the date Al-Call first occupies the Collocation Space, whichever is sooner.
- 7.8 Power. BellSouth shall make available –48 Volt (-48V) DC power for Al-Call's Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay ("BDFB") at Al-Call's option within the Premises.
- 7.8.1 Recurring charges for -48V DC power will be assessed per ampere per month based upon the BellSouth Certified Supplier engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable rack to Al-Call's equipment or space enclosure. When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by Al-Call's BellSouth Certified Supplier. When obtaining power from a BellSouth power board, power cables (A&B) must be engineered (sized), and installed by Al-Call's BellSouth Certified power Supplier. Al-Call is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or power board to Al-Call's equipment. Determination of the BellSouth BDFB or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by Al-Call must provide BellSouth a copy of the engineering power specification prior to the day on which Al-Call's equipment becomes operational ("Commencement Date"). BellSouth will provide the common power feeder cable support structure between the BellSouth

BDFB or power board and Al-Call's arrangement area. Al-Call shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Al-Call's arrangement; power cable feeds; terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified power Supplier. Al-Call shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia (BellCore) and ANSI Standards regarding power cabling.

- 7.8.2 If BellSouth has not previously invested in power plant capacity for collocation at a specific site, Al-Call has the option to add its own dedicated power plant; provided, however, that such work shall be performed by a BellSouth Certified Supplier who shall comply with BellSouth's guidelines and specifications. Where the addition of Al-Call's dedicated power plant results in construction of a new power plant room, upon termination of Al-Call's right to occupy collocation space at such site, Al-Call shall have the right to remove its equipment from the power plant room, but shall otherwise leave the room intact.
- 7.8.3 If Al-Call elects to install its own DC Power Plant, BellSouth shall provide AC power to feed Al-Call's DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Al-Call's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Al-Call's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the Commencement Date. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit A. AC power voltage and phase ratings shall be determined on a per location basis. At Al-Call's option, Al-Call may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 7.9 <u>Security Escort</u>. A security escort will be required whenever Al-Call or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 6.6.2 prior to completing BellSouth's Security Training requirements and/or prior to Space Acceptance. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit A beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Al-Call shall pay for such half-hour charges in the event Al-Call fails to show up.
- 7.10 Cable Record charges. These charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.
- 7.11 <u>Rate "True-Up"</u>. The Parties agree that the prices reflected as interim herein shall be "trued-up" (up or down) based on final prices either determined by further agreement or by an effective order, in a proceeding involving BellSouth before the regulatory

authority for the state in which the services are being performed or any other body having jurisdiction over this Agreement (hereinafter "Commission"). Under the "true-up" process, the interim price for each service shall be multiplied by the volume of that service purchased to arrive at the total interim amount paid for that service ("Total Interim Price"). The final price for that service shall be multiplied by the volume purchased to arrive at the total final amount due ("Total Final Price"). The Total Interim Price shall be compared with the Total Final Price. If the Total Final Price is more than the Total Interim Price, Al-Call shall pay the difference to BellSouth. If the Total Final Price is less than the Total Interim Price, BellSouth shall pay the difference to Al-Call. Each Party shall keep its own records upon which a "true-up" can be based and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such "true-up," the Parties agree that the Commission shall be called upon to resolve such differences.

7.12 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party. Payment of all other charges under this Attachment shall be due as dictated by Al-Call's current billing cycle. Al-Call will pay a late payment charge as specified in the current State Tariff.

8. Insurance

- 8.1 Al-Call shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section 8 and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.
- 8.2 Al-Call shall maintain the following specific coverage:
- 8.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 8.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 8.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Al-Call's real and personal property situated on or within BellSouth's Central Office location(s).

- 8.2.4 Al-Call may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 8.3 The limits set forth in Section 8.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days notice to Al-Call to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 8.4 All policies purchased by Al-Call shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Attachment or until all Al-Call's property has been removed from BellSouth's Premises, whichever period is longer. If Al-Call fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Al-Call.
- 8.5 Al-Call shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Al-Call shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Al-Call's insurance company. Al-Call shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 8.6 Al-Call must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 8.7 <u>Self-Insurance</u>. If Al-Call's net worth exceeds five hundred million dollars (\$500,000,000), Al-Call may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 8.2.1 and 8.2.2. Al-Call shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Al-Call in the event that self-insurance status is not granted to Al-Call. If BellSouth approves Al-Call for self-insurance, Al-Call shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Al-Call's corporate officers. The ability to self-insure shall continue so long as the Al-Call meets all of the requirements of this Section. If the Al-

Call subsequently no longer satisfies this Section, Al-Call is required to purchase insurance as indicated by Sections 8.2.1 and 8.2.2.

- 8.8 The net worth requirements set forth in Section 8.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days' notice to Al-Call to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 8.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

9. Mechanics Liens

9.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Al-Call), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

10. Inspections

10.1 BellSouth may conduct an inspection of Al-Call's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between Al-Call's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Al-Call adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Al-Call with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

11. Security and Safety Requirements

The security and safety requirements set forth in this section are as stringent as the security requirements BellSouth maintains at its own premises either for their own employees or for authorized contractors. Only BellSouth employees, BellSouth Certified Contractors and authorized employees, authorized Guests, pursuant to Section 3.4, preceding, or authorized agents of Al-Call will be permitted in the BellSouth Premises. Al-Call shall provide its employees and agents with picture

identification which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo Identification card shall bear, at a minimum, the employee's name and photo, and the Al-Call name. BellSouth reserves the right to remove from its premises any employee of Al-Call not possessing identification issued by Al-Call or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Al-Call shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises. Al-Call shall be solely responsible for ensuring that any Guest of Al-Call is in compliance with all subsections of this Section 11.

- Al-Call will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Al-Call employee being considered for work on the BellSouth Premises, for the states/counties where the Al-Call employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Al-Call shall not be required to perform this investigation if an affiliated company of Al-Call has performed an investigation of the Al-Call employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Al-Call has performed a pre-employment statewide investigation of criminal history records, or where state law does not permit an investigation of the applicable counties for the Al-Call employee seeking access, for the states/counties where the Al-Call employee has worked and lived for the past five years.
- 11.1.2 Al-Call will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Al-Call shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. Al-Call shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any Al-Call personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Al-Call chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Al-Call may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 11.1.4 Al-Call shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 11.1.5 Al-Call shall not knowingly assign to the BellSouth Premises any individual who was a former contractor of BellSouth and whose access to a BellSouth Premises was

- revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 11.1.6 For each Al-Call employee requiring access to a BellSouth Premises pursuant to this Attachment, Al-Call shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Al-Call will disclose the nature of the convictions to BellSouth at that time. In the alternative, Al-Call may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 11.1.7 At BellSouth's request, Al-Call shall promptly remove from BellSouth's Premises any employee of Al-Call BellSouth does not wish to grant access to its premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation in the event that an employee of Al-Call is found interfering with the property or personnel of BellSouth or another CLEC, provided that an investigation shall promptly be commenced by BellSouth.
- 11.2 Notification to BellSouth. BellSouth reserves the right to interview Al-Call's employees, agents, or contractors in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another CLEC's property or personnel, provided that BellSouth shall provide reasonable notice to Al-Call's Security contact of such interview. Al-Call and its contractors shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Al-Call's employees, agents, or contractors. Additionally, BellSouth reserves the right to bill Al-Call for all reasonable costs associated with investigations involving its employees, agents, or contractors if it is established and mutually agreed in good faith that Al-Call's employees, agents, or contractors are responsible for the alleged act. BellSouth shall bill Al-Call for BellSouth property which is stolen or damaged where an investigation determines the culpability of Al-Call's employees, agents, or contractors and where Al-Call agrees, in good faith, with the results of such investigation. Al-Call shall notify BellSouth in writing immediately in the event that the CLEC discovers one of its employees already working on the BellSouth premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth Premises, any employee found to have violated the security and safety requirements of this section. Al-Call shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises.
- 11.3 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with

such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.

- 11.4 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 11.5 <u>Accountability</u>. Full compliance with the Security requirements of this section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

12. Destruction of Collocation Space

12.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Al-Call's permitted use hereunder, then either Party may elect within ten (10) business days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Al-Call's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Al-Call, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Al-Call may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Contractor is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If Al-Call's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Al-Call. Where allowed and where practical, Al-Call may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, Al-Call shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Al-Call's permitted use, until such Collocation Space is fully repaired and restored and Al-Call's equipment installed therein (but in no event later than thirty (30) business days after the Collocation Space is fully repaired and restored). Where Al-Call has placed an Adjacent Arrangement pursuant to Section 3.5, Al-Call shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this section, BellSouth will restore the associated services to the Adjacent Arrangement.

13. Eminent Domain

13.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and Al-Call shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) business days after such taking.

14. Nonexclusivity

14.1 Al-Call understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

EXHIBIT A: BELLSOUTH/AI-Call RATES – ALABAMA PHYSICAL COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BA	Application Fee	Per request	NA	\$3,760.00
PE1CA	Subsequent Application Fee	Per request	NA	\$3,134.00 Minimum
PE1SJ PE1SK PE1SL PE1SM	Space Preparation Fees Firm Order Processing* Central Office Modifications* Common Systems Modifications – Cageless* Common Systems Modifications – Caged*	Per sq. ft. Per sq. ft. Per cage	\$2.24 \$3.01 \$102.16	\$1,211.00
PE1BW PE1C W	Space Enclosure (100 sq. ft. minimum) Welded Wire-mesh Welded Wire-mesh	Per first 100 sq. ft. Per add'l 50 sq. ft.	\$178.65 \$17.52	NA NA
PE1PJ	Floor Space	Per sq. ft.	\$3.68	NA
PE1BD	Cable Installation	Per cable	NA	\$1,751.00
PE1PM	Cable Support Structure	Per entrance cable	\$19.67	NA
PE1PL PE1FB PE1FD PE1FE PE1FG	Power -48V DC Power* 120V AC Power single phase* 240V AC Power single phase* 120V AC Power three phase* 277 AC Power three phase*	Per amp Per breaker amp Per breaker amp Per breaker amp Per breaker amp	\$9.00 \$5.63 \$11.26 \$16.89 \$38.99	NA - - - -
PE1P2 PE1P4 PE1P1 PE1P3 PE1F2 PE1F4	Cross Connects 2-wire 4-wire DS-1 DS-3 2-fiber 4-fiber	Per cross connect	\$.031 \$.062 \$1.28 \$16.27 \$3.23 \$5.73	First/Add'l \$33.68/\$31.79 \$33.63/\$31.67 \$52.93/\$39.87 \$51.99/\$38.59 \$52.00/\$38.60 \$64.54/\$51.14

	ALABAMA (continued)				
USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)	
PE1AX	Security Access System Security System*	Per central office	\$52.27		
PE1A1 PE1AA	New Access Card Activation* Administrative change, existing card*	Per card Per card	\$.059	\$55.57 \$15.58	
PE1AR	Replace lost or stolen card*	Per card		\$45.56	
PE1AK	Initial Key	Per key	NA	\$26.19	
PE1AL	Replace lost or stolen key	Per key	NA	\$26.19	
PE1SR	Space Availability Report*	Per premises requested		\$2,150.00	
PE1PE PE1PF PE1PG PE1PH PE1B2 PE1B4	POT Bay Arrangements Prior to 6/1/99 2-Wire Cross-Connect 4-Wire Cross-Connect DS1 Cross-Connect DS3 Cross-Connect 2-Fiber Cross-Connect 4-Fiber Cross-Connect	Per cross connect	\$0.08 \$0.17 \$0.69 \$4.74 \$32.02 \$40.48	NA NA NA NA NA	
PE1CR PE1CD PE1CO PE1C1 PE1C3 PE1CB	Cable Records VG/DS0 Cable VG/DS0 Cable DS1 DS3 Fiber Cable	Per request Per cable record Per each 100 pair Per T1TIE Per T3TIE Per cable record	NA NA NA NA NA	Note 2 Initial/Subsequent \$1708/\$1166 \$923.51/\$923.51 \$18.02/\$18.02 \$8.44/\$8.44 \$29.53/\$29.53 \$278.95/\$278.95	

	ALABAMA (continued)					
USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)		
	Security Escort	Per half hr/add'l				
		half hr				
PE1BT	Basic Time		NA	\$33.85/\$21.45		
PE1OT	Overtime		NA	\$44.09/\$27.71		
PE1PT	Premium Time		NA	\$54.33/\$33.96		

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

Note1: Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

EXHIBIT A: BELLSOUTH/AI-Call RATES – FLORIDA PHYSICAL COLLOCATION

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BA	Application Fee	Per request		\$3,791.00
PE1CA	Subsequent Application Fee	Per request	NA	\$3,160.00
	Space Preparation Fees			
PE1SJ	Firm Order Processing			\$1,211.00
PE1SK	Central Office Modifications	Per sq. ft.	\$2.58	
PE1SL	Common Systems	Per sq. ft.	\$2.96	
	Modifications – Cageless			
PE1SM	Common Systems	Per cage	\$100.66	
	Modifications – Caged			
	Space Englacure (100 og ft			
	Space Enclosure (100 sq. ft. minimum)			
PE1BW	Wire Cage	Per first 100 sq. ft.	\$205.93	NA
PE16W	Wire Cage	Per add'l 50 sq. ft.	\$203.93	NA NA
W	vviie Cage	Per add 150 Sq. II.	\$20.20	INA
VV				
PE1PJ	Floor Space	Per sq. ft.	\$6.57	NA
PE1BD	Cable Installation	Per cable		\$1,826.00
DEADM			# 04.00	NI A
PE1PM	Cable Support Structure		\$21.66	NA
	Power			
PE1PL	-48V DC Power	Per amp	\$8.86	NA
PE1FB	120V AC Power single phase	Per breaker amp	\$5.62	- 1
PE1FD	240V AC Power single phase	Per breaker amp	\$11.26	_
PE1FE	120V AC Power three phase	Per breaker amp	\$16.88	-
PE1FG	277 AC Power three phase	Per breaker amp	\$38.98	-
	1	•	,	
	Cross Connects			First/Add'l
	2-wire	Per cross connect	\$.074	\$34.53/\$32.51
	4-wire	Per cross connect	\$.148	\$34.54/\$32.53
	DS1	Per cross connect	\$1.29	\$54.15/\$40.94
	DS3	Per cross connect	\$17.48	\$53.28/\$39.65
	2-fiber	Per cross connect	\$2.96	\$53.28/\$39.66
	4-fiber	Per cross connect	\$5.66	\$66.08/\$52.47

	FLORIDA (continued)				
USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)	
PE1AX	Security Access System Security System	Per premises	\$89.48		
PE1A1 PE1AA	New Access Card Activation Administrative change, existing card	Per card Per card	\$.06	\$56.03 \$15.71	
PE1AR	Replace lost or stolen card	Per card		\$45.93	
PE1AK PE1AL	Initial Kev Replace lost or stolen key	Per key Per key	NA NA	\$26.41 \$26.41	
PE1SR	Space Availability Report	Per premises requested		\$2,168.00	
	POT Bay (Note 1)		NA	NA	
	Cable Records ²			Note 3	
				initial/subsequent	
PE1CR PE1CD PE1CO PE1C1 PE1C3 PE1CB	Cable Records VG/DS0 Cable VG/DS0 Cable DS1 DS3 Fiber Cable	Per request Per cable record Per each 100 pair Per T1TIE Per T3TIE Per cable record	NA NA NA NA NA	\$1709/\$1166 \$923.86/\$923.86 \$18.03/\$18.03 \$8.44/\$8.44 \$29.54/\$29.54 \$279.05/\$279.05	
PE1BQ PE1OQ PE1PQ	Security Escort Basic Time Overtime Premium Time	Per ¼ hour	NA NA NA	\$10.89 \$13.64 \$16.40	

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

- (1) POT Bays: BellSouth's Florida specific rates were established in the Florida Public Service Commission Docket No. 960833. The Commission did not set permanent rates for <u>POT Bays</u>, given the assumption by the Parties to the Proceeding that they will always provide their own POT Bays. It will be necessary for Al-Call to provide its own POT Bays per BellSouth specifications and provide the necessary information from which BellSouth can inventory.
- (2) Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.
- (3) The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

Version 3Q00: 11/16/00

EXHIBIT A: BELLSOUTH/AI-Call RATES – GEORGIA PHYSICAL COLLOCATION

Rates marked with an asterisk (*) are interim and subject to true-up

USOC	Rate Element Description	Unit	Recurring	Non-Recurring
			Rate (RC)	Rate (NRC)
PE1BA	Application Fee	Per request	NA	\$3,755.00
PE1CA	Subsequent Application Fee	Per request	NA	\$3,130.00
				Minimum
PE1BB	Space Preparation Fee (Note	Per sq. ft.	NA	\$100.00
	2)			
	Space Enclosure (100 sq. ft.			
	minimum)			
PE1BW	Welded Wire-mesh	Per first 100 sq. ft.	\$187.36	NA
PE1C	Welded Wire-mesh	Per add'l 50 sq. ft.	\$18.38	NA
W		·		
DE 4 D 1	Floor Space	5 6	.	
PE1PJ	Zone A	Per sq. ft.	\$4.47	NA
PE1PK	Zone B	Per sq. ft.	\$4.47	NA
PE1BD	Cable Installation	Per cable	NA	\$1,693.00
PE1PM	Cable Support Structure	Per entrance	\$19.26	NA
PEIPIVI	Cable Support Structure	cable	Φ19.20	INA
	Power		_	
PE1PL	-48V DC Power	Per amp	\$5.00	NA
PE1FB	120V AC Power single phase*	Per breaker amp	\$5.52	-
PE1FD	240V AC Power single phase*	Per breaker amp	\$11.05	-
PE1FE	120V AC Power three phase*	Per breaker amp	\$16.58	-
PE1FG	277 AC Power three phase*	Per breaker amp	\$38.27	-
	Cross Connects	Per cross connect		First/Add'l
PE1P2	2-wire		\$0.030	\$33.76/\$31.86
PE1P4	4-wire		\$0.061	\$33.77/\$31.80
PE1P1	DS-1		\$1.13	\$53.05/\$39.99
PE1P3	DS-3		\$14.43	\$52.14/\$38.71
PE1F2	2-fiber		\$2.86	\$52.14/\$38.72
PE1F4	4-fiber		\$5.08	\$64.74/\$51.31

	GEORGIA (continued)				
USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)	
PE1AX	Security Access System Security System*	Per premises	\$40.00		
PE1A1	New Access Card Activation*	Per card	\$.058	\$55.51	
PE1AA	Administrative change, existing card*	Per card		\$15.56	
PE1AR	Replace lost or stolen card*	Per card		\$45.50	
PE1AK PE1AL	Initial Kev Replace lost or stolen key	Per kev Per key	NA NA	\$26.16 \$26.16	
		Í		·	
PE1SR	Space Availability Report*	Per premises requested		\$2,148.00	
	POT Bay Arrangements Prior to 6/1/99	Per cross-connect			
PE1PE	2-Wire Cross-Connect		\$0.40	NA	
PE1PF	4-Wire Cross-Connect		\$1.20	NA	
PE1PG	DS1 Cross-Connect		\$1.20	NA	
PE1PH	DS3 Cross-Connect		\$8.00	NA	
PE1B2	2 Fiber Cross-Connect		\$38.79	NA	
PE1B4	4 Fiber Cross-Connect		\$52.31	NA	
	Cable Records ¹			Note 2	
				Initial/subsequent	
PE1CR	Cable Records	Per request	NA	\$1706/\$1164	
PE1CD	VG/DS0 Cable	Per cable record	NA	\$922.38/\$922.38	
PE1CO	VG/DS0 Cable	Per each 100 pair	NA	\$18.00/\$18.00	
PE1C1	DS1	Per T1TIE	NA	\$8.43/\$8.43	
PE1C3	DS3	Per T3TIE	NA	\$29.49/\$29.49	
PE1CB	Fiber Cable	Per cable record	NA	\$278.61/\$278.61	
	Coought Forest	Doubolf by /A daily			
	Security Escort	Per half hr./Add'l half hr.			
PE1BT	Basic Time		NA	\$33.81/\$21.42	
PE1OT	Overtime		NA	\$44.03/\$27.67	
PE1PT	Premium Time		NA	\$54.26/\$33.92	

N/A refers to rate elements which do not have a negotiated rate.

Note (1) Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

EXHIBIT A: BELLSOUTH/AI-Call RATES – KENTUCKY PHYSICAL COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up.

USOC	Rate Element Description	Unit	Recurring	Non-Recurring
			Rate (RC)	Rate (NRC)
PE1BA	Application Fee	Per request	NA	\$3,761.00
DE 101				**
PE1CA	Subsequent Application Fee	Per request	NA	\$3,135.00
_				Minimum
	Space Preparation Fees			
PE1SJ	Firm Order Processing*			\$1,202.00
PE1SK	Central Office Modifications*	Per sq. ft.	\$2.38	
PE1SL	Common Systems	Per sq. ft.	\$3.30	
	Modifications – Cageless*			
PE1SM	Common Systems	Per cage	\$112.11	
	Modifications – Caged*			
	Space Enclosure (100 sq. ft.			
	minimum)			
PE1BW	Welded Wire-mesh	Per first 100 sq. ft.	\$189.85	NA
PE1C	Welded Wire-mesh	Per add'l 50 sq. ft.	\$18.62	NA
W		•		
DE4D1	Floor Chang	Day og ft	(0.00	NIA
PE1PJ	Floor Space	Per sq. ft.	\$8.20	NA
PE1BD	Cable Installation	Per cable	NA	\$1,755.00
PE1PM	Cable Support Structure	Per entrance	\$20.14	NA
		cable		
	Power			
PE1PL	-48V DC Power*	Per amp	\$8.77	NA
PE1FB	120V AC Power single phase*	Per breaker amp	\$5.58	-
PE1FD	240V AC Power single phase*	Per breaker amp	\$11.16	-
PE1FE	120V AC Power three phase*	Per breaker amp	\$16.74	-
PE1FG	277 AC Power three phase*	Per breaker amp	\$38.65	-
	Cross Connects	Per cross connect		First/Add'l
PE1P2	2-wire		\$0.037	\$33.67/\$31.78
PE1P4	4-wire		\$0.075	\$33.66/\$31.70
PE1P1	DS-1		\$1.51	\$52.97/\$39.90
PE1P3	DS-3		\$19.15	\$52.04/\$38.62
PE1F2	2-fiber		\$3.80	\$52.04/\$38.63
PE1F4	4-fiber		\$6.75	\$64.59/\$51.18

Version 3Q00: 11/16/00

	KENTUCKY (continued)				
USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)	
DEAAV	0	D	Ф 7 0.44		
PE1AX	Security Access System	Per premises	\$78.11		
PE1A1	Security System* New Access Card Activation	Per card	\$.059	\$55.59	
PE1A1	Administrative change, existing	Per card	φ.059	\$15.59	
FLIAA	card	r ei caiu		φ10.09	
PE1AR	Replace lost or stolen card	Per card		\$45.58	
PE1AK	Initial Key	Per kev	NA	\$26.20	
PE1AL	Replace lost or stolen key	Per key	NA	\$26.20	
PE1SR	Space Availability Papart	Por promisos		¢2 151	
PEISK	Space Availability Report	Per premises		\$2,151	
		requested			
	POT Bay Arrangements	Per cross-connect			
DEADE	Prior to 6/1/99 2-Wire Cross-Connect			NIA	
PE1PE	4-Wire Cross-Connect		\$0.06	NA	
PE1PF PE1PG	DS1 Cross-Connect		\$0.15 \$0.58	NA NA	
PE1PG PE1PH	DS3 Cross-Connect		\$4.51	NA NA	
PE1B2	2 Fiber Cross-Connect		\$38.79	NA NA	
PE1B4	4 Fiber Cross-Connect		\$52.31	NA NA	
T E IDT	4 i ibei Gress Germeet		Ψ02.01	1471	
	Security Escort	Per half hr./Add'l half hr.			
PE1BT	Basic Time		NA	\$33.86/\$21.46	
PE1OT	Overtime		NA	\$44.10/\$27.72	
PE1PT	Premium Time		NA	\$54.35/\$33.97	
	Cable Records ¹			Note 2	
				Initial/subsequent	
PE1CR	Cable Records	Per request	NA	\$1709/1166	
PE1CD	VG/DS0 Cable	Per cable record	NA	\$923.83/\$923.83	
PE1CO	VG/DS0 Cable	Per each 100 pair	NA	\$18.03/\$18.03	
PE1C1	DS1	Per T1TIE	NA	\$8.44/\$8.44	
PE1C3	DS3	Per T3TIE	NA	\$29.54/\$29.54	
PE1CB	Fiber Cable	Per cable record	NA	\$279.05/\$279.05	

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

Note1: Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

Version 3Q00: 11/16/00

EXHIBIT A: BELLSOUTH/AI-Call RATES – LOUISIANA PHYSICAL COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up.

USOC	Rate Element Description	Unit	Recurring	Non-Recurring
			Rate (RC)	Rate (NRC)
PE1BA	Application Fee	Per request	NA	\$3756.00
PE1CA	Subsequent Application Fee	Per request	NA	\$3131.00
				Minimum
	Space Preparation Fees			_
PE1SJ	Firm Order Processing*		_	\$1,200.00
PE1SK	Central Office Modifications*	Per sq. ft.	\$2.60	
PE1SL	Common Systems	Per sq. ft.	\$3.15	
	Modifications – Cageless*			
PE1SM	Common Systems	Per cage	\$105.87	
	Modifications – Caged*			
	Space Enclosure (100 sq. ft.			
	minimum)		^	
PE1BW	Welded Wire-mesh	Per first 100 sq. ft.	\$207.06	NA
PE1C	Welded Wire-mesh	Per add'l 50 sq. ft.	\$20.31	NA
W				
DEADI	Floor Chass	Dor og ft	ΦE 0.4	NIA
PE1PJ	Floor Space	Per sq. ft.	\$5.94	NA
PE1BD	Cable Installation	Per cable	NA	\$1,753.00
1 L I D D	Cable installation	1 CI Cabic	11/7	ψ1,733.00
PE1PM	Cable Support Structure	Per entrance	\$21.16	NA
		cable	4	
	Power			
PE1PL	-48V DC Power*	Per amp	\$9.20	NA
PE1FB	120V AC Power single phase*	Per breaker amp	\$5.66	-
PE1FD	240V AC Power single phase*	Per breaker amp	\$11.34	-
PE1FE	120V AC Power three phase*	Per breaker amp	\$17.00	-
PE1FG	277 AC Power three phase*	Per breaker amp	\$39.26	-
	'		•	
	Cross Connects	Per cross connect		First/Add'l
PE1P2	2-wire		\$0.036	\$33.61/\$31.76
PE1P4	4-wire		\$0.073	\$33.53/\$31.58
PE1P1	DS-1		\$1.20	\$52.80/\$39.76
PE1P3	DS-3		\$15.26	\$51.86/\$38.49

	LOUISIANA (continued)				
USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)	
	Cross Connects (continued)	Per cross connect		First/Add'l	
PE1F2	2-fiber		\$3.03	\$51.86/\$38.49	
PE1F4	4-fiber		\$5.38	\$64.36/\$50.99	
PE1AX	Security Access System Security System*	Per premises	\$60.60		
PE1A1	New Access Card Activation*	Per card	\$.060	\$55.51	
PE1AA	Administrative change, existing card*	Per card	4.000	\$15.57	
PE1AR	Replace lost or stolen card	Per card		\$45.51	
PE1AK	Initial Key	Per kev	NA	\$26.16	
PE1AL	Replace lost or stolen key	Per key	NA	\$26.16	
PE1SR	Space Availability Report*	Per premises requested		\$2,148	
	POT Bay Arrangements Prior to 6/1/99	Per cross-connect			
PE1PE	2-Wire Cross-Connect		\$0.0776	NA	
PE1PF	4-Wire Cross-Connect		\$0.1552	NA	
PE1PG	DS1 Cross-Connect		\$0.6406	NA	
PE1PH	DS3 Cross-Connect		\$4.75	NA	
PE1B2	2 Fiber Cross-Connect		\$47.44	NA	
PE1B4	4 Fiber Cross-Connect		\$63.97	NA	
	Cable Records ¹			Note 2	
				Initial/subsequent	
PE1CR	Cable Records	Per request	NA	\$1706/\$1165	
PE1CD	VG/DS0 Cable	Per cable record	NA	\$922.51/\$922.51	
PE1CO	VG/DS0 Cable	Per each 100 pair	NA	\$18.00/\$18.00	
PE1C1	DS1	Per T1TIE	NA	\$8.43/\$8.43	
PE1C3	DS3	Per T3TIE	NA	\$29.49/\$29.49	
PE1CB	Fiber Cable	Per cable record	NA	\$278.65/\$278.65	

	LOUISIANA (continued)				
USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)	
	Security Escort	Per half hr./Add'l half hr.			
PE1BT	Basic Time		NA	\$33.97/\$21.53	
PE1OT	Overtime		NA	\$44.25/\$27.81	
PE1PT	Premium Time		NA	\$54.53/\$34.09	

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

Note1: Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

EXHIBIT A: BELLSOUTH/AI-Call RATES – MISSISSIPPI PHYSICAL COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up.

USOC	Rate Element Description	Unit	Recurring	Non-Recurring
	•		Rate (RC)	Rate (NRC)
PE1BA	Application Fee	Per request	NA	\$3,755.00
PE1CA	Subsequent Application Fee	Per request	NA	\$3,130.00
				Minimum
DE4CI	Space Preparation Fees			£4 200 00
PE1SJ PE1SK	Firm Order Processing* Central Office Modifications*	Per sq. ft.	\$2.61	\$1,200.00
PE1SL	Common Systems	Per sq. ft.	\$2.88	
FLISE	Modifications – Cageless*	r er sq. it.	Ψ2.00	
PE1SM	Common Systems	Per cage	\$97.85	
	Modifications – Caged*	1 or oago	ψ07.00	
	Space Enclosure(100 sq. ft.			
	minimum)			
PE1BW	Welded Wire-mesh	Per first 100 sq. ft.	\$208.30	NA
PE1C	Welded Wire-mesh	Per add'l 50 sq. ft.	\$20.43	NA
W				
PE1PJ	Floor Space	Per sq. ft.	\$6.53	
1 1 1 3	1 loor opace	1 01 34.11.	ψ0.55	
PE1BD	Cable Installation	Per cable	NA	\$1,871.00
PE1PM	Cable Support Structure	Per entrance	\$19.90	NA
		cable		
	Power			
PE1PL	-48V DC Power*	Per amp	\$8.96	NA
PE1FB	120V AC Power single phase*	Per breaker amp	\$5.61	INA -
PE1FD	240V AC Power single phase*	Per breaker amp	\$11.23	_
PE1FE	120V AC Power three phase*	Per breaker amp	\$16.84	_
PE1FG	277 AC Power three phase*	Per breaker amp	\$38.89	-
			•	
	Cross Connects	Per cross connect		First/Add'l
PE1P2	2-wire		\$.038	\$33.65/\$31.77
PE1P4	4-wire		\$.076	\$33.46/\$31.52

	MISSISSIPPI (continued)				
USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)	
	Cross Connects (continued)	Per cross connect	, ,	First/Add'l	
PE1P1	DS-1		\$1.30	\$52.73/\$39.70	
PE1P3	DS-3		\$16.55	\$51.78/\$38.43	
PE1F2	2-fiber		\$3.28	\$51.78/\$38.43	
PE1F4	4-fiber		\$5.83	\$64.27/\$50.91	
PE1AX	Security Access System Security System*	Per premises	\$85.54		
PE1A1	New Access Card Activation*	Per card	\$.061	\$55.50	
PE1AA	Administrative change, existing card*	Per card	·	\$15.56	
PE1AR	Replace lost or stolen card	Per card		\$45.50	
PE1AK	Initial Kev	Per kev	NA	\$26.16	
PE1AL	Replace lost or stolen key	Per key	NA	\$26.16	
PE1SR	Space Availability Report*	Per premises requested		\$2,147.00	
	POT Bay Arrangements Prior to 6/1/99	Per cross-connect			
PE1PE	2-Wire Cross-Connect		\$0.1195	NA	
PE1PF	4-Wire Cross-Connect		\$0.2389	NA	
PE1PG	DS1 Cross-Connect		\$0.9862	NA	
PE1PH	DS3 Cross-Connect		\$5.81	NA	
PE1B2	2 Fiber Cross-Connect		\$38.79	NA	
PE1B4	4 Fiber Cross-Connect		\$52.31	NA	
	Cable Records ¹			Note 2	
				Initial/subsequent	
PE1CR	Cable Records	Per request	NA	\$1706/1164	
PE1CD	VG/DS0 Cable	Per cable record	NA	\$922.28/\$922.28	
PE1CO	VG/DS0 Cable	Per each 100 pair	NA	\$18.00/\$18.00	
PE1C1	DS1	Per T1TIE	NA	\$8.42/\$8.42	
PE1C3	DS3	Per T3TIE	NA	\$29.49/\$29.49	
PE1CB	Fiber Cable	Per cable record	NA	\$278.58/\$278.58	

MISSISSIPPI (continued)				
USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
	Security Escort	Per half hr./Add'l half hr.		
PE1BT	Basic Time		NA	\$33.80/\$21.42
PE1OT	Overtime		NA	\$44.03/\$27.67
PE1PT	Premium Time		NA	\$54.26/\$33.92

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

Note1: Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

EXHIBIT A: BELLSOUTH/AI-Call RATES – NORTH CAROLINA PHYSICAL COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up.

USOC	Rate Element Description	Unit	Recurring	Non-Recurring
0300	Nate Element Description	Onit	Rate (RC)	Rate (NRC)
PE1BA	Application Fee*	Per request	NA	\$3,850.00
PE1CA	Subsequent Application Fee	Per request	NA	\$3,119.00
				Minimum
	Space Preparation Fees			
	Central Office Modification*	Per sq. ft.	\$1.57	
	Common Systems Modification – Cageless*	Per sq. ft.	\$3.26	
	Common Systems Modification	Per cage	\$110.79	
	– Caged*		05.70	
	Power*	Per nominal –48v DC Amp	\$5.76	
	Space Enclosure (100 sq. ft. minimum)			
PE1BW	Welded Wire-mesh*	Per first 100 sq. ft.	\$102.76	NA
PE1C	Welded Wire-mesh*	Per add'l 50 sq. ft.	\$10.44	NA
W				
PE1PJ	Floor Space*	Per sq. ft.	\$3.45	NA
DEADD	Cable lestelleties*	Domonkla	NIA	фо 20 <u>г</u> 00
PE1BD	Cable Installation*	Per cable	NA	\$2,305.00
PE1PM	Cable Support Structure*	Per entrance	\$21.33	NA
		cable		
	Power			
PE1PL	-48V DC Power*	Per amp	\$6.65	NA
PE1FB	120V AC Power single phase*	Per breaker amp	\$5.50	-
PE1FD	240V AC Power single phase*	Per breaker amp	\$11.01	-
PE1FE	120V AC Power three phase*	Per breaker amp	\$16.51	-
PE1FG	277 AC Power three phase*	Per breaker amp	\$38.12	-
	Cross Connects (Note 1)	Per cross connect		First/Add'l
PE1P2	2-wire*	. 5. 5.555 55111561	\$0.32	\$41.78/\$39.23
PE1P4	4-wire*		\$0.64	\$41.91/\$39.25
PE1P1	DS-1*		\$2.34	\$71.02/\$51.08
PE1P3	DS-3*		\$42.84	\$69.84/\$49.43
PE1F2	2-fiber		\$2.94	\$51.97/\$38.59
PE1F4	4-fiber		\$5.62	\$64.53/\$51.15

	NORTH	CAROLINA (continue	d)	
USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
554434			***	
PE1AX	Security Access System	Per premises	\$41.03	
DEAAA	Security System*	Dancand	Ф 000	Ф ГГ 20
PE1A1	New Access Card Activation*	Per card	\$.062	\$55.30 \$45.54
PE1AA	Administrative change, existing card*	Per card		\$15.51
PE1AR	Replace lost or stolen card	Per card		\$45.34
PE1AK	Initial Kev	Per kev	NA	\$26.18
PE1AL	Replace lost or stolen key	Per key	NA	\$26.18
PE1SR	Space Availability Report*	Per premises		\$2,140.00
_	, , , , , , , , , , , , , , , , , , , ,	requested		, , , , , , , , , , , , , , , , , , ,
	POT Bay Arrangements	Per cross-connect		
	Prior to 6/1/99			
PE1PE	2-Wire Cross-Connect		\$0.10	NA
PE1PF	4-Wire Cross-Connect		\$0.19	NA
PE1PG	DS1 Cross-Connect		\$0.79	NA
PE1PH	DS3 Cross-Connect		\$4.85	NA
PE1B2	2 Fiber Cross-Connect		\$45.30	NA
PE1B4	4 Fiber Cross-Connect		\$61.09	NA
	Security Escort	Per half hr./Add'l half hr.		
PE1BT	Basic Time		NA	\$42.92/\$25.56
PE1OT	Overtime		NA	\$54.51/\$32.44
PE1PT	Premium Time		NA	\$66.10/\$39.32
	Cable Records ¹			Note 2
				Initial/subsequent
PE1CR	Cable Records	Per request	NA	\$1707/\$1165
PE1CD	VG/DS0 Cable	Per cable record	NA	\$923.08/\$923.08
PE1CO	VG/DS0 Cable	Per each 100 pair	NA	\$18.02/\$18.02
PE1C1	DS1	Per T1TIE	NA	\$8.43/\$8.43
PE1C3	DS3	Per T3TIE	NA	\$29.51/\$29.51
PE1CB	Fiber Cable	Per cable record	NA	\$278.82/\$278.82

EXHIBIT A: BELLSOUTH/AI-Call RATES – NORTH CAROLINA PHYSICAL COLLOCATION (continued)

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

Note1: Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

EXHIBIT A: BELLSOUTH/AI-Call RATES – SOUTH CAROLINA PHYSICAL COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up.

USOC	Rate Element Description	Unit	Recurring	Non-Recurring
	Rate Liement Besonption	Onic	Rate (RC)	Rate (NRC)
PE1BA	Application Fee	Per request	NA	\$3768.00
	**	·		
PE1CA	Subsequent Application Fee	Per request	NA	\$3,141.00
				Minimum
	Space Preparation Fees			
PE1SJ	Firm Order Processing*			\$1,204.00
PE1SK	Central Office Modifications*	Per sq. ft.	\$2.75	Ψ.,=σσσ
PE1SL	Common Systems	Per sq. ft.	\$3.24	
	Modifications – Cageless*			
PE1SM	Common Systems	Per cage	\$110.17	
	Modifications – Caged*			
	Space Enclosure (100 sq. ft.			
	minimum)			
PE1BW	Welded Wire-mesh	Per first 100 sq. ft.	\$219.19	NA
PE1C	Welded Wire-mesh	Per add'l 50 sq. ft.	\$21.50	NA
W				
PE1PJ	Floor Space	Per sq. ft.	\$3.95	NA
	·	'	·	
PE1BD	Cable Installation	Per cable	NA	\$1,621.00
PE1PM	Cable Support Structure	Per entrance	\$21.33	NA
	Cable Cappert Structure	cable	Ψ21.00	107
DE 4 DI	Power	_	DO 10	.
PE1PL	-48V DC Power*	Per amp	\$9.19 \$5.67	NA
PE1FB PE1FD	120V AC Power single phase* 240V AC Power single phase*	Per breaker amp Per breaker amp	\$5.67 \$11.36	-
PE1FE	120V AC Power three phase*	Per breaker amp	\$17.03	-
PE1FG	277 AC Power three phase*	Per breaker amp	\$39.33	-
	2.1. No. 1 ower units prices	1 of broaker amp	φοσίου	
	Cross Connects	Per cross connect		First/Add'l
PE1P2	2-wire		\$.034	\$33.75/\$31.86
PE1P4	4-wire		\$.068	\$33.71/\$31.75
PE1P1	DS-1		\$1.12	\$53.05/\$39.96
PE1P3	DS-3 2-fiber		\$14.21	\$52.11/\$38.68 \$52.11/\$38.60
PE1F2 PE1F4	4-fiber		\$2.82 \$5.01	\$52.11/\$38.69 \$64.69/\$51.26
FL1F4	4-110CI		φυ.01	ψυ 4 .υ <i>3</i> /φυ1.20

	SOUTH	CAROLINA (continue	d)	
USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1AX	Security Access System	Per premises	\$74.12	
PE1A1	Security System* New Access Card Activation*	Per card	\$.060	¢55.70
PETAT PE1AA		Per card	გ. 000	\$55.70 \$15.62
PETAA	Administrative change, existing card*	Per card		\$15.02
PE1AR	Replace lost or stolen card	Per card		\$45.66
PE1AK	Initial Kev	Per kev	NA	\$26.25
PE1AL	Replace lost or stolen key	Per key	NA	\$26.25
PE1SR	Space Availability Report*	Per premises		\$2,155.00
	· · · · ·	requested		
	POT Bay Arrangements Prior to 6/1/99	Per cross-connect		
PE1PE	2-Wire Cross-Connect		¢0 1001	NA
PE1PE PE1PF	4-Wire Cross-Connect		\$0.1091 \$0.2181	NA NA
PE1PG	DS1 Cross-Connect		\$0.2161 \$0.9004	NA NA
PE1PH	DS3 Cross-Connect		\$5.64	NA NA
PE1B2	2 Fiber Cross-Connect		\$37.36	NA NA
PE1B4	4 Fiber Cross-Connect		\$50.38	NA NA
	2 : 5 :	D 1 16 1 /A 1 111		
	Security Escort	Per half hr./Add'l half hr.		
PE1BT	Basic Time		NA	\$33.92/\$21.50
PE1OT	Overtime		NA	\$44.19/\$27.77
PE1PT	Premium Time		NA	\$54.45/\$34.04
	Cable Records ¹			Note 2
				Initial/subsequent
PE1CR	Cable Records	Per request	NA	\$1712/\$1168
PE1CD	VG/DS0 Cable	Per cable record	NA	\$925.57/\$925.57
PE1CO	VG/DS0 Cable	Per each 100 pair	NA	\$18.06/\$18.06
PE1C1	DS1	Per T1TIE	NA	\$8.45/\$8.45
PE1C3	DS3	Per T3TIE	NA	\$29.59/\$29.59
PE1CB	Fiber Cable	Per cable record	NA	\$279.57/\$279.57

EXHIBIT A: BELLSOUTH/AI-Call RATES – SOUTH CAROLINA PHYSICAL COLLOCATION (continued)

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

Note1: Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

EXHIBIT A: BELLSOUTH/AI-Call RATES – TENNESSEE PHYSICAL COLLOCATION

* Rates are interim and are subject to true-up.

USOC	Rate Element Description	Unit	Recurring	Non-Recurring
		_	Rate (RC)	Rate (NRC)
PE1BA	Application Fee	Per request	NA	\$3,767.00
PE1CA	Subsequent Application Fee	Per request	NA	\$3,140.00
				Minimum
	Space Preparation Fees			
PE1SJ	Firm Order Processing*			\$1,204.00
PE1SK	Central Office Modifications*	Per sq. ft.	\$2.74	¥ 1,= 2 112 2
PE1SL	Common Systems	Per sq. ft.	\$2.95	
	Modifications – Cageless*			
PE1SM	Common Systems	Per cage	\$100.14	
	Modifications – Caged*			
	Space Enclosure (100 sq. ft.			
	minimum)			
PE1BW	Welded Wire-mesh	Per first 100 sq. ft.	\$218.53	NA
PE1C	Welded Wire-mesh	Per add'l 50 sq. ft.	\$21.44	NA
W				
PE1PJ	Floor Space	Per sq. ft.	\$6.75	NA
PE1BD	Cable Installation	Per cable	NA	\$1,757.00
PE1PM	Cable Support Structure	Per entrance	\$19.80	NA
	Cable Capport Citadians	cable	Ψ10.00	10/1
PE1PL	Power	Darama	¢ 0.07	NIA
PE1PL PE1FB	-48V DC Power* 120V AC Power single phase*	Per amp Per breaker amp	\$8.87 \$5.60	NA
PE1FD	240V AC Power single phase*	Per breaker amp	\$11.22	-
PE1FE	120V AC Power three phase*	Per breaker amp	\$16.82	_
PE1FG	277 AC Power three phase*	Per breaker amp	\$38.84	-
	Cross Connects	Per cross connect	.	First/Add'l
PE1P2	2-wire		\$0.033	\$33.82/\$31.92
PE1P4	4-wire		\$0.066	\$33.94/\$31.95
PE1P1 PE1P3	DS-1 DS-3		\$1.51 \$10.26	\$53.27/\$40.16 \$52.37/\$38.89
PE1P3 PE1F2	2-fiber		\$19.26 \$3.82	\$52.37/\$38.89 \$52.37/\$38.89
PE1F4	4-fiber		\$6.79	\$65.03/\$51.55

	TENN	IESSEE (continued)		TENNESSEE (continued)				
USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)				
DEANY	0 : 1		#55.00					
PE1AX	Security Access System	Per premises	\$55.99					
DEAAA	Security System	Doroord	.	ФЕЕ С 7				
PE1A1 PE1AA	New Access Card Activation	Per card	\$.059	\$55.67				
PETAA	Administrative change, existing card	Per card		\$15.61				
PE1AR	Replace lost or stolen card	Per card		\$45.64				
PE1AK	Initial Kev	Per kev	NA	\$26.24				
PE1AL	Replace lost or stolen key	Per key	NA	\$26.24				
PE1SR	Space Availability Report*	Per premises		\$2,154.00				
	, ,	requested						
	POT Bay Arrangements	Per cross-connect						
	Prior to 6/1/99							
PE1PE	2-Wire Cross-Connect		\$0.40	NA				
PE1PF	4-Wire Cross-Connect		\$1.20	NA				
PE1PG	DS1 Cross-Connect		\$1.20	NA				
PE1PH	DS3 Cross-Connect		\$8.00	NA				
PE1B2	2 Fiber Cross-Connect		\$38.79	NA				
PE1B4	4 Fiber Cross-Connect		\$52.31	NA				
_	Security Escort	Per half hr./Add'l						
	Occurry Escort	half hr.						
PE1BT	Basic Time		NA	\$33.91/\$21.49				
PE1OT	Overtime		NA	\$44.17/\$27.76				
PE1PT	Premium Time		NA	\$54.42/\$34.02				
	Cable Records ¹			Note 2				
				Initial/subsequent				
PE1CR	Cable Records	Per request	NA	\$1711/\$1168				
PE1CD	VG/DS0 Cable	Per cable record	NA	\$925.06/\$925.06				
PE1CO	VG/DS0 Cable	Per each 100 pair	NA	\$18.05/\$18.05				
PE1C1	DS1	Per T1TIE	NA	\$8.45/\$8.45				
PE1C3	DS3	Per T3TIE	NA	\$29.57/\$29.57				
PE1CB	Fiber Cable	Per cable record	NA	\$279.42/\$279.42				

<u>Note(s):</u>

N/A refers to rate elements which do not have a negotiated rate.

Note1: Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

EXHIBIT B

Page 1 of 4

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Al-Call agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Al-Call shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Al-Call should contact 1-800-743-6737 for BellSouth MSDS sheets.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Al-Call to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. Al-Call will require its contractors, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by CLEC when operating in the BellSouth Premises.
- 1.4 Environmental and Safety Inspections. BellSouth reserves the right to inspect the Al-Call space with proper notification. BellSouth reserves the right to stop any Al-Call work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Facility.
- 1.5 Hazardous Materials Brought On Site. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by Al-Call are owned by Al-Call. Al-Call will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Al-Call or different hazardous

materials used by Al-Call at BellSouth Facility. Al-Call must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.

- 1.6 Spills and Releases. When contamination is discovered at a BellSouth Premises, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by Al-Call to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and Al-Call will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Al-Call will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Al-Call must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and Al-Call shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, contractors, or employees concerning its operations at the Facility.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Premises, Al-Call agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Al-Call further agrees to cooperate with BellSouth to ensure that Al-Call's employees, agents, and/or subcontractors are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Al-Call, its employees, agents and/or subcontractors.

The most current version of reference documentation must be requested from BellSouth.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material	Compliance with all applicable	• Std T&C 450

or other regulated material (e.g., batteries, fluorescent	local, state, & federal laws and regulations	• Fact Sheet Series 17000		
tubes, solvents & cleaning materials)	Pollution liability insurance	• Std T&C 660-3		
	EVET approval of contractor	 Approved Environmental Vendor List (Contact E/S Management) 		
Emergency response	Hazmat/waste release/spill firesafety emergency	 Fact Sheet Series 1700 Building Emergency Operations Plan (EOP) (specific to and located on Premises) 		
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises	Compliance with all applicable local, state, & federal laws and regulations	• Std T&C 450		
(e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Performance of services in accordance with BST's environmental M&Ps	 Std T&C 450-B (Contact E/S for copy of appropriate E/S M&Ps.) 		
	Insurance	• Std T&C 660		
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450Fact Sheet Series 17000		
	Pollution liability insurance	• Std T&C 660-3		
	EVET approval of contractor	Approved Environmental Vendor List (Contact E/S Management)		
Maintenance/operations work which may produce a waste Other maintenance work	Compliance with all application local, state, & federal laws and regulations	• Std T&C 450		
	Protection of BST employees and equipment	 29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard) 		
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	P&SM Manager - Procurement		
	All Hazardous Material and Waste	• Fact Sheet Series 17000		
	Asbestos notification and protection of employees and	• GU-BTEN-001BT, Chapter 3		

	equipment	• BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	 Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of contractor	Approved Environmental Vendor List (Contact E/S Management)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	• GU-BTEN-001BT, Chapter 3

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

<u>E/S</u> – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std. T&C - Standard Terms & Conditions

Attachment	4	-]	R	S
	Pa	ıg	e	1

Remote Site Physical Collocation

BELLSOUTH

REMOTE SITE PHYSICAL COLLOCATION

1. Scope of Attachment

1.1 <u>Scope of Attachment.</u> The rates, terms, and conditions contained within this Attachment shall only apply when Al-Call is occupying the Remote Collocation Space as a sole occupant or as a Host within a Remote Site Location pursuant to Section 4.

All the negotiated rates, terms and conditions set forth in this Attachment pertain to Remote Site Collocation and the provisioning of Remote Collocation Space.

- 1.2 Right to occupy. BellSouth shall offer to Al-Call Remote Site Collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms, and conditions of this Attachment, BellSouth hereby grants to Al-Call a right to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, of a size which is specified by Al-Call and agreed to by BellSouth (hereinafter "Remote Collocation Space"). BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for other BellSouth remote locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions at the request for Remote Site collocation at BellSouth remote locations other than those specified above.
- 1.2.1 In all states other than Florida, the size specified by Al-Call may contemplate a request for space sufficient to accommodate Al-Call's growth within a two year period. Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.2.2 In the state of Florida, the size specified by Al-Call may contemplate a request for space sufficient to accommodate Al-Call's growth within an eighteen (18) month period.

- 1.3 <u>Third Party Property.</u> If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special considerations and intervals may apply in addition to the terms and conditions of this Agreement. Additionally, where BellSouth notifies Al-Call that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon Al-Call's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for Al-Call. Al-Call agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for Al-Call. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Agreement and BellSouth, despite its best efforts, is unable to secure such access and use rights for Al-Call as above, Al-Call shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with Al-Call in obtaining such permission.
- 1.4 <u>Space Reclamation</u>. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any vacant space in the Remote Site Location. Al-Call will be responsible for any justification of vacant space within its Remote Collocation Space, if such justification is required by the appropriate state commission.
- 1.5 <u>Use of Space.</u> Al-Call shall use the Remote Collocation Space for the purposes of installing, maintaining and operating Al-Call's equipment (to include testing and monitoring equipment) necessary, for interconnection with BellSouth services and facilities, including access to unbundled network elements, for the provision of telecommunications services. The Remote Collocation Space may be used for no other purposes except as specifically described herein or authorized in writing by BellSouth.
- 1.6 <u>Rates and charges</u>. Al-Call agrees to pay the rates and charges identified in Exhibit A attached hereto.
- 1.7 <u>Due Dates</u>. In all states except Georgia, if any due date contained in this Attachment falls on a weekend or holiday, then the due date will be the next business day thereafter.

2. Space Notification

2.1 <u>Availability of Space</u>. Upon submission of an Application pursuant to Section 6, BellSouth will permit Al-Call to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth

has determined that there is no space available due to space limitations or that Remote Site collocation is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 6.5 shall apply, or BellSouth may elect to deny space in accordance with this section in which case virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify Al-Call of the amount that is available.

- Availability Notification. Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. This interval excludes National Holidays. If the amount of space requested is not available, BellSouth will notify Al-Call of the amount of space that is available.
- 2.2.1 BellSouth will respond to a Florida Application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. If the amount of space requested is not available, BellSouth will notify Al-Call of the amount that is available.
- 2.2.2 BellSouth will respond to a Louisiana Application within ten (10) calendar days for space availability for one (1) to ten (10) Applications; fifteen (15) calendar days for eleven (11) to twenty (20) Applications; and for more than twenty (20) Applications, it is increased by five (5) calendar days for every five additional Applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Al-Call of the amount of space that is available.
- 2.2.3 BellSouth will respond to a Mississippi Application within ten (10) business days as to whether space is available or not available within a BellSouth Premises. If the amount of space requested is not available, BellSouth will notify Al-Call of the amount of space that is available.
- 2.3 Reporting. Upon request from Al-Call, BellSouth will provide a written report ("Space Availability Report") specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to make additional space available for collocation arrangements.
- 2.3.1 The request from Al-Call for a Space Availability Report must be written and must include the Common Language Location Identification ("CLLI")code for

both the Remote Site Location and the serving central office. Such information regarding the CLLI code for the serving central offices located in the National Exchange Carriers Association (NECA) Tariff FCC No. 4. If Al-Call is unable to obtain the CLLI code, from for example a site visit to the remote site, Al-Call may request the CLLI code from BellSouth. To obtain a CLLI code for a remote site directly from BellSouth, Al-Call should submit to BellSouth a Remote Site Interconnection Request for Remote Site CLLI Code prior to submitting its request for a Space Availability Report. Al-Call should complete all the requested information and submit the Request with the applicable fee to BellSouth.

- 2.3.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) calendar days of receipt of such request. This interval excludes national holidays. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten calendar day response time, BellSouth shall notify Al-Call and inform Al-Call of the time frame under which it can respond.
- 2.3.3 In Mississippi, BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) business days of receipt of such request. BellSouth will make best efforts to respond in ten (10) business days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten business day response time, BellSouth shall notify Al-Call and inform Al-Call of the time frame under which it can respond.
- 2.4 <u>Denial of Application</u>. After notifying Al-Call that BellSouth has no available space in the requested Remote Site Location ("Denial of Application"), BellSouth will allow Al-Call, upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. This interval excludes national holidays. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 2.4.1 Denial of Application. In Mississippi, after notifying Al-Call that BellSouth has no available space in the requested Premises ("Denial of Application"), BellSouth will allow Al-Call, upon request, to tour the Remote Site Location within ten (10) business days of such Denial of Application. In order to

schedule said tour within ten (10) business days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) business days of the Denial of Application.

- Filing of Petition for Waiver. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Al-Call to inspect any plans or diagrams that BellSouth provides to the Commission.
- 2.6 Waiting List. Unless otherwise specified, on a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list when space becomes available according to how much space becomes available and the position of telecommunications carrier on said waiting list. Al-Call must submit an updated, complete, and correct Application to BellSouth within 30 calendar days (in Mississippi, 30 business days) or notify BellSouth in writing that Al-Call wants to maintain its place on the waiting list either without accepting such space or accepting an amount of space less than its original request. If Al-Call does not submit such an Application or notify BellSouth in writing as described above, BellSouth will offer such space to the next CLEC on the waiting list and remove Al-Call from the waiting list. Upon request, BellSouth will advise Al-Call as to its position on the list.
- 2.6.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of telecommunications carrier on said waiting list. If not known sixty (60) days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two days of the determination that space is available.

- 2.7 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days (in Mississippi, 10 business days)of the Denial of Application date. This interval excludes national holidays. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list. BellSouth shall allocate said available space pursuant to the waiting list referenced in Section 2.6.
- 2.8 Regulatory Agency Procedures. Notwithstanding the foregoing, should any state or federal regulatory agency impose procedures or intervals different than procedures or intervals set forth in this section applicable to Al-Call, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for all Applications submitted for the first time after the effective date thereof for that jurisdiction.

3. Collocation Options

- 3.1 <u>Compliance</u>. The parties agree to comply with all applicable federal, state, county, local and administrative laws, orders, rules, ordinances, regulations, and codes in the performance of their obligations hereunder.
- 3.2 <u>Cageless</u>. BellSouth shall allow Al-Call to collocate Al-Call's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Al-Call to have direct access to its equipment and facilities. BellSouth shall make cageless collocation available in single rack/bay increments pursuant to Section 6. For equipment requiring special technical considerations, Al-Call must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in BellCore (Telcordia) GR-63-Core and shall be responsible for constructing all special technical requirements associated with such equipment pursuant to Section 6.8 following. Subject to space availability and technical feasibility, at Al-Call's option, Al-Call may enclose its equipment.
- 3.3 Shared (Subleased) Collocation. Al-Call may allow other telecommunications carriers to share Al-Call's Remote Site collocation arrangement pursuant to terms and conditions agreed to by Al-Call ("Host") and other telecommunications carriers ("Guests") and pursuant to this section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and

such easement does not permit such an option. Al-Call shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days (in Mississippi, 10 business days) of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Al-Call that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and Al-Call.

- 3.3.1 Al-Call shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment; and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. In all states other than Florida, and in addition to the foregoing, Al-Call shall be the responsible party to BellSouth for the purpose of submitting Applications for initial and additional equipment placement of Guest. In the event the Host and Guest jointly submit an Application, only one Application Fee will be assessed. A separate Guest Application shall require the assessment of an Application Fee, as set forth in Exhibit A. Notwithstanding the foregoing, Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and Guest and for the provision of the services and access to unbundled network elements.
- 3.3.2 Al-Call shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Al-Call's Guests in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 Adjacent Collocation. BellSouth will provide approval for adjacent Remote Site collocation arrangements ("Remote Site Adjacent Arrangement") where space within the Remote Site Location is legitimately exhausted, subject to technical feasibility, where the Remote Site Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property and where permitted by zoning and other applicable state and local regulations. The Remote Site Adjacent Arrangement shall be constructed or procured by Al-Call and in conformance with BellSouth's design and construction specifications. Further, Al-Call shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the request for the Remote Site Adjacent Arrangement.

- Page 9
- 3.4.2 Should Al-Call elect such an option, Al-Call must arrange with a BellSouth Certified Contractor to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, Al-Call and Al-Call's BellSouth Certified Contractor must comply with local building code requirements. Al-Call's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Al-Call's BellSouth Certified Contractor shall bill Al-Call directly for all work performed for Al-Call pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Contractor. Al-Call must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Al-Call's locked enclosure prior to notifying Al-Call.
- 3.4.3 BellSouth maintains the right to review Al-Call's plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s). BellSouth shall complete its review within fifteen (15) calendar days. BellSouth may inspect the Remote Site Adjacent Arrangement(s) following construction and prior to the Commencement Date, as defined in Section 4.1 following, to ensure the design and construction comply with BellSouth's guidelines and specifications. BellSouth may require Al-Call, at Al-Call's sole cost, to correct any deviations from BellSouth's guidelines and specifications found during such inspection(s), up to and including removal of the Remote Site Adjacent Arrangement, within seven (7) calendar days of BellSouth's inspection, unless the Parties mutually agree to an alternative time frame.
- 3.4.4 Al-Call shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Al-Call's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. Al-Call's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement.
- 3.4.5 BellSouth shall allow Shared (Subleased) Caged Collocation within a Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth in Section 3.3 preceding.

4. Occupancy

- 4.1 <u>Commencement Date</u>. The "Commencement Date" shall be the day Al-Call" equipment becomes operational as described in Article 4.2, following.
- 4.2 Occupancy. BellSouth will notify Al-Call in writing that the Remote Collocation Space is ready for occupancy. Al-Call must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for interconnected service until receipt of such notice. For purposes of this paragraph, Al-Call's telecommunications equipment will be deemed operational when connected to BellSouth's network for the purpose of service provision.
- 4.3 <u>Termination</u>. Except where otherwise agreed to by the Parties, Al-Call may terminate occupancy in a particular Remote Collocation Space upon thirty (30) calendar days prior written notice to BellSouth. Upon termination of such occupancy, Al-Call at its expense shall remove its equipment and other property from the Remote Collocation Space. Al-Call shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of Al-Call's Guests: provided. however, that Al-Call shall continue payment of monthly fees to BellSouth until such date as Al-Call has fully vacated the Remote Collocation Space. Should Al-Call or Al-Call's Guest fail to vacate the Remote Collocation Space within thirty (30) calendar days from the termination date, BellSouth shall have the right to remove the equipment and other property of Al-Call or Al-Call's Guest at Al-Call's expense and with no liability for damage or injury to Al-Call or Al-Call's Guest's property unless caused by the gross negligence or intentional misconduct of BellSouth. Upon termination of occupancy with respect to a Remote Collocation Space, Al-Call shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the Al-Call except for ordinary wear and tear unless otherwise agreed to by the Parties. Al-Call shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits), of a Remote Site Adjacent Arrangement at the termination of occupancy and restoring the grounds to their original condition.

5. Use of Remote Collocation Space

5.1 <u>Equipment Type</u>. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to unbundled network elements in the provision of telecommunications services.

- Such equipment must at a minimum meet the following BellCore (Telcordia) Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in the BellCore (Telcordia) Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Al-Call's failure to comply with this section.
- 5.1.2 Al-Call shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.
- 5.1.3 Al-Call shall place a plaque or other identification affixed to Al-Call's equipment necessary to identify Al-Call's equipment, including a list of emergency contacts with telephone numbers.
- 5.1.4 All Al-Call equipment installation shall comply with BellSouth TR 73503-11, Section 8, "Grounding Engineering Procedures." Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the remote collocation site. All copper conductor pairs, working and non-working, shall be equipped with a solid state protector unit (over-voltage protection only) which has been listed by a nationally recognized testing laboratory.
- Entrance Facilities. Al-Call may elect to place Al-Call-owned or Al-Call-leased entrance facilities into the Remote Collocation Space from Al-Call's point of presence. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space which is physically accessible by both Parties. Al-Call will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder Distribution Interface to the splice location of sufficient length for splicing by BellSouth. Al-Call must contact BellSouth for instructions prior to placing the entrance facility cable. Al-Call is responsible for maintenance of the entrance facilities.
- 5.2.1 Shared Use. Al-Call may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to another Al-Call collocation arrangement within the same BellSouth Remote Site Location.

- 5.3 <u>Demarcation Point</u>. BellSouth will designate the point(s) of demarcation between Al-Call's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. Al-Call or its agent must perform all required maintenance to Al-Call equipment/facilities on its side of the demarcation point, pursuant to Section 5.8, following
- Al-Call's Equipment and Facilities. Al-Call, or if required by this Attachment, Al-Call's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Al-Call.
- 5.5 <u>BellSouth's Access to Remote Collocation Space</u>. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications
- 5.6 Access. Pursuant to Section 11, Al-Call shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. Al-Call agrees to provide the name and social security number or date of birth or driver's license number of each employee, contractor, or agents of Al-Call or Al-Call's Guests provided with access keys or devices ("Access Keys") prior to the issuance of said Access Keys. Key acknowledgement forms must be signed by Al-Call and returned to BellSouth Access Management within 15 calendar days of Al-Call's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Al-Call agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Al-Call employees, contractors, Guests, or agents after termination of the employment relationship, contractual obligation with Al-Call or upon the termination of this Attachment or the termination of occupancy of an individual Remote Site collocation arrangement.
- 5.7 <u>Lost or Stolen Access Keys</u>. Al-Call shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations as a result of a lost Access Key(s) or for failure to return an Access Key(s), Al-Call shall pay for all reasonable costs associated with the re-keying.
- 5.8 Interference or Impairment. Notwithstanding any other provisions of this Attachment, equipment and facilities placed in the Remote Collocation Space shall not significantly degrade, interfere with or impair service provided by BellSouth or by any other interconnector located in the Remote Site Location;

shall not endanger or damage the facilities of BellSouth or of any other interconnector, the Remote Collocation Space, or the Remote Site Location; shall not compromise the privacy of any communications carried in, from, or through the Remote Site Location; and shall not create an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Al-Call violates the provisions of this paragraph, BellSouth shall give written notice to Al-Call, which notice shall direct Al-Call to cure the violation within forty-eight (48) hours of Al-Call's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement. Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Al-Call fails to take curative action within 48 hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or other interference/impairment of the services provided by BellSouth or any other interconnector, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Al-Call's equipment. BellSouth will endeavor, but is not required, to provide notice to Al-Call prior to taking such action and shall have no liability to Al-Call for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct. For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Al-Call fails to take curative action within 48 hours then BellSouth will establish before the relevant Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Al-Call or, if subsequently necessary, the relevant Commission, must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services. Al-Call shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.

- Presence of Facilities. Facilities and equipment placed by Al-Call in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain its status as personality and may be removed by Al-Call at any time. Any damage caused to the Remote Collocation Space by Al-Call's employees, agents or representatives shall be promptly repaired by Al-Call at its expense.
- Alterations. In no case shall Al-Call or any person acting on behalf of Al-Call make any rearrangement, modification, improvement, addition, repair, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by Al-Call. Any material rearrangement, modification, improvement, addition, repair, or other alteration shall require an Application Fee, pursuant to sub-section 6.2.
- 5.11 <u>Upkeep of Remote Collocation Space</u>. Al-Call shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. Al-Call shall be responsible for removing any Al-Call debris from the Remote Collocation Space and from in and around the Remote Collocation Site on each visit.

6. Ordering and Preparation of Remote Collocation Space

- 6.1 State or Federal Regulatory agency impose procedures or intervals. Should any state or federal regulatory agency impose procedures or intervals different than procedures or intervals set forth in this section applicable to Al-Call, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for all applications submitted for the first time after the effective date thereof for that jurisdiction.
- 6.2 <u>Application for Space</u>. Al-Call shall submit a Remote Site Collocation Application when Al-Call or Al-Call's Guest(s), as defined in Section 3.3, desires to request or modify the use of the Remote Collocation Space.
- 6.3 Initial Application. For Al-Call or Al-Call's Guest(s) equipment placement, Al-Call shall submit to BellSouth an Application. The Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Application are completed with the appropriate type of information. The Bona Fide Application shall contain a detailed description and schematic drawing of the equipment to be placed in Al-Call's Remote Collocation Space(s) in addition to the CLLI code applicable to that location. Prior to submitting the

- application, CLLI information can be obtained in the manner set forth in Section 2.3.1.
- Application Fee. BellSouth will assess an Application Fee on a service order which shall be issued at the time BellSouth responds that space is available pursuant to Section 2. Payment of the Application Fee will be due as dictated by Al-Call's current billing cycle and is non-refundable.
- 6.5 Application Response. In Alabama, North Carolina, and Tennessee, In addition to the notice of space availability pursuant to Section 2, BellSouth will respond within ten (10) calendar days of receipt of an Application stating whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. Sufficient detail will be provided to permit Al-Call a reasonable opportunity to correct each deficiency. Al-Call must correct any deficiencies in its Application and resubmit a Bona Fide Application within ten (10) calendar days of being notified of the deficiencies in the original Application. If Al-Call fails to resubmit its Application as Bona Fide within this ten (10) day period, Al-Call will lose its place in the collocation gueue. This interval excludes national holidays. When space has been determined to be available, BellSouth will provide a written response ("Application Response"), which will include the configuration of the space and an estimate of the interval to provide the Remote Collocation Space.
- 6.5.1 Application Response. Except as otherwise provided, for all States that have ordered provisioning intervals but not application response intervals, the following will apply. In addition to the notice of space availability pursuant to Section 2, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) calendar days for Bona Fide Applications 1-5; within thirty-six (36) calendar days for Bona Fide Applications 6-10; within forty-two (42) calendar days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.
- 6.5.2 <u>Application Response (Florida).</u> Within fifteen (15) calendar days of receipt of a Bona Fide Application, BellSouth will respond as to whether space is

available or not available within a particular Remote Site Location. Additionally, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide a written response ("Application Response") including sufficient information to enable Al-Call to place a Firm Order. When Al-Call submits ten (10) or more Applications within ten (10) calendar days, the initial fifteen (15) day response period will increase by ten (10) days for every additional ten (10) Applications or fraction thereof.

- Application Response (Georgia) In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available for caged or cageless arrangements, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7.
- Application Response (Louisiana). In addition to the notice of space availability pursuant to Section 2, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. BellSouth will respond as to whether space is available or not available within a particular Remote Site Location in accordance with Section 2. BellSouth will respond with a full Application Response within 30 calendar days for one to ten Applications; 35 calendar days for eleven to twenty Applications; and for requests of more than twenty Application it is increased by five calendar days for every five Applications received within five business days.
- Application Response (Mississippi) In addition to the notice of space availability pursuant to Section 2, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) business days of receipt of a Bona Fide Application. When multiple applications are submitted in a state within a fifteen (15) business day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) business days for Bona Fide Applications 1-5; within thirty-six (36) business days for Bona Fide Applications 6-10; within forty-two (42) business days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in

excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.

- 6.5.6 Application Response (Kentucky) In addition to the notice of space availability pursuant to Section 2, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) calendar days for Bona Fide Applications 1-5; within thirty-six (36) calendar days for Bona Fide Applications 6-10; within forty-two (42) calendar days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.
- Application Modifications. In Alabama, North Carolina, and Tennessee, if a modification or revision is made to any information in the Bona Fide Application for Remote Site Collocation or the Bona Fide Application for Adjacent Remote Site Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Al-Call or necessitated by technical considerations, said Application shall be considered a new Application and shall be handled as a new Application for purposes of the provisioning interval, and BellSouth shall charge Al-Call a Subsequent Application Fee. Major changes, such as requesting additional space or adding equipment may require Al-Call to submit the Application with an Application Fee.
- Application Modifications. For all States that have ordered provisioning intervals but not application response intervals, and except as otherwise specified, the following will apply. If a modification or revision is made to any information in the Bona Fide Application for Remote Site Collocation or the Bona Fide Application for Adjacent Remote Site Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Al-Call or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) calendar days after BellSouth receives such revised application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate Al-Call's Bona Fide Application as a result of changes requested by Al-Call to Al-Call's original application, then BellSouth will charge Al-Call a Subsequent Application Fee. Major changes such as

requesting additional space or adding additional equipment may require Al-Call to resubmit the Application with an Application Fee.

- Application Modifications (Florida). If a modification or revision is made to any information in the Bona Fide Application for Remote Site Collocation or the Bona Fide Application for Adjacent Remote Site Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Al-Call or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within fifteen (15) calendar days after BellSouth receives such revised Application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate Al-Call's Bona Fide Application as a result of changes requested by Al-Call to CLEC's original, then BellSouth will charge Al-Call a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require Al-Call to resubmit the Application with an Application Fee.
- Application Modifications (Mississippi). If a modification or revision is made to any information in the Bona Fide Application for Remote Site Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Al-Call or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) business days after BellSouth receives such revised Application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate Al-Call's Bona Fide Application as a result of changes requested by Al-Call to CLEC's original Application, then BellSouth will charge Al-Call a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require Al-Call to resubmit the Application with an Application Fee.
- Application Modifications (Louisiana). If a modification or revision is made to any information in the Bona Fide Application for Remote Site Collocation or the Bona Fide Application for Adjacent Remote Site Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Al-Call or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) calendar days after BellSouth receives such revised Application or at such other date as the Parties agree. BellSouth will respond to such modifications or revisions within 30 calendar days for one to ten revised Applications; 35 calendar days for eleven to twenty revised Applications; and for requests of more than twenty revised Applications it is increased by five calendar days for every five revised Applications received within five business days. If, at any time, BellSouth needs to reevaluate Al-

Call's Bona Fide Application as a result of changes requested by Al-Call to CLEC's original Application, then BellSouth will charge Al-Call a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require Al-Call to resubmit the Application with an Application Fee.

- Application Modifications (Kentucky & Georgia). If a modification or revision is made to any information in the Bona Fide Application for Remote Site Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Al-Call or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) calendar days after BellSouth receives such revised Application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate Al-Call's Bona Fide Application as a result of changes requested by Al-Call to Al-Call's original Application, then BellSouth will charge Al-Call a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require Al-Call to resubmit the Application with an Application Fee.
- 6.7 Bona Fide Firm Order. In Alabama, North Carolina, and Tennessee, Al-Call shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Bona Fide Firm Order to BellSouth. A Firm Order shall be considered Bona Fide when Al-Call has completed the Application/Inquiry process described in Section 6.3, preceding, and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than seven (7) calendar days after BellSouth's Application Response to Al-Call's Bona Fide Application, unless BellSouth provides an Application Response on or before the ten-day response interval set forth in section 2, in which case Al-Call must submit its Bona Fide Firm Order to BellSouth within seventeen (17) calendar days of BellSouth's receipt of the Bona Fide Application. If Al-Call fails to submit its Bona Fide Firm Order to BellSouth within the time frames set forth above, the provisioning intervals set forth in section 6.6 shall apply from the date of receipt of the Bona Fide Firm Order and not from the date of the Bona Fide Application. If Al-Call fails to submit a Bona Fide Firm Order within fifteen (15) days of receipt of an Application Response, the Application will expire.
- 6.7.1 <u>Bona Fide Firm Order</u>. Except as otherwise provided, in all States that have ordered provisioning intervals but not addressed Firm Order intervals, the following shall apply._Al-Call shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to

BellSouth. A Firm Order shall be considered Bona Fide when Al-Call has completed the Application/Inquiry process described in Section 6.3, preceding and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days (in Mississippi 30 business days) after BellSouth's Application Response to Al-Call's Bona Fide Application or the Application will expire.

- 6.7.2 Bona Fide Firm Order (Kentucky & Mississippi). Al-Call shall indicate its intent to proceed with equipment installation in a BellSouth Remote Terminal Location by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Al-Call has completed the Application/Inquiry process described in Section 6.3, preceding and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days (in Mississippi 30 business days) after BellSouth's Application Response to Al-Call's Bona Fide Application or the Application will expire.
- 6.7.3 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a Bona Fide Firm Order. BellSouth will acknowledge the receipt of Al-Call's Bona Fide Firm Order within seven (7) calendar days of receipt indicating that the Bona Fide Firm Order has been received. A BellSouth response to a Bona Fide Firm Order will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a Bona Fide Firm Order.
- 6.8 BellSouth will permit one accompanied site visit to Al-Call's designated Remote Collocation Space after receipt of the Bona Fide Firm Order without charge to Al-Call.
- 6.9 Al-Call must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Remote Site Location a minimum of 30 calendar days prior to the date Al-Call desires access to the Remote Collocation Space. Al-Call may submit such a request at any time subsequent to BellSouth's receipt of the Bona Fide Firm Order. In the event Al-Call desires access to the Collocation Space after submitting such a request but prior to Access being approved, BellSouth shall permit Al-Call to access the Collocation Space, accompanied by a security escort at Al-Call's expense. Al-Call must request escorted access at least three (3) business days prior to the date such access is desired.

- Construction and Provisioning Interval. In Alabama, North Carolina, and Tennessee, BellSouth will complete construction for Remote Site collocation arrangements within a maximum of 90 calendar days from receipt of an Application, or as agreed to by both parties. Under extraordinary conditions, BellSouth may elect to renegotiate an alternative provisioning interval with Al-Call or seek a waiver from this interval from the Commission. Examples of extraordinary conditions include, but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length.
- 6.10.1 Construction and Provisioning Interval (Florida). BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of 90 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. For changes to collocation space after initial space completion, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of 45 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Al-Call cannot agree upon a completion date, within 45 calendar days of receipt of the Bona Fide Firm Order for an initial request, and within 30 calendar days for Augmentations, BellSouth may seek an extension from the Florida PSC.
- 6.10.2 Construction and Provisioning Interval (Georgia). BellSouth will use best efforts to complete construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of 90 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. BellSouth will use best efforts to complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of 60 calendar days from receipt of a Bona Fide Firm Order and 90 calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth may elect to

renegotiate an alternative provisioning interval with Al-Call or seek a waiver from this interval from the Commission.

- 6.10.3 Construction and Provisioning Interval (Louisiana). BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 120 calendar days from receipt of a Bona Fide Firm Order for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within 180 calendar days of the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length._BellSouth may elect to renegotiate an alternative provisioning interval with Al-Call or seek a waiver from this interval from the Commission.
- 6.10.4 Construction and Provisioning Interval (Mississippi). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 120 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within 180 calendar days of the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance: environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth may elect to renegotiate an alternative provisioning interval with Al-Call or seek a waiver from this interval from the Commission.
- 6.10.5 Construction and Provisioning Interval (Kentucky). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will use best efforts to complete construction for collocation

arrangements under ordinary conditions as soon as possible and within a maximum of 90 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits. BellSouth will use best efforts to complete construction of all other Collocation Space ("extraordinary conditions") within 130 calendar days of the receipt of a Bona Fide Firm Order. Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth may elect to renegotiate an alternative provisioning interval with Al-Call or seek a waiver from this interval from the Commission.

- 6.10.6 Construction and Provisioning Interval (South Carolina). BellSouth will complete the construction and provisioning activities for cageless and caged collocation arrangements as soon as possible, but no later than 90 calendar days from receipt of a bona fide firm order. BellSouth may elect to renegotiate an alternative provisioning interval with Al-Call or seek a waiver from this interval from the Commission.
- 6.11 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, excluding the time interval required to secure the appropriate government licenses and permits or additional public or private rights of way, BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide Al-Call with the estimated completion date in its Response.
- 6.12 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- 6.13 Acceptance Walk Through. Upon request, Al-Call will contact BellSouth within seven (7) days of collocation space being ready to schedule an acceptance walk through of each Remote Collocation Space requested from BellSouth by Al-Call. BellSouth will correct any deviations to Al-Call's original or jointly amended requirements within seven (7) calendar days after the walk through, unless the Parties jointly agree upon a different time frame.

- 6.14 Use of BellSouth Certified Supplier. Al-Call shall select a supplier that has been approved as a BellSouth Certified Supplier to perform all engineering and installation work required in the Remote Collocation Space per TR 73503 specifications. BellSouth shall provide Al-Call with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Al-Call"'s equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and Al-Call upon successful completion of installation. The BellSouth Certified Supplier shall bill Al-Call directly for all work performed for Al-Call pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall consider certifying Al-Call or any supplier proposed by Al-Call. All work performed by or for Al-Call shall conform to generally accepted industry guidelines and standards.
- Alarm and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. Al-Call shall be responsible for placement, monitoring and removal of alarms used to service Al-Call's Remote Collocation Space and for ordering the necessary services therefor. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.
- 6.16 <u>Basic Telephone Service</u>. Upon request of Al-Call, BellSouth will provide basic telephone service to the Remote Collocation Space under the rates, terms and conditions of the current tariff offering for the service requested.
- 6.17 Virtual Remote Site Collocation Relocation. BellSouth offers Virtual Collocation pursuant to the terms and conditions set forth in its F.C.C. Tariff No. 1 for Remote Site Collocation locations. The rates shall be the same as provided in this Exhibit A of this agreement. For the interconnection to BellSouth's network and access to BellSouth unbundled network elements, Al-Call may purchase 2-wire and 4-wire cross-connects as set forth the service inquiry procedures established for sub loop unbundling as set forth in Attachment 2 of the Interconnection Agreement, and Al-Call may place within its Virtual Collocation arrangements the telecommunications equipment set forth in Section 5.1. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and that physical Remote Collocation Space has subsequently become available, Al-Call may relocate its virtual Remote Site collocation arrangements to physical Remote Site collocation arrangements and pay the appropriate non-recurring fees for physical Remote Site collocation and for the rearrangement or reconfiguration of services

terminated in the virtual Remote Site collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Site collocation may become available at the location requested by Al-Call, such information will be provided to Al-Call in BellSouth's written denial of physical Remote Site collocation. To the extent that (i) physical Remote Collocation Space becomes available to Al-Call within 180 calendar days of BellSouth's written denial of Al-Call's request for physical collocation, and (ii) Al-Call was not informed in the written denial that physical Remote Collocation Space would become available within such 180 calendar days, then Al-Call may relocate its virtual Remote Site collocation arrangement to a physical Remote Site collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Site collocation. Al-Call must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.

- 6.18 <u>Cancellation</u>. If, at anytime prior to space acceptance, Al-Call cancels its order for the Remote Collocation Space(s), Al-Call will reimburse BellSouth in the following manner: BellSouth will ascertain how far preparation work has progressed. Al-Call will be billed the applicable non recurring rate for any and all work processes for which work has begun.
- 6.19 <u>Licenses.</u> Al-Call, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Remote Collocation Space.
- 6.20 <u>Environmental Hazard Guidelines</u>. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified as Exhibit B attached hereto.

7. Rates and Charges

- 7.1 Recurring Fees. Recurring fees for space occupancy shall be billed upon space completion or space acceptance, whichever occurs first. Other charges shall be billed upon request for the services. All charges shall be due as dictated by Al-Call's current billing cycle.
- 7.2 Rack/Bay Space. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power Al-Call's equipment. Al-Call shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign

Remote Collocation Space in conventional remote site rack/bay lineups where feasible

- 7.3 Power. BellSouth shall make available –48 Volt (-48V) DC power for Al-Call's Remote Collocation Space at a BellSouth Power Board (Fuse and Alarm Panel) or BellSouth Battery Distribution Fuse Bay ("BDFB") at Al-Call's option within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for Al-Call's equipment exceeds the capacity for the rack/bay, then such power requirements shall be assessed on a recurring per amp basis for the individual case.
- 7.3.1 Charges for AC power will be assessed per breaker ampere per month.
 Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Al-Call's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Al-Call's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the Commencement Date. AC power voltage and phase ratings shall be determined on a per location basis. At Al-Call's option, Al-Call may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 7.4 Security Escort. A security escort will be required whenever Al-Call or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed prior to completing BellSouth's Security Training requirements and/or prior to Space Acceptance. The parties agree that a security escort will not be required for remote site collocation. However, if one is needed, the parties will negotiate appropriate security escort rates which will be assessed on a one half (1/2) hour increment basis.
- 7.5 Rate "True-Up". The Parties agree that the prices reflected as interim herein shall be "trued-up" (up or down) based on final prices either determined by further agreement or by final order, including any appeals, in a proceeding involving BellSouth before the regulatory authority for the state in which the services are being performed or any other body having jurisdiction over this Agreement (hereinafter "Commission"). Under the "true-up" process, the interim price for each service shall be multiplied by the volume of that service purchased to arrive at the total interim amount paid for that service ("Total Interim Price"). The final price for that service shall be multiplied by the volume purchased to arrive at the total final amount due ("Total Final Price"). The Total Interim Price shall be compared with the Total Final Price. If the Total Final Price is more than the Total Interim Price, Al-Call shall pay the

difference to BellSouth. If the Total Final Price is less than the Total Interim Price, BellSouth shall pay the difference to Al-Call. Each Party shall keep its own records upon which a "true-up" can be based and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such "true-up," the Parties agree that the Commission shall be called upon to resolve such differences.

Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party. Payment of all other charges under this Attachment shall be due as dictated by Al-Call's current billing cycle Al-Call will pay a late payment charge as specified in the current State Tariff.

8. Insurance

- 8.1 <u>Maintain Insurance</u>. Al-Call shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section 8 and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.
- 8.2 Coverage. Al-Call shall maintain the following specific coverage:
- 8.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 8.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 8.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Al-Call's real and personal property situated on or within BellSouth's Remote Site Location.
- 8.2.4 Al-Call may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 8.3 <u>Limits</u>. The limits set forth in Section 8.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30)

days notice to Al-Call to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.

- All policies purchased by Al-Call shall be deemed to be primary. All policies purchased by Al-Call shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all Al-Call''s property has been removed from BellSouth's Remote Site Location, whichever period is longer. If Al-Call fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Al-Call.
- 8.5 <u>Submit certificates of insurance</u>. Al-Call shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Al-Call shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Al-Call''s insurance company. Al-Call shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 675 W. Peachtree Street Rm. 17H53 Atlanta, Georgia 30375

- 8.6 Conformance to recommendations made by BellSouth's fire insurance company. Al-Call must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 8.7 Self-Insurance. If Al-Call's net worth exceeds five hundred million dollars (\$500,000,000), Al-Call may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 8.2.1 and 8.2.3. Al-Call shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Al-Call in the event that self-insurance status is not granted to Al-Call. If BellSouth approves Al-Call for self-insurance, Al-Call shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Al-Call's corporate officers. The ability to self-insure shall continue so long as Al-Call meets all of the requirements of this Section.

If Al-Call subsequently no longer satisfies this Section, Al-Call is required to purchase insurance as indicated by Sections 8.2.1 and 8.2.3.

- 8.8 Net worth requirements. The net worth requirements set forth in Section 8.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days' notice to Al-Call to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 8.9 <u>Failure to comply</u>. Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

9. Mechanics Liens

9.1 Mechanics Lien or other Liens. If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Al-Call), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

10. Inspections

BellSouth may conduct inspection. BellSouth may conduct an inspection of Al-Call's equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between Al-Call's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Al-Call adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Al-Call with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

11. Security and Safety Requirements

- 11.1 The security and safety requirements. The security and safety requirements set forth in this section are as stringent as the security requirements BellSouth maintains at its own Remote Site Location either for their own employees or for authorized contractors. Only BellSouth employees, BellSouth Certified Contractors and authorized employees, authorized Guests, pursuant to Section 3.3, proceeding, or authorized agents of Al-Call will be permitted in the BellSouth Remote Site Location. Al-Call shall provide its employees and agents with picture identification which must be worn and visible at all times while in the Remote Collocation Space or other areas in or around the Remote Site Location. The photo Identification card shall bear, at a minimum, the employee's name and photo, and the Al-Call name. BellSouth reserves the right to remove from its Remote Site Location any employee of Al-Call not possessing identification issued by Al-Call or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Al-Call shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Remote Site Location. Al-Call shall be solely responsible for ensuring that any Guest of Al-Call is in compliance with all subsections of this Section 11.
- 11.1.1 Al-Call will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Al-Call employee being considered for work on the BellSouth Remote Site Location, for the states/counties where the Al-Call employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable.
- 11.1.2 Al-Call will be required to administer to their personnel assigned to the BellSouth Remote Site Location security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Al-Call shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. Al-Call shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any Al-Call personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the even that Al-Call chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Al-Call may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).

- 11.1.4 For each Al-Call employee requiring access to a BellSouth Remote Site Location pursuant to this Attachment, Al-Call shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Al-Call will disclose the nature of the convictions to BellSouth at that time. In the alternative, Al-Call may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 11.1.5 At BellSouth's request, Al-Call shall promptly remove from the BellSouth's Remote Site Location any employee of Al-Call BellSouth does not wish to grant access to its Remote Site Location 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation in the event that an employee of Al-Call is found interfering with the property or personnel of BellSouth or another CLEC, provided that an investigation shall promptly be commenced by BellSouth.
- 11.2 Notification to BellSouth. BST reserves the right to interview Al-Call's employees, agents, or contractors in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another CLEC's property or personnel, provided that BellSouth shall provide reasonable notice to Al-Call's Security contact of such interview. Al-Call and its contractors shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Al-Call's employees, agents, or contractors. Additionally, BellSouth reserves the right to bill Al-Call for all reasonable costs associated with investigations involving its employees, agents, or contractors if it is established and mutually agreed in good faith that Al-Call's employees, agents, or contractors are responsible for the alleged act. BellSouth shall bill Al-Call for BellSouth property which is stolen or damaged where an investigation determines the culpability of Al-Call's employees, agents, or contractors and where Al-Call agrees, in good faith, with the results of such investigation. Al-Call shall notify BellSouth in writing immediately in the event that the CLEC discovers one of its employees already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from the BellSouth Remote Site Location, any employee found to have violated the security and safety requirements of this section. Al-Call shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Remote Site Location.

- 11.3 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 11.4 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 11.5 <u>Accountability</u>. Full compliance with the Security requirements of this section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

12. Destruction of Remote Collocation Space

12.1 Remote Collocation Space is damaged. In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Al-Call's permitted use hereunder, then either Party may elect within ten (10) business days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Al-Call"'s permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Al-Call, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Al-Call may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Contractor is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If Al-Call"'s acceleration of the project increases the cost of the project, then those additional charges will be incurred by Al-Call. Where allowed and where

practical, Al-Call may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, Al-Call shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for Al-Call'"s permitted use, until such Remote Collocation Space is fully repaired and restored and Al-Call'"s equipment installed therein (but in no event later than thirty (30) business days after the Remote Collocation Space is fully repaired and restored). Where Al-Call has placed a Remote Site Adjacent Arrangement pursuant to section 3.4, Al-Call shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

13. Eminent Domain

13.1 Power of Eminent Domain. If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and Al-Call shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) business days after such taking.

14. Nonexclusivity

14.1 <u>Attachment is not exclusive</u>. Al-Call understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

EXHIBIT A: BELLSOUTH/AI-Call RATES – ALABAMA REMOTE SITE COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1RA	Application Fee*	Per request	N/A	\$869.18
PE1RB	Cabinet Space *	Per Rack/Bay	\$230.19	N/A
PE1RC	Power Upgrade*	Per fused amp	N/A	ICB/TBD
PE1RD	Security Access System New Key*	Per Key	N/A	\$26.19
PE1SR	Space Availability Report*	Per premises requested	N/A	\$231.74
PE1RE	Request for CLLI*	Per Premises Requested	N/A	\$75.11
AEH	Additional Engineering Fee (Note 1)	Per request, First half hour/add'l half hour	N/A	-
	Security Escort	Per half hr/add'l		
	(Note 1)	half hr		
PE1BT	Basic Time		NA	-
PE1OT	Overtime		NA	-
PE1PT	Premium Time		NA	-

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element ICB/TBD rates will be on an Individual Case Basis .

EXHIBIT A: BELLSOUTH/AI-Call RATES – FLORIDA REMOTE SITE COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1RA	Application Fee*	Per request	N/A	\$874.14
PE1RB	Cabinet Space *	Per Rack/Bay	\$232.50	N/A
PE1RC	Power Upgrade*	Per fused amp	N/A	ICB/TBD
PE1RD	Security Access System New Key*	Per Key	N/A	\$26.20
PE1SR	Space Availability Report*	Per premises requested	N/A	\$231.45
PE1RE	Request for CLLI*	Per Premises Requested	N/A	\$75.13
AEH	Additional Engineering Fee (Note 1)	Per request, First half hour/add'l half hour	N/A	-
	Security Escort (Note 1)	Per half hr/add'l half hr		
PE1BT	Basic Time	IIali III	NA	-
PE1OT	Overtime		NA	-
PE1PT	Premium Time		NA	-

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element ICB/TBD rates will be on an Individual Case Basis.

EXHIBIT A: BELLSOUTH/AI-Call RATES – GEORGIA REMOTE SITE COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1RA	Application Fee*	Per request	N/A	\$931.61
PE1RB	Cabinet Space *	Per Rack/Bay	\$224.82	N/A
PE1RC	Power Upgrade*	Per fused amp	N/A	ICB/TBD
PE1RD	Security Access System New Key*	Per Key	N/A	\$25.88
PE1SR	Space Availability Report*	Per premises requested	N/A	\$229.02
PE1RE	Request for CLLI*	Per Premises Requested	N/A	\$74.22
AEH	Additional Engineering Fee (Note 1)	Per request, First half hour/add'l half hour	N/A	-
	Security Escort	Per half hr/add'l half hr		
PE1BT	(Note 1) Basic Time	Hall III	NA	-
PE1OT	Overtime		NA	-
PE1PT	Premium Time		NA	-

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element ICB/TBD rates will be on an Individual Case Basis.

EXHIBIT A: BELLSOUTH/AI-Call RATES – KENTUCKY REMOTE SITE COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1RA	Application Fee*	Per request	N/A	\$868.91
PE1RB	Cabinet Space *	Per Rack/Bay	\$224.41	N/A
PE1RC	Power Upgrade*	Per fused amp	N/A	ICB/TBD
PE1RD	Security Access System New Key*	Per Key	N/A	\$26.60
PE1SR	Space Availability Report*	Per premises requested	N/A	\$231.82
PE1RE	Request for CLLI*	Per Premises Requested	N/A	\$75.13
AEH	Additional Engineering Fee (Note 1)	Per request, First half hour/add'l half hour	N/A	-
	Security Escort	Per half hr/add'l		
	(Note 1)	half hr		
PE1BT	Basic Time		NA	-
PE1OT	Overtime		NA	-
PE1PT	Premium Time		NA	-

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element ICB/TBD rates will be on an Individual Case Basis.

EXHIBIT A: BELLSOUTH/AI-Call RATES – LOUISIANA REMOTE SITE COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1RA	Application Fee*	Per request	N/A	\$868.25
PE1RB	Cabinet Space *	Per Rack/Bay	\$257.01	N/A
PE1RC	Power Upgrade*	Per fused amp	N/A	ICB/TBD
PE1RD	Security Access System New Key*	Per Key	N/A	\$26.16
PE1SR	Space Availability Report*	Per premises requested	N/A	\$231.49
PE1RE	Request for CLLI*	Per Premises Requested	N/A	\$75.02
AEH	Additional Engineering Fee (Note 1)	Per request, First half hour/add'l half hour	N/A	-
	Security Escort	Per half hr/add'l		
	(Note 1)	half hr		
PE1BT	Basic Time		NA	-
PE1OT	Overtime		NA	-
PE1PT	Premium Time		NA	-

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element ICB/TBD rates will be on an Individual Case Basis.

EXHIBIT A: BELLSOUTH/AI-Call RATES – MISSISSIPPI REMOTE SITE COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1RA	Application Fee*	Per request	N/A	\$868.60
PE1RB	Cabinet Space *	Per Rack/Bay	\$241.11	N/A
PE1RC	Power Upgrade*	Per fused amp	N/A	ICB/TBD
PE1RD	Security Access System New Key*	Per Key	N/A	\$26.16
PE1SR	Space Availability Report*	Per premises requested	N/A	\$231.43
PE1RE	Request for CLLI*	Per Premises Requested	N/A	\$75.01
AEH	Additional Engineering Fee (Note 1)	Per request, First half hour/add'l half hour	N/A	-
	Security Escort	Per half hr/add'l		
	(Note 1)	half hr		
PE1BT	Basic Time		NA	-
PE1OT	Overtime		NA	-
PE1PT	Premium Time		NA	-

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element ICB/TBD rates will be on an Individual Case Basis.

EXHIBIT A: BELLSOUTH/AI-Call RATES – NORTH CAROLINA REMOTE SITE COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1RA	Application Fee*	Per request	N/A	\$865.34
PE1RB	Cabinet Space *	Per Rack/Bay	\$254.02	N/A
PE1RC	Power Upgrade*	Per fused amp	N/A	ICB/TBD
PE1RD	Security Access System New Key*	Per Key	N/A	\$26.06
PE1SR	Space Availability Report*	Per premises requested	N/A	\$230.60
PE1RE	Request for CLLI*	Per Premises Requested	N/A	\$74.74
AEH	Additional Engineering Fee (Note 1)	Per request, First half hour/add'l half hour	N/A	-
	Security Escort	Per half hr/add'l		
	(Note 1)	half hr		
PE1BT	Basic Time		NA	-
PE1OT	Overtime		NA	-
PE1PT	Premium Time		NA	-

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element ICB/TBD rates will be on an Individual Case Basis.

EXHIBIT A: BELLSOUTH/AI-Call RATES – SOUTH CAROLINA REMOTE SITE COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1RA	Application Fee*	Per request	N/A	\$871.12
PE1RB	Cabinet Space *	Per Rack/Bay	\$246.44	N/A
PE1RC	Power Upgrade*	Per fused amp	N/A	ICB/TBD
PE1RD	Security Access System New Key*	Per Key	N/A	\$26.25
PE1SR	Space Availability Report*	Per premises requested	N/A	\$232.25
PE1RE	Request for CLLI*	Per Premises Requested	N/A	\$75.27
AEH	Additional Engineering Fee (Note 1)	Per request, First half hour/add'l half hour	N/A	-
	Security Escort (Note 1)	Per half hr/add'l half hr		
PE1BT	Basic Time	IIali III	NA	-
PE1OT	Overtime		NA	-
PE1PT	Premium Time		NA	-

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element ICB/TBD rates will be on an Individual Case Basis.

EXHIBIT A: BELLSOUTH/AI-Call RATES – TENNESSEE REMOTE SITE COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1RA	Application Fee*	Per request	N/A	\$872.95
PE1RB	Cabinet Space *	Per Rack/Bay	\$219.37	N/A
PE1RC	Power Upgrade*	Per fused amp	N/A	ICB/TBD
PE1RD	Security Access System New Key*	Per Key	N/A	\$26.23
PE1SR	Space Availability Report*	Per premises requested	N/A	\$232.12
PE1RE	Request for CLLI*	Per Premises Requested	N/A	\$75.23
AEH	Additional Engineering Fee (Note 1)	Per request, First half hour/add'l half hour	N/A	-
	Security Escort	Per half hr/add'l half hr		
PE1BT	(Note 1) Basic Time	Hall III	NA	-
PE1OT	Overtime		NA	-
PE1PT	Premium Time		NA	-

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element ICB/TBD rates will be on an Individual Case Basis.

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Al-Call agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Al-Call shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Al-Call should contact 1-800-743-6737 for BellSouth MSDS sheets.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Al-Call to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. Al-Call will require its contractors, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by CLEC when operating in the BellSouth Premises.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Al-Call space with proper notification. BellSouth reserves the right to stop any Al-Call work operation that imposes Imminent Danger to the

environment, employees or other persons in the area or Facility.

- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by Al-Call are owned by Al-Call. Al-Call will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Al-Call or different hazardous materials used by Al-Call at BellSouth Facility. Al-Call must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.
- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Premises, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by Al-Call to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and Al-Call will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Al-Call will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Al-Call must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and Al-Call shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, contractors, or employees concerning its operations at the Facility.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Premises, Al-Call agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this

reference. Al-Call further agrees to cooperate with BellSouth to ensure that Al-Call's employees, agents, and/or subcontractors are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Al-Call, its employees, agents and/or subcontractors.

The most current version of reference documentation must be requested from BellSouth.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials)	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor	 Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3 Approved Environmental Vendor List (Contact E/S Management)
Emergency response	Hazmat/waste release/spill firesafety emergency	 Fact Sheet Series 1700 Building Emergency Operations Plan (EOP) (specific to and located on Premises)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Compliance with all applicable local, state, & federal laws and regulations Performance of services in accordance with BST's environmental M&Ps Insurance	 Std T&C 450 Std T&C 450-B (Contact E/S for copy of appropriate E/S M&Ps.) Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor	 Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3 Approved Environmental Vendor List (Contact E/S

		Management)
Maintenance/operations work which may produce a waste	Compliance with all application local, state, & federal laws and regulations	• Std T&C 450
Other maintenance work	Protection of BST employees and equipment	 29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	P&SM Manager - Procurement
	All Hazardous Material and Waste Asbestos notification and	 Fact Sheet Series 17000 GU-BTEN-001BT, Chapter 3
	protection of employees and equipment	BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	 Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of contractor	Approved Environmental Vendor List (Contact E/S Management)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	• GU-BTEN-001BT, Chapter 3

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health

hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std. T&C - Standard Terms & Conditions

Attachment 5

Access to Numbers and Number Portability

TABLE OF CONTENTS

1.	NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS	3
2.	LOCAL NUMBER PORTABILITY	3
3.	TRANSITION TO PERMANENT NUMBER PORTABILITY	9
4.	TRUE-UP	9
5.	OPERATIONAL SUPPORT SYSTEM (OSS) RATES	10

ACCESS TO NUMBERS and NUMBER PORTABILITY

1. Non-Discriminatory Access to Telephone Numbers

- 1.1 Nothing in this Agreement shall be construed to limit or otherwise adversely affect in any manner either Party's right to employ, or to request and be assigned, any Central Office (NXX) Codes pursuant to the Central Office Code Assignment Guidelines, as may be amended from time to time, or to establish, by Tariff or otherwise, Rate Center and Rating Points corresponding to such NXX Codes.
- 1.2 During the term of this Agreement, the Parties shall contact the applicable numbering resource administrator as determined by the FCC, for the assignment of numbering resources. In order to be assigned a Central Office Code, Al-Call will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- 1.3 For the purposes of the resale of BellSouth's telecommunications services by Al-Call, BellSouth will provide Al-Call with on line access to telephone numbers for reservation on a first come first served basis. Such reservations of telephone numbers, on a pre-ordering basis shall be for a period of nine (9) days.
- 1.4 Further, upon Al-Call's request and for the purposes of the resale of BellSouth's telecommunications services by Al-Call, BellSouth will reserve up to 100 telephone numbers per Common Language Location Identifier Code (CLLIC), for Al-Call 's sole use. Such telephone number reservations shall be transmitted to Al-Call via electronic file transfer. Such reservations shall be valid for ninety (90) days from the reservation date. Al-Call acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and in such instances BellSouth shall use its best efforts to reserve for a ninety (90) day period a sufficient quantity for Al-Call 's reasonable need in that particular CLLIC.

2. Local Number Portability

2.1 The Parties shall provide local number portability on a reciprocal basis to each other to the extent technically feasible, and in accordance with the applicable rules and regulations as prescribed from time to time by the FCC and/or the Commission.

2.2 Permanent Number Portability

2.2.1 <u>Deployment of LNP.</u> Local Number Portability ("LNP") is a permanent number portability solution that allows End Users to keep their existing

Telephone Line Numbers ("TLNs") when switching LECs. The Parties shall implement and deploy the Location Routing Number ("LRN") solution for LNP in accordance with orders, rulings and policies regarding LNP issued by the FCC and the applicable State Commissions, including, without limitation, the FCC prescribed permanent LNP geographic deployment schedules.

- 2.2.2 <u>Description of LNP</u>. LNP uses the industry standard LRN that assigns a unique 10-digit number to each Wire Center. To support LNP, LRN data is stored, and LNP services are provisioned on Advanced Intelligent Network ("AIN") elements that replace the dialed TLN with the LRN so that LNP calls can be routed to the proper Wire Center for connection to the dialed party. To obtain the LRN data and properly provision LNP services, carriers must be connected to independently operated Regional Number Portability Administration Centers ("NPACs"), which will manage LNP services and provide LNP call routing data to carriers.
- 2.2.3 Once LNP is implemented, either Party may withdraw its Interim Number Portability ("INP") offerings (as described in Section 2.8 hereafter), subject to (i) provision of reasonable advance notice to the other Party; and (ii) coordination to allow the seamless and transparent conversion of INP Customers to LNP.
- 2.2.4 End User Line Charge. Recovery of charges associated with implementing Number Portability through a monthly charge assessed to end users has been authorized by the FCC. This end user line charge will be as filed in the BellSouth FCC No. 1 Tariff and will be billed to Al-Call where Al-Call is a subscriber to local switching or where Al-Call is a reseller of BellSouth telecommunications services. This charge will not be discounted.

2.3 Interim Number Portability

2.3.1 Service Provider Number Portability

- 2.3.1.1 Until the industry-wide permanent solution is implemented in an end office, BellSouth shall provide Service Provider Number Portability ("SPNP"). SPNP is an interim service arrangement whereby an end user who switches subscription of his local exchange service from BellSouth to a CLEC, or vice versa, is permitted to retain the use of his existing assigned telephone number, provided that the end user remains at the same location for his local exchange service or changes locations and service providers but stays within the same Rate Center for his Local Exchange Service.
- 2.3.1.2 SPNP is available through either remote call forwarding or direct inward dialing trunks, at the election of Al-Call . Remote

call forwarding (SPNP-RCF) is an existing switch-based BellSouth service that redirects calls within the telephone network. Direct inward dialing trunks (SPNP-DID) allow calls to be routed over a dedicated facility to the Al-Call switch that serves the subscriber. SPNP-DID Service requires ordering consecutive telephone numbers in blocks of twenty. To order non-consecutive telephone numbers or telephone numbers in less than blocks of twenty, the NBR process must be used. SS7 Signaling is required for the provision of either of these services.

- 2.3.1.3 SPNP-DID is available from BellSouth on a per DS0, DS1, or DS3 basis. Where SPNP-DID is technically feasible and is provided on a DS1 or a DS3 basis, the applicable channelization rates are those specified in Section E6 in BellSouth's Intrastate Access Tariffs, incorporated herein by this reference. SPNP is available only for basic Local Exchange Service.
- 2.3.1.4 SPNP is available only where Al-Call or BellSouth is currently providing, or will begin providing concurrent with provision of SPNP, basic Local Exchange Service to the affected End User. SPNP for a particular telephone number is available only from the Central Office originally providing Local Exchange Service to the End User. SPNP for a particular assigned telephone number will be disconnected when any End User, Commission, BellSouth, or Al-Call initiated activity (*e.g.*, a change in exchange boundaries) would normally result in a telephone number change had the End User retained his initial Local Exchange Service.
- 2.3.1.5 SPNP-RCF, as contemplated by this Agreement, is a telecommunications service whereby a call dialed to an SPNP-RCF equipped telephone number is automatically forwarded to an assigned seven- or ten- digit telephone number within the local calling area as defined in the Commission filed Al-Call or BellSouth Local Exchange Tariff(s) of the Party porting the SPNP-RCF telephone number. The forwarded-to number shall be specified by the Al-Call or BellSouth, as appropriate. The forwarding Party will provide identification of the originating telephone number, via SS7 signaling, to the receiving Party. Identification of the originating telephone number to the SPNP-RCF End User cannot be guaranteed, however. SPNP-RCF provides a single call path for the forwarding of no more than one simultaneous call to the receiving Party's specified forwarded-to number. Additional call paths for the forwarding of multiple simultaneous calls are available on a per path basis at separate rates in addition to the rates for SPNP-RCF.

- 2.3.1.6 SPNP-DID service, as contemplated by this Agreement, provides trunk side access to End Office switches for direct inward dialing to the other company's premises equipment from the telecommunications network to lines associated with the other company's switching equipment and must be provided on all trunks in a group arranged for inward service. A SPNP-DID trunk termination charge, provided with SS7 Signaling only, applies for each trunk voice grade equivalent. In addition, direct facilities are required from the end office where a ported number resides to the end office serving the ported end user customer. The rates for a switched local channel and switched dedicated transport apply as contained in Attachment 2. Transport mileage will be calculated as the airline distance between the end office where the number is ported and the Point of Interface ("POI") using the V&H coordinate method. SPNP-DID must be established with a minimum configuration of two channels and one unassigned telephone number per switch, per arrangement for control purposes. Transport facilities arranged for SPNP-DID may not be mixed with any other type of trunk group, with no outgoing calls placed over said facilities. SPNP-DID will be provided only where such facilities are available and where the switching equipment of the ordering company is properly equipped. Where SPNP-DID service is required from more than one wire center or from separate trunk groups within the same wire center, such service provided from each wire center or each trunk group within the same wire center shall be considered a separate service. Only customer-dialed sent-paid calls will be completed to the first number of a SPNP-DID number group; however, there are no restrictions on calls completed to other numbers of a SPNP-DID number group. Interface group arrangements provided for terminating the switched transport at the Party's terminal location are as set forth in of BellSouth's Intrastate Access Services Tariff, § E6.1.3.A, as amended from time to time.
- 2.3.1.7 The calling Party shall be responsible for payment of the applicable charges for sent-paid calls to the SPNP number. For collect, third-Party, or other operator-assisted non-sent paid calls to the ported telephone number, BellSouth or Al-Call shall be responsible for the payment of charges under the same terms and conditions for which the end user would have been liable for those charges. Either company may request that the other block collect and third company non-sent paid calls to the SPNP-assigned telephone number. If a company does not request blocking, the other company will provide itemized local usage data for the billing of non-sent paid calls on the monthly bill of usage charges provided at the individual end user account

level. The detail will include itemization of all billable usage. Each company shall have the option of receiving this usage data on a daily basis via a data file transfer arrangement. This arrangement will utilize the existing industry uniform standard, known as EMR standards, for exchange of billing data. Files of usage data will be created daily for the optional service. Usage originated and recorded in the sending BellSouth RAO will be provided in unrated or rated format, depending on processing system. Al-Call usage originated elsewhere and delivered via CMDS to the sending BellSouth RAO shall be provided in rated format.

- 2.3.1.8 Each Party shall be responsible for obtaining authorization from the End User for the handling of the disconnection of the End User's service, the provision of new local service and the provision of SPNP services. Each Party shall be responsible for coordinating the provision of service with the other to assure that its switch is capable of accepting SPNP ported traffic. Each Party shall be responsible for providing equipment and facilities that are compatible with the other's service parameters, interfaces, equipment and facilities and shall be required to provide sufficient terminating facilities and services at the terminating end of an SPNP call to adequately handle all traffic to that location and shall be solely responsible to ensure that its facilities, equipment and services do not interfere with or impair any facility, equipment, or service of the other Party or any of its end users. In the event that either Party determines in its reasonable judgment that the other company will likely impair or is impairing, or interfering with any equipment, facility or service or any of its end users, that company may either refuse to provide SPNP service or may terminate SPNP service to the other Party after providing appropriate notice.
- 2.3.1.9 Each Party shall be responsible for providing an appropriate intercept announcement service for any telephone numbers subscribed to SPNP services for which it is not presently providing local exchange service or terminating to an end user. Where either Party chooses to disconnect or terminate any SPNP service, that Party shall be responsible for designating the preferred standard type of announcement to be provided.
- 2.3.1.10 Each Party shall be the other Party's single point of contact for all repair calls on behalf of each company's end user. Each Party reserves the right to contact the other company's customers if deemed necessary for maintenance purposes.

- 2.3.1.11 Neither Party shall be responsible for adverse effects on any service, facility or equipment from the use of SPNP services.

 End-to-end transmission characteristics may vary depending on the distance and routing necessary to complete calls over SPNP facilities and the fact that another carrier is involved in the provisioning of service. Therefore, end-to-end transmission characteristics cannot be specified by either Party for such calls. Neither Party shall be responsible to the other if any necessary change in protection criteria or in any of the facilities, operation, or procedures of either renders any facilities provided by the other company obsolete or renders necessary modification of the other Party's equipment.
- For terminating IXC traffic ported to either Party which requires 2.3.1.12 use of either Party's Tandem switching, the Tandem provider will bill the IXC Tandem switching and a pro rata portion of the transport, and the other Party will bill the IXC local switching. the carrier common line (CCL), the Interconnection Charge and a portion of the transport. If the Tandem provider is unable to provide the necessary access records to permit the other Party to bill the IXC directly for terminating access to ported numbers, then the Tandem provider will bill the IXC full terminating switched access charges at the tandem provider's rate and will compensate the other company at the tandem company's tariffed rates and remit the local switching, the Interconnection Charge, a pro rata portion of transport and CCL revenues to the other Party. If an intraLATA toll call is delivered, the delivering Party will pay terminating access rates to the other Party. This subsection does not apply in cases where SPNP-DID is utilized for number portability. 2.3.1.13 If, through a final and effective order. the Federal Communications Commission ("FCC") issues regulations pursuant to 47 U.S.C. § 251 to require number portability different than that provided pursuant to this section, BellSouth will comply with that order.
- 2.3.1.13 Charges for INP shall be as specified in Exhibit A, provided that interim rates will be replaced or trued-up in accordance with regulatory requirements.

2.4 INP Requirements

2.4.1 Either Party will exchange with the other SS7 TCAP messages as required for the implementation of Customer Local Area Signaling Services (CLASS) or other features available. 2.4.2 Either Party shall notify the other of any technical or capacity limitations that would prevent use of a requested INP implementation in a particular End Office or Wire Center.

- 2.4.2 Either Party shall pass all Calling Party Number ("CPN") or Automatic Number Identification ("ANI") information to and from the ported number, whenever technically feasible.
- 2.4.3 Unless approved by Al-Call, BellSouth agrees not to issue Telephone Line Number ("TLN") based calling card numbers to End Users that port their numbers to Al-Call.
- 2.4.4 BellSouth and Al-Call shall cooperate in resolving all service calls involving the other Party's service, to avoid unnecessary service outages.

2.5 <u>Number Portability Through NXX Migration</u>

2.5.1 If the Parties mutually agree to use Local Exchange Routing Guide ("LERG") reassignment as the method to move an End User's telephone numbers from one Party's switch to the other Party's switch in a particular instance, the Parties shall enter into a separate written agreement that must address terms and conditions of the reassignment, including, but not limited to, ordering processes and specific implementation procedures for the reassignment of the appropriate NXX as shown in the LERG, to the new service providers switch, and any applicable rates.

3. Transition to Permanent Number Portability

Once a long-term database method of providing Local Number Portability (LNP) is implemented in an end office pursuant to Federal Communications Commission or State commission orders, rules or regulations, with advance written notice, both Parties must withdraw its Interim Number Portability (INP) offerings. The transition from existing INP arrangements to LNP shall occur within one hundred twenty (120) days from the date LNP is implemented in the end office serving the telephone number. Neither Party shall charge the other Party for conversion from INP to LNP. The Parties shall comply with any INP/LNP transition processes established by the FCC and State commissions and appropriate industry number portability work groups.

Notwithstanding the foregoing, the Parties acknowledge that the FCC has determined once LNP has been deployed pursuant to the FCC's orders, rules and regulations, that all local exchange carriers (LECs) have the duty to provide LNP. Therefore, either Party, at any time, may seek appropriate legal or regulatory relief concerning the transition from INP to LNP or other related issues.

4. True-up

This section applies only to Tennessee.

The interim prices for Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:

- 4.1 The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions in the General Terms and Conditions and Attachment 1 of this Agreement.
- 4.2. The Parties may continue to negotiate toward final prices, but in the event that no such agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in the General Terms and Conditions and Attachment 1 of the Agreement, so long as they file the resulting Agreement with the Commission as a "negotiated Agreement" under Section 252(e) of the Act.
- 4.3. A final order of this Commission that forms the basis of a true-up shall be the final order as to prices based on appropriate cost studies, or potentially may be a final order in any other Commission proceeding which meets the following criteria:
 - (a) BellSouth and Al-Call is entitled to be a full Party to the proceeding;
 - (b) It shall apply the provisions of the federal Telecommunications Act of 1996, including but not limited to Section 252(d)(1) (which contains pricing standards) and all then-effective implementing rules and regulations; and,
 - (c) It shall include as an issue the geographic deaveraging of network element prices, which deaveraged prices, if any are required by said final order, shall form the basis of any true-up.

5. Operational Support System (OSS) Rates

BellSouth has developed and made available the following mechanized systems by which Al-Call may submit LSRs electronically.

LENS Local Exchange Navigation System

EDI Electronic Data Interface

EDI-PC Electronic Data Interface – Personal Computer

TAG Telecommunications Access Gateway

LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic ordering charge as specified in the table below. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below:

	AL, GA, LA, MS, SC	FL, KY, NC, TN
OPERATIONAL SUPPORT SYSTEMS		
OSS LSR charge, per LSR received from the	\$3.50	\$3.50
CLEC by one of the OSS interactive interfaces		
	SOMEC	SOMEC
Incremental charge per LSR received from the	See applicable rate	\$19.99
CLEC by means other than one of the OSS	element	
interactive interfaces		SOMAN

Note: In addition to the OSS charges, applicable discounted service order and related discounted charges apply per the tariff.

Denial/Restoral OSS Charge

In the event Al-Call provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

Cancellation OSS Charge

Al-Call will incur an OSS charge for an accepted LSR that is later canceled by Al-Call.

Note: Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

Network Elements and Other Services Manual Additive

The Commissions in Alabama, Georgia, Louisiana, Mississippi and South Carolina have ordered incremental manual non-recurring charges (NRC) for network elements and other services ordered by means other than one of the interactive interfaces. These ordered network elements and other services manual additive NRCs will apply in these states, rather than the charge per LSR.

Threshold Billing Plan

The Parties agree that Al-Call will incur the mechanized rate for all LSRs, both mechanized and manual, if the percentage of mechanized LSRs to total LSRs meets or exceeds the threshold percentages shown below:

Year	Ratio: Mechanized/Total LSRs
2000	80%
2001	90%

The threshold plan will be discontinued in 2002.

In calculating the percentages above, all orders submitted via BellSouth's mechanized LSR systems (LENS, EDI, EDI-PC, and TAG) will count as mechanized LSRs, regardless of whether

an order falls out of the mechanized process or requires manual intervention in order to be properly completed and processed.

BellSouth will track the total LSR volume for each CLEC for each quarter. At the end of that time period, a Percent Electronic LSR calculation will be made for that quarter based on the LSR data tracked in the LCSC. If this percentage exceeds the threshold volume, all of that CLECs' future manual LSRs will be billed at the mechanized LSR rate. To allow time for obtaining and analyzing the data and updating the billing system, this billing change will take place on the first day of the second month following the end of the quarter (*e.g.*, May 1 for 1Q, Aug 1 for 2Q, etc.). There will be no adjustments to the amount billed for previously billed LSRs.

BELLSOUTH/AI-Call RATES SERVICE PROVIDER NUMBER PORTABILITY

		RATES BY STATE								
DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF (1) (2)										
RCF, per number ported (Business Line), 10 paths	TNPBL	NA	NA	NA	NA	NA	NA	\$2.25	NA	NA
RCF, per number ported (Residence Line), 6 paths	TNPRL	NA	NA	NA	NA	NA	NA	\$1.15	NA	NA
RCF, per number ported (Business Line)	TNPBL	\$2.13	NA	\$2.03	NA	\$2.29	\$2.34	\$1.66	\$2.17	\$1.50
NRC - Electronic	TNPBL	\$0.65	NA	\$0.51	NA	\$0.49	\$0.6441	\$0.71	\$0.7046	NA
NRC - Disconnect Charge	TNPBL	\$0.07	NA	NA	NA	\$0.05	\$0.0644	\$0.50	NA	NA
RCF, per number ported (Residence Line)	TNPRL	\$2.13	NA	\$2.03	NA	\$2.29	\$2.34	\$1.66	\$2.17	\$1.25
INRC	TNPRL	\$0.65	NA	\$0.51	NA	\$0.49	\$0.6441	\$0.71	\$0.7046	NA
NRC - Disconnect Charge	TNPRL	\$0.07	NA	NA	NA	\$0.05	\$0.0644	\$0.50	NA	NA
RCF, add'l capacity for simultaneous call forwarding, per additional path	N/A	\$0.32	NA	\$0.2836	NA	\$0.38	\$0.3838	\$0.32	\$0.3854	\$0.50
3,1	(++) Bus = TNPBD	***		***************************************		, , , , , ,		*	*	•
RCF, per service order, per location	Res = TNPRD									
NRC - 1st	TNP++	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	\$2.73	\$1.37	\$25.00
NRC - Add'l	TNP++	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	\$2.73	\$1.37	\$25.00
NRC - Disconnect - 1st	TNP++	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	NA	NA
NRC - Disconnect - Add'l	TNP++	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	NA	NA	\$18.14	\$25.52	\$45.80	NA	NA
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$27.37	NA	NA	NA	\$18.14	\$25.52	\$45.80	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	\$44.70	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	\$44.70	NA
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID										
DID per number ported, Residence - NRC	TNPDR	\$1.18	NA	\$0.93	NA	\$0.89	\$1.17	\$2.25	\$2.25	NA
DID per number ported, Residence - NRC - Disconnect	TNPDR	\$1.18	NA	NA	NA	\$0.90	\$1.17	NA	NA	NA
DID per number ported, Business - NRC	TNPDB	\$1.18	NA	\$0.93	NA	\$0.89	\$1.17	\$2.25	\$2.25	NA
DID per number ported, Business - NRC - Disconnect	TNPDB	\$1.18	NA	NA	NA	\$0.90	\$1.17	NA	NA	NA
DID per service order, per location		-								
NRC - 1st	TNPRD	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	\$2.73	\$1.37	NA
NRC - Add'l	TNPRD	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	\$2.73	\$1.37	NA
NRC - Disconnect - 1st	TNPRD	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	\$44.70	NA
NRC - Disconnect - Add'l	TNPRD	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	\$44.70	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$45.80	NA	NA
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$27.37	NA	NA	NA	\$18.14	\$25.52	\$45.80	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA
DID, per trunk termination, Initial	TNPT2	\$11.84	NA	\$10.73	NA	\$12.46	\$13.78	\$11.43	\$13.16	NA
DID, per trunk termination, Initial - NRC	TNPT2	\$173.73	NA	\$135.47	NA	\$129.69	\$171.68	\$217.88	\$218.03	NA
DID, per trunk termination, Initial - Disconnect	TNPT2	\$50.43	NA	NA	NA	\$37.85	\$49.86	NA	NA	NA
DID, per trunk termination, Subsequent	TNPT2	\$11.84	NA	\$10.73	NA	\$12.46	\$13.78	\$11.43	\$13.16	NA
DID, per trunk termination, Subsequent - NRC	TNPT2	\$51.35	NA	\$39.53	NA	\$37.85	\$50.69	\$73.56	\$73.63	NA
DID, per trunk termination, Subsequent - Disconnect	TNPT2	\$25.00	NA	NA	NA	\$18.75	\$24.71	NA	NA	NA

NOTES:

If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

¹ Until the FCC issues its order implementing a cost recovery mechanism for permanent number portability, the Company will track its costs of providing interim SPNP with sufficient detail to verify the costs. This will facilitate the Florida PSCs consideration of the recovery of these costs in Docket 950737-TP. (FL)

² BellSouth and CLEC will each bear their own costs of providing remote call forwarding as an interim number portability option. (KY)

Attachment 6

Ordering and Provisioning

TABLE OF CONTENTS

1.	Quality of Ordering and Provisioning	3
2.	Access to Operational Support Systems	3
3.	Miscellaneous Ordering and Provisioning Guidelines	6

ORDERING AND PROVISIONING

1. Quality of Ordering and Provisioning

- 1.1 BellSouth shall provide ordering and provisioning services to Al-Call that are equal to the ordering and provisioning services BellSouth provides to itself or any other CLEC. Detailed guidelines for ordering and provisioning are set forth in BellSouth's Local Interconnection and Facility Based Ordering Guide and Resale Ordering Guide, as appropriate, and as they are amended from time to time during this Agreement. BellSouth will notify Al-Call of any such amendments via the web and BellSouth will use best efforts to notify Al-Call within thirty (30) days, but in no event will BellSouth notify Al-Call after the change has occurred.
- 1.2 BellSouth will provide provisioning services to Al-Call during the same normal hours of operation that BellSouth provides itself, its end-users, and other CLECs. The normal hours of operation are as follows:

Monday - Friday - 8:00AM - 5:00PM location time (excluding holidays)

(Resale/Network Element non coordinated, coordinated orders and order coordinated - Time Specific)

Saturday - 8:00 AM - 5:00 PM location time (excluding holidays)
(Resale/Network Element non coordinated orders)

Times are either Eastern or Central time based on the location of the work being performed.

All other Al-Call requests for provisioning and installation services are considered outside of the normal hours of operation as referenced above and may be performed subject to the application of overtime billing charges. BellSouth will perform these services that are considered outside the normal hours of operation in the manner in which BellSouth performs and bills such services for itself, endusers, and other CLECs.

2. Access to Operational Support Systems

2.1 BellSouth shall provide Al-Call access to several operations support systems. Access to these support systems is available through a variety of means, including electronic interfaces. BellSouth also provides the option of placing orders manually (e.g., via facsimile) through the Local Carrier Service Center. The operations support systems available are:

- Pre-Ordering. BellSouth provides electronic access to the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, and upon Commission approval of confidentiality protections, to customer record information. Access is provided through the Local Exchange Navigation System (LENS) and the Telecommunications Access Gateway (TAG). Customer record information includes any and all customer specific information, including but not limited to, customer specific information in CRIS and RSAG. Al-Call agrees not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission and further agrees that Al-Call will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the in which the service is provided.
- 2.2.1 <u>Interfaces.</u> BellSouth shall make available the following interfaces to Al-Call for access to pre-order functions: LENS; *and* TAG. Each such interface shall be available on a non-discriminatory basis in connection with pre-ordering for Resale services and UNES that are available electronically.
- 2.2.2 The Parties acknowledge that ordering requirements necessitate the use of current, real time pre-order information to accurately build service orders. Each pre-order interface shall be available except for downtime attributable to maintenance and upload, twenty-four (24) hours a day, seven (7) days a week.
- 2.2.3 Al-Call shall be permitted to reserve a number, including, without limitation, a vanity number, for up to thirty (30) days for End Users.
- 2.2.4 All CSR data exchanged must be in English text, and not only USOC or FID format, provided that such information is maintained in textual format by BellSouth. All other data shall be in a mutually agreed upon nomenclature.
- 2.2.5 Upon request, BellSouth shall provide Al-Call with pre-order information in batch transmission to the extent available or provided to any other Telecommunications Carrier on the same terms and conditions and at the same rates.
- 2.2.6 Pre-ordering functions shall be provided at parity as measured by the Performance Measurement metrics included in Attachment 9 hereto.
- 2.3 <u>Service Ordering and Provisioning</u>. BellSouth provides electronic options for the exchange of ordering and provisioning information. BellSouth provides an Electronic Data Interchange (EDI) arrangement for resale requests and certain network elements and other services. As an alternative to the EDI arrangement, BellSouth also provides through LENS and TAG an ordering and provisioning capability that is integrated with the LENS and TAG pre-ordering capability.
- 2.3.1 For generation of Resale service orders, ordering flows shall be available via such electronic interfaces for each of the following ordering functions: Conversion ("as

is" or "with changes"); Change (features, listings, long distance); New Connect; Disconnect; From and To (change of premises with same service).

- 2.3.2 BellSouth shall provide to Al-Call electronic and manual interfaces for transmitting orders and receiving Firm Order Confirmation ("FOC"), completion notices, Due-Date Jeopardies, and, as available, other provisioning data and information. BellSouth shall provide Al-Call with a FOC for each Resale and UNE order. The FOC includes: purchase order number, telephone number, Local Service Request number, due date, and Service Order number.
- 2.3.3 BellSouth shall provision Resale Services and UNEs as prescribed in Al-Call service order requests. Access to status on electronically-submitted Resale services and UNEs shall be provided via the electronic interfaces. Access to status on manually-submitted service order requests shall be provided manually or via the Purchase Order Number ("PON") report on BellSouth's Internet website.
- 2.3.4 BellSouth shall provide notice of a lack of facilities availability at parity to that BellSouth provides to itself, its Affiliates, or any other Telecommunications Carrier.
- Service Trouble Reporting and Repair. Service trouble reporting and repair allows Al-Call to report and monitor service troubles and obtain repair services. BellSouth shall offer Al-Call service trouble reporting in a non-discriminatory manner that provides Al-Call the equivalent ability to report and monitor service troubles that BellSouth provides to itself. BellSouth also provides Al-Call an estimated time to repair, an appointment time or a commitment time, as appropriate, on trouble reports. BellSouth provides two options for electronic trouble reporting. For exchange services, BellSouth offers Al-Call access to the Trouble Analysis Facilitation Interface (TAFI). For individually designed services, BellSouth provides electronic trouble reporting through an electronic communications gateway. If Al-Call requests BellSouth to repair a trouble after normal working hours, Al-Call will be billed the appropriate overtime charges associated with this request pursuant to BellSouth's tariffs.
- Migration of Al-Call to New BellSouth Software Releases. BellSouth will issue new software releases for its electronic interfaces as needed to improve operations and meet standards and regulatory requirements. When a new release is implemented, BellSouth will continue to support both the new release (N) and the prior release (N-1). When BellSouth makes the next release (N+1), BellSouth will eliminate support for the (N-1) release and support the two newest releases (N and N+1). Thus, BellSouth will always support the two most current releases. BellSouth will issue documents to Al-Call with sufficient notice to allow Al-Call to make the necessary changes to its systems and operations to migrate to the newest release in a timely fashion. BellSouth will use its best efforts to issue such documents thirty (30) days in advance of changes.

Rates. To the extent approved by the Commission or agreed to by the Parties, all costs incurred by BellSouth to develop and implement operational interfaces shall be recovered from the carriers who utilize the services. Charge for use of Operational Support Systems shall be as set forth in Attachments 1 and 2 of this Agreement.

3. Miscellaneous Ordering and Provisioning Guidelines

- Pending Orders. To ensure the most efficient use of facilities and resources, orders placed in the hold or pending status by Al-Call will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, if Al-Call wishes to reinstate an order, Al-Call may be required to submit a new service order.
- 3.2 Single Point of Contact. Al-Call will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Al-Call to provide services to its end users, except that BellSouth may accept an order directly from another CLEC, or BellSouth, acting with authorization of the affected end user. Al-Call and BellSouth shall each execute a blanket letter of authorization with respect to customer orders. The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for orders, provided, however, that such processes shall comply with applicable state and federal law including, until superseded, the FCC guidelines and orders applicable to Presubscribed Interexchange Carrier (PIC) changes including Un-PIC. Pursuant to such an order, BellSouth may disconnect any network element associated with the service to be disconnected and being used by Al-Call to provide service to that end user and reuse such network elements or facilities to enable such other LEC to provide service to the end user. BellSouth will notify Al-Call that such an order has been processed, but will not be required to notify Al-Call in advance of such processing.
- 3.3 <u>Use of Facilities</u>. When a Al-Call customer elects to discontinue service and transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Al-Call by BellSouth for retail or resale service, loop and/or port for that customer. In addition, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received an order to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility.
- 3.3.1 Upon receipt of a service order, BellSouth will do the following:
- 3.3.1.1 Process disconnect and reconnect orders to provision the service which shall be due dated using current interval guidelines.

- 3.3.1.2 Reuse the serving facility for the retail, resale service, or network element at the same location.
- 3.3.1.3 Notify Al-Call subsequent to the disconnect order being completed.
- 3.4 <u>Contact Numbers</u>. BellSouth shall provide single points of contact ("SPOC") for the provisioning of Resale Services (LCSC) and UNEs (UNE Center) ordered by Al-Call. Pre-ordering and ordering shall be available via an electronic interface seven (7) days a week, 24 hours a day.

BellSouth shall provide access to assistance for technical issues such as connectivity and passwords related to LENS, TAG and TAFI, and to the "EDI Central Group" for technical problems with EDI. Assistance will be available by telephone during normal business hours and through other contacts on nights, weekends and holidays.

- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an inter-exchange carrier (i.e., PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will provide the affected inter-exchange carriers with the Operating Company Number (OCN) of the local provider for the purpose of obtaining end user billing account and other end user information required under subscription requirements.
- 3.6 <u>Cancellation Charges</u>. If Al-Call cancels an order for network elements or other services, any costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with FCC No. 1 Tariff, Section 5.4.
- 3.7 <u>Disaster Recovery Plan.</u> BellSouth's Disaster Recover Plan is as set forth in Attachment 11 of this Agreement.
- 3.8 <u>Ordering and Provisioning Information.</u> BellSouth shall provide the following to Al-Call upon request:
- 3.8.1 Design Layout Records ("DLRs") for designed unbundled Network Elements; and
- 3.8.2 Advance information on the details and requirements for planning and implementation of NPA splits.
- 3.9 <u>Access to the Regional Street Address Guide ("RSAG") information via LENS or TAG pre-ordering.</u> Non Proprietary RSAG subsets shall be made available pursuant to the Bona Fide Request ("BFR") process.
- 3.10 BellSouth and Al-Call shall establish mutually acceptable methods and procedures for handling all misdirected calls from Al-Call End Users. All misdirected calls to BellSouth from Al-Call End Users shall be given a recording (or a live statement) directing them to call an Al-Call-designated toll free number. Al-Call, on a reciprocal basis, shall refer all misdirected calls that Al-Call receives from

BellSouth End Users to a BellSouth-designated number. Al-Call and BellSouth each shall be responsible for providing the other party with its current toll free number. The foregoing shall apply only when the Party receiving such call knows or has reason to know that the call is misdirected from an End User of the other Party hereto.

- 3.11 BellSouth shall provide order format specifications to Al-Call for all available services, features, and functions and for ancillary data required by BellSouth to provision these services.
- 3.12 BellSouth shall provide Al-Call with standard expected provisioning intervals for all unbundled Network Elements.
- 3.13 BellSouth shall not reconfigure any Al-Call service arrangements of any Al-Call End User for Resale services, UNEs or Combinations, unless so directed by Al-Call. Any Al-Call End User that contacts BellSouth regarding a change to its Al-Call service (excluding changes in its local service provider) shall be advised to contact Al-Call. Any BellSouth End User that contacts Al-Call regarding a change in BellSouth service (excluding changes in its local service provider) shall be advised to contact BellSouth.
- The Parties shall provide a generic intercept referral message that includes any new telephone number of an End User for the same period of time that BellSouth currently provides such a message for its own End Users. The intercept message shall be similar in format to the intercept referral message currently provided by BellSouth for its own End Users.
- 3.15 BellSouth shall perform all pre-testing necessary to ensure the services ordered meet the specifications outlined in the technical service description provided by BellSouth for the service being ordered.
- Any written "leave behind" materials that BellSouth technicians provide to Al-Call End Users shall be non-branded materials that do not identify the work being performed as being by BellSouth. These materials shall include, without limitation, non-branded forms for the Customer and non-branded "not at home" cards.
- 3.17 If an Al-Call End User requests a change of service at the time of installation, BellSouth technicians shall direct them to contact Al-Call directly and provide a toll-free number supplied by Al-Call. When a BellSouth employee visits the premise of an Al-Call End User, the BellSouth employee shall inform the Customer that he or she is there acting on behalf of Al-Call.
- 3.18 BellSouth shall provide telephone and/or facsimile notification to Al-Call of any Al-Call end user service requests and charges therefore not authorized on the Al-Call service request, and obtain Al-Call's approval prior to commencing work.

- 3.19 Each Party shall train and direct its employees who have contact with End Users of the other Party in the process of provisioning, maintenance or repair not to disparage the other Party or its services in any way to the other Party's End Users.
- When Al-Call places an LSR, Al-Call shall specify a requested Due Date, and BellSouth shall specify a Due Date based on the applicable intervals. In the event Al-Call's requested date is less than the standard interval, Al-Call shall contact BellSouth by telephone and the Parties shall negotiate an expedited Due Date. This situation shall be considered an expedited order for which expedite charges will apply in accordance with BellSouth FCC No. 1 Tariff. BellSouth shall not complete the order prior to the Due Date unless authorized by Al-Call. If BellSouth misses the Due Date, BellSouth shall promptly notify Al-Call of the revised installation Due Date. If Al-Call requests that an order be expedited, BellSouth shall notify Al-Call of the status of the order (i) by the end of the same Business Day when such expedite requests are made prior to noon; or (ii) by noon the following Business Day otherwise.
- 3.21 Al-Call and BellSouth shall agree to escalation procedures and contacts for resolving questions and disputes related to ordering and provisioning procedures or to the processing of individual orders, subject ultimately to the dispute resolution provisions of this Agreement. The Parties shall use best efforts to notify each other of any modifications to these contacts within ten (10) days of any such modifications.
- 3.22 BellSouth shall transmit to Al-Call a FOC or, in the alternative, notification of the lack of available facilities within time periods specified hereafter after BellSouth's receipt of a complete and correct order from Al-Call, provided, however, that an order for complex services requiring a service inquiry shall be deemed received for these purposes only after completion of the service inquiry. The FOC shall contain a commitment date, which shall be established on a nondiscriminatory basis with respect to installation dates for comparable orders at such time. If Al-Call uses LENS, EDI, or any other electronic interface for the submission of the order, the FOC or notification shall be posted by BellSouth in such interface within twentyfour (24) hours of receipt of the order. If Al-Call does not use these interfaces, or these interfaces are not available for the service or UNE being ordered, BellSouth shall transmit the FOC or notification by telecopier to a toll-free number provided by Al-Call within forty-eight (48) hours of BellSouth's receipt of the order. When Al-Call submits a complete and correct LSR for SPNP and an associated unbundled Loop simultaneously, BellSouth shall likewise issue a FOC for both the Loop and the SPNP simultaneously.
- For Local Service Requests submitted via an electronic interface, BellSouth shall notify Al-Call via the same electronic interface, of Rejections/Errors contained in any of the data element(s) field(s) contained on any Al-Call Local Service Request. For Local Service Requests submitted manually, BellSouth shall notify Al-Call by facsimile of such Rejections and Errors. BellSouth will notify Al-Call of

Rejections or Errors in 95% of mechanized orders within one (1) hour from BellSouth's receipt of the order. BellSouth will notify Al-Call of Rejections or Errors in 85% of non-mechanized and partially mechanized orders within forty-eight (48) hours from BellSouth's receipt of the order.

3.24 No manual ordering charges shall apply to local service request submitted by Al-Call when BellSouth's existing electronic interfaces normally utilized by Al-Call are unavailable for reasons other than scheduled maintenance or other scheduled activities for which advance notification is required and provided by BellSouth.

Attachment 7

Billing and Billing Accuracy Certification

TABLE OF CONTENTS

1.	Payment and Billing Arrangements	3
	Billing Accuracy Certification	
	Billing Disputes	
	RAO Hosting	
5.	Optional Daily Usage File	.11
	Access Daily Usage File	
	Enhanced Optional Daily Usage File	

BILLING AND BILLING ACCURACY CERTIFICATION

1. Payment and Billing Arrangements

- Billing. BellSouth agrees to provide billing through the Carrier Access Billing System (CABS) and through the Customer Records Information System (CRIS) depending on the particular service(s) that Al-Call requests. BellSouth will bill and record in accordance with this Agreement those charges Al-Call incurs as a result of Al-Call purchasing from BellSouth Network Elements and Other Services as set forth in this Agreement. BellSouth will format all bills in CBOS Standard or CLUB/EDI format, depending on the type of service ordered. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the industry forum.
- 1.1.1 For any service(s) BellSouth orders from Al-Call, Al-Call shall bill BellSouth in CABS format or in accordance with industry standards.
- 1.1.2 If either Party requests multiple billing media or additional copies of bills, the Billing Party will provide these at a reasonable cost.
- Master Account. After receiving certification as a local exchange company from the appropriate regulatory agency, Al-Call will, to the extent not already done so, provide the appropriate BellSouth account manager the necessary documentation to enable BellSouth to establish a master account for Local Interconnection, Network Elements and Other Services, and/or resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA"), Carrier Identification Code (CIC), Group Access Code (GAC), Access Customer Name and Address (ACNA) and a tax exemption certificate, if applicable.
- 1.3 Payment Responsibility. Payment of all charges will be the responsibility of Al-Call. Al-Call shall make payment to BellSouth for all services billed. BellSouth is not responsible for payments not received by Al-Call from Al-Call's customer. BellSouth will not become involved in billing disputes that may arise between Al-Call and its customer. Payments made to BellSouth as payment on account will be credited to an accounts receivable master account and not to an end user's account.
- 1.4 <u>Payment Due</u>. The payment will be due by the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.

If the payment due date falls on a Sunday or on a Holiday which is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment penalty, as set forth in Section 1.7, below, shall apply.

- 1.5 <u>Tax Exemption</u>. Upon proof of tax exempt certification from Al-Call, the total amount billed to Al-Call will not include those taxes or fees for which the CLEC is exempt. Al-Call will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the end user of Al-Call.
- Late Payment. If any portion of the payment is received by either Party after the payment due date as set forth preceding, or if any portion of the payment is received by either Party in funds that are not immediately available to the other Party, then a late payment penalty shall be due to the Party that issued the invoice. The late payment penalty shall be the portion of the payment not received by the payment due date times a late factor and will be applied on a per bill basis. The late factor shall be as set forth in each Party's appropriate tariffs.
- 1.7 <u>Discontinuing Service to Al-Call</u>. The procedures for discontinuing service to Al-Call are as follows:
- 1.7.1 BellSouth reserves the right to suspend or terminate service for nonpayment or in the event of prohibited, unlawful or improper use of BellSouth facilities or service or any other violation or noncompliance by Al-Call of the rules and regulations contained in BellSouth's tariffs.

If payment of undisputed amounts is not received by the bill day in the month after the original bill day, BellSouth may provide written notice to Al-Call that additional applications for service will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, give thirty days notice to Al-Call at the billing address to discontinue the provision of existing services to Al-Call at any time thereafter.

For purposes of this Agreement, a Bona Fide Dispute means a dispute of a specific amount of money actually billed by BellSouth. The dispute must be clearly explained by Al-Call and supported by written documentation from Al-Call, which clearly shows the basis for Al-Call's dispute of the charges. The dispute must be itemized to show the Q account and earning number against which the disputed amount applies. By way of example and not by limitation, a Bona Fide Dispute will not include the refusal to pay all or part of a bill or bills when no written

documentation is provided to support the dispute, nor shall a Bona Fide Dispute include the refusal to pay other amounts owed by Al-Call until the dispute is resolved. Claims by Al-Call for damages of any kind will not be considered a Bona Fide Dispute for purposes of this Agreement. Once the Bona Fide Dispute is resolved by BST, Al-Call will make immediate payment on any of the disputed amount owed to BST or BST shall have the right to pursue normal treatment procedures. Any credits due to Al-Call, pursuant to the Bona Fide Dispute, will be applied to Al-Call's account by BST immediately upon resolution of the dispute.

- 1.7.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
- 1.7.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and Al-Call's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to Al-Call.
- 1.7.5 If payment is not received or satisfactory arrangements made for payment by the date given in the written notification, Al-Call's services will be discontinued. Upon discontinuance of service on Al-Call's account, service to the Al-Call's end users will be denied. BellSouth will reestablish service at the request of the end user or Al-Call for BellSouth to reestablish service upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. Al-Call is solely responsible for notifying the end user of the proposed service disconnection. If within fifteen days after an end user's service has been denied and no arrangements to reestablish service have been made consistent with this subsection, the end user's service will be disconnected.
- 1.8 <u>Deposit Policy.</u> When purchasing services from BellSouth, Al-Call will be required to complete the BellSouth Credit Profile and provide information regarding credit worthiness. Based on the results of the credit analysis, the Company reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or in its sole discretion some other form of security. Any such security deposit shall in no way release the customer from his obligation to make complete and timely payments of his bill. Such security shall be required prior to the inauguration of service.

BellSouth reserves the right to increase the security deposit requirements when, in its reasonable judgment and on a nondiscriminatory basis, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the security deposit. In determining the security deposit so required, BellSouth will review Al-Call's Dunn & Bradstreet ratings; Al-Call's payment history with BellSouth, and payment history with others as available; the number of years Al-Call has been in business; Al-Call's management history and managers'

length of service with Al-Call; liens, suits and judgments against Al-Call; UCC-1 filings against Al-Call's assets; and, to the extent available, Al-Call's financial information.

Rates. Rates for Optional Daily Usage File (ODUF), Enhanced Optional Daily Usage File (EODUF), Access Daily Usage File (ADUF), and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

2. <u>Billing Accuracy Certification</u>

- Upon request, BellSouth and Al-Call will agree upon a billing quality assurance program for all billing elements covered in this Agreement that will eliminate the need for post-billing reconciliation. Appropriate terms for access to any BellSouth documents, systems, records, and procedures for the recording and billing of charges will be part of that program.
- As part of the billing quality assurance program, BellSouth and Al-Call will develop standards, measurements, and performance requirements for a local billing measurements process. On a regular basis BellSouth will provide Al-Call with mutually agreed upon performance measurement data that substantiates the accuracy, reliability, and integrity of the billing process for local billing. In return, Al-Call will pay all bills received from BellSouth in full by the payment due date.
- 2.3 Local billing discrepancies will be addressed in an orderly manner via a mutually agreed upon billing exemption process.
- 2.3.1 Each Party agrees to notify the other Party upon identifying a billing discrepancy. The Parties shall endeavor to resolve any billing discrepancy within sixty (60) calendar days of the notification date. A mutually agreed upon escalation process will be established for resolving local billing discrepancies as part of the billing quality assurance program.
- 2.3.2 Closure of a specific billing period will occur by joint agreement of the Parties whereby the Parties agree that such billing period is closed to any further analysis and financial transactions except those resulting from regulatory mandates. Closure will take place within a mutually agreed upon time interval from the Bill Date. The month being closed represents those charges that were billed or should have been billed by the designated Bill Date.

3. Billing Disputes

- 3.1 Where the Parties have not agreed upon a billing quality assurance program, billing disputes shall be handled pursuant to the terms of this section.
- 3.1.1 Each Party agrees to notify the other Party upon the discovery of a billing dispute. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date.
- 3.2 If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment penalty shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date times the late factor as set forth in the following BellSouth tariffs: for services purchased from the General Subscribers Services Tariff for purposes of resale and for ports and non-designed loops, Section A2 of the General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the Private Line Service Tariff; and for network elements and other services and local interconnection charges, Section E2 of the Access Service Tariff. In no event, however, shall interest be assessed by either Party on any previously assessed late payment charges. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs. There will be no late payment interest if the withholding party prevails in the dispute.

4. RAO Hosting

- 4.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to Al-Call by BellSouth will be in accordance with the methods and practices regularly adopted and applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth and for which BellSouth will use best efforts to provide Al-Call written notice or electronic mail within thirty (30) days.
- 4.2 Al-Call shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 4.3 Applicable compensation amounts will be billed by BellSouth to Al-Call on a monthly basis in arrears. Amounts due from one Party to the other (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- 4.4 Al-Call must have its own unique RAO code, to the extent that Al-Call does not already have such a code. Requests for establishment of RAO status where BellSouth is the selected Centralized Message Distribution System (CMDS)

interfacing host, require written notification from Al-Call to the BellSouth RAO Hosting coordinator at least eight (8) weeks prior to the proposed effective date. The proposed effective date will be mutually agreed upon between the Parties with consideration given to time necessary for the completion of required Telcordia (formerly BellCore) functions. BellSouth will request the assignment of an RAO code from its connecting contractor, currently Telcordia (formerly BellCore), on behalf of Al-Call and will coordinate all associated conversion activities.

- 4.5 BellSouth will receive messages from Al-Call that are to be processed by BellSouth, another LEC or CLEC in the BellSouth region or a LEC outside the BellSouth region.
- 4.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from Al-Call.
- 4.7 All data received from Al-Call that is to be processed or billed by another LEC or CLEC within the BellSouth region will be distributed to that LEC or CLEC in accordance with the Agreement(s) which may be in effect between BellSouth and the involved LEC or CLEC.
- 4.8 All data received from Al-Call that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) which may be in effect between BellSouth and its connecting contractor (currently Telcordia (formerly BellCore)).
- 4.9 BellSouth will receive messages from the CMDS network that are destined to be processed by Al-Call and will forward them to Al-Call on a daily basis.
- 4.10 Transmission of message data between BellSouth and Al-Call will be via CONNECT:Direct.
- 4.11 All messages and related data exchanged between BellSouth and Al-Call will be formatted in accordance with accepted industry standards for EMI formatted records and packed between appropriate EMI header and trailer records, also in accordance with accepted industry standards.
- 4.12 Al-Call will ensure that the recorded message detail necessary to recreate files provided to BellSouth will be maintained for back-up purposes for a period of three (3) calendar months beyond the related message dates.
- 4.13 Should it become necessary for Al-Call to send data to BellSouth more than sixty (60) days past the message date(s), Al-Call will notify BellSouth in advance of the transmission of the data. If there will be impacts outside the BellSouth region,

BellSouth will work with its connecting contractor and Al-Call to notify all affected Parties.

- In the event that data to be exchanged between the two Parties should become lost or destroyed, both Parties will work together to determine the source of the problem. Once the cause of the problem has been jointly determined and the responsible Party (BellSouth or Al-Call) identified and agreed to, the company responsible for creating the data (BellSouth or Al-Call) will make every effort to have the affected data restored and retransmitted. If the data cannot be retrieved, the responsible Party will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the date of problem resolution, or as mutually agreed upon by the Parties.
- 4.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from Al-Call, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify Al-Call of the error condition. Al-Call will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, Al-Call will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 4.16 In association with message distribution service, BellSouth will provide Al-Call with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 4.17 In no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Agreement.
- 4.18 RAO Compensation
- 4.18.1 Rates for message distribution service provided by BellSouth for Al-Call are as set forth in Exhibit A to this Attachment.
- 4.18.2 Rates for data transmission associated with message distribution service are as set forth in Exhibit A to this Attachment .
- 4.18.3 Data circuits (private line or dial-up) will be required between BellSouth and Al-Call for the purpose of data transmission. Where a dedicated line is required, Al-Call will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Al-Call will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to

attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Al-Call. Additionally, all message toll charges associated with the use of the dial circuit by Al-Call will be the responsibility of Al-Call. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties.

- 4.18.4 All equipment, including modems and software, that is required on the Al-Call end for the purpose of data transmission will be the responsibility of Al-Call.
- 4.19 <u>Intercompany Settlements Messages</u>
- 4.19.1 This Section addresses the settlement of revenues associated with traffic originated from or billed by Al-Call as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between Al-Call and the involved company(ies), unless that company is participating in NICS.
- 4.19.2 Both traffic that originates outside the BellSouth region by Al-Call and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by Al-Call, is covered by this Agreement (CATS). Also covered is traffic that either is originated by or billed by Al-Call, involves a company other than Al-Call, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- 4.19.3 Once Al-Call is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via Telcordia (formerly BellCore)'s, its successor or assign, NICS system.
- 4.19.4 BellSouth will receive the monthly NICS reports from Telcordia (formerly BellCore), its successor or assign, on behalf of Al-Call. BellSouth will distribute copies of these reports to Al-Call on a monthly basis.
- 4.19.5 BellSouth will receive the monthly Calling Card and Third Number Settlement System (CATS) reports from Telcordia (formerly BellCore), its successor or assign, on behalf of Al-Call. BellSouth will distribute copies of these reports to Al-Call on a monthly basis.
- 4.19.6 BellSouth will collect the revenue earned by Al-Call from the Bell operating company in whose territory the messages are billed (CATS), less a per message billing and collection fee of five cents (\$0.05), on behalf of Al-Call. BellSouth will remit the revenue billed by Al-Call to the Bell operating company in whose

territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on Al-Call. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Al-Call via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

4.19.7 BellSouth will collect the revenue earned by Al-Call within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of Al-Call. BellSouth will remit the revenue billed by Al-Call within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Al-Call via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

BellSouth and Al-Call agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

5. <u>Optional Daily Usage File</u>

- Upon written request from Al-Call, BellSouth will provide the Optional Daily Usage File (ODUF) service to Al-Call pursuant to the terms and conditions set forth in this section.
- 5.2 The Al-Call shall furnish all relevant information required by BellSouth for the provision of the Optional Daily Usage File.
- 5.3 The Optional Daily Usage Feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Al-Call customer.

Charges for delivery of the Optional Daily Usage File will appear on the Al-Call's monthly bills. The charges are as set forth in Exhibit A to this Attachment.

- The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in the billing system of Al-Call will be the responsibility of the Al-Call. If, however, Al-Call should encounter significant volumes of errored messages that prevent processing by Al-Call within its systems, BellSouth will work with Al-Call to determine the source of the errors and the appropriate resolution.
- 5.6 The following specifications shall apply to the Optional Daily Usage Feed.

5.6.1 USAGE TO BE TRANSMITTED

- 5.6.1.1 The following messages recorded by BellSouth will be transmitted to Al-Call:
 - message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, ETC.)
 - measured billable Local
 - Directory Assistance messages
 - intraLATA Toll
 - WATS & 800 Service
 - N11
 - Information Service Provider Messages
 - Operator Services Messages
 - Operator Services Message Attempted Calls (Network Element only)
 - Credit/Cancel Records
 - Usage for Voice Mail Message Service
- 5.6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on Optional Daily Usage File. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 5.6.1.3 BellSouth will perform duplicate record checks on records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Al-Call.
- 5.6.1.4 In the event that Al-Call detects a duplicate on Optional Daily Usage File they receive from BellSouth, Al-Call will drop the duplicate message (Al-Call will not return the duplicate to BellSouth).
- 5.6.2 PHYSICAL FILE CHARACTERISTICS
- 5.6.2.1 The Optional Daily Usage File will be distributed to Al-Call via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on

the Daily Usage Feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.

Data circuits (private line or dial-up) may be required between BellSouth and Al-Call for the purpose of data transmission. Where a dedicated line is required, Al-Call will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Al-Call will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Al-Call. Additionally, all message toll charges associated with the use of the dial circuit by Al-Call will be the responsibility of Al-Call. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on Al-Call end for the purpose of data transmission will be the responsibility of Al-Call.

5.6.3 PACKING SPECIFICATIONS

- 5.6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Al-Call which BellSouth RAO that is sending the message. BellSouth and Al-Call will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Al-Call and resend the data as appropriate.

The data will be packed using ATIS EMI records.

5.6.4 PACK REJECTION

Al-Call will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Al-Call will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Al-Call by BellSouth.

5.6.5 CONTROL DATA

Al-Call will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Al-Call received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Al-Call for reasons stated in the above section.

5.6.6 TESTING

5.6.6.1 Upon request from Al-Call, BellSouth shall send test files to Al-Call for the Optional Daily Usage File. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that Al-Call set up a production (LIVE) file. The live test may consist of Al-Call's employees making test calls for the types of services Al-Call requests on the Optional Daily Usage File. These test calls are logged by Al-Call, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

6. Access Daily Usage File

- 6.1. Upon written request from Al-Call, BellSouth will provide the Access Daily Usage File (ADUF) service to Al-Call pursuant to the terms and conditions set forth in this section.
- 6.2 Al-Call shall furnish all relevant information required by BellSouth for the provision of the Access Daily Usage File.
- The Access Daily Usage Feed will contain access messages associated with a port that Al-Call has purchased from BellSouth
- Charges for delivery of the Access Daily Usage File will appear on the Al-Call's monthly bills. The charges are as set forth in Exhibit A to this Attachment. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in the billing system of the Al-Call will be the responsibility of the Al-Call. If, however, Al-Call should encounter significant volumes of errored messages that prevent processing by Al-Call within its systems, BellSouth will work with Al-Call to determine the source of the errors and the appropriate resolution.

6.6 USAGE TO BE TRANSMITTED

6.6.1 The following messages recorded by BellSouth will be transmitted to Al-Call:

Interstate and intrastate access records associated with a port.

Undetermined jurisdiction access records associated with a port.

When Al-Call purchases Network Element ports from BellSouth and calls are made using these ports, BellSouth will handle the calls as follows:

Originating from Network Element and carried by Interexchange Carrier:

BellSouth will bill network element to CLEC and send access record to the CLEC via ADUF

Originating from network element and carried by BellSouth (Al-Call is BellSouth's toll customer):

BellSouth will bill resale toll rates to Al-Call and send toll record for the end user toll billing purposes via ODUF (Optional Daily Usage File). Access record will be sent to Al-Call via ADUF.

Terminating on network element and carried by Interexchange Carrier:

BellSouth will bill network element to Al-Call and send access record to Al-Call.

Terminating on network element and carried by BellSouth:

BellSouth will bill network element to Al-Call and send access record to Al-Call.

- 6.6.3 BellSouth will perform duplicate record checks on records processed to the Access Daily Usage File. Any duplicate messages detected will be dropped and not sent to Al-Call.
- 6.6.4 In the event that Al-Call detects a duplicate on the Access Daily Usage File they receive from BellSouth, Al-Call will drop the duplicate message (Al-Call will not return the duplicate to BellSouth.)
- 6.6.5 PHYSICAL FILE CHARACTERISTICS
- 6.6.5.1 The Access Daily Usage File will be distributed to Al-Call via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a fixed block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (210 byte format plus

modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.

Data circuits (private line or dial-up) may be required between BellSouth and Al-Call for the purpose of data transmission. Where a dedicated line is required, Al-Call will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Al-Call will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Al-Call. Additionally, all message toll charges associated with the use of the dial circuit by Al-Call will be the responsibility of Al-Call. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on Al-Call end for the purpose of data transmission will be the responsibility of Al-Call.

6.6.6 PACKING SPECIFICATIONS

- 6.6.6.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Al-Call which BellSouth RAO that is sending the message. BellSouth and Al-Call will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Al-Call and resend the data as appropriate.

The data will be packed using ATIS EMI records.

6.6.7 PACK REJECTION

Al-Call will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Al-Call will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Al-Call by BellSouth.

6.6.8 CONTROL DATA

Al-Call will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Al-Call received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Al-Call for reasons stated in the above section.

6.6.9 TESTING

Upon request from Al-Call, BellSouth shall send test files to Al-Call for the Access Daily Usage File. Testing shall consist of actual calls made from live accounts. A call log shall be supplied along with test request information. The Parties agree to review and discuss the file's content and/or format.

7. <u>Enhanced Optional Daily Usage File</u>

- 7.1 Upon written request from Al-Call, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Al-Call pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 7.2 Al-Call shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.
- 7.3 The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.

Charges for delivery of the Enhanced Optional Daily Usage File will appear on the Al-Call's monthly bills. The charges are as set forth in Exhibit A to this Attachment.

- 7.4 All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in the billing system of Al-Call will be the responsibility of Al-Call. If, however, Al-Call should encounter significant volumes of errored messages that prevent processing by Al-Call within its systems, BellSouth will work with Al-Call to determine the source of the errors and the appropriate resolution.
- 7.6 The following specifications shall apply to the Optional Daily Usage Feed.

7.6.1 USAGE TO BE TRANSMITTED

7.6.1.1 The following messages recorded by BellSouth will be transmitted to Al-Call:

Customer usage data for flat rated local call originating from CLEC end user lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call
From Number
To Number
Connect Time
Conversation Time
Method of Recording
From RAO
Rate Class
Message Type
Billing Indicators
Bill to Number

- 7.6.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Al-Call.
- 7.6.1.3 In the event that Al-Call detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, Al-Call will drop the duplicate message (Al-Call will not return the duplicate to BellSouth).

7.6.2 PHYSICAL FILE CHARACTERISTICS

- 7.6.2.1 The Enhanced Optional Daily Usage Feed will be distributed to Al-Call over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among Al-Call's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).
- 7.6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Al-Call for the purpose of data transmission. Where a dedicated line is required, Al-Call will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Al-Call will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Al-Call. Additionally, all message toll charges associated with the use of the dial circuit by Al-Call will be the responsibility of Al-Call. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including

modems and software, that is required on Al-Call end for the purpose of data transmission will be the responsibility of Al-Call.

7.6.3 PACKING SPECIFICATIONS

- 7.6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 7.6.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Al-Call which BellSouth RAO that is sending the message. BellSouth and Al-Call will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Al-Call and resend the data as appropriate.

The data will be packed using ATIS EMI records.

BELLSOUTH/AI-Call RATES ODUF/EDOUF/ADUF/CMDS

			RATES BY STATE							
DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN
ODUF/EODUF/ADUF/CMDS										
ODUF: Recording, per message	N/A	\$0.0002	\$0.008	\$0.008	\$0.0008611	\$0.00019	\$0.0001179	\$0.008	\$0.0002862	\$0.008
ODUF: Message Processing, per message	N/A	\$0.0033	\$0.004	\$0.004	\$0.0032357	\$0.0024	\$0.0032089	\$0.004	\$0.0032344	\$0.004
EODUF: Message Processing, per message	N/A	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004
ADUF: Message Processing, per message	N/A	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004
CMDS: Message Processing, per message	N/A	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004
ODUF: Message Processing, per magnetic tape provisioned	N/A	\$55.19	\$54.95	\$54.95	\$55.68	\$47.30	\$54.62	\$54.95	\$54.72	\$54.95
EODUF: Message Processing, per magnetic tape provisioned	N/A	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30
ODUF: Data Transmission (CONNECT:DIRECT), per message	N/A	\$0.00004	\$0.001	\$0.001	\$0.0000365	\$0.00003	\$0.0000354	\$0.001	\$0.0000357	\$0.001
EODUF: Data Transmission (CONNECT:DIRECT), per message	N/A	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364
ADUF: Data Transmission (CONNECT:DIRECT), per message	N/A	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001
CMDS: Data Transmission (CONNECT:DIRECT), per message	N/A	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001

NOTES:

If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the parties upon request by either party.

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

Attachment 9

Performance Measurements

Performance Measurements

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission.

for

Al-Call, Inc. (Al-Call)

BellSouth Standard Interconnection Agreement

Agreement Effective Date:	Agreement Expiration Date:
Account Manager: Michael Willis	Account Manager Tel No: 404-927-8003

Attachment Name/Number	Section Number	Version Date	Planned Activities
Terms/Conditions PartA	1		
Terms/ Conditions 1 art/A	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	14		
	15		
	16		
	17		
	18		
	19		
	20		
	21		
	22		
	23		
	24		
	25		
	26		
Terms/Conditions Part B			

for

Al-Call, Inc. (Al-Call)

BellSouth Standard Interconnection Agreement

Attachment Name/Number	Section Number	Version Date	Planned Activities
1-Resale	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	Exhibit A		
	Exhibit B		
	Exhibit C		
	Exhibit D		
	Exhibit E		
	Exhibit F		
	Exhibit G		
2-Network Elements & Other Services	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		

for

Al-Call, Inc. (Al-Call)

BellSouth Standard Interconnection Agreement

Attachment	Section	Version	Planned Activities
Name/Number	Number	Date	
	10		
	11		
	12		
	13		
	14		
	15		
	16		
	17		
	Exhibit A		
	Exhibit B		
	Exhibit C		
3-Local Interconnection	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	Exhibit A		
	Exhibit B		
	Exhibit C		
	Exhibit D		
	Exhibit E		
4-Physical Collocation	1		
-	2		
	3		
	4		
	5		
	6		
	7		

Version 1Q00:3/6/00

for

Al-Call, Inc. (Al-Call)

BellSouth Standard Interconnection Agreement

Attachment Name/Number	Section Number	Version Date	Planned Activities
Traine/Trumber	Number	Date	
	8		
	9		
	10		
	11		
	12		
	13		
	14		
	Exhibit A		
4-Remote Site	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	14		
	Exhibit A		
5-Access to Numbers &			
Number Portability	1		
	2		
	3		
	4		
	5		
	6		
	7		

for

Al-Call, Inc. (Al-Call)

BellSouth Standard Interconnection Agreement

Attachment	Section	Version	Planned Activities
Name/Number	Number	Date	
	8		
	Exhibit A		
6-Ordering/Provisioning	1		
o ordering frovisioning	2		
	3		
7-Billing & Billing	-		
Accuracy Certification	1		
	2		
	3		
	4		
	5		
	6		
	7		
	Exhibit A		
8-ROW/Conduits/PoleAtt	1		
9-Perf Measurement	Pre-Ordering		
	Ordering		
	Provisioning		
	Maint/Repair		
	Billing		
	Opr Svcs/DA		
	E911		
	Trunk Grp Perf		
	Collocation		
	Appendix A		
	Appendix B		
10 F	Appendix C		
10-Executive Summary			
11 Digaster Pagovery			
11-Disaster Recovery			

for

Al-Call, Inc. (Al-Call)

BellSouth Standard Interconnection Agreement

Attachment Name/Number	Section Number	Version Date	Planned Activities

for

Al-Call, Inc. (Al-Call)

BellSouth Standard Interconnection Agreement

Agreement Effective Date:	Agreement Expiration Date:
Account Manager:	Account Manager Tel No:

Attachment	Section No.	Version	Planned Activities
Name		Date	
Terms/Conditions PartA	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	14		
	15		
	16		
	17		
	18		
	19		
	20		
	21		
	22		
	23		
	24		
	25		
	26		

for

Al-Call, Inc. (Al-Call)

BellSouth Standard Interconnection Agreement

Attachment	Section No.	Version	Planned Activities
Name		Date	
Terms/Conditions Part B			
1-Resale	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	Exhibit A		
	Exhibit B		
	Exhibit C		
	Exhibit D		
	Exhibit E		
	Exhibit F		
	Exhibit G		
	Exhibit H		
2-Network Elements & Other Services	1		
	2		
	3		
	4		
	5		
	6		
	7		

for

Al-Call, Inc. (Al-Call)

BellSouth Standard Interconnection Agreement

Attachment	Section No.	Version	Planned Activities
Name		Date	
	8		
	9		
	10		
	11		
	12		
	13		
	14		
	15		
	16		
	17		
	Exhibit A		
	Exhibit B		
	Exhibit C		
3-Local Interconnection	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	Exhibit A		
4-Physical Collocation	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		

for

Al-Call, Inc. (Al-Call)

BellSouth Standard Interconnection Agreement

Attachment	Section No.	Version	Planned Activities
Name		Date	
	9		
	10		
	11		
	12		
	13		
	14		
	Exhibit A		
4-Remote Site	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	14		
	Exhibit A		
5-Access to Numbers &			
Number Portability	1		
	2		
	3		
	4		
	5		
	6		
	7		

for

Al-Call, Inc. (Al-Call)

BellSouth Standard Interconnection Agreement

Attachment	Section No.	Version	Planned Activities
Name		Date	
	8		
	Exhibit A		
6-Ordering/Provisioning	1		
	2		
	3		
7-Billing & Billing			
Accuracy Certification	1		
	2		
	3		
	4		
	5		
	6		
	7		
	Exhibit A		
8-ROW/Conduits/PoleAtt	1		
9-Perf Measurement	Pre-Ordering		
	Ordering		
	Provisioning		
	Maint/Repair		
	Billing		
	Opr Svcs/DA		
	E911		
	Trunk Grp Perf		
	Collocation		
	Appendix A		
	Appendix B		
	Appendix C		

Attachment 11 BellSouth Disaster Recovery Plan

2000 BELLSOUTH

DISASTER RECOVERY PLANNING

For

CLECS

CONTENTS PAGE 1.0 Purpose 4 2.0 Single Point of Contact 4 3.0 Identifying the Problem 4 3.1 Site Control 5 3.2 **Environmental Concerns** 6 4.0 The Emergency Control Center (ECC) 6 5.0 Recovery Procedures 5.1 CLEC Outage 7 5.2 BellSouth Outage 7 8 5.2.1 Loss of Central Office 5.2.2 Loss of a Central Office with Serving Wire Center Functions 8 8 5.2.3 Loss of a Central Office with Tandem Functions 5.2.4 Loss of a Facility Hub 9 5.3 Combined Outage (CLEC and BellSouth Equipment 9 6.0 T1 Identification Procedures 9 10 7.0 Acronyms

1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed to hasten the recovery process. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only; BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire & life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to insure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Colonnade Building in Birmingham, Alabama. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available; leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of who's equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

5.2 BELLSOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the

completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Begin restoring service to CLECs and other customers.

5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in section 5.2.1.

5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)
- g) Begin restoring service to CLECs and other customers.

5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Restoring service to CLECs and other customers. If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently then normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

7.0 ACRONYMS

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

CLEC - Competitive Local Exchange Carrier

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

Hurricane Information

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at http://www.interconnection.bellsouth.com/network/disaster/dis_resp.htm. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm.

BST Disaster Management Plan

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

Attachment 12

Bona Fide Request and New Business Requests Process

BONA FIDE REQUEST AND NEW BUSINESS REQUESTS PROCESS

- 1.0 The Parties agree that Al-Call is entitled to order any Network Element, Interconnection option, service option or Resale Service required to be made available by the Communications Act of 1934, as modified by the Telecommunications Act of 1996 (the "Act"), FCC requirements or State Commission requirements. Al-Call also shall be permitted to request the development of new or revised facilities or service options which are not required by the Act. Procedures applicable to requesting the addition of such facilities or service options are specified in this Attachment 12.
- Bona Fide Requests ("BFR") are to be used when Al-Call makes a request of BellSouth to provide a new or modified network element, interconnection option, or other service option pursuant to the Act that was not previously included in the Agreement. New Business Requests ("NBRs") are to be used when Al-Call makes a request of BellSouth to provide a new or custom capability or function to meet Al-Call's business needs that was not previously included in the Agreement. The BFR/NBR process is intended to facilitate the two-way exchange of information between Al-Call and BellSouth, necessary for accurate processing of requests in a consistent and timely fashion.
- A BFR shall be submitted in writing by Al-Call and shall specifically identify the required service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request also shall include a Al-Call's designation of the request as being (i) pursuant to the Telecommunications Act of 1996 (i.e., a "BFR") or (ii) pursuant to the needs of the business (i.e., a "NBR"). The request shall be sent to Al-Call's Account Executive.
- Al-Call may cancel a BFR or NBR at any time. If Al-Call cancels the request more than three (3) business days after submitting it, Al-Call shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the BFR or NBR up to the date of cancellation. If Al-Call does not cancel a BFR or NBR, Al-Call shall pay BellSouth's reasonable and demonstrable costs of processing and implementing the request.
- Within fifteen (15) business days of its receipt of a BFR or NBR from Al-Call, BellSouth shall respond to Al-Call by providing a preliminary analysis of such Interconnection, Network Element, or other facility or service option that is the subject of the BFR or NBR. The preliminary analysis

shall confirm that BellSouth will either offer access to the Interconnection, Network Element, or other facility or service option, or provide an explanation of why it is not technically feasible and/or why the request does not qualify as an Interconnection, Network Element, or is not otherwise required to be provided under the Act.

- 6.0 If BellSouth determines that the Interconnection, Network Element, or other facility or service option that is the subject of the BFR is technically feasible, BellSouth shall propose a firm price and a detailed implementation plan within forty (40) business days after receipt of the BFR. BellSouth may, but shall not be required, to provide a firm time and cost proposal for a NBR.
- 7.0 Within thirty (30) business days after its receipt of (i) a refusal of BellSouth to provide a BFR or NBR price quote, or (ii) the BFR or NBR price quote and implementation plan from BellSouth, Al-Call must either confirm or cancel its order for such facility or service option. If it believes such quote is not consistent with the requirements of the Act, Al-Call may at that time seek FCC or state Commission arbitration of its request, as appropriate. Any such arbitration applicable to Network Elements and/or Interconnection shall be conducted in accordance with standards prescribed in Section 252 of the Act.
- 8.0 Unless Al-Call agrees otherwise, all prices shall be consistent with the pricing principles of the Act, FCC and/or the State Commission.
- 9.0 If either Party to a BFR or NBR believes that the other Party is not requesting, negotiating, or processing the Bona Fide Request in good faith, or disputes a determination, or price or cost quote, such Party may seek FCC or state Commission resolution of the dispute, as appropriate.
- 10.0 Upon agreement to the terms of a BFR or NBR, an amendment to the Agreement may be required.

AMENDMENT

TO

THE INTERCONNECTION AGREEMENT BETWEEN AL-CALL, INC. AND BELLSOUTH TELECOMMUNICATIONS, INC. DATED JANUARY 8, 2001

Pursuant to this Agreement (the "Amendment"), Al-Call, Inc. ("Al-Call) and BellSouth Telecommunications, Inc. ("BellSouth") hereinafter referred to as the "Parties", hereby agree to amend the Interconnection Agreement between the Parties dated January 8, 2001 ("Interconnection Agreement").

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. Attachment 2 is here by amended to include provisions for line sharing as section 6.10, as follows:

6.10 High Frequency Spectrum Network Element

- 6.10.1 General
- 6.10.1.1 BellSouth shall provide Al-Call access to the high frequency portion of the local loop as an unbundled network element only where BellSouth is the voice service provider to the end user ("High Frequency Spectrum") at the rates set forth in Exhibit C. BellSouth shall provide Al-Call with the High Frequency Spectrum irrespective of whether BellSouth chooses to offer xDSL services on the loop.
 - 6.10.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Al-Call the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL presumed acceptable for deployment pursuant to 47 CFR Section 51.230, including, but not limited to, ADSL, HDSL, and any other xDSL technology that is presumed to be acceptable for deployment pursuant to FCC rules. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Al-Call shall only use xDSL technology that is within the PSD mask parameters set forth in T1.413 or other applicable industry standards. Al-Call shall provision xDSL service on the High Frequency Spectrum in accordance with the applicable Technical Specifications and Standards.
- 6.10.1.3 The following loop requirements are necessary for Al-Call to be able to access the High Frequency Spectrum: an unconditioned, 2-wire copper loop. An unconditioned loop is a copper loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with

ANSI T1.413 and T1.601. BellSouth will provide Al-Call access to the Unbundled Loop Modification (Line Conditioning), in accordance with Section 2.2 of this Agreement. BellSouth is not required to condition a loop for access to the high frequency spectrum if conditioning of that loop significantly degrades BellSouth's voice service. If Al-Call requests that BellSouth condition a loop longer than 18,000 ft. and such conditioning significantly degrades the voice services on the loop, Al-Call shall pay for the loop to be restored to its original state.

- 6.10.1.4 Al-Call's termination point is the point of termination for Al-Call on the toll main distributing frame in the central office ("Termination Point"). BellSouth will use jumpers to connect Al-Call's connecting block to the splitter. The splitter will route the High Frequency Spectrum on the circuit to Al-Call's xDSL equipment in Al-Call's collocation space.
 - 6.10.1.5 Al-Call shall have access to the splitter for test purposes, irrespective of where the splitter is placed in the BellSouth premises.
- 6.10.2 Provisioning of High Frequency Spectrum and Splitter Space
- 6.10.2.1 BellSouth will provide Al-Call with access to the High Frequency Spectrum as follows:
- 6.10.2.2 BellSouth will install splitters within forty-two (42) calendar days of Al-Call's submission of such order to the BellSouth Complex Resale Support Group; provided, however, that in the event BellSouth did not have reasonable notice that a particular central office was to have a splitter installed therein, the forty-two (42) day interval shall not apply. Collocation itself or an application for collocation will serve as reasonable notice.
- Once a splitter is installed on behalf of Al-Call in a central office, Al-Call shall be entitled to order the High Frequency Spectrum on lines served out of that central office.
- 6.10.2.4 BellSouth will bill and Al-Call shall pay the SOMAN and SOMEC charges as described in Section 2.13 of this Agreement when Al-Call orders High Frequency Spectrum for end-user service.
- 6.10.2.5 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Al-Call access to data ports on the splitter. At least 30 days before making a change in splitter suppliers, BellSouth will provide Al-Call with a carrier notification letter, informing Al-Call of change. Al-Call shall purchase ports on the splitter as set forth more fully below.
- 6.10.2.6 BellSouth will install the splitter in (i) a common area close to the Al-Call collocation area, if possible; or (ii) in a BellSouth relay rack as close to the Al-Call DS0 termination point as possible. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. BellSouth will cross-connect the splitter data ports to a specified Al-Call DS0 at such time that a Al-Call end user's service is established.

- 6.10.2.7 The High Frequency Spectrum shall only be available on loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, and Al-Call desires to continue providing xDSL service on such loop, Al-Call shall be required to purchase a full standalone loop unbundled network element. In the event BellSouth disconnects the end-user's voice service pursuant to its tariffs or applicable law, and Al-Call desires to continue providing xDSL service on such loop, Al-Call shall be permitted to continue using the line by purchasing the full stand-alone loop unbundled network element. To the extent commercially practicable, BellSouth shall give Al-Call notice in a reasonable time prior to disconnect, which notice shall give Al-Call an adequate opportunity to notify BellSouth of its intent to purchase such loop. In those cases in which BellSouth no longer provides voice service to the end user and Al-Call purchases the full stand-alone loop, Al-Call may elect the type of loop it will purchase. Al-Call will pay the appropriate recurring and non-recurring rates for such loop as set forth in Exhibit C to this Attachment. In the event Al-Call purchases a voice grade loop, Al-Call acknowledges that such loop may not remain xDSL compatible.
- Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular loop.

6.10.3 Ordering

- To order High Frequency Spectrum on a particular loop, Al-Call must have a DSLAM collocated in the central office that serves the end-user of such loop. Al-Call may order splitters in a central office once it has installed its Digital Subscriber Line Access Multiplexer ("DSLAM") in that central office. BellSouth will install these splitters within the interval provided in paragraph 6.10.2.2.
- 6.10.3.2 BellSouth will devise a splitter order form that allows Al-Call to order splitter ports in increments of 24 ports.
- 6.10.3.3 BellSouth will provide Al-Call the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 6.10.3.4 BellSouth will provide access to the High Frequency Spectrum within the following target intervals: BellSouth will return a manual Firm Order Confirmation ("FOC") in no more than two (2) business days after receipt of a valid, error free manual LSR. When Al-Call submits an electronic LSR for High Frequency Spectrum, BellSouth will return a FOC in four (4) hours ninety-five percent (95%) of the time, or, for orders that do not flow-through, in two (2) business days. BellSouth will provide Al-Call with access to the High Frequency Spectrum at the following target intervals:
- 6.10.3.5 For 1-5 lines at the same address within three (3) business days from BellSouth's issuance of a FOC; 6-10 lines at same address within 5 business days from BellSouth's issuance of a FOC; and more than 10 lines at the same address is to be negotiated.

- 6.10.3.6 BellSouth will provide to Al-Call BellSouth's Loop Qualification System that BellSouth uses to qualify loops for its own ADSL offering as described below.
- 6.10.3.7 BellSouth will provide Al-Call access to the Preordering Loop Makeup (LMU), in accordance with Section 2.4 of this Agreement. BellSouth shall bill and Al-Call shall pay the rates for such services, as described in Exhibit C.
- 6.10.4 Maintenance and Repair
- Al-Call shall have access, for test, repair, and maintenance purposes, to any loop as to which it has access to the High Frequency Spectrum. Al-Call may access the loop at the point where the combined voice and data signal exits the central office splitter.
- 6.10.4.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point of demarcation in the central office. Al-Call will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 6.10.4.3 Al-Call shall inform its end users to direct data problems to Al-Call, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the loop.
- 6.10.4.5.1 In the event Al-Call's deployment of xDSL on the High Frequency Spectrum significantly degrades the performance of other advanced services or of BellSouth's voice service on the same loop, BellSouth shall notify Al-Call and allow twenty-four (24) hours to cure the trouble. If Al-Call fails to resolve the trouble, BellSouth may discontinue Al-Call's access to the High Frequency Spectrum on such loop.
- 2. Exhibit C of Attachment 2 of the Interconnection Agreement is hereby amended to include rates for Line Sharing, attached hereto as Exhibit A to this amendment.
 - 3. All of the other provisions of the Interconnection Agreement dated January 8, 2001, shall remain unchanged and in full force and effect until the expiration date.
- 4. Either or both of the Parties is authorized to submit this Amendment to the appropriate regulatory agencies for approval subject to Section 252 (e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

Al-Call	, Inc.	BellSouth Telecommunications, Inc.		
By:	Signature on file	By:	Signature on file	
,	Signature	, <u> </u>	Signature	
Name:	Greg Davis	Name:	Patrick C. Finlen_	
	V.P		Managing Director	
Title: _		Title:		
	March 7, 2001		March 15, 2001	

Date: _____

Exhibit A

2-Wire analog VG (SL1) for Line Sharing										
RC – per month (Note 3) **		TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	\$12.16
NRC - 1st (Note 1) **		TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	\$31.99
NRC - Add'l (Note 1) **		TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	\$20.02
System Splitter - 96 Line		TDD	TDD	TDD	TDD	TDD	TDD	TDD	TDD	\$20.02
Capacity										
RC – Per month **	ULSDA	\$100.00	\$100.00	\$100.00	\$100.00	\$100.00	\$100.00	\$100.00	\$100.00	\$100.00
NRC - 1st **	ULSDA	\$150.00	\$150.00	\$150.00	\$300.00	\$150.00	\$300.00	\$300.00	\$300.00	\$150.00
NRC - Addl **	ULSDA	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
NRC - Disconnect 1st **	ULSDA	\$150.00	\$150.00	\$150.00	NA	\$150.00	NA	NA	NA	\$150.00
NRC - Disconnect Add'l **	ULSDA	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
System Splitter - 24 Line	CLSDA	\$0.00	\$0.00	\$0.00	Ψ0.00	Ψ0.00	ψ0.00	ψ0.00	\$0.00	\$0.00
Capacity										
RC – Per month **	ULSDB	\$25.00	\$25.00	\$25.00	\$25.00	\$25.00	\$25.00	\$25.00	\$25.00	\$25.00
NRC - 1st **	ULSDB	\$150.00	\$150.00	\$150.00	\$300.00	\$150.00	\$300.00	\$300.00	\$300.00	\$150.00
NRC - Addl **	ULSDB	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
NRC - Disconnect 1st **	ULSDB	\$150.00	\$150.00	\$150.00	NA	\$150.00	NA	NA	NA	\$150.00
NRC - Disconnect Add'l **	ULSDB	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
Loop Capacity, Line	02522	φσ.σσ	φσ.σσ	ψ0.00	φσ.σσ	ψο.σσ	ψο.σσ	ψ0.00	ψ0.00	Ψ0.00
Activation Per Occurrence										
RC – Per Month **	ULSDC	\$6.00	\$6.00	\$6.00	\$6.00	\$6.00	\$6.00	\$6.00	\$6.00	\$3.48
NRC - 1st **	ULSDC	\$40.00	\$40.00	\$40.00	\$40.00	\$40.00	\$40.00	\$40.00	\$40.00	\$40.00
NRC - Addl **	ULSDC	\$22.00	\$22.00	\$22.00	\$22.00	\$22.00	\$22.00	\$22.00	\$22.00	\$21.39
NRC - Service Order submitted	SOMEC	\$3.50	\$2.75	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
Electronically, per LSR	COMEC	NA	¢0.42	NT A	NIA	NT A	NT A	NA	NA	TDD
NRC - Setvice Order submitted Electronically, per LSR –	SOMEC	NA	\$0.42	NA	NA	NA	NA	NA	NA	TBD
Disconnect										
NRC - Service Order submitted	SOMAN	NA	\$21.56	NA	\$29.24	NA	NA	NA	NA	\$19.99
Manually, per LSR	SOMM	1471	Ψ21.30	1471	Ψ27.24	1421	1421	1471	1471	Ψ17.77
NRC - Service Order submitted	SOMAN	NA	\$3.84	NA	\$3.94	NA	NA	NA	NA	TBD
Manually, per LSR, Disconnect	BOWER	1111	Ψ3.01	1111	ψ3.51	1111	1111	1111	1111	155
NRC - Incremental Charge –	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$44.22	NA
Manual Service Order - 1st		,								
NRC - Incremental Charge –	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$13.55	NA
Manual Service Order - Add'l						•				
NRC - Incremental Charge –	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA
Manual Service Order –										

Disconnect										
Subsequent Activity - Per										
Occurrence										
NRC - 1st **	ULSDS	\$30.00	\$30.00	\$30.00	\$30.00	\$30.00	\$30.00	\$30.00	\$30.00	\$30.00
NRC - Addl **	ULSDS	\$15.00	\$15.00	\$15.00	\$15.00	\$15.00	\$15.00	\$15.00	\$15.00	\$15.00
* Interim Rates subject to true-										
up										
** TN rates are interim and										
subject to true-up.										
The recurring interim and										
nonrecurring interim rates in TN										
for 2-Wire analog VG (SL1) for										
Line Sharing is for a stand-alone										
loop purchased by Al-Call to										
provide both analog voice service										
and xDSL services or in the event Al-Call wishes to continue										
providing xDSL services to an										
end-user who terminates its										
BellSouth-provided voice service.										
These rates apply when Al-Call										
purchases the splitter from										
BellSouth.										

98AMENDMENT TO THE AGREEMENT BETWEEN AL-CALL AND

BELLSOUTH TELECOMMUNICATIONS, INC. DATED JANUARY 8, 2001

Pursuant to this Amendment, (the "Amendment"), Al-Call ("Al-Call"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated January 8, 2001 ("Agreement").

WHEREAS, BellSouth and Al-Call entered into the Agreement on January 8, 2001 and;

WHEREAS, Al-Call has changed the name of said business to ALCALL, Inc., a Georgia corporation, and desire that the Interconnection Agreement be amended to reflect the correct corporate entity name and;

WHEREAS, Al-Call has requested that certain rates be amended in the Interconnection Agreement and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The name of Al-Call in the Interconnection Agreement is hereby deleted through the Interconnection Agreement and replaced with ALCALL, Inc. ("ALCALL")
- 2. Attachment 2 is hereby deleted in its entirety and replaced with language and rates shown in Exhibit 1 and by reference made a part of this Agreement:
- 3. All of the other provisions of the Agreement, dated January 8, 2001, shall remain in full force and effect.
- 4. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below. The effective date of this amendment shall be 30 calendar days following the last signature.

ALCALL, Inc.	BellSouth Telecommunications, Inc.
By: Original Signature on File	By: Original Signature on File
Name: Greg Davis	Name: C. W. Boltz
Title: V. P	Title: Managing Director
Date: 5/17/02	Date: 5/21/02

EXHIBIT 1

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	INTRODUCTION	3
2	UNBUNDLED LOOPS	4
3	HIGH FREQUENCY SPECTRUM NETWORK ELEMENT	25
4	LOCAL SWITCHING	34
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	41
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	47
7 SCR	BELLSOUTH SWITCHED ACCESS ("SWA") 8XX TOLL FREE DIALING TEN DIGIT REENING SERVICE	52
8	LINE INFORMATION DATABASE (LIDB)	52
9	SIGNALING	55
10	OPERATOR SERVICES (OPERATOR CALL PROCESSING AND DIRECTORY ASSISTANCE)	. 61
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	67
12	CALLING NAME (CNAM) DATABASE SERVICE	67
13 ADV	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) VANCED INTELLIGENT NETWORK (AIN) ACCESS	
14	BASIC 911 AND E911	69
15	OPERATIONAL SUPPORT SYSTEMS (OSS)	70
LIE	OB Storage Agreement Exhibi	it A
Rat	tes	t B

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to ALCALL in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other services BellSouth makes available to ALCALL. The price for each Network Element and combination of Network Elements and other services are set forth in Exhibit B of this Agreement. Additionally, the provision of a particular Network Element or service may require ALCALL to purchase other Network Elements or services.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment ALCALL used in the provision of a telecommunications service. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of ALCALL, and to the extent technically feasible, provide to ALCALL access to its Network Elements for the provision of ALCALL's telecommunications services. If no rate is identified in this Agreement, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 ALCALL may purchase Network Elements and other services from BellSouth for the purpose of combining such network elements in any manner ALCALL chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop Network Elements which are located outside of the central office, BellSouth shall deliver the Network Elements purchased by ALCALL to the demarcation point associated with ALCALL's collocation arrangement.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Rates
- 1.6.1 The prices that ALCALL shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit B to this Attachment. If ALCALL purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.6.2 Rates, terms and conditions for order cancellation charges and expedite charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.

- 1.6.3 If ALCALL modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by ALCALL in accordance with FCC No. 1 Tariff, Section 5.
- 1.6.4 A one-month minimum billing period shall apply to all UNE conversions or new installations.

2 Unbundled Loops

- 2.1 General
- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an end-user customer premises, including inside wire owned by BellSouth. The local loop Network Element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.
- 2.1.2 The provisioning of a Loop to ALCALL's collocation space will require cross-office cabling and cross-connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross-connects are separate components, that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 To the extent available within BellSouth's network at a particular location, BellSouth will offer Loops capable of supporting telecommunications services. If a requested loop type is not available, and cannot be made available through BellSouth's Unbundled Loop Modification (ULM) process, then ALCALL can use the Special Construction (SC) process to request that BellSouth place facilities in order to meet ALCALL's loop requirements. Standard Loop intervals shall not apply to the SC process.
- 2.1.4 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of 15 or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.5 The Loop shall be provided to ALCALL in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.

- 2.1.6 ALCALL may utilize the unbundled Loops to provide any telecommunications service it wishes, so long as such services are consistent with industry standards and BellSouth's TR73600.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered. In those cases where ALCALL has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.) the resulting Loop will be maintained as an unbundled copper Loop (UCL), and ALCALL shall pay the recurring and non-recurring charges for a UCL. For non-service specific loops (e.g. UCL, Loops modified by ALCALL using the ULM process), BellSouth will only support that the Loop has copper continuity and balanced tip-and-ring.

2.1.8 <u>Loop Testing/Trouble Reporting</u>

- ALCALL will be responsible for testing and isolating troubles on the Loops.

 ALCALL must test and isolate trouble to the BellSouth portion of a designed/nondesigned unbundled loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.)
 before reporting repair to the UNE Center. At the time of the trouble report,
 ALCALL will be required to provide the results of the ALCALL tests which
 indicate a problem on the BellSouth provided loop.
- 2.1.8.2 Once ALCALL has isolated a trouble to the BellSouth provided Loop, and has issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its end users.
- 2.1.8.3 If ALCALL reports a trouble on a non-designed loop (e.g., UVL-SL1, UCL-ND, etc.) and no trouble actually exists, BellSouth will charge ALCALL for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the loop's working status. If ALCALL reports trouble on a designed loop and no trouble is found, BellSouth will charge ALCALL for any dispatch and testing outside the central office.

2.1.9 <u>Order Coordination and Order Coordination-Time Specific</u>

2.1.9.1 Order Coordination (OC) allows BellSouth and ALCALL to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to ALCALL's facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

2.1.9.2 Order Coordination – Time Specific (OC-TS) allows ALCALL to order a specific time for OC to take place. BellSouth will make every effort to accommodate ALCALL's specific conversion time request. However, BellSouth reserves the right to negotiate with ALCALL a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and Universal Digital Channel (UDC), and is billed in addition to the OC charge. ALCALL may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If ALCALL specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2. for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.10 **CLEC to CLEC Conversions for Unbundled Loops**

- 2.1.10.1 The CLEC to CLEC conversion process for unbundled Loops may be used by ALCALL when converting an existing unbundled Loop from another CLEC for the same end user. The Loop type being converted must be included in ALCALL's Interconnection Agreement before requesting a conversion.
- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same end user location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.10.3 The Loops converted to ALCALL pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found	
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office	
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office	
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office	
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office	
Unbundled Copper Loop (Designed)	Loop Chargeable in Not available		Included	Included	Charged for Dispatch outside Central Office	

For UVL-SL1 and UCLs, ALCALL must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.2 <u>Unbundled Voice Loops (UVLs)</u>

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and

configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that ALCALL will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SLI loops when reuse of existing facilities has been requested by ALCALL. ALCALL may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as chargeable option. The EI document provides loop make up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its end users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that ALCALL may request further testing on UVL-SL1 loops. Loop Testing is available for new and reuse of BellSouth facilities. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to ALCALL. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 loops. The OC feature will allow ALCALL to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 **Unbundled Digital Loops**

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Universal Digital Channel (IDSL Compatible)
- 2.3.2.3 2-wire Unbundled ADSL Compatible Loop

- 2.3.2.4 2-wire Unbundled HDSL Compatible Loop 2.3.2.5 4-wire Unbundled HDSL Compatible Loop 2.3.2.6 4-wire Unbundled DS1 Digital Loop 2.3.2.7 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below 2.3.2.8 DS3 Loop 2.3.2.9 STS-1 Loop 2.3.2.10 OC3 Loop 2.3.2.11 OC12 Loop
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. ALCALL will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. BellSouth will not reconfigure its ISDN-capable loop to support IDSL service.
- 2.3.3.1 The Universal Digital Channel (UDC) (also known as IDSL-compatible Loop) is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable loop. These specifications are listed in BellSouth's TR73600.
- 2.3.3.2 The UDC may be provisioned on copper or through a Digital Loop Carrier (DLC) system. When UDC Loops are provisioned using a DLC system, the Loops will be provisioned on time slots that are compatible with data-only services such as IDSL.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of loop length). The loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed loop that is provisioned according to Carrier Serving Area (CSA) criteria and may be up to 12kft long and may have up to 2,500 feet of bridged tap (inclusive of loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the end-user's location.

2.3.2.12

OC48 Loop

- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. This is a two-point digital transmission path, which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of ALCALL in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. This is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of ALCALL for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path, which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 OC3 Loop/OC12 Loop/OC48 Loop. These are optical two-point transmission paths that are dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. The physical interface for all optical transport is optical fiber. This interface standard allows for transport of many different digital signals using a basic building block or base transmission rate of 51.84 megabits per second (Mbps). Higher rates are direct multiples of the base rate. The following rates are applicable: OC-3 -155.52 Mbps; OC12 622.08 Mbps; and OC-48 2488 Mbps.
- 2.3.11 DS3 and above services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 and above services.

2.4 Unbundled Copper Loops (UCL)

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 <u>Unbundled Copper Loop – Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL-D will be offered in two versions Short and Long.
- 2.4.2.2 A short UCL-D (18kft or less) is provisioned according to Resistance Design parameters, may have up to 6kft of bridged tap and will have up to 1300 ohms of resistance.
- 2.4.2.3 The long UCL-D (beyond 18kft) is provisioned as a dry copper twisted pair longer than 18kf and may have up to 12kft of bridged tap and up to 2800 ohms of resistance.
- 2.4.2.4 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by ALCALL.
- 2.4.2.5 These loops are not intended to support any particular services and may be utilized by ALCALL to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.2.6 BellSouth will make available the following UCL-Ds:
- 2.4.2.6.1 2-Wire UCL-D/short
- 2.4.2.6.2 2-Wire UCL-D/long
- 2.4.2.6.3 4-Wire UCL-D/short
- 2.4.2.6.4 4-Wire UCL-D/long

2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6kft of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18kft in length, although the UCL-ND will not have a specific length limitation. For loops less than 18kft and with less than 1300 Ohms resistance, the loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-

ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, ALCALL can request Loop Make Up for which additional charges would apply.
- 2.4.3.3 At an additional charge, BellSouth also will make available Loop Testing so that ALCALL may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.4.3.4 UCL-ND loops are not intended to support any particular service and may be utilized by ALCALL to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 ALCALL may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridged tap and/or load coils from any loop within the BellSouth network. Therefore, some loops that would not qualify as UCL-ND could be transformed into loops that do qualify, using the ULM process.

2.5 Unbundled Loop Modifications (Line Conditioning)

- 2.5.1 Line Conditioning is defined as the removal from the Loop of any devices that may diminish the capability of the Loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, bridged taps, low pass filters, and range extenders.
- 2.5.2 BellSouth shall condition Loops, as requested by ALCALL, whether or not BellSouth offers advanced services to the End User on that Loop.
- 2.5.3 In some instances, ALCALL will require access to a copper twisted pair loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that ALCALL can use the loop for a variety of services by attaching appropriate terminal equipment at the ends. ALCALL will determine the type of service that will be provided over the loop. BellSouth's ULM process will be used to determine the costs and feasibility of conditioning the loops as requested. Rates for ULM are as set forth in Exhibit B of this Attachment.
- 2.5.4 In those cases where ALCALL has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g.,

voice grade, ISDN, ADSL, etc.) the resulting modified Loop will be ordered and maintained as a UCL.

- 2.5.5 The ULM offering provides the following elements: 1) removal of devices on 2-wire or 4-wire Loops equal to or less than 18kft; 2) removal of devices on 2-wire or 4-wire Loops longer than 18kft; and 3) removal of bridged taps on loops of any length.
- 2.5.6 ALCALL shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that ALCALL desires BellSouth to condition.

2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

- 2.6.1 Where ALCALL has requested an Unbundled Loop and BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local service to the end user and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to ALCALL. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will make alternative arrangements available to ALCALL (e.g. hairpinning).
- 2.6.2 BellSouth will select one of the following arrangements:
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "DACS-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.3 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.4 If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities. ALCALL will then have the option of paying the one-time SC rates to place the loop.

2.7 Network Interface Device (NID)

2.7.1 The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the end user's customer-premises wiring. Each chamber or division contains the appropriate connection points or posts to

which the service provider and the end user each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

2.7.2 BellSouth shall permit ALCALL to connect ALCALL's Loop facilities the enduser's customer-premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 ALCALL may access the end user's customer-premises wiring by any of the following means and ALCALL shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow ALCALL to connect its loops directly to BellSouth's multiline residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the end user's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Request BellSouth to make other rearrangements to the end user customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be ALCALL's responsibility to ensure there is no safety hazard and will hold BellSouth harmless for any liability associated with the removal of the BellSouth loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of

the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.

- 2.7.3.3 In no case shall either Party remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 In no case shall either Party remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with ALCALL to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the end user's customer premises and the Distribution Media and/or cross connect to ALCALL's NID.
- 2.7.4.3 Existing BellSouth NIDS will be provided in "as is" condition. ALCALL may request BellSouth do additional work to the NID on a time and material basis. When ALCALL deploys its own local loops with respect to multiple-line termination devices, ALCALL shall specify the quantity of NIDs connections that it requires within such device.

2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) and Unbundled Sub-loop Concentration (USLC) System.

2.8.2 **Unbundled Sub-Loop Distribution**

2.8.2.1 The unbundled sub-loop distribution facility is a dedicated transmission facility that BellSouth provides from an end user's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2 Wire or 4 Wire facility. BellSouth will make the following available sub-loop distribution offerings where facilities permit:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a sub-loop facility from the cross-box in the field up to and including the point of demarcation, at the end user's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the end-user's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the end-user and the cross-box.
- 2.8.2.4 If ALCALL requests a UCSL and it is not available, ALCALL may request the Sub-Loop facility be modified pursuant to the ULM process request to remove load coils and/or bridged taps. If load coils and/or bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.5 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility inside a building or between buildings on the same continuous property which is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation, at the end user's premises.
- 2.8.2.6 BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for ALCALL's use on this cross-connect panel. ALCALL will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.7 Unbundled Sub-Loop distribution facilities shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. For access to Voice Grade USLD and UCSL, ALCALL shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. ALCALL's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.8 Through the Service Inquiry (SI) process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by ALCALL is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet ALCALL's request, then BellSouth will perform the site setup as described in Section 2.8.2.9. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room as noted in Section 2.8.2.9) to accommodate ALCALL's request for Unbundled Sub-Loops, ALCALL may request BellSouth's Special Construction (SC) process to determine additional costs required to

provision the Unbundled Sub-Loops. ALCALL will have the option to proceed under the SC process to modify the BellSouth facilities.

- 2.8.2.9 The site set-up must be completed before ALCALL can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice ALCALL's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.10 Once the site set-up is complete, ALCALL will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when ALCALL requests reuse of an existing facility and is in addition to the USL pair rate. For expedite requests by ALCALL for sub-loop pairs, expedite charges will apply for intervals less than 5 days.
- 2.8.2.11 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>

- 2.8.3.1 Unbundled Network Terminating Wire (UNTW) is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop which in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the end-users premises. Neither Party will provide this element in those locations where the property owner provides its own wiring to the end-user's premises, where a third party owns the wiring to the end-user's premises or where the property owner will not allow the other Party to place its facilities to the end user.

2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premise, upon request of the other Party ("Requesting Party"), the Party owning the network terminating wire ("Provisioning Party") will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.

- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the end users premises, ALCALL will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate ALCALL for each pair activated commensurate to the price specified in ALCALL's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW Service Inquiry (SI) requesting access to the Provisioning Party's UNTW pairs at a multi-unit premise, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each Provisioning Party's Garden Terminal or inside each Wiring Closet. Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the end user has requested a change in its local service provider to the Requesting Party. Prior to connecting Requesting Party's service on a pair previously used by Provisioning Party, Requesting Party is responsible for ensuring the end-user is no longer using Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 Requesting Party is responsible for obtaining the property owner's permission for Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, Requesting Party will be responsible for costs associated with removing Access Terminals and restoring property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. Requesting Party will be billed for non-recurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party each time it activates UNTW pairs using the LSR form.
- 2.8.3.3.9 Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. Requesting Party must tag the UNTW pair that requires repair. If Provisioning Party dispatches a technician on a reported trouble call and

- no UNTW trouble is found, Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least one pair on the Access Terminal installed pursuant to Requesting Party's request for an Access Terminal within 6 months of installation of the Access Terminal, Provisioning Party will bill Requesting Party a non-recurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If Provisioning Party determines that Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the following charges shall apply:
- 2.8.3.3.11.1 If Requesting Party issued a LSR to disconnect an end-user from Provisioning Party in order to use a UNTW pair, Requesting Party will be billed for the use of the pair back to the disconnect order date.
- 2.8.3.3.11.2 If Requesting Party activated a UNTW pair on which Provisioning Party was not previously providing service, Requesting Party will be billed for the use of that pair back to the date the end-user began receiving service using that pair. Upon request, Requesting Party will provide copies of its billing record to substantiate such date. If Requesting Party fails to provide such records, then Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 <u>Unbundled Sub-Loop Feeder</u>

- 2.8.4.1 Unbundled Sub-Loop Feeder (USLF) provides connectivity between BellSouth's central office and cross-box (or other access point) that serves an end user location.
- 2.8.4.2 USLF utilized for voice traffic can be configured as 2-wire voice (USLF-2W/V) or 4-wire voice (USLF-4W/V).
- 2.8.4.3 USLF utilized for digital traffic can be configured as 2-wire ISDN (USLF-2W/I); 2-wire Copper (USLF-2W/C); 4-wire Copper (USLF-4W/C); 4-wire DS0 level loop (USLF-4W/D0); or 4-wire DS1 and ISDN (USLF-4W/DI).
- 2.8.4.4 USLF will provide access to both the equipment and the features in the BellSouth central office and BellSouth cross box necessary to provide a 2W or 4W communications pathway from the BellSouth central office to the BellSouth cross-box. This element will allow for the connection of ALCALL's loop distribution elements onto BellSouth's feeder system.

2.8.4.5 Requirements

2.8.4.5.1 ALCALL will extend a compatible cable to BellSouth's cross-box. BellSouth will connect the cable to a cross-connect panel inside the BellSouth cross-box to the

requested level of feeder element. In those cases when there is no room in the BellSouth cross-box to accommodate the additional cross-connect panels mentioned above, ALCALL may request, through the BellSouth Special Construction (SC) process, a determination of costs to provide the sub-loop feeder element to ALCALL. ALCALL will then have the option of paying the SC charges or canceling the order.

- 2.8.4.5.2 USLF will be a designed circuit and BellSouth will provide a DLR for this element.
- 2.8.4.5.3 BellSouth will provide USLF elements in accordance with applicable industry standards for these types of facilities. Where industry standards do not exist, BellSouth's TR73600 will be used to determine performance parameters.
- 2.8.4.6 Unbundled Sub-Loop Feeder (USLF DS3 and above)
- 2.8.4.6.1 USLF DS3 and above provides connectivity between a BellSouth Serving Wire Center (SWC) and the Remote Terminal (RT) associated with that SWC that serves an end user location.
- 2.8.4.6.2 The sub-loop feeder is intended to be utilized for voice traffic and digital traffic. It can be configured at DS3, STS-1, OC-3, OC-12, or OC-48 transmission capacities.
- 2.8.4.6.3 The OC-48 Sub-Loop Feeder will consist of four (4) OC12 interfaces.
- 2.8.4.6.4 Both 2-fiber and 4-fiber-protect applications will be supported for OC-3 level and higher.
- 2.8.4.7 Requirements
- 2.8.4.7.1 Access in the SWC and RT will be via a Collocation cross-connect.
- 2.8.4.7.2 USLF DS3 and above will be a designed circuit. BellSouth will provide a DLR for this network element.
- 2.8.4.7.3 Rates. Rates for these services are as set forth in Exhibit B of this Attachment. Mileage is based on airline miles.
- 2.8.4.7.4 BellSouth will provide USLF DS3 and above elements in accordance with applicable industry standards.
- 2.8.5 **Unbundled Loop Concentration (ULC)**
- 2.8.5.1 BellSouth will provide to ALCALL Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed

inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.

2.8.5.2 ULC will be offered in two system options. System A will allow up to 96
BellSouth loops to be concentrated onto two or more DS1s. The high-speed
connection from the concentrator will be at the electrical DS1 level and will
connect to ALCALL at ALCALL's collocation site. System B will allow up to
192 BellSouth loops to be concentrated onto 4 or more DS1s. System A may be
upgraded to a System B. A minimum of two DS1s is required for each system
(i.e., System A requires two DS1s and System B would require an additional two
DS1s or four in total). All DS1 interfaces will terminate to ALCALL's collocation
space. ULC service is offered with concentration (2 DS1s for 96 channels) or
without concentration (4 DS1s for 96 channels) and with or without protection. A
Loop Interface element will be required for each loop that is terminated onto the
ULC system.

2.8.6 <u>Unbundled Sub-Loop Concentration (USLC)</u>

- 2.8.6.1 Where facilities permit, ALCALL may concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office.
- USLC, using the Lucent Series 5 equipment, will be offered in two system options. System A will allow up to 96 of ALCALL's sub-loops to be concentrated onto two or more DS1s. System B will allow an additional 96 of ALCALL's sub-loops to be concentrated onto two or more additional DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the Remote Terminal site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to ALCALL's demarcation point associated with ALCALL's collocation space within the SWC that serves the remote terminal (RT). USLC service is offered with or without concentration and with or without a protection DS1.
- 2.8.6.3 ALCALL is required to deliver its sub-loops to its own cross-box, RT, or other similar device and deliver a single cable to the BellSouth RT. This cable shall be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box and shall allow ALCALL's sub-loops to be placed on the USLC and transported to ALCALL's collocation space at a DS1 level.

2.8.7 **Dark Fiber Loop**

2.8.7.1 Dark Fiber Loop is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics that connects two points within BellSouth's network. Dark Fiber Loops may be strands of optical

fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for ALCALL to utilize Dark Fiber Loops.

- 2.8.7.2 A Dark Fiber Loop is a point to point arrangement from an end user's premises connected via a cross connect to the demarcation point associated with ALCALL's collocation space in the end user's serving wire center.
- 2.8.7.3 Dark Fiber Loop rates are differentiated between Local Channel, Interoffice Channel and Local Loop.
- 2.8.7.4 Requirements
- 2.8.7.4.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.7.4.2 If the requested Dark Fiber Loop has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at ALCALL's request subject to time and materials charges.
- 2.8.7.4.3 ALCALL is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.7.4.4 BellSouth shall use its commercially reasonable efforts to provide to ALCALL information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a Service Inquiry (SI) from ALCALL.
- 2.8.7.4.5 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to ALCALL within twenty (20) business days after ALCALL submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable ALCALL to connect or splice ALCALL provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.
- 2.9 <u>Loop Makeup (LMU)</u>
- 2.9.1 Description of Service

- 2.9.1.1 BellSouth shall make available to ALCALL (LMU) information so that ALCALL can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment ALCALL intends to install and the services ALCALL wishes to provide. This section addresses LMU as a preordering transaction, distinct from ALCALL ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) for preordering loop makeup are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.
- 2.9.1.2 BellSouth will provide ALCALL LMU information consisting of the composition of the loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to ALCALL as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC on facilities is contingent upon either BellSouth or the requesting CLEC owning the loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility owned by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI (Loop Makeup Service Inquiry) submitted by the requesting CLEC.
- 2.9.1.5 ALCALL may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop. The determination shall be made solely by ALCALL and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee ALCALL's ability to provide advanced data services over the ordered loop type. Further, if ALCALL orders loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible loops) and that are not inventoried as advanced services loops, the LMU information for such loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. ALCALL is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the loop type ordered.

2.9.2 **Submitting Loop Makeup Service Inquiries**

- 2.9.2.1 ALCALL may obtain LMU information by submitting a LMU Service Inquiry (LMUSI) mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the Loop information from the mechanized LMUSI process, if ALCALL needs further loop information in order to determine loop service capability, ALCALL may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit B of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted by electronic mail to BellSouth's Complex Resale Support Group (CRSG) utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, ALCALL may reserve up to ten Loop facilities. For a Manual LMUSI, ALCALL may reserve up to three Loop facilities.
- 2.9.3.2 ALCALL may reserve facilities for up to four (4) business days for each facility requested on a LMUSI from the time the LMU information is returned to ALCALL. During and prior to ALCALL placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If ALCALL does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

2.9.4 Ordering of Other UNE Services

- 2.9.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. ALCALL will not be billed any additional LMU charges for the loop ordered on such LSR. If, however, ALCALL does not reserve facilities upon an initial LMUSI, ALCALL's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include service inquiry and reservation per Exhibit B of this Attachment.
- 2.9.4.2 Where ALCALL has reserved multiple Loop facilities on a single reservation, ALCALL may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to ALCALL, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by ALCALL. If the ordered Loop type is not available,

ALCALL may utilize the Unbundled Loop Modification process or the Special Construction process, as applicable, to obtain the Loop type ordered.

3 High Frequency Spectrum Network Element

- 3.1 General
- 3.1.1 BellSouth shall provide ALCALL access to the high frequency spectrum of the local loop as an unbundled network element only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow ALCALL the ability to provide Digital Subscriber Line (xDSL) data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. ALCALL shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.4 BellSouth will provide Loop Modification to ALCALL on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (Central Office Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (Central Office Based) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If ALCALL requests that BellSouth modify a Loop longer than 18kft and such modification significantly degrades the voice services on the Loop, ALCALL shall pay for the Loop to be restored to its original state.

3.2 **Provisioning of High Frequency Spectrum and Splitter Space**

- 3.2.1 BellSouth will provide ALCALL with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, ALCALL must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the end-user of such Loop.
- 3.2.1.2 ALCALL may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of ALCALL's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth CRSG.
- 3.2.1.3 Once a splitter is installed on behalf of ALCALL in a central office in which ALCALL is located, ALCALL shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and ALCALL shall pay the electronic or manual ordering charges as applicable when ALCALL orders High Frequency Spectrum for end-user service.
- 3.2.1.4 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide ALCALL access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to ALCALL's xDSL equipment in ALCALL's collocation space. At least 30 days before making a change in splitter suppliers, BellSouth will provide ALCALL with a carrier notification letter, informing ALCALL of change. ALCALL shall purchase ports on the splitter in increments of 8 or 24 ports.
- 3.2.1.5 BellSouth will install the splitter in (i) a common area close to ALCALL's collocation area, if possible; or (ii) in a BellSouth relay rack as close to ALCALL's DS0 termination point as possible. ALCALL shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for ALCALL on the toll main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified ALCALL DS0 at such time that an ALCALL end user's service is established.
- 3.2.1.6 ALCALL may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. ALCALL may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures shall apply.

- 3.2.1.7 Any splitters installed by ALCALL in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. ALCALL may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.2.1.8 The High Frequency Spectrum shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and ALCALL desires to continue providing xDSL service on such Loop, ALCALL shall be required to purchase a full stand-alone Loop unbundled network element. To the extent commercially practicable, BellSouth shall give ALCALL notice in a reasonable time prior to disconnect, which notice shall give ALCALL an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the end user and ALCALL purchases the full stand-alone Loop, ALCALL may elect the type of loop it will purchase. ALCALL will pay the appropriate recurring and non-recurring rates for such Loop as set forth in Exhibit B to this Attachment. In the event ALCALL purchases a voice grade Loop, ALCALL acknowledges that such Loop may not remain xDSL compatible.
- 3.2.1.9 Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular loop.

3.2.2 **Ordering**

- 3.2.2.1 ALCALL shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.2.2.2 BellSouth will provide ALCALL the LSR format to be used when ordering the High Frequency Spectrum.
- 3.2.2.2.1 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.2.2.2.2 BellSouth will provide ALCALL access to Preordering Loop Makeup (LMU), in accordance with the terms of this Agreement. BellSouth shall bill and ALCALL shall pay the rates for such services, as described in Exhibit B.
- 3.2.2.2.3 BellSouth shall test the data portion of the loop to ensure the continuity of the wiring for ALCALL's data.

3.2.3 **Maintenance and Repair**

- 3.2.3.1 ALCALL shall have access for repair and maintenance purposes, to any loop for which it has access to the High Frequency Spectrum. If ALCALL is using a BellSouth owned splitter, ALCALL may access the loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If ALCALL provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.2.3.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. ALCALL will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.2.3.3 ALCALL shall inform its end users to direct data problems to ALCALL, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.2.3.4 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.2.3.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to ALCALL, BellSouth will notify ALCALL. ALCALL will provide no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, ALCALL will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue ALCALL's access to the High Frequency Spectrum on such loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.2.4 <u>Line Splitting</u>.

- 3.2.4.1 General
- 3.2.4.1.1 Line Splitting allows a provider of data services (a "Data LEC") and a provider of voice services (a "Voice CLEC") to deliver voice and data service to end users over the same loop. The Voice CLEC and Data LEC may be the same or different carriers. ALCALL shall provide BellSouth with a signed Letter of Authorization (LOA) between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services.
- 3.2.4.1.2 The splitter may be provided by the Data LEC, Voice CLEC or BellSouth. When ALCALL or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog loop from the serving wire center to the NID at

the end user's location; a collocation cross connection connecting the loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; and a splitter. The loop and port cannot be a loop and port combination (i.e. UNE-P), but must be individual stand-alone network elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog loop from the serving wire center to the NID at the end user's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.

- 3.2.4.1.3 An unloaded 2-wire copper loop must serve the end user. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.2.4.1.4 End Users currently receiving voice service from a Voice CLEC through a UNE platform (UNE-P) may be converted to Line Splitting arrangements by ALCALL or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, a UNE port and two collocation cross connects. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, port, and one collocation cross connection.
- 3.2.4.1.5 When end users using High Frequency Spectrum CO Based line sharing service convert to Line Splitting, BellSouth will discontinue billing for the upper spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of ALCALL or its authorized agent to determine if the loop is compatible for Line Splitting Service. ALCALL or its authorized agent may use the existing loop unless it is not compatible with the Data LEC's data service and ALCALL or its authorized agent submits an LSR to BellSouth to change the loop.
- 3.2.4.1.6 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement. Where a UNE-P arrangement does not already exist, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same loop.

3.2.4.2 Ordering

- 3.2.4.2.1 ALCALL shall use BellSouth's LSOD) to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFAs for use with Line Splitting.
- 3.2.4.2.2 BellSouth shall provide ALCALL the LSR format to be used when ordering Line Splitting service.

- 3.2.4.2.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.2.4.2.4 BellSouth will provide ALCALL access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and ALCALL shall pay the rates for such services as described in Exhibit B.
- 3.2.4.2.5 BellSouth will provide loop modification to ALCALL on an existing loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at:

 HTTP://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment.

3.2.4.3 **Maintenance**

- 3.2.4.3.1 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. ALCALL will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.2.4.3.2 ALCALL shall inform its end users to direct data problems to ALCALL, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.2.4.3.3 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.2.4.3.4 When BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to owner of the collocation space, BellSouth will notify the owner of the collocation space. The owner of the collocation space will provide no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event the CFA pair is changed, the owner of the collocation space will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue the owner of the collocation space access to the High Frequency Spectrum on such loop.
- 3.2.4.3.5 If ALCALL is not the data provider, ALCALL shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action,

suits, demands, damages, injury, and costs including reasonable attorney fees which arise out of actions related to the data provider.

3.2.5 Remote Site High Frequency Spectrum

- 3.2.5.1 General
- 3.2.5.1.1 BellSouth shall provide ALCALL access to the high frequency spectrum of the local sub-loop as an unbundled network element (UNE) only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.2.5.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow ALCALL the ability to provide Digital Subscriber Line (xDSL) data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. ALCALL shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.2.5.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire (Non-Designed) copper sub loop. An unloaded cooper sub loop has no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.2.5.1.4 BellSouth will provide Loop Modification to ALCALL on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. Procedures for High Frequency Spectrum (Remote Site) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If ALCALL requests modifications on a sub loop longer than 18kft and requested modifications significantly degrade the voice services on the loop, ALCALL shall pay for the loop to be restored to its original state.
- 3.2.5.2 Provisioning of High Frequency Spectrum and Splitter Space
- 3.2.5.2.1 To order High Frequency Spectrum on a particular Loop, ALCALL must have a

Digital Subscriber Line Access Multiplexer (DSLAM) collocated at the remote site that serves the end-user of such Loop.

- 3.2.5.2.2 ALCALL may provide its own splitters or may order splitters in a remote site once ALCALL has installed its DSLAM at that remote site. BellSouth will install splitters within thirty-six (36) calendar days of ALCALL's submission of an error free LSOD to the BellSouth CRSG.
- 3.2.5.2.3 Once a splitter is installed on behalf of ALCALL in a remote site in which ALCALL is located, ALCALL shall be entitled to order the High Frequency Spectrum on lines served out of that remote site. BellSouth will bill and ALCALL shall pay applicable for High Frequency Spectrum end-user activation.

3.2.5.2.4 **BellSouth Owned Splitter**

- 3.2.5.2.4.1 BellSouth will select, purchase, install and maintain a splitter at the remote site. ALCALL's meet point is at the BellSouth "cross connect" point located at the Feeder Distribution Interface (FDI). ALCALL will provide a cable facility to the BellSouth FDI. BellSouth will splice ALCALL's cable to BellSouth's spare binding post in the FDI and use "cross connects" to connect ALCALL's cable facility to the BellSouth splitter. The splitter will route the high frequency portion of the circuit to ALCALL's xDSL equipment in their collocation space. Access to the high frequency spectrum is not compatible with foreign exchange (FX) lines, ISDN, and other services listed in the technical section of this document.
- 3.2.5.2.4.2 The BellSouth splitter bifurcates the digital and voice band signals. The low frequency voice band portion of the circuit is routed back to the BellSouth switch. The high frequency digital traffic portion of the circuit is routed to the xDSL equipment in ALCALL's Remote Terminal (RT) collocation space and routed back to ALCALL's network. At least 30 business days before making a change in splitter suppliers, BellSouth will provide ALCALL with a carrier notification letter informing ALCALL of the change. ALCALL shall purchase ports on the splitter in increments of 24 ports.
- 3.2.5.2.4.3 BellSouth will install the splitter in (i) a common area close to ALCALL's collocation area, if possible; or (ii) in a BellSouth relay rack as close to ALCALL's DS0 termination point as possible. ALCALL shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the remote site in which both Parties have access to a common test access point. BellSouth will cross-connect the splitter data ports to a specified ALCALL DS0 at such time that an ALCALL end user's service is established.

3.2.5.2.5 **CLEC Owned Splitter**

- 3.2.5.2.5.1 ALCALL may at its option purchase, install and maintain splitters in its collocation arrangements. ALCALL may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures shall apply. ALCALL will be required to activate cable pairs in no less than 8 (eight) pair increments.
- 3.2.5.2.5.2 Any splitters installed by ALCALL in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. ALCALL may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.2.5.2.6 The High Frequency Spectrum shall only be available on sub-loops provided by BellSouth that continue to provide analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and ALCALL desires to continue providing xDSL service on such sub-loop, ALCALL shall be required to purchase a full stand-alone sub-loop. To the extent commercially practicable, BellSouth shall give ALCALL notice in a reasonable time prior to disconnect, which notice shall give ALCALL an adequate opportunity to notify BellSouth of its intent to purchase such subloop. In those cases where BellSouth no longer provides voice service to the end user and ALCALL purchases the full stand-alone sub-loop, ALCALL may elect the type of sub-loop it will purchase. ALCALL will pay the appropriate recurring and non-recurring rates for such sub-loop as set forth in Exhibit B to this Attachment. In the event ALCALL purchases a voice grade Loop, ALCALL acknowledges that such sub-loop may not remain xDSL compatible.
- Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular loop.

3.2.5.3 Ordering

- 3.2.5.3.1 ALCALL shall use BellSouth's Remote Splitter Ordering Document (RSOD) to order and activate splitters from BellSouth or to activate CLEC owned splitters at an RT for use with High Frequency Spectrum.
- 3.2.5.3.2 BellSouth will provide ALCALL the LSR format to be used when ordering the High Frequency Spectrum.
- 3.2.5.3.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.2.5.3.4 BellSouth will provide ALCALL access to Preordering Loop Makeup (LMU), in accordance with the terms of this Agreement. BellSouth shall bill and ALCALL shall pay the rates for such services as described in Exhibit B.

3.2.5.3.5 BellSouth shall test the data portion of the loop to ensure the continuity of the wiring for ALCALL's data.

3.2.5.4 **Maintenance and Repair**

- 3.2.5.4.1 ALCALL shall have access for repair and maintenance purposes, to any loop for which it has access to the High Frequency Spectrum. If ALCALL is using a BellSouth owned splitter, ALCALL may access the loop at the point where the data signal exits. If ALCALL provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.2.5.4.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. ALCALL will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.2.5.4.3 ALCALL shall inform its end users to direct data problems to ALCALL, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.2.5.4.4 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.2.5.4.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to ALCALL, BellSouth will notify ALCALL. ALCALL will provide no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, ALCALL will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue ALCALL's access to the High Frequency Spectrum on such loop. BellSouth will not be responsible for any loss of data as a result of this action.

4 Local Switching

- 4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to ALCALL for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to ALCALL for the provision of a telecommunications service only in the limited circumstance described below in Section 4.5.
- 4.2 Local Circuit Switching Capability, including Tandem Switching Capability

- 4.2.1 Local circuit switching capability is defined as: (A) line-side facilities, which include, but are not limited to, the connection between a loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include, but are not limited to, the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; (C) switching provided by remote switching modules; and (D) all features, functions, and capabilities of the switch, which include, but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch. Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for ALCALL when ALCALL serves an end-user with four (4) or more voice-grade (DS-0) equivalents or lines served by BellSouth in one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.
- 4.2.3 In the event that ALCALL orders local circuit switching for an end user with four (4) or more DS0 equivalent lines within Density Zone 1 in an MSA listed above, BellSouth shall charge ALCALL the market based rates in Exhibit B for use of the local circuit switching functionality for the affected facilities. If a market rate is not set forth in Exhibit B, such rate shall be negotiated by the Parties.
- 4.2.4 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.
- 4.2.5 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to ALCALL's end user local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.6 Provided that ALCALL purchases unbundled local switching from BellSouth and uses the BellSouth CIC for its end users' LPIC or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by an ALCALL local end user, or originated by a BellSouth local end user and terminated to an ALCALL local end user, where such calls originate and

terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a party other than BellSouth). For such calls, BellSouth will charge ALCALL the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and ALCALL shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.

- 4.2.7 Where ALCALL purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from an ALCALL end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's GSST. For such local calls, BellSouth will charge ALCALL the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and ALCALL shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.8 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill ALCALL the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges, as appropriate.

4.2.9 <u>Unbundled Port Features</u>

- 4.2.9.1 Charges for Unbundled Port are as set forth in Exhibit B, and as specified in such exhibit, may or may not include individual features.
- 4.2.9.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.9.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.9.4 BellSouth will provide to ALCALL selective routing of calls to a requested Operator System platform pursuant to Section 10 of Attachment 2. Any other routing requests by ALCALL will be made pursuant to the BFR/NBR Process as set forth in Attachment 12.

4.2.10 **Provision for Local Switching**

4.2.10.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.

- 4.2.10.2 BellSouth shall control congestion points such as those caused by radio station call-ins, and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.10.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.10.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to ALCALL all AIN triggers in connection with its SMS/SCE offering.
- 4.2.10.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by ALCALL.

4.2.11 <u>Local Switching Interfaces.</u>

- 4.2.11.1 ALCALL shall order ports and associated interfaces compatible with the services it wishes to provide, as listed in Exhibit B. BellSouth shall provide the following local switching interfaces:
- 4.2.11.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.11.1.2 Coin phone signaling;
- 4.2.11.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.11.1.4 Two-wire analog interface to PBX;
- 4.2.11.1.5 Four-wire analog interface to PBX;
- 4.2.11.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.11.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.11.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.11.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

4.3 **Tandem Switching**

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

4.3.2 <u>Technical Requirements</u>

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include, but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by ALCALL and BellSouth;
- 4.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to ALCALL.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll-free traffic received from ALCALL's local switch.

- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element, to the extent such Tandem Switch has such capability.
- 4.3.3 Upon ALCALL's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for ALCALL's traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers
- 4.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of ALCALL. AIN Selective Carrier Routing will provide ALCALL with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 ALCALL shall order AIN Selective Carrier Routing through its Account Team and/or Local Contract Manager. AIN Selective Carrier Routing must first be established regionally and then on a per central office, per state basis.
- 4.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.
- 4.4.4 Where AIN Selective Carrier Routing is utilized by ALCALL, the routing of ALCALL's end user calls shall be pursuant to information provided by ALCALL and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an 'as needed' basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.
- 4.4.5 Upon ordering of AIN Selective Carrier Routing Regional Service, ALCALL shall remit to BellSouth the Regional Service Order non-recurring charges set forth in Exhibit B of this Attachment. There shall be a non-recurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said non-recurring charge shall be as set forth in Exhibit B of this Attachment. For each ALCALL end user activated, there shall be a non-recurring End User Establishment charge as set forth in Exhibit B of this Attachment. ALCALL shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit B of this Attachment.
- 4.4.6 This Regional Service Order non-recurring charge will be non-refundable and will be paid with 1/2 due up-front with the submission of all fully completed required forms, including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request Form B, AIN_SCR Central Office Identification Form Form C, AIN_SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E.

BellSouth has 30 days to respond to ALCALL's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to ALCALL, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.

- 4.4.7 The non-recurring End Office Establishment Charge will be billed to ALCALL following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The non-recurring End-User Establishment Charges will be billed to ALCALL following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to ALCALL following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching and unbundled local transport, etc, will be billed per contracted rates.

4.5 **Packet Switching Capability**

- 4.5.1 The packet switching capability network element is defined as the function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units.
- 4.5.2 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
- 4.5.2.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the feeder section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
- 4.5.2.2 There are no spare copper loops capable of supporting the xDSL services ALCALL seeks to offer;
- 4.5.2.3 BellSouth has not permitted ALCALL to deploy a DSLAM at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has ALCALL obtained a virtual collocation arrangement at these sub-loop interconnection points as defined by 47 CFR § 51.319 (b); and
- 4.5.2.4 BellSouth has deployed packet switching capability for its own use.

4.5.3 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 15 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.

4.6 <u>Interoffice Transmission Facilities</u>

4.6.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to ALCALL for the provision of a telecommunications service.

5 Unbundled Network Element Combinations

- 5.1 Unbundled Network Element Combinations shall include: 1) Enhanced Extended Links (EELs); 2) Other Network Element Combinations; and 3) UNE Loop/Port Combinations.
- For purposes of this Section, references to "Currently Combined" network elements shall mean that the particular network elements requested by ALCALL are in fact already combined by BellSouth in the BellSouth network.

5.3 Enhanced Extended Links (EELs)

- Where facilities permit and where necessary to comply with an effective FCC and/or Commission order, or as otherwise mutually agreed by the Parties, BellSouth shall offer access to loop and transport combinations, also known as the Enhanced Extended Link (EEL) as defined in Section 5.3.2 below.
- 5.3.2 Subject to Section 5.3.4 below, BellSouth will provide access to the EEL in the combinations set forth in Section 5.3.5 following. This offering is intended to provide connectivity from an end user's location through that end user's SWC to ALCALL's POP serving wire center. The circuit must be connected to ALCALL's switch for the purpose of provisioning telephone exchange service to ALCALL's end-user customers. The EEL will be connected to ALCALL's facilities in ALCALL's collocation space at the POP SWC, or ALCALL may purchase BellSouth's access facilities between ALCALL's POP and ALCALL's collocation space at the POP SWC.
- 5.3.3 When ordering EEL combinations, ALCALL shall provide to BellSouth certification that ALCALL will provide a significant amount of local exchange service over the requested combination and shall indicate under what local usage option ALCALL seeks to qualify. ALCALL shall be deemed to be providing a significant amount of local exchange service if one of the two (2) options set forth in Sections 5.3.6.2 through 5.3.6.3 is met. BellSouth shall have the right to audit ALCALL's records to verify that ALCALL is meeting the applicable local usage requirements. Such audit shall comply with the terms of Section 5.3.6.6 in this Attachment.

BellSouth shall provide EEL combinations to ALCALL in Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee regardless of whether or not such EELs are Currently Combined. In all other states, BellSouth shall make available to ALCALL those EEL combinations described in Section 5.3.5 below only to the extent such combinations are Currently Combined. Furthermore, BellSouth will make available new EEL combinations to ALCALL in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999, in the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs. Except as stated above, EELs will be provided to ALCALL only to the extent such network elements are Currently Combined.

5.3.5 **EEL Combinations**

- 5.3.5.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop
- 5.3.5.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop
- 5.3.5.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop
- 5.3.5.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop
- 5.3.5.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop
- 5.3.5.6 DS1 Interoffice Channel + DS1 Local Loop
- 5.3.5.7 DS3 Interoffice Channel + DS3 Local Loop
- 5.3.5.8 STS-1 Interoffice Channel + STS-1 Local Loop
- 5.3.5.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop
- 5.3.5.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop
- 5.3.5.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop
- 5.3.5.12 4wire VG Interoffice Channel + 4-wire VG Local Loop
- 5.3.5.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop
- 5.3.5.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop

5.3.6 **Special Access Service Conversions**

- 5.3.6.1 ALCALL may not convert special access services to combinations of loop and transport network elements, whether or not ALCALL self-provides its entrance facilities (or obtains entrance facilities from a third party), unless ALCALL uses the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent ALCALL requests to convert any special access services to combinations of loop and transport network elements at UNE prices, ALCALL shall provide to BellSouth certification that ALCALL is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification shall also indicate under what local usage option ALCALL seeks to qualify for conversion of special access circuits. ALCALL shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:
- 5.3.6.2 ALCALL certifies that it is the exclusive provider of an end user's local exchange service. The loop-transport combinations must terminate at ALCALL's

collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, ALCALL is the end user's only local service provider, and thus, is providing more than a significant amount of local exchange service. ALCALL can then use the loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or

- 5.3.6.3 ALCALL certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dialtone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the loop portion of the loop-transport combination have at least 5 percent local voice traffic individually, and the entire loop facility has at least 10 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet these criteria. The loop-transport combination must terminate at ALCALL's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth tariffed services; or
- 5.3.6.4 ALCALL certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dialtone service and at least 50 percent of the traffic on each of these local dialtone channels is local voice traffic, and that the entire loop facility has at least 33 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet these criteria. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. ALCALL does not need to provide a defined portion of the end user's local service, but the active channels on any loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.
- 5.3.6.5 In addition, there may be extraordinary circumstances where ALCALL is providing a significant amount of local exchange service, but does not qualify under any of the three options set forth in Section 5.3.6. In such case, ALCALL may petition the FCC for a waiver of the local usage options set forth in the June 2, 2000 Order. If a waiver is granted, then upon ALCALL's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 5.3.6.6 BellSouth may at its sole discretion audit ALCALL records in order to verify the type of traffic being transmitted over combinations of loop and transport network elements. The audit shall be conducted by a third party independent auditor, and ALCALL shall be given thirty days written notice of scheduled audit. Such audit shall occur no more than one time in a calendar year, unless results of an audit find noncompliance with the significant amount of local exchange service requirement.

In the event of noncompliance, ALCALL shall reimburse BellSouth for the cost of the audit. If, based on its audits, BellSouth concludes that ALCALL is not providing a significant amount of local exchange traffic over the combinations of loop and transport network elements, BellSouth may file a complaint with the appropriate Commission, pursuant to the dispute resolution process as set forth in the General Terms and Conditions. In the event that BellSouth prevails, BellSouth may convert such combinations of loop and transport network elements to special access services and may seek appropriate retroactive reimbursement from ALCALL.

5.3.6.7 ALCALL may convert special access circuits to combinations of loop and transport UNEs pursuant to the terms of this Section and subject to the termination provisions in the applicable special access tariffs, if any.

5.3.7 **Rates**

- 5.3.7.1 Subject to the limitations set forth in Section 5.3.4 above, the rates for EEL combinations are as follows:
- 5.3.7.1.1 The non-recurring and recurring rates for the EEL Combinations of network elements set forth in 5.3.5, whether or not Currently Combined, are as set forth in Exhibit B of this Attachment.
- 5.3.7.1.2 For combinations of loop and transport network elements that are not set forth in Section 5.3.5 but are Currently Combined, the recurring charge shall be the sum of the recurring charges for the individual UNEs that comprise the combination and the nonrecurring charge shall be the conversion charge set forth in Exhibit B of this Attachment.
- 5.3.7.1.3 For combinations of loop and transport network elements that are not set forth in Section 5.3.5, where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements which make up the combination as set forth in Exhibit B of this Attachment.

5.3.8 **Multiplexing**

5.3.8.1 Where multiplexing functionality is required in connection with loop and transport combinations, such multiplexing will be provided at the rates and on the terms set forth in this Agreement.

5.4 Other Network Element Combinations

5.4.1 In the states of Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, BellSouth shall make available to ALCALL, in accordance with Section 5.4.25.4.2.1 below: (1) combinations of network elements other than

those described in this Section that are Currently Combined; and (2) combinations of network elements other than those described in this Section that are not Currently Combined but that BellSouth ordinarily combines in its network. In all other states, BellSouth shall make available to ALCALL, in accordance with Section 5.4.2 below, combinations of network elements other than those described in this Section 5 only to the extent such combinations are Currently Combined.

- 5.4.2 Rates
- 5.4.2.1 Subject to the limitations set forth in Section 5.4.1 above, the rates for network element combinations other than those described in this Section 5 are as follows:
- 5.4.2.1.1 The recurring charge for Currently Combined combinations of network elements other than those described in this Section 5 shall be the sum of the recurring charges for the individual UNEs that comprise the combination and the nonrecurring charge shall be the conversion charge set forth in Exhibit B of this Attachment.
- 5.4.2.1.2 For network element combinations other than those described in this Section 5 where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements that make up the combination as set forth in Exhibit B of this Attachment.
- 5.4.2.1.3 To the extent that ALCALL seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, ALCALL, at its option, can request that such rates be determined pursuant to the BFR/NBR process set forth in this Attachment 12. In addition, to the extent BellSouth has not developed methods and procedures to provide any specific combination of network elements requested by ALCALL, whether or not Currently Combined, such methods and procedures shall be established pursuant to the BFR/NBR process.

5.5 **UNE Port/Loop Combinations**

5.5.1 Combinations of port and loop unbundled network elements along with switching and transport unbundled network elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.

- 5.5.2 BellSouth shall make available UNE port/loop combinations, regardless of whether such combinations are Currently Combined, so long as such combinations are ordinarily combined in BellSouth's network.
- 5.5.3 Except as set forth in section 5.5.6 below, in Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, BellSouth shall provide UNE port/loop combinations that are ordinarily combined in BellSouth's network, regardless of whether such combinations are Currently Combined at the cost-based rates in Exhibit B.
- 5.5.4 In Alabama, Florida, and North Carolina, BellSouth shall provide UNE port/loop combinations that are not Currently Combined but that are ordinarily combined in BellSouth's network at the market rates in Exhibit B. If a market rate is not set forth in Exhibit B for a UNE port/loop combination, such rate shall be negotiated by the Parties.
- 5.5.5 In Alabama, Florida, and North Carolina, BellSouth shall provide UNE port/loop combinations that are Currently Combined at the cost-based rates in Exhibit B.
- 5.5.6 BellSouth is not required to provide combinations of port and loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.
- 5.5.6.1 BellSouth shall not be required to provide local circuit switching as an unbundled network element in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to ALCALL if ALCALL's customer has 4 or more DS0 equivalent lines.
- Notwithstanding the foregoing, BellSouth shall provide combinations of port and loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as an unbundled network element and shall do so at the market rates in Exhibit B. If a market rate is not set forth in Exhibit B for a UNE port/loop combination, such rate shall be negotiated by the Parties.
- 5.5.7 BellSouth shall make 911 updates in the BellSouth 911 database for ALCALL's UNE port/loop combinations. BellSouth will not bill the ALCALL for 911 surcharges. ALCALL is responsible for paying all 911 surcharges to the applicable governmental agency.
- 5.5.8 Combination Offerings

- 5.5.8.1 2-wire voice grade port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.2 2-wire voice grade Coin port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.3 2-wire voice grade DID port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.4 2-wire CENTREX port, voice grade loop, CENTREX intercom functionality, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.5 2-wire ISDN Basic Rate Interface, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.6 4-wire ISDN Primary Rate Interface, DS1 loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.8 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

6 Transport, Channelization and Dark Fiber

6.1 **Transport**

- 6.1.1 Interoffice transmission facility network elements include:
- 6.1.1.1 Dedicated transport, defined as BellSouth's transmission facilities, is dedicated to a particular customer or carrier that provides telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and ALCALL.
- Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics;

- 6.1.1.3 Common (Shared) transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide ALCALL exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible transmission facilities, features, functions, and capabilities of the transport facility for the provision of telecommunications services;
- 6.1.2.3 Permit, to the extent technically feasible, ALCALL to connect such interoffice facilities to equipment designated by ALCALL, including but not limited to, ALCALL's collocated facilities; and
- Permit, to the extent technically feasible, ALCALL to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the applicable industry standards.
- 6.1.3.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the applicable industry standards.
- 6.1.3.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

6.2 **Dedicated Transport**

6.2.1 Dedicated Transport is composed of the following Unbundled Network Elements:

6.2.1.1 Unbundled Local Channel, defined as the dedicated transmission path between ALCALL's Point of Presence (POP) and ALCALL's collocation space in the BellSouth Serving Wire Center for ALCALL's POP, and 6.2.1.2 Unbundled Interoffice Channel, defined as the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations. 6.2.1.3 BellSouth shall offer Dedicated Transport in each of the following ways: 6.2.1.3.1 As capacity on a shared UNE facility. 6.2.1.3.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to ALCALL. 6.2.1.4 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as, line terminating equipment, amplifiers, and regenerators. 6.2.2 **Technical Requirements** 6.2.2.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to ALCALL designated traffic. 6.2.2.2 For DS1 or VT1.5 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the applicable industry standards. 6.2.2.3 For DS3 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the applicable industry standards. 6.2.2.4 BellSouth shall offer the following interface transmission rates for Dedicated Transport: 6.2.2.4.1 DS0 Equivalent; 6.2.2.4.2 DS1; 6.2.2.4.3 DS3: and 6.2.2.4.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704. 6.2.2.5 BellSouth shall design Dedicated Transport according to its network infrastructure. ALCALL shall specify the termination points for Dedicated Transport.

- 6.2.2.6 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.2.7 BellSouth Technical References:
- 6.2.2.7.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.2.7.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.2.7.3 TR 73525 MegaLink® Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 <u>Unbundled Channelization (Multiplexing)</u>

- 6.3.1 Unbundled Channelization (UC) provides the multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. Channelization will be offered with both the high and low speed sides to be connected to collocation. Channelization can be accomplished through the use of a stand-alone multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, ALCALL may request channel activation on an as-needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility.
- 6.3.2 BellSouth shall make available the following channelization systems:
- 6.3.2.1 DS3/STS-1 Channelization System: channelizes a DS3 signal into 28 DS1s.
- 6.3.2.2 DS1 Channelization System: channelizes a DS1 signal into 24 DS0s.
- 6.3.3 BellSouth shall make available the following:
- 6.3.3.1 Central Office Channel Interfaces (COCI):
- 6.3.3.2 DS1 COCI, which can be activated on a DS3 Channelization System.
- 6.3.3.3 Voice Grade and Digital Data COCI, which can be activated on a DS1 Channelization System.
- 6.3.3.4 Data COCI, which can be activated on a DS1 Channelization System.
- 6.3.3.5 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as options.
- 6.3.4 Technical Requirements
- 6.3.4.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, ALCALL's channelization equipment must adhere strictly to form and protocol standards. ALCALL must also adhere to such

applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.

- 6.3.4.2 DS0 to DS1 Channelization
- 6.3.4.2.1 The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions.
- 6.3.4.3 DS1 to DS3 Channelization
- 6.3.4.3.1 The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.
- 6.3.4.4 DS1 to STS Channelization
- 6.3.4.4.1 The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET) Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) Payload Mappings.

6.4 **Dark Fiber Transport**

- Dark Fiber Transport is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics that connects two points within BellSouth's network. It may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for ALCALL to utilize Dark Fiber Transport.
- Dark Fiber Transport rates are differentiated between Local Channel, Interoffice Channel and Local Loop.
- 6.4.3 Requirements
- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.

- 6.4.3.2 If the requested Dark Fiber Transport has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at ALCALL's request subject to time and materials charges.
- 6.4.3.3 ALCALL is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.3.4 BellSouth shall use its best efforts to provide to ALCALL information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from ALCALL. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.5 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to ALCALL within twenty (20) business days after ALCALL submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable ALCALL to connect or splice ALCALL provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 BellSouth Switched Access ("SWA") 8XX Toll Free Dialing Ten Digit Screening Service

- 7.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a Signaling control Point (SCP) that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the Switching Service Point (SSP) or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At ALCALL's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by ALCALL.
- 7.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

8 Line Information Database (LIDB)

8.1 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, ALCALL must purchase appropriate signaling links pursuant to Section 9 of this Attachment. LIDB contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network

Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

- 8.2 Technical Requirements
- 8.2.1 BellSouth will offer to ALCALL any additional capabilities that are developed for LIDB during the life of this Agreement.
- 8.2.2 BellSouth shall process ALCALL's Customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to ALCALL what additional functions (if any) are performed by LIDB in the BellSouth network.
- 8.2.3 Within two (2) weeks after a request by ALCALL, BellSouth shall provide ALCALL with a list of the customer data items, which ALCALL would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function, and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 8.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.
- 8.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.
- 8.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 8.2.7 All additions, updates and deletions of ALCALL data to the LIDB shall be solely at the direction of ALCALL. Such direction from ALCALL will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 8.2.8 BellSouth shall provide priority updates to LIDB for ALCALL data upon ALCALL's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 8.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of ALCALL customer records will be missing from LIDB, as measured by ALCALL audits. BellSouth will audit ALCALL records in LIDB against DBAS to identify record mismatches and provide this data to a designated ALCALL contact person to

resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to ALCALL within one business day of audit. Once reconciled records are received back from ALCALL, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact ALCALL to negotiate a time frame for the updates, not to exceed three business days.

- 8.2.10 BellSouth shall perform backup and recovery of all of ALCALL's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 8.2.11 BellSouth shall provide ALCALL with LIDB reports of data, which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between ALCALL and BellSouth.
- 8.2.12 BellSouth shall prevent any access to or use of ALCALL data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by ALCALL in writing.
- 8.2.13 BellSouth shall provide ALCALL performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by ALCALL at least at parity with BellSouth Customer Data. BellSouth shall obtain from ALCALL the screening information associated with LIDB Data Screening of ALCALL data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to ALCALL under the BFR/NBR process as set forth in Attachment 12.
- 8.2.14 BellSouth shall accept queries to LIDB associated with ALCALL customer records, and shall return responses in accordance with industry standards.
- 8.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 8.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 8.3 Interface Requirements
- 8.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.

- 8.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 8.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 8.3.5 The application of the LIDB rates contained in Exhibit B to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. ALCALL shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. ALCALL shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

9 <u>Signaling</u>

9.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

9.2 **Signaling Link Transport**

- 9.2.1 Signaling Link Transport is a set of two or four dedicated 56 kbps transmission paths between ALCALL-designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 9.2.2 Technical Requirements
- 9.2.2.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 9.2.2.1.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 9.2.2.1.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).

- 9.2.2.2 Signaling Link Transport shall consist of two or more signaling link layers as follows:
- 9.2.2.2.1 An A-link layer shall consist of two links.
- 9.2.2.2.2 A B-link layer shall consist of four links.
- 9.2.2.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 9.2.2.3.1 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
- 9.2.2.3.2 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 9.2.3 Interface Requirements
- 9.2.3.1 There shall be a DS1 (1.544 Mbps) interface at ALCALL's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 9.3 **Signaling Transfer Points (STPs)**
- 9.3.1 A Signaling Transfer Point is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 9.3.2 Technical Requirements
- 9.3.2.1 Signaling Transfer Point s shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. Signaling Transfer Point also provide access to third-party local or tandem switching and Third-party-provided Signaling Transfer Points.
- 9.3.2.2 The connectivity provided by Signaling Transfer Points shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.

- 9.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a ALCALL local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between ALCALL local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 9.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as defined in Telcordia ANSI Interconnection Requirements. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a ALCALL or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network, and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to an ALCALL database, then ALCALL agrees to provide BellSouth with the Destination Point Code for ALCALL database.
- 9.3.2.5 STPs shall provide all functions of the OMAP as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT); and SCCP Routing Verification Test (SRVT).
- 9.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a ALCALL or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

9.4 SS7 Advanced Intelligent Network (AIN) Access

- 9.4.1 When technically feasible and upon request by ALCALL, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with ALCALL's SS7 network to exchange TCAP queries and responses with an ALCALL SCP.
- 9.4.2 SS7 AIN Access shall provide ALCALL SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and ALCALL SS7 Networks.

BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the ALCALL SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

- 9.4.3 Interface Requirements
- 9.4.3.1 BellSouth shall provide the following STP options to connect ALCALL or ALCALL-designated local switching systems to the BellSouth SS7 network:
- 9.4.3.1.1 An A-link interface from ALCALL local switching systems; and,
- 9.4.3.1.2 A B-link interface from ALCALL local STPs.
- 9.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 9.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.4.3.4 BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and BellSouth STPs, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.4 Message Screening
- 9.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from ALCALL local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the ALCALL switching system has a valid signaling relationship.
- 9.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from ALCALL local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the ALCALL switching system has a valid signaling relationship.
- 9.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from ALCALL from any signaling point or network interconnected through BellSouth's SS7 network where the ALCALL SCP has a valid signaling relationship.

9.5 Service Control Points/Databases

- 9.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 9.5.2 A Service Control Point (SCP) is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 9.5.3 Technical Requirements for SCPs/Databases
- 9.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 9.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 9.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

9.6 **Local Number Portability Database**

9.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

9.7 **SS7 Network Interconnection**

9.7.1 SS7 Network Interconnection is the interconnection of ALCALL local signaling transfer point switches or ALCALL local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, ALCALL local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

- 9.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and ALCALL or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 9.7.3 If traffic is routed based on dialed or translated digits between a ALCALL local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the ALCALL local signaling transfer point switches and BellSouth or other third-party local switch.
- 9.7.4 SS7 Network Interconnection shall provide:
- 9.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 9.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 9.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is an ALCALL local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of ALCALL local STPs, and shall not include SCCP Subsystem Management of the destination.
- 9.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part, as specified in ANSI T1.113.
- 9.7.7 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.
- 9.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 9.7.9 Interface Requirements
- 9.7.9.1 The following SS7 Network Interconnection interface options are available to connect ALCALL or ALCALL-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 9.7.9.1.1 A-link interface from ALCALL local or tandem switching systems; and

- 9.7.9.1.2 B-link interface from ALCALL STPs.
- 9.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.7.9.5 BellSouth shall set message screening parameters to accept messages from ALCALL local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the ALCALL switching system has a valid signaling relationship.

10 Operator Services (Operator Call Processing and Directory Assistance)

- Operator Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls), (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, and Operator-assisted Directory Assistance.
- 10.2 Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 10.2.1 Process 0+ and 0- dialed local calls.
- 10.2.2 Process 0+ and 0- intraLATA toll calls.
- 10.2.3 Process calls that are billed to ALCALL end user's calling card that can be validated by BellSouth.
- 10.2.4 Process person-to-person calls.
- 10.2.5 Process collect calls.
- 10.2.6 Provide the capability for callers to bill to a third party and shall also process such calls.
- 10.2.7 Process station-to-station calls.

10.2.8	Process Busy Line Verify and Emergency Line Interrupt requests.
10.2.9	Process emergency call trace originated by Public Safety Answering Points.
10.2.10	Process operator-assisted directory assistance calls.
10.2.11	Adhere to equal access requirements, providing ALCALL local end users the same IXC access as provided to BellSouth end users.
10.2.12	Exercise at least the same level of fraud control in providing Operator Service to ALCALL that BellSouth provides for its own operator service.
10.2.13	Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls.
10.2.14	Direct customer account and other similar inquiries to the customer service center designated by ALCALL.
10.2.15	Provide call records to ALCALL in accordance with ODUF standards specified in Attachment 7.
10.2.16	The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.
10.3	<u>Directory Assistance Service</u>
10.3.1	Directory Assistance Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
10.3.2	Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by ALCALL's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings.
10.3.3	<u>Directory Assistance Service Updates</u>
10.3.3.1	BellSouth shall update end user listings changes daily. These changes include:
10.3.3.1.1 10.3.3.1.2 10.3.3.1.3	New end user connections End user disconnections End user address changes
10.3.3.2	These updates shall also be provided for non-listed and non-published numbers for use in emergencies.

10.4 **Branding for Operator Call Processing and Directory Assistance**

- 10.4.1 BellSouth's branding feature provides a definable announcement to ALCALL end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows ALCALL to have its calls custom branded with ALCALL's name on whose behalf BellSouth is providing DA and/or OCP. Rates for the branding features are set forth in this Attachment.
- 10.4.2 BellSouth offers three branding offering options to ALCALL when ordering BellSouth's DA and OCP: BellSouth Branding, Unbranding and Custom Branding.
- 10.4.3 Upon receipt of the custom branding order from ALCALL, the order is considered firm after ten business days. Should ALCALL decide to cancel the order, written notification ALCALL's BellSouth Account Executive is required. If ALCALL decides to cancel after ten business days from receipt of the custom branding order, ALCALL shall pay all charges per the order.

10.4.4 Selective Call Routing Using Line Class Codes (SCR-LCC)

- 10.4.4.1 Where ALCALL purchases unbundled local switching from BellSouth and utilizes an Operator Services Provider other than BellSouth, BellSouth will route ALCALL's end user calls to that provider through Selective Call Routing.
- 10.4.4.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for ALCALL to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 10.4.4.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, ALCALL specific and unique line class codes are programmed in each BellSouth end office switch where ALCALL intends to serve end users with customized OCP/DA branding. The line class codes specifically identify ALCALL's end users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and ALCALL intends to provide ALCALL -branded OCP/DA to its end users in these multiple rate areas.
- 10.4.4.5 BellSouth Branding is the default branding offering.

- 10.4.4.6 SCR-LCC supporting Custom Branding and Self Branding require ALCALL to order dedicated trunking from each BellSouth end office identified by ALCALL, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the ALCALL Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.4.7 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by ALCALL to the BellSouth TOPS. These calls are routed to "No Announcement."
- 10.4.4.8 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.
- 10.4.5 UNE Provider Branding via Originating Line Number Screening (OLNS)
- 10.4.5.1 BellSouth Branding, Unbranding and Custom Branding are also available for DA, OCP or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, ALCALL shall not be required to purchase dedicated trunking.
- 10.4.5.2 For BellSouth to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, ALCALL must have its Operating Company Number (OCN(s)) and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, ALCALL must submit a manual order form which requires, among other things, ALCALL's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. ALCALL shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon ALCALL's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all ALCALL end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 10.4.5.3 BellSouth Branding is the default branding offering.
- 10.4.5.4 Rates for Unbranding and Custom Branding via OLNS software for DA and for OCP are as set forth in this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill ALCALL applicable

charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, ALCALL shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's DA and OCP platforms as set forth in this Attachment. Further, where ALCALL is purchasing unbundled local switching from BellSouth, UNE usage charges for end office switching, tandem switching and transport, as applicable, shall continue to apply.

10.4.6 Facilities Based Carrier Branding

- 10.4.6.1 All Service Levels require ALCALL to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.6.2 Unbranding is the default branding offering.
- 10.4.6.3 Rates for Custom Branded OCP/DA are set forth in this Attachment.
- 10.4.6.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which ALCALL requires service.
- 10.4.6.5 Directory Assistance customized branding uses:
- 10.4.6.5.1 the recording of ALCALL;
- 10.4.6.5.2 the loading on the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.
- 10.4.6.6 Operator Call Processing customized branding uses:
- 10.4.6.6.1 the recording of ALCALL;
- 10.4.6.6.2 the loading on the DRAM in the TOPS Switch (North Carolina);
- 10.4.6.6.3 the loading on the NAV. All NAV shelves within the region where the customer is offering service must be loaded.

10.5 Directory Assistance Database Service (DADS)

10.5.1 BellSouth shall make its Directory Assistance Database Service (DADS) available at the rates set forth in this Attachment solely for the expressed purpose of providing Directory Assistance type services to ALCALL end users. The term "end user" denotes any entity that obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as

Voice Directory Assistance (DA Operator assisted) and Electronic Directory Assistance (Data System assisted). ALCALL agrees that DADS will not be used for any purpose that violates federal or state laws, statutes, regulatory orders or tariffs. For the purposes of provisioning a Directory Assistance type service, all terms and conditions of GSST A38 apply and are incorporated by reference herein. Except for the permitted uses, ALCALL agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS.

- 10.5.2 BellSouth shall initially provide ALCALL with a Base File of subscriber listings via magnetic tape. DADS is available and may be ordered on a Business, Residence or combined Business and Residence listings basis for each central office requested. BellSouth will require approximately 30- 45 days after receiving an order from ALCALL to prepare the Base File.
- 10.5.3 BellSouth will provide updates on either a daily or weekly basis reflecting all listing change activity occurring since ALCALL's previous update. Delivery of updates will commence immediately after ALCALL receives the Base File. Updates will be provided via magnetic tape unless BellSouth and ALCALL mutually develop CONNECT: Direct TM electronic connectivity. ALCALL will pay all costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.
- 10.5.4 ALCALL authorizes the inclusion of ALCALL Directory Assistance listings in the BellSouth Directory Assistance products, including but not limited to DADS. Any other use is not authorized.

10.6 <u>Direct Access to Directory Assistance Service</u>

- 10.6.1 Direct Access to Directory Assistance Service (DADAS) will provide ALCALL's directory assistance operators with the ability to search, using a standard directory assistance search format, the same listing information that is available to BellSouth operators including all available BellSouth subscriber listings, all available listings associated with lines resold by competitive local exchange carriers, and all available listings associated with lines provisioned by local exchange carriers that provide their listings to BellSouth. DADAS will also provide ALCALL with the ability to search all listings BellSouth obtains from sources other than the provider of the local exchange lines associated with the listings. The search format will be provided to ALCALL by BellSouth upon subscription to the service. Subscription to DADAS requires that ALCALL utilize its own switch, operator workstations, directory assistance operators, transport facilities, and optional audio subsystems.
- 10.6.2 Rates, terms and conditions for provisioning DADAS are as set forth in the FCC tariff No. 1.

11 Automatic Location Identification/Data Management System (ALI/DMS)

- The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.
- 11.2 Technical Requirements
- 11.2.1 BellSouth shall provide ALCALL access to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to ALCALL after ALCALL provides end user information for input into the ALI/DMS database.
- When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless ALCALL requests otherwise and shall be updated if ALCALL requests, provided ALCALL supplies BellSouth with the updates.
- When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.
- 11.2.4 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.
- 11.3 Interface Requirements
- The interface between the E911 Switch or Tandem and the ALI/DMS database for ALCALL end users shall meet industry standards.

12 Calling Name (CNAM) Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the end user (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides ALCALL the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- ALCALL shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing, no less than 60 days prior to ALCALL's access to BellSouth's CNAM Database Services and shall be addressed to ALCALL's Account Manager.

- BellSouth's provision of CNAM Database Services to ALCALL requires interconnection from ALCALL to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement, incorporated herein by this reference.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, ALCALL shall provide its own CNAM SSP. ALCALL's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If ALCALL elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that ALCALL desires to query.
- 12.6 If ALCALL queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- The mechanism to be used by ALCALL for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by ALCALL in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of ALCALL to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 12.9 ALCALL CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

- Service Creation Environment and Service Management System (SCE/SMS)
 Advanced Intelligent Network (AIN) Access
- BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide ALCALL the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to ALCALL. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions, but will not include support for the creation of a specific service application.
- 13.3 BellSouth SCP shall partition and protect ALCALL service logic and data from unauthorized access.
- When ALCALL selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable ALCALL to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 13.5 ALCALL access will be provided via remote data connection (e.g., dial-in, ISDN).
- BellSouth shall allow ALCALL to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Basic 911 and E911

- Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- 14.2 <u>Basic 911 Service Provisioning.</u> BellSouth will provide to ALCALL a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. ALCALL will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. ALCALL will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, ALCALL will be required to begin using E911 procedures.
- 14.3 <u>E911 Service Provisioning.</u> ALCALL shall install a minimum of two dedicated trunks originating from the ALCALL serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital

(1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency (MF) pulsing that will deliver automatic number identification (ANI) with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. ALCALL will be required to provide BellSouth daily updates to the E911 database. ALCALL will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, ALCALL will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point (PSAP). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. ALCALL shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.

- 14.4 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on ALCALL beyond applicable charges for BellSouth trunking arrangements.
- 14.5 Basic 911 and E911 functions provided to ALCALL shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.
- The detailed practices and procedures for 911/E911 services are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement.

15 Operational Support Systems (OSS)

BellSouth has developed and made available the following electronic interfaces by which ALCALL may submit LSRs electronically.

LENS Local Exchange Navigation System

EDI Electronic Data Interchange

TAG Telecommunications Access Gateway

- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit B of this Attachment.
- 15.3 Denial/Restoral OSS Charge
- 15.3.1 In the event ALCALL provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

- 15.4 Cancellation OSS Charge
- 15.4.1 ALCALL will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 15.6 Network Elements and Other Services Manual Additive
- 15.6.1 The Commissions in some states have ordered per-element manual additive non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed in Exhibit B.

EXHIBIT A

LINE INFORMATION DATA BASE (LIDB)

FACILITIES BASED STORAGE AGREEMENT

I. Definitions

- A. Billing number a number that ALCALL creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number that identifies a telephone line administered by ALCALL.
- C. Special billing number a ten-digit number that identifies a billing account established by ALCALL.
- D. Calling Card number a billing number plus PIN number.
- E. PIN number a four-digit security code assigned by ALCALL that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by ALCALL.
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by ALCALL.

II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of ALCALL and pursuant to which BellSouth, its LIDB customers and ALCALL shall have access to such information. In addition, this Agreement sets forth the terms and conditions for ALCALL's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. ALCALL understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of ALCALL, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to ALCALL's account team and/or Local

Version 1Q02: 02/20/02

Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement.

B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether ALCALL has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth and where the last four digits (PIN) are a security code assigned by BellSouth.

3. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify ALCALL of fraud alerts so that ALCALL may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by ALCALL pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to ALCALL for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from end users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate ALCALL's data from BellSouth's data, the following terms and conditions shall apply:

1.ALCALL will accept responsibility for telecommunications services billed by BellSouth for its B&C Customers for ALCALL's End User accounts which are

resident in LIDB pursuant to this Agreement. ALCALL authorizes BellSouth to place such charges on ALCALL's bill from BellSouth and shall pay all such charges including, but not limited to, collect and third number calls.

- 2. Charges for such services shall appear on a separate BellSouth bill page identified with the name of the B&C Customers for which BellSouth is billing the charge.
- 3. ALCALL shall have the responsibility to render a billing statement to its End Users for these charges, but ALCALL shall pay BellSouth for the charges billed regardless of whether ALCALL collects from ALCALL's End Users.
- 4. BellSouth shall have no obligation to become involved in any disputes between ALCALL and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to ALCALL. It shall be the responsibility of ALCALL and the B&C Customers to negotiate and arrange for any appropriate adjustments.

C. SPNP Arrangements

- 1. BellSouth will include billing number information associated with exchange lines or SPNP arrangements in its LIDB. ALCALL will request any toll billing exceptions via the Local Service Request (LSR) form used to order exchange lines, or the SPNP service request form used to order SPNP arrangements.
- 2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the local exchange lines or the SPNP arrangements. For local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of ALCALL. BellSouth will not issue line-based calling cards in the name of ALCALL in inthe BellSouth LIDB, a separate agreement is required.

V. Fees for Service and Taxes

- A. ALCALL will not be charged a fee for storage services provided by BellSouth to ALCALL, as described in this LIDB Facilities Based Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by ALCALL in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

IINR	INDI F	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
-	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge -		Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonre	curring	Nonrecurrin	g Disconnect				Rates(\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	<u> </u>																
OPER		L SUPPORT SYSTEMS			it markens the etete					hth a Ctata Ca		la alastuani					
		(1) Electronic Service Order: CLEC should contact its contract its the BellSouth regional electronic service ordering charge.															is rate
	_	(2) Any element that can be ordered electronically will be bille		_													ly For
	those	elements that cannot be ordered electronically at present per t	he BBR	R-LO, th	ne listed SOMEC rat						•	. ,		•			•
	orderi	ng charge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	LSR t	o BellSouth.	1	1		1	1		1		ı		1	1
		Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)				SOMEC		3.50									
UNBU	NDLED	EXCHANGE ACCESS LOOP		 		JOIVILO	1	3.30			†				 		
		E ANALOG VOICE GRADE LOOP					1	†	1	1	†			1	†	1	
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	15.24	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	24.75	59.03	43.14		3.22			27.37	12.97	17.77	17.77
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	44.85	59.03	43.14		3.22			23.97	12.97	17.77	17.77
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92					27.37	12.97	17.77	17.77
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33					27.37	12.97	17.77	17.7
		CLEC to CLEC Conversion Charge Without Outside Dispatch													40.00		
		(UVL-SL1)		1	UEANL UEANL	UREWO		15.78 28.75	8.94 28.75		-			27.37	12.97	17.77	17.77
		Engineering Information Document (EI) Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		51.29	51.29								
		Order Coordination for Specified Conversion Time for UVL-SL1			ULANL	ULANC		31.29	31.29		1				1		
		(per LSR)			UEANL	OCOSL		45.99	45.99								
	2-WIR	E Unbundled COPPER LOOP			-												
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	ı	1	UEQ	UEQ2X	11.01	44.69	22.40	25.65	7.06			27.37	12.97	17.77	17.77
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	ı	2	UEQ	UEQ2X	12.67	44.69	22.40		7.06			27.37	12.97	17.77	17.77
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	ı	3	UEQ	UEQ2X	20.22	44.69	22.40	25.65	7.06			27.37	12.97	17.77	17.77
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		51.29	51.29					27.37	12.97	17.77	17.77
		Engineering Information Document Loop Testing - Basic 1st Half Hour			UEQ UEQ	URET1		28.75 78.92	28.75 78.92					27.37 27.37	12.97 12.97	17.77 17.77	17.77 17.77
		Loop Testing - Basic 1st Hall Hour Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33					27.37	12.97	17.77	17.77
		CLEC to CLEC Conversion Charge Without Outside Dispatch			OLQ	OKLIA		23.33	25.55					21.01	12.57	17.77	17.77
		(UCL-ND)			UEQ	UREWO		14.27	7.43					18.84	8.42		
UNBU	NDLED	EXCHANGE ACCESS LOOP				1											
	2-WIR	E ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	18.24	75.62	35.11	46.98	10.59			27.37	12.97	17.77	17.77
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		4	LIEDOD LIEDOD	LIEADO	40.04	75.00	05.44	40.00	40.50			07.07	40.07	47 77	47
	-	Zone 1 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEABS	18.24	75.62	35.11	46.98	10.59			27.37	12.97	17.77	17.77
		Zone 2		2	UEPSR UEPSB	UEALS	25.22	75.62	35.11	46.98	10.59			27.37	12.97	17.77	17.77
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		<u> </u>	02. 0 02. 02	02,120	20.22	70.02	50.11	10.00	10.00			27.07	12.07		
		Zone 2		2	UEPSR UEPSB	UEABS	25.22	75.62	35.11	46.98	10.59			27.37	12.97	17.77	17.77
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	33.70	75.62	35.11	46.98	10.59			23.97	12.97	17.77	17.77
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	<u> </u>	Zone 3		3	UEPSR UEPSB	UEABS	33.70	75.62	35.11	46.98	10.59			23.97	12.97	17.77	17.77
UNBU		EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP		-			-	 	-	-	 				1	-	
	Z-WIR	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1			1	 		1	+				+		
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	17.95	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u> </u>		O E / 1 E E	17.55	140.40	100.40	40.51	20.01			27.07	12.51		17.77
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	29.16	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	52.84	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.99							1		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		١.		LIEADO											
	1	Battery Signaling - Zone 1	1	1	UEA	UEAR2	17.95	145.46	108.40	40.31	26.01	1	l	27.37	12.97	17.77	17.77

04/12/02 Page 1 of 352

HINDIII	IDI EI	NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
UNBUI	NDLE	O NETWORK ELEMENTS - Alabama	1	1	I		1					Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -		
												Elec				Charge -	Charge -
CATEG	nev	RATE ELEMENTS	Interi	Zone	BCS	usoc		PΔT	TES(\$)				Manually	Manual Svc			Manual Svc
CATEG	JK I	RATE ELEMENTS	m	Zone	BC3	0300		NA.	L3(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	n Disconnect		l	oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse						11130	Auu	11100	Auu	COMILO	COMPAN	COMPAR	COMPAR	COMPAN	COMPAR
		Battery Signaling - Zone 2		2	UEA	UEAR2	29.16	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		 													
		Battery Signaling - Zone 3		3	UEA	UEAR2	52.84	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.99									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36					27.37	12.97	17.77	17.77
	4-WIRE	ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	24.01	293.70	241.76	108.96	57.01			27.37	12.97	17.77	17.77
		4-Wire Analog Voice Grade Loop - Zone 2	<u> </u>	2	UEA	UEAL4	39.00	293.70	241.76	108.96	57.01			27.37	12.97	17.77	17.77
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	70.67	293.70	241.76	108.96	57.01			27.37	12.97	17.77	17.77
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.99									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36					27.37	12.97	17.77	17.77
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	23.23	331.85	255.87	108.95	57.01			27.37	12.97	17.77	17.77
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	37.74	331.85	255.87	108.95	57.01			27.37	12.97	17.77	17.77
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	68.38	331.85	255.87	108.95	57.01			27.37	12.97	17.77	17.77
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.99									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16					27.37	12.97	17.77	17.77
	2-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP															
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		l .													
1		1		1	UDC	UDC2X	16.84	104.17	78.10	108.95	57.01			18.94	8.42	17.77	17.77
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone			LIDO	LID COV	40.45	404.47	70.40	400.05	57.04			40.04	0.40	47.77	47.77
-		2 Wise Heisensel Digital Channel (HDC) Competible Loop. Zone		2	UDC	UDC2X	19.45	104.17	78.10	108.95	57.01			18.94	8.42	17.77	17.77
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		3	UDC	UDC2X	30.92	104.17	78.10	108.95	57.01			18.94	8.42	17.77	17.77
-		CLEC to CLEC Conversion Charge without outside dispatch		3	UDC	UREWO	30.92	91.63	44.16	108.95	57.01			27.37	12.97	17.77	17.77
 	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIRI F	LOOF		UKLVVO		91.03	44.10					21.31	12.51	17.77	17.77
 	E-VVIIVE	2 Wire Unbundled ADSL Loop including manual service inquiry	ATIBLE	LOGI													
		& facility reservation - Zone 1		1	UAL	UAL2X	12.09	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
		2 Wire Unbundled ADSL Loop including manual service inquiry			-												
		& facility reservation - Zone 2		2	UAL	UAL2X	19.64	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
		2 Wire Unbundled ADSL Loop including manual service inquiry				-											
		& facility reservation - Zone 3		3	UAL	UAL2X	35.59	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.99									
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 1	<u> </u>	1	UAL	UAL2W	12.09	204.88	129.08	100.52	15.82			27.37	12.97	17.77	17.77
		2 Wire Unbundled ADSL Loop without manual service inquiry &	1	1									1]	
		facility reservaton - Zone 2		2	UAL	UAL2W	19.64	204.88	129.08	100.52	15.82			27.37	12.97	17.77	17.77
1 T		2 Wire Unbundled ADSL Loop without manual service inquiry &	1	1									1	_]	_
		facility reservaton - Zone 3	ļ	3	UAL	UAL2W	35.59	204.88	129.08	100.52	15.82			27.37	12.97	17.77	17.77
\vdash		Order Coordination for Specified Conversion Time (per LSR)	ļ	<u> </u>	UAL	OCOSL		45.99								.=	
<u> </u>		CLEC to CLEC Conversion Charge without outside dispatch	L.	000	UAL	UREWO	ļ	86.20	40.40					27.37	12.97	17.77	17.77
\vdash	2-WIKE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	LUUP	1		1							!	ļ.	 	+
			1	1	UHL	UHL2X	9.41	514.21	464.58	106.65	56.98		1	27.37	12.97	17.77	17.77
\vdash		& facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry	1	_	UTIL	UNLZX	9.41	314.21	404.58	100.05	56.98	-	 	21.31	12.97	17.77	17.77
		& facility reservation - Zone 2	1	2	UHL	UHL2X	15.29	514.21	464.58	106.65	56.98		1	27.37	12.97	17.77	17.77
\vdash		2 Wire Unbundled HDSL Loop including manual service inquiry	 		OI IL	UTILZA	10.29	314.21	404.30	100.05	30.30			21.31	12.37	17.77	11.11
		& facility reservation - Zone 3	1	3	UHL	UHL2X	27.70	514.21	464.58	106.65	56.98		1	27.37	12.97	17.77	17.77
\vdash		Order Coordination for Specified Conversion Time (per LSR)	1	Ť	UHL	OCOSL	20	45.99	.000		55.50			2	.2.07		
\vdash		2 Wire Unbundled HDSL Loop without manual service inquiry	†			00000		.0.00						1		1	
		and facility reservation - Zone 1	1	1	UHL	UHL2W	9.41	222.20	146.40	100.52	15.82			27.37	12.97	17.77	17.77
		2 Wire Unbundled HDSL Loop without manual service inquiry	†		İ										,	1	
		and facility reservation - Zone 2	1	2	UHL	UHL2W	15.29	222.20	146.40	100.52	15.82			27.37	12.97	17.77	17.77
		2 Wire Unbundled HDSL Loop without manual service inquiry			1				-								
		and facility reservation - Zone 3	<u>L</u>	3	UHL	UHL2W	27.70	222.20	146.40	100.52	15.82	<u> </u>	<u></u>	27.37	12.97	17.77	17.77
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.99									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40					27.37	12.97	17.77	17.77
	1-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													

UNBU	NDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			Disconnect				Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled HDSL Loop including manual service inquiry		4	UHL	UHL4X	11.52	541.13	404 50	106 GE	EC 00			27.37	12.07	17 77	17 77
		and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry		-	UHL	UHL4X	11.52	541.13	491.50	106.65	56.98			21.31	12.97	17.77	17.77
		and facility reservation - Zone 2		2	UHL	UHL4X	18.71	541.13	491.50	106.65	56.98			27.37	12.97	17.77	17.77
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4X	33.90	541.13	491.50	106.65	56.98			27.37	12.97	17.77	17.77
-		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.99									
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	11.52	279.39	203.59	109.99	20.70			27.37	12.97	17.77	17.77
		4-Wire Unbundled HDSL Loop without manual service inquiry			0.12	0.12.11	02	2.0.00	200.00	.00.00	20.70			27.07	12.07		
		and facility reservation - Zone 2		2	UHL	UHL4W	18.71	279.39	203.59	109.99	20.70			27.37	12.97	17.77	17.77
1 1		4-Wire Unbundled HDSL Loop without manual service inquiry		_				c=c c-	200 5-								
\vdash		and facility reservation - Zone 3		3	UHL UHL	UHL4W OCOSL	33.90	279.39 45.99	203.59	109.99	20.70			27.37	12.97	17.77	17.77
\vdash		Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	 	-	UHL	UREWO		45.99 86.14	40.40	 				27.37	12.97	17.77	17.77
	4-WIRE	DS1 DIGITAL LOOP		1	O	JILLIVO		55.14	40.40	1				21.01	12.31	17.77	17.77
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	51.74	610.13	380.26	134.77	55.97			27.37	12.97	17.77	17.77
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	84.05	610.13	380.26	134.77	55.97			27.37	12.97	17.77	17.77
		4-Wire DS1 Digital Loop - Zone 3	ļ	3	USL	USLXX	152.29	610.13	380.26	134.77	55.97			27.37	12.97	17.77	17.77
-		Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			USL	OCOSL UREWO		45.99 101.09	43.05					27.37	12.97	17.77	17.77
	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			OOL	OKEWO		101.03	43.03					21.01	12.37	17.77	17.77
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.33	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	44.40	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	80.45	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
-		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL UDL	UDL56 UDL56	27.33 44.40	498.05 498.05	343.70 343.70	129.62 129.62	64.25 64.25			27.37 27.37	12.97 12.97	17.77 17.77	17.77 17.77
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	80.45	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.99									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	27.33	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	44.40	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
-		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	1	3	UDL UDL	UDL64 OCOSL	80.45	498.05 45.99	343.70	129.62	64.25			27.37	12.97	17.77	17.77
-		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75					27.37	12.97	17.77	17.77
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop/Short including manual service															
		inquiry & facility reservation - Zone 1	<u> </u>	1	UCL	UCLPB	11.90	283.37	163.68	120.15	22.37			18.94	8.42		
		2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.74	283.37	163.68	120.15	22.37			18.94	8.42		
\vdash		2 Wire Unbundled Copper Loop/Short including manual service			OOL	JULED	13.74	200.37	103.00	120.15	22.31			10.94	0.42		
		inquiry & facility reservation - Zone 3		3	UCL	UCLPB	21.83	283.37	163.68	120.15	22.37			18.94	8.42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.46	36.46								
		2-Wire Unbundled Copper Loop/Short without manual service	l . ¯			1101 511			=								
\vdash		inquiry and facility reservation - Zone 1	I	1	UCL	UCLPW	11.90	104.17	78.10	 				18.94	8.42		
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	13.74	104.17	78.10					18.94	8.42		
		2-Wire Unbundled Copper Loop/Short without manual service	<u> </u>	_		302	10.14		75.10	1				.0.04	5.42		
		inquiry and facility reservation - Zone 3	I	3	UCL	UCLPW	21.83	104.17	78.10					18.94	8.42		
\vdash		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.46	36.46								
		2-Wire Unbundled Copper Loop/Long - includes manual srvc. inquiry and facility reservation - Zone 1		4	UCL	UCL2L	35.43	270.28	150.59	120.15	22.37			18.94	8.42		
		2-Wire Unbundled Copper Loop/Long - includes manual svc.	1	+-	OOL	UCLZL	33.43	210.28	130.39	120.15	22.31			10.94	0.42		
		inquiry and facility reservation - Zone 2		2	UCL	UCL2L	40.91	270.28	150.59	120.15	22.37			18.94	8.42		
		2-Wire Unbundled Copper Loop/Long - includes manual svc.															
		inquiry and facility reservation - Zone 3		3	UCL	UCL2L	65.02	270.28	150.59	120.15	22.37			18.94	8.42		
\vdash		Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop/Long - without manual service	<u> </u>		UCL	UCLMC		36.46	36.46	-							
		inquiry and facility reservation - Zone 1	1	1	UCL	UCL2W	35.43	104.17	78.10	1				18.94	8.42		
				<u> </u>		, , , , , , , , , , , , , , , , , , , ,	33.40		70.10	1		1	·	.0.04	U.72		

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates(\$)		
-	O.Wine Helenedied Connections // control of the control of the						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - without manual service	ı	2	UCL	UCL2W	40.91	104.17	78.10					18.94	8.42		
	inquiry and facility reservation - Zone 3	1	3	UCL	UCL2W	65.02	104.17	78.10					18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.46	36.46						-		
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		97.23	42.48					18.94	8.42		
4-WI	RE COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	16.65	331.78	212.09	130.69	27.60			27.37	8.42		
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	19.22	331.78	212.09	130.69	27.60			18.94	8.42		
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	30.55	331.78	212.09	130.69	27.60			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)		- 3	UCL	UCLMC	30.33	36.46	36.46	130.09	21.00			10.54	0.42		
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1	ı	1	UCL	UCL4W	16.65	104.17	78.10					18.94	8.42		
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCL4W	19.22	104.17	78.10					18.94	8.42		
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3	I	3	UCL	UCL4W	30.55	104.17	78.10					18.94	8.42		
-	Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Unbundled Copper Loop/Long - includes manual svc.			UCL	UCLMC		36.46	36.46								_
	inquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - includes manual svc.		1	UCL	UCL4L	47.56	318.70	199.00	130.69	27.60			18.94	8.42		
	inquiry and facility reservation - Zone 2 4-Wire Unbundled Copper Loop/Long - includes manual svc.		2	UCL	UCL4L	54.92	318.70	199.00	130.69	27.60			18.94	8.42		
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	87.30	318.70	199.00	130.69	27.60			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.46	36.46								
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1	ı	1	UCL	UCL4O	47.56	104.17	78.10					18.94	8.42		
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2 4-Wire Unbundled Copper Loop/Long - without manual svc.	1	2	UCL	UCL4O	54.92	104.17	78.10					18.94	8.42		
	inquiry and facility reservation - Zone 3	1	3	UCL	UCL4O	87.30	104.17	78.10					18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	07.00	36.46	36.46						0.12		
	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		97.23	42.48					18.94	8.42		
LOOP MODI	FICATION			UAL, UHL, UCL,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEQ, ULS, UEA, UEANL, UDL, UDC,												
	pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire	1		UDN, UDL, USL	ULM2L		67.39	67.39					27.37	12.97	17.77	17.77
	greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire			UCL, ULS	ULM2G		337.50	337.50					27.37	12.97	17.77	17.77
	less than or equal to 18K ft Unbundled Loop Modification Removal of Load Coils - 4 Wire			UHL, UCL	ULM4L		67.39	67.39					27.37	12.97	17.77	17.77
	pair greater than 18k ft Unbundled Loop Modification Removal of Bridged Tap Removal,			UCL UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL,	ULM4G		337.50	337.50					27.37	12.97	17.77	17.77
SUB-LOOPS	per unbundled loop		<u> </u>	USL	ULMBT		78.10	78.10					27.37	12.97	17.77	17.77
	Loop Distribution		1								 		-			
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	<u>I</u>		UEANL	USBSA		421.08	421.08					18.94	8.42		
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		67.10	67.10					18.94	8.42		

CATEORY RATE ELEMENTS Interest Zone BCS USOC RATERS Per LSR Charge	HINDHINDI D	D NETWORK ELEMENTS - Alabama												Attachments	<u> </u>	Evhibit. D	
CATEGORY RATE ELEMENTS Intell Zone BCS USCC RATES(\$) Western Section	UNBUNDLE	D NETWORK ELEMENTS - Alabama	1				ı				1	Svc Order	Svc Order	Attachment:		Exhibit: B	Incremental
## BCS USOC RATES(S) Pack Exempted Pack Exempted Pack Pack																	Charge -
CATEGORY RATE ELEMENTS Image Some Soft																	Manual Svc
No. Section	CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RΔ	TES(\$)								
Section Sect	CATEGORI	NATE ELEMENTO	m	20116	500	0000		IVA.	LO(\$)			per LSR	per LSR				Order vs.
Rec. Noncember																	Electronic-
Section First Ader Species														1st	Add'l	Disc 1st	Disc Add'l
Section First Ader Species								Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)		
Sol-Lacy Petitibility General Scan Petit							Rec					SOMEC	SOMAN			SOMAN	SOMAN
Facility Set-Lip Lip		Sub-Loop - Per Building Equipment Room - CLEC Feeder															
Section Sect			l i		UEANL	USBSC		394.74	394.74					18.94	8.42		
Section Sect		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
Stant-loop (Institution Per 2-Vivre Annal) pure Grant Loop. www. UEANL. USBNZ 0.12 207.01 171.32 18.44 8.42			1		UEANL	USBSD		154.57	154.57					18.94	8.42		
Virter Coordination for Unbounded Stain-Loops, per sub-loop part UEANL USBMC 45.99 45.90 123.72 28.77 18.94 8.42		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
Sub-Loop Distribution Per A-Wiley Analogy Your Grade Loop - 1		Statewide		sw	UEANL	USBN2	9.12	207.01	171.32					18.94	8.42		
Sub-Loop Distribution Per A-Wiley Analogy Your Grade Loop - 1																	
Statewide					UEANL	USBMC		45.99	45.99								
Criser Coordination for Unbounded Sub-Loops, per sub-loop pair U.E.AMI. U.SSMC 1.6 45.99 45.99 45.99 10.77 16.94 8.42 1.25																	
Sub-Loop 2-West Installuting National Cable (NC)		Statewide		SW	UEANL	USBN4	8.32	219.35	72.99	123.72	28.77			18.94	8.42		
Sub-Loop 2-West Installuting National Cable (NC)								-									
Description Configuration for Unbundled Sub-Loop, per sub-loop part UEANL USBMC 45.99																	
Sub-Loop 4-Wire Introduction (Sub-Loop par sub-loop par UEANL USBNAC 2.96 176.66 55.11 122.17 19.97 19.94 8.42		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR2	1.61	137.03	41.59	115.85	19.17			18.94	8.42		
Sub-Loop 4-Write Introductioning Network Cable (RNC)	_		1									1		_]		
Diese Dies																	
2 Wire Capper Urbandied Sub-Loop Distribution - Statewide Sw UEF UCS2X 5.54 175.16 55.50 108.86 24.53 18.94 8.42	\vdash	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	2.96	176.46	55.11	122.17	19.57			18.94	8.42		
2 Wire Capper Urbandied Sub-Loop Distribution - Statewide Sw UEF UCS2X 5.54 175.16 55.50 108.86 24.53 18.94 8.42																	
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UFF										100.00	01.50			10.01	0.10		
A Wire Copper Unbundled Sub-Loop Destroution - Statewide		2 Wire Copper Unbundled Sub-Loop Distribution - Statewide		SW	UEF	UCS2X	5.54	1/5.16	55.50	108.86	24.53			18.94	8.42		
A Wire Copper Unbundled Sub-Loop Destroution - Statewide		0-10			urr	1100140		45.00	45.00								
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEF USBMC 45.99 45.99		Order Coordination for Unbundled Sub-Loops, per sub-loop pair					0.00			400.70	00.77			40.04	0.40		
Unbundled Sub-Loop Modification UEF ULM2X 355.71 12.26 18.94 8.42 ULM2D ULM2		4 Wire Copper Unbundled Sub-Loop Distribution - Statewide		SW	UEF	UC54X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
Unbundled Sub-Loop Modification UEF ULM2X 355.71 12.26 18.94 8.42		Order Coordination for Unbundled Sub Loops, per sub Joon pair			HEE	LICEMC		45.00	45.00								
Unbundled Sub-Loop Modification - 2-W Copper Dist Load Collectipue Removal per 1 APP R Unbundled Sub-loop Modification - 4-W Copper Dist Load Collectipue Removal per 1 APP R Unbundled Sub-loop Modification - 2-wid-w Copper Dist Endged Tap Removal, per PR uninoated UEF ULMAX 365.71 12.26 18.94 8.42 Unbundled Sub-loop Modification - 2-wid-w Copper Dist Endged Tap Removal, per PR uninoated UEF ULMAY 365.71 12.26 18.94 8.42 Unbundled Network Terminating Wire (WITW) UEF ULMAT 560.55 14.30 18.94 8.42 UEF ULMAT 560.55	Unbur				OLI	USBIVIC		45.55	45.55								
CollEquip Removal per 2-W PR	Olibui																
Unbundled Sub-loop Modification - 4-W Copper Dist Load UEF ULM4X 355.71 12.26 18.94 8.42					LIFE	LII M2X		355 71	12 26					18 94	8 42		
CollEquip Removal per 4W PR					02.	CLINEX		000	.2.20					10.01	02		
Unbundled Sub-loop Modification *2-wi4-w Copper Dist Bridged Tap Removal, per PR unloaded UEF ULMHT					UEF	ULM4X		355.71	12.26					18.94	8.42		
Tap Removal, per PR unloaded UEF																	
Unbundled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair UENTW UENPP 1.37 2.48 2.48 1.74 1.74 1.894 8.42 1.74					UEF	ULM4T		560.55	14.30					18.94	8.42		
Unbundled Network Terminating Wire (UNTW) per Pair UENTW UENPP 1.37 2.48 2.48 1.74 1.74 18.94 8.42	Unbur																
Network Interface Device (NID) 12 lines					UENTW	UENPP	1.37	2.48	2.48	1.74	1.74			18.94	8.42		
Network Interface Device (NID) -1-6 lines	Netwo																
Network Interface Device Cross Connect - 2 W		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		86.46	56.75					18.94	8.42		
Network Interface Device Cross Connect - 4W																	
Sub-Loop Sub-Loop Feeder USL-Feeder, DSO Set-up per Cross Box location - CLEC UEA, UDN,UCL,UDL,UDC USBFW 421.08 USL Feeder DSO Set-up per Cross Box location - per 25 pair UDN,UCL,UDL,UDC USBFW 421.08 USL Feeder DSO Set-up per Cross Box location - per 25 pair UEA, UDN,UCL,UDL,UDC USBFX 67.10 67.10 18.94 8.42 USL Feeder DSI Set-up at DSX location, per DS1 termination USL USBFX UDN,UCL,UDL,UDC USBFX US								11.73	11.73					18.94			
Sub-Loop Feeder		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11.73	11.73					18.94	8.42		
USL-Feeder, DS0 Set-up per Cross Box location - CLEC UEA, UDN,UCL,UDL,UDC USBFW 421.08 18.94 8.42 USL Feeder - DS0 Set-up per Cross Box location - per 25 pair UEA, UDN,UCL,UDL,UDC USBFX 67.10 67.10 18.94 8.42 USL Feeder DS1 Set-up at DSX location, per DS1 termination USL USBFZ 519.95 11.32 18.94 8.42 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade-Statewide Sw UEA USBFA 8.58 206.44 170.05 119.95 27.04 18.94 8.42 Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Statewide Sw UEA USBFB 8.58 206.44 170.05 119.95 27.04 18.94 8.42 USBFB 8.42 USBFB 8.58 206.44 170.05 119.95 27.04 18.94 8.42 USBFB 8.42 USBFB 8.58 206.44 170.05 119.95 27.04 18.94 8.42 USBFB 8.42 USBFB 8.58 206.44 170.05 119.95 27.04 18.94 8.42 USBFB 206.44 170.05 119.95 27.04 18.94 8.42 USBFB 206.44 170.05 119.95 27.04 18.94 8.42 USBFB 206.44 170.05 119.95 27.04 18.94 8.42 USBFB 206.44 170.05 119.95 27.04 18.94 8.42 USBFB 206.44 170.05 119.95 27.04 18.94 8.42 USBFB 206.44 170.05 119.95 27.04 18.94 8.42 USBFB 206.44 170.05 119.95 27.04 18.94 8.42 USBFB 206.44 170.05 119.95 27.04 18.94 8.42 USBFB 206.44 170.05 119.95 27.04 18.94 8.42 206.44 2										ļ							
Distribution Facility set-up UDN,UCL,UDL,UDC USBFW 421.08 18.94 8.42	Sub-L	oop Feeder								.				.			
USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up UDN, UCL, UDL, UDC USBFX 67.10 67.10 18.94 8.42 19.00 18.94 8.42 19.00 19.			1			HODE				I		1					
Set-up			ļ			USBFW		421.08						18.94	8.42		
USL Feeder DS1 Set-up at DSX location, per DS1 termination			l			LICDEY		07.10	07.10	1				40.04	0.40		
Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Statewide	 		1							 							
Grade- Statewide			-		USL	OSRFZ		519.95	11.32	 				18.94	8.42		
Order Coordination for Specified Conversion Time, per LSR			l	CW	E	LICDEA	0 50	206 44	170.05	110.05	27.04			10.04	0.40		
Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Sw UEA USBFB 8.58 206.44 170.05 119.95 27.04 18.94 8.42			-	SW			0.38		170.05	119.95	21.04			10.94	0.42		
Grade - Statewide Sw UEA USBFB 8.58 206.44 170.05 119.95 27.04 18.94 8.42	 		 		OLA	JUUGL		40.33		t				t	1		
Order Coordination for Specified Time Conversion, per LSR			1	SW	IIΕΔ	LISBER	8 58	206.44	170.05	119 95	27 04	1	1	18 94	8 42		
Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade Loop - Statewide			1	5**			5.50		170.00	110.90	27.04			10.54	0.42		
Voice Grade Loop - Statewide			1			2000		70.00		t				t	1		
Order Coordination For Specified Conversion Time, per LSR UEA OCOSL 45.99 Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Statewide Order Coordination For Specified Conversion Time, Per LSR UEA USBFD 19.91 243.41 81.32 134.77 33.93 18.94 8.42 Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			l	sw	UEA	USBFC	8,58	206.44	170.05	119.95	27.04			18,94	8,42		
Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Statewide Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice							550			1.2.30	,			1	1		
Grade - Statewide						İ				İ				İ	İ		
Order Coordination For Specified Conversion Time, Per LSR UEA OCOSL 45.99 Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			1	sw	UEA	USBFD	19.91	243.41	81.32	134.77	33.93	1	1	18.94	8.42		
Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice					UEA	OCOSL		45.99									
Grade - Statewide		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
		Grade - Statewide	l	sw	UEA	USBFE	19.91	243.41	81.32	134.77	33.93		İ	18.94	8.42		

CATEGORY	RATE ELEMENTS										Core Contan	0	1	In anami		
	NATE ELLINENTO	Interi m	Zone	BCS	usoc		RAT	ES(\$)			1	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonreci		Nonrecurring			ı		Rates(\$)		1
\vdash						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI -			UEA	OCOSL	-	45.99									<u> </u>
	Statewide		sw	UDN	USBFF	17.73	208.50	62.31	119.68	29.58			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		45.99	02.01	110.00	20.00			10.00	10.00	10.00	10.00
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	17.73	208.50	62.31	119.68	29.58			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW		USBFG	79.30	203.69	128.76	124.09	34.80			19.99	19.99	19.99	19.99
-	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop -			USL	OCOSL	1	45.99									1
	Statewide		sw	UCL	USBFH	7.22	195.38	63.15	119.68	29.58			18.94	8.42		i
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45.99	00.10	110.00	20.00			10.01	0.12		
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide		SW	UCL	USBFJ	13.72	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	0.1.50	45.99		101 ==				40.00	10.00	10.00	10.00
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		SW	UDL	USBFN	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Statewide		sw	UDL	USBFO	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL	200	45.99	31.0 <u>L</u>	.077	55.50				.0.00		
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Statewide			UDL	USBFP	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
SUB-LOOPS	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL	 	45.99									1
	Loop Feeder					+										
- Oub	Sub Loop Feeder - DS3 - Per Mile Per Month	ı		UE3	1L5SL	13.55										
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	332.40	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder – STS-1 – Per Mile Per Month	ı		UDLSX	1L5SL	13.55										
-	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	357.36	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
-	Sub Loop Feeder – OC-3 – Per Mile Per Month Sub Loop Feeder - OC-3 - Facility Termination Protection Per	- 1		UDLO3	1L5SL	10.28										1
	Month	1		UDLO3	USBF5	54.89										i
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	I		UDLO3	USBF2	538.69	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	12.66										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per			110140	LIODEO	000.40										i
	Month Sub Loop Feeder - OC-12 - Facility Termination Per Month	+		UDL12 UDL12	USBF6 USBF3	620.18 1,729.00	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder - OC-12 - Facility Termination Fer Month	- i-		UDL48	1L5SL	41.51	3,304.00	407.00	100.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per															
	Month	I		UDL48	USBF9	310.30										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month	_ !		UDL48	USBF4	1,495.00	3,570.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
LINDLINDI EL	Sub Loop Feeder - OC-12 Interface On OC-48 D LOOP CONCENTRATION	- 1		UDL48	USBF8	350.09	788.09	407.00	160.47	90.97			31.31	31.31	3.93	3.93
SINDONDEEL	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	441.42	650.81	650.81					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	52.97	271.17	271.17					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	478.93	650.81	650.81								
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	89.26	271.17	271.17	00 ==	2 /2			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - DS1 Loop Interface Card Unbundled Loop Concentration - ISDN Loop Interface (Brite			ULC	UCTCO	5.04	126.57	92.14	33.57	9.40	 		19.99	19.99	19.99	19.99
	Card)			UDN	ULCC1	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - UDC Loop Interface (Brite															19199
	Card)			UDC	ULCCU	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration2 Wire Voice-Loop Start or				05-											i —
	Ground Start Loop Interface (POTS Card) Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			UEA	ULCC2	2.00	21.07	20.96	10.78	10.71	1		18.94	8.42		\vdash
	Loop Interface (SPOTS Card)			UEA	ULCCR	11.89	21.07	20.96	10.78	10.71			18.94	8.42		1 1
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface			<i></i> (DECON	11.09	21.01	20.00	10.76	10.71	†		10.34	0.72		
	(Specials Card)			UEA	ULCC4	7.09	21.07	20.96	10.78	10.71		<u> </u>	18.94	8.42		<u> </u>
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	34.67	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop			LIDI		10 = 1	04.07	00.00	40.70	40 = 1			40.00	10.00	10.00	10.00
	Interface Unbundled Loop Concentration - Digital 56 Kbps Data Loop			UDL	ULCC7	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Interface			UDL	ULCC5	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99

UNBUNDLE	ED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA ⁻	ΓES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop								40.70					40.00	40.00	
LINE OTHER	Interface			UDL	ULCC6	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
UNE OTHER,	PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
-	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE							-				
	ONTW Circuit id Establishment, Flovisioning Only - No Rate			UEANL,UEF,UEQ,U	OLINCL											
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN											
UNE OTHER,	PROVISIONING ONLY - NO RATE															
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									<u> </u>
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
\vdash	rate	<u> </u>	!	UEA,USL,UCL,UDL	USBFR	0.00	0.00		ļ				ļ		ļ	
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	CITY UNBUNDLED LOCAL LOOP			USL	CCOLI	0.00	0.00									
IIIOII CAI AC	High Capacity Unbundled Local Loop - DS3 - Per Mile per															+
	month			UE3	1L5ND	10.16										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	374.52	903.03	527.87	238.97	167.16			31.31	31.31	3.93	3.93
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	10.16										<u> </u>
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	387.67	903.03	527.87	238.97	167.16			31.31	31.31	3.93	3.93
LOOP MAKE-				UDLSX	UDLST	307.07	903.03	321.01	230.97	107.10		-	31.31	31.31	3.93	3.93
LOOI WAKE	Loop Makeup - Preordering Without Reservation, per working or															+
	spare facility queried (Manual).	1		UMK	UMKLW		131.22	131.22								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).	1		UMK	UMKLP		136.93	136.93								
	Loop MakeupWith or Without Reservation, per working or	<u> </u>			0.0		.00.00	100.00								
	spare facility queried (Mechanized)	- 1		UMK	PSUMK		0.9809855	0.9809855								
	IENCY SPECTRUM															
SPLIT	TTERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	178.25	377.58	0.00	355.96	0.00			27.37	12.97		
	Line Sharing Splitter, per System 24 Line Capacity	<u> </u>		ULS	ULSDB	44.56	377.58	0.00	355.96	0.00			27.37	12.97	17.77	17.77
	Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	- 1		ULS	ULSD8	12.73	377.58	0.00	355.96	0.00			27.37	12.97	17.77	17.77
	deactivation (per LSOD)			ULS	ULSDG		172.94		99.67				27.37	12.97	17.77	17.77
FND I	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	Y SPEC	TRUM		OLODG		172.54		99.07				21.31	12.51	17.77	17.77
1 12.13	Line Sharing - per Line Activation (BST Owned splitter)	. c. <u>Lo</u>		ULS	ULSDC	0.61	37.01	21.19	20.02	9.83	1		27.37	12.97	17.77	17.77
	Line Sharing - per Subsequent Activity per Line	1								2.30				1	1	<u> </u>
<u></u>	Rearrangement(BST Owned Splitter	<u></u>	L	ULS	ULSDS	<u> </u>	32.77	16.37	<u> </u>		<u> </u>	<u></u>	27.37	12.97	17.77	17.77
1 T	Line Sharing - per Subsequent Activity per Line													1	1	
	Rearrangement(DLEC Owned Splitter		<u> </u>	ULS	ULSCS		32.77	16.37					27.37	12.97	17.77	17.77
\vdash	Line Sharing - per Line Activation (DLEC owned Splitter)	<u> </u>	!	ULS	ULSCC	0.61	47.44	19.31	20.02	9.83			27.37	12.97	17.77	17.77
\vdash	Line Splitting - per line activation DLEC owned splitter	+	!	UEPSR UEPSB UEPSR UEPSB	UREOS UREBP	0.61 0.641	37.01	21.19	20.02	9.83		-	27.37	12.97	17.77	17.77
 	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual	+	 	UEPSR UEPSB	UREBV	0.641	37.01	21.19	20.02	9.83	1	1	27.37	12.97	17.77	17.77
UNBUNDI FD	DEDICATED TRANSPORT	- '-	!	OLI OK OLFOD	OLYPDA	0.039	31.01	21.19	20.02	9.03			21.31	12.37	17.77	17.77
	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	od - below DS3=one	month. DS3/	STS-1=four mo	nths		1		1		1	1	1	t
	ROFFICE CHANNEL - DEDICATED TRANSPORT		Ĭ		, _ 50,		-							Ì	İ	
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0101										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	24.15	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93

IINBII	NDI FI	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
ONDO	NULL											Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0101										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	1		LIATOR	U1TR2	24.45	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
		Facility Termination per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			U1TVX	UTIKZ	24.15	01.07	34.02	33.41	13.79			31.31	31.31	3.93	3.93
		Per Mile per month	1		U1TVX	1L5XX	0.0101										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			OTTVX	TEO/O	0.0101										
		- Facility Termination per month			U1TVX	U1TV4	21.41	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0101										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination per month			U1TDX	U1TD5	17.28	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile	l]			-
		per month			U1TDX	1L5XX	0.0101							ļ			
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
-		Termination per month			U1TDX	U1TD6	17.28	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.2067										
-		Interoffice Channel - Dedicated Tranport - DS1 - Facility			וטווט	ILSAA	0.2007										
		Termination per month			U1TD1	U1TF1	68.75	178.53	163.61	32.70	28.88			31.31	31.31	3.93	3.93
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			01101	011111	00.70	170.00	100.01	02.10	20.00			01.01	01.01	0.00	0.00
		month			U1TD3	1L5XX	4.67										
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month			U1TD3	U1TF3	804.02	557.49	325.51	120.39	116.91			31.31	31.31	3.93	3.93
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
		month			U1TS1	1L5XX	4.67										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															
		Termination per month			U1TS1	U1TFS	801.57	557.49	325.51	120.39	116.91			31.31	31.31	3.93	3.93
		CHANNEL - DEDICATED TRANSPORT	L	<u> </u>		200/020 / /											
	NOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - belo	ULDVX	ULDV2	our months 15.96	386.19	66.33	73,28	6.39			31.31	31.31	3.93	3.93
-		Local Channel - Dedicated - 2-Wire Voice Grade Per Month Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per			ULDVX	ULDV2	15.96	386.19	00.33	73.28	6.39			31.31	31.31	3.93	3.93
		month			ULDVX	ULDR2	15.96	386.19	66.33	73.28	6.39			31.31	31.31	3.93	3.93
		Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	17.06	387.19	67.20	74.22	7.33			31.31	31.31	3.93	3.93
		Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	41.52	354.94	307.43	44.38	30.52			31.31	31.31	3.93	3.93
		Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	61.05	354.94	307.43	44.38	30.52			31.31	31.31	3.93	3.93
		Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	47.29	354.94	307.43	44.38	30.52			31.31	31.31	3.93	3.93
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	7.91										
		Local Channel - Dedicated - DS3 - Facility Termination per						_									
		month			ULDD3	ULDF3	476.04	903.03	527.87	238.87	167.16			31.31	31.31	3.93	3.93
		Local Channel - Dedicated - STS-1- Per Mile per month	ļ		ULDS1	1L5NC	7.91							ļ	ļ		
		Local Channel - Dedicated - STS-1 - Facility Termination per	l		LII DC4	LILDES	400.01	000.00	507.5	200 0-	107.10			04.01	24.21	0.00	2.22
MULTIF	DI EVEN	month	 		ULDS1	ULDFS	466.84	903.03	527.87	238.87	167.16			31.31	31.31	3.93	3.93
MIULIII	LEXEK	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	122.50	182.08	125.14	21.07	19.58			31.31	31.31	3.93	3.93
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per	 		ועואט	IVIQI	122.50	102.08	125.14	21.07	19.58			31.31	31.31	3.93	3.93
		month (2.4-64kbs)			UDL	1D1DD	1.36	13.15	9.43					31.31	31.31	3.93	3.93
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per					1.00	10.10	5.45					51.51	01.01	0.00	0.00
		month	l		UDN	UC1CA	2.92	13.15	9.43					31.31	31.31	3.93	3.93
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.64	13.15	9.43					31.31	31.31	3.93	3.93
		DS3 to DS1 Channel System per month			UXTD3	MQ3	201.37	356.28	187.94	66.51	63.65			31.31	31.31	3.93	3.93
		STS1 to DS1 Channel System per month			UXTS1	MQ3	201.37	356.28	187.94	66.51	63.65			31.31	31.31	3.93	3.93
		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	15.39	13.15	9.43					31.31	31.31	3.93	3.93
		DS3 Interface Unit (DS1 COCI) used with Local Channel per	l					40 :-									
-		month	 		ULDD1	UC1D1	15.39	13.15	9.43					31.31	31.31	3.93	3.93
		DS3 Interface Unit (DS1 COCI) used with Interoffice Channel			U1TD1	UC1D1	15.39	13.15	9.43					31.31	31.31	3.93	3.93
DARK F	IRFR	per month	!		ועווט	וטוטט	15.39	13.15	9.43					31.31	31.31	3.93	3.93
ביייים ביייים	IDEN	I	ı	l .		1	<u> </u>		1	ı		1	1	<u> </u>	L		

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ΓES(\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring		001150	001111		Rates(\$)	2014411	001441
-	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Thereof per month - Local Channel			UDF	1L5DC	68.84										
	NRC Dark Fiber - Local Channel			UDF	UDFC4	00.01	1,278.17	275.73	634.11	395.32			31.31	31.31	3.93	3.93
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			-			, -									
	Thereof per month - Interoffice Channel			UDF	1L5DF	25.53										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,278.17	275.73	634.11	395.32			31.31	31.31	3.93	3.93
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF	1L5DL	00.04										
	Thereof per month - Local Loop NRC Dark Fiber - Local Loop			UDF	UDFL4	68.84	1,278.17	275.73	634.11	395.32			31.31	31.31	3.93	3.93
TRANSPORT O			1	UDF	UDFL4		1,270.17	2/3./3	634.11	393.32			31.31	31.31	3.93	3.93
	al Features & Functions:															
8XX ACCESS	TEN DIGIT SCREENING				1											
	8XX Access Ten Digit Screening, Per Call			OHD	<u> </u>	0.0005										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
	Number Reserved		1	OHD	N8R1X		7.13	0.97			ļ		27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OHD			15.00	1.07	10.04	0.97			27.37	27.37	17.75	17.75
 	POTS Translations 8XX Access Ten Digit Screening, Per 8XX No. Established With		1	OHD	+		15.88	1.97	10.04	0.97	 		21.37	21.37	17.75	17./5
	POTS Translations			OHD	N8FTX		15.88	1.97	10.04	0.97			27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Customized Area of Service			-										_		
	Per 8XX Number			OHD	N8FCX		5.69	2.85					27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		6.66	3.81					27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		8.10	0.97					27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		5.69						27.37	27.37	17.75	17.75
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)			OHD	INOFUA		5.69						21.31	21.31	17.75	17.75
LINE IN ORM	LIDB Common Transport Per Query			OQT		0.00004										
	LIDB Validation Per Query			OQU		0.0142										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		64.36						27.37	27.37	17.75	17.75
SIGNALING (C																
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	148.72										
	CCS7 Signaling Usage, Per TCAP Message			UDB	TPP++	0.0001	474.00	474.00	405.70	405.70			25.02	25.02	40.04	40.04
-	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D			UDB	IPP++	18.79	171.98	171.98	135.70	135.70			25.93	25.93	16.31	16.31
	link)			UDB	TPP++	18.79	171.98	171.98	135.70	135.70			25.93	25.93	16.31	16.31
	CCS7 Signaling Usage, Per ISUP Message			UDB	1	0.00004	171.50	171.50	100.70	100.70			20.00	20.00	10.01	10.01
	CCS7 Signaling Usage Surrogate, per link per LATA		L	UDB	STU56	376.12										
	CCS7 Signaling Point Code, per Originating Point Code							_								
	Establishment or Change, per STP affected		1	UDB	CCAPO		40.00	40.00					25.93	25.93	16.31	16.31
	CCS7 Signaling Point Code, per Destination Point Code			LIDB	CCAPD		0.00	0.00					05.00	05.00	40.04	40.04
E911 SERVICE	Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00					25.93	25.93	16.31	16.31
Lati SERVICE	Local Channel - Dedicated - 2-wr Voice Grade		1		+ -	13.91	382.95	62.40					18.94	8.42		1
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				1	0.0222	332.30	32.40						J.72		
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility				1											
	Termination				<u> </u>	17.07	79.61	36.08					18.94	18.94		
	Local Channel - Dedicated - DS1					38.36	356.15	312.89					44.22			
	Interoffice Transport - Dedicated - DS1 Per Mile		1		1	0.4523					ļ					
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					78.47	147.07	111.75					18.94	18.94		
CALLING NAM	E (CNAM) SERVICE		1		1	/8.4/	147.07	111./5			+		18.94	18.94		
JALLING NAIV	CNAM for DB Owners, Per Query		1	OQV	+ -	0.01										
	CNAM for Non DB Owners, Per Query	1		OQV	1	0.01								1		1
	CNAM (Non-Databs Owner), NRC, applies when using the				1											
	Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00					27.37	27.37	17.75	17.75
OPERATOR CA	ALL PROCESSING															
	Oper. Call Processing - Oper. Provided, Per Min Using BST					4.00								1		
	LIDB					1.20					L	l		l		L

ONBONDL	ED NETWORK ELEMENTS - Alabama			1	1	I			1		I 0 0 .	06	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Oper. Call Processing - Oper. Provided, Per Min Using															
	Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using					0.20										
	Foreign LIDB					0.20										
INWARD OP	ERATOR SERVICES					0.20										
I	Inward Operator Services - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt					0										
	- Per Minute					1.15										
BRANDING -	OPERATOR CALL PROCESSING															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00					19.99	19.99	19.99	19.99
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00					19.99	19.99		
Unbr	anding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
	ASSISTANCE SERVICES															
DIRE	CTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIRE	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	DACC)														
	Directory Assistance Call Completion Access Service (DACC),					0.40										
	Per Call Attempt					0.10										
	BER SERVICES INTERCEPT ACCESS SERVICE ASSISTANCE SERVICES		<u> </u>													
	CTORY ASSISTANCE DATA BASE SERVICE (DADS)															
DIKE						0.04										
	Directory Assistance Data Base Service Charge Per Listing				DBSOF	150.00										
BB A NIDING	Directory Assistance Data Base Service, per month DIRECTORY ASSISTANCE		1		DBSOF	150.00										
	ity Based CLEC															
i acii	Recording and Provisioning of DA Custom Branded		1													
	Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM															
	Card/Switch			AMT	CBADC		1,170.00	1,170.00								
UNE	CLEC															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Announcement per DRAM						4.470.00	4 470 00								
l laste a	Card/Switch per OCN anding via OLNS for UNEP CLEC						1,170.00	1,170.00								
dano	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN						16.00	16.00								
SELECTIVE			1				10.00	10.00								
JEEE STIVE	Selective Routing Per Unique Line Class Code Per Request Per	-	1			 										-
	Switch	l			USRCR		230.60	230.60					40.71	9.58		1
VIRTUAL CO				İ					Ì					2.30	İ	1
	Virtual Collocation - Application Cost			AMTFS	EAF		2,848.30	2,848.30						İ	İ	İ
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		2,750.00	2,750.00								
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.20	·	·								
	Virtual Collocation - Power, per breaker amp			AMTFS	ESPAX	3.48										
	Virtual Collocation - Cable Support Structure, per entrance															
	cable			AMTFS	ESPSX	13.35										
	Virtual Collocation - 2-wire Cross Connects (loop)			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX	UEAC2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
	Times Constituting E will Cross Controlle (1994)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN,	02/102	5.20	55.76	25.40	12.70	11.30			10.99	10.00	10.39	10.99
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.56	66.71	50.43	12.82	11.39			19.99	19.99	19.99	19.99

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			FES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	12.10	55.46	39.18	16.83	13.27			19.99	19.99	19.99	19.99
	Virtual Collocation - 4-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	21.75	66.71	50.43	21.86	18.31			19.99	19.99	19.99	19.99
				USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL,												
	Virtual collocation - DS1 Cross Connects	<u> </u>		UNLD1	CNC1X	7.50	155.00	14.00	ļ	ļ				ļ		_
				USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1,												
	Virtual collocation - DS3 Cross Connects			UDLSX, UNLD3	CND3X	56.25	151.90	11.83								
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			AMTFS	VE1CB	0.0026										
	Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AWIIFS	VEICE	0.0026										-
	Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0038										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		535.37									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			ALTEO	VE40E		505.07									
	Cable Support Structure, per cable			AMTFS AMTFS	VE1CE SPTBX		535.37 41.00	25.00								
-	Virtual collocation - Security Escort - Basic, per half hour Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		48.00	30.00					-			ļ
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTPX		55.00	35.00								
	Virtual collocation - Security Escort - Termon, per half hour			AMTFS	CTRLX		30.64	30.64								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.77	35.77								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		40.90	40.90								
VIRTUAL COL	LOCATION			7441110	01 11 101		40.00	40.00								
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.28	30.76	29.40	12.75	11.38			27.37	12.97	17.77	1.44
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.28	30.76	29.40	12.75	11.38			27.37	12.97	17.77	1.44
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.28	30.76	29.40	12.75	11.38			27.37	12.97	17.77	1.44
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.28	30.76	29.40	12.75	11.38			27.37	12.97	17.77	1.44
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.28	30.76	29.40	12.75	11.38			27.37	12.97	17.77	1.44
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.28	30.76	29.40	12.75	11.38			27.37	12.97	17.77	1.44
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.56	66.71	50.43	12.73	11.30			27.37	12.97	17.77	1.44
VIRTUAL COL				OLI LA		0.30	00.71	JU. + J	-				21.01	12.31	17.77	1.44
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR, UEPSB	VE1LS	0.0287	24.59	23.59	12.05	10.87			19.99	19.99	19.99	19.99
AIN SELECTI	/E CARRIER ROUTING Regional Service Establishment	<u> </u>		SRC	SRCEC		202,197.82		17,181.39	-	1		27.37	27.37	27.37	27.37
 	End Office Establishment			SRC	SRCEO		339.75	339.75	3.39	3.39			27.37	27.37	27.37	27.37
-	Query NRC, per query	H	-	SRC	5.1020	0.0031412	555.75	555.75	0.00	5.55	 		27.07	27.07	27.57	27.07

UNBUNDI FI	NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA ⁻	TES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge -		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
						Б	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AIN - BELLSOL	ITH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		197.49	197.49	114.22	114.22			27.37	27.37	17.75	17.75
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		64.05	64.05	27.04	27.04			27.37	27.37	17.75	17.75
-	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User			A1N	CAM1P		64.05	64.05	27.04	27.04			27.37	27.37	17.75	17.75
	AIN SMS Access Service - User Identification Codes - Per User AIN SMS Access Service - Security Card, Per User ID Code,			A1N	CAMAU		141.84	141.84	70.05	70.05			27.37	27.37	17.75	17.75
	Initial or Replacement			A1N	CAMRC	0.0026	142.13	142.13	35.26	35.26			27.37	27.37	17.75	17.75
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute					0.0026										
 	AIN SMS Access Service - Session, Per Militate AIN SMS Access Service - Company Performed Session, Per		1		<u> </u>	0.0092			 				1	1	 	+
	Minute					2.08									1	
AIN - BELLSOL	ITH AIN TOOLKIT SERVICE								1				İ	İ	1	
	AIN Toolkit Service - Service Establishment Charge, Per State,														1	
	Initial Setup			CAM	BAPSC		192.69	192.69	114.22	114.22			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,363.00	8,363.00					27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				ВАРТО		117.98	117.98	37.90	37.90			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				ВАРТС		117.98	117.98	37.90	37.90			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF	0.004	117.98	117.98	37.90	37.90			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.024										
	Ally Toolkit Service - Type Flydde Charge, Per Ally Toolkit Subscription, Per Node, Per Query Ally Toolkit Service - SCP Storage Charge, Per SMS Access					0.006										
	Account, Per 100 Kilobytes AlN Toolkit Service - Monthly report - Per AlN Toolkit Service					1.63										
	AIN Toolkit Service - Worlding report - Per AIN Toolkit Service AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAM	BAPMS	16.00	44.56	44.56	31.84	31.84			27.37	27.37	17.75	17.75
	Subscription AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service			CAM	BAPLS	0.10	47.74	47.74	15.90	15.90			27.37	27.37	17.75	17.75
	Subscription AlN Toolkit Service - Call Event Special Study - Per AlN Toolkit			CAM	BAPDS	15.90	44.56	44.56	31.84	31.84			27.37	27.37	17.75	17.75
ENHANCED EV	Service Subscription TENDED LINK (EELs)			CAM	BAPES	0.003	47.74	47.74					27.37	27.37	17.75	17.75
	New EELs available in GA, TN, KY, LA, MS, & SC and density	zone 1	of follo	wing MSAs: Orlan	do Fl·Miami	FI:Ft laude	rdale FI:		 		1	1	1	1	 	
	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-														—	†
	n all states, EEL network elements shown below also apply to							As Is Charge a	pplies to curre	ntly combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not apply	.)
	n GA, TN, KY, LA, MS & SC the EEL network elements apply				lements.(No S	witch As Is Ch	arge.)									
2-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1		1	UNCVX	UEAL2	17.95										
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	29.16										
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	52.84										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	68.75										

MOUNDLE	ED NETWORK ELEMENTS - Alabama	1	1	1	1						Cup Cade	Cup Cade	Attachment:		Exhibit: B	In orom :
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)	•	•
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 Channelization System Per Month			UNC1X	MQ1	122.50										
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.64										
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	17.95										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	29.16										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	52.84										
	Voice Grade COCI - DS1 to DS0 Channel System combination -			ONOVA	OLALL	02.04										
	per month			UNCVX	1D1VG	0.64										
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
4-WIR	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCVX	UEAL4	24.01										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	39.00										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice			LINIONA		70.07										
+	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL4	70.67										
	Per Month			UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	68.75										
	Channelization - Channel System DS1 to DS0 combination Per															
	Month Voice Grade COCI - DS1 to DS0 Channel System combination -			UNC1X	MQ1	122.50										
	per month			UNCVX	1D1VG	0.64										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.01										
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	39.00										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	70.67										
	Voice Grade COCI - DS1 to DS0 Channel System combination -				15.010											
_	per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	0.64										
	Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.
4-WIR	RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE		0.1000				10.00	10.00			01.01	01.01	0.00	<u> </u>
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice			` <i>'</i>												
	Transport Combination - Zone 1		1	UNCDX	UDL56	27.33										
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice		_													
	Transport Combination - Zone 2		2	UNCDX	UDL56	44.40										
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	80.45										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 - combination Facility			UNCIX	ILSXX	0.2067										
	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	68.75										
	Month	L		UNC1X	MQ1	122.50					<u> </u>					<u> </u>
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	1.36										
-	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.33										
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	44.40										
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1						İ									
1	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	80.45					I	1			1	1

UNBU	NDLE	NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)			Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						-	Rec	Nonred First	arring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
		OCU-DP COCI (data) - DS1 to DS0 Channel System -						FIRST	Add I	FIRST	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
		combination per month (2.4-64kbs)			UNCDX	1D1DD	1.36										
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	4-WIRE	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)												
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.33										
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			ONODA	ODLO4	21.55										
		Transport Combination - Zone 2		2	UNCDX	UDL64	44.40										
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
		Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL64	80.45										
		Per Month			UNC1X	1L5XX	0.2067										
		Interoffice Transport - Dedicated - DS1 combination - Facility			ONOTA	120701	0.2007										
		Termination Per Month			UNC1X	U1TF1	68.75										
		Channelization - Channel System DS1 to DS0 combination Per															
—		Month			UNC1X	MQ1	122.50										
		OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.36										
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			OHODA	10100	1.00										
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.33										
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	44.40										
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	80.45										
		OCU-DP COCI (data) - DS1 to DS0 Channel System		3	UNCDX	UDL04	80.43										
		combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.36										
		Nonrecurring Currently Combined Network Elements Switch -As-															
—	4 14/155	Is Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	 	OF TR	UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	4-WIKE	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	ROFFI	CE IRA	NSPORT (EEL)										-		
		Transport - Zone 1		1	UNC1X	USLXX	51.74										
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
		Transport - Zone 2		2	UNC1X	USLXX	84.05										
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		3	UNC1X	USLXX	152.29										
		Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCIX	USLXX	152.29								1		
		Per Month			UNC1X	1L5XX	0.2067										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination Per Month		<u> </u>	UNC1X	U1TF1	68.75			ļ							
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TRA		011000		11.10	11.10	13.30	13.90			31.31	31.31	3.33	3.33
		First DS1Loop in DS3 Interoffice Transport Combination - Zone															
		1		1	UNC1X	USLXX	51.74										
		First DS1Loop in DS3 Interoffice Transport Combination - Zone			LINGAV	LICLYY	04.05										
-		First DS1Loop in DS3 Interoffice Transport Combination - Zone		2	UNC1X	USLXX	84.05										
		3		3	UNC1X	USLXX	152.29										
		Interoffice Transport - Dedicated - DS3 combination - Per Mile															
		Per Month		ļ	UNC3X	1L5XX	4.67										
		Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	804.02										
		DS3 to DS1 Channel System combination per month	 	 	UNC3X UNC3X	MQ3	804.02 201.37			+					 		
		DS3 Interface Unit (DS1 COCI) combination per month		1	UNC1X	UC1D1	15.39			1							
		Additional DS1Loop in DS3 Interoffice Transport Combination -															
		Zone 1		1	UNC1X	USLXX	51.74										
		Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	84.05										
ш		2016 2	l		UNUIA	USLAX	84.05			l	l	l	<u> </u>	<u> </u>	l	l	1

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonre		Nonrecurring					Rates(\$)		
	Later to the second sec						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	152.29										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	15.39										
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
2-WIRE	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE TR	ANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	17.95										
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	29.16										
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 3 Interoffice Transport - Dedicated - 2-wire VG combination - Per		3	UNCVX	UEAL2	52.84										
	Mile Per Month			UNCVX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	24.15										
	Nonrecurring Currently Combined Network Elements Switch -As-															
	ls Charge			UNCVX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIRE	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE TR	ANSPORT (EEL)												!
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.01										
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	39.00										
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	70.67										
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	21.41										
	Nonrecurring Currently Combined Network Elements Switch -As-					21.41			40.00	40.00			21.21	21.21	0.00	
Des Di	Is Charge GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	ETDA	HEDOD	UNCVX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
וט נפט	High Capacity Unbundled Local Loop - DS3 combination - Per	EIKA	NSPUR	(CCL)									-		-	
	Mile per month High Capacity Unbundled Local Loop - DS3 combination -			UNC3X	1L5ND	10.16										
	Facility Termination per month			UNC3X	UE3PX	374.52										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.67										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	804.02										
	Nonrecurring Currently Combined Network Elements Switch -As-				UNCCC	004.02	44.40	44.40	40.00	42.22			24.04	24.24	3.93	0.00
STS1 F	S Charge DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFI	ICF T	RANSP	UNC3X	UNCCC		11.18	11.18	13.96	13.96	1		31.31	31.31	3.93	3.93
01011	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month	IOL II	LAINOI V	UNCSX	1L5ND	10.16										
	High Capacity Unbundled Local Loop - STS1 combination -												1		1	
	Facility Termination per month Interoffice Transport - Dedicated - STS1 combination - Per Mile			UNCSX	UDLS1	387.67										
	per month Interoffice Transport - Dedicated - STS1 combination - Facility			UNCSX	1L5XX	4.67					1		-		-	
	Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCSX	U1TFS	801.57										1
	Is Charge			UNCSX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
2-WIRE	ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	T (EEL	.)		ļ								ļ		ļ	
1	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		4	UNCNX	U1L2X	23.23										İ
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1													
	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		2	UNCNX	U1L2X	37.74										
	Transport - Zone 3		3	UNCNX	U1L2X	68.38										

JNBUNDLE	ED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec		curring	Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 combintion - Facility			LINIOAV		00.75										
-	Termination per month Channelization - Channel System DS1 to DS0 combination -			UNC1X	U1TF1	68.75										
	per month			UNC1X	MQ1	122.50										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			ONOTA	IVIQI	122.50										
	combination - per month			UNCNX	UC1CA	2.92										
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	23.23										
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	37.74										
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	68.38						1	1			
+	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		3	ONCINA	UILZX	58.38						-				+
	combintaion- per month			UNCNX	UC1CA	2.92										
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOTO	0010/1	2.02										1
	Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIR	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	51.74										
	First DS1 Loop in STS1 Interoffice Transport Combination -			LINIOAV	1101.307	04.05										
	Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination -		2	UNC1X	USLXX	84.05										
	Zone 3		3	UNC1X	USLXX	152.29										
	Interoffice Transport - Dedicated - STS1 combination - Per Mile			ONOTA	COLYC	102.20										1
	Per Month			UNCSX	1L5XX	4.67										
	Interoffice Transport - Dedicated - STS1 combination - Facility															1
	Termination			UNCSX	U1TFS	801.57										
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	201.37										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	15.39										
	Additional DS1Loop in STS1 Interoffice Transport Combination -			LINGAV	USLXX	F4 74										
	Zone 1 Additional DS1Loop in STS1 Interoffice Transport Combination -		1	UNC1X	USLXX	51.74										
	Zone 2		2	UNC1X	USLXX	84.05										
	Additional DS1Loop in STS1 Interoffice Transport Combination -			ONOTA	COLYC	04.00										
	Zone 3		3	UNC1X	USLXX	152.29										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	15.39										
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
4-WIR	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												ļ
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.33										
-	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			CINCDA	JULJO	21.33			1							
	Combination - Zone 2		2	UNCDX	UDL56	44.40										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Zone 3		3	UNCDX	UDL56	80.45										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile			UNCDX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		1	UNCDX	U1TD5	17.28						1	1			
-	Facility Termination Nonrecurring Currently Combined Network Elements Switch -As-		-	ONCDV	פעווט	17.28		1	+	1	1	-	1	1	1	
	Is Charge		1	UNCDX	UNCCC		11.18	11.18	13.96	13.96		1	31.31	31.31	3.93	3.93
4-WIR	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANS							13.00			201	20.	2.00	5.0
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 1		1	UNCDX	UDL64	27.33										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		l													
	Combination - Zone 2 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		2	UNCDX	UDL64	44.40										↓
			•	1				•				1				1

UNBUND	LEI	NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec		Nonrecurring					Rates(\$)		
<u> </u>		Interesting Transport Dedicated Assistance CAlibra combination						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0.0101										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ONCDA	ILJAA	0.0101										
		Facility Termination			UNCDX	U1TD6	17.28										
		Nonrecurring Currently Combined Network Elements Switch -As-															
ADDITION	AI N	Is Charge ETWORK ELEMENTS			UNCDX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
		sed as a part of a currently combined facility, the non-recurr	ng cha	raes de	not apply, but a S	witch As Is c	harge does app	olv.						1			
		SynchroNet)		900 41		1	l a go a o o o app	,.									1
Nor	nrec	urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)											
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 56/64 kbps			UNCDX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
		Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	UNCCC		11.10	11.10	13.90	13.96			31.31	31.31	3.93	3.93
		Is Charge - DS1			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - DS3			UNC3X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
		Nonrecurring Currently Combined Network Elements Switch -As-									40.00						
NO.	TE.	ls Charge - STS1 Local Channel - Dedicated Transport - minimum billing perio	d Dolo	w Dea	UNCSX	UNCCC	r months	11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
		COCAL EXCHANGE SWITCHING (PORTS)	a - Beio	W D53	=one month, DS3 an	id above=rou	rmontns					1	-	-			1
		ge Ports										1					
		Although the Port Rate includes all available features in GA, I	KY. LA	& TN. t	he desired features	will need to b	oe ordered usin	g retail USOCs	S								
		VOICE GRADE LINE PORT RATES (RES)	Ĺ														
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
<u> </u>		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
		Exchange Ports - 2-Wire VG unbundled AL extended local			OLI OK	OLI IKO	2.01	21.33	21.95	0.21	0.21			21.01	12.31	17.77	1.77
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAR	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
		Exchange Ports - 2-Wire VG unbundled res, low usage line port															
		with Caller ID (LUM)			UEPSR	UEPAP	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					27.37	12.97	17.77	1.44
FE	ATU				LIEDOD	UEPVF	5.55	0.00	0.00					27.37	12.97	17.77	1.44
2 1/		All Available Vertical Features VOICE GRADE LINE PORT RATES (BUS)			UEPSR	UEPVF	5.55	0.00	0.00					21.31	12.97	17.77	1.44
2-41	VIKE	Exchange Ports - 2-Wire Analog Line Port without Caller ID -										1					
		Bus		1	UEPSB	UEPBL	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
		Exchange Ports - 2-Wire VG unbundled Line Port with				1		00									· · · · ·
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
		Funkanan Daris - O Min Analan I in Burt of the inch			LIEDOD	HEDDO	0.0-	04.00	04.00	0.01	0.01			07.0-	10.0=	4	
\vdash		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG unbundled AL extended local		!	UEPSB	UEPBO	2.07	21.93	21.93	6.21	6.21	-	1	27.37	12.97	17.77	1.44
		dialing parity Port with Caller ID - Bus.			UEPSB	UEPAW	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
\vdash		Exhange Ports - 2-Wire VG unbundled incoming only port with			02.00	OLI AVV	2.07	21.93	21.53	0.21	0.21			21.31	12.31	17.77	1.44
<u> </u>		Caller ID - Bus		L	UEPSB	UEPB1	2.07	21.93	21.93	6.21	6.21		<u> </u>	27.37	12.97	17.77	1.44
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00					27.37	12.97	17.77	1.44
FE/	ATU																
		All Available Vertical Features		<u> </u>	UEPSB	UEPVF	5.55	0.00	0.00			ļ		27.37	12.97	17.77	1.44
EX	CHA	NGE PORT RATES (DID & PBX)		ļ	HEDGE	LIEDDD	0.07	04.00	04.00	0.01	0.01			07.07	40.07	47.77	
$\vdash \vdash$		2-Wire VG Unbundled 2-Way PBX Trunk - Res		<u> </u>	UEPSE	UEPRD UEPPC	2.07 2.07	21.93	21.93		6.21	<u> </u>	1	27.37 27.37	12.97 12.97	17.77 17.77	
$\vdash \vdash$		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	-	 	UEPSP UEPSP	UEPPC	2.07	21.93 21.93	21.93 21.93	6.21 6.21	6.21 6.21	1		27.37	12.97	17.77	1.44
\vdash		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		-	UEPSP	UEPP0	2.07	21.93	21.93	6.21	6.21		-	27.37	12.97	17.77	1.44
\vdash		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.07	21.93	21.93	6.21	6.21		1	27.37	12.97	17.77	1.44
		2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port			UEPSP	UEPA2	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
					UEPSP	UEPLD	2.07	21.93	21.93	6.21	6.21	1	1	27.37	12.97	17.77	1.44

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA ⁻	TES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates(\$)		
\vdash	[]	1	<u> </u>	LUEDOD			First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
-	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP UEPSP	UEPXC	2.07 2.07	21.93 21.93	21.93 21.93	6.21 6.21	6.21 6.21			27.37 27.37	12.97 12.97	17.77 17.77	1.44 1.44
-	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEFSF	UEPAD	2.07	21.93	21.93	0.21	0.21			21.31	12.97	17.77	1.44
	Capable Port			UEPSP	UEPXE	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI OI	OLI AL	2.01	21.00	21.00	0.21	0.21			27.07	12.57	17.77	1
	Administrative Calling Port			UEPSP	UEPXL	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPSP	UEPXM	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port		<u> </u>	UEPSP	UEPXO	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1		UEPSP	UEPXS	2.07	21.93	21.93	6.21	6.21	<u> </u>		27.37	12.97	17.77	1.44
<u> </u>	Subsequent Activity	1	<u> </u>	UEPSP	USASC	0.00	0.00	0.00	ļ		ļ		27.37	12.97	17.77	1.44
FEATU		1	<u> </u>	HEDOD HEDOE	HED) "E		0.00	0.00	1		1	1	07.65	10.00	47	
EVO	All Available Vertical Features	1	}	UEPSP UEPSE	UEPVF	5.55	0.00	0.00	1		1	1	27.37	12.97	17.77	1.44
EXCH	ANGE PORT RATES (COIN) Exchange Ports - Coin Port	1	 		+	2.34	21.93	21.93	5.21	E 04	1	1	25.93	12.97	16.33	0.48
NOTE	: Transmission/usage charges associated with POTS circuit s	witched	lieade	will also annly to c	ircuit switch					o.ZI	isted with 2	-wire ISDN		12.97	10.33	0.40
	: Access to B Channel or D Channel Packet capabilities will be													e Pogueet Pro	2000	
	LOCAL EXCHANGE SWITCHING(PORTS)	e availa	T OIL	l III ough Brightew	Dusiness ite	quest i rocess.	Nates for the	packet capabi	littles will be ut	terminea via	Donain	de Request	litew Busines	l Request i ic		
	ANGE PORT RATES (DID & PBX)															
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	9.20	238.61	37.48	119.79				19.99	19.99	19.99	19.99
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
	capability			UEPDD	UEPDD	68.67	404.04	191.38	145.18	4.92			19.99	19.99	19.99	19.99
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	11.19	145.54	105.97	95.57	21.47			19.99	19.99	19.99	19.99
	All Features Offered			UEPTX UEPSX	UEPVF	5.55	0.00	0.00								
	: Transmission/usage charges associated with POTS circuit s															
NOTE:	: Access to B Channel or D Channel Packet capabilities will be	e availa	ble only							termined via t	he Bona Fi	de Request/	New Busines	s Request Pro	cess.	
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00		10.11			54.75	54.75	44.50	44.50
LINDUNDUED	Exchange Ports - 4-Wire ISDN DS1 Port LOCAL SWITCHING, PORT USAGE			UEPEX	UEPEX	96.37	407.62	203.11	158.35	40.11	ļ	1	54.75	54.75	11.53	11.53
	ffice Switching (Port Usage)				-											
Elia O	End Office Switching Function, Per MOU					0.0018										
	End Office Trunk Port - Shared, Per MOU					0.0002					1					
Tande	em Switching (Port Usage) (Local or Access Tandem)					0.0002										
	Tandem Switching Function Per MOU		1		1	0.00063							1	1	1	
	Tandem Trunk Port - Shared, Per MOU	1	<u> </u>		1	0.00033										
Comm	non Transport	1														
	Common Transport - Per Mile, Per MOU					0.00001										
	Common Transport - Facilities Termination Per MOU					0.00045										
	PORT/LOOP COMBINATIONS - COST BASED RATES															
	Based Rates are applied where BellSouth is required by FCC a								<u> </u>		<u> </u>		ļ	ļ	ļ	
	res shall apply to the Unbundled Port/Loop Combination - Cos												<u> </u>	L	ļ	
End O	office and Tandem Switching Usage and Common Transport Useorgia, Kentucky, Louisiana, MIssissippi, South Carolina and	sage rat	es in th	ne Port section of th	us rate exhib	it shall apply to	all combination	ons of loop/po	ort network elei	nents except	Combos	n Port/Loo	Combinatio	ns.	na characa a	anly to Not
	eorgia, Kentucky, Louisiana, Mississippi, South Carolina and ntly Combined Combos for all states. In GA, KY, LA, MS, SC al															
	urrently Combined Combos for all states. In GA, KT, LA, MS, SC all								. and NO mese	nomecuring	onaryes are	ıvıai Kel Ka	tes and are al	ao nateu ili ti	e market Kate	accuoii.
Ear C		y criary	T SIId	se mose identifie	a the NOIII	Couring - Curre	onery Combine	u 366110113.	1		1		1	1	1	
	E VOICE GRADE LOOP WITH 2-WIRF I INF PORT (RES)				1	+			1		1	1	I	 	I	
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates															
2-WIR	Port/Loop Combination Rates		1			16.55								İ		
2-WIR			1 2			16.55 25.51										
2-WIR	Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1															
2-WIR	Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2			25.51										
2-WIR	Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3		2	UEPRX	UEPLX	25.51										
2-WIR	Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3	UEPRX	UEPLX	25.51 44.44 14.35 23.31										
2-WIR UNE P	Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3			25.51 44.44 14.35										
2-WIR UNE P	Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 .oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		3 1 2	UEPRX	UEPLX	25.51 44.44 14.35 23.31	90.00	90.00					40.71	9.58		

04/12/02 Page 18 of 352

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
I					+		Nonrec	urring	Nonrecurrin	a Disconnect			OSS	Rates(\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2.20	90.00	90.00					40.71	9.58		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2.20	90.00	90.00					40.71	9.58		
	2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res			UEPRX	UEPAR	2.20	90.00	90.00					40.71	9.58		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	2.20	90.00	90.00					40.71	9.58		
FEATU				OLITOR	OLI 74	2.20	50.00	50.00					40.71	0.00		
	All Features Offered			UEPRX	UEPVF	5.55	0.00	0.00					40.71	9.58		
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONRE	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			-												
	Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX	USACC		2.80	0.41					40.71	9.58		
	Subsequent Database Update						1.44						8.25			
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00					40.71	9.58		
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			OLITOR	CONOL	0.00	0.00	0.00			1		40.71	0.00		
	ort/Loop Combination Rates				1						1					
	2-Wire VG Loop/Port Combo - Zone 1		1		1	16.55					1					
	2-Wire VG Loop/Port Combo - Zone 2		2			25.51										
	2-Wire VG Loop/Port Combo - Zone 3		3			44.44										
UNE Lo	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	14.35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	23.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	42.24										
2-Wire	Voice Grade Line Port (Bus)			LIEBBY .									10 =1			
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2.20	90.00	90.00					40.71	9.58		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2.20	90.00	90.00					40.71	9.58		
	2-Wire voice unbundled port outgoing only - bus 2-Wire voice Grade unbundled Alabama extended local dialing			UEPBX	UEPBO	2.20	90.00	90.00	-	-	1		40.71	9.58		—
	parity port with Caller ID - bus			UEPBX	UEPAW	2.20	90.00	90.00					40.71	9.58		
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	2.20	90.00	90.00			1		40.71	9.58		
LOCAL	NUMBER PORTABILITY	 	!	OLI DA	01 [2]	2.20	30.00	50.00	 	 	1		40.71	9.30		
LOOAL	Local Number Portability (1 per port)	 	1	UEPBX	LNPCX	0.35			-	 	 					
FEATU			i –		1	2.00			1	1						
	All Features Offered	1	1	UEPBX	UEPVF	5.55	0.00	0.00					40.71	9.58		
NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			HEDDY	110463											1
 	Switch-as-is		<u> </u>	UEPBX	USAC2		2.80	0.41	-	1			40.71	9.58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1.44						8.25			1
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDDY	LICACO		0.00	0.00					40.71	0.50		
2 MIDE	Activity E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	 	1	UEPBX	USAS2		0.00	0.00	-	-	 		40.71	9.58		
	ort/Loop Combination Rates	 	1		+				+	+	1		1			
UNE P	2-Wire VG Loop/Port Combo - Zone 1		1		+	16.55			 	 	1					
	2-Wire VG Loop/Port Combo - Zone 1	 	2		+ +	25.51			 	 	 					
	2-Wire VG Loop/Port Combo - Zone 2	†	3		+ +	44.44			-	-	1	<u> </u>	 			<u> </u>
UNE L	oop Rates		L						1	1						
1	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	14.35					1					
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	23.31			İ	İ			İ			
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	42.24										

NRUNDL	ED NETWORK ELEMENTS - Alabama		1	ı								_	Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wir	re Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	2.20	90.00	90.00					40.71	9.58		
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port) FURES	1		UEPRG	LNPCP	3.15	0.00	0.00					40.71	9.58		
FEAT	All Features Offered	<u> </u>		UEPRG	UEPVF	5.55	0.00	0.00					40.71	9.58		
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>		UEFRG	UEFVF	5.55	0.00	0.00					40.71	9.56		
NON	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	-														
	Conversion - Switch-As-Is			UEPRG	USAC2		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1			30,102		2.00	3.41						0.00		
	Conversion - Switch with Change			UEPRG	USACC		2.80	0.41					40.71	9.58	1	1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-														
	Subsequent Database Update						1.44						8.25			
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															1
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					40.71	9.58		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						14.64	14.64					40.71	9.58		
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates	-	1			40.55										
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	-	2			16.55 25.51										
	2-Wire VG Loop/Port Combo - Zone 2		3			44.44										
LINE	Loop Rates	-				77.77										
ONL	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	14.35										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	23.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	42.24										
2-Wir	re Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2.20	90.00	90.00					40.71	9.58		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.20	90.00	90.00					40.71	9.58		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.20	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama															
	Calling Port 2-Wire Voice Unbundled PBX LD Terminal Ports	-		UEPPX UEPPX	UEPA2 UEPLD	2.20 2.20	90.00 90.00	90.00					40.71 27.37	9.58 9.58		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	<u> </u>		UEPPX	UEPXA	2.20	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.20	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.20	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.20	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	2.20	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1													1	
	Administrative Calling Port	<u> </u>		UEPPX	UEPXL	2.20	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port	ļ		UEPPX	UEPXM	2.20	90.00	90.00					40.71	9.58	ļ	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			LIEDDY	LIEDY C										1	1
_	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	 	<u> </u>	UEPPX UEPPX	UEPXO UEPXS	2.20 2.20	90.00	90.00					40.71 40.71	9.58 9.58	 	
100	12-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port AL NUMBER PORTABILITY	+	-	UEPPA	UEPXS	2.20	90.00	90.00					40.71	9.58	 	
LUCA	Local Number Portability (1 per port)	1		UEPPX	LNPCP	3.15	0.00	0.00					40.71	9.58		
FEAT	TURES	+		OLFFA	LINFOF	ა. 15	0.00	0.00					40.71	9.38	1	
FEAT	All Features Offered	+	 	UEPPX	UEPVF	5.55	0.00	0.00					40.71	9.58	 	
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1			02. VI	0.00	0.00	0.00					70.71	5.50	1	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1			1										Ì	
	Conversion - Switch-As-Is			UEPPX	USAC2		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
1	Conversion - Switch with Change	1	1	UEPPX	USACC		2.80	0.41	1		I	1	40.71	9.58	1	I

UNBUNDLE	D NETWORK ELEMENTS - Alabama			1							1		Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					+		Nonrec	urring	Nonrecurring	a Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update						1.44						8.25			
ADDIT	TONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					40.71	9.58		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			UEPPA	U3A32	0.00	0.00	0.00					40.71	9.56		
	Group						14.64	14.64					40.71	9.58		
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POP	ŘΤ														
UNE P	Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			16.88										
+-	2-Wire VG Coin Port/Loop Combo – Zone 2		2		+	25.84				 	1					
line i	2-Wire VG Coin Port/Loop Combo – Zone 3		3		+	44.77				-						
ONEL	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	14.35				 	 					
1	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	23.31				1						
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	42.24										
2-Wire	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			ULFCO	ULFKA	2.55	90.00	90.00					40.71	9.30		
	(AL, LA, MS)			UEPCO	UEPRB	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening & Blocking:															
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin Outward with Operator Screening and 011 Blocking															
	(AL, FL)			UEPCO	UEPRK	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,			UEPCO	UEPKH	2.55	90.00	90.00					40.71	9.56		
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	2.53	90.00	90.00					40.71	9.58		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.53	90.00	90.00		İ			40.71	9.58		
	2-Wire Coin Outward Smartline with 900/976 (all states except															
	LA)			UEPCO	UEPCR	2.53	90.00	90.00					40.71	9.58		
ADDIT	TIONAL UNE COIN PORT/LOOP (RC)					4.50							10 =1			
1.004	UNE Coin Port/Loop Combo Usage (Flat Rate) L NUMBER PORTABILITY			UEPCO	URECU	1.56	90.00	90.00					40.71	9.58		
LUCA	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONR	ECURRING CHARGES - CURRENTLY COMBINED			021 00	LIVI OX	0.00										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPCO	USACC		2.80	0.41			1		40.71	9.58		
ADDIT	TONAL NRCs	1			-					 	}					
1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity	l		UEPCO	USAS2		0.00	0.00					40.71	9.58		
UNBU	NDLED REMOTE CALL FORWARDING - RES			02.1 00	00,102		0.00	0.00		-	1		70.71	3.30		
	Recurring									1						
	NDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB	UERTR	2.07	21.93	21.93					27.37	12.97	17.77	1.44
	ecurring	<u> </u>	105-	DE0)												
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (KES)	_					 	1					
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	2.07	225.00	175.00		1			40.71	9.58		
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	ORT (OLI AF	2.07	223.00	175.00		-	1		40.71	3.30		
	PORT/LOOP COMBINATIONS - COST BASED RATES	<u>_</u>	J (<i>,</i>						1						
2-WIR	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
UNE P	Port/Loop Combination Rates							•					•			

ONBONDLED NET	WORK ELEMENTS - Alabama						1					I		Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC		RAT	TES(\$)				,	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire \	VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				29.59										
2-Wire \	VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				36.58										
2-Wire \	VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				45.06										
UNE Loop Rate	es																
2-Wire A	Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	20.42										
	Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	27.41										
2-Wire A	Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	35.89										[
UNE Port Rate																	
Exchange	ge Ports - 2-Wire DID Port			UEPPX		UEPD1	9.17	600.00	45.00					40.71	9.58		
NONRECURRIN	NG CHARGES - CURRENTLY COMBINED																[
2-Wire \	Voice Grade Loop / 2-Wire DID Trunk Port Combination -																[
Switch-a	as-is	1	1	UEPPX		USAC1		14.61	3.73					40.71	9.58	Ì	1
	Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
with Bel	IlSouth Allowable Changes			UEPPX		USA1C		14.61	3.73					40.71	9.58		i
ADDITIONAL N																	
2-Wire I	DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		53.56	53.56					40.71	9.58		
Telephone Nun	nber/Trunk Group Establisment Charges																
DID Tru	nk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	nal DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	mbers, Non- consecutive DID Numbers, Per Number			UEPPX		ND5	0.00	0.00	0.00								
Reserve	Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
Reserve	e DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOCAL NUMBE	ER PORTABILITY																
Local N	umber Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
2-WIRE ISDN D	IGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT	•													
UNE Port/Loop	Combination Rates																
2W ISD	N Digital Grade Loop/2W ISDN Digital Line Side Port -																
UNE Zo			1	UEPPB	UEPPR		36.62										i
2W ISD	N Digital Grade Loop/2W ISDN Digital Line Side Port -																1
UNE Zo			2	UEPPB	UEPPR		44.49										l
	N Digital Grade Loop/2W ISDN Digital Line Side Port -																ſ
UNE Zo			3	UEPPB	UEPPR		55.39										i
UNE Loop Rate																	(
2-Wire I	SDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	27.20							40.71	9.58		
																	ſ
2-Wire I	SDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	35.07							40.71	9.58		l
2-Wire I	SDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	45.97							40.71	9.58		ſ
UNE Port Rate																	(
	ge Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	9.42	525.00	400.00					40.71	9.58		[
	NG CHARGES - CURRENTLY COMBINED																[
	SDN Digital Grade Loop / 2-Wire ISDN Line Side Port																ſ
	ation - Conversion			UEPPB	UEPPR	USACB	0.00	77.01	54.04					40.71	9.58		l
ADDITIONAL N																	[
LOCAL NUMBE	ER PORTABILITY																[
	umber Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	SER PROFILE ACCESS:																
	SD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00							ļ	L
CVS (EV	WSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
CSD		<u> </u>		UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	REA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	TN)														
	SD (DMS/5ESS)	ļ		UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
CVS (EV	WSD)			UEPPB		U1UCE	0.00	0.00	0.00								
CSD				UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								1
USER TERMINA																	1
	erminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								1
VERTICAL FEA																	
All Verti	cal Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	5.55	0.00	0.00					40.71	9.58		
INTERMEDICE	CHANNEL MILEAGE			1					-								1

ONDONDE	ED NETWORK ELEMENTS - Alabama		1	1		, , , , , , , , , , , , , , , , , , , 						C C1	Cura Cura	Attachment:		Exhibit: B	In an arrant
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	3	usoc		RA ⁻	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Rec	Nonred		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage each, including first mile and																
	facilities termination			UEPPB UI		M1GNC	17.81	107.11	48.27					40.71	9.58		
4 14/15	Interoffice Channel mileage each, additional mile	(DODT		UEPPB U	EPPR	M1GNM	0.0339	0.00	0.00				0.00				
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT	<u> </u>														.
UNE	Port/Loop Combination Rates 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		-														
	Zone 1		1	UEPPP			198.29										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			UEFFF		-	190.29										
	Zone 2		2	UEPPP			274.00										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			OLITI		-	274.00										
	Zone 3		3	UEPPP			425.41										
UNE I	oop Rates		Ť	02			120.11										
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	101.92							40.71	9.58		
- 	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	177.63			1	1			40.71	9.58	1	
	4-Wire DS1 Digital Loop - UNE Zone 3			UEPPP		USL4P	329.04							40.71	9.58		
UNF F	Port Rate		Ť	02		002	020.01							10.7 1	0.00		
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	96.37	1,150.00	1,150.00					40.71	9.58		
NONE	ECURRING CHARGES - CURRENTLY COMBINED		†					1,100.00	.,								
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port					1											
	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	238.13	157.11					40.71	9.58		
ADDI	FIONAL NRCs			OLI I I		00/101	0.00	200.10	107.11					40.71	0.00		
ADDI	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-					1											
	Inward/two way tel nos within Std Allowance (except NC)			UEPPP		PR7TF		0.9801									
-	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			02				0.0001									
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		23.02	23.02								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			OLI I I		11010		20.02	20.02								
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		46.05	46.05								
LOCA	L NUMBER PORTABILITY		†														
	Local Number Portability (1 per port)		†	UEPPP		LNPCN	1.75										
INTER	RFACE (Provsioning Only)																
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP		PR71E	0.00	0.00	0.00								
New o	or Additional "B" Channel																
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	29.05									
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	29.05									
	New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	29.05									
CALL	TYPES																
	Inward			UEPPP		PR7C1	0.00	0.00	0.00								
	Outward			UEPPP		PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00								
Intero	ffice Channel Mileage																
	Fixed Each Including First Mile			UEPPP		1LN1A	80.382	198.15	148.18	25.44				40.71	9.58		
1	Each Airline-Fractional Additional Mile			UEPPP		1LN1B	0.692										
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
UNE F	Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC			170.59										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC			246.30										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC			397.71										
UNE I	oop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC		USLDC	101.92										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC		USLDC	177.63										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC		USLDC	329.04										
UNE	Port Rate																
	4-Wire DDITS Digital Trunk Port			UEPDC		UDD1T	68.67										
NONE	ECURRING CHARGES - CURRENTLY COMBINED																
1 -	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1			1 7						1	1				1
1	- Switch-as-is	1	1	UEPDC		USAC4		258.98	134.03	1	1	l	l	40.71	9.58	1	1

UNBUNDLE	D NETWORK ELEMENTS - Alabama										1 -		Attachment:		Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes			UEPDC	USAWA		258.98	134.04					40.71	9.58		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk			UEPDC	USAWB		258.98	134.03					40.71	9.58		
ADDII	TIONAL NRCs															├
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.85	28.95					40.71	9.58		ĺ
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			OLFDC	ODITA		20.03	20.93					40.71	9.30		
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.85	28.85					40.71	9.58		İ
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.85	28.85					40.71	9.58		İ
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.85	28.85					40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															1
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.85	28.85					40.71	9.58		
BIPOL	AR 8 ZERO SUBSTITUTION B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00								
-	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00								
Altern	ate Mark Inversion			OLI DO	CCOLI		0.00	000.00								
7	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	hone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4 ND5	0.00	0.00									
	DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID Nos.			UEPDC UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loop			0.00	0.00	0.00								
200.0	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	z.g.ta.			1											
	Termination)			UEPDC	1LNO1	79.69	198.15	148.18	25.44	20.42			40.71	9.58		İ
	·															
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.692	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															İ
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.692	0.00	0.00								İ
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC	ILINOB	0.092	0.00	0.00								
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							İ
				- "		0.00	3.55	3.30	5.50							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.692	0.00	0.00								İ
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti			h 												-
	System can have up to 24 combinations of rates depending on OS1 Loop	type ar	ia num	per of ports used	+											
ONEL	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	101.92	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	177.63	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	329.04	0.00	0.00								
UNE [OSO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	115.89	0.00	0.00					40.71	9.58		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	231.78	0.00	0.00					40.71	9.58		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	463.56	0.00	0.00					40.71	9.58		1
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	695.34	0.00	0.00					40.71 40.71	9.58 9.58		
	192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG UEPMG	VUM19 VUM20	980.00 1,158.90	0.00	0.00					40.71	9.58 9.58		
	288 DS0 Channel Capacity - 1 per 10 DS1s		-	UEPMG	VUM28	1,390.68	0.00	0.00			1		40.71	9.58		

480 DS0 Channel (576 DS0 Channel (672 DS0 Channel (A Minimum System configur Multiples of this configur NRC - Conversion BellSouth Allowed System Additions at End New (Not Currently Comb 1 DS1/D4 Channel Fea Activation - Ne Bipolar 8 Zero Substitutio Clear Channel Cap Activity Only Clear Channel Cap Subsequent Activity Alternate Mark Inversion (Superframe Forma Extended Superfra Exchange Ports Associate Exchange Ports Line Side Combina Line Side Outward Line Side Outward Line Side Inward O 2-Wire Trunk Side (2-Wire Channelized (AL Only) 2 Wire Channelized (AL Only) Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality	RATE ELEMENTS nel Capacity - 1 per 16 DS1s nel Capacity - 1 per 20 DS1s nel Capacity - 1 per 24 DS1s nel Capacity - 1 per 28 DS1s nel Capacity - 1 per 28 DS1s nel Capacity - 1 per 28 DS1s nes (NRC) Associated with 4-Wire DS1 Loop with	Interi m	Zone	BCS	USOC		_			_	Svc Order Submitted	Submitted	Charge -	Charge -	Incremental Charge -	
480 DS0 Channel (576 DS0 Channel (672 DS0 Channel (A Minimum System configur Multiples of this configur NRC - Conversion BellSouth Allowed System Additions at End New (Not Currently Comb 1 DS1/D4 Channel Fea Activation - Ne Bipolar 8 Zero Substitutio Clear Channel Cap Activity Only Clear Channel Cap Subsequent Activity Alternate Mark Inversion (Superframe Forma Extended Superfra Exchange Ports Associate Exchange Ports Line Side Combina Line Side Outward Line Side Outward Line Side Inward O 2-Wire Trunk Side (2-Wire Channelized (AL Only) 2 Wire Channelized (AL Only) Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality	nel Capacity - 1 per 20 DS1s nel Capacity -1 per 24 DS1s nel Capacity -1 per 28 DS1s ss (NRC) Associated with 4-Wire DS1 Loop wi		+	1	usoc		RAT	TES(\$)			Elec per LSR	per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs. Electronic Disc Add'
480 DS0 Channel (576 DS0 Channel (672 DS0 Channel (A Minimum System configur Multiples of this configur NRC - Conversion BellSouth Allowed System Additions at End New (Not Currently Comb 1 DS1/D4 Channel Fea Activation - Ne Bipolar 8 Zero Substitutio Clear Channel Cap Activity Only Clear Channel Cap Subsequent Activity Alternate Mark Inversion (Superframe Forma Extended Superfra Exchange Ports Associate Exchange Ports Line Side Combina Line Side Outward Line Side Outward Line Side Inward O 2-Wire Trunk Side (2-Wire Channelized (AL Only) 2 Wire Channelized (AL Only) Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality	nel Capacity - 1 per 20 DS1s nel Capacity -1 per 24 DS1s nel Capacity -1 per 28 DS1s ss (NRC) Associated with 4-Wire DS1 Loop wi					1	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
480 DS0 Channel (576 DS0 Channel (672 DS0 Channel (A Minimum System configur Multiples of this configur NRC - Conversion BellSouth Allowed System Additions at End New (Not Currently Comb 1 DS1/D4 Channel Fea Activation - Ne Bipolar 8 Zero Substitutio Clear Channel Cap Activity Only Clear Channel Cap Subsequent Activity Alternate Mark Inversion (Superframe Forma Extended Superfra Exchange Ports Associate Exchange Ports Line Side Combina Line Side Outward Line Side Outward Line Side Inward O 2-Wire Trunk Side (2-Wire Channelized (AL Only) 2 Wire Channelized (AL Only) Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality Local Number Portality	nel Capacity - 1 per 20 DS1s nel Capacity -1 per 24 DS1s nel Capacity -1 per 28 DS1s ss (NRC) Associated with 4-Wire DS1 Loop wi	+				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
S76 DS0 Channel (S72 DS0 Channel (S72 DS0 Channel (Non-Recurring Charges (A Minimum System configur Multiples of this configur NRC - Conversion BellSouth Allowed System Additions at End New (Not Currently Comb 1 DS1/D4 Channel Fea Activation - Ne Bipolar 8 Zero Substitutio Clear Channel Cap Activity Only Clear Channel Cap Subsequent Activity Alternate Mark Inversion Superframe Forma Extended Superfra Exchange Ports Associate Exchange Ports Associate Exchange Ports Associate Exchange Ports Line Side Combina Line Side Outward Line Side Inward O 2-Wire Channelized (AL Only) 2 Wire Channelized (AL Only) Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DiD Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability	nel Capacity -1 per 24 DS1s nel Capacity - 1 per 28 DS1s es (NRC) Associated with 4-Wire DS1 Loop with			UEPMG	VUM38	1.854.24	0.00	0.00		7.22.		00	40.71	9.58		
672 DSO Channel (Communication of the Communicati	nel Capacity - 1 per 28 DS1s es (NRC) Associated with 4-Wire DS1 Loop with			UEPMG	VUM40	2,317.80	0.00	0.00	1				40.71	9.58		í
Non-Recurring Charges (I A Minimum System config Multiples of this configur NRC - Conversion is BellSouth Allowed System Additions at End New (Not Currently Comb 1 DS1/D4 Channel Fea Activation - Ne Bipolar 8 Zero Substitutio Clear Channel Cap Activity Only Clear Channel Cap Subsequent Activit Alternate Mark Inversion is Extended Superfra Exchange Ports Associate Exchange Ports Line Side Combina Line Side Outward Line Side Inward O 2-Wire Channelized (AL Only) 2 Wire Channelized (AL Only) Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Portability Local Number Portability Local Number Portability Local Number Portability Local Number Portability Local Number Portability Local Number Portability Local Number Portability Local Number Portability Local Number Portability Local Number Portability Local Number Portability Local Number Servical and	es (NRC) Associated with 4-Wire DS1 Loop with			UEPMG	VUM57	2,781.36	0.00	0.00					40.71	9.58		
A Minimum System configur Multiples of this configur NRC - Conversion - BellSouth Allowed System Additions at End New (Not Currently Comb 1 DS1/D4 Channel Fea Activation - Ne Bipolar 8 Zero Substitutio Clear Channel Cap Activity Only Clear Channel Cap Subsequent Activity Alternate Mark Inversion Superframe Forma Extended Superfra Exchange Ports Associate Exchange Ports Line Side Combina Line Side Outward Line Side Inward O 2-Wire Trunk Side I 2-Wire Channelized (AL Only) 2 Wire Channelized (AL Only) Feature Activations - Unb Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Portability Local Number Portability Local Number Portability Local Number Portability Local Number Portability Local Number Portability Local Number Portability Local Number Portability				UEPMG	VUM67	3,244.92	0.00	0.00					40.71	9.58		
Multiples of this configur NRC - Conversion of BellSouth Allowed System Additions at End New (Not Currently Comb 1 DS1/D4 Channel Fea Activation - Ne Bipolar 8 Zero Substitutio Clear Channel Cap Activity Only Clear Channel Cap Subsequent Activity Alternate Mark Inversion Superframe Forma Extended Superfra Exchange Ports Line Side Combina Line Side Outward Line Side Inward O 2-Wire Trunk Side 2-Wire Channelized (AL Only) 2 Wire Channelized (AL Only) Feature Activations - Unb Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portal Local Number Portal Local Number Port EATURES - Vertical and							stem				ļ!		ļ	L	L	
NRC - Conversion is BellSouth Allowed System Additions at End New (Not Currently Comb 1 DS1/D4 Channel Fea Activation - Ne Bipolar 8 Zero Substitutio Clear Channel Cap Activity Only Clear Channel Cap Subsequent Activity Only Clear Channel Cap Subsequent Activity Alternate Mark Inversion (Superframe Forma Extended Superfra Exchange Ports Associate Exchange Ports Associate Exchange Ports Associate Exchange Ports Line Side Combina Line Side Inward O 2-Wire Trunk Side (AL Only) 2 Wire Channelized (AL Only) 2 Wire Channelized (AL Only) Feature Activations - Unb Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Portability Local Number Portability Local Number Portability Local Number Portability FEATURES - Vertical and	onfiguration is One (1) DS1, One (1) D4 Chann						\longmapsto		 		ļ		<u>_</u>	\vdash	\vdash	
BellSouth Allowed System Additions at End New (Not Currently Comb 1 DS1/D4 Channel Fea Activation - Ne Bipolar 8 Zero Substitutio Clear Channel Cap Activity Only Clear Channel Cap Subsequent Activit Alternate Mark Inversion Superframe Forma Extended Superfra Exchange Ports Associate Exchange Ports Line Side Combina Line Side Combina Line Side Inward O 2-Wire Trunk Side 2-Wire Trunk Side 2-Wire Channelized (AL Only) 2 Wire Channelized (AL Only) Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Port Local Number Port EATURES - Vertical and	ion (Currently Combined) with or without	aa'i arte	er the m	inimum system con	ifiguration is	countea.	├──		 					 	 	
System Additions at End New (Not Currently Comb 1 DS1/D4 Channel Fea Activation - Ne Bipolar 8 Zero Substitutio Clear Channel Cap Activity Only Clear Channel Cap Subsequent Activity Alternate Mark Inversion Superframe Forma Extended Superfra Exchange Ports Associate Exchange Ports Associate Exchange Ports Associate Line Side Combina Line Side Inward O 2-Wire Trunk Side 2-Wire Channelized (AL Only) 2 Wire Channelized (AL Only) Feature Activations - Unb Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portalility Local Number Portalility Local Number Portalility Local Number Portalility Local Number Portalility Local Number Portalility Local Number S- Vertical and				UEPMG	USAC4	0.00	300.95	16.72	i	ŀ	ļ l		40.71	9.58	i !	l
New (Not Currently Comb 1 DS1/D4 Channel Fea Activation - Ne Bipolar 8 Zero Substitutio Clear Channel Cap Activity Only Clear Channel Cap Subsequent Activity Alternate Mark Inversion of Superframe Forma Extended Superfra Extended Superfra Exchange Ports Associate Exchange Ports Associate Exchange Ports Line Side Combina Line Side Inward O 2-Wire Trunk Side of 2-Wire Channelized (AL Only) 2 Wire Channelized (AL Only) Feature Activations - Unb Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Portability Local Number Portability Local Number Portability Local Number Portability Local Number Portability Local Number Portability	End User Locations Where 4-Wire DS1 Loop w	ith Chan	nelizat					10.72	 		 		40.71	5.55		ſ
I DS1/D4 Channel Fea Activation - Ne Bipolar 8 Zero Substitutio Clear Channel Cap Activity Only Clear Channel Cap Subsequent Activity Alternate Mark Inversion Superframe Forma Extended Superfra Exchange Ports Associate Exchange Ports Associate Exchange Ports Associate Exchange Ports Associate Exchange Ports Associate Exchange Ports Associate Cap Subsequent Cap S	ombined) In GA, KY, LA, MS & TN Only	1	1								 					
Bipolar 8 Zero Substitutio Clear Channel Cap Activity Only Clear Channel Cap Subsequent Activity Alternate Mark Inversion of Superframe Forma Extended Superfra Exchange Ports Associate Exchange Ports Associate Exchange Ports Line Side Combina Line Side Inward O 2-Wire Trunk Side of 2-Wire Channelized (AL Only) 2 Wire Channelized (AL Only) 2 Wire Channelized Port (AL Only) Feature Activations - Unb Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Portability Local Number Port FEATURES - Vertical and	nnel Bank - Add NRC for each Port and Assoc										,					
Clear Channel Cap Activity Only Clear Channel Cap Subsequent Activit Alternate Mark Inversion I Superframe Forma Extended Superfra Exchange Ports Associate Exchange Ports Line Side Combina Line Side Outward Line Side Inward O 2-Wire Trunk Side I 2-Wire Channelized (AL Only) 2 Wire Channelized (AL Only) Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Portability Local Number Portability Local Number S - Vertical and	New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65			40.71	9.58	1	1
Activity Only Clear Channel Cap Subsequent Activity Alternate Mark Inversion of Superframe Forma Extended Superfra Exchange Ports Associate Exchange Ports Associate Exchange Ports Line Side Combina Line Side Outward Line Side Inward Of 2-Wire Trunk Side of 2-Wire Channelized (AL Only) 2 Wire Channelized (AL Only) Feature Activations - Unb Feature Activations - Unb Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Portability Local Number S- Vertical and																
Clear Channel Cap Subsequent Activity Alternate Mark Inversion Superframe Forma Extended Superfra Exchange Ports Line Side Combina Line Side Outward Line Side Outward Line Side Inward O 2-Wire Trunk Side 2-Wire Trunk Side 2-Wire Channelized (AL Only) 2 Wire Channelized (AL Only) Feature Activations - Unb Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Portability Local Number Feature Activation	Capability Format, superframe - Subsequent						i l		i	ŀ	ļ l		, l	i !	i !	l
Subsequent Activity Alternate Mark Inversion is Superframe Forma Extended Superfra Exchange Ports Associate Exchange Ports Line Side Combina Line Side Outward Line Side Inward O 2-Wire Trunk Side is 2-Wire Channelized (AL Only) 2 Wire Channelized (AL Only) Feature Activations - Unb Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Portability Local Number Portability Local Number Feature Servicel A	Occasion Francis Education Constitution			UEPMG	CCOSF	0.00	0.00	600.00	 		ļ			\vdash	\vdash	—
Alternate Mark Inversion Superframe Forma Extended Superfra Exchange Ports Associate Exchange Ports Associate Exchange Ports Associate Exchange Ports Line Side Combina Line Side Outward Line Side Inward O 2-Wire Trunk Side 2-Wire Channelized (AL Only) 2 Wire Channelized Port (AL Only) Feature Activations - Unb Feature Activations - Unb Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Numberf Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Port FEATURES - Vertical and	Capability Format - Extended Superframe -			UEPMG	CCOEF	0.00	0.00	600.00	i	ŀ	ļ l		, l	i !	i !	l
Superframe Forma Extended Superfra Exchange Ports Associate Exchange Ports Line Side Combina Line Side Outward Line Side Inward O 2-Wire Trunk Side 2-Wire Channelized (AL Only) 2 Wire Channelized Port (AL Only) Feature Activations - Unb Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Port FEATURES - Vertical and		-	-	UEPING	CCOEF	0.00	0.00	600.00	 				 	 	 	
Extended Superfra Exchange Ports Associate Exchange Ports Associate Exchange Ports Line Side Combina Line Side Outward Line Side Inward O 2-Wire Trunk Side I 2-Wire Channelized (AL Only) 2 Wire Channelized Port (AL Only) Feature Activations - Unb Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Port Local Number Port FEATURES - Vertical and				UEPMG	MCOSF	0.00	0.00	0.00	 		 					
Exchange Ports Associate Exchange Ports Line Side Combina Line Side Outward Line Side Inward O 2-Wire Trunk Side I 2-Wire Channelized (AL Only) 2 Wire Channelized (AL Only) Feature Activations - Unb Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Portability Local Number Port FEATURES - Vertical and				UEPMG	MCOPO	0.00	0.00	0.00								
Line Side Combina Line Side Outward Line Side Inward O 2-Wire Trunk Side I 2-Wire Channelizer (AL Only) 2 Wire Channelizer (AL Only) Feature Activations - Unb Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Port	ciated with 4-Wire DS1 Loop with Channelizat	ion with	Port										i			
Line Side Outward Line Side Inward O 2-Wire Trunk Side I 2-Wire Channelized (AL Only) 2 Wire Channelized Port (AL Only) Feature Activations - Unb Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Port FEATURES - Vertical and	•										,					
Line Side Outward Line Side Inward O 2-Wire Trunk Side I 2-Wire Channelized (AL Only) 2 Wire Channelized Port (AL Only) Feature Activations - Unb Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Port FEATURES - Vertical and							i		i		I		1			1
Line Side Inward O 2-Wire Trunk Side 2-Wire Channelized (AL Only) 2 Wire Channelized Port (AL Only) Feature Activations - Unb Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Port	bination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.58	0.00	0.00	0.00	0.00	ļ!		40.71	9.58		
2-Wire Trunk Side 2-Wire Channelizer (AL Only) 2 Wire Channelizer Port (AL Only) Feature Activations - Unb Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Ports FEATURES - Vertical and	vard Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.58	0.00	0.00	0.00	0.00	ļ!		40.17	9.58		
2-Wire Trunk Side 2-Wire Channelizer (AL Only) 2 Wire Channelizer Port (AL Only) Feature Activations - Unb Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Ports FEATURES - Vertical and	rd Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.58	0.00	0.00	0.00	0.00	l l		40.71	9.58	1	l
2-Wire Channelized (AL Only) 2 Wire Channelized Port (AL Only) Feature Activations - Unb Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Port FEATURES - Vertical and	ide Unbundled Channelized DID Trunk Port	1	1	UEPPX	UEPDM	9.20	0.00	0.00	0.00	0.00	\vdash		40.71	9.58		1
(AL Only) 2 Wire Channelized Port (AL Only) Feature Activations - Unb Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Port	lized PBX Area Calling Service Combination Port			OLITA	OLI DIVI	3.20	0.00	0.00	0.00	0.00	 		40.71	9.50		
Port (AL Only) Feature Activations - Unb Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number FEATURES - Vertical and	mead . Byty mad canning convice combination . on			UEPPX	UEPA4	1.58	0.00	0.00	i	ŀ	ļ l		40.71	9.58	i !	l
Feature Activations - Unb Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number FEATURES - Vertical and	lized PBX Area Calling Service Outgoing Only										,					
Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Port FEATURES - Vertical and				UEPPX	UEPA3	1.58	0.00	0.00	i				40.71	9.58	1	1
in D4 Bank Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Port FEATURES - Vertical and	Unbundled Loop Concentration															
Feature (Service) A in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number FEATURES - Vertical and	e) Activation for each Line Side Port Terminated						i l		i	ŀ	l l		_i ,	1	1	ĺ
in D4 Bank Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Port FEATURES - Vertical and	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			UEPPX	1PQWM	0.64	25.39	13.41	4.19	4.16	ļ!		40.71	9.58		
Telephone Number/ Grou DID Trunk Termina DID Numbers - gro Non-Consecutive C Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Features - Vertical and	e) Activation for each Trunk Side Port Terminated	1		UEPPX	1PQWU	0.64	78.13	18.42	59.24	11.58	ļ l		40.17	9.58	1	l
DID Trunk Termina DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Port FEATURES - Vertical and	roup Establishment Charges for DID Service	1	1	UEFFX	IFQWU	0.64	70.13	10.42	59.24	11.30	\vdash		40.17	9.56		1
DID Numbers - gro Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Port FEATURES - Vertical and				UEPPX	NDT	0.00	0.00	0.00	 		 					
Non-Consecutive D Reserve Non-Cons Reserve DID Numb Local Number Portability Local Number Portability FEATURES - Vertical and	groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00			 					
Reserve DID Numb Local Number Portability Local Number Portability Local Number Portability FEATURES - Vertical and	ve DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								Ī
Local Number Portability Local Number Porta FEATURES - Vertical and	onsecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
Local Number Porta FEATURES - Vertical and				UEPPX	NDV	0.00	0.00	0.00								
FEATURES - Vertical and													ļ			
				UEPPX	LNPCP	3.15	0.00	0.00	 		ļ			\vdash	\vdash	
Local Switching realtires	and Optional ures Offered with Line Side Ports Only	1			 				 		<u> </u>			 	 	
All Features Availab		1	1	UEPPX	UEPVF	5.55	0.00	0.00	 		 		40.71	9.58	 	
	MBINATIONS - MARKET RATES	1	t -	SELLY.	JE: VI	3.33	0.00	0.00	 		$\vdash \vdash \vdash$		40.71	3.38	 	
	ply where BellSouth is not required to provide	unbun	dled loc	cal switching or swi	tch ports per	FCC and/or St	ate Commissio	n rules.	 		\vdash		1			1
These scenarios include:						1			(i			i
1. Unbundled port/loop of	op combinations that are Not Currently Combi						i	-	ſ				 	[[i
	op combinations that are Currently Combined															
	ellSouth's region are: FL (Orlando, Ft. Laudero									not currently c	ombined in	AL, FL and	NC. In the in	iterim where F	BellSouth can	not bill
Market Rates, BellSouth s The Market Rate for unbu	ellSouth's region are: FL (Orlando, Ft. Laudero developing the billing capability to mechanic															

LINIDLIN	DI E	NETWORK ELEMENTS Alabama												A		leann b	l
UNBUN	DLEI	NETWORK ELEMENTS - Alabama			ı	1	1					Cora Carden	Cura Oudan	Attachment:		Exhibit: B	Incremental
																Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEGO	DV	RATE ELEMENTS	Interi	Zone	BCS	USOC		Б.	TES(\$)			Elec	Manually	Manual Svc			Manual Svc
CATEGO	'K I	RATE ELEMENTS	m	Zone	603	0300		NA.	ILO(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1		Nonre	curring	Nonrecurring	n Disconnect			oss	Rates(\$)		l
						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	nd Off	ice and Tandem Switching Usage and Common Transport U	eago rat	oc in t	no Port section of th	is rate exhibi	it chall annly to										
1		URECU).	saye rai	es III ti	ie Fort Section of th	iis rate exilibi	it siiaii appiy to	an combinati	ons or loop/po	it lietwork elei	nents except	IOI ONE COI	ii Foit/Loop	Combination	iis willeli liav	e a nat rate us	age charge
		Currently Combined scenarios where Market Rates apply, the	e Nonre	currin	g charges are listed	in the First a	nd Additional N	IRC columns	or each Port I	ISOC. For Cur	rently Combin	ed scenario	s. the Nonr	ecurring char	ges are listed	in the NRC - 0	Currently
		ned section. Additional NRCs may apply also and are catego									,	ou 000u	o,o	Journal of the state of the sta	g00 a.oo.oa		·
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	112eu au	Corum	g.y. 						1					1	1
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			28.35										
		2-Wire VG Loop/Port Combo - Zone 2		2			37.31										
		2-Wire VG Loop/Port Combo - Zone 3		3			56.24										
u		op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPRX	UEPLX	14.35			İ	l				1		İ
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	23.31										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	42.24										
2		Voice Grade Line Port (Res)															
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00					40.71	9.58		
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00					40.71	9.58		
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90.00					40.71	9.58		
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)			UEPRX	UEPAP	14.00	90.00	90.00					40.71	9.58		
L		NUMBER PORTABILITY															
		Local Number Portability (1 per port)	ļ		UEPRX	LNPCX	0.35										
F	EATU				LIEDDY	LIED) /E	0.00	0.00	0.00								
		All Features Offered CURRING CHARGES - CURRENTLY COMBINED			UEPRX	UEPVF	0.00	0.00	0.00								
		ONAL NRCs										-			-		
		NRC - 2-Wire Voice Grade Loop/Line Port Combination -	1									1					
		Subsequent			UEPRX	USAS2		0.00	0.00					40.71	9.58		
2	-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			OLI IXX	UUAUZ		0.00	0.00					40.71	9.50		
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			28.35										
		2-Wire VG Loop/Port Combo - Zone 2		2			37.31										
		2-Wire VG Loop/Port Combo - Zone 3		3			56.24										
U	INE Lo	op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	14.35										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	23.31										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	42.24	<u> </u>									
2		Voice Grade Line Port (Bus)	1														
igsquare		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00	ļ				40.71	9.58	ļ	ļ
\vdash		2-Wire voice unbundled port with Caller + E484 ID - bus	-		UEPBX	UEPBC	14.00	90.00	90.00					40.71	9.58		
⊢		2-Wire voice unbundled port outgoing only - bus	1		UEPBX	UEPBO	14.00	90.00	90.00	 	-			40.71	9.58	ļ	
├		NUMBER PORTABILITY	1		UEPBX	LNDCV	0.05								 		
 	EATU	Local Number Portability (1 per port)	1		UEPBX	LNPCX	0.35								 		
 		All Features Offered	1	-	UEPBX	UEPVF	0.00	0.00	0.00					40.71	9.58		-
N.	IONDE	CURRING CHARGES - CURRENTLY COMBINED	1		ULFDA	DEFVF	0.00	0.00	0.00	1				40.71	9.58	1	1
		ONAL NRCs				+	 								 		-
 	اااادد	NRC - 2-Wire Voice Grade Loop/Line Port Combination -	1			+	 								t		
		Subsequent			UEPBX	USAS2		0.00	0.00					40.71	9.58		
2		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)				1 222		0.00	5.50	1					3.30		İ
		ort/Loop Combination Rates	1			1	†			İ	l				1		İ
		2-Wire VG Loop/Port Combo - Zone 1	1	1		1	28.35			İ	l				1		İ
		2-Wire VG Loop/Port Combo - Zone 2	1	2			37.31										
		2-Wire VG Loop/Port Combo - Zone 3		3			56.24										
U		op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	14.35	-									
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	23.31										
oxdot		2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPRG	UEPLX	42.24										
2	-Wire \	Voice Grade Line Port Rates (RES - PBX)								l					1		

LINDUNDU	ED NETWORK ELEMENTS Alabama												Attack	<u> </u>	Evhibit: D	
UNDUNDL	ED NETWORK ELEMENTS - Alabama	1			1				I	1	Svo Orde-	Sup Orde-	Attachment: Incremental		Exhibit: B	Incremental
		1									Svc Order Submitted					
											Elec	Submitted Manually		Charge - Manual Svc	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		RΔ	TES(\$)							Manual Svc	Manual Svc
CATEGORI	KATE EEEMERTO	m	20116	Воо	0000		IVA.	LO(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	14.00	90.00	90.00					40.71	9.58		
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT																
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					40.71	9.58		
ADDI	TIONAL NRCs															
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring						0.00	0.00					40.71	9.58		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1											1	1		
<u> </u>	Group	ļ					14.64	14.64					40.71	9.58		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	ļ							ļ				ļ	ļ		
UNE	Port/Loop Combination Rates	ļ			_	00.05										
\vdash	2-Wire VG Loop/Port Combo - Zone 1	<u> </u>	1		+	28.35							 	 		
 	2-Wire VG Loop/Port Combo - Zone 2	!	2		+	37.31			 				 	 		
116.5	2-Wire VG Loop/Port Combo - Zone 3	1	3		_	56.24			-				-	-		
UNE	Loop Rates		1	LIEDDY	LIEDLY	44.05										
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPPX	UEPLX	14.35										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPPX	UEPLX	23.31 42.24										
0.14/:-	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	42.24										
Z-VVII	e Voice Grade Line Port Rates (BUS - PBX)				_											
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					40.71	9.58		
-	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					40.71	9.58		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama			ULFFX	ULFFI	14.00	90.00	90.00					40.71	9.30		
	Calling Port			UEPPX	UEPA2	14.00	90.00	90.00					40.71	9.58		
 	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					40.71	9.58		
 	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1														
	Administrative Calling Port	1		UEPPX	UEPXL	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	Ì														
	Room Calling Port	1		UEPPX	UEPXM	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port	<u></u>	<u></u>	UEPPX	UEPXO	14.00	90.00	90.00		<u></u>			40.71	9.58		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					40.71	9.58		
LOCA	L NUMBER PORTABILITY						, and the second									
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT	URES	<u> </u>														
	All Features Offered	ļ		UEPPX	UEPVF	0.00	0.00	0.00	ļ				40.71	9.58		
	ECURRING CHARGES - CURRENTLY COMBINED	ļ							ļ				ļ	ļ		
ADDI	FIONAL NRCs	ļ														
	0.000	1		HEDDY	110466											
 	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent	!	_	UEPPX	USAS2	0.00	0.00	0.00					40.71	9.58		
	2 Wire Loop/Line Side Port Combination - Non feature -	1					2.22	0.00					40.71	0.50		
 	Subsequent Activity- Nonrecurring	1	-		-		0.00	0.00	1	-			40.71	9.58		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1					44.01	4461					40.71	0.50		
2 14/15	Group		<u> </u>		_		14.64	14.64		ļ			40.71	9.58		
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	N I	-		-				1	-			1	1		
UNE	Port/Loop Combination Rates	1	4		+	00.05			ļ				 	 		
\vdash	2-Wire VG Coin Port/Loop Combo – Zone 1	 	1		_	28.35										
	2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3	1	2		-	37.31			1	-			1	1		
LIEUT I	_coop Rates	!	3		-	56.24			 		 	 	 	 		
UNE	Tooh vares	1	l		1				ı	l	ı	ı	ı	<u> </u>		

ONRON	IDLE	D NETWORK ELEMENTS - Alabama										Svc Order		Attachment:		Exhibit: B	
ATEGOI	RY	RATE ELEMENTS		Zone	BCS	usoc		RAT	ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
-						+		Nonrec	curring	Nonrecurring	ng Disconnect			220	Rates(\$)		<u> </u>
				-			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	14.35	FIISL	Auu i	FIISt	Auu i	SOMEC	JOWAN	JOWAN	SOWAN	JOWAN	JOWAN
		2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPCO	UEPLX	23.31										+
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	42.24										+
2-	-Wire	Voice Grade Line Port Rates (Coin)		Ŭ	OLI OO	OLI DX	72.27										+
		2-Wire Coin 2-Way without Operator Screening and without															+
		Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	14.00	90.00	90.00					40.71	9.58		
		2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	14.00	90.00	90.00					40.71	9.58		
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
		900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14.00	90.00	90.00					40.71	9.58		
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
		(AL. LA. MS)			UEPCO	UEPRB	14.00	90.00	90.00					40.71	9.58		
		2-Wire Coin 2-Way with Operator Screening & Blocking:						22.00	22.00						2.00	İ	†
		900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)	1		UEPCO	UEPCD	14.00	90.00	90.00					40.71	9.58	I	1
		2-Wire Coin Outward with Operator Screening and 011 Blocking														İ	†
		(AL, FL)	l		UEPCO	UEPRK	14.00	90.00	90.00					40.71	9.58	1	1
		2-Wire Coin Outward with Operator Screening and Blocking:															1
		011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	14.00	90.00	90.00					40.71	9.58		
		2-Wire Coin Outward Operator Screening & Blocking: 900/976,															
		1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCN	14.00	90.00	90.00					40.71	9.58		
L	OCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
Α		ONAL NRCs															1
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00					40.71	9.58		
UNBUNDI	LED P	ORT/LOOP COMBINATIONS - MARKET BASED RATES															
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														1
		ort/Loop Combination Rates															1
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			69.59										1
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			76.58										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			85.06										1
U		pop Rates															1
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	20.42										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	27.41										1
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	35.89										1
U		ort Rate															
		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	40.00	600.00	45.00					40.71	9.58		
N	IONRE	CURRING CHARGES - CURRENTLY COMBINED															
A	DDITI	ONAL NRCs															
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53.56	53.56					40.71	9.58		
Te	eleph	one Number/Trunk Group Establisment Charges															
		DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
L	OCAL.	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	POR													
U		ort/Loop Combination Rates															
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
		UNE Zone 1		1	UEPPB UEPPR		87.20										<u> </u>
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
		UNE Zone 2	<u></u>	2	UEPPB UEPPR		104.49		<u></u>	<u> </u>					<u> </u>	<u> </u>	1
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
		UNE Zone 3	L	3	UEPPB UEPPR		115.97			<u> </u>				<u> </u>		<u> </u>	1
U	JNE Lo	pop Rates															
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	27.20							40.71	9.58		
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR		35.07							40.71	9.58		•

UNBUNDLE	D NETWORK ELEMENTS - Alabama					_	1					1_	1_	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	e BCS		USOC			FES(\$)				Manually	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec			g Disconnect				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	45.97							40.71	9.58		
UNE P	ort Rate Exchange Port - 2-Wire ISDN Line Side Port	-		LIEDDD	UEPPR	UEPPB	60.00	525.00	400.00					40.71	9.58		
NONE	ECURRING CHARGES - CURRENTLY COMBINED	-		UEPPB	UEFFR	UEPPB	60.00	525.00	400.00	-				40.71	9.56		
	IONAL NRCs		1			-											
	NUMBER PORTABILITY									İ							
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHA	NNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
D CILA	CSD NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C MC 9	TNI	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	-		1					
в-сна	ICVS/CSD (DMS/5ESS)	U,IVIO, 8	(IN)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00	-					-	-	
	CVS (EWSD)	1	1	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00	 							
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE	1		1		1	5.50	5.55	3.30	1							
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERTI	CAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	5.55	0.00	0.00					40.71	9.58		
INTER	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and			LIEDDD	LIEDDD		47.04	107.11	10.07					40.74	0.50		
	facilities termination Interoffice Channel mileage each, additional mile	-			UEPPR UEPPR	M1GNC M1GNM	17.81 0.0339	107.11 0.00	48.27 0.00	-		1		40.71	9.58		
4-WIRE	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	K PORT		UEPPB	UEFFR	IVITGINIVI	0.0339	0.00	0.00								
	ort/Loop Combination Rates	I	1			-											
O.L.	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1														
	Zone 1		1	UEPPP			951.92										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			1,027.63										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP			1,179.04										
UNE L	oop Rates 4-Wire DS1 Digital Loop - UNE Zone 1	-	1	UEPPP		USL4P	101.92			-		1		40.71	9.58		
	4-Wire DS1 Digital Loop - ONE Zone 1	-	2	UEPPP		USL4P	177.63							40.71	9.58		
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	329.04							40.71	9.58		
UNE P	ort Rate		Ŭ	02			020.01								0.00		
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	850.00	1,150.00	1,150.00					40.71	9.58		
	ECURRING CHARGES - CURRENTLY COMBINED																
ADDIT	ONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-									1							
	Inward/two way tel nos within Std Allowance (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	 	<u> </u>	UEPPP		PR7TF		0.9801		 		1					
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		23.02	23.02	1							
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	1	1	OLFFF		1 1/10		23.02	23.02	 							
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		46.05	46.05	1							
LOCAL	NUMBER PORTABILITY			02				10.00	10.00	İ							
	Local Number Portability (1 per port)	1		UEPPP		LNPCN	1.75										
INTER	FACE (Provsioning Only)																
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00								
	Digital Data	<u> </u>	<u> </u>	UEPPP		PR71D	0.00	0.00	0.00		ļ	<u> </u>					
Now -	Inward Data r Additional "B" Channel	1		UEPPP		PR71E	0.00	0.00	0.00	-							
New or	New or Additional - Voice/Data B Channel	1	<u> </u>	UEPPP		PR7BV	0.00	40.00		-	1	1					
	New or Additional - Voice/Data B Channel New or Additional - Digital Data B Channel	1	 	UEPPP		PR7BF	0.00	40.00		 	1	1	1		1	1	
	New or Additional Inward Data B Channel	1		UEPPP		PR7BD	0.00	40.00		†	1	1					
CALL		1				† <u></u>	5.50			1							
	Inward			UEPPP		PR7C1	0.00	0.00	0.00								
	Outward			UEPPP		PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00								

UNDUNDLE	D NETWORK ELEMENTS - Alabama			1							1 -		Attachment:		Exhibit: B	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	FES(\$)				Manually	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interoff	ice Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	80.382	198.15	148.18	25.44				40.71	9.58		
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.692										
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	ort/Loop Combination Rates			LIEBBO												
	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide		SW	UEPDC		4=0.50										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		170.59										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		246.30										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		397.71										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC	+											
	pop Rates 4-Wire DS1 Digital Loop - Statewide		C	UEPDC	USLDC										-	-
	4-Wire DS1 Digital Loop - Statewide 4-Wire DS1 Digital Loop - UNE Zone 1		SW 1	UEPDC	USLDC	101.92							40.71	9.58		
	4-Wire DS1 Digital Loop - UNE Zone 1		2	UEPDC	USLDC	177.63							40.71	9.58	-	-
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	329.04					1		40.71	9.58		
	4-Wire DS1 Digital Loop - UNE Zone 4			UEPDC	USLDC	325.04							40.71	9.50		
	ort Rate		-	OLFDC	USLDC	1										
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,003.02	478.01	211.87	20.77			40.71	9.58		
	CURRING CHARGES - CURRENTLY COMBINED			OLI DO	ODDII	750.00	1,005.02	470.01	211.07	20.77			40.71	3.30		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		258.98	134.03					40.71	9.58		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		258.98	134.04					40.71	9.58		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		258.98	134.03					40.71	9.58		
ADDITI	ONAL NRCs			02. 20	00,2		200.00	101.00						0.00		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Service Activity Per Service Order 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			UEPDC	USAS4								40.71	9.58		
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.85	28.95					40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.85	28.85					40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.85	28.85					40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.85	28.85					40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans AR 8 ZERO SUBSTITUTION			UEPDC	UDTTE		28.85	28.85					40.71	9.58		
	B8ZS -Superframe Format			UEPDC	CCOSF	-	0.00	600.00								
	B8ZS - Extended Superframe Format			UEPDC	CCOSF		0.00	600.00								
	te Mark Inversion			UEPDC	CCOEF		0.00	600.00								
Aiteilia	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
+	AMI - Extended SuperFrame Format	-	†	UEPDC	MCOPO	+	0.00	0.00							 	
	one Number/Trunk Group Establisment Charges		-	02. 00		+	3.00	3.00								
	Telephone Number for 2-Way Trunk Group		-	UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group		t	UEPDC	UDTGY	0.00									1	1
	Telephone Number for 1-Way Inward Trunk Group Without DID		1	UEPDC	UDTGZ	0.00									1	İ
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers		<u> </u>	UEPDC	NDZ	0.00	0.00	0.00							ļ	ļ
	DID Numbers for each Group of 20 DID Numbers		ļ	UEPDC	ND4	0.00	0.00									
	DID Numbers, Non- consecutive DID Numbers , Per Number		<u> </u>	UEPDC	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos. Reserve DID Numbers		<u> </u>	UEPDC	ND6	0.00	0.00	0.00							 	
			1	UEPDC	NDV	0.00	0.00	0.00	1		1				1	1
	ted DS1 (Interoffice Channel Mileage) -					0.00										

NDONDEL	D NETWORK ELEMENTS - Alabama										Com Cont	Cura Curt	Attachment:		Exhibit: B	In ana
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	79.69	198.15	148.18	25.44	20.42			40.71	9.58		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.692	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.692	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.692	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti em can have various rate combinations based on type and nur			unned.	-											
	IS1 Loop	liber of	ports	useu	+											
ONLE	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	101.92	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	177.63	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	329.04	0.00	0.00								
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	าร)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	115.89	0.00	0.00					40.71	9.58		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	231.78	0.00	0.00					40.71	9.58		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	463.56	0.00	0.00					40.71	9.58		
	144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG UEPMG	VUM14 VUM19	695.34 980.00	0.00	0.00					40.71 40.71	9.58 9.58		
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,158.90	0.00	0.00					40.71	9.58		
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,390.68	0.00	0.00					40.71	9.58		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,854.24	0.00	0.00					40.71	9.58		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,317.80	0.00	0.00					40.71	9.58		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,781.36	0.00	0.00					40.71	9.58		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,244.92	0.00	0.00					40.71	9.58		
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	mum System configuration is One (1) DS1, One (1) D4 Channeles of this configuration functioning as one are considered Ad															
	nes of this configuration functioning as one are considered Ad n Additions Where Currently Combined and New (Not Currentl				ntiguration is	countea.										
	8 MSAs and AL. FL. and NC Only	, cont	meu)		+											
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation -			UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65			40.71	9.58		
Bipola	r 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00	600.00								
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	600.00								
Altern	ate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
Eval-	Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port.	UEPMG	MCOPO	0.00	0.00	0.00								
	nge Ports Associated with 4-wire DS1 Loop with Channelization	ווכ WITN	ron		+										1	-
Excita	inge i oito				1											
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			40.71	9.58		
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			40.17	9.58		
															1	
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00			40.71	9.58		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	40.00	0.00	0.00	0.00	0.00			40.71	9.58		
	2-Wire Channelized PBX Area Calling Service Combination Port			l	UEPA4								40.71			1
	(AL Only)			UEPPX		14.00	0.00	0.00						9.58	1	

	ED NETWORK ELEMENTS - Alabama	1		1	1	1					Cup Cade	Sup Carle	Attachment:		Exhibit: B	Inoro
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Channelized PBX Area Calling Service Outgoing Only															
	Port (AL Only)			UEPPX	UEPA3	14.00	0.00	0.00					40.71	9.58		
Featu	re Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated															
	in D4 Bank			UEPPX	1PQWM	0.62	40.00	20.00	6.00	5.00			40.71	9.58		
	Feature (Service) Activation for each Trunk Side Port Terminated	1														
	in D4 Bank			UEPPX	1PQWU	0.62	110.00	30.00	65.00	20.00			40.17	9.58		
Telep	hone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number	 	<u> </u>	UEPPX	ND5	0.00	0.00	0.00	—					ļ	 	
	Reserve Non-Consecutive DID Numbers	 	<u> </u>	UEPPX	ND6	0.00	0.00	0.00	—					ļ	 	
1.555	Reserve DID Numbers Number Portability	 	-	UEPPX	NDV	0.00	0.00	0.00	1					1	 	
Loca	Local Number Portability - 1 per port	 	1	UEPPX	LNPCP	3.15	0.00	0.00	<u> </u>					-		
EEAT	URES - Vertical and Optional	 	1	UEFFA	LINECE	3.15	0.00	0.00	+		1			1	1	-
	Switching Features Offered with Line Side Ports Only	+	1		+	1			1					1	1	
Loca	All Features Available	1		UEPPX	UEPVF	5.55	0.00	0.00					40.71	9.58		
LINBLINDI ED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	s		OLITA	OLI VI	5.55	0.00	0.00					40.71	9.50		
	st Based Rates are applied where BellSouth is required by FCC		State	Commission rule to	nrovide Unb	undled Local S	witching or Sw	itch Ports								
	atures shall apply to the Unbundled Port/Loop Combination - C								dled Port section	on of this Rate	Exhibit					
	d Office and Tandem Switching Usage and Common Transport											oin Bort/Lo	on Combinat	ione		
13. En																
3. En 4. Fo	r Georgia, Kentucky, Louisiana, Mississippi, South Carolina, ar	nd Tenn	essee.	the recurring UNE	Port and Loo	p charges lister	apply to Curr	ently Combine	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non	recurring cha	rges apply
4. Fo	r Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar	nd Tenn	iessee,	the recurring UNE	Port and Loop	p charges listed	d apply to Curr	ently Combine	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No	r Georgia, Kentucky, Louisianā, MIsšissippi, South Carolina, ar t Currently Combined Combos for all states. In GA, KY, LA, MS	nd Tenn S, SC, ar	essee, nd TN t	the recurring UNE these nonrecurring	Port and Loo charges are c	p charges listed ommission ord	d apply to Curr ered cost base	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C	r Georgia, Kentucky, Louisiana, Mississippi, South Carolina, ar It Currently Combined Combos for all states. In GA, KY, LA, MS Surrently Combined Combos in all other states, the nonrecurrin	nd Tenn S, SC, ar ng charg	iessee, nd TN t jes sha	the recurring UNE these nonrecurring Ill be those identifi	Port and Loo charges are c ed in the Nonr	p charges listed commission ord ecurring - Curr	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. Ma	r Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar t Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrin arket Rates for Unbundled Centrex Port/Loop Combination will	nd Tenn S, SC, ar ig charg be neg	iessee, nd TN t jes sha	the recurring UNE these nonrecurring Ill be those identifi	Port and Loo charges are c ed in the Nonr	p charges listed commission ord ecurring - Curr	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. Mi UNE-	r Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar t Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrin arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	nd Tenn S, SC, ar ig charg be neg	iessee, nd TN t jes sha	the recurring UNE these nonrecurring Ill be those identifi	Port and Loo charges are c ed in the Nonr	p charges listed commission ord ecurring - Curr	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. Mi UNE- 2-Wir	r Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar t Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrin arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	nd Tenn S, SC, ar ig charg be neg	iessee, nd TN t jes sha	the recurring UNE these nonrecurring Ill be those identifi	Port and Loo charges are c ed in the Nonr	p charges listed commission ord ecurring - Curr	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. Mi UNE- 2-Wir	r Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, at tourrently Combined Combos for all states. In GA, KY, LA, MS surrently Combined Combos in all other states, the nonrecurrinarket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	nd Tenn S, SC, ar ng charg be neg	iessee, nd TN t jes sha	the recurring UNE these nonrecurring Ill be those identifi	Port and Loo charges are c ed in the Nonr	p charges listed commission ord ecurring - Curr	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. Mi UNE- 2-Wir	r Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar t Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrin arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	nd Tenn S, SC, ar ng charg be neg	iessee, nd TN t jes sha	the recurring UNE these nonrecurring Ill be those identifi	Port and Loo charges are c ed in the Nonr	p charges listed commission ord ecurring - Curr	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. Mi UNE- 2-Wir	r Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar t Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrin arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	nd Tenn S, SC, ar ng charg be neg	iessee, nd TN t jes sha	the recurring UNE these nonrecurring ill be those identifi on an Individual (Port and Loo charges are c ed in the Nonr	p charges lister ommission ord ecurring - Curro til further notic	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. Mi UNE- 2-Wir	r Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar t Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrin arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	nd Tenn S, SC, ar ng charg be neg	iessee, nd TN t jes sha	the recurring UNE these nonrecurring ill be those identifi on an Individual (Port and Loo charges are c ed in the Nonr	p charges lister ommission ord ecurring - Curro til further notic	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. Mi UNE- 2-Wir	r Georgia, Kentucky, Louisiana, Mississippi, South Carolina, at tourrently Combined Combos for all states. In GA, KY, LA, Mississippi, Combined Combos in all other states, the nonrecurring arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design	nd Tenn S, SC, ar ng charg be neg	nessee, and TN t ges sha otiated	the recurring UNE these nonrecurring III be those identifi on an Individual (Port and Loo charges are c ed in the Nonr	p charges listed ommission ord ecurring - Curre til further notic	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. Mi UNE- 2-Wir	r Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar t Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrinarket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design	nd Tenn S, SC, ar ng charg be neg	nessee, and TN t ges sha otiated	the recurring UNE these nonrecurring III be those identifi on an Individual (Port and Loo charges are c ed in the Nonr	p charges listed ommission ord ecurring - Curre til further notic	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. M UNE- 2-Wir UNE	r Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar t Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrinarket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	nd Tenn S, SC, ar ng charg be neg	nd TN to the see sha otiated	the recurring UNE these nonrecurring III be those identifi on an Individual (UEP91	Port and Loo charges are c ed in the Nonr	p charges listed ommission ord ecurring - Curre til further notic 16.55	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. M UNE- 2-Wir UNE	r Georgia, Kentucky, Louisiana, Mississippi, South Carolina, at tourrently Combined Combos for all states. In GA, KY, LA, Mississippi, Combined Combos in all other states, the nonrecurring arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design	nd Tenn S, SC, ar ng charg be neg	nd TN to the see sha otiated	the recurring UNE these nonrecurring III be those identifi on an Individual (UEP91	Port and Loo charges are c ed in the Nonr	p charges listed ommission ord ecurring - Curre til further notic 16.55	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. M UNE- 2-Wir UNE	r Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, and t Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrinarket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design)	nd Tenn S, SC, ar ng charg be neg	nd TN to the see sha otiated	the recurring UNE these nonrecurring III be those identifi on an Individual (UEP91	Port and Loo charges are c ed in the Nonr	p charges listed ommission ord ecurring - Curre til further notic 16.55	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. M UNE- 2-Wir UNE	r Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar t Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrinarket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	nd Tenn S, SC, ar ng charg be neg	nd TN to the see sha otiated	the recurring UNE these nonrecurring III be those identifi on an Individual (UEP91 UEP91 UEP91	Port and Loo charges are c ed in the Nonr	p charges listed ommission ord ecurring - Curr til further notic 16.55 25.51	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. M UNE- 2-Wir UNE	r Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar t Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrin tarket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design	nd Tenn S, SC, ar ng charg be neg	nd TN to the see sha otiated	the recurring UNE these nonrecurring III be those identifi on an Individual (UEP91 UEP91 UEP91	Port and Loo charges are c ed in the Nonr	p charges listed ommission ord ecurring - Curr til further notic 16.55 25.51	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. M UNE- 2-Wir UNE	r Georgia, Kentucky, Louisiana, Mississippi, South Carolina, and tot Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurring arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Don-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	nd Tenn S, SC, ar ng charg be neg	nessee, and TN to ges sha otiated	the recurring UNE the recurring UNE the second of the recurring UNE the those identification an Individual Communication UEP91 UEP91 UEP91 UEP91	Port and Loo charges are c ed in the Nonr	p charges listed ommission ord ecurring - Curre til further notic 16.55 25.51 44.44	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. M UNE- 2-Wir UNE	r Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar t Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrinarket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Dosign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	nd Tenn S, SC, ar ng charg be neg	nessee, and TN to ges sha otiated	the recurring UNE the recurring UNE the second of the recurring UNE the those identification an Individual Communication UEP91 UEP91 UEP91 UEP91	Port and Loo charges are c ed in the Nonr	p charges listed ommission ord ecurring - Curre til further notic 16.55 25.51 44.44	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. M UNE 2-Wir UNE	r Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar t Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrinarket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	nd Tenn S, SC, ar ng charg be neg	nessee, and TN tipes share otiated 1 2 3 1 2	the recurring UNE these nonrecurring III be those identifi on an Individual (UEP91 UEP91 UEP91 UEP91	Port and Loo charges are c ed in the Nonr	p charges listed ommission ord eccurring - Curre til further notic 16.55 25.51 44.44 22.62 29.61	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. M UNE 2-Wir UNE	r Georgia, Kentucky, Louisiana, Mississippi, South Carolina, and tot Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurring arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	nd Tenn S, SC, ar ng charg be neg	nessee, and TN tipes share otiated 1 2 3 1 2	the recurring UNE these nonrecurring III be those identifi on an Individual (UEP91 UEP91 UEP91 UEP91	Port and Loo charges are c ed in the Nonr	p charges listed ommission ord eccurring - Curre til further notic 16.55 25.51 44.44 22.62 29.61	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. M UNE 2-Wir UNE	r Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar t Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrinarket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	nd Tenn S, SC, ar ng charg be neg	essee, and TN to the ses sha obtiated to the ses sha o	the recurring UNE these nonrecurring III be those identifi on an Individual (UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	Port and Loop charges are c dd in the Nonr case Basis, un	p charges listed ommission ord ceurring - Currrctill further notic 16.55 25.51 44.44 22.62 29.61 38.09	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. M UNE 2-Wir UNE	r Georgia, Kentucky, Louisiana, Mississippi, South Carolina, and t Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrinarket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	nd Tenn S, SC, ar ng charg be neg	essee, and TN to ges sha ottiated	the recurring UNE these nonrecurring ID be those identifi on an Individual (UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	Port and Loop charges are c ed in the Nonrase Basis, un	p charges listed ommission ord coursing - Curret life further notic	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. M UNE 2-Wir UNE	r Georgia, Kentucky, Louisiana, Mississippi, South Carolina, ar t Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrinarket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3	nd Tenn S, SC, ar ng charg be neg	essee,	the recurring UNE these nonrecurring III be those identifi on an Individual (UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS1 UECS2	p charges listed ommission ord curring - Curri	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. M UNE 2-Wir UNE	r Georgia, Kentucky, Louisianā, Mississippi, South Carolina, at tourrently Combined Combos for all states. In GA, KY, LA, MS turrently Combined Combos in all other states, the nonrecurring arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1	nd Tenn S, SC, ar ng charg be neg	essee,	the recurring UNE these nonrecurring UNE these nonrecurring III be those identifi on an Individual (UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	p charges listed commission ord ceruring - Current life further notice 16.55 25.51 44.44 22.62 29.61 38.09 14.35 23.31 42.24 20.42 27.41 27.41	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. M: UNE 2-Wir UNE UNE	r Georgia, Kentucky, Louisianā, Mississippi, South Carolina, and t Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurring arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire VG Loop/2-Wire VG Loop (SL 2) - Zone 2 2-Wire VG Loop/2-Wire VG Loop (SL 2) - Zone 2 2-Wire VG Loop/2-Wire VG Loop (SL 2) - Zone 2	nd Tenn S, SC, ar ng charg be neg	essee,	the recurring UNE these nonrecurring III be those identifi on an Individual (UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS1 UECS2	p charges listed ommission ord curring - Curri	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. M UNE 2-Wir UNE UNE UNE UNE UNE UNE UNE UNE	r Georgia, Kentucky, Louisiana, Mississippi, South Carolina, and tourrently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrinarket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 Ports	nd Tenn S, SC, ar ng charg be neg	essee,	the recurring UNE these nonrecurring UNE these nonrecurring III be those identifi on an Individual (UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	p charges listed commission ord ceruring - Current life further notice 16.55 25.51 44.44 22.62 29.61 38.09 14.35 23.31 42.24 20.42 27.41 27.41	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. M UNE 2-Wir UNE UNE UNE UNE UNE UNE UNE	r Georgia, Kentucky, Louisianā, Mississippi, South Carolina, at tourrently Combined Combos for all states. In GA, KY, LA, MS surrently Combined Combos in all other states, the nonrecurring arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 Ports ates (Except North Carolina and Sout Carolina)	nd Tenn S, SC, ar ng charg be neg	essee,	the recurring UNE these nonrecurring UNE these nonrecurring III be those identifi on an Individual (UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2	p charges listed commission ord ceruring - Current life further notice 16.55 25.51 44.44 22.62 29.61 38.09 14.35 23.31 42.24 20.42 27.41 35.89	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. M UNE 2-Wir UNE UNE UNE UNE UNE UNE UNE	r Georgia, Kentucky, Louisiana, Mississippi, South Carolina, and tourrently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrinarket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 Ports	nd Tenn S, SC, ar ng charg be neg	essee,	the recurring UNE these nonrecurring UNE these nonrecurring III be those identifi on an Individual (UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	p charges listed commission ord ceruring - Current life further notice 16.55 25.51 44.44 22.62 29.61 38.09 14.35 23.31 42.24 20.42 27.41 27.41	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. M UNE 2-Wir UNE UNE UNE UNE UNE UNE UNE	r Georgia, Kentucky, Louisianā, Mississippi, South Carolina, at tourrently Combined Combos for all states. In GA, KY, LA, MS surrently Combined Combos in all other states, the nonrecurring arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 Ports ates (Except North Carolina and Sout Carolina)	nd Tenn S, SC, ar ng charg be neg	essee,	the recurring UNE these nonrecurring III be those identifi on an Individual (UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	Port and Loop charges are c ed in the Nonrase Basis, un UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2	p charges listed ommission ord commission ord courring - Curretil further notic 16.55 25.51 44.44 22.62 29.61 38.09 14.35 23.31 42.24 27.41 35.89 2.20	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and additional rivers and additional riv	onal Port non d are listed in		
4. Fo to No For C 5. M UNE 2-Wir UNE UNE UNE UNE UNE UNE UNE UNE	r Georgia, Kentucky, Louisiana, Mississippi, South Carolina, ar t Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrinarket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area	nd Tenn S, SC, ar ng charg be neg	essee,	the recurring UNE these nonrecurring UNE these nonrecurring III be those identifi on an Individual (UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2	p charges listed commission ord ceruring - Current life further notice 16.55 25.51 44.44 22.62 29.61 38.09 14.35 23.31 42.24 20.42 27.41 35.89	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and addition	onal Port non		
4. Fo to No For C 5. M UNE 2-Wir UNE UNE UNE UNE UNE UNE UNE UNE	r Georgia, Kentucky, Louisiana, Mississippi, South Carolina, at t Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrinarket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 3) - Zone 3 2-Wire Voice Grade Loop (SL 3) - Zone 3	nd Tenn S, SC, ar ng charg be neg	essee,	the recurring UNE these nonrecurring III be those identifi on an Individual (UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	Port and Loop charges are c ed in the Nonrase Basis, un UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2	p charges listed ommission ord commission ord courring - Curretil further notic 16.55 25.51 44.44 22.62 29.61 38.09 14.35 23.31 42.24 27.41 35.89 2.20	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and additional rivers and additional riv	onal Port non d are listed in		
4. Fo to No For C 5. M UNE 2-Wir UNE UNE UNE UNE UNE UNE UNE UNE UNE	r Georgia, Kentucky, Louisiana, Mississippi, South Carolina, ar t Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrinarket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area	nd Tenn S, SC, ar ng charg be neg	essee,	the recurring UNE these nonrecurring III be those identifi on an Individual (UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	Port and Loop charges are c ed in the Nonrase Basis, un UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2	p charges listed ommission ord commission ord courring - Curretil further notic 16.55 25.51 44.44 22.62 29.61 38.09 14.35 23.31 42.24 27.41 35.89 2.20	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	rst and additional rivers and additional riv	onal Port non d are listed in		
4. Fo to No For C 5. M UNE 2-Wir UNE UNE UNE UNE UNE UNE UNE UNE UNE	r Georgia, Kentucky, Louisianā, Missīssippi, South Carolina, at tourrently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurring arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 Ports ates (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	nd Tenn S, SC, ar ng charg be neg	essee,	the recurring UNE these nonrecurring UNE these nonrecurring ll be those identifi on an Individual (UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UEPYA UEPYB	p charges listed ommission ord commission ord courring - Currettil further notic 16.55 25.51 44.44 22.62 29.61 38.09 14.35 23.31 42.24 20.42 27.41 35.89 2.20 2.20	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fi	st and additionable re	9.58		

ONBONDL	ED NETWORK ELEMENTS - Alabama												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RΔ1	ΓES(\$)			Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Incrementa Charge - Manual Sv
AT E GOINT	NATE ELLINENTS	m	Zone	200	0000		NA.	ι Ευ(ψ)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l.	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	2.20							40.71	9.58		
AI. K	(Y, LA, MS, & TN Only			OLI 91	OLI 12	2.20							40.71	9.50		
, , .	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	2.20							40.71	9.58		1
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex With Galler 18)1			OLI 01	OLI QII	2.20							70.71	0.00		
	Center)2			UEP91	UEPQM	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP91	UEPQZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	2.20							40.71	9.58		
Loca	l Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5488										
Loca	l Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featu	ires															
	All Standard Features Offered, per port			UEP91	UEPVF	2.64										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	405.52						40.71	9.58		
	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.64										
NARS					1											
1	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00					40.71	9.58		
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00					40.71	9.58		
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00					40.71	9.58		
Mico	ellaneous Terminations		-	OLI 01	O/ II (O/)	0.00	0.00	0.00					70.71	0.00		
	e Trunk Side				-											
2-7711	Trunk Side Terminations, each			UEP91	CENA6	9.17										1
Intor	office Channel Mileage - 2-Wire		-	OLF91	CLIVAO	9.17										
intere	Interoffice Channel Facilities Termination - Voice Grade		-	UEP91	MIGBC	24.15							40.71	9.58		
			-	UEP91	MIGBM	0.0101							40.71	9.58		
F	Interoffice Channel mileage, per mile or fraction of mile			UEP91	IVIIGBIVI	0.0101							40.71	9.58		
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e			_											
D4 C	hannel Bank Feature Activations			LIEBA (450140											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.64										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.64										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.64										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.64										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.64										
	Feature Activation on D-4 Channel Bank Tijle Line/Trunk Loop Slot			UEP91	1PQWQ	0.64									İ	
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWQ 1PQWA	0.64									 	
NI.e.				OEPSI	IFQWA	0.04			 		 				 	1
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex			1	1						1				1	1
	Conversion - Currently Combined Switch-As-Is with allowed			LIEDO4	LICACO	l	0.00]				40.71	0.50	I	
	changes, per port			UEP91	USAC2	0.00	2.80	0.41			ļ		40.71	9.58		ļ
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	667.21				ļ		40.71	9.58		
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	667.21				ļ		40.71	9.58		
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.02						40.71	9.58		
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.73						40.71	9.58	ļ	ļ
	P CENTREX - 5ESS (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		\bot													
11111	Port/Loop Combination Rates (Non-Design)															

UNBI	JNDLF	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
3.150											1	Svc Order			Incremental		Incrementa
ĺ			l									Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc		Manual Svc	Manual Svo
CATE	SODV	RATE ELEMENTS	Interi	Zone	BCS	usoc		ВΛ-	TES(\$)								
CAIL	JONI	RATE ELEMENTS	m	20116	BC3	0300		NA.	i Ε3(φ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1					_	1	Nonred	rrina	Nonrecurring	n Dissennest		l	000	Rates(\$)		
	<u> </u>						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	<u> </u>	2 Mine VC Lear /2 Mine Vaire Conda Dest (Contract) Bost Conda						FIRST	Add I	FIRST	Addi	SOWIEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1	LIEDOE		40.55										
	<u> </u>	Non-Design		1	UEP95		16.55										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOF		05.54										
	<u> </u>	Non-Design		2	UEP95		25.51										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		Non-Design		3	UEP95		44.44										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP95		22.62										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP95		29.61										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP95		38.09										
		oop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	14.35										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	23.31										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	42.24							_			
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	20.42										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	27.41										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	35.89										
	UNE Po	ort Rate															
	All Stat																
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	2.20							40.71	9.58		
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.20							40.71	9.58		
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP95	UEPYH	2.20							40.71	9.58		
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2 Basic Local Area			UEP95	UEPYM	2.20							40.71	9.58		
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02. 00	02	2.20							10	0.00		†
		Term - Basic Local Area			UEP95	UEPYZ	2.20							40.71	9.58		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI SO	OLI 12	2.20							40.71	0.00		†
		- Basic Local Area			UEP95	UEPY9	2.20							40.71	9.58		
	+	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLI SO	OLI 10	2.20							40.71	0.00		
		Basic Local Area			UEP95	UEPY2	2.20							40.71	9.58		
	AI KV	, LA, MS, SC, & TN Only			OLI 33	OLI 12	2.20							40.71	3.30		
	AL, KI	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	2.20							40.71	9.58		-
		2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	2.20							40.71	9.58		-
	<u> </u>																
	1	2-Wire Voice Grade Port (Centrex with Caller ID)1	 	1	UEP95	UEPQH	2.20			 				40.71	9.58		
l	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire	l		LIEDOE	LIEDOM	2.00				Ì	İ	1	40.74	0.50		
-	1	Center)2	l		UEP95	UEPQM	2.20			 	 	 	-	40.71	9.58		
l		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	l		LIEBOE	LIEDOZ	2 00						1	40.71	0.50		
	1	Term	 	1	UEP95	UEPQZ	2.20							40.71	9.58		_
		OME Visit Out Building in	l		LIEBOE	LIEDGS						1					
	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	2.20			ļ				40.71	9.58		
	ļ	2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP95	UEPQ2	2.20			ļ				40.71	9.58		<u> </u>
	Local S	Switching				1				ļ							
	<u> </u>	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5488								ļ		1
	Local N	lumber Portability	<u> </u>									ļ	<u> </u>				1
		Local Number Portability (1 per port)			UEP95	LNPCC	0.35										1
	Feature																1
		All Standard Features Offered, per port			UEP95	UEPVF	2.64										
		All Select Features Offered, per port			UEP95	UEPVS	0.00	405.52					l		40.71	9.58	
		All Centrex Control Features Offered, per port			UEP95	UEPVC	2.64										
	NARS																
		Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00						40.71	9.58	
		Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00						40.71	9.58	
		Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00						40.71	9.58	
	Miscell	aneous Terminations															
		Trunk Side								l .			ĺ				

NURONDLED NELMO	RK ELEMENTS - Alabama			ı	,								Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA ⁻	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Terminations, each			UEP95	CEND6	9.17										
4-Wire Digital (1.54																
	Terminations, each			UEP95	M1HD1	68.67										
	nels Activated, each			UEP95	M1HDO	0.00	28.25							40.71	9.58	
Interoffice Channe						04.45										
	Channel Facilities Termination			UEP95 UEP95	MIGBC MIGBM	24.15									-	
	Channel mileage, per mile or fraction of mile s (DS0) Centrex Loops on Channelized DS1 Services			UEP95	IVIIGBIVI	0.0101										
	Feature Activations	.e			+											
	tivation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.64										
I eature Act	tivation on 5-4 Chainlei Bank Centrex Loop Stot			ULF 95	IFQW3	0.04										
Feature Act	tivation on D-4 Channel Bank FX line Side Loop Slot		1	UEP95	1PQW6	0.64								1	I	
	tivation on D-4 Channel Bank FX Trunk Side Loop				1	0.01								1	1	
Slot				UEP95	1PQW7	0.64										
Feature Act	tivation on D-4 Channel Bank Centrex Loop Slot -															
Different W			1	UEP95	1PQWP	0.64								1	I	
Feature Act	tivation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.64										
Feature Act	tivation on D-4 Channel Bank Tjie Line/Trunk Loop															
Slot				UEP95	1PQWQ	0.64										<u> </u>
	tivation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.64										
	arges (NRC) Associated with UNE-P Centrex															
	ersion Currently Combined Switch-As-Is with allowed															
changes, p				UEP95	USAC2		2.80	0.41					40.71	9.58		
	ex Standard Common Block			UEP95	M1ACS	0.00	667.21						40.71	9.58		
	ex Customized Common Block			UEP95	M1ACC	0.00	667.21						40.71	9.58		
	lishment Charge, Per Occasion			UEP95	URECA	0.00	72.73						40.71	9.58		ļ
	· DMS100 (Valid in All States) -Wire Voice Grade Port (Centrex) Combo															
					+											
2 Wire VC	mbination Rates (Non-Design) Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+											1
Non-Design			1	UEP9D		16.55										
	Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u>'</u>	OLI 3D	+	10.55										1
Non-Design			2	UEP9D		25.51										
	Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02.05		20.01										
Non-Design			3	UEP9D		44.44										
	ombination Rates (Design)															
	Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
Design			1	UEP9D		22.62								1	I	
2-Wire VG I	Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
Design	, , ,	<u></u>	2	UEP9D	<u> </u>	29.61								<u> </u>	<u></u>	<u> </u>
	Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
Design			3	UEP9D		38.09										
UNE Loop Rate										-						
	e Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	14.35								ļ	ļ	
	e Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	23.31										ļ
	e Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	42.24										ļ
	te Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	20.42			1						1	
	te Grade Loop (SL 2) - Zone 2		2	UEP9D UEP9D	UECS2	27.41								 	 	1
	e Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	35.89									 	
UNE Port Rate ALL STATES			-		+ -										+	
	e Grade Port (Centrex) Basic Local Area		-	UEP9D	UEPYA	2.20							40.71	9.58	+	
	e Grade Port (Centrex 800 termination)Basic Local			OLI 3D	OLFIA	2.20			1				40.71	3.30	 	-
Area	3 3.443 FOR (OCHION GOO TEITHINGHOLI) DAGIC LOCAL		1	UEP9D	UEPYB	2.20							40.71	9.58	I	
	e Grade Port (Centrex / EBS-PSET)3Basic Local	†		021 00	JE: 10	2.20			1				40.71	3.36	I	†
Area	2 2 2 2 2 1 (SSM SK) 22 5 1 52 1/52 300 E0001		l	UEP9D	UEPYC	2.20							40.71	9.58	1	
	e Grade Port (Centrex / EBS-M5009)3Basic Local				1 - 1	0								2.30	t	
Area				UEP9D	UEPYD	2.20					1		40.71	9.58		I

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	i '
	7	Intori									Svc Order Submitted Elec	Svc Order Submitted	Incremental	Incremental Charge -	Incremental Charge -	Incremental Charge - Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA ⁻	TES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
-	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Area			UEP9D	UEPYE	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			UEP9D	UEPYT	2.20							40.71	9.58		
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local												-			
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	2.20							40.71	9.58		
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	2.20							40.71	9.58		ļ
	Area			UEP9D	UEPY3	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	2.20							40.71	9.58		<u> </u>
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			UEP9D	UEPYJ	2.20							40.71	9.58		
	Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPYM	2.20							40.71	9.58		
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPYO	2.20							40.71	9.58		<u> </u>
	Basic Local Area			UEP9D	UEPYP	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	2.20							40.71	9.58		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY4	2.20							40.71	9.58		
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPY5	2.20							40.71	9.58		-
	Basic Local Area			UEP9D	UEPY6	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic					-							-			
AL, KY	Local Area , LA, MS, SC, & TN Only			UEP9D	UEPY2	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	2.20							40.71	9.58		
\vdash	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	2.20			-				40.71	9.58		
\vdash	2-Wire Voice Grade Port (Centrex / EBS-PSET)3 2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D UEP9D	UEPQC UEPQD	2.20 2.20			 				40.71 40.71	9.58 9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQE	2.20			-				40.71	9.58		i
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	2.20			1				40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	2.20	-	•					40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	2.20							40.71	9.58		<u></u>
 	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	2.20			 				40.71	9.58		——
 	2-Wire Voice Grade Port (Centrex / EBS-M5216)3 2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D UEP9D	UEPQV UEPQ3	2.20 2.20			-				40.71 40.71	9.58 9.58		
 	2-Wire Voice Grade Port (Centrex / EBS-W5516)3 2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	2.20			 				40.71	9.58		
l					~	2.20	i		1		1		10.71	3.00		

NRONDLE	D NETWORK ELEMENTS - Alabama										_		Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	FES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec			g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3			UEP9D	UEPQW	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPQM	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	2.20							40.71	9.58		
	2-vviie voice Grade i ort (Gentiewaliiei Gwo/Ebo-i GE1)2, 3			OLI 3D	OLI QO	2.20							40.71	9.50		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	2.20							40.71	9.58		
	,															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	2.20							40.71	9.58		
								-								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	2.20			ļ				40.71	9.58	ļ	
	0.14"															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3	l	 	UEP9D	UEPQ4	2.20			<u> </u>	 			40.71	9.58	 	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	2.20							40.71	9.58		
	2-Wife Voice Grade Fort (Certifex differ SWC / EBS-IVIS200)2, 3			OLF3D	ULFQS	2.20							40.71	9.30		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	2.20							40.71	9.58		
	2 The Tolor State For (Solition and ST 57235 moz. 10)2, 5			02. 02	02. Q0	2.20								0.00		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPQZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	2.20							40.71	9.58		
Local	Switching			LUEDAD	110500	0.5100										
	Centrex Intercom Funtionality, per port Number Portability			UEP9D	URECS	0.5488										
Local	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35					-					
Featu				UEP9D	LINFCC	0.35										
, cutu	All Standard Features Offered, per port			UEP9D	UEPVF	2.64										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.52									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.64										
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00					40.71	9.58		
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00					40.71	9.58		
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00					40.71	9.58		
	Ilaneous Terminations															
2-Wire	Trunk Side Trunk Side Terminations, each		<u> </u>	UEP9D	CEND6	9.17										
1-Wire	e Digital (1.544 Megabits)			UEP9D	CENDO	9.17										
7-1111	DS1 Circuit Terminations, each			UEP9D	M1HD1	68.67										
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.25		1	†			40.71	9.58	1	1
Intero	ffice Channel Mileage - 2-Wire			-					İ	Ì				2.30	Ì	
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	24.15			<u> </u>						<u> </u>	
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0101		· · · · · · · · · · · · · · · · · · ·								
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	annel Bank Feature Activations	<u> </u>	<u> </u>	LIEDAD.	1.00:::											
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot	ļ	<u> </u>	UEP9D	1PQWS	0.64			ļ	ļ						
	Footure Activistion on D.4 Channel Bank EV line Cide Lear Class	l		LIEDOD	100006	0.64										
_	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop	<u> </u>	<u> </u>	UEP9D	1PQW6	0.64			-	 						
	Slot	l		UEP9D	1PQW7	0.64										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1		02. 00	// 02 ***/	0.04			1	†						
	Different Wire Center	l		UEP9D	1PQWP	0.64										
				-												
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	l	1	UEP9D	1PQWV	0.64				1	1	l				1

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
0.1.20.1.22											Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											1		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+	1	Nonrec		Monroourrin	g Disconnect	1		000	Rates(\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop						FIISL	Add I	FIISL	Add I	SOWIEC	SOWAN	SUMAN	SUMAN	SOWAN	SOWAN
	Slot			UEP9D	1PQWQ	0.64										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.64										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex										1					
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		2.80	0.41					40.71	9.58		
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	667.21						40.71	9.58		
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	667.21						40.71	9.58		
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73						40.71	9.58		
	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	<u> </u>		1	 			!	+	ļ			 	1	
UNE	Port/Loop Combination Rates (Non-Design) [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	-		+	 			 	+	 			 	-	
1 1	Non-Design		1	UEP9E		16.55			1	1						
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		 '	OLI 3L	+	10.55				+	1					
	Non-Design		2	UEP9E		25.51			I	İ		1		1		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	<u> </u>		1	20.01			1	1				1		
	Non-Design		3	UEP9E		44.44										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Design		1	UEP9E		22.62										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9E		29.61										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEBAE												
LINE	Design Pote		3	UEP9E	+	38.09				+	1					
UNE	Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	14.35			-	+	1					
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9E	UECS1	23.31					1					
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	42.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	20.42										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	27.41										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	35.89										
UNE	Port Rate															
AL, F	L, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9E	UEPYB	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	2.20			1	1		1	40.71	9.58		
 	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	-	OLFBL	OLF ITI	2.20			 	+	1		40.71	9.38	1	
	Center)2 Basic Local Area			UEP9E	UEPYM	2.20			I	İ		1	40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1			52. 7101	2.20			1	1			70.71	5.50		
1 1	Term - Basic Local Area			UEP9E	UEPYZ	2.20			1	1			40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP9E	UEPY9	2.20				<u> </u>			40.71	9.58	<u></u>	
	2-Wire Voice Grade Port Terminated on 800 Service Term -							-]		
	Basic Local Area	1		UEP9E	UEPY2	2.20			1	1			40.71	9.58		
AL, K	(Y, LA, MS, & TN Only	1	<u> </u>	LIEDOE	LIEDC 1	2.00				_	ļ		10.3			
\vdash	2-Wire Voice Grade Port (Centrex)	1	<u> </u>	UEP9E	UEPQA	2.20			1	+	<u> </u>		40.71	9.58	-	
\vdash	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1	1	 	UEP9E UEP9E	UEPQB UEPQH	2.20 2.20			 	+	 		40.71 40.71	9.58 9.58		
\vdash	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		OLFSE	UEFUH	2.20			+	+	 	-	40.71	9.58	1	
1 1	Center)2			UEP9E	UEPQM	2.20			1	1		1	40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1		0_1 0L	JEI WIVI	2.20			 	†	 	 	70.71	3.36		
	Term			UEP9E	UEPQZ	2.20			1	1		1	40.71	9.58		
		1								1				2.00		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	:[UEP9E	UEPQ9	2.20			1	1		1	40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	2.20							40.71	9.58		
Loca	Switching															

UNBU	JNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
0.,5	J.VDEL.	THE THORK ELEMENTO TRADAMA										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-							1	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Centrex Intercom Funtionality, per port			UEP9E	URECS	0.5488										
	Local N	lumber Portability															
		Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
	Feature																
		All Standard Features Offered, per port			UEP9E	UEPVF	2.64										
		All Select Features Offered, per port	ļ		UEP9E	UEPVS	0.00	405.52						40.71	9.58		
	NARS	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.64			-							
	NAKS	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	-				40.71	9.58		
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00					40.71	9.58		
	1	Unbundled Network Access Register - Outdial	1		UEP9E	UAROX	0.00	0.00	0.00	1				40.71	9.58		
	Miscell	aneous Terminations	1		-	1			2.30					1	1.30	1	
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP9E	CEND6	9.17		•								
		Digital (1.544 Megabits)	ļ			 				ļ				ļ	ļ		
		DS1 Circuit Terminations, each			UEP9E	M1HD1	68.67							10 =1	0.50		
	Interest	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	28.25						40.71	9.58		
	Interoff	ice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination			UEP9E	MIGBC	24.15			-							
		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0101			-							
	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e.		OLF9L	IVIIGBIVI	0.0101										
		nnel Bank Feature Activations	Ť														
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.64			İ							
		·															
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.64										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP9E	1PQW7	0.64										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEDOE	4DOM/D	0.04										
		Different Wire Center			UEP9E	1PQWP	0.64										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.64										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			OLI OL		0.04										
		Slot			UEP9E	1PQWQ	0.64										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.64										
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9E	USAC2		2.80	0.41					40.71	9.58		
<u> </u>	-	New Centrex Standard Common Block	!	-	UEP9E	M1ACS	0.00	667.21		1	1	1		40.71	9.58	-	
—	1	New Centrex Customized Common Block NAR Establishment Charge, Per Occasion	 		UEP9E UEP9E	M1ACC URECA	0.00	667.21 72.73		-	1	1		40.71 40.71	9.58 9.58		
-	IINF-P	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	1		OLFSE	UKECA	0.00	12.13		 	1	1	1	40.71	9.58	1	1
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+	+			-	1	1					
		ort/Loop Combination Rates (Non-Design)	1			1				1				1			
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1													1	1
	<u></u>	Non-Design	<u></u>	1	UEP93		16.55			<u></u>				<u> </u>	<u> </u>	<u> </u>	<u> </u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -							· · · · · · · · · · · · · · · · · · ·					1	1		
		Non-Design	<u> </u>	2	UEP93		25.51					<u> </u>		ļ	ļ		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		LIEDOO	1	ll			I				1	1		
-	LINES	Non-Design	ļ	3	UEP93	+	44.44			.							
-	UNE PO	ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	<u> </u>			+	-			-				-	-	-	-
		Design	1	1	UEP93	1	22.62			I				1	1		
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	\vdash	J_1 50	+	22.02			†		1					
		Design		2	UEP93	1	29.61			1							
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						İ				Ì		1	1		
		Design	<u> </u>	3	UEP93		38.09										
	UNE Lo	pop Rate			-												
	1	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEP93	UECS1	14.35										
<u> </u>		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	23.31			<u> </u>	l	l	<u> </u>		l	l	L

ONBONDED N	IETWORK ELEMENTS - Alabama			1									Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurrin	g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-V	Vire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	42.24										
	Vire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	20.42										
2-V	Vire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	27.41										
2-V	Vire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	35.89										
UNE Port F																
	A, MS, & TN only															
	Vire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	2.20							40.71	9.58		
2-V	Vire Voice Grade Port (Centrex 800 termination)Basic Local															
Are	ea e e e e e e e e e e e e e e e e e e			UEP93	UEPYB	2.20							40.71	9.58		
2-V	Vire Voice Grade Port (Centrex with Caller ID)1Basic Local															
Are				UEP93	UEPYH	2.20							40.71	9.58		
	Vire Voice Grade Port (Centrex from diff Serving Wire			<u> </u>									I	I	I	1
	nter)2 Basic Local Area			UEP93	UEPYM	2.20							40.71	9.58		
	Vire Voice Grade Port, Diff Serving Wire Center - 800 Service															1
	rm - Basic Local Area			UEP93	UEPYZ	2.20							40.71	9.58		
	Vire Voice Grade Port terminated in on Megalink or equivalent			<u> </u>									I	I	I	1
	asic Local Area			UEP93	UEPY9	2.20							40.71	9.58		
	Vire Voice Grade Port Terminated on 800 Service Term -															
Bas	sic Local Area			UEP93	UEPY2	2.20							40.71	9.58		
	Vire Voice Grade Port (Centrex)			UEP93	UEPQA	2.20							40.71	9.58		
	Vire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	2.20							40.71	9.58		
2-V	Vire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	2.20							40.71	9.58		
2-V	Vire Voice Grade Port (Centrex from diff Serving Wire															
	nter)2			UEP93	UEPQM	2.20							40.71	9.58		
2-V	Vire Voice Grade Port, Diff Serving Wire Center - 800 Service															
Ter				UEP93	UEPQZ	2.20							40.71	9.58		
2-V	Vire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	2.20							40.71	9.58		
	Vire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	2.20							40.71	9.58		
Local Swit																
	ntrex Intercom Funtionality, per port			UEP93	URECS	0.5488										
	ber Portability															
	cal Number Portability (1 per port)			UEP93	LNPCC	0.35										
Features																
	Standard Features Offered, per port			UEP93	UEPVF	2.64										
	Centrex Control Features Offered, per port			UEP93	UEPVC	2.64										
NARS																<u> </u>
Uni	bundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00					40.71	9.58		
Uni	bundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00					40.71	9.58		
	bundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00					40.71	9.58		<u> </u>
	eous Terminations															<u> </u>
2-Wire Tru																
Tru	ink Side Terminations, each			UEP93	CEND6	9.17										
	ital (1.544 Megabits)			LIEBAA		00.5=			ļ	ļ						
	1 Circuit Terminations, each			UEP93	M1HD1	68.67			ļ	ļ						
	0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	28.25						40.71	9.58	1	├
	Channel Mileage - 2-Wire			LIEDOS	MICEC	01.15							1	1	1	├
	eroffice Channel Facilities Termination			UEP93	MIGBC	24.15			1							
	eroffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.0101			1	1			-	-	-	
	ctivations (DS0) Centrex Loops on Channelized DS1 Services	e							-	-						
	el Bank Feature Activations			LIEDOS	1PQWS	0.04			-	-						
Fea	ature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	IPQW5	0.64			1	1			-	-	-	
 	ature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.64										1
				UEP93	IPQVV6	0.64										
Fea Sio	ature Activation on D-4 Channel Bank FX Trunk Side Loop	1		UEP93	1PQW7	0.64										1
	ature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP93	IPQW/	0.64			-	-						
		l		LIEDOS	400040	!					l]				1
ı IDiff	ferent Wire Center			UEP93	1PQWP	0.64			1	1	l		l	l	l	1

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)			1	Svc Order Submitted Manually	Incremental Charge -	Incremental Charge -	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Bee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.64										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.64										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.64										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		2.80	0.41					40.71	9.58		
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	667.21						40.71	9.58		
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	667.21						40.71	9.58		
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73						40.71	9.58		
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
	- Requires Specific Customer Premises Equipment															
NOTE:	Rates displaying an "R" in Interim column are interim and su	bject to	rate tr	ue-up as set forth ir	n General Ter	ms and Conditi	ons.									

RATE ELEMENTS RATE ELEMENTS RATE GLEMENTS RATE GLEMENTS RATE SLEMENTS RATE GRAMPHORE Charge- Charge- Manual Svc. Order vs. Glectronic- Electronic- Electronic- Ist Add'I Disc 1st Disc Add Charge- Charge- Charge- Manual Svc. Order vs. Flectronic- Ist Add'I Disc 1st Disc Add RATE GLEMENTS RATE GLAMENTS RATE GLEMENTS RATE GLEMENTS RATE GLEMENTS RATE GLEMENTS RATE GLEMENTS RATE GLEMENTS RATE GLEMENTS RATE GLEMENTS RATE GLEMENTS RATE GLEMENTS RATE GLEMENTS RATE GLEMENTS RATE GLEMENTS RATE GLEMENTS RATE GLEMENTS RATE GLEMENTS RATE GLAMENTS RATE GLEME	UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
ATEONY BATE REMOTE BOTH BOT													Svc Order	Svc Order				Incremental
ATTEMPT OF PATE LEMENTS IN MINISTRATE AND ADDRESS OF PATE ADDRESS OF PATE ADDRESS																		
ATTEMPT SATE BLEMENTS Image BCG BC				l														
PUBLICATION AS SPECIAL PROPERTY STREETS ASSET LINES SECRET STREETS ASSET LINES SECRET STREETS ASSET LINES SECRET STREETS ASSET LINES SECRET SE	CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC		RAT	TES(\$)								
PRINCIPATE PATENTIANS Principate Princ				m						,			per Lor	per Lor				
PRINCIPATION SUPPORT SYSTEMS																		
PRINT Print Prin																	DISC 1St	DISC Add I
### AND VIOLED STANDALS SUPPORT SYSTEMS ### AND VIOLED STANDALS SUPPORT SYSTE								Poc	Nonrec	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
NOTE: (1) Fleetronic Service Orderine: CLEC should contact its contract inappliator if it profers this sase specific declinates service ordering changes as ordered by this State Chim say sets the new plane all settlems is service ordering changes as officed by the State Chim say sets the new plane all settlems is service ordering changes as officed by the State Chim say sets the new plane all settlems is service ordering changes as officed by the State Chim say sets the new plane all settlems is service ordering changes as officed by the State Chim say sets the new plane all settlems is service ordering changes as officed by the State Chim say sets the new plane all settlems is service ordering changes as officed by the State Chim say sets the new plane all settlems is service ordering changes as officed by the State Chim say sets the new plane all settlems is service ordering changes as officed by the State Chim say sets the new plane all settlems is service ordering changes as officed by the State Chim say sets the new plane all settlems is service ordering changes as officed by the State Chim say sets the new plane all settlems is serviced by the State Chim say sets the new plane all settlems is serviced by the State Chim say sets the new plane all settlems is serviced by the State Chim say sets the new plane all settlems is serviced by the State Chim say sets the new plane all settlems is serviced by the State Chim say sets the new plane all settlems is serviced by the State Chim say sets the new plane all settlems is serviced by the State Chim say sets the new plane all settlems is serviced by the State Chim say sets the new plane all settlems is serviced by the State Chim say sets the new plane all settlems is serviced by the State Chim say sets the serviced settlems control ordering changes and settlems is serviced by the State Chim say sets the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set o								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE: (1) Fleetronic Service Orderine: CLEC should contact its contract inappliator if it profers this sase specific declinates service ordering changes as ordered by this State Chim say sets the new plane all settlems is service ordering changes as officed by the State Chim say sets the new plane all settlems is service ordering changes as officed by the State Chim say sets the new plane all settlems is service ordering changes as officed by the State Chim say sets the new plane all settlems is service ordering changes as officed by the State Chim say sets the new plane all settlems is service ordering changes as officed by the State Chim say sets the new plane all settlems is service ordering changes as officed by the State Chim say sets the new plane all settlems is service ordering changes as officed by the State Chim say sets the new plane all settlems is service ordering changes as officed by the State Chim say sets the new plane all settlems is service ordering changes as officed by the State Chim say sets the new plane all settlems is service ordering changes as officed by the State Chim say sets the new plane all settlems is serviced by the State Chim say sets the new plane all settlems is serviced by the State Chim say sets the new plane all settlems is serviced by the State Chim say sets the new plane all settlems is serviced by the State Chim say sets the new plane all settlems is serviced by the State Chim say sets the new plane all settlems is serviced by the State Chim say sets the new plane all settlems is serviced by the State Chim say sets the new plane all settlems is serviced by the State Chim say sets the new plane all settlems is serviced by the State Chim say sets the new plane all settlems is serviced by the State Chim say sets the serviced settlems control ordering changes and settlems is serviced by the State Chim say sets the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set o																		
Exercised Control Service ordering charge. CLEC may describe the state specific Commission ordered rates for the describent gardings. Or CLEC may describe the regional describent gardings. Or CLEC may describe the class of the describent specific commission or the describent specific commission or the describent specific commission or the describent specific commission. The commission of the class of th	OPER																	
NOTE: (2) Any element that can be ordered electronically for the label according to the SOMEC ran install in this category. Please refer to Bellicutive Business River for Local Ordering (BBR-C3) to determine if a product can be ordered electronically. For this design of the charge that works the charge that works the sharp of the VIDE of SCE Consequence of the charge that works the sharp of the VIDE of SCE Consequence of the Category of SCE Consequence of the SCE Consequence																		is rate
Index-selements that cannot be ordered electronically at present per the BBR-LQ, the listed SOMEC rate in this category reflects the charge that would be billed to a CLCS on diverting capabilities come on-time for that element. Otherwise, the manus ordering capabilities come on-time for that element. Otherwise, the manus ordering capabilities come on-time for that element. Otherwise, the manus ordering capabilities come on-time for that element. Otherwise, the manus ordering capabilities come on-time for that element. Otherwise, the manus ordering capabilities come on-time for that element. Otherwise, the manus ordering capabilities come on-time for that element. Otherwise, the manus ordering capabilities come on-time for that element. Otherwise, the manus ordering capabilities come on-time for that element. Otherwise, the manus ordering capabilities come on-time for that element. Otherwise, the manus ordering capabilities come on-time for that element. Otherwise, the manus ordering capabilities come on-time for that element. Otherwise, the manus ordering capabilities come on-time for the element. Otherwise, the manus ordering capabilities come on-time for the element. Otherwise, the manus ordering capabilities come on-time for the element. Otherwise, the manus ordering capabilities come on-time for the element. Otherwise of the capabilities come on the element. Otherwise of the element of the element. Otherwise of the element of the element. Otherwise of the element of the element. Otherwise of the element of the element. Otherwise of the element of the element. Otherwise of the element of the element. Otherwise of the element of the element. Otherwise of the element of the element. Otherwise of the element of the element. Otherwise of the element of the element. Otherwise of the element of the element. Otherwise of the element of the element. Otherwise of the element of the element. Otherwise of the element of the element of the element. Otherwise of the element of the element. Otherwise of the element of t																		
Description Description																		
Binding Service Office (Purple per 1985 Discensioned Cety (P.) SOMAN 1.88		those e	elements that cannot be ordered electronically at present per t	the BBR	R-LO, ti	ne listed SOMEC rate	e in this cate	gory reflects the	e charge that v	vould be billed	I to a CLEC on	ce electronic o	rdering cap	pabilities co	me on-line fo	r that element	t. Otherwise,	the manual
Section CoSS Charge, per LSR, submitted to 8515 CSS SOMEC 3.30		orderin	ig charge, SOMAN, will be applied to a CLECs bill when it sub	omits ar	LSR 1	o BellSouth.												
Interactive interfaces (Regional)			Manual Service Order Charge, per LSR, Disconnect Only (FL)				SOMAN				1.83							
WIRDINGED EXCHANGE ACCESS LOPE			Electronic OSS Charge, per LSR, submitted via BST's OSS															
Applied Part Action Conference Grade LOOP 1 1 1 1 1 1 1 1 1	L			<u></u>			SOMEC	<u> </u>	3.50			<u></u>				<u> </u>		
E-Wire Analog Vood Grade Loop - Service Level 1 - Zone 2 U-RANL U-RAL 2 12.79 49.57 22.83 25.52 5.57 11.90	UNBU																	
2-Wire Analog Vote Grade Logo - Service Level + Zone 2 2 UEANL UEA 2 17,27 49,57 22,83 26,62 6,67 11,90		2-WIRE																
2-Wire Analog Vacce Grante Loop - Service Level 1- Zone 3 JEANL U.E.A. 33.06 46.57 22.63 26.62 6.57 11.00			2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.79	49.57	22.83	25.62	6.57		11.90				
Loop Testing - Bask: 14 high Thour UEANL URET 77.09 11.90					2													
Copy Festing - State Additional Harl Hour Copy Continue Charge Without Outside Departer UEANL. UREWO 15.78 8.84 11.90					3			33.36		22.83	25.62	6.57						
CLEC to CLEC Conversion Change Without Outside Depart UEANL UREWO 15.78 8.94 11.90																		
UVAN UVAN						UEANL	URETA		33.12					11.90				
Engineering Information Document (E)			CLEC to CLEC Conversion Charge Without Outside Dispatch															
Manual Order Coordination for UVI-SL1 (per Loc)						UEANL	UREWO		15.78	8.94				11.90				
Order Coordination Iris Specified Conversion Time for UVI_SL1 UEANL OCOSL 23.02 23.02																		
Care Care						UEANL	UEAMC		9.00	9.00								
ZWIRE Unbundled COPPER LOOP Non-Designed Zone 1 1 UEQ UEQX 13.83 41.64 19.02 19.65 5.09 11.90																		
2 Wire Unbundled Copper Loop - Non-Designed Zone 1 1 UEQ UEQX 13.83 41.64 19.02 19.65 5.09 11.90						UEANL	OCOSL		23.02	23.02								
2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2-WIRE																
2 Wire Unbundled Copper Loop - Non-Designed Copper Loop - Non-Designed Copper Loop - Non-Designed Copper Loop - Non-Designed (per loop) UEQ USBMC 9.00 9.																		
Order Coordination 2 Wire Unbundled Copper Loop - Non-																		
Designed (per loop)				ı	3	UEQ	UEQ2X	20.29	41.64	19.02	19.65	5.09		11.90				
Engineering Information Document																		
Loop Testing - Basic Additional Half Hour UEQ URET1 77.09 11.90 11.90							USBMC											
Loop Testing - Basic Additional Half Hour UEQ URETA 33.12 11.90										12.28								
CLÉC to CLÉC Conversion Charge Without Outside Dispatch (UCL-ND) UEQ UREWO 14.27 7.43 11.90 11.90																		
UCL-ND UEQ UREWO 14.27 7.43 11.90 URBUNDLED EXCHANGE ACCESS LOOP URBUNDLED EXCHANGE ACCESS LOOP UEQ UREWO URBUNDLED EXCHANGE ACCESS LOOP UEQ UED UEQ UED UEQ UED UEQ UED UEQ		_				UEQ	URETA		33.12					11.90				
UNBUNDLED EXCHANGE ACCESS LOOP																		
2-WIRE ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1 1 UEPSR UEPSB UEALS 12.79 49.57 22.83 25.62 6.57 11.90					<u> </u>	UEQ	UREWO		14.27	7.43				11.90				
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	UNBU																	
Zone 1		2-WIRE																
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2 UEPSR UEPSB UEALS 17.27 49.57 22.83 25.62 6.57 11.90					1	LIEDOD LIEDOD	LIEVIS	12.70	40.57	22.02	25.62	6 57		11.00				1
Zone 1	<u> </u>	-		 	-	ULFOR UEFOR	UEALS	12.79	49.57	22.83	20.62	0.57		11.90		-	-	
2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2 UEPSR UEPSB UEALS 17.27 49.57 22.83 25.62 6.57 11.90				1	4	HEDOD HEDOD	LIEARS	12.70	40.57	22.02	25.62	G F7	1	11 00		Ì	Ì	I
Zone 2	—	-		 	+-	OLI ON OLFOD	JEADO	12.19	45.57	22.03	20.02	0.37		11.50		 	 	
2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2					2	LIEPSR LIEPSR	LIEALS	17 27	49 57	22.83	25.62	6 57		11 90				
Zone 2	—	-		 		OLI OIL OLI OD	JL/1LU	11.21	70.01	22.00	25.02	0.57	 	11.30		 	 	
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3					2	LIEPSR LIEPSR	LIEARS	17 27	49 57	22.83	25.62	6.57		11 00				1
Zone 3 UEPSR UEPSB UEALS 33.36 49.57 22.83 25.62 6.57 11.90						OLI OK OLI OD	OLADO	17.27	49.51	22.00	25.02	0.57		11.50				
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 3 UEPSR UEPSB UEABS 33.36 49.57 22.83 25.62 6.57 11.90					3	LIEPSR LIEPSR	LIEALS	33.36	49 57	22.83	25.62	6 57		11 90				
Zone 3						OLI OR OLI OB	OLALO	00.00	40.07	22.00	20.02	0.01		11.00				
UNBUNDLED EXCHANGE ACCESS LOOP				1	3	UEPSR UEPSB	UEABS	33 36	49 57	22 83	25.62	6.57	1	11.90		Ì	Ì	I
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	UNBL	INDI ED E			Ŭ	02. 0 02. 02	02/120	00.00	10.01	22.00	20.02	0.01		11.00				
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1						1	1	1								1	1	
Ground Start Signaling - Zone 1		1		l		İ	İ				İ	İ				İ	İ	
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 2 UEA UEAL2 19.57 135.75 82.47 63.53 12.01 11.90 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 3 UEA UEAL2 37.82 135.75 82.47 63.53 12.01 11.90 3 11.9				1	1	UEA	UEAL2	14.50	135.75	82.47	63.53	12.01	1	11.90		Ì	Ì	I
Ground Start Signaling - Zone 2							i e					1.0				İ	İ	
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3					2	UEA	UEAL2	19.57	135.75	82.47	63.53	12.01		11.90				1
Ground Start Signaling - Zone 3 3 UEA UEAL2 37.82 135.75 82.47 63.53 12.01 11.90							1											
Order Coordination for Specified Conversion Time (per LSR) UEA OCOSL 23.02 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					3	UEA	UEAL2	37.82	135.75	82.47	63.53	12.01	1	11.90		1	1	1
				1		UEA	OCOSL		23.02									
			2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1											
				1	1	UEA	UEAR2	14.50	135.75	82.47	63.53	12.01	1	11.90		Ì	Ì	I

04/12/02 Page 42 of 352

UNBUND	DLED	NETWORK ELEMENTS - Florida				-				-				Attachment:	2	Exhibit: B	
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	USOC			ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	19.57	135.75	82.47	63.53	12.01		11.90				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEARZ	19.57	133.73	02.47	63.33	12.01		11.90				1
		Battery Signaling - Zone 3		3	UEA	UEAR2	37.82	135.75	82.47	63.53	12.01		11.90				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35				11.90				
4-V		ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	23.02	167.86	115.15	67.08	15.56		11.90				
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	31.07	167.86	115.15	67.08	15.56		11.90				
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.02	167.86	115.15	67.08	15.56		11.90				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35				11.90				
2-V	WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.76	147.69	94.41	62.23	10.71		11.90				
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	29.38	147.69	94.41	62.23	10.71		11.90				
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	56.76	147.69	94.41	62.23	10.71		11.90				
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.61	44.15				11.90				
2-V		Universal Digital Channel (UDC) COMPATIBLE LOOP															
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
\vdash		1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		1	UDC	UDC2X	21.76	147.69	94.41	62.23	10.71		11.90				
		2		2	UDC	UDC2X	29.38	147.69	94.41	62.23	10.71		11.90				
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone			LIDO	LIBOOK							44.00				
		3		3	UDC	UDC2X	56.76	147.69	94.41	62.23	10.71		11.90				
		CLEC to CLEC Conversion Charge without outside dispatch	ATIBLE		UDC	UREWO		91.61	44.15				11.90				
2-1		ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	AIIBLE	LOOP	1												
		2 Wire Unbundled ADSL Loop including manual service inquiry		1	1141	UAL2X	12.65	149.53	103.85	75.05	15.63		11.90				
		& facility reservation - Zone 1		1	UAL	UAL2X	12.65	149.53	103.85	75.05	15.63		11.90				
		2 Wire Unbundled ADSL Loop including manual service inquiry				1141.07	47.00	440.50	400.05	75.05	45.00		44.00				
		& facility reservation - Zone 2		2	UAL	UAL2X	17.08	149.53	103.85	75.05	15.63		11.90				
		2 Wire Unbundled ADSL Loop including manual service inquiry		_							4= 00						
		& facility reservation - Zone 3		3	UAL	UAL2X	33.00	149.53	103.85	75.05	15.63		11.90				
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02									
		2 Wire Unbundled ADSL Loop without manual service inquiry &					40.05										
		facility reservaton - Zone 1		1	UAL	UAL2W	12.65	124.83	71.12	60.64	9.12		11.90				
		2 Wire Unbundled ADSL Loop without manual service inquiry &		_			4= 00										
		facility reservaton - Zone 2		2	UAL	UAL2W	17.08	124.83	71.12	60.64	9.12		11.90				
		2 Wire Unbundled ADSL Loop without manual service inquiry &		_													
		facility reservaton - Zone 3		3	UAL	UAL2W	33.00	124.83	71.12	60.64	9.12		11.90				
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.19	40.39				11.90				
2-1		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IIBLE	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry		1 .		[=					Ì			
-		& facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL2X	9.97	159.09	113.41	75.05	15.63		11.90				
		& facility reservation - Zone 2		2	UHL	UHL2X	13.46	159.09	113.41	75.05	15.63		11.90				
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UHL	UHL2X	26.00	159.09	113.41	75.05	15.63		11.90				
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
		2 Wire Unbundled HDSL Loop without manual service inquiry				i i											
L l		and facility reservation - Zone 1	<u></u>	1	UHL	UHL2W	9.97	134.40	80.69	60.64	9.12	<u> </u>	11.90	<u>l </u>	<u> </u>	<u> </u>	<u></u>
		2 Wire Unbundled HDSL Loop without manual service inquiry				1											
<u> </u>		and facility reservation - Zone 2	<u></u>	2	UHL	UHL2W	13.46	134.40	80.69	60.64	9.12	<u></u>	11.90	<u> </u>	<u> </u>	<u> </u>	<u></u>
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL2W	26.00	134.40	80.69	60.64	9.12		11.90	ļ			ļ
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39				11.90				
	MIDE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP		1						1			l	l	

UNDUNDLI	ED NETWORK ELEMENTS - Florida		1	ı							0	06	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled HDSL Loop including manual service inquiry					45.00	400.04	100.00	77.45	10.01		44.00				
	and facility reservation - Zone 1		1	UHL	UHL4X	15.69	193.31	138.98	77.15	12.61		11.90			-	
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	21.17	193.31	138.98	77.15	12.61		11.90				
	4-Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OTILAX	21.17	190.01	130.30	77.13	12.01		11.30				
	and facility reservation - Zone 3		3	UHL	UHL4X	40.90	193.31	138.98	77.15	12.61		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	15.69	168.62	115.47	62.74	11.22		11.90				
	4-Wire Unbundled HDSL Loop without manual service inquiry		_													
	and facility reservation - Zone 2		2	UHL	UHL4W	21.17	168.62	115.47	62.74	11.22		11.90				ļ
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	40.90	168.62	115.47	62.74	11.22		11.90				
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	40.50	23.02	113.47	02.74	11.22		11.50				1
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39				11.90				
4-WIF	RE DS1 DIGITAL LOOP			0.12	0112110		00.12	10.00	†			11.00			İ	
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	73.44	313.75	181.48	61.22	13.53		11.90				
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	99.13	313.75	181.48	61.22	13.53		11.90				
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	191.51	313.75	181.48	61.22	13.53		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.07	43.04				11.90				
4-WIH	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		1	UDL	UDL19	26.39	161.56	108.85	67.08	15.56		11.90				_
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	35.62	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	68.82	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	26.39	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	35.62	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	68.82	161.56	108.85	67.08	15.56		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	26.39	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	35.62	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64 OCOSL	68.82	161.56	108.85	67.08	15.56		11.90				
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch		1	UDL UDL	UREWO		23.02 102.11	49.74				11.90				-
2-WIE	RE Unbundled COPPER LOOP			ODL	UKLVVO		102.11	45.74				11.90				1
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.65	148.50	102.82	75.05	15.63		11.90				
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	17.08	148.50	102.82	75.05	15.63		11.90				
	2 Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	33.00	148.50	102.82	75.05	15.63		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								_
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.65	123.81	70.09	60.64	9.12		11.90				
	2-Wire Unbundled Copper Loop/Short without manual service		- '-	OOL	OOLI W	12.00	123.01	70.03	00.04	3.12		11.50				
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	17.08	123.81	70.09	60.64	9.12		11.90				
	2-Wire Unbundled Copper Loop/Short without manual service								33.0.1	****						
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	33.00	123.81	70.09	60.64	9.12		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.		l	l <u>.</u> .	1				ı T			l]			_	
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	37.07	148.50	102.82	75.05	15.63		11.90			-	↓
	2-Wire Unbundled Copper Loop/Long - includes manual svc.		2	LICI	LICI 3I	E0.04	140.50	102.02	75.05	15.00		11.00			1	
	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - includes manual svc.		2	UCL	UCL2L	50.04	148.50	102.82	75.05	15.63		11.90			 	
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	96.67	148.50	102.82	75.05	15.63		11.90			1	
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	30.07	9.00	9.00	75.05	10.03		11.30			—	
<u> </u>	2-Wire Unbundled Copper Loop/Long - without manual service				3020		2.00	2.00	†					İ	1	
	inquiry and facility reservation - Zone 1	l	1	UCL	UCL2W	37.07	123.81	70.09	60.64	9.12	1	11.90		l	I	

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			res(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL2W	50.04	123.81	70.09	60.64	9.12		11.90				
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	96.67	123.81	70.09	60.64	9.12		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	30.07	9.00	9.00	00.04	3.12		11.30				
	CLEC to CLEC Conversion Charge without outside dispatch (UCL -Des)			UCL	UREWO		97.21	42.47				11.90				
4-WI	RE COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	18.03	177.87	132.76	77.15	17.73		11.90				
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	24.34	177.87	132.76	77.15	17.73		11.90				
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	47.02	177.87	132.76	77.15	17.73		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00	77.10			11.00				
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	18.03	153.18	100.03	62.74	11.22		11.90				
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	24.34	153.18	100.03	62.74	11.22		11.90				
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	47.02	153.18	100.03	62.74	11.22		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4L	64.52	177.87	132.76	77.15	17.73		11.90				
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4L	87.09	177.87	132.76	77.15	17.73		11.90				
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4L	168.25	177.87	132.76	77.15	17.73		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4O	64.52	153.18	100.03	62.74	11.22		11.90				
	Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4O	87.09	153.18	100.03	62.74	11.22		11.90				
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4O	168.25	153.18	100.03	62.74	11.22		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
LOOP MODII	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47				11.90				
LOOP MODII				UAL, UHL, UCL, UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UEANL, UDL, UDC, UDN, UDL, USL	ULM2L		0.00	0.00								
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2G		343.12	343.12				11.90				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		343.12	343.12				11.90				
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		10.52	10.52				11.90				
SUB-LOOPS																
Sub-	Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up	I		UEANL	USBSA		487.23	487.23				11.90				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		6.25	6.25			<u> </u>	11.90				

UNBUNDLE	D NETWORK ELEMENTS - Florida			1	1						•	,	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	l .		l												
	Facility Set-Up	<u> </u>		UEANL	USBSC		169.25	169.25				11.90				
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		38.65	38.65				11.90				
 	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	<u>'</u>		ULANL	03830		30.03	30.03				11.50				
	Zone 1		1	UEANL	USBN2	7.61	60.19	21.78	47.50	5.26		11.90				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN2	10.27	60.19	21.78	47.50	5.26		11.90				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_	l												
	Zone 3		3	UEANL	USBN2	19.85	60.19	21.78	47.50	5.26		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			OLANE	CODIVIC		3.00	9.00								
	Zone 1		1	UEANL	USBN4	8.12	68.83	30.42	49.71	6.60		11.90				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	10.96	68.83	30.42	49.71	6.60		11.90				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	21.18	68.83	30.42	49.71	6.60		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.50	51.84	13.44	47.50	5.26		11.90				
	out 2005 2 Trite initiationing Notificial Casts (into)	·		0271112	002.12	0.00	0	10.11	11.00	0.20		11100				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	6.68	55.91	17.51	49.71	6.60		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEANL UEF	USBMC UCS2X	6.25	9.00 60.19	9.00 21.78	47.50	5.26		11.90				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	 		UEF	UCS2X	8.44	60.19	21.78	47.50	5.26		11.90				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	l i	3	UEF	UCS2X	16.30	60.19	21.78	47.50	5.26		11.90				
			_													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	5.20	68.83	30.42	49.71	6.60		11.90				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<u> </u>		UEF	UCS4X	7.02	68.83	30.42	49.71	6.60		11.90				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS4X	13.55	68.83	30.42	49.71	6.60		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
Unbu	ndled Sub-Loop Modification			OLI	CODIVIC		3.00	9.00								
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		10.11	10.11				11.90				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load				l											
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		10.11	10.11				11.90				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		15.58	15.58				11.90				
Unbui	ndled Network Terminating Wire (UNTW)			021	OLIVIT I		10.00	13.36				11.30				
1	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.2286	18.02	18.02				11.90				
Netwo	rk Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		68.08	42.80				11.90				
 	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		110.48	85.20				11.90				
 	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W			UENTW UENTW	UNDC2 UNDC4		7.63 7.63	7.63 7.63				11.90 11.90				-
SUB-LOOPS	INGLWOIN IIILEITAGE DEVICE CIOSS CONNECT - 44V			OCIVIVV	UNDC4		7.03	7.03				11.90				+
	oop Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,												
	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		487.23					11.90				
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,	l			·		·						
\vdash	set-up			UDN,UCL,UDL,UDC	USBFX		6.25	6.25				11.90			1	
\vdash	USL Feeder DS1 Set-up at DSX location, per DS1 termination Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice			USL	USBFZ		522.41	11.32				11.90			-	-
	onbanaiou oub-Loop i eeuer Loop, z wile Ground Start, voice	I	1	UEA	USBFA	8.05	92.75	51.24	58.45	13.07		11.90		ı	1	1

UNDUNDLE	D NETWORK ELEMENTS - Florida			1	_	1						1-	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			'ES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		_													
	Grade - Zone 2		2	UEA	USBFA	10.87	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3		3	UEA	USBFA	21.00	92.75	51.24	58.45	13.07		11.90				
-	Order Coordination for Specified Conversion Time, per LSR		3	UEA	OCOSL	21.00	23.02	31.24	36.43	13.07		11.90			-	+
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice			ULA	OCOGL		23.02									+
	Grade - Zone 1		1	UEA	USBFB	8.05	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															1
	Grade - Zone 2		2	UEA	USBFB	10.87	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice															
	Grade - Zone 3		3	UEA	USBFB	21.00	92.75	51.24	58.45	13.07		11.90				<u> </u>
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		23.02									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		1	UEA	USBFC	8.05	92.75	51.24	58.45	13.07		11.90				
 	Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			OLA	USBFU	8.05	92.75	51.24	58.45	13.07	-	11.90	1	-	 	+
	Voice Grade - Zone 2		2	UEA	USBFC	10.87	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse			0=/1	305.0	10.07	32.13	31.24	30.43	13.07		11.00	1	1	†	
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	21.00	92.75	51.24	58.45	13.07		11.90				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		23.02									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 1		1	UEA	USBFD	17.26	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 2		2	UEA	USBFD	23.29	106.92	64.46	63.54	14.83		11.90				<u> </u>
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice		3		LIODED	45.00	100.00	04.40	00.54	11.00		44.00				
	Grade - Zone 3 Order Coordination For Specified Conversion Time, Per LSR		3	UEA UEA	USBFD OCOSL	45.00	106.92 23.02	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			UEA	UCUSL		23.02									+
	Grade - Zone 1		1	UEA	USBFE	17.26	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		<u> </u>	027	002. 2	11.20	100.02	0	00.01			11.00				†
	Grade - Zone 2		2	UEA	USBFE	23.29	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 3		3	UEA	USBFE	45.00	106.92	64.46	63.54	14.83		11.90				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23.02									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1			UDN	USBFF	17.04	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN UDN	USBFF	23.00 44.43	109.71 109.71	66.68 66.68	60.21 60.21	12.49 12.49		11.90 11.90				+
	Order Coordination For Specified Conversion Time, Per LSR		3	UDN	OCOSL	44.43	23.02	80.08	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	17.04	109.71	66.68	60.21	12.49		11.90				+
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	23.00	109.71	66.68	60.21	12.49		11.90				1
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	44.43	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	46.27	133.77	78.02	85.16	21.21		11.90				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL	USBFG	62.45	133.77	78.02	85.16	21.21		11.90				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	120.65	133.77	78.02	85.16	21.21		11.90				
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		23.02		====	10.00		11.00				
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	7.25	85.27	42.24	58.54	10.82		11.90				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		2	UCL	USBFH	9.79	85.27	42.24	58.54	10.82		11.90			1	
 	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone			UUL	OSBITI	5.79	03.27	42.24	30.54	10.02		11.90		1	 	+
	3		3	UCL	USBFH	18.92	85.27	42.24	58.54	10.82	1	11.90			I	1
	Order Coordination For Specified Conversion Time, per LSR		Ť	UCL	OCOSL		23.02		22.01			50			1	1
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	14.22	99.66	57.20	60.98	12.28		11.90	<u> </u>	<u> </u>		
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	19.20	99.66	57.20	60.98	12.28		11.90				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	37.09	99.66	57.20	60.98	12.28		11.90				
	Order Coordination For Specified Conversion Time, per LSR		<u> </u>	UCL	OCOSL		23.02				ļ					
 	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	18.68	100.62	58.16	63.54	14.83		11.90	-	1	1	+
 	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL UDL	USBFN USBFN	25.21 48.71	100.62 100.62	58.16 58.16	63.54 63.54	14.83 14.83		11.90 11.90	-		-	+
 	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop -		3	UDL	OODI-IN	40.71	100.62	30.10	63.54	14.03	-	11.90	1	1	 	+
1 1	Zone 1	l	1	UDL	USBFO	18.68	100.62	58.16	63.54	14.83		11.90		Ì	1	1

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
		-				Rec	Nonrec		Nonrecurring		COMEC	COMAN		Rates(\$)	COMAN	COMAN
-+-	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i	Zone 2		2	UDL	USBFO	25.21	100.62	58.16	63.54	14.83		11.90				
i l	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -			-		-										
	Zone 3		3	UDL	USBFO	48.71	100.62	58.16	63.54	14.83		11.90				
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		23.02									1
i	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	18.68	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 2		2	UDL	USBFP	25.21	100.62	58.16	63.54	14.83		11.90				
i l	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		3	UDL	USBFP	48.71	400.00	50.40	60.54	44.00		11.90				
	Zone 3 Order Coordination For Specified Conversion Time, per LSR		3		OCOSL	40.71	100.62 23.02	58.16	63.54	14.83		11.90				1
SUB-LOOPS	5.45. 555/dirialion For opcomed Conversion Time, per Lor	<u> </u>	l	JJL	JUUJL		20.02		-		1	1				†
	pop Feeder			<u> </u>												
	Sub Loop Feeder - DS3 - Per Mile Per Month	ı		UE3	1L5SL	15.69										
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	347.59	3,386.00	407.15	166.83	94.58		11.90				
	Sub Loop Feeder – STS-1 – Per Mile Per Month	- 1		UDLSX	1L5SL	15.69										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	!		UDLSX	USBF7	402.09	3,386.00	407.15	166.83	94.58		11.90				
	Sub Loop Feeder – OC-3 – Per Mile Per Month	- 1		UDLO3	1L5SL	11.90										
ı l	Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month			UDLO3	USBF5	62.98										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	H		UDLO3	USBF2	547.22	3,386.00	407.15	166.83	94.58		11.90				1
	Sub Loop Feeder - OC-12 - Per Mile Per Month	L i		UDL12	1L5SL	14.65	3,300.00	407.13	100.03	34.50		11.50				
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per	<u> </u>		052.2	12002	1 1.00										
i	Month	- 1		UDL12	USBF6	502.47										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	I		UDL12	USBF3	1,577.00	3,386.00	407.15	166.83	94.58		11.90				
	Sub Loop Feeder - OC-48 - Per Mile Per Month	- 1		UDL48	1L5SL	48.06										
i l	Sub Loop Feeder - OC-48 - Facility Termination Protection Per	١.		1101.40	HODEO	054.00										
	Month	+		UDL48	USBF9	251.80	0.570.00	107.15	400.05	05.40		44.00				
	Sub Loop Feeder - OC-48 - Facility Termination Per Month Sub Loop Feeder - OC-12 Interface On OC-48	-		UDL48 UDL48	USBF4 USBF8	1,589.00 331.15	3,572.00 788.39	407.15 407.15	168.35 168.35	95.43 95.43		11.90 11.90				-
UNBUNDI ED I	LOOP CONCENTRATION			UDL46	03516	331.13	700.39	407.13	100.33	93.43		11.50				
ONDONDEED E	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	449.49	359.42	359.42				11.90				
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	53.44	149.76	149.76	İ		1	11.90				
i	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	487.33	359.42	359.42				11.90				
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	90.05	149.76	149.76				11.90				
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5.04	71.70	51.52	18.49	4.82		11.90				
i	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	8.00	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration - UDC Loop Interface (Brite			ODIN	ULCCI	8.00	10.59	10.50	0.77	0.73		11.50				
i l	Card)			UDC	ULCCU	8.00	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration2 Wire Voice-Loop Start or															
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.00	16.59	16.50	6.77	6.73		11.90				
ı	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery															
	Loop Interface (SPOTS Card)	-	 	UEA	ULCCR	11.90	16.59	16.50	6.77	6.73		11.90				
ı 1	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7.10	16.59	16.50	6.77	6.73		11.90				
-+-	Unbundled Loop Concentration - TEST CIRCUIT Card	<u> </u>	l		UCTTC	34.68	16.59	16.50	6.77	6.73	1	11.90				†
i	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop		1													
	Interface		<u> </u>	UDL	ULCC7	10.51	16.59	16.50	6.77	6.73		11.90				
ı 1 [—]	Unbundled Loop Concentration - Digital 56 Kbps Data Loop			l	00-											
	Interface		<u> </u>	UDL	ULCC5	10.51	16.59	16.50	6.77	6.73	<u> </u>	11.90				
i	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10.51	16.59	16.50	6.77	6.73		11.90				
UNE OTHER I	PROVISIONING ONLY - NO RATE		 	UDL	ULUUU	10.51	10.39	16.50	0.77	0.73	 	11.90				
<u> </u>	NID - Dispatch and Service Order for NID installation		 	UENTW	UNDBX				†							1
		t e		UENTW	UENCE								1			
 	UNTW Circuit Id Establishment, Provisioning Only - No Rate															
	ONTW Circuit id Establishment, Provisioning Only - No Rate			UEANL,UEF,UEQ,U												

	INDLE	NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	
CATEG	SORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
				ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE O	THER, P	ROVISIONING ONLY - NO RATE															
		Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
'		no rate			USL	CCOEF	0.00	0.00									
HIGH C		Y UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10.92										
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84		11.90				
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per					000.00										
		month High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	10.92										
		Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84		11.90			1.83	
LOOP N	MAKE-U																
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		52.17	52.17								
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual). Loop MakeupWith or Without Reservation, per working or			UMK	UMKLP		55.07	55.07								
		spare facility queried (Mechanized)			UMK	PSUMK		0.6784	0.6784								
HIGH F		ICY SPECTRUM															
	SPLITT	ERS-CENTRAL OFFICE BASED		ļ													
		Line Sharing Splitter, per System 96 Line Capacity - True up	_			004	440.70	070.40	0.00	0.47.00	0.00		44.00				
		pending approval by PSC Line Sharing Splitter, per System 24 Line Capacity - True up	R	1	ULS	ULSDA	119.72	379.13	0.00	347.90	0.00		11.90			-	
		pending approval by PSC	R		ULS	ULSDB	29.93	379.13	0.00	347.90	0.00		11.90				
-		Line Sharing Splitter, Per System, 8 Line Capacity	i i	1	ULS	ULSD8	8.33	379.13	0.00	347.90	0.00		11.90				
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-			020	02020	0.00	0.00	0.00	011.00	0.00						
		deactivation (per LSOD) - True up pending approval by PSC			ULS	ULSDG		173.66		97.42			11.90				
		ER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	TRUM	AKA LINE SHARING												
		Line Sharing - per Line Activation - True up pending approval															
!		by PSC(BST Owned Splitter)			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61		11.90				
1 7	1 1				1							1				_	
		Line Sharing - per Subsequent Activity per Line Rearrangement - True up pending approval by PSC(BST Owned Splitter)	R		ULS	ULSDS		21.68	16.44				11.90				
\vdash		1	<u>'`</u>		- ·-			200								1	
		Line Sharing - per Subsequent Activity per Line Rearrangement - True up pending approval by PSC(DLEC Owned Splitter)	R		ULS	ULSCS		21.68	16.44				11.90				
$\vdash \vdash \vdash$		Line Sharing - per Line Activation (DLEC owned Splitter)	I		ULS	ULSCS	0.61	47.44	19.31	20.67	12.74		11.90		1	t	1
\vdash		Line Splitting - per line activation DLEC owned splitter	L i		UEPSR UEPSB	UREOS	0.61	77.74	13.31	20.07	12.14	 	11.50			I	1
$\vdash \vdash \vdash$		Line Splitting - per line activation BST owned - physical	l i		UEPSR UEPSB	UREBP	0.638	29.68	21.28	19.57	9.61		11.90			1	
		Line Splitting - per line activation BST owned - virtual	-		UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61		11.90		İ	1	
UNBUN	NDLED D	EDICATED TRANSPORT															
	NOTE:	INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	od - below DS3=one	month, DS3/	STS-1=four mo	nths	•		•						
		FFICE CHANNEL - DEDICATED TRANSPORT															
\Box		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03		11.90				
1			1	1	U.17/	J1174	20.02	77.00	31.70	10.01	1.03	!	11.50		l	ļ	+

UNBUND	ED NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	1		U1TVX	U1TR2	25.32	47.05	24.70	40.04	7.00		11.90				
	Facility Termination per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	1		UTIVX	UTTR2	25.32	47.35	31.78	18.31	7.03		11.90			-	<u> </u>
	Per Mile per month	1		U1TVX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade	•														
	- Facility Termination per month			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile				41 = 204											
	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility	1		U1TDX	1L5XX	0.0091										
	Termination per month			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			01127	01120	10.11		01110	10.01	7100		11.00				
	per month			U1TDX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			LIATOV	LIATEDO	40.44	47.05	04.70	40.04	7.00		44.00				
	Termination per month Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	1		U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03		11.90			1	
	month			U1TD1	1L5XX	0.1856										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility				120701	0.1000										1
	Termination per month			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05		11.90				
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month Interoffice Channel - Dedicated Transport - DS3 - Facility	1		U1TD3	1L5XX	3.87			-						1	
	Termination per month			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56		11.90				
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	1		01120	01110	1,071.00	000.40	210.20	72.00	70.00		11.50				
	month			U1TS1	1L5XX	3.87										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
100	Termination per month CAL CHANNEL - DEDICATED TRANSPORT	-		U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56		11.90				<u> </u>
	E: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billi	na nerio	d - beld	w DS3=one month	DS3/STS-1=1	four months									1	+
	Local Channel - Dedicated - 2-Wire Voice Grade per month -	l pone	1		1	l l										1
	Zone 1		1	ULDVX	ULDV2	21.94	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade per month -		_		l											
	Zone 2 Local Channel - Dedicated - 2-Wire Voice Grade per month -	-	2	ULDVX	ULDV2	29.62	265.84	46.97	37.63	4.00		11.90				4
	Zone 3		3	UNDVX	ULDV2	57.22	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per	1		0115 171	02512	07.22	200.01	10.01	07.00			11.00				
	month - Zone 1		1	ULDVX	ULDR2	21.94	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per				550											
	Month - Zone 2 Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per	-	2	ULDVX	ULDR2	29.62	265.84	46.97	37.63	4.00		11.90			-	
	Month - Zone 3		3	ULDVX	ULDR2	57.22	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 4-Wire Voice Grade per month -		Ĺ													
	Zone 1		1	UNDVX	ULDV4	22.81	266.54	47.67	44.22	5.33		11.90				
	Local Channel - Dedicated - 4-Wire Voice Grade per month -		_	LINDVO	LII DV	00.70	000 5 :	47.00	11.00	F.00		44.00				
	Zone 2 Local Channel - Dedicated - 4-Wire Voice Grade per month -		2	UNDVX	ULDV4	30.79	266.54	47.67	44.22	5.33		11.90			 	
	Zone 3		3	UNDVX	ULDV4	59.48	266.54	47.67	44.22	5.33		11.90				
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	35.28	216.65	183.54	24.30	16.95		11.90				1
	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	47.63	216.65	183.54	24.30	16.95		11.90				
	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	92.01	216.65	183.54	24.30	16.95		11.90				
	Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination per	1	<u> </u>	ULDD3	1L5NC	8.50			 						 	
	month			ULDD3	ULDF3	531.91	556.37	343.01	139.13	96.84		11.90				
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8.50		2.2.01	155710			50				
	Local Channel - Dedicated - STS-1 - Facility Termination per															
MULTIPLE:	month		<u> </u>	ULDS1	ULDFS	540.69	556.37	343.01	139.13	96.84		11.90			<u> </u>	<u> </u>
MULTIPLEX	Channelization - DS1 to DS0 Channel System	-	 	UXTD1	MQ1	146.77	101.42	71.62	11.09	10.49		11.90			-	1
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	1	1	OATDI	IVIQ I	140.77	101.42	71.02	11.09	10.49		11.30				
	month (2.4-64kbs)	1		UDL	1D1DD	2.10	10.07	7.08				11.90		1	I	

UNBUNDI	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
CATEGORY		Interi m	Zone	BCS	usoc		RAT	ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring			•		Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month			UDN	UC1CA	3.66	10.07	7.08				11.90				
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1.38	10.07	7.08	40.04	20.07		11.90				
	DS3 to DS1 Channel System per month STS1 to DS1 Channel System per month	-	-	UXTD3 UXTS1	MQ3 MQ3	211.19 211.19	199.28 199.28	118.64 118.64	40.34 40.34	39.07 39.07		11.90 11.90				
 	DS3 Interface Unit (DS1 COCI) used with Loop per month		-	USL	UC1D1	13.76	10.07	7.08	40.34	39.07		11.90				+
	DS3 Interface Unit (DS1 COCI) used with Local Channel per			OOL	OCIDI	13.70	10.07	7.00				11.50				+
	month			ULDD1	UC1D1	13.76	10.07	7.08				11.90				
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel															1
	per month			U1TD1	UC1D1	13.76	10.07	7.08				11.90				
DARK FIBE	R															
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															1
	Thereof per month - Local Channel		<u> </u>	UDF	1L5DC	55.04								ļ		↓
	NRC Dark Fiber - Local Channel	1		UDF	UDFC4		751.34	193.88	356.21	230.11		11.90			ļ	
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF	1L5DF	26.85	1								1	
	Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel	-	-	UDF	UDF14	26.85	751.34	193.88	356.21	230.11		11.90				
-	Dark Fiber. Four Fiber Strands. Per Route Mile or Fraction			UDF	UDF 14		751.54	193.00	336.21	230.11		11.90			-	+
	Thereof per month - Local Loop			UDF	1L5DL	55.04										
	NRC Dark Fiber - Local Loop		1	UDF	UDFL4	33.04	751.34	193.88	356.21	230.11		11.90				+
TRANSPOR				OD!	ODI L4		701.04	100.00	000.21	200.11		11.50				1
	onal Features & Functions:															1
	S TEN DIGIT SCREENING															1
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006252										1
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
	Number Reserved			OHD	N8R1X		4.15	0.70				11.90				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			8.78	1.18	5.77	0.70		11.90				
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations			OHD	N8FTX		8.78	1.18	5.77	0.70		11.90				
	8XX Access Ten Digit Screening, Customized Area of Service															
	Per 8XX Number			OHD	N8FCX		4.15	2.07				11.90				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78				11.90				
	8XX Access Ten Digit Screening, Change Charge Per Request	-	-	OHD	N8FAX		4.85	0.70				11.90				+
	8XX Access Ten Digit Screening, Change Charge Fer Request			OHD	INOFAA		4.00	0.70				11.90				+
	Features			OHD	N8FDX		4.15	4.15				11.90				
	1 catalog			OTID	INOI DX		4.10	4.10				11.50				+
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD		0.0006252										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per	1												1		1
	query	<u> </u>		OHD		0.0006252										
LINE INFOR	MATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000203										
	LIDB Validation Per Query			OQU		0.0136959										
OLONIAL ING	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		55.13	55.13	55.13	55.13		11.90				
SIGNALING		-	1	UDB	PT8SX	425.05									-	+
 	CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per TCAP Message	 	+	UDB	7189X	135.05 0.0000607									-	+
 	CCS7 Signaling Osage, Fer TCAP Message CCS7 Signaling Connection, Per link (A link)	1	1	UDB	TPP++	17.93	43.57	43.57	18.31	18.31		11.90		1	t	+
 	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D	 	1	555	+	17.33	70.07	70.01	10.01	10.01	1	11.30			-	+
	link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31		11.90			1	
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000152										1
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03		11.90			1	↓
E911 SERVI		1													ļ	
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1	ļ	1			21.94	265.84	46.97	37.63	4.00		11.90				↓
\vdash	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2	1	1		+	29.62	265.84	46.97	37.63	4.00		11.90			1	+
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3	1		l		57.22	265.84	46.97	37.63	4.00		11.90		i .	ı	

UNBUNDL	ED NETWORK ELEMENTS - Florida					1							Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						B	Nonrec	urring	Nonrecurring	Disconnect		l l	oss	Rates(\$)	1	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0091										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination					25.32	47.35	31.78	18.31	7.03		11.90				
	Local Channel - Dedicated - DS1 - Zone 1					35.28	216.65	183.54	21.47	19.05		11.90				
	Local Channel - Dedicated - DS1 - Zone 2					47.63	216.65	183.54	21.47	19.05		11.90				
	Local Channel - Dedicated - DS1 - Zone 3					92.01	216.65	183.54	21.47	19.05		11.90				
	Interoffice Transport - Dedicated - DS1 Per Mile					0.1856										
	Later Was Transport Bullion L BOA Bus For The Transport					00.44	405.54	00.47	04.47	40.05		44.00				
CALLING N	Interoffice Transport - Dedicated - DS1 Per Facility Termination					88.44	105.54	98.47	21.47	19.05		11.90			-	-
CALLING NA	AME (CNAM) SERVICE CNAM for DB Owners, Per Query			OQV		0.001024										
	CNAM for Non DB Owners, Per Query			OQV		0.001024										
	CNAM For DB Owners - Service Establishment			OQV		0.001024	25.35	25.35	19.01	19.01		11.90				
	CNAM For Non DB Owners - Service Establishment			OQV	+		25.35	25.35	19.01	19.01		11.90			-	-
	CNAM For DB Owners - Service Provisioning With Point Code				+		20.00	20.00	10.01	10.01		11.00			†	†
	Establishment			oqv			1,592.00	1,177.00	352.36	259.09		11.90			I	I
	CNAM For Non DB Owners - Service Provisioning With Point						.,	.,	222,00			50				
	Code Establishment			OQV			546.51	393.82	358.06	259.09		11.90				
LNP Query S																
	LNP Charge Per query			OQV		0.000852										
	LNP Service Establishment Manual						13.83	13.83	12.71	12.71		11.90				
	LNP Service Provisioning with Point Code Establishment						655.50	334.88	297.03	218.40		11.90				
OPERATOR	CALL PROCESSING															
	Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20										
INWARD OP	ERATOR SERVICES															
	Inward Operator Services - Verification, Per Call					1.00										
	Inward Operator Services - Verification and Emergency Interrupt - Per Call					1.95										
BRANDING -	OPERATOR CALL PROCESSING															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				11.90				
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00				11.90				
Unbr	anding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				11.90				
	ASSISTANCE SERVICES			ļ	1										ļ	ļ
DIRE	CTORY ASSISTANCE ACCESS SERVICE					2 22-										
BIE-	Directory Assistance Access Service Calls, Charge Per Call	1400			+	0.275									-	-
DIRE	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	ACC)		ļ	+										-	-
	Directory Assistance Call Completion Access Service (DACC),			1		0.40									I	I
DIDE	Per Call Attempt CCTORY TRANSPORT	-	-	-	+	0.10			<u> </u>							
	ASSISTANCE SERVICES			-	+										+	+
	CTORY ASSISTANCE DATA BASE SERVICE (DADS)			 	+				1						t	t
DIIL	Directory Assistance Data Base Service Charge Per Listing			 	+	0.04									I	I
	Directory Assistance Data Base Service, per month			1	DBSOF	150.00									1	1
BRANDING -	· DIRECTORY ASSISTANCE				1										1	1
	ity Based CLEC															
	Recording and Provisioning of DA Custom Branded															
	Announcement			AMT	CBADA		6,000.00	6,000.00							<u></u>	<u></u>
	Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170.00	1,170.00								
UNE	PCLEC															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						<u> </u>	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loading of DA Custom Branded Announcement per DRAM															
	Card/Switch per OCN						1,170.00	1,170.00								1
Unbra	nding via OLNS for UNEP CLEC						,	, , , , , , , , , , , , , , , , , , , ,								
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
SELECTIVE R	OUTING															1
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch				USRCR		93.55	93.55	12.71	12.71		11.90				1
VIRTUAL COL																
	Virtual Collocation - Application Cost			AMTFS	EAF		4,122.00	1,249.00								
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX	12.45	965.00									
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	4.25										ļ
	Virtual Collocation - Power, per breaker amp			AMTFS	ESPAX	6.95										
	Virtual Collocation - Cable Support Structure, per entrance				=====	40.05										1
	cable			AMTFS	ESPSX	13.35										
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX,												
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0.0502	11.57	11.57				11.90				
	Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX AMTFS,UDL12, UDLO3, U1T48,	UEAC4	0.0502	11.57	11.57				11.90				
	Virtual Collocation - 2-Fiber Cross Connects			U1T12, U1T03, ULDO3, ULD12, ULD48, UDF AMTFS,UDL12,	CNC2F	6.71	2,431.00					11.90				
	Virtual Collocation - 4-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	6.71	2,431.00					11.90				
	Virtual collocation - DS1 Cross Connects			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	7.50	155.00	14.00				11.90				
	Virtual collocation - DS3 Cross Connects			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56.25	151.90	11.83				11.90				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable	1			l]										
	Support Structure, per linear foot	ļ	\vdash	AMTFS,CLO	VE1CB	0.0028										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTFS, CLO	VE1CD	0.0044										, J
	Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS, CLO	VE1CD VE1CC	0.0041	535.54									
1 1	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax	1														, l
	Cable Support Structure, per cable	ļ	\vdash	AMTES	VE1CE	ļ	535.54									
	Virtual collocation - Security Escort - Basic, per quarter hour	<u> </u>		AMTFS	SPTBQ	ļ	10.89									
	Virtual collocation - Security Escort - Overtime, per quarter hour			AMTFS	SPTOQ		13.64									
	Virtual collocation - Security Escort - Premium, per quarter hour			AMTFS	SPTPQ		16.40									i

UNBUNDLE	D NETWORK ELEMENTS - Florida					T					1 -	T -	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)				,	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - DS-1/DCS Cross Connects, PER 28 CKTS			AMTFS	VE11S	226.39	1,950.00									
	Virtual Collocation - DS-1.DSX Cross Connects, PER 28 CKTS			AMTFS	VE11X	11.51	1,950.00									
	Virtual Collocation - DS-3/DCS Cross Connects, PER CKT			AMTFS	VE13S	56.97	528.00									
	Virtual Collocation - DS-3/DSC Cross Connects, PER CKT			AMTFS	VE13X	10.06	528.00									
	Virtual collocation - Maintenance in CO - Basic, per quarter hour Virtual collocation - Maintenance in CO - Overtime, per quarter			AMTFS	SPTRE		10.89									
	hour			AMTFS	SPTOE		13.64									1
	Virtual collocation - Maintenance in CO - Premium per quarter															
VIRTUAL COL	hour			AMTFS	SPTPE		16.40									 '
VIKTUAL COL	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-		1													
	Wire Analog - Res			UEPSR	VE1R2	0.524	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.524	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.524	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.524	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.524	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	ISDN Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire			UEPTX	VE1R2	0.524	11.57	11.57				11.90				
	ISDN DS1			UEPEX	VE1R4	0.524	11.57	11.57				11.90				·
VIRTUAL COL																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.0297	33.86	31.95				11.90				
AIN SELECTIV	E CARRIER ROUTING			, , ,												
	Regional Service Establishment			SRC	SRCEC		193,444.00		7,737.00			11.90				
	End Office Establishment			SRC	SRCEO		187.36	187.36	0.69	0.69		11.90				
	Query NRC, per query			SRC		0.0031868										
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		43.56	43.56	44.93	44.93		11.90				
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03		11.90				
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03		11.90				
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		38.66	38.66	29.88	29.88		11.90				
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		75.10	75.10	12.93	12.93		11.90				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0028										
	AIN SMS Access Service - Session, Per Minute					0.7809										
	AIN SMS Access Service - Company Performed Session, Per Minute					0.4609										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		43.56	43.56	44.93	44.93		11.90				
	AIN Toolkit Service - Training Session, Per Customer			O/ 4VI	BAPVX		8,439.00	8,439.00	44.33	44.33		11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						·	•								
	DN, Term. Attempt AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTT		8.64	8.64	10.03	10.03		11.90				
	DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03		11.90				<u> </u>
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03		11.90				<u> </u>

UNBL	JNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
CATE		RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect		i i	oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				ВАРТО		38.06	38.06	15.86	15.86		11.90				
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. CDP				BAPTC		38.06	38.06	15.86	15.86		11.90				
		AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Feature Code				BAPTF		38.06	38.06	15.86	15.86		11.90				
		AIN Toolkit Service - Query Charge, Per Query		-		BAPIF	0.0535927	38.06	38.06	15.86	15.86		11.90				
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
		Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.0063698										
		Account, Per 100 Kilobytes					0.06										
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	8.34	8.64	8.64	6.08	6.08		11.90				
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	3.73	9.56	9.56				11.90				
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	4.73	8.64	8.64	6.08	6.08		11.90				
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			CAM	BAPES	0.12	9.56	9.56				11.90				
ENHA	NCED EX	(TENDED LINK (EELs)			CAW	DAI LO	0.12	3.30	9.50				11.30				
		New EELs available in GA, TN, KY, LA, MS, & SC and density															
		Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-															Ĺ
		In all states, EEL network elements shown below also apply to In GA, TN, KY, LA, MS & SC the EEL network elements apply							As Is Charge a	pplies to curre	ntly combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not apply	.)
		VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT				iements.(NO	OWITCH AS IS OF	arge.)									
		First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1		1	UNCVX	UEAL2	14.50	127.59	60.54	48.00	6.31		11.90				
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	19.57	127.59	60.54	48.00	6.31		11.90				
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed			ONCVA	ULALZ	19.57	127.39	00.54	40.00	0.31		11.50				
		Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL2	37.82	127.59	60.54	48.00	6.31		11.90				
		per month .			UNC1X	1L5XX	0.1856										
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				i
		DS1 Channelization System Per Month			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34		11.90				
		Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	1.38	6.71	4.84				11.90				
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.50	127.59	60.54	48.00	6.31		11.90				
		Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19.57	127.59	60.54	48.00	6.31		11.90				
		Each Additional 2-Wire VG Loop(SL2) in the same DS1		3	UNCVX												
-		Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination -		3	-	UEAL2	37.82	127.59	60.54	48.00	6.31		11.90				
		per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	1.38	6.71	4.84				11.90				<u> </u>
		Is Charge		<u>L</u>	UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				<u> </u>
	4-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	23.02	127.59	60.54	48.00	6.31		11.90				
		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	31.07	127.59	60.54	48.00	6.31		11.90				
		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	127.59	60.54	48.00	6.31		11.90				
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		Ĭ	UNC1X	1L5XX	0.1856	.200	20.04	.5.50	5.51						
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per						474.40	400.40	45.04	47.05		44.00				
	1	Month	<u> </u>	<u> </u>	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	l	11.90			l	1

UNDUNDLE	D NETWORK ELEMENTS - Florida	1	ı	ı							Corn Constru	Core Corel co	Attachment:		Exhibit: B	In anamar: 1 - 1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34		11.90				
	Voice Grade COCI - DS1 to DS0 Channel System combination -			ONCIA	IVIQI	140.77	31.20	14.74	1.50	1.34		11.90				
	per month			UNCVX	1D1VG	1.38	6.71	4.84				11.90				i .
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	23.02	127.59	60.54	48.00	6.31		11.90				!
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	31.07	127.59	60.54	48.00	6.31		11.90				i .
	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	ULAL4	31.07	121.59	00.34	46.00	0.51		11.90				
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	127.59	60.54	48.00	6.31		11.90				i
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	1.38	6.71	4.84				11.90				!
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				i
4-WIR	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.90	0.50	0.90	0.90		11.90				
1	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	<u> </u>														
	Transport Combination - Zone 1		1	UNCDX	UDL56	26.39	127.59	60.54	48.00	6.31		11.90				<u> </u>
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice															i .
	Transport Combination - Zone 2 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL56	35.62	127.59	60.54	48.00	6.31		11.90				
	Transport Combination - Zone 3		3	UNCDX	UDL56	68.82	127.59	60.54	48.00	6.31		11.90				i .
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			ONOBX	CDLOC	00.02	127.00	00.04	40.00	0.01		11.00				
	Per Month			UNC1X	1L5XX	0.1856										l
	Interoffice Transport - Dedicated - DS1 - combination Facility															ĺ
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34		11.90				ı
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ONOTA	IVIQ I	140.77	07.20	14.74	1.00	1.04		11.00				
	month (2.4-64kbs)			UNCDX	1D1DD	2.10	6.71	4.84				11.90				l
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															ĺ
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL56	26.39	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.62	127.59	60.54	48.00	6.31		11.90				i
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			ONOBA	ODLOG	00.02	127.00	00.04	40.00	0.01		11.00				
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	68.82	127.59	60.54	48.00	6.31		11.90				ĺ
	OCU-DP COCI (data) - DS1 to DS0 Channel System -															
	combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	2.10	6.71	4.84				11.90				
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				i .
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)			0.00		0.00							
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	26.39	127.59	60.54	48.00	6.31		11.90				!
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.62	127.59	60.54	48.00	6.31		11.90				i .
+	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			UNCDX	UDL04	33.02	121.59	00.34	46.00	0.51		11.90				
	Transport Combination - Zone 3		3	UNCDX	UDL64	68.82	127.59	60.54	48.00	6.31		11.90				i .
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1856										
1	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		1	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				i
	Channelization - Channel System DS1 to DS0 combination Per		1	ONOIA	JIIII	00.44	174.40	122.40	45.01	17.95		11.90				<u> </u>
	Month			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34		11.90				ĺ
	OCU-DP COCI (data) - DS1 to DS0 Channel System					İ	l		İ							
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	6.71	4.84				11.90				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		4	UNCDX	UDL64	26.39	127.59	60.54	48.00	6.31		11.90				i
-	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		+	ONODA	JULU4	20.39	127.39	00.54	40.00	0.31		11.90				
1	Interoffice Transport Combination - Zone 2	l	2	UNCDX	UDL64	35.62	127.59	60.54	48.00	6.31	1	11.90				1

LINBLINDI	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
ONBONDE	LD NETWORK ELEMENTS - Florida	1	l I								Svc Order	Svc Order	Incremental			Incremental
1											Submitted	Submitted		Charge -	Charge -	Charge -
1											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA ⁻	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	68.82	127.59	60.54	48.00	6.31		11.90				
1	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	6.71	4.84				11.90				
1	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-10/11	Is Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	EDOEEI	CE TD		UNCCC		8.98	8.98	8.98	8.98		11.90				
4-771	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	LKOFFI	CE IKA	INSPORT (EEL)												
1	Transport - Zone 1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice			ONOTA	COLDO	70.44	217.70	121.02	01.44	14.40		11.00				
1	Transport - Zone 2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice								9							
. 1	Transport - Zone 3		3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45	1	11.90				1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		i –				-									1
	Per Month		<u>L</u>	UNC1X	1L5XX	0.1856								<u></u>		L
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month		<u> </u>	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	EROFFI	CE TRA	ANSPORT (EEL)												
	First DS1Loop in DS3 Interoffice Transport Combination - Zone					=0.44										
	1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		2	LINCAV	USLXX	99.13	217.75	121.62	E1 11	14.45		11.90				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone	-		UNC1X	USLAA	99.13	217.75	121.02	51.44	14.45		11.90				
	12 In the state of		3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45		11.90				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile			ONOTA	OOLAX	191.51	217.75	121.02	31.44	14.40		11.50				
	Per Month			UNC3X	1L5XX	3.87										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
	month			UNC3X	U1TF3	1,071.00	320.00	138.20	38.60	18.81		11.90				
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	211.19	115.50	56.54	12.16	4.26		11.90				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	6.71	4.84				11.90				
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				
	Additional DS1Loop in DS3 Interoffice Transport Combination -			LINIOAN	1101.307	404 = 1	047	404.00		44	1	44.60				1
\longrightarrow	Zone 3	1	3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45		11.90		1		1
$\longrightarrow \longmapsto$	DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-	1	 	UNC1X	UC1D1	13.76	6.71	4.84				11.90		-		
	Is Charge	1	1	UNC3X	UNCCC		8.98	8.98	8.98	8.98	1	11.90				
2-WI!	RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	TEROFE	ICE TE		314000		0.30	0.30	0.30	0.30	 	11.50				
 ~ ***	2-WireVG Loop used with 2-wire VG Interoffice Transport	1	1		+											
1	Combination - Zone 1		1	UNCVX	UEAL2	14.50	127.59	60.54	48.00	6.31	1	11.90				1
	2-WireVG Loop used with 2-wire VG Interoffice Transport	1	İ						3,00							İ
1	Combination - Zone 2		2	UNCVX	UEAL2	19.57	127.59	60.54	48.00	6.31	1	11.90				1
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 3		3	UNCVX	UEAL2	37.82	127.59	60.54	48.00	6.31		11.90		<u></u>		L
	Interoffice Transport - Dedicated - 2-wire VG combination - Per														-	
	Mile Per Month		<u> </u>	UNCVX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade		1		1						1	l l				1
	combination - Facility Termination per month	1	<u> </u>	UNCVX	U1TV2	25.32	94.70	52.59	45.28	18.03		11.90				
1	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	LINGVA	LINICOO		0.00	0.00	0.00	0.00	1	44.00				1
4 1000	Is Charge	TERACE	ICE TO	UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-1/11	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT 4-WireVG Loop used with 4-wire VG Interoffice Transport	LEKUFF	ICE IN	ANSPURI (EEL)	+						-					-
1	Combination - Zone 1		1	UNCVX	UEAL4	23.02	127.59	60.54	48.00	6.31	1	11.90				1
,			1 1	0110 1/	JULICIT	20.02	121.33	00.54	₹0.00	0.01	ı	11.30		ı	1	
1	4-WireVG Loop used with 4-wire VG Interoffice Transport															

NIBUNULE	D NETWORK ELEMENTS - Florida		1	ı	1						Core Cord	Corn Condition	Attachment:		Exhibit: B	In anoma a sector
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	A Miss VO Lass used with A wiss VO lateraffice Transport						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	22.58	94.70	52.59	45.28	18.03		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
DS3 DI	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRA	NSPOR	T (EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	10.92										
	High Capacity Unbundled Local Loop - DS3 combination -			LINGOV	LIEODY	000.00	000.40	454.70	07.40	00.07		44.00				
	Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month		!	UNC3X UNC3X	UE3PX 1L5XX	386.88 3.87	226.42	154.73	67.10	26.27		11.90				-
	Interoffice Transport - Dedicated - DS3 - Fer Mile per month			UNCSA	ILJAA	3.07										
	Termination per per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	U1TF3	1,071.00	320.00	138.20	38.60	18.81		11.90				
	Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
STS1 D	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TF	RANSP		1				0.00							
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	10.92										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	426.60	226.42	154.73	67.10	26.27		11.90				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile															
	per month Interoffice Transport - Dedicated - STS1 combination - Facility			UNCSX	1L5XX	3.87										
	Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCSX	U1TFS	1,056.00	320.00	138.20	38.60	18.81		11.90				
2-WIRE	Is Charge EISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL	.)	UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	(
	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1	UNCNX	U1L2X	21.76	127.59	60.54	48.00	6.31		11.90				
	Transport - Zone 2		2	UNCNX	U1L2X	29.38	127.59	60.54	48.00	6.31		11.90				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	56.76	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34		11.90				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	3.66	6.71	4.84				11.90				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	21.76	127.59	60.54	48.00	6.31		11.90				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	29.38	127.59	60.54	48.00	6.31		11.90				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3			UNCNX	U1L2X	56.76	127.59	60.54	48.00	6.31		11.90				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		3	UNCNX	UC1CA	3.66	6.71	4.84	40.00	0.31		11.90				
	combintaion- per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X		3.00	8.98	8.98	8.98	8.98		11.90				
4-WIRF	IS Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T		UNCCC		0.98	0.98	0.98	0.98		11.90				
7 7711/12	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2			UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				

APPER LEMENTS Market Mark	NRUNDLE	NETWORK ELEMENTS - Florida	1	1		1	1			1			·	Attachment:		Exhibit: B	
Perc USE Log in S SS Immediate Temporar Combination SOME S	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			. ,			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
Fig. DG1 Logo is STS1 intention Transport Confidence - STS1 forentiation - Provided 2 MCDX							Rec										
Some Security Se		First DC4 Land in CTC4 Interesting Transport Combination					-	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interesting Processing Process				3	LINC1Y	LISLYY	101 51	217 75	121 62	51 11	14.45		11 00				
Per Month				3	UNCIX	USLAA	191.51	217.73	121.02	31.44	14.43		11.50				—
Transmission					UNCSX	1L5XX	3.87										
SIST to OST Command System controllaring per morth		Interoffice Transport - Dedicated - STS1 combination - Facility															
Diss Interface Line (1981 COOK) contentions per month DisCNX DISCNX DISCNX STIT 4.84 11.90								320.00	138.20	38.60	18.81		11.90				
Additional DSI Loop in STST Interortion Transport Combination . 1 UNCTX USLXX 73.44 217.75 121.62 51.44 14.46 11.90																	
Size Part					UNC1X	UC1D1	13.76	6.71	4.84				11.90				
Additional DSI Logan in STS1 interdiffice Transport Combination - 2 UNCIX USLXX 99.13 277.75 12:62 51.44 14.45 11:90				4	LINCAV	LICL VV	72.44	217.75	101 60	E1 11	14.45		11.00				ĺ
Zone 2				++	OING IA	USLAA	13.44	211.75	121.02	51.44	14.45		11.90			1	
Additional DSI Logo in STS1 Newtonics Transport Combination - 201 UNCIX USLXX 191.51 21.775 121.62 51.44 14.5 11.00 1 1.0				2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				1
2006 Solitorifies Unit DST COCI) combination per month NORTH N				<u> </u>	-	T	220	20	2		10		1				
Nonexpurring Curriently Combined Network Elements Switch -As-		Zone 3		3						51.44	14.45						
Survey S					UNC1X	UC1D1	13.76	6.71	4.84				11.90				
#### SKRPF DIGITAL EXTENDED LOOP WITH 56 KRPS INTEROFFICE TRANSPORT (EEL) Aware 56 klaps Loop4-were 66 klaps interoffice Transport 1 NCDX UDL56 26.39 127.59 60.54 48.00 6.31 11.90					LINIOOV	LINIOGG				2.5-							
4-wire 65 kips Loopid-wire 58 kips Interdifice Transport 1 UNCDX UDL56 28.99 127.59 60.54 48.00 6.31 11.90			EEICE 3	DANCE		UNCCC		8.98	8.98	8.98	8.98	1	11.90				<u> </u>
Combination - Zone 1			FFICE I	KANSI	PORT (EEL)												-
4-wire 56 kbps Loopid-wire 56 kbps Interoffice Transport 2 UNCDX UDL56 35.62 127.59 60.54 48.00 6.31 11.00				1	LINCDX	LIDL56	26 39	127 59	60 54	48.00	6 31		11 90				ĺ
Combination - Zone 2				'	ONODA	ODESO	20.55	127.55	00.54	40.00	0.51		11.30				
4-wive 56 ktps Loop/4-wire 56 ktps Loop/4-wire 56 ktps Loop/4-wire 56 ktps combination - Per Mile Loop - Loop				2	UNCDX	UDL56	35.62	127.59	60.54	48.00	6.31		11.90				ĺ
Interffice Transport - Decicated -4-wire 56 kbps combination																	
Per Mile Interoffice Transport - Dedicated -4-wire 56 kbps combination - Facility Termination UNCDX U1TDS 18.44 94.70 52.59 45.28 18.03 11.90				3	UNCDX	UDL56	68.82	127.59	60.54	48.00	6.31		11.90				
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - UNCDX UTTDS																	İ
Facility Termination WINDEX UTIDS 18.44 94.70 52.59 45.28 18.03 11.90					UNCDX	1L5XX	0.0091										—
Nonrecurring Currently Combined Network Elements Switch -As- UNCDX UNCDC 8.98 8.98 8.98 8.98 11.99					LINCDY	LIITDS	18 11	94.70	52 50	45.28	18.03		11 00				İ
SCHarge					ONODA	01103	10.44	34.70	32.33	45.20	10.03		11.30				<u> </u>
### WHIRE 64 KIDPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KIDPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KIDPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KIDPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KIDPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KIDPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KIDPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KIDPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KIDPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KIDPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KBPS LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KBPS LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KBPS LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KBPS LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KBPS LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KBPS LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KBPS LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KBPS LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KBPS LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KBPS LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KBPS LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KBPS LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KBPS LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KBPS LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KBPS LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KBPS LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KBPS LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KBPS LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### WHIRE 64 KBPS LOOP WITH 64 KBPS LOOP WITH					UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				ĺ
Combination - Zone 1	4-WIRE		FFICE 1	RANSI													
A-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport																	
Combination - Zone 2				1	UNCDX	UDL64	26.39	127.59	60.54	48.00	6.31		11.90				
A-wire 64 kbps Loop(A-wire 64 kbps Interoffice Transport Combination - Zone 3				_													
Combination - Zone 3				2	UNCDX	UDL64	35.62	127.59	60.54	48.00	6.31		11.90				—
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile				3	LINCDY	LIDI 64	68 82	127 50	60.54	48.00	6 31		11 00				l
Per Mile				3	ONODA	ODLOT	00.02	127.55	00.54	40.00	0.51		11.30				
Interdifice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination UNCDX U1TD6 18.44 94.70 52.59 45.28 18.03 11.90					UNCDX	1L5XX	0.0091										
Nonrecurring Currently Combined Network Elements Switch -As- UNCC																	
Scharge UNCDX UNCCC 8.98 8.98 8.98 8.98 11.90					UNCDX	U1TD6	18.44	94.70	52.59	45.28	18.03		11.90			ļ	
ADDITIONAL NETWORK ELEMENTS					LINCDY	LINICOC		0.00	0.00	0.00	0.00		44.00				1
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. Node (SynchroNet) Nonrecurring Currently Combined Network Elements "Switch As Is" (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps UNCVX UNCCC 8.98 8.98 8.98 8.98 11.90 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3 UNC1X UNCCC 8.98 8.98 8.98 8.98 11.90 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3 UNC3X UNCCC 8.98 8.98 8.98 8.98 11.90 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3 UNC3X UNCCC 8.98 8.98 8.98 8.98 11.90 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1 UNCSX UNCCC 8.98 8.98 8.98 8.98 11.90 NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months				 	UNCDX	UNCCC	 	8.98	8.98	8.98	8.98	-	11.90				
Node (SynchroNet)			ng cha	raes do	notapply but a S	witch As Is c	harge does and	olv.				-	 				\vdash
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - ST51 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - ST51 UNCSX UNCCC NONCC NONCC NONCC NONCCC				200 ac		1	go uoco up										
Nonrecurring Currently Combined Network Elements Switch -As- UNCVX UNCCC 8.98 8.98 8.98 8.98 11.90	Nonrecu	urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)											
Nonrecurring Currently Combined Network Elements Switch -As- UNCDX UNCCC 8.98 8.98 8.98 8.98 11.90		Nonrecurring Currently Combined Network Elements Switch -As-															
Is Charge - 56/64 kbps	\longrightarrow			ļ	UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
Is Charge - DS1		Is Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
Is Charge - DS3		ls Charge - DS1			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1 NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months																	1
Is Charge - STS1	\longrightarrow				UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
		Is Charge - STS1						8.98	8.98	8.98	8.98		11.90				
			i - Belo	w DS3:	one month, DS3 an	d above=fou	r months									ļ	├

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted		Incremental Charge -	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
Excha	nge Ports							7144.		7.44.	0020					
	: Although the Port Rate includes all available features in GA, F	KY. LA	& TN. tl	he desired features	will need to b	e ordered usin	g retail USOCs								 	
	E VOICE GRADE LINE PORT RATES (RES)	1.,	1				g									
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80		11.90			 	
			1										[
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80		11.90	í '			
													i		 	
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80		11.90	ł '		'	
	Exchange Ports - 2-Wire VG unbundled Florida area calling with		1										[
1	Caller ID - Res.			UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80		11.90	ł '		'	
	Exchange Ports - 2-Wire VG unbundled res, low usage line port												·			
	with Caller ID (LUM)			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80		11.90	ł '		'	
	Subsequent Activity		1	UEPSR	USASC	0.00	0.00	0.00				11.90	[
FEATU			1										[
	All Available Vertical Features			UEPSR	UEPVF	2.26	0.00	0.00				11.90	i		 	
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)												i		 	
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -												i		 	
	Bus			UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80		11.90	ł '		'	
	Exchange Ports - 2-Wire VG unbundled Line Port with					-							i			
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80		11.90	ł '		'	
	and raise per min canonic for its basis			02. 02	02. 20		0	0.00	1.00			11.00			 	
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80		11.90	ł '		'	
	Exhange Ports - 2-Wire VG unbundled incoming only port with		1	02. 05	02. 50		0	0.00	1.00			11.00			 	
	Caller ID - Bus			UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80		11.90	ł '		'	
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	1.00			11.90			 	
FEATU				02. 05	00,100	0.00	0.00	0.00				11.00				
	All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00				11.90				
EXCH	ANGE PORT RATES (DID & PBX)			02. 05	02	2.20	0.00	0.00				11.00			 	
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		1	UEPSP	UEPP1	1.40	39.06	18.18	12.35	0.7187		11.90	[
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187		11.90			 	
	2-Wire Voice Unbundled PBX LD Terminal Ports		1	UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187		11.90	[
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187		11.90	i			
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187		11.90	i		—	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.40	39.06	18.18	12.35	0.7187		11.90	i		—	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187		11.90	i		—	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		1													
1 1	Capable Port			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187		11.90	1	1	'	1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy												1			
	Administrative Calling Port	l	1	UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187		11.90	1	1		1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1													
1 1	Room Calling Port			UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187		11.90	1	1	'	1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital												1			
<u>[]</u>	Discount Room Calling Port	<u> </u>	<u> </u>	UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187	<u></u>	11.90	<u>. </u>	<u>1</u>	<u> </u>	1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.40	39.06	18.18	12.35	0.7187		11.90	1			
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00				11.90	1			
FEATU	URES												i			
	All Available Vertical Features			UEPSP UEPSE	UEPVF	2.26	0.00	0.00				11.90	i			
EXCH	ANGE PORT RATES (COIN)													1		1
	Exchange Ports - Coin Port					1.40	3.74	3.63	1.88	1.80		11.90				
NOTE	: Transmission/usage charges associated with POTS circuit sv	witched	lusage	will also apply to ci	ircuit switche	d voice and/or	circuit switch	ed data transm	nission by B-Ch	annels associ	ated with 2-	wire ISDN p	orts.			
	: Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS)												i			
	ANGE PORT RATES (DID & PBX)															
EXCH.				LIEDEY	LIEDDO	0.70	70.44	15.00	41.94	4.26	1	11.90		1	1.83	1
EXCH	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.73	78.41	15.82	41.54	4.20		11.30	'		1.00	
EXCH	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			UEPDD	UEPDD	54.95	151.11	77.75	48.81	3.10		11.90			1.83	

LINDU	וחו בי	NETWORK ELEMENTS Florida														E-122 E	I
UNBUN	IDLEL	NETWORK ELEMENTS - Florida	1	1	ı	1	П				1	00	00	Attachment:		Exhibit: B	
												Svc Order					Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
047506		DATE ELEMENTO	Interi	-	D00	11000			FFO(6)			Elec	Manually	Manual Svc			Manual Svc
CATEGO	JK T	RATE ELEMENTS	m	Zone	BCS	USOC		KA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+		Monroe	vein a	Nonrecurring	n Dissennest			000	Rates(\$)		
			-	-			Rec	Nonrec				001150	001111			001141	001111
		First and David O. William IODN David (O. a. National July)	-	-	LIEDTY LIEDOY	LIADAAA	0.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	8.83	46.83	50.68	27.64	11.93		11.90		ļ	1.83	
<u> </u>		All Features Offered	l		UEPTX UEPSX	UEPVF	2.26	0.00	0.00	L	l		11.90		ļ	1.83	
	IOTE:	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to c	ircuit switche	ed voice and/or	circuit switch	ed data transm	nission by B-Cl	nannels associ	ated with 2	wire ISDN p	oorts.	<u> </u>		
	IOIE:	Access to B Channel or D Channel Packet capabilities will be	availai	ole only						lities will be de	etermined via t	he Bona Fid	de Request/	New Busines	s Request Pro	cess.	
\vdash		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
<u> </u>		Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23		11.90		ļ	1.83	
		OCAL SWITCHING, PORT USAGE															
		ice Switching (Port Usage)															
<u> </u>		End Office Switching Function, Per MOU					0.0007662										
		End Office Trunk Port - Shared, Per MOU	ļ	 		<u> </u>	0.000164						ļ				
Т		Switching (Port Usage) (Local or Access Tandem)	ļ	ļ						ļ							
$\vdash \!$		Tandem Switching Function Per MOU		<u> </u>			0.0001319			1							
$\perp \perp \downarrow$		Tandem Trunk Port - Shared, Per MOU		<u> </u>			0.000235			1							
c	Commo	on Transport	<u> </u>	<u> </u>		1				ļ							
		Common Transport - Per Mile, Per MOU				1	0.0000035						ļ		<u> </u>		
		Common Transport - Facilities Termination Per MOU					0.0004372										
		ORT/LOOP COMBINATIONS - COST BASED RATES													ļ		
		ased Rates are applied where BellSouth is required by FCC ar															
		s shall apply to the Unbundled Port/Loop Combination - Cos															
E	nd Off	fice and Tandem Switching Usage and Common Transport Us	sage rat	es in th	ne Port section of the	nis rate exhib	it shall apply to	all combination	ons of loop/po	rt network eler	ments except 1	for UNE Coi	n Port/Loop	Combinatio	ns.		
		orgia, Kentucky, Louisiana, MIssissippi, South Carolina and															
C	Current	ly Combined Combos for all states. In GA, KY, LA, MS, SC ar	nd TN th	nese no	onrecurring charges	are commiss	sion ordered co	st based rates	and in AL, FL	and NC these	nonrecurring	charges are	Market Rat	tes and are al	so listed in th	e Market Rate	section.
F	or Cur	rently Combined Combos in all other states, the nonrecurrin	g charg	es sha	Il be those identified	d in the Nonr	ecurring - Curre	ently Combine	d sections.								
2	-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
U	JNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			14.11										
		2-Wire VG Loop/Port Combo - Zone 2		2			18.23										
		2-Wire VG Loop/Port Combo - Zone 3		3			33.04										
U	JNE Lo	op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.94										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	17.06										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	31.87										
2	-Wire	Voice Grade Line Port Rates (Res)															
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.17	90.00	90.00				11.90				
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.17	90.00	90.00				11.90				
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.17	90.00	90.00				11.90		1		
						1		22.00	22.00	1			11100	İ			
		2-Wire voice unbundled Florida Area Calling with Caller ID - res	1	1	UEPRX	UEPAF	1.17	90.00	90.00	I		1	11.90	Ì		1	
 		2-Wire voice unbundles res, low usage line port with Caller ID	1	1				22.00	22.00	1			11100	1			
		(LUM)	1	1	UEPRX	UEPAP	1.17	90.00	90.00	I			11.90	Ì		1 1	
F	EATU			1		J = W	1.17	55.56	30.00	 		t	11.50	†	 		
 		All Features Offered		1	UEPRX	UEPVF	2.26	0.00	0.00	—		-	11.90	 	†	\vdash	
 		NUMBER PORTABILITY	 	 	021100	JEI VI	2.20	0.00	0.00	 			11.30	 	+	 	
 		Local Number Portability (1 per port)	 	1	UEPRX	LNPCX	0.35			 	1	 	1	1	+	\vdash	1
 		CURRING CHARGES (NRCs) - CURRENTLY COMBINED		 	OLI IXX	LIVIOA	0.33			t		1	1		 	 	
H-1		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 	1		1				 	1	 	1	1	+	\vdash	1
		Switch-as-is	1	1	UEPRX	USAC2		0.102	0.102	I		1	11.90	Ì		1	
\vdash			 	 	ULFKA	USAUZ		0.102	0.102	-		-	11.90		 		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	1		UEPRX	USACC		0.102	0.102	1			11.90			1	
 	DDIT		 	1	ULPRA	USACC		0.102	0.102	 		1	11.90	 	 		-
P	וווטטוו	ONAL NRCs		1		+				 		1	 	 	 		
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDDY	110465				1						1	
<u> </u>	14//	Activity	ļ	<u> </u>	UEPRX	USAS2	0.00	0.00	0.00				11.90			↓	
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	ļ	<u> </u>		_										↓	
⊢	INE Po	ort/Loop Combination Rates	ļ	<u> </u>		_										↓	
1 1		2-Wire VG Loop/Port Combo - Zone 1	ļ	1		ļ	14.11			.				ļ	↓	└	
-		2-Wire VG Loop/Port Combo - Zone 2	1	2	ĺ	1	18.23										
			-														
		2-Wire VG Loop/Port Combo - Zone 3		3			33.04										
U				3	UEPBX	UEPLX	33.04 12.94										

04/12/02 Page 61 of 352

ONRONDE	D NETWORK ELEMENTS - Florida		1	1							1		Attachment:		Exhibit: B	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	'ES(\$)			1	Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	17.06										
0.147	2-Wire Voice Grade Loop (SL1) - Zone 3	<u> </u>	3	UEPBX	UEPLX	31.87										
2-Wire	e Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.17	90.00	90.00				11.90				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.17	90.00	90.00				11.90				
	2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.17	90.00	90.00				11.90				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.17	90.00	90.00				11.90				
LOCA	L NUMBER PORTABILITY			OLI DX	OI EBI	1.17	50.00	50.00				11.00				
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	URES															
	All Features Offered			UEPBX	UEPVF	2.26	0.00	0.00				11.90				
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED					1	1									
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPBX	USAC2		0.102	0.102			ļ	11.90				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		l	1]										
	Switch with change	ļ		UEPBX	USACC		0.102	0.102			ļ	11.90			ļ	
ADDIT	FIONAL NRCs	ļ			\bot						ļ				ļ	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1	LIEDBY	HEACO	l	0.00	0.00				44.00				
0.14/15	Activity E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	-	-	UEPBX	USAS2		0.00	0.00			1	11.90		-	1	
	Port/Loop Combination Rates	 	<u> </u>	-	+						1			-	-	
UNE	2-Wire VG Loop/Port Combo - Zone 1	}	1	1	+ +	14.11	+		1		 			1		}
 	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	1	2	 	1	18.23	-		1		1				1	
	2-Wire VG Loop/Port Combo - Zone 3	 	3	 	+	33.04	+				 				1	
UNE I	Loop Rates		Ť		1	00.0 T			1							
J	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEPRG	UEPLX	12.94	İ		Ì							
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	17.06								1		
<u> </u>	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	31.87									<u> </u>	
2-Wire	e Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -							<u> </u>								
	Res	ļ		UEPRG	UEPRD	1.17	90.00	90.00				11.90				
LOCA	L NUMBER PORTABILITY	ļ	<u> </u>	LIEDDO	LNDCD						ļ					
	Local Number Portability (1 per port)	<u> </u>	ļ	UEPRG	LNPCP	3.15	0.00	0.00			<u> </u>	11.90			ļ	
FEAT				LIEDDO	LIED) (E	0.00	0.00	0.00				44.00				
NOND	All Features Offered			UEPRG	UEPVF	2.26	0.00	0.00				11.90				_
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 	-	-	+	+	+		-		 				†	-
	Conversion - Switch-As-Is		1	UEPRG	USAC2	l	8.45	1.91				11.90				
 	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 		OLI NO	30/102	+	0.43	1.91				11.30			+	
	Conversion - Switch with Change		1	UEPRG	USACC]	8.45	1.91				11.90				
ADDIT	FIONAL NRCs				0000		0.40	1.51	1			11.50			1	
7.2211	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1		İ	1	İ	İ		Ì							
	Subsequent Activity		1	UEPRG	USAS2	0.00	0.00	0.00				11.90				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt				i i											
	Group	<u></u>					7.09	7.09				11.90				
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)					_	_	•	_	_						
UNE F	Port/Loop Combination Rates															<u> </u>
	2-Wire VG Loop/Port Combo - Zone 1		1	ļ	-↓	14.11										
ļļ	2-Wire VG Loop/Port Combo - Zone 2	ļ	2		1	18.23					ļ				ļ	
	2-Wire VG Loop/Port Combo - Zone 3	<u> </u>	3			33.04					1					
UNE L	Loop Rates	 	-	LIEDDY	LIEDLY	10.01									1	
	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEPPX UEPPX	UEPLX UEPLX	12.94 17.06									1	
	2-Wire Voice Grade Loop (SL 1) - Zone 2	-			UEPLX	17.06 31.87					1			-	1	<u> </u>
2_/4/:	2-Wire Voice Grade Loop (SL 1) - Zone 3 e Voice Grade Line Port Rates (BUS - PBX)	 	3	UEPPX	UEPLA	31.8/					1			-	1	
Z-VVIP	VOICE GIAUE LITTE FOIL RAILES (BUS - PBA)	}	-	1	+ +	+	+		1		 			1		
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.17	90.00	90.00				11.90				
	Line Side Unbundled Outward PBX Trunk Port - Bus	 		UEPPX	UEPPO	1.17	90.00	90.00				11.90			+	
	I = 1.0 0.00 Ombanaida Oatmara I DA Halik I Oit - Dao	1	1	UEPPX	UEPP1	1.17	90.00	90.00				11.90		ļ	<u> </u>	1

ONBONDL	ED NETWORK ELEMENTS - Florida			1									Attachment:		Exhibit: B	L
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	⁻ ES(\$)				,	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						_	Nonrec	urring	Nonrecurring Disc	connect			oss	Rates(\$)		
						Rec	First	Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.17	90.00	90.00				11.90				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	90.00	90.00				11.90				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17	90.00	90.00				11.90				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.17	90.00	90.00				11.90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	90.00	90.00				11.90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	1.17	90.00	90.00				11.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	1.17	90.00	90.00				11.90				
+	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02 X	02.7.2		00.00	00.00				11.00				
	Room Calling Port			UEPPX	UEPXM	1.17	90.00	90.00				11.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			OLITA	OLI XIVI	1.17	30.00	30.00				11.50				
	Discount Room Calling Port			UEPPX	UEPXO	1.17	90.00	90.00				11.90				
+	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	 	 	UEPPX	UEPXS	1.17	90.00	90.00	 	-		11.90			1	
1.00	AL NUMBER PORTABILITY	 	 	OLI I A	OLI AO	1.17	90.00	50.00	 	-		11.50			1	
LUC	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				11.90				
EE A	TURES			UEPFA	LINECE	3.13	0.00	0.00				11.90				
FEA	All Features Offered	1		UEPPX	UEPVF	2.26	0.00	0.00				11.90				
NON		-	-	UEPPX	UEPVF	2.26	0.00	0.00				11.90				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	-													
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -											44.00				
	Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91				11.90				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		8.45	1.91				11.90				
ADD	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				11.90				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.86	7.86				11.90				
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POP	₹T														
UNE	Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.11										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			18.23										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			33.04										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.94										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	17.06										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	31.87										
2-Wi	re Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (FL)			UEPCO	UEP2F	1.17	90.00	90.00				11.90				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(FL)			UEPCO	UEPFA	1.17	90.00	90.00				11.90				
	2-Wire Coin 2-Way with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	1.17	90.00	90.00				11.90				
+	2-Wire Coin Outward with Operator Screening and 011 Blocking			02. 00	02.00		00.00	00.00				11.00				
	(AL. FL)			UEPCO	UEPRK	1.17	90.00	90.00				11.90				
	2-Wire Coin Outward with Operator Screening and Blocking:			021 00	OLITAR	1.17	50.00	50.00				11.00				
	900/976, 1+DDD, 011+ (FL)	1	1	UEPCO	UEPOF	1.17	90.00	90.00	[11.90			Ì	1
	2-Wire Coin Outward with Operator Screening and Blocking:	 	-	02.00	JE1 01	1.17	55.50	30.00	 			11.50			-	
	900/976, 1+DDD, 011+, and Local (FL, GA)	1	1	UEPCO	UEPCQ	1.17	90.00	90.00				11.90			Ì	1
	2-Wire 2-Way Smartline with 900/976 (all states except LA)	 	 	UEPCO	UEPCK	1.17	90.00	90.00	 			11.90			1	
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)	 	 	OLFOO	ULFUN	1.17	90.00	90.00	 	-		11.90			1	
	2-wire Coin Outward Smartline with 900/976 (all states except		1	UEPCO	UEPCR	1.17	90.00	90.00				11.90				1
ADD	TIONAL UNE COIN PORT/LOOP (RC)	 	 	ULPCU	DEPUR	1.17	90.00	90.00				11.90				
ADD		 		LIEDCO	LIDEOU	4.00	90.00	90.00	 			44.00				
	UNE Coin Port/Loop Combo Usage (Flat Rate)		 	UEPCO	URECU	1.86	90.00	90.00	 			11.90			 	
LOC	AL NUMBER PORTABILITY	-	1	LIEBOO	LNDOV	0.65										+
	Local Number Portability (1 per port)		!	UEPCO	LNPCX	0.35										
INON	RECURRING CHARGES - CURRENTLY COMBINED	<u> </u>	<u> </u>									<u> </u>				

UNBL	JNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
1												Svc Order	Svc Order	Incremental			Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi	1_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1					+		Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		l.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-														
		Switch-as-is			UEPCO	USAC2		0.102	0.102				11.90				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-														
-	ADDIT	Switch with change ONAL NRCs		-	UEPCO	USACC		0.102	0.102				11.90				
	ADDITI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	1													
		Activity			UEPCO	USAS2		0.00	0.00				11.90				
	UNBUN	IDLED REMOTE CALL FORWARDING - RES															
	Non-Re	ecurring															
	UNBUN	DLED REMOTE CALL FORWARDING - Bus															
	L	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB	UEPVJ	1.40	3.74	3.63	1.88	1.80		11.90				
		ecurring		DODT /	DEC)												
-	Z-WIRE	EVOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE 2-Wire voice unbundles res, low usage line port with Caller ID	E LINE I	FUKI (reð)	+	 			-	-						
		(LUM)			UEPFR	UEPAP	1.62	250.00	250.00				11.90				
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (J=	1.02	200.00	200.00				11.50		1		
UNBU		PORT/LOOP COMBINATIONS - COST BASED RATES		Ι,													
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			23.21										
	1	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			28.28										
	LINE L	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		-	46.53										
	OIAL L	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14.50						11.90			1.83	
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	19.57						11.90			1.83	
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	37.82						11.90			1.83	
	UNE P	ort Rate															
		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.71	850.00	75.00				11.90			1.83	
	NONRE	ECURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is	1		UEPPX	USAC1		7.85	1.87				11.90				
	1	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			UEPPX	USACT		7.00	1.07				11.90				
		with BellSouth Allowable Changes			UEPPX	USA1C		7.85	1.87				11.90				
	ADDIT	ONAL NRCs															
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		32.26	32.26				11.90				
	Teleph	one Number/Trunk Group Establisment Charges															
		DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00				11.90			1.83	
	1	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers	1		UEPPX	NDZ	0.00	0.00	0.00				11.90		1	1.83	
	1	Additional DID Numbers for each Group of 20 DID Numbers	1	1	UEPPX	ND4	0.00	0.00	0.00				11.90			1.83	
	1	DID Numbers, Non- consecutive DID Numbers , Per Number	1		UEPPX	ND5	0.00	0.00	0.00				11.90			1.83	
	1	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00				11.90			1.83	
	<u></u>	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				11.90			1.83	
	LOCAL	NUMBER PORTABILITY							· · · · ·								
	0.15	Local Number Portability (1 per port)	NE CIT	<u> </u>	UEPPX	LNPCP	3.15	0.00	0.00								
-		EISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	E PORT	1	1											
-	ONE P	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	<u> </u>	1	-	+			-	-			1	-		
		UNE Zone 1		1	UEPPB UEPPR		32.09										
	1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
		UNE Zone 2		2	UEPPB UEPPR		38.15										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
	<u> </u>	UNE Zone 3	ļ	3	UEPPB UEPPR		59.94								ļ		
<u> </u>	UNE L	Dop Rates	!	—	HEDDD HEDDS	LICLOV	04.74			-	-		44.00	-	 	4.00	-
-	 	2-Wire ISDN Digital Grade Loop - UNE Zone 1	!	1	UEPPB UEPPR	USL2X	24.71						11.90	-	-	1.83	-
	1	2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB UEPPR	USL2X	30.77						11.90		1	1.83	
	1	2-Wire ISDN Digital Grade Loop - UNE Zone 3	1	3	UEPPB UEPPR		52.56					1	11.90	1	1	1.83	
	UNE P	ort Rate	1	Ť	1	T	32.30								Ì	50	
	•		•	•	•	•				•	•			•	•		

ONBON	DLE	NETWORK ELEMENTS - Florida			1			1							Attachment:		Exhibit: B	
CATEGOI	RY	RATE ELEMENTS	Interi m	Zone	E	scs	usoc		RAT	FES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
								Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	7.38	525.00	400.00				11.09			1.83	
N	ONRE	CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB	UEPPR	USACB	0.00	25.22	17.00				11.90			1.83	
A	DDITI	ONAL NRCs																
L	OCAL	NUMBER PORTABILITY		1														1
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								1
B-		NEL USER PROFILE ÁCCESS:																
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								1
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
R.		NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. 8	TN)	52.15	J I IX	3.555	0.00	0.00	0.00							t	
		ERMINAL PROFILE	1	1	†		+						 				 	+
10.		User Terminal Profile (EWSD only)	1	 	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00							 	+
1/1		AL FEATURES	1		25.10	OLI I IX	JIONA	0.00	0.00	0.00			1				t	+
V.		All Vertical Features - One per Channel B User Profile	1		UEPPB	UEPPR	UEPVF	2.26	0.00	0.00			1	11.90			 	+
IN		OFFICE CHANNEL MILEAGE		-	OLFFB	OLFFR	OLF VI	2.20	0.00	0.00				11.90				+
IIN		Interoffice Channel mileage each, including first mile and		-														+
					LIEDDD	UEPPR	MACNIC	18.4491	47.35	31.78	40.04	7.03		44.00			1.83	
		facilities termination					M1GNC				18.31	7.03		11.90				
		Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0091	0.00	0.00				11.90			1.83	
		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	K PORT															
U		rt/Loop Combination Rates																
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 1		1	UEPPP			156.18										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 2		2	UEPPP			181.87										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 3		3	UEPPP			274.25										
U		op Rates																
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	73.44						11.90			1.83	
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	99.13						11.90			1.83	
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	191.51						11.90			1.83	
U	NE Po	rt Rate																
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	82.74	1,150.00	1,150.00				11.90			1.83	1
N	ONRE	CURRING CHARGES - CURRENTLY COMBINED																
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																1
		Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	84.17	61.38				11.90			1.83	
Α		ONAL NRCs																
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																1
		Inward/two way tel nos within Std Allowance (except NC)			UEPPP		PR7TF		0.5412					11.90			1.83	
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
		Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		12.71	12.71				11.90			1.83	
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			OLITI		11010		12.71	12.71				11.00			1.00	+
		Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		25.42	25.42				11.90			1.83	
- 1,		NUMBER PORTABILITY		-	OLITI		110721		20.72	20.72				11.50			1.00	+
		Local Number Portability (1 per port)	1		UEPPP		LNPCN	1.75					1				t	+
IN		ACE (Provsioning Only)	1	 	OLI'FF		LINI OIN	1.75									 	+
III		Voice/Data	1	!	UEPPP		PR71V	0.00	0.00	0.00	-		 				 	+
		Digital Data	1	1	UEPPP		PR71D	0.00	0.00	0.00			-					+
		Inward Data	!	<u> </u>	UEPPP		PR71E	0.00	0.00	0.00	-							+
L L			1		UEPPP		rr/IE	0.00	0.00	0.00			-				 	+
N		Additional "B" Channel	1	<u> </u>	LIEDDE		DDZDV/	0.00	45.40				 	44.00			4.00	+
		New or Additional - Voice/Data B Channel	1	<u> </u>	UEPPP		PR7BV	0.00	15.48				ļ	11.90			1.83	
		New or Additional - Digital Data B Channel	1	<u> </u>	UEPPP		PR7BF	0.00	15.48				ļ	11.90			1.83	
		New or Additional Inward Data B Channel	1	<u> </u>	UEPPP		PR7BD	0.00	15.48					11.90			1.83	
C		YPES	1	<u> </u>	L													
		Inward		<u> </u>	UEPPP		PR7C1	0.00	0.00	0.00							1	↓
		Outward			UEPPP		PR7C0	0.00	0.00	0.00								<u> </u>
		Two-way			UEPPP		PR7CC	0.00	0.00	0.00								
l.	40-066	ice Channel Mileage																T

CHOONDL	ED NETWORK ELEMENTS - Florida	1	1		1						Cua Ord	Svc Order	Attachment: Incremental		Exhibit: B	Incrementa
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sy Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Fixed Each Including First Mile			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05		11.90			1.93	
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.1856										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE	Port/Loop Combination Rates	1														
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		128.39						11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		154.08						11.90			1.83	
LINE	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	-	3	UEPDC		246.46						11.90			1.83	
UNE	Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	73.44						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 2	-	2	UEPDC	USLDC	99.13						11.90			1.83	
-	4-Wire DS1 Digital Loop - UNE Zone 2	+	3	UEPDC	USLDC	191.51						11.90			1.83	
LINE	Port Rate		3	OLFDC	USLDC	191.51						11.90			1.03	
UNE	4-Wire DDITS Digital Trunk Port	1	+	UEPDC	UDD1T	54.95			1			11.90			1.83	
NONE	RECURRING CHARGES - CURRENTLY COMBINED		1	OLI DO	ODDII	34.33						11.50			1.00	
11011	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1	1	†	+	-			1		 				 	
[- Switch-as-is			UEPDC	USAC4	l	95.31	46.71				11.90			1.83	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1	t		33, 104		30.01	70.71				11.55			1.55	
	- Conversion with DS1 Changes			UEPDC	USAWA		95.31	46.71				11.90			1.83	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1	1													
	- Conversion with Change - Trunk			UEPDC	USAWB		95.31	46.71				11.90			1.83	
ADDI	TIONAL NRCs						70.01									
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		1													
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.69	15.69				11.90			1.83	
BIPO	LAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	655.00				11.90			1.83	
	B8ZS - Extended Superframe Format	1		UEPDC	CCOEF		0.00	655.00				11.90			1.83	
Alteri	nate Mark Inversion		1													
	AMI -Superframe Format	-	-	UEPDC	MCOSF		0.00	0.00								
Talan	AMI - Extended SuperFrame Format	-	-	UEPDC	MCOPO		0.00	0.00								
relep	hone Number/Trunk Group Establisment Charges Telephone Number for 2-Way Trunk Group	1	1	UEPDC	UDTGX	0.00						11.90			1.83	
-	Telephone Number for 1-Way Outward Trunk Group	+	+	UEPDC	UDTGY	0.00					1	11.90			1.83	
-	Telephone Number for 1-Way Inward Trunk Group Without DID	+	1	UEPDC	UDTGZ	0.00						11.90			1.83	
	DID Numbers, Establish Trunk Group and Provide First Group	1	+	OLFDO	UDIGE	0.00			1			11.90			1.63	
	of 20 DID Numbers		1	UEPDC	NDZ	0.00	0.00	0.00			1	11.90			1.83	1
	DID Numbers for each Group of 20 DID Numbers	1	+	UEPDC	ND4	0.00	0.00	0.00	1			11.90			1.83	
	DID Numbers, Non- consecutive DID Numbers , Per Number		1	UEPDC	ND5	0.00						11.90			1.83	
	Reserve Non-Consecutive DID Nos.	1	t	UEPDC	ND6	0.00	0.00	0.00				11.90			1.83	
	Reserve DID Numbers	1	1	UEPDC	NDV	0.00	0.00	0.00				11.90			1.83	
Dedic	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loop				2.20	2.30							50	
1	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	T	1			İ									İ	
	Termination)			UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05		11.90			1.83	<u> </u>
						Ì										
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	1	L	UEPDC	1LNOA	0.1856	0.00	0.00			<u></u>				<u> </u>	<u></u>
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities												_			
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25]	
	miles			UEPDC	1LNOB	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities												·			
	Termination)	1	1	UEPDC	1LNO3	0.00	0.00	0.00	0.00		l	1			1	l

	ED NETWORK ELEMENTS Florido												A44	^	Fubility D	
ONDONDE	ED NETWORK ELEMENTS - Florida	1	1	ı	1	1				ı	00	00	Attachment:		Exhibit: B	
													Incremental			Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1856	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point		 	UEPDC	CTG	0.00	0.00	0.00	0.00							
4-WIE	RE DS1 LOOP WITH CHANNELIZATION WITH PORT		 	OLI DO	010	0.00										
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivetions			+											
	System can have up to 24 combinations of rates depending or	type ar	ia num	iber of ports used												
UNE	DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1	<u> </u>	1	UEPMG	USLDC	73.44	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2	<u> </u>		UEPMG	USLDC	99.13	0.00	0.00			ļ					
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	191.51	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configuratio	ns)														
l	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	118.06	0.00	0.00				11.90			1.83	
	48 DSO Channel Capacity - 1 per 2 DS1s	1		UEPMG	VUM48	236.12	0.00	0.00				11.90			1.83	
	96 DSO Channel Capacity -1per 4 DS1s		1	UEPMG	VUM96	472.24	0.00	0.00			1	11.90			1.83	
 	144 DS0 Channel Capacity - 1 per 6 DS1s	 	t	UEPMG	VUM14	708.36	0.00	0.00			 	11.90			1.83	
 	192 DS0 Channel Capacity - 1 per 8 DS1s	 	 	UEPMG	VUM19	944.48	0.00	0.00			1	11.90			1.83	
	240 DS0 Channel Capacity - 1 per 10 DS1s	1	 	UEPMG	VUM20	1,180.60	0.00	0.00			-	11.90			1.83	
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00				11.90			1.83	
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,888.96	0.00	0.00				11.90			1.83	
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,361.20	0.00	0.00				11.90			1.83	
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833.44	0.00	0.00				11.90			1.83	
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,305.68	0.00	0.00				11.90			1.83	
Non-l	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit	h Chani	neliztio	n with Port - Conve	rsion Charge	Based on a Sy	stem									
	nimum System configuration is One (1) DS1, One (1) D4 Channe iples of this configuration functioning as one are considered A															
	NRC - Conversion (Currently Combined) with or without															
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	96.77	4.24				11.90				
	em Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nelizat	ion with Port Comb	ination Curre	ently Exists and										
New	(Not Currently Combined) In GA, KY, LA, MS & TN Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
	E. A. C. C. Alexandra I.A. I.O. MO. ATN. O. I.															
	Fea Activation - New GA, LA, KY, MS, & IN Only			UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24		11.90				
Bipol	Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24		11.90				
Bipol	lar 8 Zero Substitution			UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24		11.90				
Bipol	lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent								145.32	17.24						
Bipol	lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG UEPMG	VUMD4 CCOSF	0.00	726.11	468.21 655.00	145.32	17.24		11.90				
Bipol	lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe -			UEPMG	CCOSF	0.00	0.00	655.00	145.32	17.24		11.90				
	lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only								145.32	17.24						
	lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only mate Mark Inversion (AMI)			UEPMG UEPMG	CCOSF	0.00	0.00	655.00 655.00	145.32	17.24		11.90				
	Ilar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format			UEPMG UEPMG UEPMG	CCOSF CCOEF	0.00	0.00 0.00 0.00	655.00 655.00	145.32	17.24		11.90				
Alteri	lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format			UEPMG UEPMG	CCOSF	0.00	0.00	655.00 655.00	145.32	17.24		11.90				
Alteri	lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format lange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port	UEPMG UEPMG UEPMG	CCOSF CCOEF	0.00	0.00 0.00 0.00	655.00 655.00	145.32	17.24		11.90				
Alteri	lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format	on with	Port	UEPMG UEPMG UEPMG	CCOSF CCOEF	0.00	0.00 0.00 0.00	655.00 655.00	145.32	17.24		11.90				
Alteri	Ilar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only mate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizationage Ports	on with	Port	UEPMG UEPMG UEPMG UEPMG	CCOSF CCOEF	0.00	0.00 0.00 0.00 0.00	655.00 655.00 0.00 0.00				11.90				
Alteri	lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format lange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port	UEPMG UEPMG UEPMG	CCOSF CCOEF	0.00	0.00 0.00 0.00	655.00 655.00	145.32	17.24		11.90			1.83	
Alteri	Ilar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format lange Ports Associated with 4-Wire DS1 Loop with Channelizati lange Ports Line Side Combination Channelized PBX Trunk Port - Business	on with	Port	UEPMG UEPMG UEPMG UEPMG	CCOSF CCOEF MCOSF MCOPO	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	655.00 655.00 0.00 0.00				11.90			1.83	
Alteri	Ilar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only mate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizationage Ports	on with	Port	UEPMG UEPMG UEPMG UEPMG UEPMG	CCOSF CCOEF MCOSF MCOPO UEPCX	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	655.00 655.00 0.00 0.00	0.00	0.00		11.90				
Alteri	Ilar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only mate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format lange Ports Associated with 4-Wire DS1 Loop with Channelizati lange Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business	on with	Port	UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	655.00 655.00 0.00 0.00 0.00	0.00	0.00		11.90 11.90 11.90			1.83	
Alteri	Ilar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only mate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID	on with	Port	UEPMG UEPMG UEPMG UEPMG UEPPMS UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEP1X	0.00 0.00 0.00 0.00 1.38 1.38	0.00 0.00 0.00 0.00 0.00	655.00 655.00 0.00 0.00 0.00	0.00	0.00		11.90 11.90 11.90 11.90			1.83	
Alteri Exchi	Identify	on with	Port	UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	655.00 655.00 0.00 0.00 0.00	0.00	0.00		11.90 11.90 11.90			1.83	
Alteri Exchi	Activity Only Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only mate Mark Inversion (AMI) Superframe Format Extended Superframe Format lange Ports Associated with 4-Wire DS1 Loop with Channelization angle Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port urre Activations - Unbundled Loop Concentration	on with	Port	UEPMG UEPMG UEPMG UEPMG UEPPMS UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEP1X	0.00 0.00 0.00 0.00 1.38 1.38	0.00 0.00 0.00 0.00 0.00	655.00 655.00 0.00 0.00 0.00	0.00	0.00		11.90 11.90 11.90 11.90			1.83	
Alteri Exchi	Ilar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only The Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Line Side Combination Channelized PBX Trunk Port - Business Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated	on with	Port	UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPOX UEP1X UEPDM	0.00 0.00 0.00 0.00 1.38 1.38 1.38 8.71	0.00 0.00 0.00 0.00 0.00 0.00 0.00	655.00 655.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00		11.90 11.90 11.90 11.90 11.90			1.83 1.83 1.83	
Alteri Exchi	Ilar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Tate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Line Side Combination Channelized PBX Trunk Port - Business Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank	on with	Port	UEPMG UEPMG UEPMG UEPMG UEPPMS UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEP1X	0.00 0.00 0.00 0.00 1.38 1.38	0.00 0.00 0.00 0.00 0.00	655.00 655.00 0.00 0.00 0.00	0.00	0.00		11.90 11.90 11.90 11.90			1.83	
Alteri Exchi	Idea A zero Substitution	on with	Port	UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPDM 1PQWM	0.00 0.00 0.00 0.00 1.38 1.38 1.38 8.71	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	655.00 0.00 0.00 0.00 0.00 0.00 0.00 13.41	0.00 0.00 0.00 0.00 3.96	0.00 0.00 0.00 0.00		11.90 11.90 11.90 11.90 11.90			1.83 1.83 1.83	
Exch.	Iar 8 Zero Substitution	on with	Port	UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPOX UEP1X UEPDM	0.00 0.00 0.00 0.00 1.38 1.38 1.38 8.71	0.00 0.00 0.00 0.00 0.00 0.00 0.00	655.00 655.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00		11.90 11.90 11.90 11.90 11.90			1.83 1.83 1.83	
Exch.	Ilar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only The Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Line Side Combination Channelized PBX Trunk Port - Business Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank phone Number/ Group Establishment Charges for DID Service	on with	Port	UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPCX UEPOX UEP1X UEPDM 1PQWM	0.00 0.00 0.00 0.00 1.38 1.38 1.38 8.71	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	655.00 655.00 0.00 0.00 0.00 0.00 0.00 13.41 18.42	0.00 0.00 0.00 0.00 3.96	0.00 0.00 0.00 0.00		11.90 11.90 11.90 11.90 11.90 11.90			1.83 1.83 1.83	
Exch.	Idea A zero Substitution	on with	Port	UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPDM 1PQWM 1PQWU NDT	0.00 0.00 0.00 0.00 1.38 1.38 1.38 1.38 0.66	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	655.00 0.00 0.00 0.00 0.00 0.00 0.00 13.41 18.42 0.00	0.00 0.00 0.00 0.00 3.96	0.00 0.00 0.00 0.00		11.90 11.90 11.90 11.90 11.90 11.90			1.83 1.83 1.83	
Exch.	Ide a Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Line Side Combination Channelized PBX Trunk Port - Business Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Preature (Service) Activation for each Trunk Side Port Terminated in D4 Bank phone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	on with	Port	UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPTX UEPDM 1PQWM 1PQWU NDT NDZ	0.00 0.00 0.00 0.00 1.38 1.38 1.38 8.71 0.66	0.00 0.00 0.00 0.00 0.00 0.00 0.00 25.40 78.16	655.00 0.00 0.00 0.00 0.00 0.00 13.41 18.42 0.00 0.00	0.00 0.00 0.00 0.00 3.96	0.00 0.00 0.00 0.00		11.90 11.90 11.90 11.90 11.90 11.90 11.90			1.83 1.83 1.83	
Exch.	Ilar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only The Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only The Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only The Superframe Format - Extended Superframe Format - Extended Superframe Format - Extended Superframe Format - Extended Superframe Format - Line Side Combination Channelized PBX Trunk Port - Business - Line Side Combination Channelized PBX Trunk Port - Business - Line Side Outward Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port urre Activations - Unbundled Loop Concentration - Feature (Service) Activation for each Line Side Port Terminated in D4 Bank - Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank - Provide 1st 20 DID Nos. (FL,GA, NC,& SC) - DID Trunk Termination (1 per Port) - Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) - DID Numbers - groups of 20 - Valid all States	on with	Port	UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPOX UEPDM 1PQWM 1PQWU NDT NDZ ND4	0.00 0.00 0.00 0.00 1.38 1.38 1.38 8.71 0.66 0.66	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 78.16 0.00 0.00 0.00	655.00 655.00 0.00 0.00 0.00 0.00 0.00 13.41 18.42 0.00 0.00 0.00	0.00 0.00 0.00 0.00 3.96	0.00 0.00 0.00 0.00		11.90 11.90 11.90 11.90 11.90 11.90 11.90 11.90 11.90			1.83 1.83 1.83	
Exch.	Ide a Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Line Side Combination Channelized PBX Trunk Port - Business Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Preature (Service) Activation for each Trunk Side Port Terminated in D4 Bank phone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	on with	Port	UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPTX UEPDM 1PQWM 1PQWU NDT NDZ	0.00 0.00 0.00 0.00 1.38 1.38 1.38 8.71 0.66	0.00 0.00 0.00 0.00 0.00 0.00 0.00 25.40 78.16	655.00 0.00 0.00 0.00 0.00 0.00 13.41 18.42 0.00 0.00	0.00 0.00 0.00 0.00 3.96	0.00 0.00 0.00 0.00		11.90 11.90 11.90 11.90 11.90 11.90 11.90			1.83 1.83 1.83	

UNBUNDLI	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
											Svc Order	Svc Order				Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)	ı	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00		71441	0020	11.90				00
Local	Number Portability			OL: 1 X		0.00	0.00	0.00				11.00				
Looui	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT	URES - Vertical and Optional		-	OLITA	LIVI OI	0.10	0.00	0.00								1
	Switching Features Offered with Line Side Ports Only															
Local	All Features Available		-	UEPPX	UEPVF	2.26	0.00	0.00				11.90			1.83	1
IINDIINDI ED	PORT LOOP COMBINATIONS - MARKET RATES			ULFFX	OLF VI	2.20	0.00	0.00				11.90			1.03	
	et Rates shall apply where BellSouth is not required to provide		llad la	al awitching or awi	tab narta na	ECC andler Co	ata Cammiasi									
These	e scenarios include:	unbunc	ilea io	l switching or swi	ich ports per	FCC and/or Si	ate Commissio	Jii ruies.								
			1-1	- Fl	0											1
	bundled port/loop combinations that are Not Currently Combin									500						
	bundled port/loop combinations that are Currently Combined of											١,				
	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda												INC In the t		DallCarrie	
	outh currently is developing the billing capability to mechanica									not currently o	ombined in	AL, FL and	INC. In the ii	iterim where	belisouth cal	nnot bill
Marke	et Rates, BellSouth shall bill the rates in the Cost-Based section	preced	ing in	lieu of the Market R	ates and res	erves the right	to true-up the	billing differer	nce.		1			1	1	
	Market Rate for unbundled ports includes all available features i			L]	<u> </u>		l	l		l	L	L	l	l	l
	Office and Tandem Switching Usage and Common Transport Us	sage rat	es in tl	ne Port section of th	is rate exhib	it shall apply to	all combinati	ons of loop/po	ort network elen	nents except	for UNE Coi	n Port/Loop	o Combination	ns which have	a flat rate us	sage charge
	C: URECU).															
	lot Currently Combined scenarios where Market Rates apply, the				in the First a	nd Additional	NRC columns	for each Port l	JSOC. For Curi	rently Combin	ed scenario	s, the Nonr	ecurring char	ges are listed	in the NRC -	Currently
Comb	pined section. Additional NRCs may apply also and are categor	rized ac	cordin	gly.												
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE I	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			26.94										
	2-Wire VG Loop/Port Combo - Zone 2		2			31.06										
	2-Wire VG Loop/Port Combo - Zone 3		3			45.87										
UNF	Loop Rates		Ŭ			10.01										1
OIL.	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.94										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	17.06										
-	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	31.87							-			1
2 Win	e Voice Grade Line Port (Res)		3	ULFKA	OLFLX	31.07							-			1
2-9911	2-Wire voice unbundled port - residence		-	UEPRX	UEPRL	14.00	90.00	90.00				11.90				
	2-Wire voice unburidled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00				11.90				1
	· ·															1
	2-Wire voice unbundled port outgoing only - res	-		UEPRX	UEPRO	14.00	90.00	90.00				11.90				
	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF	14.00	90.00	90.00				11.90				
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)	 		UEPRX	UEPAP	14.00	90.00	90.00			ļ	11.90				<u> </u>
LOCA	AL NUMBER PORTABILITY				ļ <u> </u>											ļ
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35							.			ļ
FEAT	URES										ļ					ļ
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				11.90				
		1	1								i	1				
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is	<u> </u>	<u></u>	UEPRX	USAC2		41.50	41.50				11.90		<u></u>	<u></u>	<u></u>
1	2-Wire Voice Grade Loop / Line Port Combination - Switch with															
	change	1	1	UEPRX	USACC	Ì	41.50	41.50			l	11.90				
ADDI	TIONAL NRCs				1											
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -											i				
	Subsequent	1	1	UEPRX	USAS2	Ì	0.00	0.00			l	11.90				
2-WIR	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)				1	İ	2.30	2.30	1		İ		1	İ	İ	İ
	Port/Loop Combination Rates				İ	İ					İ					i e
	2-Wire VG Loop/Port Combo - Zone 1	l	1		1	26.94					 					1
	2-Wire VG Loop/Port Combo - Zone 2		2		 	31.06			 		 		1			
	2-Wire VG Loop/Port Combo - Zone 3	 	3		1	45.87					1		1	1	1	1
LIME	Loop Rates	 	3		1	45.07					1		1	1	1	1
UNE	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPBX	UEPLX	12.94		-			-		-	-	-	
		 							 		 		1			
1	2-Wire Voice Grade Loop (SL1) - Zone 2	.	2	UEPBX	UEPLX	17.06		1	1		1		-	1	1	1
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	31.87					ļ					
													1		1	1
2-Wir	e Voice Grade Line Port (Bus)			LIEBBY .	uene:			:								
2-Wire	e Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX UEPBX	UEPBL UEPBC	14.00 14.00	90.00	90.00				11.90 11.90				

04/12/02 Page 68 of 352

UNDUNDL	ED NETWORK ELEMENTS - Florida			1							001	001	Attachment:		Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	USOC			ES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disc					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00				11.90				
LOC	AL NUMBER PORTABILITY			LIEBBY/	LNBOY											
NON	Local Number Portability (1 per port) RECURRING CHARGES - CURRENTLY COMBINED			UEPBX	LNPCX	0.35										
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50				11.90				
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			OLFBX	USACZ		41.50	41.50				11.50				
	change			UEPBX	USACC		41.50	41.50				11.90				
ADD	ITIONAL NRCs			02. 5%	00,100		11.00	11.00				11.00				
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -				1											
	Subsequent			UEPBX	USAS2		0.00	0.00				11.90				
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															1
	Port/Loop Combination Rates															1
	2-Wire VG Loop/Port Combo - Zone 1	<u></u>	1			26.94										
	2-Wire VG Loop/Port Combo - Zone 2		2			31.06										
	2-Wire VG Loop/Port Combo - Zone 3		3			45.87		•					_	_		
UNE	Loop Rates							-								
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	12.94										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	17.06										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	31.87										
2-Wii	re Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	14.00	90.00	90.00				11.90				
LOCA	AL NUMBER PORTABILITY				LUBOR	0.45										ļ
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								ļ
FEA	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				11.90				
NON	RECURRING CHARGES - CURRENTLY COMBINED			UEPRG	UEPVF	0.00	0.00	0.00				11.90				
NON	L CONTING CHARGES - CORRENTET COMBINED				+											
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50				11.90				
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with			OLI ILO	00/102		71.00	41.00				11.00				1
	Change			UEPRG	USACC		41.50	41.50				11.90				
ADD	ITIONAL NRCs															
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring						0.00	0.00				11.90				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.09	7.09				11.90				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates			-												
	2-Wire VG Loop/Port Combo - Zone 1		1			26.94										ļ
	2-Wire VG Loop/Port Combo - Zone 2	ļ	2			31.06									ļ	!
	2-Wire VG Loop/Port Combo - Zone 3	ļ	3			45.87									ļ	
UNE	Loop Rates	ļ		LIEDDY	LIEDLY											↓
\longrightarrow	2-Wire Voice Grade Loop (SL1) - Zone 1	<u> </u>		UEPPX	UEPLX	12.94									-	4
	2-Wire Voice Grade Loop (SL1) - Zone 2	 	2	UEPPX	UEPLX	17.06									!	
2 18/2	2-Wire Voice Grade Loop (SL1) - Zone 3 re Voice Grade Line Port Rates (BUS - PBX)	-	3	UEPPX	UEPLX	31.87									 	
Z-VVII	re voice Grade Line Fort Rates (BUS - PBA)	 			+				-							
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	l		UEPPX	UEPPC	14.00	90.00	90.00				11.90			1	
- 	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00				11.90			t	
 	Line Side Unbundled Incoming PBX Trunk Port - Bus	1		UEPPX	UEPP1	14.00	90.00	90.00				11.90			I	†
	2-Wire Voice Unbundled PBX LD Terminal Ports	1		UEPPX	UEPLD	14.00	90.00	90.00				11.90			1	1
<u> </u>	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	1		UEPPX	UEPXA	14.00	90.00	90.00				11.90			<u> </u>	1
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00				11.90			1	†
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00				11.90			İ	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00				11.90				1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
1	Capable Port		1	UEPPX	UEPXE	14.00	90.00	90.00				11.90			1	

	D NETWORK ELEMENTS - Florida			1						ı			Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	HEDVI	44.00	90.00	00.00				44.00				
	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXL	14.00	90.00	90.00				11.90				
	Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00				11.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00				11.90				
1.004	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port L NUMBER PORTABILITY			UEPPX	UEPXS	14.00	90.00	90.00				11.90				
LUCA	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT				OLFFX	LINE OF	3.13	0.00	0.00			1					
1	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				11.90				
NONE	ECURRING CHARGES - CURRENTLY COMBINED			OLI I X	OLI VI	0.00	0.00	0.00				11.50				
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50				11.90				
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change			UEPPX	USACC		41.50	41.50				11.90				
ADDIT	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2	0.00	0.00	0.00				11.90				
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring						0.00	0.00				11.90				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.09	7.09				11.90				
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
UNE P	Port/Loop Combination Rates															
\longrightarrow	2-Wire VG Coin Port/Loop Combo – Zone 1 2-Wire VG Coin Port/Loop Combo – Zone 2		2			26.94 31.06										
	2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3		3			45.87										
LINE	Loop Rates		3		-	45.67					1					
ONLL	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.94										
	2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPCO	UEPLX	17.06										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	31.87										
2-Wire	e Voice Grade Line Port Rates (Coin)		_													
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (FL)			UEPCO	UEP2F	14.00	90.00	90.00				11.90				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(FL)			UEPCO	UEPFA	14.00	90.00	90.00				11.90				
	2-Wire Coin 2-Way with Operator Screening and Blocking:]]
	900/976, 1+DDD, 011+, and Local (FL)		<u> </u>	UEPCO	UEPCG	14.00	90.00	90.00				11.90				
1	2-Wire Coin Outward with Operator Screening and 011 Blocking											,				
	(AL, FL)		<u> </u>	UEPCO	UEPRK	14.00	90.00	90.00				11.90			 	
	2-Wire Coin Outward with Operator Screening and Blocking:		1	LIEDCO	LIEDOE	44.00	00.00	00.00				14.00			1	1
	900/976, 1+DDD, 011+ (FL) 2-Wire Coin Outward with Operator Screening and Blocking:	1	!	UEPCO	UEPOF	14.00	90.00	90.00			-	11.90			-	
1	900/976, 1+DDD, 011+, and Local (FL, GA)		1	UEPCO	UEPCQ	14.00	90.00	90.00				11.90			1	1
LOCA	L NUMBER PORTABILITY		!	OLFOO	ULFUU	14.00	90.00	90.00				11.90			1	1
LOCA	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONE	ECURRING CHARGES - CURRENTLY COMBINED	1	!			0.00					<u> </u>				 	
1			1	1			İ									
[2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50				11.90				
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with											, ,				
[Change		1	UEPCO	USACC		41.50	41.50							1	
ADDIT	TIONAL NRCs															
L	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		<u> </u>	UEPCO	USAS2		0.00	0.00				11.90				<u> </u>
	PORT/LOOP COMBINATIONS - MARKET BASED RATES	1														
2-WIR	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK Port/Loop Combination Rates	PORT					ļ									

2-1 UNE Loop 2-2	-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 -Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 -Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	Interi	2 3 1 1 2 3 3	UEPPX UEPPX UEPPX UEPPX	acs	USOC UECD1 UECD1 UECD1 UECD1	Rec 74.57 92.82	RAT Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l		Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$) SOMAN	Charge -	Incrementa Charge - Manual Sw Order vs. Electronic Disc Add'l
2-1 UNE Loop 2-2	-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 p Rates -Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 -Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 -Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 -Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 t Rate xchange Ports - 2-Wire DID Port URRING CHARGES - CURRENTLY COMBINED -Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - wirich-As-Is Top 8 MSAs only -Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion ith BellSouth Allowable Changes Top 8 MSAs only NAL NRCS -Wire DID Subsequent Activity - Add Trunks, Per Trunk te Number/Trunk Group Establisment Charges DID Trunk Termination (One Per Port) DID Numbers, Establish Trunk Group and Provide First Group		1 2	UEPPX UEPPX UEPPX		UECD1	74.57 92.82 14.50					SOMEC	SOMAN			SOMAN	SOMAN
2-1 UNE Loop 2-2	-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 p Rates -Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 -Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 -Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 -Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 t Rate xchange Ports - 2-Wire DID Port URRING CHARGES - CURRENTLY COMBINED -Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - wirich-As-Is Top 8 MSAs only -Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion ith BellSouth Allowable Changes Top 8 MSAs only NAL NRCS -Wire DID Subsequent Activity - Add Trunks, Per Trunk te Number/Trunk Group Establisment Charges DID Trunk Termination (One Per Port) DID Numbers, Establish Trunk Group and Provide First Group		1 2	UEPPX UEPPX UEPPX		UECD1	74.57 92.82 14.50	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-1 UNE Loop 2-2	-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 p Rates -Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 -Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 -Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 -Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 t Rate xchange Ports - 2-Wire DID Port URRING CHARGES - CURRENTLY COMBINED -Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - wirich-As-Is Top 8 MSAs only -Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion ith BellSouth Allowable Changes Top 8 MSAs only NAL NRCS -Wire DID Subsequent Activity - Add Trunks, Per Trunk te Number/Trunk Group Establisment Charges DID Trunk Termination (One Per Port) DID Numbers, Establish Trunk Group and Provide First Group		1 2	UEPPX UEPPX UEPPX		UECD1	92.82 14.50										
UNE Loop 2-V 2-V UNE Port NONRECL 2-V wit ADDITION 1	p Rates -Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 -Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 -Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 -Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 1 Rate xchange Ports - 2-Wire DID Port URRING CHARGES - CURRENTLY COMBINED -Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - witch-As-Is Top 8 MSAs only -Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes Top 8 MSAs only NAL NRCS -Wire DID Subsequent Activity - Add Trunks, Per Trunk te Number/Trunk Group Establisment Charges ID Trunk Termination (One Per Port) ID Numbers, Establish Trunk Group and Provide First Group		1 2	UEPPX UEPPX UEPPX		UECD1	14.50			İ							
2-1 2-1 2-1 2-1	Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 -Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 -Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 -Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		2	UEPPX UEPPX UEPPX		UECD1										1	
2-1 2-1	-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 -Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 t Rate		2	UEPPX UEPPX UEPPX		UECD1											
2-1 UNE Port Ex NONRECL 2-1 3v 2-1 with ADDITION 2-1 Telephone Dil	-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 I Rate xchange Ports - 2-Wire DID Port URRING CHARGES - CURRENTLY COMBINED -Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - witch-As-Is Top 8 MSAs only -Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion rith BellSouth Allowable Changes Top 8 MSAs only NAL NRCs -Wire DID Subsequent Activity - Add Trunks, Per Trunk Ne Number/Trunk Group Establisment Charges 10 Trunk Termination (One Per Port) ID Numbers, Establish Trunk Group and Provide First Group			UEPPX									11.90			1.83	
UNE Port Ex NONRECU 2-1 Sw 2-1 With ADDITION 12-1 Telephone Dill of	Rate xchange Ports - 2-Wire DID Port URRING CHARGES - CURRENTLY COMBINED -Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - witch-As-Is Top 8 MSAs only -Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes Top 8 MSAs only NAL NRCs -Wire DID Subsequent Activity - Add Trunks, Per Trunk te Number/Trunk Group Establisment Charges DID Trunk Termination (One Per Port) ID Numbers, Establish Trunk Group and Provide First Group		3	UEPPX		UECD1	19.57						11.90			1.83	
Ex NONRECU 2-V Sw 2-V Writin ADDITION 2-V Telephone DII DII	xchange Ports - 2-Wire DID Port URRING CHARGES - CURRENTLY COMBINED -Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - witch-As-Is Top 8 MSAs only -Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion rith BellSouth Allowable Changes Top 8 MSAs only NAL NRCS -Wire DID Subsequent Activity - Add Trunks, Per Trunk te Number/Trunk Group Establisment Charges DID Trunk Termination (One Per Port) ID Numbers, Establish Trunk Group and Provide First Group						37.82						11.90			1.83	
NONRECL 2-\ Sw 2-\ with ADDITION 2-\ Telephone	URRING CHARGES - CURRENTLY COMBINED -Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - witch-As-1s Top 8 MSAs only -Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion ith BellSouth Allowable Changes Top 8 MSAs only NAL NRCS -Wire DID Subsequent Activity - Add Trunks, Per Trunk te Number/Trunk Group Establisment Charges DID Trunk Termination (One Per Port) IID Numbers, Establish Trunk Group and Provide First Group					1											
2-\ Sw 2-\ with ADDITION 2-\ Telephone	-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - witch-As-Is Top 8 MSAs only -Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes Top 8 MSAs only NAL NRCs -Wire DID Subsequent Activity - Add Trunks, Per Trunk NENUMBER/Trunk Group Establisment Charges			LIEDDY		UEPD1	55.00	850.00	75.00				11.90			1.83	
Sv 2-\ with ADDITION 2-\ Telephone Dill of	witch-As-Is Top 8 MSAs only -Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion rith BellSouth Allowable Changes Top 8 MSAs only NAL NRCs -Wire DID Subsequent Activity - Add Trunks, Per Trunk te Number/Trunk Group Establisment Charges ID Trunk Termination (One Per Port) ID Numbers, Establish Trunk Group and Provide First Group			LIEDDY													
2-\ with ADDITION 2-\ Telephone DII of	-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion ith BellSouth Allowable Changes Top 8 MSAs only NAL NRCS -Wire DID Subsequent Activity - Add Trunks, Per Trunk e Number/Trunk Group Establisment Charges DID Trunk Termination (One Per Port) IID Numbers, Establish Trunk Group and Provide First Group			LIEDDY													
ADDITION 2-\ Telephone DII Of	rith BellSouth Allowable Changes Top 8 MSAs only NAL NRCs -Wire DID Subsequent Activity - Add Trunks, Per Trunk ne Number/Trunk Group Establisment Charges ID Trunk Termination (One Per Port) DID Numbers, Establish Trunk Group and Provide First Group			UEPPX		USAC1		850.00	75.00				11.90				
ADDITION 2-\ Telephone DII Of	rith BellSouth Allowable Changes Top 8 MSAs only NAL NRCs -Wire DID Subsequent Activity - Add Trunks, Per Trunk ne Number/Trunk Group Establisment Charges ID Trunk Termination (One Per Port) DID Numbers, Establish Trunk Group and Provide First Group		1														
ADDITION 2-\ Telephone Dil	NAL NRCs -Wire DID Subsequent Activity - Add Trunks, Per Trunk - Number/Trunk Group Establisment Charges - Will Trunk Termination (One Per Port) - ID Numbers, Establish Trunk Group and Provide First Group		1	UEPPX		USA1C		850.00	75.00				11.90			Ì	
Telephone DII DII of	ne Number/Trunk Group Establisment Charges OID Trunk Termination (One Per Port) OID Numbers, Establish Trunk Group and Provide First Group																
Telephone DII DII of	ne Number/Trunk Group Establisment Charges OID Trunk Termination (One Per Port) OID Numbers, Establish Trunk Group and Provide First Group			UEPPX		USAS1		32.26	32.26				11.90				
DII of	ID Numbers, Establish Trunk Group and Provide First Group																
of				UEPPX		NDT	0.00	0.00	0.00				11.90			1.83	
	f 20 DID Numbers																1
ΔΑ	ו בט טוט ואנוווטפוא			UEPPX		NDZ	0.00	0.00	0.00				11.90			1.83	
	dditional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00				11.90			1.83	
DI	ID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX		ND5	0.00	0.00	0.00				11.90			1.83	
Re	leserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00				11.90			1.83	
Re	leserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00				11.90			1.83	
LOCAL N	IUMBER PORTABILITY																
	ocal Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
2-WIRE IS	SDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	NE SIDE	PORT	Ī													
UNE Port/	t/Loop Combination Rates																
2V	W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
1U	NE Zone 1		1	UEPPB	UEPPR		94.71										
2V	W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	NE Zone 2		2	UEPPB	UEPPR		100.77										
	W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	INE Zone 3		3	UEPPB	UEPPR		122.56										
UNE Loop																	
2-1	-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	24.71						11.90			1.83	
	-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	30.77						11.90			1.83	
	-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	52.56						11.90			1.83	
UNE Port																	
	xchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	70.00	525.00	400.00				11.09			1.83	
	URRING CHARGES - CURRENTLY COMBINED																
	-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion - Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	215.00	215.00				11.90			1.83	
	NAL NRCs																
	IUMBER PORTABILITY																
	ocal Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	NEL USER PROFILE ACCESS:			<u> </u>		<u> </u>											<u> </u>
	VS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								<u> </u>
	VS (EWSD)		<u> </u>	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00							ļ	ļ
	SD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	NEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC	,MS, &	TN)	1													<u> </u>
	RMINAL PROFILE		<u> </u>	LIEBBE	LIEBBE	1										ļ	
	lser Terminal Profile (EWSD only)		<u> </u>	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00							ļ	ļ
	L FEATURES		<u> </u>	l		ļ <u>.</u>										ļ	
	Il Vertical Features - One per Channel B User Profile		<u> </u>	UEPPB	UEPPR	UEPVF	2.26	0.00	0.00				11.90				<u> </u>
	FICE CHANNEL MILEAGE		<u> </u>	1		ļ											↓
	nteroffice Channel mileage each, including first mile and		1		LIEDES	Lucus I	40.440						,				
	acilities termination nteroffice Channel mileage each, additional mile		<u> </u>		UEPPR UEPPR	M1GNC	18.4491 0.0091	47.35 0.00	31.78	18.31	7.03		11.90			1.83	1

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
											Svc Order	Svc Order	Incremental			Incremental
											1	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7	BCS	USOC		DAT	FFC(#)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		KAI	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring			ı		Rates(\$)	I	I
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI ort/Loop Combination Rates	K PORT														
UNE P	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 1		1	UEPPP		973.44										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 2		2	UEPPP		999.13										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
LINE	Zone 3		3	UEPPP		1,091.51										
UNEL	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	73.44						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	99.13						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	191.51						11.90			1.83	
UNE P	ort Rate															
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	900.00	1,150.00	1,150.00				11.90			1.83	
NONR	ECURRING CHARGES - CURRENTLY COMBINED	-			-				-	-						
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	925.00	925.00				11.90			1.83	
ADDIT	TONAL NRCs			UEFFF	USACP	0.00	925.00	925.00				11.90			1.03	
ABBIT	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-				1											
	Inward/two way tel nos within Std Allowance (except NC)			UEPPP	PR7TF		0.5412					11.90			1.83	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		12.71	12.71				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance			UEPPP	DDZZI		05.40	05.40				44.00			4.00	
LOCAL	L NUMBER PORTABILITY			UEPPP	PR7ZT		25.42	25.42				11.90			1.83	
LOCA	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTER	FACE (Provsioning Only)			02	2.11 0.11	0										
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	r Additional "B" Channel New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	20.00					11.90			1.83	
-	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	20.00					11.90			1.83	
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	20.00					11.90			1.83	
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
Interes	Two-way ffice Channel Mileage	1		UEPPP	PR7CC	0.00	0.00	0.00								
intero	Fixed Each Including First Mile	1		UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05		11.90			1.93	
	Each Airline-Fractional Additional Mile	1		UEPPP	1LN1B	0.1856		33. H	2,	.5.50						
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE P	ort/Loop Combination Rates			LIEBBO												
	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1		UEPDC UEPDC	1	128.39			1		-	11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	1	2	UEPDC	+	128.39 154.08			1		-	11.90 11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	1	3	UEPDC		246.46						11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4	1	4	UEPDC								50				
UNE L	oop Rates															
	4-Wire DS1 Digital Loop - Statewide		SW	UEPDC	USLDC											
\vdash	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC UEPDC	USLDC	73.44 99.13						11.90 11.90			1.83 1.83	
	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3	1	3	UEPDC	USLDC	191.51						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 4	1	4	UEPDC	USLDC	191.51					 	11.30			1.00	
UNE P	ort Rate	1	Ė	-	1				İ							
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,019.56	479.87	204.92	20.10		11.90			1.83	
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		95.31	46.71				11.90			1.83	
	I- OMIRCITADE TOP O INIDAS UTILY	1	1	ULFDC	USAC4	l l	95.31	40.71	l .	l .	1	11.90		1	1.83	l

UNBUNDLE	D NETWORK ELEMENTS - Florida										,		Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
					-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								7144	101	7144	0020					00
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		95.31	46.71				11.90			1.83	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
ADDIT	- Conversion with Change - Trunk Top 8 MSAs only TONAL NRCs			UEPDC	USAWB		95.31	46.71				11.90			1.83	
ADDII	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Service Activity Per Service Order			UEPDC	USAS4											
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -				-										1	
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel						4= 00									
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			OLFDC	ODITO		13.09	13.09				11.50			1.03	
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.69	15.69				11.90			1.83	
BIPOL	AR 8 ZERO SUBSTITUTION				-											
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	655.00				11.90			1.83	
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	655.00				11.90			1.83	
Altern	ate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
Talan	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
reiep	hone Number/Trunk Group Establisment Charges Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						11.90			1.83	
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						11.90			1.83	
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						11.90			1.83	
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00				11.90			1.83	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						11.90			1.83	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						11.90			1.83	
	Reserve Non-Consecutive DID Nos. Reserve DID Numbers			UEPDC UEPDC	ND6 NDV	0.00	0.00	0.00				11.90			1.83	
Dodio	ated DS1 (Interoffice Channel Mileage) -			UEPDC	NDV	0.00	0.00	0.00				11.90			1.83	
	O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05		11.90			1.83	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			LIEDDO	41.1100	0.00	0.00	0.00								
	Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25			UEPDC	1LNO2	0.00	0.00	0.00								
	miles			UEPDC	1LNOB	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			OLI DO	ILNOB	0.1000	0.00	0.00								
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
		i i														
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1856	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
4 18715	Central Office Termininating Point E DS1 LOOP WITH CHANNELIZATION WITH PORT	\vdash		UEPDC	CTG	0.00					1			 	1	1
	E DS1 LOOP WITH CHANNELIZATION WITH PORT m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations			-						-				 	
	tem can have various rate combinations based on type and nu			used										1	 	
	OS1 Loop														1	
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	73.44	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	99.13	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	191.51	0.00	0.00					_			
UNE D	OSO Channelization Capacities (D4 Channel Bank Configuration	ns)														

OMBONDER	ED NETWORK ELEMENTS - Florida			1		1							Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incrementa Charge - Manual Sv Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Disc Add
						B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	118.06	0.00	0.00				11.90			1.83	
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236.12	0.00	0.00				11.90			1.83	
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	472.24	0.00	0.00				11.90			1.83	1
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	708.36	0.00	0.00				11.90			1.83	
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944.48	0.00	0.00				11.90			1.83	
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,180.60	0.00	0.00				11.90			1.83	
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00				11.90			1.83	
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,888.96	0.00	0.00				11.90			1.83	
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,361.20	0.00	0.00				11.90			1.83	
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833.44	0.00	0.00				11.90			1.83	
	672 DS0 Channel Capacity - 1 per 28 DS1s		L	UEPMG	VUM67	3,305.68	0.00	0.00				11.90			1.83	
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	imum System configuration is One (1) DS1, One (1) D4 Channe oles of this configuration functioning as one are considered Ad															
with	NRC - Conversion (Currently Combined) with or without	iu i aite	i the ii	Inninum system con	Inguration is	counted.										
	BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	450.00	50.00				11.90				
Cuetos	m Additions Where Currently Combined and New (Not Current)	v Comb	inad \		USAC4	0.00	450.00	50.00				11.90				
	o 8 MSAs and AL, FL, and NC Only	y Conii.	inea)		-											
III TOP	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc				-											
	Fea Activation -			UEPMG	VUMD4	0.00	950.00	600.00	200.00	30.00		11.90				
Pinol	ar 8 Zero Substitution		1	UEFIVIG	VUIVID4	0.00	950.00	600.00	200.00	30.00		11.90				-
Біроіа	Clear Channel Capability Format, superframe - Subsequent		1									11.90				
	Activity Only			UEPMG	CCOSF	0.00	0.00	655.00				11.90				
	Clear Channel Capability Format - Extended Superframe -			OLI WO	00001	0.00	0.00	000.00				11.00				-
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	655.00				11.90				
Altern	nate Mark Inversion (AMI)			OLI MO	COOL	0.00	0.00	000.00				11.00				
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Excha	ange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Excha	ange Ports															1
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00		11.90			1.83	
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00		11.90			1.83]
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00		11.90			1.83	
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	55.00	0.00	0.00	0.00	0.00		11.90			1.83	
Featu	re Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated															
	in D4 Bank			UEPPX	1PQWM	0.66	40.00	20.00	6.00	5.00		11.90			1.83	
	Feature (Service) Activation for each Trunk Side Port Terminated															
	in D4 Bank		<u> </u>	UEPPX	1PQWU	0.66	110.00	30.00	65.00	20.00		11.90			1.83	
I elepi	hone Number/ Group Establishment Charges for DID Service		<u> </u>	LIEDDY	NDT	0.00	0.00	0.00				44.00				
	DID Trunk Termination (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)		<u> </u>	UEPPX UEPPX	NDT NDZ	0.00	0.00	0.00				11.90			1	
			1	UEPPX	ND4	0.00	0.00	0.00				11.90 11.90			 	
	DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number		-	UEPPX	ND5	0.00	0.00	0.00	-			11.90			-	
	Reserve Non-Consecutive DID Numbers		1	UEPPX	ND6	0.00	0.00	0.00			1	11.90			 	
-	Reserve DID Numbers		1	UEPPX	NDV	0.00	0.00	0.00			1	11.90			 	
l ocal	Number Portability	-	 	OLI I A	1,10,0	0.00	0.00	0.00				11.30			 	
Local	Local Number Portability - 1 per port	-	 	UEPPX	LNPCP	3.15	0.00	0.00							 	
FFATI	URES - Vertical and Optional			OLI I A	LIVI OF	3.10	0.00	0.00							t	-
	Switching Features Offered with Line Side Ports Only			 	1										I	
Local	All Features Available			UEPPX	UEPVF	2.26	0.00	0.00				11.90			1.83	
UNBUNDLED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	3			1	2.20	3.00	3.00				50				
	st Based Rates are applied where BellSouth is required by FCC		State	Commission rule to	provide Unhi	undled Local S	witching or Sw	itch Ports.							1	
	tures shall apply to the Unbundled Port/Loop Combination - C								dled Port section	on of this Rate	Exhibit.					<u> </u>

INBLINDL	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
UNDUNDL	ED NETWORK ELEMENTS - Florida	1	T T								Svc Order		Incremental			Incrementa
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA	TES(\$)								
	10112 =======	m		200	0000			. = 0(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First		SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
For G	eorgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re	ecurring	UNE I	ort and Loop charg	es listed app	ly to Currently	Combined an	d Not Currentl	y Combined Co	ombos. The th	e first and a	additional P	ort nonrecurr	ing charges a	pply to Not C	Currently
	pined Combos for all states. In GA, KY, LA, MS and TN these no															
	pined Combos in all other states, the nonrecurring charges sha							,								·,
	arket Rates for Unbundled Centrex Port/Loop Combination will															
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		1		1		-									
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ĺ														
	Port/Loop Combination Rates (Non-Design)															
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP91		14.11										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
1	Non-Design	1	2	UEP91	I	18.23			I							l
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	†	T -		1				t							i
	Non-Design	1	3	UEP91	I	33.04			I							l
UNF	Port/Loop Combination Rates (Design)	1	Ť		†	33.54			t					1		l
12	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1		†				t					1		l
	Design	1	1	UEP91	I	16.53			I							l
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	†	<u> </u>	0.	1				t							i
	Design		2	UEP91		21.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02. 0.	1	200										
	Design		3	UEP91		37.85										
UNF	Loop Rate			02. 0.		01.00										
0.12	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.94										
-	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	17.06										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	31.87										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	15.36										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	20.43										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	36.68										
UNE																
	ates (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.17						11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP91	UEPYB	1.17						11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP91	UEPYH	1.17						11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP91	UEPYM	1.17						11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	†			1	,			t							i
1	Term - Basic Local Area	1		UEP91	UEPYZ	1.17			1			11.90				
1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1			1				t							i
1	- Basic Local Area	1		UEP91	UEPY9	1.17			I			11.90				l
	2-Wire Voice Grade Port Terminated on 800 Service Term -	1	İ	-	i -				1					İ		İ
1	Basic Local Area	1		UEP91	UEPY2	1.17			I			11.90				l
Georg	gia and Florida Only	†			1				t							i
1	2-Wire Voice Grade Port (Centrex)	1	İ	UEP91	UEPHA	1.17			İ			11.90				İ
1	2-Wire Voice Grade Port (Centrex 800 termination)	1	İ	UEP91	UEPHB	1.17			1			11.90		İ		İ
	2-Wire Voice Grade Port (Centrex with Caller ID)1	1	İ	UEP91	UEPHH	1.17			1			11.90		İ		İ
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			-								, ,				
1	Center)2	1		UEP91	UEPHM	1.17			I			11.90				l
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	İ		1				İ					İ		İ
1	Term	1		UEP91	UEPHZ	1.17			1			11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		UEP91	UEPH9	1.17			I			11.90				l
1	2-Wire Voice Grade Port Terminated on 800 Service Term	1	İ	UEP91	UEPH2	1.17			İ			11.90		İ		
Local	Switching	1	İ	-	1				İ							
1	Centrex Intercom Funtionality, per port	1	İ	UEP91	URECS	0.7384			İ					İ		
Local	Number Portability	1	1	-	1				1					İ		
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
			+		+				1					.		
Featu	ires															

04/12/02 Page 75 of 352

LIMPI	INDI E	D NETWORK ELEMENTS - Florida												Attachment:	<u> </u>	Evhibit. P	
ONB	NULE	D NETWORK ELEMENTS - Florida	ı			1						Svo Order	Sup Orde-	Attachment: Incremental		Exhibit: B Incremental	Incremental
												Svc Order Submitted					
													Submitted		Charge -	Charge -	Charge -
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		RΔT	TES(\$)			Elec	Manually				Manual Svc
CAIL	JOKI	KATE EEEMENTO	m	20116	500	0000		IVA.	LO(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		All Select Features Offered, per port			UEP91	UEPVS	0.00	370.70					11.90				
		All Centrex Control Features Offered, per port			UEP91	UEPVC	2.26						11.90				
	NARS																
		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00				11.90				
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				11.90				
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00				11.90				
	Miscell	aneous Terminations															
		Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	8.81										
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	25.32										
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	MIGBM	0.0091										
		e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP91	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP91	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP91	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed						04.50									
		changes, per port			UEP91	USAC2		21.50	8.42				11.90				
<u> </u>		Conversion of Existing Centrex Common Block			UEP91	USACN		5.17	8.32				11.90				
-		New Centrex Standard Common Block			UEP91	M1ACS	0.00	618.82					11.90				
		New Centrex Customized Common Block			UEP91	M1ACC	0.00	618.82					11.90				
		Secondary Block, per Block			UEP91	M2CC1	0.00	71.31					11.90				
	IIII B	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	66.48					11.90				
<u> </u>		CENTREX - 5ESS (Valid in All States)	 	-		+				 					 		
<u> </u>		VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)	 	-		+				 					 		
-	UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	 	-		+				 					 		
		Non-Design	1	4	UEP95		14.11			I				1	I		
-	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	-	טבו אט	+	14.11			1		1	1		1		
		Non-Design	1	2	UEP95		18.23			I				Ì	I		
1	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 		OLF 30	+	10.23			 		 	1	1	 		
		Non-Design	1	3	UEP95		33.04			I				Ì	I		
-	UNF P	ort/Loop Combination Rates (Design)	1	-	OL: 33	+	55.04			 				 	 	 	
-	SITE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	 	 		+				 				 	 		
		Design	1	1	UEP95		16.53			I				Ì	I		
—	<u> </u>	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	<u> </u>	J_1 JJ		10.55			 					 		
		Design		2	UEP95		21.60			1					1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		T -	00	1	200			†				1	<u> </u>		
		Design	1	3	UEP95		37.85			I				Ì	I		
	UNE I	pop Rate	1		00	1	07.00			t				1	1		
		2-Wire Voice Grade Loop (SL 1) - Zone 1	†	1	UEP95	UECS1	12.94			t				1	t		
		2-Wire Voice Grade Loop (SL 1) - Zone 2	†		UEP95	UECS1	17.06			t				1	1		
		2-Wire Voice Grade Loop (SL 1) - Zone 3	†	3	UEP95	UECS1	31.87			t				1	t		
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	15.36			1				İ	1		
	1	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	20.43			İ				İ	İ		
		2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP95	UECS2	36.68			İ				İ	İ	İ	
	UNE P	ort Rate								1			İ	İ	1		
	All Sta					1				İ		1	İ	İ	İ	İ	
-							· · · · · · · · · · · · · · · · · · ·										

ARONDI	LED NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	ļ
TEGORY	7 RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual Sy Order vs. Electronic Disc Add
							Nonrec		Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.17	11131	Auu i	THOU	Addi	JOHILO	11.90	JOMAN	JONAN	JOHAN	JONAN
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.17						11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.17						11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP95	UEPYM	1.17						11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP95	UEPYZ	1.17						11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.17						11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	1.17						11.90				
	KY, LA, MS, SC, & TN Only															
FL 8	& GA Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	1.17						11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.17						11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.17						11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP95	UEPHM	1.17						11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP95	UEPHZ	1.17						11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	1.17						11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	1.17						11.90				
Loc	al Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7384										
Loc	al Number Portability			UEP95	LNPCC	0.35									-	
Foot	Local Number Portability (1 per port) tures			UEP95	LNPCC	0.35										
rea	All Standard Features Offered, per port			UEP95	UEPVF	2.26										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.26	370.70					11.50				
NAF				OLI SO	OLI VO	2.20										
10.0	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				11.90			1	
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				11.90				
Mis	cellaneous Terminations															
2-W	fire Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8.81										
4-W	ire Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	54.95										
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69					11.90				
Inte	eroffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MIGBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile	<u> </u>		UEP95	MIGBM	0.0091									-	
	ture Activations (DS0) Centrex Loops on Channelized DS1 Service	e		1		ł									1	1
D4 (Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP95	1PQW7	0.66										
	Different Wire Center			UEP95	1PQWP	0.66										
\perp	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1		LIEDOE	40000	0.66									I	
	Slot	i	ì	UEP95	1PQWQ	0.66			1	i i	1				1	İ

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	T T
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrec			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex					-										├ ───
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2	0.00	21.50	8.42				11.90				1
-	Conversion of Existing Centrex Common Block, each			UEP95	USACN	0.00	5.17	8.32				11.90				
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	618.82	0.02				11.90				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	618.82					11.90				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48					11.90				
	CENTREX - DMS100 (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9D		14.11										ĺ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLI 3D		14.11										—
1 1	Non-Design		2	UEP9D	1	18.23								I	1	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9D		33.04										<u> </u>
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															ĺ
	Design		1	UEP9D		16.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		2	LIEDOD		24.00										i
-	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP9D	+	21.60					-			-		
	Design		3	UEP9D		37.85										ĺ
UNE L	pop Rate			OLI OD		07.00										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	12.94										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	17.06										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	31.87										Ĺ
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	15.36										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	20.43										
LINE D	2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate		3	UEP9D	UECS2	36.68										
ALL S																
ALL	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.17						11.90				——
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local													1		
	Area			UEP9D	UEPYB	1.17						11.90				ĺ
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															ĺ
	Area			UEP9D	UEPYC	1.17						11.90				l
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			LIEDOD	LIED: C									1		1
 	Area		<u> </u>	UEP9D	UEPYD	1.17				-		11.90		 	-	
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area		1	UEP9D	UEPYE	1.17						11.90				İ
 	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		1	OLI 3D	ULFIL	1.17						11.90		+		
	Area		1	UEP9D	UEPYF	1.17						11.90		I	1	1
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local				1	1				İ						
	Area		<u>L</u>	UEP9D	UEPYG	1.17			<u></u>			11.90				<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local												_			1
	Area		<u> </u>	UEP9D	UEPYT	1.17						11.90		L	ļ	
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local		1	LIEDOD	LIEDAL							44.00		I	1	1
-	Area		!	UEP9D	UEPYU	1.17				 	1	11.90		 	 	
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area		1	UEP9D	UEPYV	1.17						11.90		I	1	1
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local		!	OLI 3D	OLI IV	1.17						11.50		†		
	Area		1	UEP9D	UEPY3	1.17						11.90		I	1	1
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local		1	-												
	Area		<u>L</u>	UEP9D	UEPYH	1.17			<u></u>	<u> </u>		11.90		<u></u>	L	<u> </u>
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp							· · · · · · · · · · · · · · · · · · ·							1	1
	Indication))3 Basic Local Area		ļ	UEP9D	UEPYW	1.17						11.90				 '
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3		1	LIEDOD	LIEBY	4.5						44.00		I	1	1 '
	Basic Local Area		Ĺ	UEP9D	UEPYJ	1.17			l	1	1	11.90		1	1	<u> </u>

UNDUNDLE	D NETWORK ELEMENTS - Florida		1						_	I		001	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES(\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec		curring		g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	1.17						11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	1.17						11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.17						11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.17						11.90				
FL & C	GA Only			02. 02	02.12							11.00				
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1.17						11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPHC	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3		1	UEP9D	UEPHD	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPHE	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3 2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D UEP9D	UEPHF UEPHG	1.17 1.17						11.90 11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	1.17						11.90				1
	2-Wire Voice Grade Fort (Centrex / EBS-M5208)3			UEP9D	UEPHU	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPHV	1.17			1			11.90			1	
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPH3	1.17						11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3			UEP9D	UEPHW	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPHJ	1.17						11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEDOD	LIEDUM	4.47						44.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D UEP9D	UEPHM UEPHO	1.17 1.17						11.90 11.90				
	2-wire voice Grade Port (Centrex/diller SWC /EBS-PSET)2, 3		1	UEP9D	UEPHO	1.17						11.90				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	1.17			1			11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	1.17			1			11.90			1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	1.17						11.90				

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES(\$) Svc Order Submitted Submitted Elec Manually per LSR Pr LSR Pr LSR Pr LSR Pr LSR Electronic- Electronic	UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
Note Note Content Content of Content Content of Content Cont				Zone	BCS	USOC			,			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
Device Video Close Port Commendation 60% CR5445162_3 UEPIG							Rec					COMEC	COMAN			COMAN	COMAN
EVAPOR Valor Control Part De Territorial (Valor Control Part Service) UEPRO UE								FIISL	Auu I	FIISL	Add I	SOIVIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
Trom					UEP9D	UEPH7	1.17						11.90				
SWINE Votes Grade For Termined on 900 Service Term					UEP9D	UEPHZ	1.17						11.90				
SWINE Votes Grade For Termined on 900 Service Term		2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEP9D	UFPH9	1 17						11 90				
Content Inscroom Functionally, per port Cond Number Proximity Cond Numbe																	
Local Number Portability 1	Local																
Local Number Porturality († per part)					UEP9D	URECS	0.7384										
Features	Local																
All Standard Features Offered, per port	F		 	<u> </u>	UEP9D	LNPCC	0.35			1	1	<u> </u>					
All Sender Features Offered, per port	Featu		1	-	LIEDOD	LIED\/E	2.26			 		<u> </u>	1				
All Centres Control Features Offered, per port UEPPO UEP			-	-				370.70		 	1	 	11 00	-			
MARS								310.10		 	1	 	11.50				
Unbounded Network Access Register - Combination UEPRO UARCX 0.00 0.00 0.00 11.90 Unbounded Network Access Register - Visional UEPRO UARCX 0.00 0.00 0.00 11.90 Unbounded Network Access Register - Visional UEPRO UARCX 0.00 0.00 0.00 11.90 Unbounded Network Access Register - Visional UEPRO UARCX 0.00 0.00 0.00 11.90 U.F.	NARS		1		021 00	JE: 40	2.20			†	1	1					
Unbumbled Network Access Register - Provided UEPBD UARTX 0.00 0.00 0.00 11.90					UEP9D	UARCX	0.00	0.00	0.00				11.90				
Miscelaneous Terminations																	
2-Wire Trunk Side		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				11.90				
Trunk Side Terminations, each																	
### Wire Orgistal (1-544 Megabits) DSC Charmotal Schristated per Channel DSC Charmotal Activistics per Channel DSC Charmotal Activistics per Channel DSC Charmotal Activistics per Channel DSC Charmotal Activistics per Channel DSC Charmotal Activistics per Channel DSC Charmotal Pacilities Termination DSC Channel DSC Charmotal Pacilities Termination DSC Channel DSC Charmotal Pacilities Termination DSC Channel DSC Charmotal Pacilities Termination DSC Channel DSC Charmotal Pacilities Termination DSC Channel DSC Charmotal Pacilities Termination DSC Channel DSC Charmotal Pacilities Termination DSC Cha	2-Wire																
DST Circuit Terminations, each UEPPO MITHOT 54.95	4 10/:				UEP9D	CEND6	8.81										
DSS Channels Activated per Channel UEP9D MHIDO 0.00 15.88 11.90	4-99176			<u> </u>	LIEDOD	M1HD1	54.05										
Interoffice Channel Mileage 2-Wife								15.60				1	11 90				
Interoffice Channel Facilities Termination	Intero				OLI 3D	WITTE	0.00	15.05					11.30				
Interdifice Channel mileage, per mile of fraction of mile UEP9D MiGBM 0.0091					UEP9D	MIGBC	25.32										
A Channel Bank Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQWS 0.66					UEP9D	MIGBM	0.0091										
Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1POW6 0.66			e														
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP9D	D4 Ch																
Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP9D		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP9D		Feature Activation on D-4 Channel Bank EX line Side Loop Slot			LIEDOD	1POW6	0.66										
Feature Activation on D-4 Channel Bank Centrex Loop Slot					OLF 9D	IFQWO	0.00										
Different Wire Center					UEP9D	1PQW7	0.66										
Feature Activation on D-4 Channel Bank Private Line Loop Stot UEP9D			1		LIEDOD	4DOWD	0.00			1							
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop UEP9D		Different Wife Center		 	UEPSD	IPQWP	0.66			 	1	 					
Slot					UEP9D	1PQWV	0.66										
Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port UEP9D USAC2 21.50 8.42 11.90		Slot			UEP9D	1PQWQ	0.66			<u> </u>							
NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port					UEP9D	1PQWA	0.66		•								
Changes, per port	Non-R									ļ							
Conversion of existing Centrex Common Block, each UEP9D USACN 5.17 8.32 11.90			1					a		1							
New Centrex Standard Common Block			1	-						 		<u> </u>					
New Centrex Customized Common Block				-			0.00		8.32	 		 					-
NAR Establishment Charge, Per Occasion			 	 						 		<u> </u>					
UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo										<u> </u>							
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	UNE-F																
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo							•								
Non-Design	UNE F																
Non-Design 2 UEP9E 18.23		Non-Design		1	UEP9E		14.11										
Non-Design 3 UEP9E 33.04		Non-Design		2	UEP9E		18.23										
				3	LIEDOE		33 04			1							
	LINE D		1	3	OLF 3L	+	33.04			 	1	1	1				

UNBUNDLE	D NETWORK ELEMENTS - Florida										Ι -		Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
							Nonrec	curring	Nonrecurrin	ng Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9E		16.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9E		21.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			-												
	Design		3	UEP9E		37.85										
	oop Rate			LIEBAE	115001											
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.94										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	17.06										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	31.87										
	2-Wire Voice Grade Loop (SL 2) - Zone 1	 	1	UEP9E	UECS2	15.36			 	+	1					
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	l	2	UEP9E UEP9E	UECS2 UECS2	20.43 36.68			-	+						
LINE D	ort Rate	!	3	OLFSE	UEU32	30.08			-	+	 	 				
	, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area	-		UEP9E	UEPYA	1.17			 	+	 	11.90				
	2-Wire Voice Grade Fort (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI 3L	OLI IX	1.17						11.30				
	Area			UEP9E	UEPYB	1.17						11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP9E	UEPYH	1.17						11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP9E	UEPYM	1.17						11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP9E	UEPYZ	1.17						11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				l											
	- Basic Local Area		<u> </u>	UEP9E	UEPY9	1.17						11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP9E	UEPY2	1.17						11.90				
Florida	Basic Local Area			UEP9E	UEP12	1.17						11.90				
Fioriua	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPHA	1.17						11.90				
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	1.17						11.90				
	2-Wire Voice Grade Port (Centrex doo termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1.17						11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI OL	OLI IIII	1.17						11.00				
	Center)2			UEP9E	UEPHM	1.17						11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term	L	L	UEP9E	UEPHZ	1.17			<u> </u>			11.90				<u> </u>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPH9	1.17				<u> </u>		11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPH2	1.17	_					11.90		_	_	
	Switching				1				ļ							
	Centrex Intercom Funtionality, per port	ļ		UEP9E	URECS	0.7384										
	Number Portability	ļ	ļ	LIEDOE	LNDCC	0.05				ļ						
	Local Number Portability (1 per port)	 	<u> </u>	UEP9E	LNPCC	0.35			 	-						
Feature		 	-	LIEDOE	UEPVF	2.26			 	+	1					
	All Standard Features Offered, per port All Select Features Offered, per port	-	1	UEP9E UEP9E	UEPVF	0.00	370.70			+		11.90				
	All Centrex Control Features Offered, per port	-		UEP9E	UEPVC	2.26	310.10		 	+	 	11.50				
NARS	Someon Control i Catalog Cherea, per port			0_1 0L	52. 70	2.20										
- 1	Unbundled Network Access Register - Combination	1		UEP9E	UARCX	0.00	0.00	0.00	1	1		11.90				
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00		1		11.90				
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00				11.90				
	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	8.81										
	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each	ı	1	UEP9E	M1HD1	54.95			1	1	1	l		l		
			-													
	DS0 Channel Activated Per Channel fice Channel Mileage - 2-Wire			UEP9E	M1HDO	0.00	15.69					11.90				

BUNDLE	D NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)				Submitted	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						_	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0091										
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2		21.50	8.42				11.90				
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		5.17	8.32				11.90				
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	618.82					11.90				
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	618.82	•				11.90	•			
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48					11.90				
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD						_	•					•			
Note 2	2 - Requres Interoffice Channel Mileage						_	•					•			
Note 3	- Requires Specific Customer Premises Equipment							•								

UNBUN	IDLEI	NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually		Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC		RA [*]	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									'		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
											<u></u>						
-							Rec	Nonred		Nonrecurring		001150	0011411		Rates(\$)	001441	001141
-								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODEDAT	IONAI	SUPPORT SYSTEMS											1				
		(1) Electronic Service Order: CLEC should contact its contract	rt nego	tiator if	it prefers the state	specific elect	ronic service o	rdering charge	s as ordered b	v the State Co	mmissions T	he electron	ic service o	rdering charg	e currently co	ntained in th	is rate
		is the BellSouth regional electronic service ordering charge.															io rate
		(2) Any element that can be ordered electronically will be bill		_													lly For
		lements that cannot be ordered electronically at present per t															
		g charge, SOMAN, will be applied to a CLECs bill when it sub				in this cate	gory reflects th	e charge mac v	vould be billed	I to a CLLC on	ce electronic c	ruering cap	Jabilities Co	ille oli-ille io	i tilat elelilelli	. Otherwise,	tile illalitual
-	rueiiii	Electronic OSS Charge, per LSR, submitted via BST's OSS	Jiiits ai	LOIL	o Bellooutil.	1				l	l				l		1
		interactive interfaces (Regional)				SOMEC		3.50									
UNBUNE	LED E	XCHANGE ACCESS LOOP				0020		0.00									
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.21	42.54	31.33					18.94	8.42		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	16.41	42.54	31.33					18.94	8.42		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.08	42.54	31.33					18.94	8.42		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4		4	UEANL	UEAL2											
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92					18.94	8.42		
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33					18.94	8.42		
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
-		(UVL-SL1)			UEANL	UREWO	-	15.75	8.92					18.94	8.42		
-		Engineering Information Document (EI) Manual Order Coordination for UVL-SL1s (per loop)			UEANL UEANL	UEAMC	-	28.72 16.11	28.72 16.11								
 		Order Coordination for Specified Conversion Time for UVL-SL1			UEAINL	UEAIVIC		10.11	10.11								+
		(per LSR)			UEANL	OCOSL		35.74	35.74								
	-WIRE	Unbundled COPPER LOOP			OLANE	OCCOL		33.74	33.74								+
	*****	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	11.02	44.69	22.40	25.65	7.06			18.94	8.42		
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	i		UEQ	UEQ2X	12.72	44.69	22.40	25.65	7.06			18.94	8.42		
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	-		UEQ	UEQ2X	20.22	44.69	22.40	25.65	7.06			18.94	8.42		
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		16.11	16.11					18.94	8.42		
		Engineering Information Document			UEQ			28.72	28.72					18.94	8.42		
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92					18.94	8.42		
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33					18.94	8.42		
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		44.05	7.40					40.04	8.42		
LIMBUME	LEDE	(UCL-ND) XCHANGE ACCESS LOOP			UEQ	UREWO		14.25	7.42				-	18.94	8.42		-
		ANALOG VOICE GRADE LOOP											-	-			
		op Rates for Line Splitting (In Ga. PSC ordered the line spli	tting lo	on USC	Cs match the lower	nort- loop c	ombo rates UF	PI X)									
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	i i		UEPSR, UEPSB	UEALS,	10.80	,				1	1	†	1		
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	i	1	UEPSR, UEPSB	UEABS	10.83							1			<u> </u>
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	I	2	UEPSR, UEPSB	UEALS,	12.47										
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPSR, UEPSB	UEABS	12.47										
		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	ı	3	UEPSR, UEPSB	UEALS	19.83										
		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	I	3	UEPSR, UEPSB	UEABS	19.83										
		XCHANGE ACCESS LOOP		<u> </u>													
2	-WIRE	ANALOG VOICE GRADE LOOP		<u> </u>													_
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		4	UEA	UEAL2	16.84	104.17	78.10					18.94	8.42		
		Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	UEA	UEALZ	10.84	104.17	78.10					18.94	8.42		
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	19.45	104.17	78.10					18.94	8.42		
 		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			ULA	ULALZ	15.45	104.17	70.10					10.94	0.42		
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.92	104.17	78.10					18.94	8.42		
 		Order Coordination for Specified Conversion Time (per LSR)		_	UEA	OCOSL	55.52	35.74	70.10			1		10.04	0.42		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	-	1								1			
		Battery Signaling - Zone 1		1	UEA	UEAR2	16.84	104.17	78.10					18.94	8.42		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	19.45	104.17	78.10		<u></u>			18.94	8.42		<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 3		3	UEA	UEAR2	30.92	104.17	78.10					18.94	8.42		1
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35.74]]]]

04/12/02 Page 83 of 352

UNDUNDL	ED NETWORK ELEMENTS - Georgia			T							·		Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36					18.94	8.42		1
4-WIR	RE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	22.26	206.95	170.57					18.94	8.42		
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	25.70	206.95	170.57					18.94	8.42		
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35.74									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36					18.94	8.42		
2-WIR	RE ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.89	233.38	180.35					18.94	8.42		
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.27	233.38	180.35					18.94	8.42		
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	40.17	233.38	180.35					18.94	8.42		<u> </u>
	Order Coordination For Specified Conversion Time (per LSR)		<u> </u>	UDN	OCOSL		35.74									ļ
	CLEC to CLEC Conversion Charge without outside dispatch	ļ		UDN	UREWO		120.98	33.04					18.94	8.42	ļ	ļ
2-WIR	RE Universal Digital Channel (UDC) COMPATIBLE LOOP	ļ			\perp										ļ	ļ
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1	- 1	1	UDC	UDC2X	21.89	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	2	- 1	2	UDC	UDC2X	25.27	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	3	- 1	3	UDC	UDC2X	40.17	44.69	31.55	25.65	7.06			18.94	8.42		
	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		44.69	31.55					18.94	8.42		
2-WIR	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF	•												ĺ
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1	- 1	1	UAL	UAL2X	11.23	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop including manual service inquiry															ĺ
	& facility reservation - Zone 2	- 1	2	UAL	UAL2X	12.97	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3	- 1	3	UAL	UAL2X	20.62	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35.74									ĺ
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1	- 1	1	UAL	UAL2W	11.23	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2	- 1	2	UAL	UAL2W	12.97	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3	1	3	UAL	UAL2W	20.62	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35.74									
	CLEC to CLEC Conversion Charge without outside dispatch	I		UAL	UREWO		44.69	29.29					18.94	8.42		
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1	- 1	1	UHL	UHL2X	7.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2	- 1	2	UHL	UHL2X	9.09	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3	- 1	3	UHL	UHL2X	14.46	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35.74									
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	l l	1	UHL	UHL2W	7.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled HDSL Loop without manual service inquiry	1 .	_								1				l	
	and facility reservation - Zone 2		2	UHL	UHL2W	9.09	44.69	31.55	25.65	7.06			18.94	8.42	ļ	ļ
	2 Wire Unbundled HDSL Loop without manual service inquiry			l	1						1				l	
	and facility reservation - Zone 3		3	UHL	UHL2W	14.46	44.69	31.55	25.65	7.06			18.94	8.42		.
	Order Coordination for Specified Conversion Time (per LSR)	ļ		UHL	OCOSL		35.74								ļ	ļ
	CLEC to CLEC Conversion Charge without outside dispatch	!_		UHL	UREWO		44.69	31.55					18.94	8.42	ļ	ļ
4-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IBLE	LOOP													<u> </u>
	4 Wire Unbundled HDSL Loop including manual service inquiry	l .	1		[]											
	and facility reservation - Zone 1		1	UHL	UHL4X	10.39	44.69	31.55	25.65	7.06			18.94	8.42		_
	4-Wire Unbundled HDSL Loop including manual service inquiry	1	1	l	1					_	1]		l _	Ì	
	and facility reservation - Zone 2		2	UHL	UHL4X	12.00	44.69	31.55	25.65	7.06			18.94	8.42		

### BCS USOC ### B	LINDUNDLE	D NETWORK ELEMENTS Coordin												A44b	2	Fubible D	
ATECHNIS North Decision Dec	UNBUNDLE	D NETWORK ELEMENTS - Georgia		ı	1	1						Cur Ouden	Cur Ouden	Attachment:		Exhibit: B	l
ACT CONT. RATE LEMENTS RATE																	
CATEGORY RATE ELEMENTS																	
MAILED Part Maile Mail			Interi	l_								Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
Secretarion Page	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Note														Electronic-	Electronic-	Electronic-	Electronic-
Page Page														1st	Add'l	Disc 1st	Disc Add'l
No. Piece April Piece April Piece April Piece April Piece April Piece April Display Di																	
## Common Program First April Ap							Rec										
In the fully searchers. Zone 3 1 3 DEL DEL ACK 1007 4420 31.05 26.05 7.06 19.04 8.42							rico	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Other Excitations for Specified Convention Trees (set 1891) UPS UP		4-Wire Unbundled HDSL Loop including manual service inquiry															i
Ave. Librorides (1981, Losy without meanur service) 1 1 1 1 1 1 1 1 1			- 1	3			19.07		31.55	25.65	7.06			18.94	8.42		1
Section Sect					UHL	OCOSL		35.74									l
A-William Technical College Transmission Services Properly and Cash Technical College Transmission Services Properly and Cash Technical College Transmission Services Transmis		4-Wire Unbundled HDSL Loop without manual service inquiry															1
Section Section Control Cont		and facility reservation - Zone 1		1	UHL	UHL4W	10.39	44.69	31.55	25.65	7.06			18.94	8.42		1
A-Will Unbounded TOSE, Loop without manual service inquiry 1 3 UHL		4-Wire Unbundled HDSL Loop without manual service inquiry															1
Section Sect		and facility reservation - Zone 2	- 1	2	UHL	UHL4W	12.00	44.69	31.55	25.65	7.06			18.94	8.42		1
In the latest preservation - Zeron 2 1 3 UHL		4-Wire Unbundled HDSL Loop without manual service inquiry															
CLEC to CLEC Convention Changes without Chan			- 1	3	UHL	UHL4W	19.07	44.69	31.55	25.65	7.06			18.94	8.42		1
A-WINE DST Digital Logs - Zero 1 USL USL VSL		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35.74									
A-WINE DST Digital Logs - Zero 1 USL USL VSL			ı						31.55					18.94	8.42		
1-Wine DST Digital Logo - Zone 1	4-WIR																
A-Wire DST Opinat Long - Zone 2 2 USL USL USL VAL 101 50 429 68 286.18 169.44 6.42 169.44 6.42 169.44 6.42 169.44 6.42 169.44 6.42 169.44 6.42 169.44 6.42 169.44 6.42 169.44 6.42 169.44 6.42 169.44 6.42 169.44 6.42 169.44 6.42 169.44 6.42 169.44 169				1	USL	USLXX	55.53	429.98	268.18	İ	İ	İ	İ	18.94	8.42		
After DSF Digital Logo - Zone 3 USL				2						İ							
Cities Constitution for Specified Convention Time (per LSR) USL OCOSL S. 7.4										1							
CLEC to CLEC Convention Change without costace departs USL UREWO 10.091 42.97 18.94 8.42				Ť					200.70	1				.5.54	J. 72		
WHIRE 192, 96 OR 94 KRBPS DIGITAL, GRADE LOOP									42.97	1				18.94	8.42		
4 Wire Unburided Digital 192 Kbps	4-WIR				002	ONETTO		100.01	12.01					10.01	0.12		
## Wire Unburselled Digital 192 Köpis 2 DDL UDL19 2274 348.55 241.20 119.84 8.42 ## Wire Unburselled Digital Loop 6 Kipps - Zone 1 1 UDL UDL56 25.75 348.65 241.20 119.84 8.42 ## Wire Unburselled Digital Loop 6 Kipps - Zone 2 2 UDL UDL56 25.75 348.65 241.20 119.84 8.42 ## Wire Unburselled Digital Loop 6 Kipps - Zone 3 2 UDL UDL56 25.75 348.65 241.20 119.84 8.42 ## Wire Unburselled Digital Loop 6 Kipps - Zone 3 2 UDL UDL56 25.75 348.65 241.20 119.84 8.42 ## Wire Unburselled Digital Loop 6 Kipps - Zone 1 1 UDL UDL56 25.75 24.85 241.20 119.84 8.42 ## Wire Unburselled Digital Loop 6 Kipps - Zone 1 1 UDL UDL56 25.75 24.85 241.20 119.84 8.42 ## Wire Unburselled Digital Loop 6 Kipps - Zone 1 1 UDL UDL56 25.75 24.86 241.20 119.84 8.42 ## Wire Unburselled Digital Loop 6 Kipps - Zone 1 2 UDL UDL56 25.75 348.65 241.20 119.84 8.42 ## Wire Unburselled Digital Loop 6 Kipps - Zone 2 2 UDL UDL56 25.75 348.65 241.20 119.84 8.42 ## Wire Unburselled Digital Loop 6 Kipps - Zone 2 2 UDL UDL56 25.75 348.65 241.20 119.84 8.42 ## Wire Unburselled Digital Loop 6 Kipps - Zone 2 2 UDL UDL56 25.75 348.65 241.20 119.84 8.42 ## Wire Unburselled Digital Loop 6 Kipps - Zone 2 2 UDL UDL56 25.75 348.65 241.20 119.84 8.42 ## Wire Unburselled Digital Loop 6 Kipps - Zone 2 2 UDL UDL56 25.75 348.65 241.20 119.84 8.42 ## Wire Unburselled Digital Loop 6 Kipps - Zone 2 2 UDL UDL56 25.75 348.65 241.20 119.84 8.42 ## Wire Unburselled Copper Loop-Short Industrial dispate in UDL56 25.75 25.65 7.06 119.84 8.42 ## Wire Unburselled Copper Loop-Short Industrial service in UDL56 25.75 25.65 7.06 119.84 8.42 ## Wire Unburselled Copper Loop-Short Industrial service in UDL56 25.75 25.65 7.06 119.84 8.42 ## Wire Unburselled Copper Loop-Short Industrial service in UDL56 25.75 25.65 7.06				1	UDI	UDI 19	25.75	348 55	241 20					18 94	8 42		
4 Wire Urbunded Digital 1992 Riches - Zone 1																	
A Wire Unbundled Digital Loop 98 Kbps - Zone 1																	
4 Wire Unbunded Digital Loop 6 Kipps - Zone 2																	
4 Wire Unburdled Digital Loop 58 Kbps - Zone 3 3 UDL UDLS6 47.27 348.55 241.20 18.94 8.42																	
Order Coordination for Specified Conversion Time (per LSR)																	
A Wire Inhunded Digital Loop 64 Kps - Zone 1	_			J			41.21		241.20					10.54	0.42		
A Wire Unbundled Digital Loop 64 Kbps - Zone 2				-1			25.75		244.20					10.04	0.40		
A Wire Unbundled Digital Loop 64 Khps - Zone 3																	
Order Coordination for Specified Conversion Time (per LSR)																	
CLEC to CLEC Conversion Charge without outside dispate h UDL UREWO 101.95 49.66 18.94 8.42				3			41.21		241.20					18.94	8.42		
2-Wire Unbundled Copper Log/Short including manual service				-					40.00					40.04	0.40		
2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1	0.14/15			-	UDL	UREWO		101.95	49.66					18.94	8.42		
Inquiry & facility reservation - Zone 1	2-WIR																
2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2 1			١.	١.,		LIOL DD	40.00	44.00	04.55	05.05	7.00			40.04	0.40		1
Inquiry & facility reservation - Zone 2				1	UCL	UCLPB	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
2 Wire Unbundled Copper Loop/Short including manual service inquiry at facility reservation - Zone 3			١.				40.00	44.00									1
Inquiry & facility reservation - Zone 3				2	UCL	UCLPB	13.88	44.69	31.55	25.65	7.06			18.94	8.42		,
Order Coordination for Unbundled Copper Loops (per loops)			Ι.	١.	l							1	1				ı
2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1	\vdash			3			22.07			25.65	7.06			18.94	8.42		
Inquiry and facility reservation - Zone 1	\vdash			ļ	UCL	UCLMC		16.11	16.11								
2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2 1 2 UCL UCLPW 13.88 44.69 31.55 25.65 7.06 18.94 8.42			l .	1	l							1	1				i
Inquiry and facility reservation - Zone 2	\vdash			1	UCL	UCLPW	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3				1		1											ı
Inquiry and facility reservation - Zone 3	\vdash			2	UCL	UCLPW	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
Order Coordination for Unbundled Copper Loops (per loop)				1						Ì		1	1		Ì		ı
2-Wire Unbundled Copper Loop/Long - includes manual sivc. inquiry and facility reservation - Zone 1				3			22.07			25.65	7.06			18.94	8.42		
Inquiry and facility reservation - Zone 1					UCL	UCLMC		16.11	16.11								
2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2				1								1	1				
Inquiry and facility reservation - Zone 2				1	UCL	UCL2L	35.56	44.69	31.55	25.65	7.06			18.94	8.42		<u>. </u>
2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3				1							<u> </u>	1	1	1			
Inquiry and facility reservation - Zone 3		inquiry and facility reservation - Zone 2	1	2	UCL	UCL2L	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
Order Coordination for Unbundled Copper Loops (per loop)											<u> </u>			1			
2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1			I	3			65.28			25.65	7.06			18.94	8.42		
Inquiry and facility reservation - Zone 1		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
2-Wire Unbundled Copper Loop/Long - without manual service 1																	
2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2		inquiry and facility reservation - Zone 1	- 1	1	UCL	UCL2W	35.56	44.69	31.55	25.65	7.06			18.94	8.42		ı
Inquiry and facility reservation - Zone 2																	
2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3 I 3 UCL UCL2W 65.28 44.69 31.55 25.65 7.06 18.94 8.42			1	2	UCL	UCL2W	41.07	44.69	31.55	25.65	7.06	1	1	18.94	8.42		i
Inquiry and facility reservation - Zone 3																	
			1	3	UCL	UCL2W	65.28	44.69	31.55	25.65	7.06	1	1	18.94	8.42		i
		Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	22.20	16.11	16.11		50			1			

ONRONDLI	ED NETWORK ELEMENTS - Georgia			1	1	1							Attachment:		Exhibit: B	ļ <u>.</u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)	1		UCL	LIBEWO		44.69	31.55					18.94	8.42		
4-WIR	E COPPER LOOP			UCL	UREWO		44.69	31.55					18.94	8.42		
4-1111	4-Wire Copper Loop/Short - including manual service inquiry		1		1											
	and facility reservation - Zone 1	1	1	UCL	UCL4S	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 2	- 1	2	UCL	UCL4S	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 3	- 1	3	UCL	UCL4S	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	4-Wire Copper Loop/Short - without manual service inquiry and	l .		LICI	LICL #W	40.00	44.00	04.55	25.25	7.00	1		40.01	0.40		
	facility reservation - Zone 1		1	UCL	UCL4W	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
-	4-Wire Copper Loop/Short - without manual service inquiry and	- '-		UUL	JOL4VV	13.08	44.09	31.35	20.05	7.00	-		10.94	0.42	1	1
	facility reservation - Zone 3	1	3	UCL	UCL4W	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)	·		UCL	UCLMC	22.01	16.11	16.11	20.00	7.00			10.01	02		
	4-Wire Unbundled Copper Loop/Long - includes manual svc.							-								
	inquiry and facility reservation - Zone 1	- 1	1	UCL	UCL4L	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 2	- 1	2	UCL	UCL4L	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		l _													
	inquiry and facility reservation - Zone 3	ı	3	UCL	UCL4L	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)		1	UCL	UCLMC		16.11	16.11								
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4O	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled Copper Loop/Long - without manual svc.		<u> </u>	OCL	OCLTO	33.30	44.03	31.33	25.05	7.00			10.34	0.42		
	inquiry and facility reservation - Zone 2	1	2	UCL	UCL4O	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled Copper Loop/Long - without manual svc.													_		
	inquiry and facility reservation - Zone 3	- 1	3	UCL	UCL4O	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	CLEC to CLEC conversion Charge without outside dispatch	- 1		UCL	UREWO		44.69	31.55					18.94	8.42		
LOOP MODIF	ICATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC,	ULM2L		0.00	0.00					18.94	8.42		
	pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire		<u> </u>	UDN, UDL, USL	ULIVIZL		0.00	0.00					18.94	8.42		
	greater than 18k ft	1		UCL, ULS	ULM2G		0.00	0.00					18.94	8.42		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			002, 020	O L.V.LO		0.00	0.00					10.01	02		
1	less than or equal to 18K ft	1	1	UHL, UCL	ULM4L		0.00	0.00			1		18.94	8.42		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	pair greater than 18k ft	- 1		UCL	ULM4G		0.00	0.00					18.94	8.42		
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL,												
	per unbundled loop	1	1	USL	ULMBT		0.00	0.00			1		18.94	8.42		
SUB-LOOPS																
Sub-L	oop Distribution															
1	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	l .	1	LIFANII	LIODG:						1			<u> </u>		
	Up		<u> </u>	UEANL	USBSA		421.08	421.08					18.94	8.42	-	
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		1	UEANL	USBSB		67.10	67.10					18.94	8.42		
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-op Sub-Loop - Per Building Equipment Room - CLEC Feeder	<u> </u>		OLAINL	JUDUD		07.10	07.10					10.94	0.42		
	Facility Set-Up	1	1	UEANL	USBSC		394.74	394.74					18.94	8.42		
1	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	<u> </u>					5514	00 +						U.72		
	Set-Up	- 1	1	UEANL	USBSD		154.57	154.57					18.94	8.42		

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	FES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working			115 4411	LIODDO	4.07	0.40	0.40	4 74	4.74			40.04	0.40		
	and Spare Loop Activation Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working		1	UEANL	USBRC	1.37	2.48	2.48	1.74	1.74			18.94	8.42		
	and Spare Loop Activation			UEANL	USBRD	2.74	4.96	4.96	1.74	1.74			18.94	8.42		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			OLANE	OODIND	2.14	4.30	4.30	1.74	1.74			10.54	0.42		
	Statewide		sw	UEANL	USBN2	9.12	207.01	171.32					18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Statewide		SW	UEANL	USBN4	8.32	219.35	72.99	123.72	28.77			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-	1	UEANL	USBR2	1.37	2.48	41.59	115.85	19.17	-		18.94	8.42		
- 	Sub-Loop 2-Wire Intrabuliding Network Cable (INC) -	- ' -	1	OL, ave	CODINZ	1.57	2.40	41.39	110.00	13.17			10.54	0.42		
	Intermediary Access Terminal (IAT)			UEANL	USBRC	1.37	2.48	2.48	1.74	1.74	1		18.94	8.42		
	, ,															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC) -															
	Intermediary Access Terminal (IAT)			UEANL	USBRD	2.74	4.96	4.96	1.74	1.74			18.94	8.42		
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	2.96	176.46	55.11	122.17	19.57			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.84	8.42		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2	UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.94	8.42		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.22	34.22								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	<u> </u>	1	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF UEF	UCS4X UCS4X	6.89 6.89	219.35 219.35	72.99 72.99	123.72 123.72	28.77 28.77			18.94 18.94	8.42 8.42		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UC54X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.22	34.22								
Unbur	ndled Network Terminating Wire (UNTW)			02.	0000		01.22	022								
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	1.37	2.48	2.48	1.74	1.74			18.94	8.42		
Netwo	rk Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines	ı		UENTW	UND12		86.37	56.69					18.94	8.42		
	Network Interface Device (NID) - 1-6 lines	<u> </u>		UENTW	UND16		127.93	98.21					18.94	8.42		
	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W			UENTW UENTW	UNDC2 UNDC4		6.15 6.15	6.15 6.15					18.94	8.42		
SUB-LOOPS	INCOMENTAL INTERFACE DEVICE CIOSS COMMENT - 4VV	 	1	CLIVIVY	014004		0.15	0.15								1
	oop Feeder															
ĺ	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,												
	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		421.08						18.94	8.42		
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												
	set-up		1	UDN,UCL,UDL,UDC	USBFX		67.10	67.10					18.94	8.42		
	USL Feeder DS1 Set-up at DSX location, per DS1 termination Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		-	USL	USBFZ		521.57	11.30					18.94	8.42	-	
	Grade- Statewide		sw	UEA	USBFA	8.58	206.44	170.05			1		18.94	8.42		
1	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL	5.50	35.74							5.42		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice			-												
	Grade - Statewide		sw	UEA	USBFB	8.58	206.44	170.05					18.94	8.42		
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		35.74									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,							.=0			1		40			
	Voice Grade Loop - Statewide		SW	UEA	USBFC	8.58	206.44	170.05					18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR	ı	1	UEA	OCOSL		35.74				l					
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Statewide		sw	UEA	USBFD	19.91	243.41	81.32	134.77	33.93			18.94	8.42		

UNBUNDLE	ED NETWORK ELEMENTS - Georgia												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					-		Nonrec	urrina	Nonrecurring	Disconnect			088	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice				-		FIISL	Auu i	Filat	Auu i	SOWIEC	JOWAN	JOWAN	SOWAN	JOWAN	JOWAN
	Grade - Statewide		SW	UEA	USBFE	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR		344	UEA	OCOSL	10.01	35.74	01.02	104.77	00.00			10.54	0.42		
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI -			02/1	00002		00.7 1									
	Statewide		SW	UDN	USBFF	17.73	208.50	62.31	119.68	29.58			18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		35.74									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		SW	UDC	USBFS	17.73	208.50	62.31	119.68	29.58			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW	USL	USBFG	79.30	203.69	128.76	124.09	34.80			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		35.74									
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop -															
	Statewide		SW	UCL	USBFH	7.22	195.38	63.15	119.68	29.58			18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		35.74								1	
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide		SW	UCL	USBFJ	13.72	243.41	81.32	134.77	33.93			18.94	8.42		ļ
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		35.74									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		SW	UDL	USBFN	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -			UDL	USBFO	04.50	040 44	04.00	404 77	22.00			40.00	40.00	40.00	40.00
	Statewide		SW	UDL		24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		35.74		-							
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Statewide		sw	UDL	USBFP	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR		SW	UDL	OCOSL	24.50	35.74	01.32	134.77	33.93			19.99	19.99	19.99	19.99
SUB-LOOPS	Order Coordination For Specified Conversion Time, per LSK			UDL	OCOSL		33.74									
	Loop Feeder				-											
Oub L	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	12.80										
	Sub Loop Feeder - DS3 - Facility Termination Per Month		Ė	UE3	USBF1	329.94	3.380.00	406.50	163.61	92.75			18.94	8.42		
	Sub Loop Feeder – STS-1 – Per Mile Per Month		i	UDLSX	1L5SL	12.80	0,000.00	100.00	100.01	02.70			10.01	0.12		
	Sub Loop Feeder - STS-1 - Facility Termination Per Month		- 1	UDLSX	USBF7	372.78	3,380.00	406.50	163.61	92.75			18.94	8.42		
	Sub Loop Feeder – OC-3 – Per Mile Per Month		- 1	UDLO3	1L5SL	9.71										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per															
	Month		- 1	UDLO3	USBF5	57.79										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month		- 1	UDLO3	USBF2	524.13	3,380.00	406.50	163.61	92.75			18.94	8.42		
	Sub Loop Feeder - OC-12 - Per Mile Per Month		- 1	UDL12	1L5SL	11.95										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per															
	Month		ı	UDL12	USBF6	519.09										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month		ı	UDL12	USBF3	1,570.00	3,380.00	406.50	163.61	92.75			18.94	8.42		
	Sub Loop Feeder - OC-48 - Per Mile Per Month		I	UDL48	1L5SL	39.20										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per		١.	LIDL 40	USBF9	259.99										
	Month Sub Loop Feeder - OC-48 - Facility Termination Per Month		+	UDL48 UDL48	USBF4	1,505.00	3,566.00	406.50	163.61	92.75			18.94	8.42		
	Sub Loop Feeder - OC-12 Interface On OC-48		i	UDL48	USBF8	323.43	787.13	406.50	163.61	92.75			18.94	8.42		
LINBLINDI ED	LOOP CONCENTRATION			0DL#0	0301-0	323.43	101.13	400.30	103.01	92.15			10.94	0.42	t	1
ONBONDEED	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	441.42	650.81	650.81					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	52.97	271.17	271.17					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	478.93	650.81	650.81					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	89.26	271.17	271.17					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5.04	126.57	92.14	33.57	9.40			19.99	19.99		19.99
	Unbundled Loop Concentration - ISDN Loop Interface (Brite															
	Card)			UDN	ULCC1	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - UDC Loop Interface (Brite				j											
	Card)			UDC	ULCCU	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration2 Wire Voice-Loop Start or															
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			I	I T				ı T				l	l —	I	
	Loop Interface (SPOTS Card)			UEA	ULCCR	11.89	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface															40
	(Specials Card)			UEA	ULCC4	7.09	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	34.67	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop	1	1	UDL	1				10.78		1	1	I	Ì	l .	1

UNBUND	LEC	NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)			1	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
		Unbundled Loop Concentration - Digital 56 Kbps Data Loop		1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interface			UDL	ULCC5	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
UNE OTHE		ROVISIONING ONLY - NO RATE															
		NID - Dispatch and Service Order for NID installation		1	UENTW	UNDBX		-									
		UNTW Circuit Id Establishment, Provisioning Only - No Rate		1	UENTW UEANL,UEF,UEQ,U	UENCE		-									
		Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN											
LINE OTHE		ROVISIONING ONLY - NO RATE	-	1	LINIV	UNLCIN						1					
ONE OTTLE		Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC		0.00	0.00									
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate	ĺ		HEVITOL HOLLID	USBFR	0.00	0.00									
					UEA,USL,UCL,UDL			0.00									
\vdash		Unbundled DS1 Loop - Superframe Format Option - no rate	 	1	USL	CCOSF	0.00	0.00		ļ		-			 		
		Unbundled DS1 Loop - Expanded Superframe Format option - no rate	ĺ		USL	CCOEF	0.00	0.00									
HIGH CAR		Y UNBUNDLED LOCAL LOOP	1	1	UGL	CCOEF	0.00	0.00		1				1	1		-
I IIGH CAP		High Capacity Unbundled Local Loop - DS3 - Per Mile per	-	1				 		 		-			 		
		month			UE3	1L5ND	8.90]							1		
		High Capacity Unbundled Local Loop - DS3 - Facility	1	1	020	. 20110	0.50										
	ŀ	Termination per month	ĺ		UE3	UE3PX	390.34	639.50	426.40					37.55	37.55	18.03	18.03
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	8.90	555.50	120.10					330	330		.5.00
		High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	421.59	639.50	426.40					37.55	37.55	18.03	18.03
LOOP MAR				t			:=::00	222.00	:=:::0					21.00	21.00		. 5.00
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		35.00	35.00								
		Loop Makeup - Preordering With Reservation, per spare facility														_	
		queried (Manual). Loop MakeupWith or Without Reservation, per working or			UMK	UMKLP		45.00	45.00								
		spare facility queried (Mechanized)	<u> </u>	<u>L</u>	UMK	PSUMK	<u></u>	0.075	0.075					<u></u>	<u> </u>		
		NCY SPECTRUM															
SP		ERS-CENTRAL OFFICE BASED															
\vdash		Line Sharing Splitter, per System 96 Line Capacity	ļ	ļ	ULS	ULSDA	131.00	0.00	0.00	0.00	0.00			18.94	8.42		
\vdash		Line Sharing Splitter, per System 24 Line Capacity	<u> </u>	<u> </u>		ULSDB	32.00	0.00	0.00	0.00	0.00			18.94	8.42		
\vdash		Line Sharing Splitter, Per System, 8 Line Capacity		1	ULS	ULSD8	11.00	0.00	0.00	0.00	0.00	1		18.94	8.42		
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD)	ĺ		ULS	ULSDG		0.00	0.00	0.00	0.00			10.04	8.42		
ENI		deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	/ SDEC	TRIIM				0.00	0.00	0.00	0.00	-		18.94	8.42		
EN		Line Sharing - per Line Activation (BST Owned Splitter)	JPEG	I KUWI /	ULS	ULSDC	0.61	10.51	7.70	0.00	0.00	1	1	18.94	8.42		
\vdash		Line Sharing - per Line Activation (BST Owned Splitter) Line Sharing - per Subsequent Activity per Line		 	OLO	OLODO	0.01	10.51	7.70	0.00	0.00			10.94	0.42		
		Rearrangement(BST Owned Splitter Line Sharing - per Subsequent Activity per Line			ULS	ULSDS		36.23	13.23	0.00	0.00			18.94	8.42		
		Rearrangement(DLEC Owned Splitter	l		ULS	ULSCS		36.23	13.23	0.00	0.00			18.94	8.42		
		Line Sharing - per Line Activation (DLEC owned Splitter)		1	ULS	ULSCC	0.61	47.44	19.31	0.00	0.00	<u> </u>		18.94	8.42		
		Line Splitting - per line activation DLEC owned splitter	i			UREOS	0.61	77.74	10.01	5.50	0.00			10.54	J72		
		Line Splitting - per line activation BST owned - physical	i			UREBP	0.639	53.48	34.48	16.45	12.75			18.94	8.42		
		Line Splitting - per line activation BST owned - virtual	l i	1		UREBV	0.636	53.48	34.48	16.45	12.75			18.94	8.42		
UNBUNDLI		EDICATED TRANSPORT						1220	2 10	12.70	:=:70				1		
		INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimul	m billin	g perio	d - below DS3=one	month, DS3/	STS-1=four mo	onths						1			
		OFFICE CHANNEL - DEDICATED TRANSPORT		Ĺ											<u> </u>		
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0222										

UNBU	NDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonred		Nonrecurring					Rates(\$)		
		Little (fire Observed De Frank Transport O Miles Vision O or In-						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	17.07	79.61	36.08					18.94	18.94		
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			U1TVX	1L5XX	0.0222										
		Interoffice Channel - Dedicated Transport - 2- Wile VG Rev Bat Facility Termination per month Interoffice Channel - Dedicated Transport - 56 kbps - per mile			U1TVX	U1TR2	17.07	79.61	36.08					18.94	18.94		
		Interoffice Channel - Dedicated Transport - 36 kbps - per mille per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0222										
		Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	U1TD5	16.45	79.61	36.08					18.94	18.94		
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.0222										
		Termination per month Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			U1TDX	U1TD6	16.45	79.61	36.08					18.94	18.94		
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	1L5XX	0.4523										
		Termination per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			U1TD1	U1TF1	78.47	147.07	111.75					18.94	18.94		
		Interoffice Channel - Dedicated Transport - DS3 - Fell wile per month Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	1L5XX	2.72										
		Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TD3	U1TF3	788.00	511.10	330.77					37.55	37.55	18.03	18.03
		Interoffice Channel - Dedicated Transport - STS-1 - Fel Wille Per Month Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	1L5XX	2.72										
	I OCAI	Termination per month CHANNEL - DEDICATED TRANSPORT			U1TS1	U1TFS	783.63	511.10	449.91					61.19	61.19	3.17	3.17
		LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing	g perio	d - belo	w DS3=one month.	DS3/STS-1=f	our months			 			 				
		Local Channel - Dedicated - 2-Wire Voice Grade Per Month	Ĺ		ULDVX	ULDV2	13.91	382.95	62.40					18.94	8.42		
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULDVX	ULDR2	13.91	382.95	62.40					18.94	18.94		
igsquare		Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	14.99	368.44	64.05					18.94	8.42		40
\vdash		Local Channel - Dedicated - DS1 per month			ULDD1	ULDF1	38.36	356.15	312.89					44.22	44.22	18.03	18.03
		Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3 ULDD3	1L5NC ULDF3	6.92 515.91	639.50	426.31					37.55	37.55	18.03	18.03
		Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination per			ULDS1	1L5NC	6.92	039.30	420.31					31.33	31.35	10.03	10.03
MULTIF	DI EYE	month			ULDS1	ULDFS	517.56	639.50	426.31					18.94	18.94		
WOLITE		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	126.22	198.22	123.59	 				14.75	6.55	10.70	
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UDL	1D1DD	1.86	12.02	8.66					14.75	6.55	10.60	
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	3.37	12.02	8.66					14.75	6.55	10.60	
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1.17	12.02	8.66					14.75	6.55	10.60	
\vdash		DS3 to DS1 Channel System per month			UXTD3	MQ3	182.04	265.91	188.78					14.75	6.55	10.60	
\vdash		STS1 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) used with Loop per month			UXTS1 USL	MQ3 UC1D1	182.04 11.02	265.91 12.02	188.78 8.66					18.94 14.75	18.94 6.55	10.60	
		DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	11.02	12.02	8.66					14.75	6.55	10.00	
		DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per month			U1TD1	UC1D1	11.02	12.02	8.66					14.75	6.55		
DARK F	IBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Local Channel NRC Dark Fiber - Local Channel			UDF UDF	1L5DC UDFC4	44.22	1,355.29	273.69					18.94	18.94		
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	44.22		- 33								

ONROND	LED	NETWORK ELEMENTS - Georgia	,				1					,		Attachment:		Exhibit: B	
CATEGOR	Y	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonred		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,355.29	273.69					18.94	18.94		
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Local Loop			UDF	1L5DL	44.22										
		NRC Dark Fiber - Local Loop			UDF	UDFL4		1,355.29	273.69					18.94	18.94		
TRANSPOR																	
		Features & Functions:															
8XX ACCE		EN DIGIT SCREENING			OHD		0.0004000										
		XXX Access Ten Digit Screening, Per Call XXX Access Ten Digit Screening, Reservation Charge Per 8XX			OHD		0.0004868										
		Number Reserved			OHD	N8R1X		6.57	0.76					18.94	18.94		
		BXX Access Ten Digit Screening, Per 8XX No. Established W/O			OHD	INSKIA		6.57	0.76					18.94	18.94		
		POTS Translations	l		OHD			12.81	1.45					18.94	18.94		
-		BXX Access Ten Digit Screening, Per 8XX No. Established With	 		OI ID	1		12.01	1.45	-				10.34	10.94	1	1
		POTS Translations	1		OHD	N8FTX		12.81	1.45					18.94	18.94		
		BXX Access Ten Digit Screening, Customized Area of Service	1			10		12.01	1.40	 				10.04	10.54	1	
		Per 8XX Number	l		OHD	N8FCX		4.46	2.23					18.94	18.94		
		BXX Access Ten Digit Screening, Multiple InterLATA CXR															
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.22	2.99					18.94	18.94		
	8	3XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		7.33	0.76					18.94	18.94		
	8	XXX Access Ten Digit Screening, Call Handling and Destination															
		eatures			OHD	N8FDX		4.72	4.46					18.94	18.94		
LINE INFO		TION DATA BASE ACCESS (LIDB)															
		IDB Common Transport Per Query			OQT		0.0000338										
		IDB Validation Per Query			OQU		0.0105974										
		IDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		50.30						18.94	18.94		
SIGNALING					LIDD	DTOOY	400.00										
		CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per TCAP Message			UDB UDB	PT8SX	133.99 0.000087										
		CCS7 Signaling Osage, Fer TCAP Wessage			UDB	TPP++	17.05	131.96	131.96					18.94	18.94		
		CCS7 Signaling Connection, Per link (A link)			ODB	IFFTT	17.03	131.30	131.90					10.54	10.94		
		ink)			UDB	TPP++	17.05	131.96	131.96					18.94	18.94		
		CCS7 Signaling Usage, Per ISUP Message			UDB	111177	0.0000354	131.30	131.30					10.34	10.54		
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	340.67										
-		CCS7 Signaling Point Code, per Originating Point Code			000	0.000	0.0.0.										
		Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00					18.94	18.94		
		CCS7 Signaling Point Code, per Destination Point Code															
	E	Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00					18.94	18.94		
CALLING N	NAME	(CNAM) SERVICE															
		CNAM for DB Owners, Per Query			OQV		0.01										
		CNAM for Non DB Owners, Per Query			OQV		0.01										
		CNAM (Non-Databs Owner), NRC, applies when using the	1												l		
ODEE : E :		Character Based User Interface (CHUI)	ļ		OQV	CDDCH		595.00	595.00					18.94	18.94		
OPERATOR		L PROCESSING	ļ			1											
		Oper. Call Processing - Oper. Provided, Per Min Using BST	l				4.00										
		LIDB	 			+	1.20								-	-	-
		Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB	l				1.24										
		Oper. Call Processing - Fully Automated, per Call - Using BST	1			+	1.24			-					1	1	1
		JDB.	1				0.20										
— 		Oper. Call Processing - Fully Automated, per Call - Using	1			1	0.20			 					1	1	
		Foreign LIDB	l				0.20										
INWARD O		ATOR SERVICES					5.20								İ	İ	İ
		nward Operator Svcs - Verification, Per Minute					1.15								İ	İ	İ
		nward Operator Services - Verification and Emergency Interrupt															
		Per Minute	<u> </u>				1.15			<u> </u>					<u></u>	<u></u>	<u> </u>
BRANDING		ERATOR CALL PROCESSING															
		Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00		·			19.99	19.99	19.99	19.99
		oading of Custom Branded OA Announcement per shelf/NAV	ļ			CBAOL		500.00	500.00					19.99	19.99		
IUni	brand	ing via OLNS for UNEP CLEC	I	1	Ì	1											

UNBU	INDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental			Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Loading of OA per OCN (Regional)						1,200.00	1,200.00								
DIREC		SSISTANCE SERVICES															
		TORY ASSISTANCE ACCESS SERVICE					0.075										
-		Directory Assistance Access Service Calls, Charge Per Call TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	JACC)				0.275										
	DIREC	Directory Assistance Call Completion Access Service (DACC),	JACC)														
		Per Call Attempt					0.10										
		TORY TRANSPORT															
DIREC		SSISTANCE SERVICES															
-	DIREC	TORY ASSISTANCE DATA BASE SERVICE (DADS) Directory Assistance Data Base Service Charge Per Listing					0.04										
		Directory Assistance Data Base Service Charge Fer Listing Directory Assistance Data Base Service, per month				DBSOF	150.00										
BRAND		IRECTORY ASSISTANCE				55001	100.00										
	Facility	Based CLEC															
		Recording and Provisioning of DA Custom Branded			AA4T	OD 4 D :		0.000.00	0 000 7		-						
-		Announcement Loading of Custom Branded Announcement per DRAM			AMT	CBADA	-	6,000.00	6,000.00								
		Card/Switch			AMT	CBADC		1,170.00	1,170.00								
	UNEP (,	05/150		1,170.00	1,170.00								
		Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
		Loading of DA Custom Branded Announcement per DRAM															
	I la basan	Card/Switch per OCN Iding via OLNS for UNEP CLEC						1,170.00	1,170.00								
-	Unbran	Loading of DA per OCN (1 OCN per Order)					-	420.00	420.00								
		Loading of DA per Switch per OCN					-	16.00	16.00								
SELEC	TIVE RO	DUTING						79.99									
		Selective Routing Per Unique Line Class Code Per Request Per															
VIDTU	NI COLI	Switch LOCATION				USRCR		180.62	180.62					33.67	7.88		
VIKTO	AL COLI	Virtual Collocation - Application Cost			AMTFS	EAF		2,848.30	2,848.30								
		Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		2,750.00	2,750.00								
		Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.20	,	,								
		Virtual Collocation - Power, per breaker amp			AMTFS	ESPAX	3.48										
		Virtual Collocation - Cable Support Structure, per entrance				=000V	40.05										
		cable			AMTFS UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX,	ESPSX	13.35										
		Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0.0283	24.56	23.56	9.20	8.30			19.99	19.99	19.99	19.99
		2 mo cross daminoto (rob)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN,		3.0200	24.00	25.50	5.20	0.00			10.33	10.33	10.00	10.55
		Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.0566	24.75	23.70	9.03	8.10			19.99	19.99	19.99	19.99
					AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,												
		Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF	CNC2F	2.88	41.72	30.36	10.43	8.36			2.20	2.20		
					AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,												
		Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	5.76	51.03	39.67	13.71	11.65			2.20	2.20		
					USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL,												
		Virtual collocation - DS1 Cross Connects	1		UNLD1	CNC1X	7.50	155.00	14.00	İ]]		

IINRI	INDI E	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
OND	NULL						I					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		
CATE	SODV	RATE ELEMENTS	Interi	Zone	BCS	USOC		ВΛ.	TES(\$)							Manual Svc	Manual Svc
CATE	JUKI	RATE ELEMENTS	m	Zone	ВСЗ	0300		KA	1 E 3(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								N			D'				D = (= = (A)		
							Rec	Nonre			Disconnect				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					USL,ULC,AMTFS,U												
					E3, U1TD3, UXTS1,												
					UXTD3, UNC3X,												
					UNCSX, ULDD3,												
					U1TS1, ULDS1,												
		Virtual collocation - DS3 Cross Connects			UDLSX, UNLD3	CND3X	56.25	151.90	11.83								
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			·												
		Support Structure, per linear foot			AMTFS	VE1CB	0.0023										
	1	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax					0.00=0										
		Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0034										
\vdash	+	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable	 				3.0054			1		1	 	 	 		
1	1	Support Structure, per cable	1		AMTFS	VE1CC		553.43				1	İ	Ì	Ì		1
-	1	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax	 		, 1111111111111111111111111111111111111	VL 100	-	333.43		-	1	+	 	 	 	-	1
1	1	Cable Support Structure, per cable	1		AMTFS	VE1CE		553.43				1	İ	Ì	Ì		1
<u> </u>	1		 	-					05.00	1		1	 	 	 	-	
<u> </u>	-	Virtual collocation - Security Escort - Basic, per half hour	-		AMTES	SPTBX		41.00	25.00	1	1	-	1	1			ļ
<u> </u>	-	Virtual collocation - Security Escort - Overtime, per half hour	-		AMTES	SPTOX		48.00	30.00	1	1	-	1	1			ļ
		Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		55.00	35.00								
		Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		30.64	30.64								
		Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.77	35.77								
		Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		40.90	40.90								
VIRTU	AL COL	LOCATION															
		Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
		Wire Analog - Res			UEPSR	VE1R2	0.30	12.60	12.60					18.94	8.42		
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.30	12.60	12.60					18.94	8.42		
	1	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire					0.00										
		Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.30	12.60	12.60					18.94	8.42		
	+	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			OLI OL	VETICE	0.00	12.00	12.00					10.04	0.42		
		Analog Bus			UEPSB	VE1R2	0.30	12.60	12.60					18.94	8.42		
-	+	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire			UEFOB	VEIRZ	0.30	12.00	12.00			-		10.94	0.42		
					LIEDOV	VE4D0	0.00	40.00	40.00					40.04	0.40		
	<u> </u>	ISDN			UEPSX	VE1R2	0.30	12.60	12.60					18.94	8.42		
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire				l _ . _ .											
		ISDN			UEPTX	VE1R2	0.30	12.60	12.60					18.94	8.42		
	1	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire			l	l	_								_		
L	<u> </u>	ISDN DS1	<u> </u>		UEPEX	VE1R4	0.50	12.60	12.60			1		18.94	8.42		
VIRTU	AL COL	LOCATION															
	1	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting			UEPSR, UEPSB	VE1LS	0.03	24.56	23.56	9.20	8.30		ļ	19.99	19.99]
AIN S	LECTIV	E CARRIER ROUTING															
		Regional Service Establishment			SRC	SRCEC		391,788.00						19.99	19.99	19.99	19.99
		End Office Establishment			SRC	SRCEO		320.53	320.53					19.99	19.99	19.99	19.99
		Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06					19.99	19.99	19.99	19.99
		Query NRC, per query			SRC		0.000448										
AIN - I	BELLSO	UTH AIN SMS ACCESS SERVICE															
		AIN SMS Access Service - Service Establishment, Per State,															
1	1	Initial Setup	1		A1N	CAMSE		90.25	90.25				l	18.94	18.94		1
		·				Ì											
1	1	AIN SMS Access Service - Port Connection - Dial/Shared Access	1		A1N	CAMDP		29.66	29.66				l	18.94	18.94		1
	1	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		29.66	29.66			1	i	18.94	18.94		1
	1	AIN SMS Access Service - User Identification Codes - Per User						20.00	20.00				1	.5.54	.5.54		
		ID Code			A1N	CAMAU		84.43	84.43					18.94	18.94		
-	1	AIN SMS Access Service - Security Card, Per User ID Code,			71111	C, IIVIAU		04.43	04.43	1		1	1	10.94	10.94		
1	1	Initial or Replacement	1		A1N	CAMRC		35.44	35.44				l	18.94	18.94		
—	+	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)	 	-	AIIN	CAIVIRU	0.0023	35.44	35.44	-		 	-	18.94	18.94		
-	+		 	-		-	0.0023			-		 	-				
<u> </u>	-	AIN SMS Access Service - Session, Per Minute	-			ļ	0.0795604			1	1	-	1	1			ļ
		AIN SMS Access Service - Company Performed Session, Per					2.00						1				
	1	Minute	1			l	2.08			<u> </u>	l	<u> </u>		<u> </u>	<u> </u>	l	l

UNBU	INDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Name		Name and a summing of	D:						
							Rec	Nonrec First	urring Add'l	Nonrecurring I	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
AIN - B	FLLSO	JTH AIN TOOLKIT SERVICE						FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	SOWAN	JOWAN	JONAN
7		AIN Toolkit Service - Service Establishment Charge, Per State,															
		Initial Setup			CAM	BAPSC		86.74	86.74					18.94	18.94		1
		AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,348.00	8,348.00					18.94	18.94		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Term. Attempt				BAPTT		19.13	19.13					18.94	18.94		1
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI II		19.15	19.15					10.34	10.54		
		DN, Off-Hook Delay				BAPTD		114.80	114.80					18.94	18.94		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTM		19.13	19.13					18.94	18.94		
		DN. 10-Digit PODP				BAPTO		70.06	70.06					18.94	18.94		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, CDP				BAPTC		70.06	70.06					18.94	18.94		
Ì		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF	1	70.06	70.06					18.94	18.94		
		AIN Toolkit Service - Query Charge, Per Query				BAPIF	0.0209223	70.06	70.06					18.94	18.94		
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.0200220										
		Subscription, Per Node, Per Query					0.0053137										1
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access															1
		Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service					1.46										
		Subscription			CAM	BAPMS	15.96	22.64	22.64					18.94	18.94		ł
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
		Subscription			CAM	BAPLS	0.0861109	22.64	22.64					18.94	18.94		
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	15.87	22.64	22.64					18.94	18.94		1
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAIVI	BAFDS	15.67	22.04	22.04					10.94	10.54		
		Service Subscription			CAM	BAPES	0.0028704	22.64	22.64					18.94	18.94		ł
ENHAN		(TENDED LINK (EELs)															
		New EELs available in GA, TN, KY, LA, MS, & SC and density Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-															1
		In all states, EEL network elements shown below also apply to							As Is Charge a	pplies to current	tly combined	facilities co	onverted to	UNEs (Non-re	curring rates	do not apply	3
		In GA, TN, KY, LA, MS & SC the EEL network elements apply							to to ontargo a		,				ourring ruise	ше пет аррту	<u> </u>
	2-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
		First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport			LINOVA	LIEALO	400:	40444	70.10					40.01	0.40		
		Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		1	UNCVX	UEAL2	16.84	104.14	78.10	-				18.94	8.42		
		Transport Combination - Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10					18.94	8.42		1
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed															
		Transport Combination - Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10	 				18.94	8.42		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.4523										1
-		Interoffice Transport - Dedicated - DS1 combination - Facility		1	014017	ILUAA	0.4523										
		Termination per month			UNC1X	U1TF1	78.47	194.63	141.51				<u> </u>	33.63	27.49	19.88	11.85
		DS1 Channelization System Per Month			UNC1X	MQ1	126.22										
<u> </u>		Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1		<u> </u>	UNCVX	1D1VG	1.17	12.02	8.66	ļ				18.94	8.42		
Ì		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.84	104.14	78.10					18.94	8.42		
		Each Additional 2-Wire VG Loop(SL2) in the same DS1			-										_		
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10					18.94	8.42		
		Each Additional 2-Wire VG Loop(SL2) in the same DS1		2	LINCVV	UEAL2	20.00	404.44	70.40					40.04	0.40		
		Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL2	30.92	104.14	78.10	 				18.94	8.42		
		per month			UNCVX	1D1VG	1.17	12.02	8.66					18.94	8.42		
		Nonrecurring Currently Combined Network Elements Switch -As-															
	4 1000	Is Charge VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT		ICE TO	UNC1X	UNCCC		12.97	11.27					45.46	15.72		
<u> </u>	4-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EKUFF	ICE IR	ANSPUKI (EEL)		1			l L		l	<u> </u>				ı

ONBONDLE	D NETWORK ELEMENTS - Georgia	1	1	ı					I	1	C C	C C	Attachment:		Exhibit: B	In enemos: 1-1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates(\$)	•	
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
	Transport Combination - Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.4523										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	126.22										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1.17	12.02	8.66								<u> </u>
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1.17	12.02	8.66					18.94	8.42		
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		12.97	11.27					45.46	15.72		
4-WIRI	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	OFFICE	TRANSPORT (EEL))		_									
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.4523										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	126.22										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		12.97	11.27					18.94	8.42		
4-WIRI	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	OFFICE	TRANSPORT (EEL))					ļ						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		L	UNC1X	1L5XX	0.4523										<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ΓES(\$)			Svc Order Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates(\$)		
	Interoffice Transport - Dedicated - DS1 combination - Facility				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
	Month OCU-DP COCI (data) - DS1 to DS0 Channel System			UNC1X	MQ1	126.22										
	combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		<u> </u>
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		<u> </u>
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		12.97	11.27					45.46	15.72		
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI	EROFFI	CE TRA	NSPORT (EEL)	1				ļ							
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.4523										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		12.97	11.27					45.46	15.72		
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI	EROFFI	CE TRA	NSPORT (EEL)												
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	2.72										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	788.00	198.45	153.15					37.55	37.55	18.03	18.03
	DS3 to DS1 Channel System combination per month	ļ		UNC3X	MQ3	137.73	196.66	204.61	ļ				18.94	8.42		
\vdash	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.02	12.02	8.66	-	1			18.94	8.42		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		ļ
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		ļ
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-	-	-	UNC1X	UC1D1	11.02	12.02	8.66		-			18.94	8.42		
2-WIR	Is Charge E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	TEROFF	ICE TR	UNC3X ANSPORT (EEL)	UNCCC		12.97	11.27					45.46	15.72		
	2-WireVG Loop used with 2-wire VG Interoffice Transport		<u> </u>	OILI (LLL)					-							
	Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport	-	1	UNCVX	UEAL2	16.84	104.14	78.10					18.94	8.42		
	Combination - Zone 2 2-WireVG Loop used with 2-wire VG Interoffice Transport		2	UNCVX	UEAL2	19.45	104.14	78.10					18.94	8.42		
	Combination - Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10					18.94	8.42		

ONDUNDLE	ED NETWORK ELEMENTS - Georgia	1							1		C	Core Cord	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2-wire VG combination - Per				41 = 204											
	Mile Per Month Interoffice Transport - Dedicated - 2- Wire Voice Grade	-		UNCVX	1L5XX	0.0222										
	combination - Facility Termination per month			UNCVX	U1TV2	17.07	79.61	36.08					18.94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As-	-		OTTO VA	01112	17.01	70.01	00.00					10.01	.0.01		
	Is Charge			UNCVX	UNCCC		12.97	11.27					45.46	15.72		
4-WIR	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN	TEROF	ICE T	RANSPORT (EEL)												
	4-WireVG Loop used with 4-wire VG Interoffice Transport			11110101		00.00	000.05	470.57					40.04	0.40		
	Combination - Zone 1 4-WireVG Loop used with 4-wire VG Interoffice Transport	-	1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
	Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
	4-WireVG Loop used with 4-wire VG Interoffice Transport			OTTO VA	OL/IL!	20.10	200.00	170.01					10.01	0.12		
	Combination - Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Interoffice Transport - Dedicated - 4-wire VG combination - Per															
	Mile Per Month Interoffice Transport - Dedicated - 4- Wire Voice Grade			UNCVX	1L5XX	0.0222										
	combination - Facility Termination per month			UNCVX	U1TV4	17.07	79.61	36.08					18.94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As-	-	1	ONOVA	011144	17.07	73.01	30.00					10.54	10.34		
	Is Charge			UNCVX	UNCCC		12.97	11.27					45.46	15.72		
DS3 D	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	CE TRA	NSPOF	RT (EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per															
	Mile per month			UNC3X	1L5ND	8.90										
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	390.34	639.50	426.40					37.55	37.55	18.03	18.03
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	+		UNC3X	1L5XX	2.72	039.30	420.40					37.33	37.33	16.03	10.00
	Interoffice Transport - Dedicated - DS3 combination - Facility			ONOSA	TESTON	2.12										
	Termination per per month			UNC3X	U1TF3	788.00	198.45	153.15					37.55	37.55	18.03	18.03
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge	<u> </u>		UNC3X	UNCCC		12.97	11.27					45.46	15.72		
5151	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF High Capacity Unbundled Local Loop - STS1 combination - Per	FICE II	KANSP	ORT (EEL)												
	Mile per month			UNCSX	1L5ND	8.90										
	High Capacity Unbundled Local Loop - STS1 combination -			01100/1	120112	0.00										
	Facility Termination per month			UNCSX	UDLS1	421.59	639.50	426.40					37.55	37.55	18.03	18.03
	Interoffice Transport - Dedicated - STS1 combination - Per Mile															
	per month	<u> </u>		UNCSX	1L5XX	2.72										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	783.63	198.45	449.91					37.55	37.55	18.03	18.0
	Nonrecurring Currently Combined Network Elements Switch -As-	-		UNCOX	01113	763.03	190.43	445.51					37.33	37.33	10.03	10.0
	Is Charge			UNCSX	UNCCC		12.97	11.27					45.46	15.72		
2-WIR	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPO	RT (EEL	.)													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1	<u> </u>	1	UNCNX	U1L2X	21.89	233.38	180.38					18.94	8.42		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	25.27	233.38	180.38					18.94	8.42		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			UNCINA	UTLZX	25.21	233.30	100.30					10.54	0.42		
	Transport - Zone 3		3	UNCNX	U1L2X	40.17	233.38	180.38					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.4523										
	Interoffice Transport - Dedicated - DS1 combintion - Facility				1											
	Termination per month	 	<u> </u>	UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	126.22										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System	1	1	OINO IA	IVIQI	120.22			-							
	combination - per month			UNCNX	UC1CA	3.37	12.02	8.66					33.63	27.49	19.88	11.8
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1	1	1 1	UNCNX	U1L2X	21.89	233.38	180.38	1		l		18.94	8.42	l	1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			ONCINA	OTLEX	21.09	200.00	100.00	ļ				10.01	0.12		

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring		COMEC	COMAN		Rates(\$)	COMAN	SOMAN
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
	Combination - Zone 3		3	UNCNX	U1L2X	40.17	233.38	180.38					18.94	8.42		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	3.37	12.02	8.66					33.63	27.49	19.88	11.85
	Nonrecurring Currently Combined Network Elements Switch -As-															
4-WIDE	Is Charge Solution District Street Street Street Street Solution Street Street Street Solution Street Street Solution Str	ITEDAE	EICE T	UNC1X	UNCCC		12.97	11.27					45.46	15.72		
4-WIRE	First DS1 Loop in STS1 Interoffice Transport Combination -	LEKOF	FICE I	KANSPORT (EEL)												1
	Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination -		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	Interoffice Transport - Dedicated - STS1 combination - Per Mile		Ť													<u> </u>
	Per Month			UNCSX	1L5XX	2.72										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	783.63	198.45	449.91					37.55	37.55	18.08	18.03
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	182.04	196.45	204.61					37.55	37.55	18.08	18.03
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.02	12.02	8.66					37.55	37.55	18.08	18.03
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		-
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	Additional DS1Loop in STS1 Interoffice Transport Combination -		_	0.10.1%	002701	00	110.20	100.00					10.01	0.12		
	Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.02	12.02	8.66					18.94	8.42		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCSX	UNCCC		12.97	11.27					45.46	15.72		
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANS		011000		12.07	11.27					40.40	10.72		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			ONOBA	ODLOG	25.74	004.00	241.20					10.54	0.42		
	Combination - Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINODY	41.500/	0.0000										
	Per Mile Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	1L5XX	0.0222										
	Facility Termination			UNCDX	U1TD5	16.45	147.07	111.75					33.63	27.49	19.88	11.85
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
4 WIDE	Is Charge	EEICE 1	DANC	UNCDX	UNCCC		12.97	11.27					45.46	15.72		
4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	FFICE	KANS	FORT (EEL)	+											<u> </u>
[Combination - Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			I												
+-	Combination - Zone 2	1	2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		
1	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		Ť					0								
	Per Mile		<u> </u>	UNCDX	1L5XX	0.0222										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination		1	UNCDX	U1TD6	16.45	147.07	111.75					33.63	27.49	19.88	11.85
- - 	Nonrecurring Currently Combined Network Elements Switch -As-	1		CINODA	01100	10.45	147.07	111.75					33.03	21.49	13.00	11.05
	Is Charge			UNCDX	UNCCC		12.97	11.27					45.46	15.72		
	IETWORK ELEMENTS				Sudanh A - I -											
	used as a part of a currently combined facility, the non-recurnused as ordinarilty combined network elements in Georgia, the															
	SynchroNet)	.5 1.011-1	Journa	.5 Juni 200 appriy al	and Switch	is Griange u										†
	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	applies to each com	nbination)											

UNBL	JNDLE	D NETWORK ELEMENTS - Georgia												Attachment:		Exhibit: B	<u> </u>
CATEO	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
		h						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		12.97	11.27					18.94	18.94		
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps			UNCDX	UNCCC		12.97	11.27					18.94	18.94		
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1			UNC1X	UNCCC		12.97	11.27					18.94	18.94		
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3			UNC3X	UNCCC		12.97	11.27					18.94	18.94		
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - STS1			UNCSX	UNCCC		12.97	11.27					18.94	18.94		
	NOTE:	Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3				070 07	00.10					40.01	10.01		
	 	Local Channel - Dedicated - 2-Wire Voice Grade per month	<u> </u>		UNCXV	ULDV2	13.91	272.07	60.43					18.94	18.94	 	
	 	Local Channel - Dedicated - 4-Wire Voice Grade per month	<u> </u>		UNCXV	ULDV4	14.99	272.07	60.43					18.94	18.94	 	↓
	<u> </u>	Local Channel - Dedicated - DS1 Per Month	 		UNC1X	ULDF1	38.36	356.15	312.89								_
		Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	6.92										ļ
		Local Channel - Dedicated - DS3 - Facility Termination per month			UNC3X	ULDF3	515.91	639.50	426.31					18.94	18.94		
		Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	6.92										
		Local Channel - Dedicated - STS-1 - Facility Termination per month			UNCSX	ULDFS	517.56	639.50	426.31					18.94	18.94		
UNBU		LOCAL EXCHANGE SWITCHING(PORTS)															
		nge Ports															
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to I	be ordered usin	g retail USOCs	5								
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.85	17.16	17.16					18.94	8.42		
	1	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.85	17.16	17.16					18.94	8.42		
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled res, low usage line port			UEPSR	UEPRO	1.85	17.16	17.16					18.94	8.42		
		with Caller ID (LUM)			UEPSR	UEPAP	1.85		17.16					18.94	8.42		
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					18.94	8.42		†
	FEATU				02. 0.0	00/100	0.00	0.00	0.00					10.01	02		†
		All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00					18.94	8.42		†
		VOICE GRADE LINE PORT RATES (BUS)					0.00										
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
		Exchange Ports - 2-Wire VG unbundled Line Port with			UEPSB	UEPBL	1.85	17.16	17.16					18.94	8.42		
	1	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.85	17.16	17.16					18.94	8.42		
	1	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exhange Ports - 2-Wire VG unbundled incoming only port with			UEPSB	UEPBO	1.85	17.16	17.16					18.94	8.42		
		Caller ID - Bus	l		UEPSB	UEPB1	1.85	17.16	17.16					18.94	8.42		
	1	Subsequent Activity	1		UEPSB	USASC	0.00	0.00	0.00					18.94	8.42	1	†
	FEATU		l				2.00	2.00	2.00							1	
		All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					18.94	8.42	İ	
		INGE PORT RATES (DID & PBX)															
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.85	17.16	17.16					18.94	8.42		
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.85	17.16	17.16					18.94	8.42		
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.85	17.16	17.16					18.94	8.42		
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.85	17.16	17.16					18.94	8.42		
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.85	17.16	17.16					18.94	8.42		
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.85	17.16	17.16					18.94	8.42		
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.85	17.16	17.16					18.94	8.42		
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.85	17.16	17.16					18.94	8.42		
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.85	17.16	17.16					18.94	8.42	İ	
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.85	17.16	17.16					18.94	8.42		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.85	17.16	17.16					18.94	8.42		

UNBL	JNDLEI	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATE		RATE ELEMENTS	Interi m	Zone	BCS	usoc			ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec	Nonrec		Nonrecurring					Rates(\$)		1
		land with the state of the stat						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXL	1.85	17.16	17.16					18.94	8.42		
		Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPSP	UEPXM	1.85	17.16	17.16					18.94	8.42		
		Discount Room Calling Port			UEPSP	UEPXO	1.85	17.16	17.16					18.94	8.42		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.85	17.16	17.16					18.94	8.42		
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00					18.94	8.42		
	FEATU	RES															
		All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00					18.94	8.42		
		NGE PORT RATES (COIN)															
		Exchange Ports - Coin Port					2.05	17.16	17.16					18.94	8.42		
		Transmission/usage charges associated with POTS circuit sy													L		1
		Access to B Channel or D Channel Packet capabilities will be	availal	ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fic	le Request/	New Business	Request Pro	cess.	
UNBU		OCAL EXCHANGE SWITCHING(PORTS)	ļ														ļ
	EXCHA	NGE PORT RATES (DID & PBX)			UEDEV			21.21							40.00	10.00	10.00
		Exchange Ports - 2-Wire DID Port		<u> </u>	UEPEX	UEPP2	11.35	61.91	61.91					19.99	19.99	19.99	19.99
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	120.80	108.38	60.88					19.99	19.99	19.99	19.99
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	13.47	47.37	47.37					39.98	39.98		
		All Features Offered			UEPTX UEPSX	UEPVF	0.00	0.00	0.00								
		Transmission/usage charges associated with POTS circuit sy													<u> </u>		
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	availal	ole only						lities will be de	etermined via t	he Bona Fid	le Request/	New Business	Request Pro	cess.	
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00 186.80	0.00					07.00	07.00		
LINIDIII	IDI ED I	Exchange Ports - 4-Wire ISDN DS1 Port OCAL SWITCHING, PORT USAGE		<u> </u>	UEPEX	UEPEX	163.16	186.80	186.80					37.88	37.88		
UNDU		fice Switching (Port Usage)										1					
	Liiu Oi	End Office Switching Function, Per MOU		1			0.0016333										
		End Office Trunk Port - Shared, Per MOU					0.0001564										
	Tanden	n Switching (Port Usage) (Local or Access Tandem)					0.000.001										
		Tandem Switching Function Per MOU					0.0006757										
		Tandem Trunk Port - Shared, Per MOU					0.0002126										
	Commo	on Transport															
		Common Transport - Per Mile, Per MOU					0.000008										
		Common Transport - Facilities Termination Per MOU					0.0004152										
UNBU		PORT/LOOP COMBINATIONS - COST BASED RATES															
	Cost Ba	ased Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to pro	vide Unbun	dled Local Swi	tching or Swite	ch Ports.								
		es shall apply to the Unbundled Port/Loop Combination - Cos															
		fice and Tandem Switching Usage and Common Transport Us															
		orgia, Kentucky, Louisiana, Mississippi, South Carolina and 1															
		tly Combined Combos for all states. In GA, KY, LA, MS, SC an								and NC these	nonrecurring	charges are	Market Rat	es and are als	so listed in th	e Market Rate	e section.
		rrently Combined Combos in all other states, the nonrecurring	g charg	es sha	I be those identified	in the Nonre	ecurring - Curr	ently Combine	d sections.	1	1		1	1			,
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE PO	ort/Loop Combination Rates		1			40.50										
		2-Wire VG Loop/Port Combo - Zone 1					12.59 14.26										
	 	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	 	3			21.62			 				1	1	1	1
	UNFIC	pop Rates	1			 	21.02			 							
		2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPRX	UEPLX	10.80					<u> </u>				1	1
	i –	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	12.47										i e
		2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	19.83				l			l	İ	İ	İ
	2-Wire	Voice Grade Line Port Rates (Res)															ĺ
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.79	22.14	15.25	8.45	3.91			37.06	7.88	11.17	3.91
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundles res, low usage line port with Caller ID	I	1		ĺ					l			l			
		(LUM)			UEPRX	UEPAP	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	FEATU	(LUM)			UEPRX UEPRX	UEPAP UEPVF	0.00	0.00	0.00	8.45	3.91			33.67	7.88	11.17	3.91

04/12/02 Page 100 of 352

UNBU	JNDLE	D NETWORK ELEMENTS - Georgia												Attachment:		Exhibit: B	
CATEG	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	FES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LOCAL	NUMBER PORTABILITY			LIEDDY	LNDOV	0.05										
	NONDE	Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPRX	LNPCX	0.35										├
	NONE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPRX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPRX	USACC		2.01	0.3108					33.67	7.88		
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	2 WIDE	Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPRX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.91
		ort/Loop Combination Rates		 		+	-										
		2-Wire VG Loop/Port Combo - Zone 1		1		1	12.59										
		2-Wire VG Loop/Port Combo - Zone 2		2			14.26										
		2-Wire VG Loop/Port Combo - Zone 3		3			21.62										
	UNE L	pop Rates															<u> </u>
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.80										
		2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		2	UEPBX UEPBX	UEPLX UEPLX	12.47 19.83										
	2-Wiro	Voice Grade Line Port (Bus)		3	UEPBA	UEPLA	19.03										
	Z-VVIIC	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										-
	FEATU	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLFBA	OLFVI	0.00	0.00	0.00					33.07	7.00	11.17	3.91
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPBX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPBX	USACC		2.01	0.3108								
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2		0.00	0.00					33.67	7.88	11.17	3.91
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			OLFBA	USASZ		0.00	0.00					33.07	7.00	11.17	3.91
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			12.59										
		2-Wire VG Loop/Port Combo - Zone 2		2			14.26		•		•						
	L	2-Wire VG Loop/Port Combo - Zone 3		3			21.62										
	UNE Lo	pop Rates	 	1	LIEDDO	UEPLX	10.00										
	1	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPRG UEPRG	UEPLX	10.80 12.47										
	1	2-Wire Voice Grade Loop (SL 1) - Zone 2	-	3	UEPRG	UEPLX	19.83										
	2-Wire	Voice Grade Line Port Rates (RES - PBX)		Ť	02.10	JEI EX	10.00										
	1 2	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res			UEPRG	UEPRD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	LOCAL	NUMBER PORTABILITY			LUEDDO	1.110.00											
	EE A T'	Local Number Portability (1 per port)		<u> </u>	UEPRG	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	3.91
	FEATU	All Features Offered	1	1	UEPRG	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		 	OLI INO	OLI VI	0.00	0.00	0.00					33.07	7.00	11.17	3.91
	1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1			t										
		Conversion - Switch-As-Is			UEPRG	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			_									_			
	L	Conversion - Switch with Change		<u> </u>	UEPRG	USACC	ļ	2.01	0.3108					33.67	7.88	11.17	3.91
	ADDITI	ONAL NRCs															

ONRONDE	D NETWORK ELEMENTS - Georgia			1								1 -	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	FES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.91
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						4404	4404					40.00	40.00	40.00	40.00
0.14/10	Group E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)						14.64	14.64					19.99	19.99	19.99	19.99
	ort/Loop Combination Rates				+						-					
ONLF	2-Wire VG Loop/Port Combo - Zone 1		1		+	12.59			1							
	2-Wire VG Loop/Port Combo - Zone 1		2		+	14.26			1							
	2-Wire VG Loop/Port Combo - Zone 3		3		+	21.62										
UNE L	oop Rates					21.02										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	12.47			1							
	2-Wire Voice Grade Loop (SL 1) - Zone 3	<u></u>	3	UEPPX	UEPLX	19.83										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)									-						
		l														
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX UEPPX	UEPXA	1.79	22.14	15.25	8.45	3.91			37.06	7.88	11.17	3.91
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXB UEPXC	1.79 1.79	22.14 22.14	15.25	8.45 8.45	3.91 3.91			33.67 33.67	7.88 7.88	11.17 11.17	3.91 3.91
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXC	1.79	22.14	15.25 15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLFFX	OLFAD	1.75	22.14	13.23	0.43	3.91	1		33.07	7.00	11.17	3.91
	Capable Port			UEPPX	UEPXE	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITA	OLI AL	1.73	22.14	13.23	0.43	5.51			33.07	7.00	11.17	3.31
	Administrative Calling Port			UEPPX	UEPXL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy								-							
	Room Calling Port			UEPPX	UEPXM	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
LOCA	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	3.91
FEAT																
NONE	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
NONK	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is	1		UEPPX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
+	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 		OLI I A	UUAUZ		2.01	0.5106			-		33.07	7.00	11.17	3.91
	Conversion - Switch with Change			UEPPX	USACC		2.01	0.3108					33.67	7.88	11.17	3.91
ADDIT	IONAL NRCs			CLITA	00/100		2.01	0.0100					00.07	7.00	11.17	0.01
7.55.1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.91
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						14.64	14.64					19.99	19.99	19.99	19.99
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POP	RT														
UNE P	ort/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1	ļ	1	ļ	\rightarrow	12.69										
	2-Wire VG Coin Port/Loop Combo – Zone 2	<u> </u>	2	-	+	14.36							ļ	ļ	ļ	
	2-Wire VG Coin Port/Loop Combo – Zone 3	!	3	 	+	21.72										-
UNE L	oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1	!	1	UEPCO	UEPLX	10.80										-
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	 	2	UEPCO	UEPLX	10.80			 							-
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	 		UEPCO	UEPLX	19.83			 				1	1	1	1
2-Wire	Voice Grade Line Ports (COIN)		3	021 00	OLI LA	13.03			 							
2-11116	2-Wire Coin 2-Way with Operator Screening (GA)	1		UEPCO	UEPGC	1.89	22.14	15.25	8.45	3.91	<u> </u>		33.67	7.88	11.17	3.91
- 	2-Wire Coin 2-Way with Operator Screening (OA) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	1			52. 50	1.00	22.17	10.20	0.40	0.01	<u> </u>		55.57	7.50		5.91
	900/976, 1+DDD (GA)	l		UEPCO	UEP2G	1.89	22.14	15.25	8.45	3.91		I	33.67	7.88	11.17	3.91

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachment:		Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA)			UEPCO	UEPGA	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Coin 2-Way with Operator Screening and 900/976 Blocking (GA)			UEPCO	UEPGB	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
ADD	ITIONAL UNE COIN PORT/LOOP (RC)			ULFCO	OLFCK	1.09	22.14	13.23	0.43	3.91			33.07	7.00	11.17	3.91
,,,,,,	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.59	0.00	0.00					33.67	7.88	11.17	3.91
LOC/	AL NUMBER PORTABILITY				0		0.00						55.5			
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		2.01	0.31					33.67	7.88	11.17	3.91
ADDI	ITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00					33.67	7.88	11.17	3.91
	UNDLED REMOTE CALL FORWARDING - RES															
	Recurring															
UNBU	UNDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB	UEPVJ	1.85	17.16	17.16					18.94	8.42		
Non-	Recurring			OLF VB	OLF V3	1.00	17.10	17.10					10.54	0.42		1
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (RES)												1
2-WIF	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE D PORT/LOOP COMBINATIONS - COST BASED RATES															
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														1
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			28.19										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			30.80										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			42.27					ļ					<u> </u>
UNE	Loop Rates		L	LIEDDY	LIECDA	40.04	404.70	70.10						-		
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		1 2	UEPPX	UECD1 UECD1	16.84 19.45	104.78 104.78	78.10 78.10						-		
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30.92	104.78	104.10								
UNE	Port Rate			X	02001	30.32	104.70	104.10								+
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	11.35	61.91	61.91					33.67	7.88		<u> </u>
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPPX	USAC1		93.38	93.38					33.67	7.88		
ĺ	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															
	with BellSouth Allowable Changes			UEPPX	USA1C		93.38	93.38					33.67	7.88		
	ITIONAL NRCs	ļ	<u> </u>													<u> </u>
I elep	DID Trunk Termination (One Res Port)			LIEDDY	NDT	0.00	0.00	0.00								-
	DID Trunk Termination (One Per Port) DID Numbers, Establish Trunk Group and Provide First Group			UEPPX	NDT	0.00	0.00	0.00								
	of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
LOC/	AL NUMBER PORTABILITY															

UNBUNE	DLED	NETWORK ELEMENTS - Georgia													Attachment:	2	Exhibit: B	
ONBONE		THE TOTAL ELEMENTO COOLSIA											Svc Order	Svc Order	Incremental			Incremental
													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi										Elec	Manually	Manual Svc			Manual Svc
CATEGOR	₹Y	RATE ELEMENTS	m	Zone	В	CS	USOC		RAT	ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													•	-	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
								1	Nonrec	urring	Nonrecurring Disco	nnoct			066	Rates(\$)		
h								Rec	First	Add'l		dd'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	-	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00	FIISL A	uu i	JOINIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
2-1	WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT			2.11 01	0.10	0.00	0.00								
		rt/Loop Combination Rates																
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 1		1	UEPPB	UEPPR		35.36										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 2		2	UEPPB	UEPPR		38.74										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		53.64										ļ '
LIK		op Rates		3	UEPPB	UEPPR		53.64										-
l lok		op Rates 2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	1	UEPPB	UEPPR	USI 2X	21.89	252.32	188.77					19.99	19.99		
		- The logical Orace Loop Offic Zono 1		 	52110	JEITIN	JULEN	21.00	202.02	100.77					10.00	10.99		
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	25.27	252.32	188.77					19.99	19.99		1
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.17	252.32	188.77					19.99	19.99		
UN		rt Rate																
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	13.47	47.37	47.37					19.99	19.99		
NC		CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			LIEDDD	UEPPR	USACB	0.00	93.38	93.38					19.99	19.99		İ
A.F.		Combination - Conversion DNAL NRCs			UEPPB	UEPPR	USACB	0.00	93.38	93.38					19.99	19.99		
AL		2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy																
		Non Feature/Add Trunk			UEPPB	UEPPR	USASB		165.95						19.99	19.99		İ
LC		NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-(CHAN	NEL USER PROFILE ACCESS:																
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								 '
		CSD INEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C MC o	TAIN	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								-
		INEL AREA PLUS USER PROFILE ACCESS: (AL,NT,LA,MS SU ERMINAL PROFILE	C,IVIS, 6	(IN)														
		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								-
VE		AL FEATURES			OLITE	OLITIK	O TOWER	0.00	0.00	0.00								
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00					19.99	19.99		
IN ⁻		FFICE CHANNEL MILEAGE																
		Interoffice Channel mileage each, including first mile and																
		facilities termination				UEPPR	M1GNC	16.47	79.61	36.08					19.99	19.99		
		Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0222	0.00	0.00				0.00				
		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT	<u> </u>														
UN		rt/Loop Combination Rates 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		 												-		
		4W DST Digital Loop/4W ISDN DST Digital Truffk Port - ONE Zone 1		1	UEPPP			218.69										1
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		 	<u> </u>			210.00										
		Zone 2		2	UEPPP			227.29										1
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 3		3	UEPPP			265.09								ļ		 '
UN		op Rates		<u> </u>														 '
\vdash	-	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	55.53	448.92	276.60					19.99	19.99		
\vdash		4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3	1	3	UEPPP UEPPP		USL4P USL4P	64.13 101.93	448.92 448.92	276.60 276.60					19.99 19.99	19.99 19.99		
LIK		rt Rate	1	3	JLFFF		UUL4F	101.93	440.92	270.00					19.99	19.99		
		Exchange Ports - 4-Wire ISDN DS1 Port	1	†	UEPPP		UEPPP	163.16	186.80	186.80					19.99	19.99		†
NC		CURRING CHARGES - CURRENTLY COMBINED														12.30		
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
		Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	269.96	269.96					19.99	19.99		
AE		DNAL NRCs														ļ		
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			LIEBSS		DDZTC		0.0000									1 '
\vdash		Inward/two way tel nos within Std Allowance (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1	}	UEPPP		PR7TF		0.9686							 		
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)		1	UEPPP		PR7TO		22.75	22.75						1		1
		Outward 181 Numbers (All States except NO)	L	1	OLFFF		I K/ 10	1	22.13	22.15						l		1

ONBONDLED	NETWORK ELEMENTS - Georgia	1		1							- ·		Attachment:		Exhibit: B	
			1									Svc Order			Incremental	Incrementa
											Submitted		Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		РΛТ	ES(\$)			Elec	Manually	Manual Svc		Manual Svc	Manual Sv
CATEGORI	RATE ELEMENTS	m	Zone	603	0300		KAI	L3(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
						B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	L	ı
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-1	Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	ubsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		45.49	45.49								
	UMBER PORTABILITY															
	ocal Number Portability (1 per port)			UEPPP	LNPCN	1.75										
	CE (Provsioning Only)			UEPPP	PR71V	0.00	0.00	0.00	-		-					
	pice/Data gital Data			UEPPP	PR71D	0.00	0.00	0.00								
	ward Data			UEPPP	PR71E	0.00	0.00	0.00								
	dditional "B" Channel		1	OLITI	I IX/ IL	0.00	0.00	0.00			+					
	ew or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.71						19.99	19.99		
	ew or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	28.71		1				19.99	19.99		
	ew or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	28.71						19.99	19.99	İ	
CALL TYP																
Inv	ward			UEPPP	PR7C1	0.00	0.00	0.00								
	utward			UEPPP	PR7C0	0.00	0.00	0.00								
	vo-way			UEPPP	PR7CC	0.00	0.00	0.00								
	e Channel Mileage			L												<u> </u>
	xed Each Including First Mile			UEPPP	1LN1A	78.9223	147.07	111.75	0.00				19.99	19.99		
	ach Airline-Fractional Additional Mile			UEPPP	1LN1B	0.4523										
	S1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	<u> </u>	<u> </u>													
	/Loop Combination Rates		4	UEPDC	-	176.33			-		-					
	N DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 N DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		184.93					+					
	W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3			UEPDC		222.73										
UNE Loop				OLI DO		222.13										
	Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	55.53	448.92	276.00					19.99	19.99		
	Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	64.13	448.92	276.60					19.99	19.99		
	Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	101.93	448.92	276.60					19.99	19.99		
UNE Port	Rate															
	Wire DDITS Digital Trunk Port			UEPDC	UDD1T	120.80	89.44	52.46					19.99	19.99		
	URRING CHARGES - CURRENTLY COMBINED															
	Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	Switch-as-is			UEPDC	USAC4		269.96	269.96					19.99	19.99		
	Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	Conversion with DS1 Changes			UEPDC	USAWA		269.96	269.96					19.99	19.99		
	Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO	USAWB		200.00	200.00					40.00	40.00		
	Conversion with Change - Trunk NAL NRCs		<u> </u>	UEPDC	USAWB		269.96	269.96			+		19.99	19.99		
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	ervice Activity Per Service Order			UEPDC	USAS4		147.47	147.47]							1
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			OLI DO	00/10-1		147.47	147.47								
	ubsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.71	28.71					19.99	19.99		
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent						_									
Ch	hannel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.71	28.71					19.99	19.99		
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	ctivation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.71	28.71					19.99	19.99		
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1		l					<u> </u>]
	ctivation Per Chan - Inward Trunk with DID	ļ		UEPDC	UDTTD		28.71	28.71	ļ				19.99	19.99		
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			LIEBBO]							1
	ctivation / Chan - 2-Way DID w User Trans	 	 	UEPDC	UDTTE		28.71	28.71	1		1		19.99	19.99	1	
	8 ZERO SUBSTITUTION 8ZS -Superframe Format	 	<u> </u>	UEPDC	CCOSF		0.00	600.00	-		1			-	-	
	8ZS -Superrrame Format 8ZS - Extended Superframe Format	 	<u> </u>	UEPDC	CCOSF		0.00	600.00	-		1			-	-	
	Mark Inversion	 	-	OLFDO	COUEF		0.00	000.00	+		1			1	1	-
	MI -Superframe Format	 		UEPDC	MCOSF		0.00	0.00	 		+					
	MI - Extended SuperFrame Format	1		UEPDC	MCOPO		0.00	0.00			1				1	
	e Number/Trunk Group Establisment Charges						0.00	0.00								
	elephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	elephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00					İ					1

UNBL	UNDLE	D NETWORK ELEMENTS - Georgia												Attachment:		Exhibit: B	
CATEC	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		I.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
		DID Numbers, Establish Trunk Group and Provide First Group															
		of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	D. C.	Reserve DID Numbers	. D:		UEPDC	NDV	0.00	0.00	0.00								
	Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop	With 4-Wire DDITS	Trunk Port											
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	78.47	147.07	111.75					19.99	19.99		
		Termination)			OLFDC	ILINO	70.47	147.07	111.75					15.55	19.99		
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		1	UEPDC	1LNOA	0.4523	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities				1	0020	0.00	5.50								
		Termination)		1	UEPDC	1LNO2	0.00	0.00	0.00								
	1	Interoffice Channel Mileage - Additional rate per mile - 9-25	1														
	<u> </u>	miles			UEPDC	1LNOB	0.4523	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
		Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.4523	0.00	0.00								
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15										
	4 MIDE	Central Office Termininating Point DS1 LOOP WITH CHANNELIZATION WITH PORT			UEPDC	CTG	0.00										
		n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations	<u> </u>													
		System can have up to 24 combinations of rates depending on			her of ports used												
		S1 Loop	type ai	lanun	lber or ports used												
	0.1.2.2	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	55.53	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	64.13	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	101.93	0.00	0.00								
	UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)														
		24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	102.64	0.00	0.00					19.99	19.99		
		48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	205.28	0.00	0.00					19.99	19.99		
		96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	410.56	0.00	0.00					19.99	19.99		
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	615.84	0.00	0.00					19.99	19.99		
		192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM19 VUM20	821.12 1,026.40	0.00	0.00					19.99 19.99	19.99 19.99		
		288 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG UEPMG	VUM28	1,026.40	0.00	0.00			-		19.99	19.99		
		384 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM38	1,642.24	0.00	0.00					19.99	19.99		
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,052.80	0.00	0.00					19.99	19.99		
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,463.36	0.00	0.00					19.99	19.99		
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,873.92	0.00	0.00					19.99	19.99		
	Non-Re	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanı	neliztio	n with Port - Conve	rsion Charge	Based on a Sy	stem									
		mum System configuration is One (1) DS1, One (1) D4 Channe															
	Multipl	les of this configuration functioning as one are considered Ac	dd'I afte	r the m	ninimum system cor	nfiguration is	counted.										
		NRC - Conversion (Currently Combined) with or without															
	4	BellSouth Allowed Changes	<u> </u>	<u> </u>	UEPMG	USAC4	0.00	328.35	16.52					19.99	19.99		
—		n Additions at End User Locations Where 4-Wire DS1 Loop wit	tn Chan	nelizat	tion with Port Comb	ination Curre	ently Exists and	l								ļ	<u> </u>
	new (N	lot Currently Combined) In GA, KY, LA, MS & TN Only 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc		1	 	+									-	1	
		Fea Activation - New GA, LA, KY, MS, &TN Only		1	UEPMG	VUMD4	0.00	738.61	462.53	144.05	17.09			19.99	19.99		
	Binola	r 8 Zero Substitution			OLFIVIO	V UIVID4	0.00	10.001	402.33	144.05	17.09			19.99	19.99	1	1
	Dipolal	Clear Channel Capability Format, superframe - Subsequent				1										1	
		Activity Only			UEPMG	CCOSF	0.00	0.00	600.00								
	1	Clear Channel Capability Format - Extended Superframe -	1		1	1	5.50	0.00	555.50	1						1	
		Subsequent Activity Only		1	UEPMG	CCOEF	0.00	0.00	600.00								
	Alterna	ate Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
		nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	1										I		

	LED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY		Interi m	Zone	BCS	USOC		RAT	TES(\$)	Magazini	g Disconnect		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
+						Rec					COMEC	COMAN			COMAN	COMAN
	hanga Barta	 	 	—	 		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXC	hange Ports															
ı l	Line Side Combination Channelized DBV Trunk Bort - Business			UEPPX	UEPCX	1.79	0.00	0.00	0.00	0.00			33.67	7.88		
	Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.79	0.00	0.00	0.00	0.00			33.67	7.88		
	Line Side Outward Charmenzed FBA Trunk Fort - Business			UEPFA	UEPUX	1.79	0.00	0.00	0.00	0.00			33.07	1.00		
ı l	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.79	0.00	0.00	0.00	0.00			33.67	7.88		
+	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	11.35	0.00	0.00	0.00	0.00			33.67	7.88		
Fea	ture Activations - Unbundled Loop Concentration			OLI I X	OLI DIVI	11.55	0.00	0.00	0.00	0.00	1		33.07	7.00		
1 00	Feature (Service) Activation for each Line Side Port Terminated															
ı l	in D4 Bank			UEPPX	1PQWM	0.62	25.09	13.25	3.99	3.97			33.67	7.88		
-	Feature (Service) Activation for each Trunk Side Port Terminated			OLIT X	11 Q 11111	0.02	20.00	10.20	0.00	0.07			00.07	7.00		
i	in D4 Bank		1	UEPPX	1PQWU	0.62	77.21	18.20	56.49	11.04			33.67	7.88		1
Tele	ephone Number/ Group Establishment Charges for DID Service			OZ. I X		0.02		.0.20	00.10				55.51	7.00		
1 1 3 3 3	DID Trunk Termination (1 per Port)	1	1	UEPPX	NDT	0.00	0.00	0.00		1						İ
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States	1	i –	UEPPX	ND4	0.00	0.00	0.00		İ			İ			İ
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Loc	al Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FE#	TURES - Vertical and Optional															
Loc	al Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
UNBUNDI F	D PORT LOOP COMBINATIONS - MARKET RATES															
								and the second second								
Mar	ket Rates shall apply where BellSouth is not required to provide	unbun	dled lo	cal switching or swi	itch ports pe	r FCC and/or Sta	ate Commissio	n ruies.								
Mar The	se scenarios include:					r FCC and/or St	ate Commissio	on ruies.								
Mar The	se scenarios include: Jnbundled port/loop combinations that are Not Currently Combin	ned in A	Alabam	a, Florida and North	n Carolina.											
Mari The: 1. U 2. U	se scenarios include: Inbundled port/loop combinations that are Not Currently Combin Inbundled port/loop combinations that are Currently Combined	ned in A or Not 0	Alabam Current	a, Florida and North ly Combined in Zon	n Carolina. ne 1 of the To	p 8 MSAS in Be	IISouth's region	on for end use								
Mar The 1. U 2. U The	se scenarios include: Jnbundled port/loop combinations that are Not Currently Combin Jnbundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd:	ned in A or Not (ale, Mia	Alabama Current nmi); G/	a, Florida and North ly Combined in Zon A (Atlanta); LA (New	Carolina. ne 1 of the To v Orleans); No	p 8 MSAS in Be	IISouth's regio	on for end use	narlotte-Gaston	ia-Rock Hill);	TN (Nashvill					
Mari The 1. U 2. U The Bell	se scenarios include: Jnbundled port/loop combinations that are Not Currently Combin Jnbundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd South currently is developing the billing capability to mechanica	ned in A or Not (ale, Mia ally bill	Alabama Current ami); G/ the rec	a, Florida and North dy Combined in Zon A (Atlanta); LA (New curring and non-recu	n Carolina. ne 1 of the To or Orleans); No urring Market	p 8 MSAS in Be C (Greensboro-V Rates in this se	IISouth's region	on for end use -Highpoint/Ch or nonrecurri	narlotte-Gaston ng charges for	ia-Rock Hill);	TN (Nashvill		NC. In the ir	nterim where	BellSouth car	nnot bill
Mari The 1. U 2. U The Bell Mari	se scenarios include: Inbundled port/loop combinations that are Not Currently Combin Inbundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd South currently is developing the billing capability to mechanics ket Rates, BellSouth shall bill the rates in the Cost-Based section	ned in A or Not (ale, Mia ally bill n prece	Alabama Current nmi); GA the rec ding in	a, Florida and North dy Combined in Zon A (Atlanta); LA (New curring and non-recu	n Carolina. ne 1 of the To or Orleans); No urring Market	p 8 MSAS in Be C (Greensboro-V Rates in this se	IISouth's region	on for end use -Highpoint/Ch or nonrecurri	narlotte-Gaston ng charges for	ia-Rock Hill);	TN (Nashvill		NC. In the ir	terim where	BellSouth car	nnot bill
Mari The: 1. U 2. U The Bell Mari	se scenarios include: Jnbundled port/loop combinations that are Not Currently Combin Jnbundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd South currently is developing the billing capability to mechanics ket Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features in	ned in A or Not (ale, Mia ally bill n prece in all st	Alabama Current ami); GA the rec ding in ates.	a, Florida and North ly Combined in Zon A (Atlanta); LA (New uurring and non-recu lieu of the Market F	n Carolina. ne 1 of the To or Orleans); No urring Market Rates and res	p 8 MSAS in Be C (Greensboro-\ Rates in this se erves the right	IlSouth's region Vinston Salem ection except for true-up the	on for end use Highpoint/Ch or nonrecurri billing differer	narlotte-Gaston ng charges for nce.	ia-Rock Hill); not currently (TN (Nashvill combined in	AL, FL and				
Mari The: 1. U 2. U The Bell Mari	se scenarios include: Inbundled port/loop combinations that are Not Currently Combin Inbundled port/loop combinations that are Currently Combined of Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: South currently is developing the billing capability to mechanics ket Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport Us	ned in A or Not (ale, Mia ally bill n prece in all st	Alabama Current ami); GA the rec ding in ates.	a, Florida and North ly Combined in Zon A (Atlanta); LA (New urring and non-recu lieu of the Market F	n Carolina. ne 1 of the To or Orleans); No urring Market Rates and res	p 8 MSAS in Be C (Greensboro-\ Rates in this se erves the right	IlSouth's region Vinston Salem ection except for true-up the	on for end use Highpoint/Ch or nonrecurri billing differer	narlotte-Gaston ng charges for nce.	ia-Rock Hill); not currently (TN (Nashvill combined in	AL, FL and				
Mari Thes 1. L 2. L The Bell Mari The	se scenarios include: Jnbundled port/loop combinations that are Not Currently Combin Jnbundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: South currently is developing the billing capability to mechanica ket Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features i Office and Tandem Switching Usage and Common Transport Us OC: URECU).	ned in A or Not (ale, Mia ally bill n prece in all st sage rat	Alabama Current ami); G/ the rec ding in ates.	a, Florida and North a, Florida and North y Combined in Zon A (Atlanta); LA (New curring and non-rect lieu of the Market F	n Carolina. ne 1 of the To or Orleans); No urring Market Rates and res	p 8 MSAS in Be C (Greensboro-k Rates in this-k erves the right	IlSouth's regic Vinston Salem ection except f to true-up the l all combination	on for end use -Highpoint/Ch for nonrecurring billing differer	narlotte-Gaston ng charges for nce. ort network elei	not currently of the currently of the currently of the currently of the currents except	TN (Nashvill combined in for UNE Coi	AL, FL and	o Combination	ns which have	a flat rate us	sage charge
Mari The: 1. L 2. L The Bell Mari The End (USC	se scenarios include: Jnbundled port/loop combinations that are Not Currently Combin Jnbundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd South currently is developing the billing capability to mechanica ket Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features i Office and Tandem Switching Usage and Common Transport Us OC: URECU). Not Currently Combined scenarios where Market Rates apply, the	ned in A or Not (ale, Mia ally bill n precedin all st sage rate	Alabama Current ami); G/ the rec ding in ates. es in the	a, Florida and North y Combined in Zon A (Atlanta); LA (New curring and non-recu lieu of the Market F he Port section of th g charges are listed	n Carolina. ne 1 of the To or Orleans); No urring Market Rates and res	p 8 MSAS in Be C (Greensboro-k Rates in this-k erves the right	IlSouth's regic Vinston Salem ection except f to true-up the l all combination	on for end use -Highpoint/Ch for nonrecurring billing differer	narlotte-Gaston ng charges for nce. ort network elei	not currently of the currently of the currently of the currently of the currents except	TN (Nashvill combined in for UNE Coi	AL, FL and	o Combination	ns which have	a flat rate us	sage charge
Mari The 1. U 2. U The Bell Mari The End (USc	se scenarios include: Inbundled port/loop combinations that are Not Currently Combin Inbundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd. South currently is developing the billing capability to mechanics ket Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features is Office and Tandem Switching Usage and Common Transport Us OC: URECU). Not Currently Combined scenarios where Market Rates apply, the nbined section. Additional NRCs may apply also and are categore.	ned in A or Not (ale, Mia ally bill n precedin all st sage rate	Alabama Current ami); G/ the rec ding in ates. es in the	a, Florida and North y Combined in Zon A (Atlanta); LA (New curring and non-recu lieu of the Market F he Port section of th g charges are listed	n Carolina. ne 1 of the To or Orleans); No urring Market Rates and res	p 8 MSAS in Be C (Greensboro-k Rates in this-k erves the right	IlSouth's regic Vinston Salem ection except f to true-up the l all combination	on for end use -Highpoint/Ch for nonrecurring billing differer	narlotte-Gaston ng charges for nce. ort network elei	not currently of the currently of the currently of the currently of the currents except	TN (Nashvill combined in for UNE Coi	AL, FL and	o Combination	ns which have	a flat rate us	sage charge
Mari The 1. U 2. U The Bell Mari The End (USG For Con 2-W	se scenarios include: Jinbundled port/loop combinations that are Not Currently Combin Jinbundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: South currently is developing the billing capability to mechanica ket Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features i Office and Tandem Switching Usage and Common Transport Us OC: URECU). Not Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are categor IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	ned in A or Not (ale, Mia ally bill n precedin all st sage rate	Alabama Current ami); G/ the rec ding in ates. es in the	a, Florida and North y Combined in Zon A (Atlanta); LA (New urring and non-recu lieu of the Market F	n Carolina. ne 1 of the To or Orleans); No urring Market Rates and res	p 8 MSAS in Be C (Greensboro-k Rates in this-k erves the right	IlSouth's regic Vinston Salem ection except f to true-up the l all combination	on for end use -Highpoint/Ch for nonrecurring billing differer	narlotte-Gaston ng charges for nce. ort network elei	not currently of the currently of the currently of the currently of the currents except	TN (Nashvill combined in for UNE Coi	AL, FL and	o Combination	ns which have	a flat rate us	sage charge
Mari The 1. U 2. U The Bell Mari The End (USG For Con	se scenarios include: Jinbundled port/loop combinations that are Not Currently Combin Jinbundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: South currently is developing the billing capability to mechanica ket Rates, BellSouth shall bill the rates in the Cost-Based sectior Market Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport Us OC: URECU). Not Currently Combined scenarios where Market Rates apply, the Modern Section. Additional NRCs may apply also and are categor IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates	ned in A or Not (ale, Mia ally bill n precedin all st sage rate	Alabama Current Imi); G/ the rec ding in ates. es in the ecurring	a, Florida and North y Combined in Zon A (Atlanta); LA (New urring and non-recu lieu of the Market F	n Carolina. ne 1 of the To or Orleans); No urring Market Rates and res	p 8 MSAS in Be C (Greensboro-V Rates in this serves the right i it shall apply to	IlSouth's regic Vinston Salem ection except f to true-up the l all combination	on for end use -Highpoint/Ch for nonrecurring billing differer	narlotte-Gaston ng charges for nce. ort network elei	not currently of the currently of the currently of the currently of the currents except	TN (Nashvill combined in for UNE Coi	AL, FL and	o Combination	ns which have	a flat rate us	sage charge
Mari The 1. U 2. U The Bell Mari The End (USG For Con 2-W	se scenarios include: Inbundled port/loop combinations that are Not Currently Combin Inbundled port/loop combinations that are Currently Combin Inbundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd South currently is developing the billing capability to mechanics ket Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features i Office and Tandem Switching Usage and Common Transport Us OC: URECU). Not Currently Combined scenarios where Market Rates apply, the nbined section. Additional NRCs may apply also and are categor IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1]	ned in A or Not (ale, Mia ally bill n precedin all st sage rate	Alabama Current Imi); G/ the rec ding in ates. les in the ecurring	a, Florida and North y Combined in Zon A (Atlanta); LA (New urring and non-recu lieu of the Market F	n Carolina. ne 1 of the To or Orleans); No urring Market Rates and res	p 8 MSAS in Be C (Greensboro-V Rates in this se erves the right it shall apply to and Additional I	IlSouth's regic Vinston Salem ection except f to true-up the l all combination	on for end use -Highpoint/Ch for nonrecurring billing differer	narlotte-Gaston ng charges for nce. ort network elei	not currently of the currently of the currently of the currently of the currents except	TN (Nashvill combined in for UNE Coi	AL, FL and	o Combination	ns which have	a flat rate us	sage charge
Mari The 1. U 2. U The Bell Mari The End (USG For Con	se scenarios include: Inbundled port/loop combinations that are Not Currently Combin Jinbundled port/loop combinations that are Currently Combined or Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: South currently is developing the billing capability to mechanics ket Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features is Office and Tandem Switching Usage and Common Transport Us OC: URECU). Not Currently Combined scenarios where Market Rates apply, the notined section. Additional NRCs may apply also and are categor IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) E-Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	ned in A or Not (ale, Mia ally bill n precedin all st sage rate	Alabama Current imi); G/ the rec ding in ates. les in the ecurring coording	a, Florida and North y Combined in Zon A (Atlanta); LA (New urring and non-recu lieu of the Market F	n Carolina. ne 1 of the To or Orleans); No urring Market Rates and res	p 8 MSAS in Bec (Greensboro-le Rates in this serves the right in the serves the right in the serves the right in the serves the right in the serves	IlSouth's regic Vinston Salem ection except f to true-up the l all combination	on for end use -Highpoint/Ch for nonrecurring billing differer	narlotte-Gaston ng charges for nce. ort network elei	not currently of the currently of the currently of the currently of the currents except	TN (Nashvill combined in for UNE Coi	AL, FL and	o Combination	ns which have	a flat rate us	sage charge
Mari The: 1. L 2. L The Bell Mari The End (US: For Con 2-W	se scenarios include: Jinbundled port/loop combinations that are Not Currently Combin Jinbundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: South currently is developing the billing capability to mechanica ket Rates, BellSouth shall bill the rates in the Cost-Based sectior Market Rate for unbundled ports includes all available features i Office and Tandem Switching Usage and Common Transport Us OC: URECU). Not Currently Combined scenarios where Market Rates apply, the mobined section. Additional NRCs may apply also and are categor IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2	ned in A or Not (ale, Mia ally bill n precedin all st sage rate	Alabama Current Imi); G/ the rec ding in ates. les in the ecurring	a, Florida and North y Combined in Zon A (Atlanta); LA (New urring and non-recu lieu of the Market F	n Carolina. ne 1 of the To or Orleans); No urring Market Rates and res	p 8 MSAS in Be C (Greensboro-V Rates in this se erves the right it shall apply to and Additional I	IlSouth's regic Vinston Salem ection except f to true-up the l all combination	on for end use -Highpoint/Ch for nonrecurring billing differer	narlotte-Gaston ng charges for nce. ort network elei	not currently of the currently of the currently of the currently of the currents except	TN (Nashvill combined in for UNE Coi	AL, FL and	o Combination	ns which have	a flat rate us	sage charge
Mari The: 1. L 2. L The Bell Mari The End (US: For Con 2-W	se scenarios include: Inbundled port/loop combinations that are Not Currently Combin Inbundled port/loop combinations that are Currently Combin Inbundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd South currently is developing the billing capability to mechanics text Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features i Office and Tandem Switching Usage and Common Transport Us OC: URECU). Not Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are categor IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) E-POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 E-Loop Rates	ned in A or Not (ale, Mia ally bill n precedin all st sage rate	Alabama Current imi); G/ the rec ding in ates. les in the ecurring coording	a, Florida and North ly Combined in Zon A (Atlanta); LA (New urring and non-rect lieu of the Market F he Port section of th g charges are listed gly.	n Carolina. le 1 of the To r Orleans); No rurring Market Rates and res his rate exhib	p 8 MSAS in Be C (Greensboro-Nates in this serves the right it shall apply to and Additional Market 124.80 26.47 33.83	IlSouth's regic Vinston Salem ection except f to true-up the l all combination	on for end use -Highpoint/Ch for nonrecurring billing differer	narlotte-Gaston ng charges for nce. ort network elei	not currently of the currently of the currently of the currently of the currents except	TN (Nashvill combined in for UNE Coi	AL, FL and	o Combination	ns which have	a flat rate us	sage charge
Mari The: 1. L 2. L The Bell Mari The End (US: For Con 2-W	se scenarios include: Inbundled port/Ioop combinations that are Not Currently Combin Inbundled port/Ioop combinations that are Currently Combin Inbundled port/Ioop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd. South currently is developing the billing capability to mechanics ket Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features is Office and Tandem Switching Usage and Common Transport Us OC: URECU). Not Currently Combined scenarios where Market Rates apply, the notice that the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates and combined scenarios where Market Rates and combined scenarios where Market Rates and combined scenarios where Market Rates and combined scenarios where Market Rates and combined scenarios w	ned in A or Not (ale, Mia ally bill n precedin all st sage rate	Alabama Current Imi); G/ the rec dding in ates. Les in the coording 1 2 3	a, Florida and North ly Combined in Zon A (Atlanta); LA (New urring and non-rect lieu of the Market F he Port section of th g charges are listed gly. UEPRX	n Carolina. le 1 of the To r Orleans); No urring Market Rates and res his rate exhib in the First a	p 8 MSAS in Be C (Greensboro-V Rates in this serves the right in it shall apply to and Additional in 24.80 26.47 33.83	IlSouth's regic Vinston Salem ection except f to true-up the l all combination	on for end use -Highpoint/Ch for nonrecurring billing differer	narlotte-Gaston ng charges for nce. ort network elei	not currently of the currently of the currently of the currently of the currents except	TN (Nashvill combined in for UNE Coi	AL, FL and	o Combination	ns which have	a flat rate us	sage charge
Mari The: 1. L 2. L The Bell Mari The End (US: For Con 2-W	se scenarios include: Inbundled port/loop combinations that are Not Currently Combin Jinbundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: South currently is developing the billing capability to mechanics ket Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features i Office and Tandem Switching Usage and Common Transport Us OC: URECU). Not Currently Combined scenarios where Market Rates apply, the noined section. Additional NRCs may apply also and are categor IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1	ned in A or Not (ale, Mia ally bill n precedin all st sage rate	Alabam: Current Imi); G/ the rec dding in ates. les in the ecurring cording 1 2 3 1 2	a, Florida and North ly Combined in Zon A (Atlanta); LA (New surring and non-rect lieu of the Market F he Port section of th g charges are listed gly. UEPRX UEPRX UEPRX	n Carolina. le 1 of the To r Orleans); No rurring Market Rates and res his rate exhib	p 8 MSAS in Be C (Greensboro-Nates in this serves the right it shall apply to and Additional Market 124.80 26.47 33.83	IlSouth's regic Vinston Salem ection except f to true-up the l all combination	on for end use -Highpoint/Ch for nonrecurring billing differer	narlotte-Gaston ng charges for nce. ort network elei	not currently of the currently of the currently of the currently of the currents except	TN (Nashvill combined in for UNE Coi	AL, FL and	o Combination	ns which have	a flat rate us	sage charge
Mari The: 1. L 2. L The Belli Mari The End (USG For Con 2-W UNE	se scenarios include: Inbundled port/Ioop combinations that are Not Currently Combin Inbundled port/Ioop combinations that are Currently Combin Inbundled port/Ioop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd. South currently is developing the billing capability to mechanics ket Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features is Office and Tandem Switching Usage and Common Transport Us OC: URECU). Not Currently Combined scenarios where Market Rates apply, the notice that the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates apply, the notice of the combined scenarios where Market Rates and combined scenarios where Market Rates and combined scenarios where Market Rates and combined scenarios where Market Rates and combined scenarios where Market Rates and combined scenarios w	ned in A or Not (ale, Mia ally bill n precedin all st sage rate	Alabam: Current Imi); G/ the rec dding in ates. les in the ecurring cording 1 2 3 1 2	a, Florida and North ly Combined in Zon A (Atlanta); LA (New urring and non-rect lieu of the Market F he Port section of th g charges are listed gly. UEPRX	n Carolina. ue 1 of the To r Orleans); No urring Market Rates and res his rate exhib in the First a	p 8 MSAS in Be C (Greensboro-Vice Rates in this serves the right to the serves the right to the serves the right to the serves the right to the serves the serv	IlSouth's regic Vinston Salem ection except f to true-up the l all combination	on for end use -Highpoint/Ch for nonrecurring billing differer	narlotte-Gaston ng charges for nce. ort network elei	not currently of the currently of the currently of the currently of the currents except	TN (Nashvill combined in for UNE Coi	AL, FL and	o Combination	ns which have	a flat rate us	sage charge
Mari The: 1. L 2. L The Belli Mari The End (USG For Con 2-W UNE	se scenarios include: Jinbundled port/loop combinations that are Not Currently Combin Jinbundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: South currently is developing the billing capability to mechanica ket Rates, BellSouth shall bill the rates in the Cost-Based sectior Market Rate for unbundled ports includes all available features is Office and Tandem Switching Usage and Common Transport Us OC: URECU). Not Currently Combined scenarios where Market Rates apply, the mobined section. Additional NRCs may apply also and are categor IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 ELoop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	ned in A or Not (ale, Mia ally bill n precedin all st sage rate	Mabama Current Imi); G/ the rec dding in ates. les in the ecurring cording 1 2 3 1 2	a, Florida and North ly Combined in Zon A (Atlanta); LA (New surring and non-rect lieu of the Market F he Port section of th g charges are listed gly. UEPRX UEPRX UEPRX	n Carolina. ue 1 of the To r Orleans); No urring Market Rates and res his rate exhib in the First a	p 8 MSAS in Be C (Greensboro-Vice Rates in this serves the right to the serves the right to the serves the right to the serves the right to the serves the serv	IlSouth's regic Vinston Salem ection except f to true-up the l all combination	on for end use -Highpoint/Ch for nonrecurring billing differer	narlotte-Gaston ng charges for nce. ort network elei	not currently of the currently of the currently of the currently of the currents except	TN (Nashvill combined in for UNE Coi	AL, FL and	o Combination	ns which have	a flat rate us	cage charge
Mari The: 1. L 2. L The Belli Mari The End (USG For Con 2-W UNE	se scenarios include: Inbundled port/loop combinations that are Not Currently Combin Inbundled port/loop combinations that are Currently Combin Inbundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd. South currently is developing the billing capability to mechanics ket Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features i Office and Tandem Switching Usage and Common Transport Us OC: URECU). Not Currently Combined scenarios where Market Rates apply, the nbined section. Additional NRCs may apply also and are categor IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 1-Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 3-Wire Voice Grade Loop (SL1) - Zone 3 1-Voice Grade Line Port (Res) 1-Voice Grade Line Port (Res) 1-Voice Grade Line Port (Res) 1-Voice Grade Line Port (Res) 1-Voice Grade Line Port (Res) 1-Voice Grade Line Port (Res)	ned in A or Not (ale, Mia ally bill n precedin all st sage rate	Mabama Current Imi); G/ the rec dding in ates. les in the ecurring cording 1 2 3 1 2	a, Florida and North ly Combined in Zon A (Atlanta); LA (New surring and non-rect lieu of the Market F he Port section of th g charges are listed gly. UEPRX UEPRX UEPRX	ue 1 of the To r Orleans); No r Orle	p 8 MSAS in Be C (Greensboro-V Rates in this serves the right it shall apply to and Additional F 24.80 26.47 33.83 10.80 12.47 19.83	IlSouth's regic Vinston Salem action except f to true-up the l all combination	on for end use -Highpoint/Ct or nonrecurri billing differer ons of loop/pc for each Port U	narlotte-Gaston ng charges for nce. ort network elei	not currently of the currently of the currently of the currently of the currents except	TN (Nashvill combined in for UNE Coi	AL, FL and	o Combination	ges are listed	e a flat rate us	currently
Mari The: 1. L 2. L The Belli Mari The End (USG For Con 2-W UNE	se scenarios include: Inbundled port/loop combinations that are Not Currently Combinational Michael Port/loop combinations that are Currently Combined or Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: South currently is developing the billing capability to mechanics ket Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport UsoC: URECU). Not Currently Combined scenarios where Market Rates apply, the Not Currently Combined scenarios where Market Rates apply, the Not Currently Combined scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combination Rates 12-Wire VGL Copy/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 12-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 12-Wire Voice Grade Loop (SL1) - Zone 3 12-Wire Voice Grade Line Port (Res) 2-Wire Voice Unbundled port - residence	ned in A or Not (ale, Mia ally bill n precedin all st sage rate	Mabama Current Imi); G/ the rec dding in ates. les in the ecurring cording 1 2 3 1 2	a, Florida and North ly Combined in Zon A (Atlanta); LA (New urring and non-rect lieu of the Market F he Port section of th g charges are listed gly. UEPRX UEPRX UEPRX UEPRX	ue 1 of the To r Orleans); No urring Market Rates and res in the First a ueptx ueptx ueptx ueptx ueptx ueptx ueptx	p 8 MSAS in Bec (Greensboro-le Rates in this serves the right in the serves the right in the serves the right in the serves the right in the serves	IlSouth's regic Vinston Salem sction except f to true-up the l all combination IRC columns f	on for end use -Highpoint/Cr or nonrecurri billing differer ons of loop/pc for each Port U	narlotte-Gaston ng charges for nce. ort network elei	not currently of the currently of the currently of the currently of the currents except	TN (Nashvill combined in for UNE Coi	AL, FL and	o Combination	es which have	e a flat rate us in the NRC -	Currently 3.91 3.91
Mari The: 1. L 2. L The Belli Mari The End (USG For Con 2-W UNE	se scenarios include: Inbundled port/loop combinations that are Not Currently Combin Jinbundled port/loop combinations that are Currently Combined or John MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: South currently is developing the billing capability to mechanica ket Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features i Office and Tandem Switching Usage and Common Transport Us OC: URECU). Not Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are categor IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) E-Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 E-Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 ire Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence	ned in A or Not (ale, Mia ally bill n precedin all st sage rate	Mabama Current Imi); G/ the rec dding in ates. les in the ecurring cording 1 2 3 1 2	a, Florida and North ly Combined in Zon A (Atlanta); LA (New surring and non-rect lieu of the Market F he Port section of th g charges are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	in Carolina. De 1 of the To Torleans); No T	p 8 MSAS in Be c (Greensboro-le Rates in this serves the right i it shall apply to and Additional i 24.80 26.47 33.83 10.80 12.47 19.83	IlSouth's regic Vinston Salem action except f to true-up the all combination IRC columns f	on for end use -Highpoint/Cr or nonrecurrin billing differer ons of loop/pc for each Port U	narlotte-Gaston ng charges for nce. ort network elei	not currently of the currently of the currently of the currently of the currents except	TN (Nashvill combined in for UNE Coi	AL, FL and	o Combination ecurring charges 33.67	ges are listed	e a flat rate us in the NRC -	Currently 3.91 3.91
Mari The: 1. L 2. L The Belli Mari The End (USG For Con 2-W UNE	se scenarios include: Inbundled port/loop combinations that are Not Currently Combinational Mindled port/loop combinations that are Currently Combinational Mindled port/loop combinations that are Currently Combined on the Not Currently is developing the billing capability to mechanica text Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport Usoc: URECU). Not Currently Combined scenarios where Market Rates apply, the Not Currently Combined scenarios where Market Rates apply, the Not Currently Combined scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Currently Combined Scenarios where Market Rates apply, the Not Currently	ned in A or Not (ale, Mia ally bill n precedin all st sage rate	Mabama Current Imi); G/ the rec dding in ates. les in the ecurring cording 1 2 3 1 2	a, Florida and North ly Combined in Zon A (Atlanta); LA (New surring and non-rect lieu of the Market F he Port section of th g charges are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	in Carolina. De 1 of the To Torleans); No T	p 8 MSAS in Be c (Greensboro-le Rates in this serves the right i it shall apply to and Additional i 24.80 26.47 33.83 10.80 12.47 19.83	IlSouth's regic Vinston Salem action except f to true-up the all combination IRC columns f	on for end use -Highpoint/Cr or nonrecurrin billing differer ons of loop/pc for each Port U	narlotte-Gaston ng charges for nce. ort network elei	not currently of the currently of the currently of the currently of the currents except	TN (Nashvill combined in for UNE Coi	AL, FL and	o Combination ecurring charges 33.67	ges are listed	e a flat rate us in the NRC -	Currently 3.91 3.91
Mari The: 1. L 2. L The Bell Mari The End (USS For Con 2-W UNE	se scenarios include: Inbundled port/Ioop combinations that are Not Currently Combin Inbundled port/Ioop combinations that are Currently Combin Inbundled port/Ioop combinations that are Currently Combined. Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: South currently is developing the billing capability to mechanics ket Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features is Office and Tandem Switching Usage and Common Transport Us OC: URECU). Not Currently Combined scenarios where Market Rates apply, the Not Currently Combined scenarios where Market Rates apply, the Not Currently Combined scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combination Rates Iz-Wire Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) Iz-Wire VG Loop/Port Combo - Zone 1 Iz-Wire VG Loop/Port Combo - Zone 2 Iz-Wire Voice Grade Loop (SL1) - Zone 1 Iz-Wire Voice Grade Loop (SL1) - Zone 2 Iz-Wire Voice Grade Loop (SL1) - Zone 3 Ire Voice Grade Line Port (Res) Iz-Wire voice unbundled port - residence Iz-Wire voice unbundled port outgoing only - res Iz-Wire voice unbundled port outgoing only - res Iz-Wire voice unbundles port outgoing only - res Iz-Wire voice unbundles port outgoing only - res Iz-Wire voice unbundles port outgoing only - res Iz-Wire voice unbundles port outgoing only - res Iz-Wire voice unbundles port outgoing only - res	ned in A or Not (ale, Mia ally bill n precedin all st sage rate	Mabama Current Imi); G/ the rec dding in ates. les in the ecurring cording 1 2 3 1 2	ueprx Ueprx	ue 1 of the To r Orleans); Nurring Market Rates and res in the First : UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO	p 8 MSAS in Be C (Greensboro-V Rates in this serves the right of the r	IlSouth's regic Winston Salem action except f to true-up the l all combination IRC columns f	on for end use Highpoint/Cr or nonecurri billing differer ons of loop/pc for each Port U 90.00 90.00 90.00	narlotte-Gaston ng charges for nce. ort network elei	not currently of the currently of the currently of the currently of the currents except	TN (Nashvill combined in for UNE Coi	AL, FL and	o Combination ecurring charged and the second and t	ges are listed 7.88 7.88 7.88	11.17 11.17	Currently 3.91 3.91
Mari The: 1. L 2. L The Bell Mari The End (USS For Con 2-W UNE	se scenarios include: Inbundled port/loop combinations that are Not Currently Combin Jinbundled port/loop combinations that are Currently Combined or John Make I see I	ned in A or Not (ale, Mia ally bill n precedin all st sage rate	Mabama Current Imi); G/ the rec dding in ates. les in the ecurring cording 1 2 3 1 2	ueprx Ueprx	ue 1 of the To r Orleans); Nurring Market Rates and res in the First : UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO	p 8 MSAS in Bec (Greensboro-Versite Rates in this serves the right in the serves the right in the serves the right in the serves the right in the serves the se	IlSouth's regic Winston Salem action except f to true-up the l all combination IRC columns f	on for end use Highpoint/Cr or nonecurri billing differer ons of loop/pc for each Port U 90.00 90.00 90.00	narlotte-Gaston ng charges for nce. ort network elei	not currently of the currently of the currently of the currently of the currents except	TN (Nashvill combined in for UNE Coi	AL, FL and	o Combination ecurring charged and the second and t	ges are listed 7.88 7.88 7.88	11.17 11.17	Currently 3.91 3.91
Mari Thee 1. L 2. L The Bell Mari Thee End (USd For Con 2-W UNE	se scenarios include: Inbundled port/Ioop combinations that are Not Currently Combinational Michael Port/Ioop combinations that are Currently Combined or Dop 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: South currently is developing the billing capability to mechanics the states, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport Usoc: URECU). Not Currently Combined scenarios where Market Rates apply, the Not Currently Combined scenarios where Market Rates apply, the Not Currently Combined scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combination Rates 12-Wire VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) 12-Wire VG Loop/Port Combo - Zone 1 12-Wire VG Loop/Port Combo - Zone 2 12-Wire VG Loop/Port Combo - Zone 3 12-Wire Voice Grade Loop (SL1) - Zone 1 12-Wire Voice Grade Loop (SL1) - Zone 3 12-Wire Voice Grade Loop (SL1) - Zone 3 12-Wire voice unbundled port - residence 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port outgoing only - res 13-Wire voice unbundled port outgoing only - res 14-Wire voice unbundled port outgoing only - res 15-Wire voice unbundled port outgoing only - res 16-Wire voice unbundled port outgoing only - res 17-Wire voice unbundled port outgoing only - res	ned in A or Not (ale, Mia ally bill n precedin all st sage rate	Mabama Current Imi); G/ the rec dding in ates. les in the ecurring cording 1 2 3 1 2	ueprx Ueprx	ue 1 of the To r Orleans); Nurring Market Rates and res in the First a ueptx UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAP	p 8 MSAS in Bec (Greensboro-la Rates in this serves the right in the serves the right in the serves the right in the serves the right in the serves the right in the serves the serve	IlSouth's regic Winston Salem sction except f to true-up the l all combination IRC columns f 90.00 90.00 90.00 90.00	90.00 90.00 90.00	narlotte-Gaston ng charges for nce. ort network elei	not currently of the currently of the currently of the currently of the currents except	TN (Nashvill combined in for UNE Coi	AL, FL and	20 Combination of Com	7.88 7.88 7.88	11.17 11.17 11.17	3.91 3.91
Mari The 1. L 2. L The Bell Mari The End (USd For Con 2-W UNE UNE	se scenarios include: Inbundled port/Ioop combinations that are Not Currently Combinational Inbundled port/Ioop combinations that are Not Currently Combinational Inbundled port/Ioop combinations that are Currently Combined or Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: South currently is developing the billing capability to mechanics text Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport Usoc: URECU). Not Currently Combined scenarios where Market Rates apply, the Not Currently Combined scenarios where Market Rates apply, the Not Currently Combined scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates and Currently Currently Currently Combined Scenarios where Market Rates and Currently C	ned in A or Not (ale, Mia ally bill n precedin all st sage rate	Mabama Current Imi); G/ the rec dding in ates. les in the ecurring cording 1 2 3 1 2	a, Florida and North y Combined in Zon A (Atlanta); LA (New urring and non-rect lieu of the Market F he Port section of th g charges are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRC UEPAP	p 8 MSAS in Be C (Greensboro-V Rates in this serves the right of the r	IlSouth's regic Winston Salem action except f to true-up the l all combination IRC columns f	on for end use Highpoint/Cr or nonecurri billing differer ons of loop/pc for each Port U 90.00 90.00 90.00	narlotte-Gaston ng charges for nce. ort network elei	not currently of the currently of the currently of the currently of the currents except	TN (Nashvill combined in for UNE Coi	AL, FL and	o Combination ecurring charged and a second	ges are listed 7.88 7.88 7.88	11.17 11.17	3.91 3.91 3.91
Mari The 1. L 2. L The Bell Mari The End (USG For Con 2-W UNE	se scenarios include: Inbundled port/Ioop combinations that are Not Currently Combinational Michael Port/Ioop combinations that are Currently Combined or Dop 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: South currently is developing the billing capability to mechanics the states, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport Usoc: URECU). Not Currently Combined scenarios where Market Rates apply, the Not Currently Combined scenarios where Market Rates apply, the Not Currently Combined scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combined Scenarios where Market Rates apply, the Not Currently Combination Rates 12-Wire VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) 12-Wire VG Loop/Port Combo - Zone 1 12-Wire VG Loop/Port Combo - Zone 2 12-Wire VG Loop/Port Combo - Zone 3 12-Wire Voice Grade Loop (SL1) - Zone 1 12-Wire Voice Grade Loop (SL1) - Zone 3 12-Wire Voice Grade Loop (SL1) - Zone 3 12-Wire voice unbundled port - residence 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port outgoing only - res 13-Wire voice unbundled port outgoing only - res 14-Wire voice unbundled port outgoing only - res 15-Wire voice unbundled port outgoing only - res 16-Wire voice unbundled port outgoing only - res 17-Wire voice unbundled port outgoing only - res	ned in A or Not (ale, Mia ally bill n precedin all st sage rate	Mabama Current Imi); G/ the rec dding in ates. les in the ecurring cording 1 2 3 1 2	ueprx Ueprx	ue 1 of the To r Orleans); Nurring Market Rates and res in the First a ueptx UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAP	p 8 MSAS in Bec (Greensboro-la Rates in this serves the right in the serves the right in the serves the right in the serves the right in the serves the right in the serves the serve	IlSouth's regic Winston Salem sction except f to true-up the l all combination IRC columns f 90.00 90.00 90.00 90.00	90.00 90.00 90.00	narlotte-Gaston ng charges for nce. ort network elei	not currently of the currently of the currently of the currently of the currents except	TN (Nashvill combined in for UNE Coi	AL, FL and	20 Combination of Com	7.88 7.88 7.88	11.17 11.17 11.17	sage charge

04/12/02 Page 107 of 352

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disc		001150	001111		Rates(\$)	0011411	
	2-Wire Voice Grade Loop / Line Port Combination - Switch with						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	change			UEPRX	USACC		41.50	41.50					33.67	7.88	11.17	3.91
ADDIT	IONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -													= 00		
2-WID	Subsequent E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPRX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.91
	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			24.80										
	2-Wire VG Loop/Port Combo - Zone 2		2			26.47										
I INTE	2-Wire VG Loop/Port Combo - Zone 3		3			33.83										
UNE L	oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1	-	1	UEPBX	UEPLX	10.80			 							-
	2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPBX	UEPLX	12.47			 							1
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	19.83										
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus			UEPBX UEPBX	UEPBC UEPBO	14.00 14.00	90.00	90.00					33.67 33.67	7.88 7.88	11.17 11.17	3.91 3.91
LOCA	L NUMBER PORTABILITY			UEPBA	UEPBU	14.00	90.00	90.00	 				33.07	7.00	11.17	3.91
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	JRES															
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					33.67	7.88	11.17	3.91
-	2-Wire Voice Grade Loop / Line Port Combination - Switch with			OLI BX	OOAOZ		41.50	41.50	 				33.07	7.00	11.17	3.91
	change			UEPBX	USACC		41.50	41.50					33.67	7.88	11.17	3.91
ADDIT	IONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -													=		
2 WID	Subsequent E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEPBX	USAS2		0.00	0.00					33.67	7.88	11.17	3.91
	Port/Loop Combination Rates															
91121	2-Wire VG Loop/Port Combo - Zone 1		1			24.80										
	2-Wire VG Loop/Port Combo - Zone 2		2			26.47										
	2-Wire VG Loop/Port Combo - Zone 3		3			33.83										
UNE L	oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	12.47			 							
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRG	UEPLX	19.83										
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
1	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -			LIEDDO	LIEDDD	44.00	00.00	00.00					00.07	7.00	44	
1004	Res L NUMBER PORTABILITY		 	UEPRG	UEPRD	14.00	90.00	90.00	 				33.67	7.88	11.17	3.91
LUCA	Local Number Portability (1 per port)		 	UEPRG	LNPCP	3.15	0.00	0.00	 							
FEAT	JRES						2.20	2.30								
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
NONR	ECURRING CHARGES - CURRENTLY COMBINED		ļ						 							
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with		1	021110	00,102		71.50	71.30	 				55.07	7.00	11.17	5.91
	Change		<u>L</u>	UEPRG	USACC		41.50	41.50					33.67	7.88	11.17	3.91
ADDIT	IONAL NRCs															
	2 Wire Loop/Line Side Port Combination - Non feature -						0.00	0.00					22.07	7.00	44 47	2.24
	Subsequent Activity- Nonrecurring PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1		+		0.00	0.00	 				33.67	7.88	11.17	3.91
	Group						14.64	14.64					19.99	19.99	19.99	19.99
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE F	ort/Loop Combination Rates							_						_		
	2-Wire VG Loop/Port Combo - Zone 1	l	1			24.80			<u> </u>							<u> </u>

UNBUNDLED NE	ETWORK ELEMENTS - Georgia												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
0.147	5		_				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ire VG Loop/Port Combo - Zone 2 ire VG Loop/Port Combo - Zone 3		2		+	26.47 33.83			-						-	
UNE Loop R			3		+	33.83			-						-	
	ire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	10.80										
	rire Voice Grade Loop (SL1) - Zone 1		2	UEPPX	UEPLX	12.47										
	Fire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	19.83										
	e Grade Line Port Rates (BUS - PBX)		Ŭ	OLITA	OLI LX	10.00										
2	5 0.000 1.00 1.000 (200 1.2A)				1											
Line	Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00					33.67	7.88		3.9
	ire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					33.67	7.88		3.9
	ire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00					33.67	7.88		3.9
2-Wi	ire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00					33.67	7.88	11.17	3.9
2-Wi	ire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00					33.67	7.88	11.17	3.9
2-Wi	ire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	ire Voice Unbundled PBX LD Terminal Switchboard IDD															
	able Port			UEPPX	UEPXE	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	lire Voice Unbundled 2-Way PBX Hotel/Hospital Economy ninistrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					33.67	7.88	11.17	3.9
2-Wi	ire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
Roor	m Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					33.67	7.88	11.17	3.9
2-Wi	ire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	count Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	ire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	MBER PORTABILITY															
	al Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATURES																
	eatures Offered			UEPPX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.9
NONRECUR	RRING CHARGES - CURRENTLY COMBINED															
	fire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50					33.67	7.88	11.17	3.9
	ire Voice Grade Loop/ Line Port Combination - Switch with			UEPPX	USACC		41.50	41.50					33.67	7.88	44.47	2.0
ADDITIONAL ADDITIONAL				UEPPX	USACC		41.50	41.50					33.07	7.88	11.17	3.9
ADDITIONAL	IL NRUS															
2 14/3	ire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.9
	ire Loop/Line Side Port Combination - Subsequent			UEPPA	U3A32	0.00	0.00	0.00					33.07	1.00	11.17	3.9
	sequent Activity- Nonrecurring						0.00	0.00					33.67	7.88	11.17	3.9
	Sequent Activity - Normecuring (Subsequent Activity - Change/Rearrange Multiline Hunt				+	1	0.00	0.00					33.07	7.00	11.17	5.5
Grou							14.64	14.64					19.99	19.99	19.99	19.9
	ICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	PT					14.04	14.04					13.33	13.33	13.33	13.3
	oop Combination Rates	<u> </u>														
	Fire VG Coin Port/Loop Combo – Zone 1		1			24.80										
	Tire VG Coin Port/Loop Combo – Zone 2		2	1	1	26.47								1	1	
	Fire VG Coin Port/Loop Combo – Zone 3		3		İ	33.83			1					İ	1	
UNE Loop R																
2-Wi	ire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.80										
	ire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	12.47										
2-Wi	ire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	19.83	_									
	e Grade Line Port Rates (Coin)				1		_									
	ire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	ire Coin 2-Way with Operator Screening and Blocking: 011,				Ī	1										
	/976, 1+DDD (GA)			UEPCO	UEP2G	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	ire Coin 2-Way with Operator Screening and 011 Blocking														1	
(GA)				UEPCO	UEPGA	14.00	90.00	90.00			ļ		33.67	7.88	11.17	3.9
	ire Coin 2-Way with Operator Screening and 900/976	1	1			l								l	I	
Bloc	cking (GA)			UEPCO	UEPGB	14.00	90.00	90.00					33.67	7.88	11.17	3.9

UNBUNDLE	D NETWORK ELEMENTS - Georgia													Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			ES(\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec			g Disconnect				Rates(\$)		
	O.W. C. C. O.W. M. C.							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ı l	2-Wire Coin 2-Way with Operator Screening and Blocking:			LIEDOO		LIEDOLI	44.00	00.00	00.00	ĺ		1		22.67	7.00	44.47	2.04
	900/976, 1+DDD, 011+,and Local (GA) 2-Wire Coin Outward with Operator Screening and 011Blocking			UEPCO		UEPCH	14.00	90.00	90.00	 	 	 	 	33.67	7.88	11.17	3.91
	(GA, KY, MS)			UEPCO		UEPRJ	14.00	90.00	90.00			<u> </u>	ļ	33.67	7.88	11.17	3.91
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO		UEPCQ	14.00	90.00	90.00	<u> </u>				33.67	7.88	11.17	3.91
LOCAL	NUMBER PORTABILITY			LIEDOO		LNDOV	0.05			 	_		ļ				
NONE	Local Number Portability (1 per port)			UEPCO		LNPCX	0.35			 	_		ļ				
NONKE	ECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with			UEPCO		USAC2		41.50	41.50			<u> </u>		33.67	7.88	11.17	3.91
i l	Change			UEPCO		USACC		41.50	41.50	1		1		33.67	7.88	11.17	3.91
ADDIT	IONAL NRCs			JL1 00		JUNUU		41.50	41.30	 	+	+	 	33.07	1.00	11.17	3.91
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO		USAS2		0.00	0.00					33.67	7.88	11.17	3.91
UNBUNDLED I	PORT/LOOP COMBINATIONS - MARKET BASED RATES												1				
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT										1					
UNE P	ort/Loop Combination Rates																
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				99.84										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				102.45										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				113.92										
	oop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	16.84	104.78	78.10								
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	19.45	104.78	78.10	 	_		ļ				
- I.D.E.B	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	30.92	104.78	104.10								
UNE PO	ort Rate Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	83.00	850.00	75.00			 	 '	33.67	7.88		
NONE	ECURRING CHARGES - CURRENTLY COMBINED			UEFFX		UEPDI	63.00	650.00	75.00	 		 		33.07	7.00		-
INCINIC	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -										+	+	 				
	Switch-As-Is Top 8 MSAs only 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			UEPPX		USAC1		850.00	75.00			<u> </u>		33.67	7.88		
i l	with BellSouth Allowable Changes Top 8 MSAs only			UEPPX		USA1C		850.00	75.00	1		1		33.67	7.88		
ADDIT	IONAL NRCs			02		00/110		000.00	7 0.00		+		-	00.01	7.00		
	none Number/Trunk Group Establisment Charges										1	 					
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00	1	1						
i	DID Numbers, Establish Trunk Group and Provide First Group																
	of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00	1	<u> </u>			<u> </u>			
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00			\perp					
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00	├		L					
	Reserve Non-Consecutive DID numbers	<u> </u>		UEPPX		ND6	0.00	0.00	0.00		 		 '	 			-
	Reserve DID Numbers NUMBER PORTABILITY			UEPPX		NDV	0.00	0.00	0.00		+		 				1
LUCAL	Local Number Portability (1 per port)	!	 	UEPPX		LNPCP	3.15	0.00	0.00	 	+	+	 	-			
2-W/IDI	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	NE SIDI				LINFOF	3.13	0.00	0.00	 	+	 	 				
	ort/Loop Combination Rates	ועוני ביי	JONI							 	+	+	 	 			t
10.1.21	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1									 	\vdash		1			1
\vdash	UNE Zone 1 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	UEPPB	UEPPR		81.89			<u> </u>	<u> </u>	<u> </u>	<u> </u>				-
\vdash	UNE Zone 2 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		2	UEPPB	UEPPR		85.27			 	<u> </u>	 	<u> </u>				
LINE	UNE Zone 3 oop Rates		3	UEPPB	UEPPR		100.17			 		<u> </u>	<u> </u>				1
10.42 20	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	1	UEPPB	UEPPR	USI 2X	21.89	252.32	188.77		+	+	 	19.99	19.99		1
+-	2 11.15 1.5514 Digital Grado 200p - 0142 20116 1		-	J_11D	JEI I IX	JULEN	21.09	202.02	100.77	 	 	+	 	13.35	13.35		
. 1	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	25.27	252.32	188.77	<u> </u>				19.99	19.99		
			3	LIFPPR	LIEPPR	USI 2X	40 17	252 32	188 77					10 00	19 99		
UNE P	2-Wire ISDN Digital Grade Loop - UNE Zone 3 ort Rate		3	UEPPB	UEPPR	USL2X	40.17	252.32	188.77					19.99	19.99		

CATEGORY RATE ELEMENTS Interign Zone RATE SUBMITTED	UNBUNDLED	NETWORK ELEMENTS - Georgia													Attachment:	2	Exhibit: B	
NORMER CURRING CHARGES - CURRENTLY COMBINED UEPPB UEPPB USAGD 0.00 216.00 215.00 119.0				Zone	E	scs	USOC			.,			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
NOMINECURRING CHARGES - CURRENTY COMBINED								Rec										
2-Wins ESN Digate Grade Loay / 2-Wins ESN Line Side Port UEPPR USACE 0.00 215.00 19.99 19.	NONDE	CURRING CHARGES CURRENTLY COMPINED							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Device SDM Lopp / Wire SDM Por Combination - Sub Actory LePPB UEPPB UEPPB UEPA USASB 16.5.56 19.00 10.00 1		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion - Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	215.00	215.00					19.99	19.99		
Non FeatureAdd Trunk																		
D.COM Number Principles (1 per port)		Non Feature/Add Trunk	Ī		UEPPB	UEPPR	USASB		165.95						19.99	19.99		,
BO-CHANNEL USER PROFILE ACCESS: UEPPB UEPPR UFF UFF UFF UFF UFF UFF UFF UFF UFF UF	LOCAL	NUMBER PORTABILITY																
CYSCSD (MSSESS)					UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
CYS (EWSD)					LIEDDD	LIEDDD	LIALICA	0.00	0.00	0.00		-						
SSD SCHANNEL AREA PLUS USER PROFILE ACCESS: (ALKY, LAMS SC, MS, 8, TM) USER TERMINAL PROFILE U												1						
SCHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TV)																		
User Terminal Profile (EVSD only)	B-CHAN	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	TN)														
VertTCAL FEATURES																		
MI Vertical Features - One per Channel B User Profile UEPPB UEPPR UEPPR					UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								<u> </u>
Interoffice Channel mileage each, including first mile and UEPPB UEPPR MIGNC 16.47 79.61 36.08 19.99 1					LIEDDR	HEDDR	HEDVE	0.00	0.00	0.00					10 00	10 00		
Interdirec Channel mileage each, including first mile and facilities termination UEPPB UEPPR MIGNC 16.47 79.61 36.08 19.99 19.					OLITB	OLITIK	OLI VI	0.00	0.00	0.00					15.55	13.33		
Interoffice Channel mileage each, additional mile																		
AWIRE DS1 DigITAL LOOP WITH AWIRE ISDN DSI DIGITAL TRUNK PORT UNE UNE POPT-LOOP Combination Rates UNE POPT-LOOP Combination Rates UNE POPT-LOOP COMBINATION UNE Zone 1 UEPPP 955.53 UPPP 955.53 UPPP 964.13 UPPP 964.13 UPPP 964.13 UPPP 964.13 UPPP 964.13 UPPP 964.13 UPPP 964.13 UPPP 964.13 UPPP 964.13 UPPP 964.13 UPPP 966.13 UPPP 966.13 UPPP 966.13 UPPP 966.13 UPPP 966.13 UPPP USL4P 966.13 UPPP USL4P 966.13 UPPP USL4P 966.13 UPPP USL4P 966.13 UPPP USL4P 966.13 UPPP USL4P 966.13 UPPP USL4P 966.13 USL4P 966.13 UPPP USL4P 966.13 UPPP USL4P 966.13								16.47	79.61	36.08					19.99	19.99		
UNE Port/Loop Combination Rates					UEPPB	UEPPR	M1GNM	0.0222	0.00	0.00								
AWD DST Digital Loop/AW ISDN DST Digital Trunk Port - UNE			K PORT															
Zone 1							<u> </u>					-						
Zone 2		Zone 1		1	UEPPP			955.53										
Zone 3 UPPP 1,001.93 USL4P 5.5.53 448.92 276.60 119.99 19.99		Zone 2		2	UEPPP			964.13										
UNE Loop Rates				3	LIEPPP			1 001 93										,
4-Wire DS1 Digital Loop - UNE Zone 1					OLITT			1,001.00										
4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPPP USL4P 101.93 448.92 276.60 19.99				1	UEPPP		USL4P	55.53	448.92	276.60					19.99	19.99		
UNE Port Rate																		
Exchange Ports - 4-Wire ISDN DS1 Port				3	UEPPP		USL4P	101.93	448.92	276.60					19.99	19.99		
NONRECURRING CHARGES - CURRENTLY COMBINED					HEDDD		LIEDDD	000.00	4 000 00	4 000 00					40.00	40.00		
4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-As-Is Top 8 MSAs only UEPPP USACP 0.00 925.00 925.00 925.00 19.99 1					UEPPP		UEPPP	900.00	1,200.00	1,200.00					19.99	19.99		
Combination - Conversion - Switch-As-Is Top 8 MSAs only																		
ADDITIONAL NRCs					UEPPP		USACP	0.00	925.00	925.00					19.99	19.99		
Inward/two way tel nos within Std Allowance (except NC)	ADDITIO	ONAL NRCs																
A-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)																		
Outward Tel Numbers (All States except NC)			1	<u> </u>	UEPPP		PR7TF		0.9686				1					
Subsequent Inward Tel Nos Above Std Allowance		Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		22.75	22.75								
LOCAL NUMBER PORTABILITY UEPPP LNPCN 1.75 UEP				1	LIEDDD		DR77T		45.40	45.40		1						
Local Number Portability (1 per port)			1	 	ULPPP		171/41	 	45.49	45.49	 	 	 					
INTERFACE (Provisioning Only)			1	1	UEPPP		LNPCN	1.75			1	1						
Digital Data			1								İ	1						
Inward Data		Voice/Data																
New or Additional "B" Channel Image: Channel of the control of the cont													1					<u> </u>
New or Additional - Voice/Data B Channel UEPPP PR7BV 0.00 28.71 19.99 19.99			1	<u> </u>	UEPPP		PR71E	0.00	0.00	0.00	 	 	1	-				<u> </u>
			1		LIEDDD		DR7R\/	0.00	28 71			-			10.00	10.00		<u> </u>
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1	 							1	 						
New or Additional Inward Data B Channel UEPPP PR7BD 0.00 28.71 19.99 19.99			1	<u> </u>								1						
CALL TYPES																		
Inward UEPPP PR7C1 0.00 0.00 0.00 0.00 0.00		Inward																
Outward UEPPP PR7C0 0.00 0.00 0.00																		
Two-way		Two-way		<u> </u>	UEPPP		PR7CC	0.00	0.00	0.00		L						

<u> </u>	D NETWORK ELEMENTS - Georgia			1									Attachment:		Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interof	fice Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	78.9223	147.07	111.75	0.00				19.99	19.99		
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.4523										
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	ort/Loop Combination Rates			LIEBBO												
	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide		SW	UEPDC		470.00										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		1	UEPDC UEPDC		176.33 184.93										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC	-	222.73										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC		222.13										
	pop Rates		4	UEPDC	+											
	4-Wire DS1 Digital Loop - Statewide	 	sw	UEPDC	USLDC	+					 					t
	4-Wire DS1 Digital Loop - Statewide 4-Wire DS1 Digital Loop - UNE Zone 1	 	5W	UEPDC	USLDC	55.53	448.92	276.00					19.99	19.99		t
	4-Wire DS1 Digital Loop - UNE Zone 2	 	2	UEPDC	USLDC	64.13	448.92	276.60			 		19.99	19.99		t
	4-Wire DS1 Digital Loop - UNE Zone 3	 	3	UEPDC	USLDC	101.93	448.92	276.60					19.99	19.99		-
	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC	101.00	110.02	270.00					10.00	10.00		
	ort Rate			02. 50	00220											
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,011.43	477.87	206.70	20.70			19.99	19.99		
	CURRING CHARGES - CURRENTLY COMBINED						.,									
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				1 1											
	- Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		269.96	269.96					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		269.96	269.96					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		269.96	269.96					19.99	19.99		
ADDIT	IONAL NRCs			OLI DO	OOAWD	1	203.30	203.30					15.55	13.33		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent				+											
	Service Activity Per Service Order			UEPDC	USAS4		147.47	147.47								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.71	28.71					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.71	28.71					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.71	28.71					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			OLFDC	ODITIC		20.71	20.71					13.33	19.99		
	Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDTTD		28.71	28.71					19.99	19.99		
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.71	28.71					19.99	19.99		
	AR 8 ZERO SUBSTITUTION			UEPDC	UDITE		20.71	20.71					19.99	19.99		
	B8ZS -Superframe Format			UEPDC	CCOSF	1	0.00	600.00								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00								
	ate Mark Inversion			OLI DO	CCCLI	1	0.00	000.00								
7	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teleph	one Number/Trunk Group Establisment Charges		1	1		İ	3.55	3.30								1
	Telephone Number for 2-Way Trunk Group		1	UEPDC	UDTGX	0.00										1
	Telephone Number for 1-Way Outward Trunk Group		i –	UEPDC	UDTGY	0.00								İ		
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers	<u> </u>	<u> </u>	UEPDC	NDZ	0.00	0.00	0.00	<u> </u>		L	<u> </u>		<u> </u>		<u> </u>
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.	1		UEPDC	ND6	0.00	0.00	0.00			1			1		
			_													
	Reserve DID Numbers ted DS1 (Interoffice Channel Mileage) -			UEPDC	NDV	0.00	0.00	0.00								

UNBUNDL	_ED NETWORK ELEMENTS - Georgia	,										,	Attachment:		Exhibit: B	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	res(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						_	Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates(\$)	1	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	78.47	147.07	111.75					19.99	19.99		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.4523	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.4523	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
-	Termination)			UEPDC	ILNO3	0.00	0.00	0.00			-					
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	l		UEPDC	1LNOC	0.4523	0.00	0.00								
	Local Number Portability, per DS0 Activated	1		UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point	1		UEPDC	CTG	0.00			1					1	1	
4-WI	IRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	tem is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations							<u> </u>					<u> </u>	<u> </u>	
	stem can have various rate combinations based on type and nu	mber of	ports	used												
UNE	DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1			UEPMG	USLDC	55.53	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	64.13	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	101.93	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	102.64	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG UEPMG	VUM48 VUM96	205.28 410.56	0.00	0.00					19.99 19.99	19.99 19.99		
	96 DSO Channel Capacity -1 per 4 DS1s			UEPMG	VUM96 VUM14	410.56 615.84	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	821.12	0.00	0.00			-		19.99	19.99		
-	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,026.40	0.00	0.00					19.99	19.99		
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,231.68	0.00	0.00					19.99	19.99		
+	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,642.24	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,052.80	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,463.36	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,873.92	0.00	0.00					19.99	19.99		
	-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	inimum System configuration is One (1) DS1, One (1) D4 Channe															
Mult	tiples of this configuration functioning as one are considered Ac	ld'I afte	r the n	ninimum system co	nfiguration is	counted.										
	NRC - Conversion (Currently Combined) with or without															
	BellSouth Allowed Changes - Top 8 MSAs Only	L	L	UEPMG	USAC4	0.00	450.00	50.00					19.99	19.99		
	tem Additions Where Currently Combined and New (Not Currently	y Comb	pined)													
In To	op 8 MSAs and AL, FL, and NC Only															ļ
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation -			UEPMG	VUMD4	0.00	950.00	600.00	200.00	30.00			19.99	19.99		
Pine	plar 8 Zero Substitution			UEFIVIG	VUIVID4	0.00	950.00	600.00	200.00	30.00			19.99	19.99		_
Бірс	Clear Channel Capability Format, superframe - Subsequent	 		1	+				1					1	1	
	Activity Only	l	1	UEPMG	CCOSF	0.00	0.00	600.00]					1	1	
	Clear Channel Capability Format - Extended Superframe -					0.00	0.00	300.00						1	1	
	Subsequent Activity Only	l	1	UEPMG	CCOEF	0.00	0.00	600.00]					1	1	
Alter	rnate Mark Inversion (AMI)						-		j							
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00		•			_			
	hange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Exch	hange Ports														ļ	
	11 0.1 0 1 0 1 1	l		HEDDY	LIEDON											
	Line Side Combination Channelized PBX Trunk Port - Business	<u> </u>	<u> </u>	UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			33.67	7.88	 	
-	Line Side Outward Channelized PBX Trunk Port - Business	 	1	UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00	-		33.67	7.88	 	
	L	l	1	UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00			33.67	7.88	1	
																1
	Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port		1	UEPPX	UEPDM	83.00	0.00	0.00	0.00	0.00			33.67	7.88		

UNBUNDLE	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	res(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
						Rec	Nonrec	urring	Nonrecurring	Disconnect		i i	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1PQWM	0.62	40.00	20.00	6.00	5.00			33.67	7.88		
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0.62	110.00	30.00	65.00	20.00			33.67	7.88		
Tolon	hone Number/ Group Establishment Charges for DID Service			UEFFA	IFQWU	0.02	110.00	30.00	65.00	20.00			33.07	7.00		
relep	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
- 	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
 	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
 	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								—
 	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								—
Local	Number Portability		!	OLI I A	140 4	0.00	0.00	0.00								
Local	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								—
EEAT	URES - Vertical and Optional		1	OLI I A	LIVI OF	3.15	0.00	0.00	1							
	Switching Features Offered with Line Side Ports Only		1		1	1			1							
Local	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
UNDUNDUED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:			UEPPX	UEPVF	0.00	0.00	0.00								
			Ctata (nandala Habi	undlad Lasal C	itabina an C.	ital Danta								
	st Based Rates are applied where BellSouth is required by FCC								diad Dantasat	an af thia Data	Full-ille id					
z. Fea	tures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sam	ne manner as	they are applie	d to the Stand	-Alone Unbun	alea Port Secti	on or this Rate	EXHIBIT.					+
3. End	d Office and Tandem Switching Usage and Common Transport eorgia, Kentucky, Louisiana, MIssissippi and Tennessee, the r	Usage	rates in	the Port section of	this rate exh	libit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.	maly to Not C	rontly
	ined Combos for all states. In GA, KY, LA, MS and TN these no							, NC and SC th	nese nonrecurr	ing charges ar	e Market Ra	ites and are	listed in the	Market Rate s	ection. For 0	Surrently
	ined Combos in all other states, the nonrecurring charges sha															•
	rket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	ase Basis, un	til further notic	e.									<u> </u>
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														<u> </u>
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															l
UNE F	Port/Loop Combination Rates (Non-Design)															1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															[
	Non-Design		1	UEP91		12.59										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP91		14.26										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP91		21.62										1
UNE F	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP91		18.63										ĺ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02. 0.		10.00										
	Design		2	UEP91		21.24										1
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02.01	+	21.27										
	Design		3	UEP91		32.71					1					1
I INF I	Loop Rate		- 3	OFLAI	1	34.11			1							
UNE L	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	10.80			-		-					
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91 UEP91	UECS1	10.80					 					
 											-					
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	19.83					ļ					
\vdash	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16.84										
\vdash	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	19.45					ļ					 '
L	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	30.92					ļ					L
UNE F											ļ					
All Sta	ates (Except North Carolina and Sout Carolina)				ļ											
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.79	22.14	15.25	8.45	3.91	ļ		33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local										l					1
	Area	<u></u>	<u></u>	UEP91	UEPYB	1.79	22.14	15.25	8.45	3.91	<u> </u>		33.67	7.88		1
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP91	UEPYH	1.79	22.14	15.25	8.45	3.91	1		33.67	7.88		1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP91	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		i –		1				270	2.31	İ					
	Term - Basic Local Area			UEP91	UEPYZ	1.79	22.14	15.25	8.45	3.91	1		33.67	7.88		1
		1	1		J L	1 3	44.17	10.20	070	0.01	I .		55.57	7.50		

UNBUNDLE	D NETWORK ELEMENTS - Georgia				, ,						_		Attachment:		Exhibit: B	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES(\$)			1	Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring		SOMEC	SOMAN		Rates(\$)	COMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				-		First	Add'l	First	Add'l	SOMEC	SOWAN	SOMAN	SOMAN	SOMAN	SOWAN
	- Basic Local Area			UEP91	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		i
	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLI 31	OLI 13	1.73	22.14	10.20	0.40	3.31			33.07	7.00		
	Basic Local Area			UEP91	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		i
Georgi	ia and Florida Only					-										
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															i
	Center)2			UEP91	UEPHM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	l		LIEBO4	LIEDUZ	4 =	00.11	45.00	0 :-	0.01		1	00.00	7.00		1
	Term	<u> </u>		UEP91	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2 Wire Voice Grade Port terminated in an Magalink or activities			UEP91	UEPH9	1.79	22.14	15.25	8.45	3.91		1	33.67	7.88		1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	!	 	UEP91 UEP91	UEPH9 UEPH2	1.79	22.14	15.25	8.45 8.45	3.91		 	33.67	7.88		
Local	Switching			UEF91	UEPHZ	1.79	22.14	15.25	0.40	3.91	1		33.07	7.00		+
Local	Centrex Intercom Funtionality, per port	-	 	UEP91	URECS	0.5554						 		 		
Local I	Number Portability			OLI 01	CILLOG	0.0004										
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP91	UEPVF	0.00										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	454.69									
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00					33.67	7.88		
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00					33.67	7.88		
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00					33.67	7.88		I
	laneous Terminations															
2-Wire	Trunk Side			LIEDOA	CENA6	44.05	04.04	04.04					00.07	7.00		+
Interef	Trunk Side Terminations, each fice Channel Mileage - 2-Wire			UEP91	CENAS	11.35	61.91	61.91					33.67	7.88		
interoi	Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	17.07										
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	MIGBM	0.0222										
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e		02. 0.	02	0.0222										
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62										
	•															
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	<u> </u>		UEP91	1PQW6	0.62							<u> </u>	<u> </u>		<u> </u>
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop					_]		1
	Slot			UEP91	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEBO.								1		1		i
	Different Wire Center	ļ	<u> </u>	UEP91	1PQWP	0.62										
	Facture Activation on D.4 Changel Beats British Line Law Old	l		UEP91	100/4/1	0.00										i
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop	l		UEP91	1PQWV	0.62								 		
	Feature Activation on D-4 Channel Bank Tijle Line/Trunk Loop Slot	l		UEP91	1PQWQ	0.62						1		1		1
1	Feature Activation on D-4 Channel Bank WATS Loop Slot	 	+	UEP91	1PQWQ	0.62							1	1		
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex		 	02. 31		0.02								 		
11011-10	Conversion - Currently Combined Switch-As-Is with allowed				†								1	1		
	changes, per port	l		UEP91	USAC2		2.01	0.3108				1	33.67	7.88		1
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	659.41						33.67	7.88		
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	659.41						33.67	7.88		
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.10						33.67	7.88		
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	71.88						33.67	7.88		
	CENTREX - 5ESS (Valid in All States)				ļI									ļ		<u> </u>
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ļ	<u> </u>		ļ											—
UNE P	ort/Loop Combination Rates (Non-Design)	ļ	1													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		LIEDOE		40.50						1		Ì		1
	Non-Design	I	1 1	UEP95	1	12.59									l	ı

UNRU	INDI F	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	l
ONDO	NULL											Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEG	OBV	RATE ELEMENTS	Interi	7000	BCS	usoc		DAT	TEC/¢\			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORT	RATE ELEMENTS	m	Zone	BCS	USUC		KA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							-				L						
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP95		14.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP95		21.62										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP95		18.63										
-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OLI 33	-	10.00										
				2	UEP95		21.24										
		Design			UEF93		21.24										
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		1 ^	LIEDOE		00.74					l	l	Ì			
	L -	Design		3	UEP95		32.71										
	UNE L	pop Rate		<u> </u>		1											
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.80										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	12.47										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	19.83										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.84										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	19.45										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	30.92										
	UNE P	ort Rate															
	All Stat			1													
	All Ola	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
		2-Wire Voice Grade Port (Centrex) Basic Eddar Area 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
-		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			OLF 93	OLFIB	1.79	22.14	13.23	0.43	3.91			33.07	7.00		
					LIEDOE	UEPYH	1 70	22.14	15.05	0.45	2.01			22.67	7.00		
-		Area		-	UEP95	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
		2-Wire Voice Grade Port (Centrex from diff Serving Wire					. =-								=		
		Center)2 Basic Local Area			UEP95	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term - Basic Local Area			UEP95	UEPYZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP95	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP95	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	FL & G	A Only															
		2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
		2-Wire Voice Grade Port (Centrex doo termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP95	UEPHH	1.79	22.14	15.25	8.45	3.91	 	 	33.67	7.88		
		2-Wire Voice Grade Port (Centrex with Carlet 19)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire		t	021 00	0211111	1.13	22.14	10.20	0.43	5.31	 	 	55.07	7.00		
1		Center)2		1	UEP95	UEPHM	1.79	22.14	15.25	8.45	3.91	İ	İ	33.67	7.88		
<u> </u>	-		-	 	OLF 30	OLFITIVI	1.19	22.14	15.25	0.45	3.91	-	-	33.07	1.68		
1		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1	LIEDOE	LIEDUZ	. 70	00.44	45.05	0.7-	0.01	İ	İ	00.0=	7.00		
<u> </u>		Term		1	UEP95	UEPHZ	1.79	22.14	15.25	8.45	3.91	1	1	33.67	7.88		1
1		L.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		1								İ	İ				
		2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP95	UEPH9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
		2-Wire Voice Grade Port Terminated on 800 Service Term		<u> </u>	UEP95	UEPH2	1.79	22.14	15.25	8.45	3.91	ļ	ļ	33.67	7.88		
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP95	URECS	0.5554										
	Local N	lumber Portability															
		Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
	Feature	es															
		All Standard Features Offered, per port		1	UEP95	UEPVF	0.00			İ	İ	İ	İ	33.67	7.88	İ	İ
		All Select Features Offered, per port		t	UEP95	UEPVS	0.00	454.69				1	1	33.67	7.88		
		All Centrex Control Features Offered, per port		1	UEP95	UEPVC	0.00	10-1.03				 	 	33.67	7.88		
—	NARS	y an obstacle definition i definition of the real, per port		t	021 00	OL: VO	0.00					 	 	55.07	7.00		
	פאביי	Unbundled Network Access Register - Combination		1	UEP95	UARCX	0.00	0.00	0.00	-	1	 	 	33.67	7.88	-	1
<u> </u>	-		-	 	UEP95 UEP95	UARCX UAR1X	0.00	0.00	0.00			-	-	33.67	7.88		
-		Unbundled Network Access Register - Indial		1								 	 			-	
	<u> </u>	Unbundled Network Access Register - Outdial		<u> </u>	UEP95	UAROX	0.00	0.00	0.00					33.67	7.88		
		aneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP95	CEND6	11.35	61.91	61.91					33.67	7.88		
	4-Wire	Digital (1.544 Megabits)		L												l	

### DOS USOS PRODUTE INTERNATIONAL DISCONSISTER CONTROL PRODUCTION OF THE PRODUCT	IINRIINDI E	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
ATECHON RATE ELEMENTS Intell 201 BCS BCS BCS BCS BCS BCS BCS BC	UNBUNDEE									1	I	Svc Order	Svc Order				Incremental
CATEGORY RATE LEMENTS Page 25																	
## CATEGORY RATE ELEMENTS ## force BCS USOC FATEE(S)																	Manual Svc
Billion	CATEGORY	RATE ELEMENTS		Zone	BCS	usoc		RA ⁻	TES(\$)								
St. Charact Temperature St. Charact Temp			m						(+)			per LSK	per LSK				
Section Sect														ist	Addi	DISC 1St	DISC Add I
DISC Contact Terrenalistics, cook District Strain							D	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)	•	•
DOC Characteric Accordance (1985) Control Control (1986) Control (1986) Co							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Mindeline Chairmal Ministrys - 2 willing Middle 17.77		DS1 Circuit Terminations, each			UEP95	M1HD1	120.80	89.44	52.46					33.67	7.88		
Interesting Contenting Evaluation Evaluation Service Image: 1, 1975					UEP95	M1HDO	0.00	28.71						33.67	7.88		
Interestic Chronic missage, per mit or Excitation of Miles Feature Activation 10 M Chrome Bank Chromes (See See See See See See See See See Se	Interof																
Feature Activations (DSI) Centrinal Loops and Chammeliand DSI Service																	
Description Posture Activation on D-4 Charmed Series Full East Except State UPPS POWB 0.62					UEP95	MIGBM	0.0222										
Feature Activation on D-4 Channel Bank Received Corps (see 1)			e														
Protection or D-I Channel Bank FX Trins Side Loop UEP95 PDWW 0.62	D4 Ch																
Feature Activation on D-4 Channel Bank Pri Tunk Side Loop UEPB6 IPQW7 0.62		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62										
Feature Activation on D-4 Channel Bank PX Trunk Side Loop UEP96 IPQWY 0.62																	
Size Feature Activation on D-4 Channel Bank Entertex Loop Size UEP96 IPOWP 0.02			 		UEP95	1PQW6	0.62			!				 	!	 	
Feature Activation on De Channel Bank Centres Loop Sid - Officer Wile Cannel For Channel Bank Plates Link Loop Sid - Officer S					LIEDOE	100/4/7	0.00			I				1	I	1	
Different Wise Centers Different Wise Cent		Cit	 	-	UEP95	TPQW/	0.62			 		-		-	1	ļ	
Peature Activation on D4 Channel Bank Private Line Loop Stat UEP95 1PQWV 0.62					LIEDOS	10000	0.60			I				1	I	1	
Feature Activation on D-4 Channel Bank Type LineTrunk Loop UEP96 1POWO 0.62		Dilibration Aville Celifer	├		ULF90	IFUVVP	0.62			 				-		-	
Feature Activation on D-4 Channel Bask Tijle LineTrant Loop UEP96 1PQWQ 0.62		Feature Activation on D-4 Channel Bank Private Line Leas Stat			LIED05	100\\\\	0.62			I				1	I	1	
Slot Feature Advisation on D-4 Channel Bank WATS Loop Stot UEPPS 1POWQ 0.62					OLF 93	IFQVVV	0.02			†							
Feature Activation on D4 Channel Bank WATS Loop Stat UEP95 1POWA 0.62					LIEP95	1POWO	0.62										
Non-Recurring Charges (NRC) Associated with UNE-P Centrex New Convention Currently Combined Switch-Asis with allowed changes, per port UEP95 USAC2 2.01 0.5108 33.67 7.88 New Centrex Standard Common Block ULEP95 USAC2 0.00 669.41 33.67 7.88 New Centrex Customizated Currinon Block ULEP95 URAC3 0.00 669.41 33.67 7.88 New Centrex Customizated Currinon Block ULEP95 URAC3 0.00 669.41 33.67 7.88 New Centrex Customizated Currinon Block ULEP95 URAC3 0.00 669.41 33.67 7.88 New Centrex Customizated Currinon Block ULEP95 URAC3 0.00 669.41 33.67 7.88 New Centrex Customizated Currinon Block 33.67 7.88 New Centrex Customizated Currinon Block ULEP95 URAC3 0.00 71.88 33.67 7.88 New Centrex Customizated Currinon Block ULEP95 URAC3 0.00 71.88																	
NRC Conversion Currently Combined Switch-As-Is with allowed changes, part port UEP95 USAC2 2.01 0.3108 33.67 7.88 1.05	Non-R						0.02										
Changes, pep port																	
New Centrace Customized Common Block					UEP95	USAC2		2.01	0.3108					33.67	7.88		
NAR Establishment Charge, Rer Octasion URPOK UNLEP CENTREX - MSRO (Valid in All States) UNLEP CENTREX - M		New Centrex Standard Common Block			UEP95	M1ACS	0.00	659.41						33.67	7.88		
UNE P CENTREX - DMS100 (Valid In All States) 2-Wire Voto Grade Port (Centrex) Combo 1							0.00										
2-Wire VQ Loop/2-Wire Voice Grade Port (Centrex) Port Combo 1 UEPDD 12.59					UEP95	URECA	0.00	71.88						33.67	7.88		
WIK Port/Loop Combination Rates (Non-Design)																	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 1 UEPD 12.59																	
Non-Design 1 UEPBD 12,59	UNE P																
2-Wire VS Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 3 UEP9D 14.26 3 UEP9D 21.62 3 UEP9D 21.62 3 UEP9D 21.62 3 UEP9D 21.62 3 UEP9D 21.62 3 UEP9D 21.62 3 UEP9D 21.62 3 UEP9D 21.62 3 UEP9D 21.62 3 UEP9D 21.62 3 UEP9D 21.62 3 UEP9D 21.62 3 UEP9D 21.62 3 UEP9D 21.62 3 UEP9D 21.64 3 UEP9D 21.65 3 UEPPD 21.65 3 UEPPD 21.65 3 UEPPD 21.65 3 UEPPD 21.65 3 UEPPD 21.65 3 UEPPD 21.65 3 UEPPD 21.65 3 UEPPD 21.65 3 UEPPD 21.65 3 UEPPD 21.65 3 UEPPD 21.65 3 UEPPD 21.65 3 UEPPD			1				40.50										
Non-Design				1	UEP9D		12.59										
2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Superpose Super				2	LIEDOD		14.26										
Non-Design 3 UEP9D 21.62					OLF9D		14.20					1					
UNE Port/Loop Combination Rates (Design)				3	LIEPAD		21.62										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design	UNE P			3	OLI 3D	+	21.02										
Design	OIL I																
2-Wire Volce Grade Port (Centrex)Port Combo - Design				1	UEP9D		18.63										
Design						1				İ				İ	İ	İ	
Design 3 UEP9D 32.71				2	UEP9D		21.24			I				1	I	1	
UNE Loop Rate		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			_												
2-Wire Voice Grade Loop (SL 1) - Zone 1				3	UEP9D		32.71										
2-Wire Voice Grade Loop (St. 1) - Zone 2 2 UEP9D UECS1 12.47	UNE L																
2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEP9D UECS1 19.83			ļ							ļ				ļ	ļ	ļ	
2-Wire Voice Grade Loop (SL 2) - Zone 1																	
2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP9D UECS2 19.45			<u> </u>							-					-		
2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9D UECS2 30.92			 							 		-		 	 	 	
UNE Port Rate ALL STATES UEP9D UEPYA 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEP9D UEPYB 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEP9D UEPYB 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEP9D UEPYB 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEP9D UEPYB 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEP9D UEPYC 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEP9D UEPYC 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEP9D UEPYC 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEP9D UEPYD 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEP9D UEPYD 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEP9D UEPYD 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEP9D UEPYD 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEP9D UEPYD 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEP9D UEPYD 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEP9D UEPYD 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEP9D UEPYD 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEP9D UEPYD 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEPPD UEPYD 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEPPD UEPYD 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEPPD UEPYD 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEPPD UEPYD 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEPPD UEPYD 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEPPD UEPYD 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEPPD UEPYD 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEPPD UEPYD UEPYD 1.79 22.14 15.25 8.45 3.91 33.67 7.88 UEPPD UEPYD UEP			├							 				-		-	
ALL STATES 2-Wire Voice Grade Port (Centrex) Basic Local Area UEP9D UEPYA 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area UEP9D UEPYB 1.79 22.14 15.25 8.45 3.91 33.67 7.88	LINE D			J	טבו שט	ULUUZ	30.92			 				1	 		
2-Wire Voice Grade Port (Centrex) Basic Local Area UEP9D UEPYA 1.79 22.14 15.25 8.45 3.91 33.67 7.88			 			+				t				 	t	 	
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area UEP9D UEPYB 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area UEP9D UEPYC 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area UEP9D UEPYC 1.79 22.14 15.25 8.45 3.91 33.67 7.88	ALL O				UEP9D	UEPYA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Area					-	1				30	2.31			1	1	İ	
Area					UEP9D	UEPYB	1.79	22.14	15.25	8.45	3.91			33.67	7.88	1	
2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local UEP9D	ĺ	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
Area					UEP9D	UEPYC	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															1		
			ļ		UEP9D	UEPYD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	ļ	
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.79	22.14	15.25	8.45	3.91			33.67	7.88		

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			FES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
		ļ				Rec	Nonrec		Nonrecurring		001150	001111		Rates(\$)	0014411	001441
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	1					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Area			UEP9D	UEPYF	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.79	22.14	15.25	8.45	3.91			33.67	7.88		l
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	1.79	22.14	15.25	8.45	3.91			33.67	7.88		ļ
	Area			UEP9D	UEPY3	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
FL & G	A Only 2-Wire Voice Grade Port (Centrex)	1		UEP9D	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
 	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	1		UEP9D	UEPHB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		ſ
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3	t		UEP9D	UEPHC	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPHD	1.79	22.14	15.25	8.45	3.91			33.67	7.88		i
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPHE	1.79	22.14	15.25	8.45	3.91			33.67	7.88		i
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3	ļ		UEP9D	UEPHF	1.79	22.14	15.25	8.45	3.91			33.67	7.88		ļ
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3	 		UEP9D	UEPHG	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3 2-Wire Voice Grade Port (Centrex / EBS-M5208)3	1		UEP9D UEP9D	UEPHU	1.79 1.79	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91			33.67 33.67	7.88 7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3 2-Wire Voice Grade Port (Centrex / EBS-M5216)3	 		UEP9D UEP9D	UEPHU	1.79	22.14	15.25	8.45 8.45	3.91	-		33.67	7.88		
 	2-Wire Voice Grade Port (Centrex / EBS-M5216)3 2-Wire Voice Grade Port (Centrex / EBS-M5316)3	 		UEP9D UEP9D	UEPHV UEPH3	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / LBS-NISSTO)3 2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPHW	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
<u> </u>	Jindication)3	<u> </u>		UEFAD	UEPHVV	1.79	22.14	15.25	8.45	3.91	l		33.67	7.88		

UNBUNDLE	D NETWORK ELEMENTS - Georgia									. <u></u>			Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPHJ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)					. ==										
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D UEP9D	UEPHM UEPHO	1.79 1.79	22.14 22.14	15.25	8.45 8.45	3.91 3.91			33.67 33.67	7.88 7.88		
	2-Wife Voice Grade Port (Centrex/diller SWC /EBS-PSE1)2, 3			UEP9D	UEPHO	1.79	22.14	15.25	8.45	3.91			33.67	7.88		-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-10009)2, 3			UEP9D	UEPHQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2 THE VOICE GRAD FOR (CONTROL ARTHUR CAVE / EDG GEGG)2, G			OLI OD	OLITIQ	1.75	22.17	10.20	0.40	0.01			00.07	7.00		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	·															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	1.79	22.14	15.25	8.45	3.91	-		33.67	7.88		<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	1.79	22.14	15.25	8.45	3.91			33.67	7.88		<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Local	Switching Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5554			1							
Local	Number Portability			UEP9D	UKECS	0.5554										
Locari	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Feature				02.05	2 00	0.00										
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00			İ							
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	454.69						33.67	7.88		
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
NARS	·															
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00					33.67	7.88		
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00					33.67	7.88		
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00					33.67	7.88		
	laneous Terminations															
2-Wire	Trunk Side			LIEDAD	OFNE	44.05										
4 18/:	Trunk Side Terminations, each			UEP9D	CEND6	11.35			1							
4-wire	Digital (1.544 Megabits) DS1 Circuit Terminations, each			UEP9D	M1HD1	120.80	89.44	52.46	-				33.67	7.88		
	DS0 Channels Activiated per Channel			UEP9D	M1HD0	0.00	28.71	32.40	1				33.67	7.88		
Interof	fice Channel Mileage - 2-Wire			OLI 3D	WITTIDO	0.00	20.71						33.07	7.00		
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	17.07			-		1		 	1	 	
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0222										
Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			- "		3.32			1	1			1		1	
	Slot			UEP9D	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop												1		1	
	Slot		<u></u>	UEP9D	1PQWQ	0.62	<u> </u>		<u> </u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62										

UNB	JNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	ΓES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9D	USAC2		2.01	0.3108					33.67	7.88		
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	659.41						33.67	7.88		
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	659.41						33.67	7.88		
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	71.88						33.67	7.88		
		Centrex Intercom Funtionality, per port			UEP9E	URECS											
	4-Wire	Digital (1.544 Megabits)															
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2	- Requres Interoffice Channel Mileage															
	Note 3	- Requires Specific Customer Premises Equipment															
	NOTE:	Rates displaying an "R" in Interim column are interim and su	bject to	rate tr	ue-up as set forth in	General Ter	ms and Condit	ons.									

UNBL	JNDLEI	NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
		y										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA ⁻	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
																D130 13t	DISC Add I
							Rec	Nonred		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
OPER/		SUPPORT SYSTEMS				<u> </u>								1			ļ <u> </u>
		1) Electronic Service Order: CLEC should contact its contract															s rate
		is the BellSouth regional electronic service ordering charge. (2) Any element that can be ordered electronically will be bill.															ly For
		lements that cannot be ordered electronically at present per t															
		g charge, SOMAN, will be applied to a CLECs bill when it sub				e in this cate	gory reflects the	e charge that v	vould be billed	I to a CLEC OII	ce electronic c	ruering cap	abilities co	ine on-ime io	i iliai elelileli	i. Otherwise,	tile illanuai
-	oraerin	Manual Service Order Charge, per LSR, Disconnect Only (KY)	imits an	LSK	o Bellsouth.	SOMAN				0.99					1	1	
		Electronic OSS Charge, per LSR, submitted via BST's OSS				SOMAN				0.55							-
		interactive interfaces (Regional)				SOMEC		3.50									
UNBU	NDLED F	XCHANGE ACCESS LOOP	1		 	JOIVILO		5.50							I	 	—
320		ANALOG VOICE GRADE LOOP			1	İ	† 1								1		
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65		7.86		1		
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65		7.86		1		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65		7.86				
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	46.88				7.86				
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		24.16	24.16				7.86				
		CLEC to CLEC Conversion Charge Without Outside Dispatch															1
		(UVL-SL1)			UEANL	UREWO		15.78	8.94				7.86				
		Engineering Information Document (EI)			UEANL			13.49	13.49								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
		Order Coordination for Specified Conversion Time for UVL-SL1															
	0.14/105	(per LSR)			UEANL	OCOSL		23.01	23.01								
	2-WIRE	Unbundled COPPER LOOP	<u> </u>	.		115001	10.50			0							
-		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1 2	UEQ UEQ	UEQ2X UEQ2X	10.58 11.51	44.97 44.97	20.89 20.89	25.64 25.64	6.65 6.65		7.86 7.86				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	H	3	UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65		7.86				-
		Order Coordination 2 Wire Unbundled Copper Loop - Non-	'	3	UEQ	UEQZX	13.19	44.97	20.69	25.64	6.65		7.00				<u> </u>
		Designed (per loop)			UEQ	USBMC		9.00	9.00								
		Engineering Information Document			UEQ	CODIVIC		13.49	13.49								-
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		46.88	46.88				7.86				
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		24.16	24.16				7.86				
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.27	7.43				7.86				
UNBU	NDLED E	XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															1
		Zone 1		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65		7.86		1	ļ	↓
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1		l	l	[]	_				I	1	1
		Zone 1	ļ	1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65		7.86				├
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	l	2	HEDOD HEDOD	LIEALO	45.01	10.00	00.5-	00.07	7.0-		7.00		1		1
	1	Zone 2	 	2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65		7.86		 	-	
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2	1	2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65		7.86			1	1
-	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1		ULFOR UEFOR	UEADO	15.34	40.00	22.57	∠0.05	60.1		1.00		+		
		Zone 3	1	3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65		7.86		I	1	1
-	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	OLI ON OLFOD	JLALO	31.11	40.00	22.31	20.03	7.05		1.00		t	 	
1		Zone 3	1	3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65		7.86		I	1	1
UNBU	NDLED E	XCHANGE ACCESS LOOP	1	Ť		1		.5.56	22.51	20.00					1	1	t
<u> </u>		ANALOG VOICE GRADE LOOP			İ	1	† 1								1	1	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1											
L	<u> </u>	Ground Start Signaling - Zone 1	<u></u>	_1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88		7.86		<u> </u>		1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88		7.86		<u> </u>		<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			1]	1
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88		7.86				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									1
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1		l	l	[I	1	1
	1	Battery Signaling - Zone 1	l	1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88		7.86		1	I	1

04/12/02 Page 121 of 352

ONRONDE	D NETWORK ELEMENTS - Kentucky			1									Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					+	_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88		7.86				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01					= 00				
4 WID	CLEC to CLEC Conversion Charge without outside dispatch E ANALOG VOICE GRADE LOOP			UEA	UREWO		87.72	36.36				7.86				+
4-9918	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66		7.86				+
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	34.25	164.11	112.36	78.91	18.66		7.86				+
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	85.06	164.11	112.36	78.91	18.66		7.86				†
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	00.00	23.01									
ĺ	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36				7.86				
2-WIR	E ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83		7.86				
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.08	146.77	95.02	71.38	13.83		7.86				
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83		7.86				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.01	44.40				7.00				
2 WID	CLEC to CLEC Conversion Charge without outside dispatch E Universal Digital Channel (UDC) COMPATIBLE LOOP			UDN	UREWO		91.63	44.16				7.86				+
Z-WIK	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		1	LIDO	LIBONY				74.00	40.00						
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone			UDC	UDC2X	18.44	146.77	95.02	71.38	13.83		7.86				
	2 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		2	UDC	UDC2X	25.08	146.77	95.02	71.38	13.83		7.86				
	3		3	UDC	UDC2X	42.87	146.77	95.02	71.38	13.83		7.86				
	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		91.63	44.16				7.86				
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry				l I											
	& facility reservation - Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47		7.86				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47		7.86				
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01									
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54		7.86				
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54		7.86				
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01									
2 WID	CLEC to CLEC Conversion Charge without outside dispatch E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDI E I	OOB	UAL	UREWO		86.20	40.40				7.86				+
Z-WIR	2 Wire Unbundled HDSL Loop including manual service inquiry	IIBLE	LUUP		-											-
	& facility reservation - Zone 1	1	1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54	1	7.86				1
	2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL2X	9.56		89.29	69.09			7.86				
	& facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry				UHLZX		151.54			11.54						
	& facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54		7.86				
	2 Wire Unbundled HDSL Loop without manual service inquiry															1
	and facility reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54		7.86				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54		7.86				
İ	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01								1	1
	CLEC to CLEC Conversion Charge without outside dispatch	<u></u>		UHL	UREWO		86.14	40.40				7.86				
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													

UNDUNDLE	ED NETWORK ELEMENTS - Kentucky		1	ı					,		0	06	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled HDSL Loop including manual service inquiry		١	l		40.05										
	and facility reservation - Zone 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69		7.86				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69		7.86				
	4-Wire Unbundled HDSL Loop including manual service inquiry	-		OTIL	OI IL4X	13.00	105.75	123.30	74.53	14.09		7.00				
	and facility reservation - Zone 3		3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69		7.86				
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UHL	OCOSL		23.01									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80		7.86				
	4-Wire Unbundled HDSL Loop without manual service inquiry		_													
	and facility reservation - Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80		7.86			 	
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80		7.86			1	
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	16.98	23.01	114.04	11.32	15.80		7.80				
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40				7.86				
4-WIR	E DS1 DIGITAL LOOP			OTIL	OILEWO		00.14	40.40				7.00				
1	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	86.47	306.69	174.44	65.83	14.55		7.86				
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	114.10	306.69	174.44	65.83	14.55		7.86				
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	297.76	306.69	174.44	65.83	14.55		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.04								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		<u> </u>													
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps			UDL UDL	UDL19 UDL19	27.59 32.48	157.81 157.81	106.06 106.06	78.91 78.91	18.66 18.66		7.86 7.86				
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	36.37	157.81	106.06	78.91 78.91	18.66		7.86				
+	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	27.59	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	32.48	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	36.37	157.81	106.06	78.91	18.66		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01									
0 14/10	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75				7.86				
Z-WIR	E Unbundled COPPER LOOP 2-Wire Unbundled Copper Loop/Short including manual service				+				-							
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54		7.86				
	2-Wire Unbundled Copper Loop/Short including manual service		<u> </u>	002	002. 5	10.02	1 10.00		00.00			7.00				
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54		7.86				
	2 Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2-Wire Unbundled Copper Loop/Short without manual service		1	UCL	LICL DW	40.00	100.15	67.07	00.00	44.54		7.00				
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54		7.86				
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54		7.86				
	2-Wire Unbundled Copper Loop/Short without manual service			UCL	OCLFW	11.79	120.13	07.57	09.09	11.54		7.00				
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	-	9.00	9.00				, ,				
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.								İ							
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	24.91	140.95	78.70	69.09	11.54		7.86				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.		1		[<u>.</u>											
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	36.94	140.95	78.70	69.09	11.54		7.86				
1	2-Wire Unbundled Copper Loop/Long - includes manual svc.		2	LICI	LICL 3	00.05	440.05	70.70	00.00	44.54		7.00				
	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL2L UCLMC	69.95	140.95 9.00	78.70 9.00	69.09	11.54		7.86			-	
			-	UCL	UCLIVIC		9.00	9.00	1						-	
	2-Wire Unbundled Copper Loop/Long - without manual service															

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring		SOMEC	001111		Rates(\$)	SOMAN	0014411
\vdash	2-Wire Unbundled Copper Loop/Long - without manual service				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - without manual service		2	UCL	UCL2W	36.94	120.15	67.97	69.09	11.54		7.86				
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	69.95	120.15	67.97	69.09	11.54		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch															
<u> </u>	(UCL-Des)			UCL	UREWO		97.23	42.48				7.86				
4-WIF	RE COPPER LOOP 4-Wire Copper Loop/Short - including manual service inquiry															_
	and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69		7.86				
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69		7.86				
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69		7.86				
 	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL4S UCLMC	20.10	9.00	9.00	74.95	14.09	 	1.00				
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69		7.86				
 	4-Wire Copper Loop/Short - without manual service inquiry and		<u> </u>	002	OOLTIV	10.52	140.02	07.00	74.50	14.00		7.00				
	facility reservation - Zone 2 4-Wire Copper Loop/Short - without manual service inquiry and		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69		7.86				
	facility reservation - Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4L	46.91	170.31	108.06	74.95	14.69		7.86				
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4L	45.78	170.31	108.06	74.95	14.69		7.86				
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4L	171.34	170.31	108.06	74.95	14.69		7.86				
 	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL4L UCLMC	171.34	9.00	9.00	74.95	14.69		7.86				
	4-Wire Unbundled Copper Loop/Long - without manual svc.			002	0020		0.00	0.00								
	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	46.91	149.52	97.33	74.95	14.69		7.86				
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4O	45.78	149.52	97.33	74.95	14.69		7.86				
	4-Wire Unbundled Copper Loop/Long - without manual svc.								==							
	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCL4O UCLMC	171.34	149.52 9.00	97.33 9.00	74.95	14.69	 	7.86				
	CLEC to CLEC Conversion Charge without outside dispatch			OOL	COLIVIC	+	5.00	5.00			<u> </u>					
	(UCL-Des)			UCL	UREWO		97.23	42.48				7.86				
LOOP MODIF	FICATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULM2L		9.24	9.24				7.86				
	Unbundled Loop Modification, Removal of Load Coils - 2 wire		!	ODIN, ODE, OOE	ULIVIZE		9.24	9.24			 	1.00				
	greater than 18k ft			UCL, ULS	ULM2G		342.24	342.24				7.86				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L		9.24	9.24				7.86				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		342.24	342.24				7.86				
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		10.47	10.47				7.86				
SUB-LOOPS																
Sub-l	Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		<u> </u>		 	-					 					
	Up	ı		UEANL	USBSA		207.91	207.91				7.86				

UNBL	JNDLEI	NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
0												Svc Order	Svc Order	Incremental			Incremental
												Submitted			Charge -	Charge -	Charge -
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		RAT	TES(\$)			Elec			Manual Svc		Manual Svc
OATE	JOIL!	NATE ELEMENTO	m	20110	500	0000		IVA.	ι Ευ(ψ)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonrec		Nonrecurring	, Dissennest				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
									7144		71441						
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		12.50	12.50				7.86				
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		80.87	80.87				7.86				
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		45.04	45.04				7.86				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	١,	1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90		7.86				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	<u>'</u>	<u> </u>	UEAINL	USDINZ	0.34	65.03	39.05	59.61	7.90		7.00				
		Zone 2	1	2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90		7.86				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			LIFANII	LIODAYO			20.5-	=0.6:							
		Zone 3	ı	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90		7.86				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88		7.86				
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88		7.86				
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88		7.86				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR2	2.57	68.35	22.36	59.81	7.90		7.86				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR4	4.98	9.00 76.49	9.00 30.51	65.24	10.88		7.86				
		Sub-Loop 4-vviile intrabulium g Network Cable (into)	-		OLANE	OODIN	4.30	70.48	30.51	05.24	10.00		7.00				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	<u> </u>	1	UEF UEF	UCS2X	5.45	85.03	39.05	59.81	7.90		7.86				
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1		UEF	UCS2X UCS2X	7.06 9.67	85.03 85.03	39.05 39.05	59.81 59.81	7.90 7.90		7.86 7.86				
		2 Wile copper embariated cab book blambation 2 one o			OL1	OOOLA	5.07	00.00	00.00	00.01	7.00		7.00				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	!	1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88		7.86				
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I		UEF UEF	UCS4X UCS4X	8.66 19.40	102.31 102.31	56.32 56.32	65.24 65.24	10.88 10.88		7.86 7.86				
		4 Wife Copper Oriburialed Cub-Loop Distribution - Zone 3	-	3	OLI	00047	13.40	102.51	30.32	03.24	10.00		7.00				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
<u> </u>	Unbund	dled Sub-Loop Modification															
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		5.23	5.23				7.86				
		Unbundled Sub-loop Modification - 4-W Copper Dist Load							0.20				7.00				
	ļ	Coil/Equip Removal per 4-W PR		<u> </u>	UEF	ULM4X		5.23	5.23				7.86				
		Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		7.97	7.97				7.86				
	Unbun	lap Removal, per PR unloaded dled Network Terminating Wire (UNTW)			UEF	ULIVI4 I		7.97	7.97				7.86				
	0	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.53	23.51	23.51				7.86				
	Networ	k Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines		-	UENTW UENTW	UND12 UND16		73.53 115.96	49.47 91.91				7.86 7.86				
-		Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		8.56	8.56				7.86				
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		8.56	8.56				7.86				
SUB-L		on Fooder															
	Sup-Lo	op Feeder USL-Feeder, DS0 Set-up per Cross Box location - CLEC	<u> </u>	 	UEA,	-							 				
		Distribution Facility set-up	<u> </u>		UDN,UCL,UDL,UDC	USBFW		207.91					7.86				
		USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												
-	1	set-up USL Feeder DS1 Set-up at DSX location, per DS1 termination		-	UDN,UCL,UDL,UDC USL	USBFX USBFZ		12.50 527.98	12.50 11.32				7.86 7.86				
	1	OOL I GOOD DOT GOT-up at DON location, per DOT termination	l	<u> </u>	UUL	JUDI Z		321.98	11.32	l .		l .	7.00	l	1		1

LINDUNDI E	D NETWORK ELEMENTS - Kentucky												A44b	2	Exhibit: B	
UNBUNDLE		1				I					Svc Order	Sve Order	Attachment: Incremental			Incremental
											Submitted					
											Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		RA ⁻	TES(\$)				,				
CATEGORI	NATE ELEMENTO	m	20110	200	0000		11.7	. ΕΘ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	Disconnect		•	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice															ĺ
	Grade - Zone 1		1	UEA	USBFA	7.67	114.83	64.61	72.34	17.21		7.86				<u> </u>
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice															ł
	Grade - Zone 2		2	UEA	USBFA	9.70	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,		3			40.50			=0.04							í
	Voice Grade - Zone 3 Order Coordination for Specified Conversion Time, per LSR		3	UEA UEA	USBFA OCOSL	19.53	114.83 23.01	64.61	72.34	17.21		7.86				
-	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice			UEA	UCUSL		23.01									
	Grade - Zone 1		1	UEA	USBFB	7.67	114.83	64.61	72.34	17.21		7.86				ł
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice			OLIT	OOD! D	7.07	114.00	04.01	12.04	17.21		7.00				
	Grade - Zone 2	1	2	UEA	USBFB	9.70	114.83	64.61	72.34	17.21		7.86		1		1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice				1	50	30		15.				İ			í
1 1	Grade - Zone 3		3	UEA	USBFB	19.53	114.83	64.61	72.34	17.21		7.86				ł
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		23.01									i
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															1
	Voice Grade - Zone 1		1	UEA	USBFC	7.67	114.83	64.61	72.34	17.21		7.86				<u> </u>
1 1 -	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	1]					1		1
	Voice Grade - Zone 2		2	UEA	USBFC	9.70	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse		_													í
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	19.53	114.83	64.61	72.34	17.21		7.86				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		23.01									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1		1	UEA	USBFD	22.82	131.73	79.98	81.82	51.56		7.86				ł
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		- '	OLA	USBI D	22.02	131.73	79.90	01.02	31.30		7.00				
	Grade - Zone 2		2	UEA	USBFD	27.24	131.73	79.98	81.82	51.56		7.86				i
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice			OL/ C	OOD! D	27.24	101.70	70.00	01.02	01.00		7.00				
	Grade - Zone 3		3	UEA	USBFD	61.41	131.73	79.98	81.82	51.56		7.86				ł
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23.01									i
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFE	22.82	131.73	79.98	81.82	51.56		7.86				<u> </u>
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															i
	Grade - Zone 2		2	UEA	USBFE	27.24	131.73	79.98	81.82	51.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		_					=								i
	Grade - Zone 3		3	UEA	USBFE	61.41	131.73	79.98	81.82	51.56		7.86				
	Order Coordination For Specified Conversion Time, Per LSR		1	UEA UDN	OCOSL USBFF	13.00	23.01 131.79	80.04	74.16	40.00		7.00				
\vdash	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2	 		UDN	USBFF	13.00	131.79	80.04	74.16	16.60 16.60		7.86 7.86	1	1		
 	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3			UDN	USBFF	28.95	131.79	80.04	74.16	16.60		7.86	-			
	Order Coordination For Specified Conversion Time, Per LSR	†		UDN	OCOSL	20.00	23.01	00.04	74.10	10.00		7.00		 		ſ
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	13.00	131.79	80.04	74.16	16.60		7.86				ĺ
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	16.95	131.79	80.04	74.16	16.60		7.86	1			1
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	28.95	131.79	80.04	74.16	16.60		7.86				ĺ
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	62.57	125.43	73.68	81.82	21.56		7.86				i .
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL	USBFG	87.71	125.43	73.68	81.82	21.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	273.33	125.43	73.68	81.82	21.56		7.86				
\vdash	Order Coordination For Specified Conversion Time, Per LSR	ļ		USL	OCOSL		23.01		ļ					ļ		
\vdash	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	<u> </u>	1	UCL	USBFH	6.44	105.31	53.57	71.16	13.61		7.86	ļ	ļ		
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		2	UCL	USBFH	5.78	105.31	53.57	71.16	13.61		7.86				ł
\vdash	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	 		UCL	USBFH	5.78	105.31	53.57	/1.16	13.01		7.86	1	-		
1 1	3	1	3	UCL	USBFH	4.25	105.31	53.57	71.16	13.61		7.86		1		i
	Order Coordination For Specified Conversion Time, per LSR	 	3	UCL	OCOSL	4.23	23.01	55.57	71.10	15.01		7.00				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1	†	1	UCL	USBFJ	11.33	125.55	73.80	77.12	16.86		7.86	1	1		1
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2		USBFJ	10.18	125.55	73.80	77.12	16.86		7.86		1		í
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	10.32	125.55	73.80	77.12	16.86		7.86				1
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		23.01									i
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	20.78	125.43	73.68	81.82	21.56		7.86				L
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	26.41	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	23.10	125.43	73.68	81.82	21.56		7.86]		

UNBUND	DLED	NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	res(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st			Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
								N		N	<u></u>						
							Rec	Nonrec		Nonrecurring		SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
-	-	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -				+		First	Add'l	First	Add'l	SOWIEC	SOWAN	SUMAN	SOMAN	SUMAN	SOWAN
		Zone 1		1	UDL	USBFO	20.78	125.43	73.68	81.82	21.56		7.86				
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		<u> </u>	ODL	OOD! O	20.70	120.40	70.00	01.02	21.00		7.00				
		Zone 2		2	UDL	USBFO	26.41	125.43	73.68	81.82	21.56		7.86				
	;	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
		Zone 3		3	UDL	USBFO	23.10	125.43	73.68	81.82	21.56		7.86				
		Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		23.01									
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	20.78	125.43	73.68	81.82	21.56		7.86				
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		- '	UDL	USBFF	20.76	125.43	73.00	01.02	21.56		7.00				
		Zone 2		2	UDL	USBFP	26.41	125.43	73.68	81.82	21.56		7.86				
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		Ī						132							
		Zone 3		3	UDL	USBFP	23.10	125.43	73.68	81.82	21.56		7.86				
		Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		23.01									
SUB-LOOP		F. J.		ļ		+											
Sul		op Feeder Sub Loop Feeder - DS3 - Per Mile Per Month	-		UE3	1L5SL	15.38										
		Sub Loop Feeder - DS3 - Fer Mile Fer Month Sub Loop Feeder - DS3 - Facility Termination Per Month	÷		UE3	USBF1	346.30	3,386.00	407.14	160.86	91.19		7.86				
		Sub Loop Feeder – STS-1 – Per Mile Per Month	i i		UDLSX	1L5SL	15.38	3,300.00	407.14	100.00	31.13		7.00				
		Sub Loop Feeder - STS-1 - Facility Termination Per Month	i		UDLSX	USBF7	372.80	3,386.00	407.14	160.86	91.19		7.86				
		Sub Loop Feeder – OC-3 – Per Mile Per Month	- 1		UDLO3	1L5SL	11.67	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
		Sub Loop Feeder - OC-3 - Facility Termination Protection Per															
		Month	I		UDLO3	USBF5	58.27										
		Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	564.68	3,386.00	407.14	160.86	91.19		7.86				
		Sub Loop Feeder - OC-12 - Per Mile Per Month Sub Loop Feeder - OC-12 - Facility Termination Protection Per	- 1		UDL12	1L5SL	14.36										
		Month			UDL12	USBF6	658.35										
		Sub Loop Feeder - OC-12 - Facility Termination Per Month	i		UDL12	USBF3	1,778.00	3,386.00	407.14	160.86	91.19		7.86				
		Sub Loop Feeder - OC-48 - Per Mile Per Month	ı		UDL48	1L5SL	47.11										
		Sub Loop Feeder - OC-48 - Facility Termination Protection Per															
		Month			UDL48	USBF9	330.39										
		Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,533.00	3,571.00	407.14	160.86	91.19		7.86				
UNRUNDUR		Sub Loop Feeder - OC-12 Interface On OC-48 OOP CONCENTRATION			UDL48	USBF8	372.76	788.37	407.14	160.86	91.19		7.86				
ONDONDE		Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	423.72	359.34	359.34				7.86				
		Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	51.60	149.72	149.72				7.86				
		Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	460.27	359.34	359.34				7.86				
		Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	86.95	149.72	149.72				7.86				
		Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	4.90	71.69	51.51	22.99	6.00		7.86				
		Unbundled Loop Concentration - ISDN Loop Interface (Brite			UDN	ULCC1	7.78	16.59	16.50	0.40	8.37		7.86				
\vdash		Card) Unbundled Loop Concentration - UDC Loop Interface (Brite		-	אועט	ULCCT	7.78	16.59	16.50	8.42	8.37	-	7.86				
		Card)			UDC	ULCCU	7.78	16.59	16.50	8.42	8.37		7.86				
		Unbundled Loop Concentration2 Wire Voice-Loop Start or				1	0		. 5.56	3. <i>1</i> 2	0.07		7.00				
		Ground Start Loop Interface (POTS Card)			UEA	ULCC2	1.95	16.59	16.50	8.42	8.37		7.86				<u> </u>
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery															
		Loop Interface (SPOTS Card)			UEA	ULCCR	11.58	16.59	16.50	8.42	8.37		7.86				
		Unbundled Loop Concentration - 4 Wire Voice Loop Interface			UEA	ULCC4	6.90	16.59	16.50	8.42	8.37		7.86				
 		(Specials Card) Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	33.74	16.59	16.50	8.42	8.37		7.86		-	-	
 		Unbundled Loop Concentration - TEST CIRCUIT Card Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop			0.0	30110	33.14	10.59	10.30	0.42	0.37	 	1.00				
		Interface			UDL	ULCC7	10.23	16.59	16.50	8.42	8.37		7.86				
		Unbundled Loop Concentration - Digital 56 Kbps Data Loop															
		Interface			UDL	ULCC5	10.23	16.59	16.50	8.42	8.37		7.86				
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop				000				a /-							
LINE OTHE		Interface ROVISIONING ONLY - NO RATE			UDL	ULCC6	10.23	16.59	16.50	8.42	8.37		7.86				
ONE OTHE		NID - Dispatch and Service Order for NID installation		-	UENTW	UNDBX				1		-	-				
		THE ENDPARENT AND CONTROL CHACK FOR THE INSTANTALION	ľ	1	UENTW	UENCE				1		l .					1

UNBU	INDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
												Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	'ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									-		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1						1	Nonrec	urrina	Nonrecurring	Disconnect			000	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UEANL,UEF,UEQ,U			FIISL	Auu i	FIISL	Auu i	SOWIEC	SOWAN	JOWAN	JOWAN	JOWAN	JOIVIAIN
		Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN											
UNE O	THER. P	PROVISIONING ONLY - NO RATE				0.120.1											
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no				l											
-		rate			UEA,USL,UCL,UDL	USBFR CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOSF	0.00	0.00									
		Ino rate	l		USL	CCOEF	0.00	0.00									
HIGH C	APACIT	TY UNBUNDLED LOCAL LOOP			001	COOLI	0.00	0.00									
		High Capacity Unbundled Local Loop - DS3 - Per Mile per					 								1		
		month			UE3	1L5ND	9.25										
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Termination per month			UE3	UE3PX	308.31	551.38	338.08	173.00	120.42		7.86				
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
		month			UDLSX	1L5ND	9.25										
		High Capacity Unbundled Local Loop - STS-1 - Facility															
		Termination per month			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42		7.86				
LOOP	MAKE-U																
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		23.40	23.40								
		Loop Makeup - Preordering With Reservation, per spare facility			UIVIK	UIVIKLVV		23.40	23.40								
		queried (Manual).			UMK	UMKLP		24.85	24.85								
		Loop MakeupWith or Without Reservation, per working or			O.I.I. C	O.V.II (E.		200	200								
		spare facility queried (Mechanized)			UMK	PSUMK		0.67	0.67								
HIGH F	REQUE	NCY SPECTRUM															
	SPLITT	TERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	198.83	379.05	0.00	358.55	0.00		7.86				
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	49.71	379.05	0.00	358.55	0.00		7.86				
		Line Sharing Splitter, Per System, 8 Line Capacity	ı		ULS	ULSD8	16.94	377.71	0.00	357.29	0.00		7.86				
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-				III 0D0		470.00		100.10		1	7.00		1		
-	END !!	deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	(CDEC:	TDUM:	ULS	ULSDG	 	173.62		100.40			7.86		 		
-	END O	Line Sharing - per Line Activation (BST Owned Splitter)	SPEC	I KUNI A	ULS	ULSDC	0.61	37.16	21.28	20.17	9.90	-	7.86		1		
-		Line Sharing - per Line Activation (BST Owned Spritter) Line Sharing - per Subsequent Activity per Line	 		OLO	OLODO	0.01	31.10	21.20	20.17	5.90		1.00				
		Rearrangement(BST Owned Splitter)	l		ULS	ULSDS		32.90	16.43				7.86				
		Line Sharing - per Subsequent Activity per Line					† †	32.00	.0.70						Ì		
		Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		32.90	16.43			1	7.86		1		
		Line Sharing - per Line Activation (DLEC owned Splitter)	I		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		7.86				
		Line Splitting - per line activation DLEC owned splitter	I		UEPSR UEPSB	UREOS	0.61		•		•						
		Line Splitting - per line activation BST owned - physical	1		UEPSR UEPSB	UREBP	0.647	37.02	21.20	21.10	9.87		7.86				ļl
	<u> </u>	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.645	37.02	21.20	21.10	9.87		7.86				
UNBUN		DEDICATED TRANSPORT	m h:::::	a nord	d holow DC2	month DCC	CTC 1_f	ath a							 		
	INTER	INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu OFFICE CHANNEL - DEDICATED TRANSPORT	ııı Dillin İ	y perio	u - pelow DS3=one	montn, DS3/	O 10-1=TOUR MOI	iuis							-		
-	VIER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	 				 										
		Per Mile per month	l		U1TVX	1L5XX	0.01					1			1		
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -					0.01								1		
		Facility Termination per month	l		U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75	1	7.86		1		
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.01										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	1														
		Facility Termination per month	ļ		U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75		7.86		ļ		ļl
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	1		LIATA/V	11.577	0.04					1			1		
	l	Per Mile per month	<u> </u>	<u> </u>	U1TVX	1L5XX	0.01			l .		l	į .		L		

UNBUND	DLED	NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGOR	₹Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75		7.86				
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			UTIVA	01174	25.00	47.34	31.70	22.11	0.75		7.00			1	
		per month			U1TDX	1L5XX	0.0115										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination per month			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75		7.86				
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0115										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			UTIDA	ILSAA	0.0115									1	
		Termination per month			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75		7.86				
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month			U1TD1	1L5XX	0.23										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49		7.86				
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OTIDI	01111	90.04	103.32	30.40	23.09	20.49		7.00				
		month			U1TD3	1L5XX	4.97										
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month			U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75		7.86				
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.97										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility			01151	ILSAX	4.97									1	
		Termination per month			U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75		7.86				
		CHANNEL - DEDICATED TRANSPORT					·										
NO		LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - belo													
		Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2	18.57	265.78	46.96	46.79	4.98		7.86				
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULDVX	ULDR2	18.57	265.78	46.96	46.79	4.98		7.86				
		Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	19.86	266.48	47.65	47.54	5.73		7.86				
		Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	40.46	209.60	176.51	30.21	21.07		7.86				
		Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	43.39	209.60	176.51	30.21	21.07		7.86				
		Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	164.50	209.60	176.51	30.21	21.07		7.86				
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	8.74										
		Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	576.05	551.38	338.08	173.00	120.42		7.86				
		Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8.74	331.36	330.00	173.00	120.42		7.00				
		Local Channel - Dedicated - STS-1 - Facility Termination per			OLDO!	120.10	0.7 1										
		month			ULDS1	ULDFS	543.24	551.38	338.08	173.00	120.42		7.86				
MULTIPLE					I DOTE A	1.0.	110.00	101.10		10.70							
		Channelization - DS1 to DS0 Channel System OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UXTD1	MQ1	113.33	101.40	71.60	13.79	13.04		7.86			1	
		month (2.4-64kbs)			UDL	1D1DD	1.32	10.07	7.08				7.86				
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per				1.5.55	02						7.50				
		month			UDN	UC1CA	2.84	10.07	7.08				7.86				
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.6228	10.07	7.08				7.86				
		DS3 to DS1 Channel System per month STS1 to DS1 Channel System per month			UXTD3 UXTS1	MQ3 MQ3	158.20 158.20	199.23 199.23	118.62 118.62	50.16 50.16	48.59 48.59	-	7.86 7.86				
		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	11.80	10.07	7.08	50.16	40.59		7.86				
		DS3 Interface Unit (DS1 COCI) used with Local Channel per											7.50				
		month			ULDD1	UC1D1	11.80	10.07	7.08				7.86				
		DS3 Interface Unit (DS1 COCI) used with Interoffice Channel				11045						I					
DARK FIBI		per month			U1TD1	UC1D1	11.80	10.07	7.08			 	7.86			 	
DAKK FIBI		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															1
		Thereof per month - Local Channel			UDF	1L5DC	47.01										
		NRC Dark Fiber - Local Channel			UDF	UDFC4		732.53	192.67	377.27	241.67		7.86				
. [Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel			UDF UDF	1L5DF UDF14	30.74	732.53	192.67	377.27	241.67	-	7.86				
L		INTO Dark Fiber - Interoffice Channel		<u> </u>	UDF	UDF 14	I l	132.53	192.67	311.21	241.67	1	7.86			1	

ONRONDLE	D NETWORK ELEMENTS - Kentucky					1					_	_	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				l											
	Thereof per month - Local Loop			UDF	1L5DL	47.01	700 70	100.00								
TD A NODODT A	NRC Dark Fiber - Local Loop			UDF	UDFL4		732.53	192.67	377.27	241.67		7.86				
TRANSPORT (
8XX ACCESS	TEN DIGIT SCREENING 8XX Access Ten Digit Screening, Per Call			OHD		0.0006478										
	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OHD		0.0006476					1					
	Number Reserved			OHD	N8R1X		4.14	0.70				7.86				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OLID	NONTA		4.14	0.70				7.00				
	POTS Translations			OHD			8.78	1.18	7.08	0.86		7.86				
<u> </u>	8XX Access Ten Digit Screening, Per 8XX No. Established With	1		05	1		5.76	1.10	7.00	3.00		7.50			<u> </u>	
	POTS Translations	l		OHD	N8FTX		8.78	1.18	7.08	0.86		7.86			1	
	8XX Access Ten Digit Screening, Customized Area of Service															
	Per 8XX Number	l		OHD	N8FCX		4.14	2.07				7.86			1	
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78				7.86				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70				7.86				
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features			OHD	N8FDX		4.14	4.14				7.86				
	8XX Access Ten Digit Screening w/ 8FL No. Delivery,			OHD		0.0006478										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery,			OHD		0.0006478										
LINE INFORM	ATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.000023										
	LIDB Validation Per Query			OQU	LIBBBY .	0.0137322	== 10		07.50							
OLONIAL ING (C	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		55.12		67.59			7.86				
SIGNALING (C	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Per 56 Kbps Facility CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	151.39	43.36	43.30	22.45	22.45						
	CCS7 Signaling Termination, Fel 31F Fort			UDB	F 100A	0.0000656					1					
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45		7.86				
	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D			ODD	111177	20.71	45.50	43.30	22.40	22.40		7.00				
	link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45		7.86				
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000164										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751.08										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43		7.86				
	CCS7 Signaling Point Code, per Destination Point Code															
	Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43		7.86				
E911 SERVICE																
	Local Channel - Dedicated - 2-wr Voice Grade					18.57	265.78	46.96	46.79	4.98			18.94	18.94		
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0115										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination	<u> </u>				29.11	47.34 209.60	31.78	22.77	8.75 21.07			18.94 18.94	18.94 18.94	-	ļ
	Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2	!			+	40.46 43.39	209.60	176.51 176.51	30.21 30.21	21.07			18.94	18.94 18.94	 	
	Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3	 			+	43.39 164.50	209.60	176.51 176.51	30.21	21.07			18.94 18.94	18.94 18.94		-
	Interoffice Transport - Dedicated - DS1 - Zone 3	1			+	0.23	209.00	170.51	30.21	21.07	1		10.94	10.94	1	
-	Interesting Transport - Dedicated - DOT FEI WIIIE	 			+	0.23			 						t	1
	Interoffice Transport - Dedicated - DS1 Per Facility Termination	1				96.04	105.52	98.46	23.09	20.49			18.94	18.94	I	1
CALLING NAM	IE (CNAM) SERVICE					55.04	.00.02	33.40	20.00	20.40				.5.54	1	
	CNAM For DB Owners - Service Establishment			OQV			25.34	25.34	23.30	23.30		7.86			1	İ
	CNAM For Non DB Owners - Service Establishment			OQV			25.34	25.34	23.30	23.30		7.86			1	
<u> </u>	CNAM For DB Owners - Service Provisioning With Point Code														1	
	Establishment	1		OQV			1,591.54	1,177.08	431.95	317.61		7.86			I	1
	CNAM For Non DB Owners - Service Provisioning With Point															
	Code Establishment			OQV			546.40	393.74	438.93	317.61		7.86				
	CNAM for DB Owners, Per Query			OQV		0.0010348										
	CNAM for Non DB Owners, Per Query			OQV		0.0010348										

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)				Manually	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	ONAM (No. Portale O. and NIPO and live described						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			oqv	CDDCH		595.00	595.00				7.86				ļ l
LNP Query Se				OQV	CDDCIT		393.00	393.00	1			7.00				
Liti Queiy oc	LNP Charge Per query					0.0008695										
	LNP Service Establishment Manual						13.82	13.82	12.71	12.71		7.86				
	LNP Service Provisioning with Point Code Establishment						953.27	487.00	431.95	317.61		7.86				
OPERATOR C	ALL PROCESSING															
	Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20										
INWARD OPE	RATOR SERVICES		<u> </u>			5.20									1	
	Inward Operator Services - Verification, Per Call					1.00										
	Inward Operator Services - Verification and Emergency Interrupt - Per Call					1.95										
BRANDING - 0	PERATOR CALL PROCESSING															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				7.86				
L	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00				7.86				
Unbra	Inding via OLNS for UNEP CLEC Loading of OA per OCN (Regional)						1,200.00	1,200.00				7.86				
DIRECTORY	SSISTANCE SERVICES						1,200.00	1,200.00				7.00				
	TORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (E	DACC)														
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0.10										
	TORY TRANSPORT															
	SSISTANCE SERVICES															
DIREC	TORY ASSISTANCE DATA BASE SERVICE (DADS)					0.04										
	Directory Assistance Data Base Service Charge Per Listing Directory Assistance Data Base Service, per month				DBSOF	0.04 150.00										
BRANDING - I	DIRECTORY ASSISTANCE				DBSOF	150.00			1							
	y Based CLEC		<u> </u>												1	
	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170.00	1,170.00								
UNEP	CLEC					<u> </u>	•									
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00		· · · · ·						
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170.00	1,170.00								
Unbra	nding via OLNS for UNEP CLEC		<u> </u>													<u> </u>
	Loading of DA per OCN (1 OCN per Order)		<u> </u>				420.00	420.00								├
SELECTIVE R	Loading of DA per Switch per OCN		 		+		16.00	16.00	 							
SZELOTIVE K	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		93.53	93.53	15.58	15.58		7.86				
VIRTUAL COL			 		USINGR		93.33	93.33	15.58	15.58		1.00			 	
	Virtual Collocation - Application Cost			AMTFS	EAF		2,419.86	2,419.86	1.01	1.01						†
	Virtual Collocation - Cable Installation Cost, per cable		<u> </u>	AMTFS	ESPCX		1,729.11	1,729.11	45.16	45.16						
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	7.99										
	Virtual Collocation - Power, per breaker amp			AMTFS	ESPAX	8.06		· · · · ·		· · · · ·						L
	Virtual Collocation - Cable Support Structure, per entrance		1								1				1	
	cable		<u> </u>	AMTFS	ESPSX	17.38					<u> </u>				l	1

LINDLIN	NI ED	NETWORK ELEMENTS - Kentucky												Attachments	<u> </u>	Evhibit. D	
UNDUN	DLEL	NETWORK ELEMENTS - Kentucky	1	1						1	1	Syc Order	Svc Order	Attachment: Incremental		Exhibit: B Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEGO	ov.	RATE ELEMENTS	Interi	7000	BCS	USOC		DAT	ES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	* 1	RATE ELEMENTS	m	Zone	BUS	USUC		KAI	E9(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonrec	ina	Nonrecurring	n Dissennest			000	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UEANL,UEA,UDN,U			FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
					DC,UAL,UHL,UCL,U												
					EQ, AMTFS, UDL,												
					UNCVX, UNCDX,												
	,	Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0.0309	24.00	23.68	40.44	40.05		40.00				
-		virtual Collocation - 2-wire Cross Connects (loop)			UNCIX	UEAC2	0.0309	24.68	23.68	12.14	10.95		19.99				
					UEA,UHL,UCL,UDL,												
					AMTFS, UAL, UDN,												
		\(\text{\tinc{\text{\tin}\text{\tin\tinte\text{\text{\text{\text{\text{\tin}\text{\text{\text{\tin}\tint{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tin}\tint{\text{\text{\text{\text{\tin}\tint{\text{\text{\text{\tin\tint{\text{\text{\text{\text{\texi}\tint{\tintet{\text{\text{\ti}\tint{\text{\tinte\tint{\tinte\tint{\tiin}\tint{\tiin}				UEAC4	0.0040	24.88	00.00	40.77	44.40		40.00				
		Virtual Collocation - 4-wire Cross Connects (loop)		-	UNCVX, UNCDX	UEAC4	0.0619	24.88	23.82	12.77	11.46		19.99				
					AMTFS,UDL12,												
			1	1	UDLO3, U1T48,							l	l	Ì	Ì		
			1		U1T12, U1T03,							1	1				
	Į,	Vistoral Callegation 2 Fiber Corne Connecte	1		ULDO3, ULD12,	CNICOE	2.00	44.04	20.51	44.70	44.04	1	1	40.00	40.00	40.00	10.00
\vdash		Virtual Collocation - 2-Fiber Cross Connects	 	<u> </u>	ULD48, UDF	CNC2F	3.80	41.94	30.51	14.76	11.84			19.99	19.99	19.99	19.99
			1	1	AMTFS,UDL12,]								Ì	Ì		
			1	1	UDLO3, U1T48,]								Ì	Ì		
					U1T12, U1T03,												
		No. 10 H. H. 45H. 0. 0.			ULDO3, ULD12,	011045		= 4 00									40.00
		Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	7.59	51.29	39.87	19.41	16.49			19.99	19.99	19.99	19.99
					USL,ULC,AMTFS,												
					ULR, UXTD1,												
					UNC1X, ULDD1,												
					U1TD1, USLEL,												
		Virtual collocation - DS1 Cross Connects			UNLD1	CNC1X	1.48	44.23	31.98	12.81	11.57						
					USL,ULC,AMTFS,U												
					E3, U1TD3, UXTS1,												
					UXTD3, UNC3X,												
					UNCSX, ULDD3,												
					U1TS1, ULDS1,												
		Virtual collocation - DS3 Cross Connects			UDLSX, UNLD3	CND3X	18.89	41.93	30.51	14.75	11.83						
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
		Support Structure, per linear foot			AMTFS	VE1CB	0.003										
		Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
		Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0045										
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable	1														
\vdash		Support Structure,per cable	<u> </u>	<u> </u>	AMTFS	VE1CC		535.55									
	ľ	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax	1									1	1				
		Cable Support Structure, per cable	ļ		AMTFS	VE1CE		535.55						ļ	ļ		
		Virtual collocation - Security Escort - Basic, per half hour	ļ		AMTFS	SPTBX		33.98	21.53								
		Virtual collocation - Security Escort - Overtime, per half hour	ļ		AMTFS	SPTOX		44.26	27.81								
		Virtual collocation - Security Escort - Premium, per half hour	ļ		AMTFS	SPTPX		54.54	34.09								
		Virtual collocation - Maintenance in CO - Basic, per half hour	ļ		AMTFS	CTRLX		56.07	21.53								
			1	1						<u> </u>	<u> </u>					-	
		Virtual collocation - Maintenance in CO - Overtime, per half hour	ļ		AMTFS	SPTOM		73.23	27.81					ļ	ļ		
	Ţ		1	1								<u> </u>	<u> </u>]]		
		Virtual collocation - Maintenance in CO - Premium per half hour	ļ		AMTFS	SPTPM		90.39	34.09								
VIRTUAL			ļ														
		Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-	1	1		L !								Ì	Ì		
\vdash		Wire Analog - Res	<u> </u>	<u> </u>	UEPSR	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-	1									1	1				
\vdash		Wire Line Side PBX Trunk - Bus	<u> </u>	<u> </u>	UEPSP	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	1														
		Voice Grade PBX Trunk - Res	<u> </u>		UEPSE	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	1	1							<u> </u>					-	
		Analog Bus	<u> </u>		UEPSB	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
		Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire	1	1							<u> </u>					-	
		ISDN	<u> </u>		UEPSX	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
		ISDN	1	1	UEPTX	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES(\$) BCS USOC RATES(\$) Svc Order Submitted Submitted Elec Manual Svc Order vs. Per LSR Per LSR Per LSR Per LSR Per Nonrecurring Disconnect Svc Order Svc Order Incremental Incremental Charge -	UNBUNDLE	NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
ATE CLEMENTS Interest Company	3.12311DEL	none Elemento nontaony		l								Svc Order					Incremental
RATE BLEMENTS Inter- INTER-																	
CATEGORY SATE ELEMENTS																	
Best	04750000	DATE EL EMENTO	Interi	-	200	11000			FFO(A)								
Page Page	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC		RA	IES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Recommendation Reco												_		Electronic-	Electronic-	Electronic-	Electronic-
Recommendation Reco														1et	I'bbA	Disc 1st	Disc Add'l
Milest Colonion - Affine Colonio - Affine														100	Addi	D130 131	Disc Add I
Mind Collegation 4-New Cross Connects Exchange Port 4-New USPEX VERM 1.46 4.42 3.38 12.81 11.67 7.86 1.46							B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
Provide Collection Control Publishing Prof 4-Will Collection Control (1996) for 1996 1.66 4.42 3.5 3.99 12.01 11.57 7.26							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SON DIST 1.50 1.5		Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire															
No. Control					LIEPEX	VF1R4	1 48	44 23	31 98	12.81	11 57		7.86				
Virial Collocation 2 Wile Creat Chromosol (Loco) for Use SELECTION SELEC	VIDTUAL COLL				OLI LX	VEIICH	1.40	77.20	01.00	12.01	11.07		7.00				
Scriptor Security	VIKTUAL COLL			-													-
AM SECURIO SERVICE CARRIER ROUTINO Notice of the Common Service Service Common Service Service Common Service Service Common Service Service Common Service Service Common Service Service Service Common Service Service Common Service Service Service Common Service Service Service Service Common Service Service Service Common Service Service Service Common Service Service Service Service Common Service					LIEDOD LIEDOD	VE41.0	0.000	04.00	00.00	40.44	40.05		7.00				
Regional Several Establishment SEC SICEC					UEPSR, UEPSB	VETLS	0.309	24.68	23.68	12.14	10.95		7.86				
First Office Scalablement SSC SSC(20 194.00 194.00 196.00 7,86	AIN SELECTIV																
LimpFort RRC, per guint SRC SRCEP 0.0007002																	
Outpy NRC, per guary										0.85	0.85						
ARN SELLOUTH ANN SES ACCESS SERVICE ANN DE ACCESS SERVICE ANN DE ACCESS SERVICE ANN DE ACCESS SERVICE ANN DE ACCESS SERVICE ANN DE ACCESS SERVICE SERVICE ANN DE ACCESS SERVICE SERVICE ANN DE ACCESS SERVICE SERVICE ANN DE ACCESS SERVICE SERVICE SERVICE ANN DE ACCESS SERVICE SER						SRCLP		2.06	2.06				7.86				
AN SUS Access Service - Service Establishment, Por State, Half Surp		Query NRC, per query			SRC		0.0037502										
Initial Sturp	AIN - BELLSOU	ITH AIN SMS ACCESS SERVICE															
Initial Sturp		AIN SMS Access Service - Service Establishment, Per State.															
AN SMS Access Service - Port Connection - Dial Shared Access ANN SMS Access Service - Port Connection - SSM Access ANN SMS Access Service - Port Connection - SSM Access ANN CAMP			l	1	A1N	CAMSE		43.55	43.55	44.93	44.93		7.86		1		
AN SIAS Access Service - Port Commentation - ISDN Access Service - Uniform Forting - Control - Perf User ID Code, Perf User I		en eng		1		1			.2.00	00	00	1	50		1	1	
AN SIAS Access Service - Port Commentation - ISDN Access Service - Uniform Forting - Control - Perf User ID Code, Perf User I		AIN SMS Access Service - Port Connection - Dial/Shored Access	l	1	Δ1Ν	CAMDE		8 64	9 61	10.02	10.02]	7 96]
AN SIAS Access Service - Security Card, Per User ID Code, AN SIAS Access Service - Security Card, Per User ID Code, AN SIAS Access Service - Security Card, Per User ID Code, AN SIAS Access Service - Security Card, Per User ID Code, AN SIAS Access Service - Security Card, Per User ID Code, AN SIAS Access Service - Security Card, Per User ID Kildytee, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Security Card, AN SIAS Access Service - Security Card, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Company Perform Code Security Card, AN SIAS Access Service - Code Security Card, AN SIAS Access Service - Code Security Card, AN SIAS Access Service - Code Security Card, AN SIAS Access	\vdash		-	1			+								 	}	1
In Code AIN SEX Access Service - Security Card, Per User ID Code AIN CAMAU 38.66 38.66 29.88 7.86				-	AIIN	CAIVITE	-	ŏ.b4	ö.b4	10.03	10.03		7.86		-	 	
AN SIAS Access Service - Security Card, Per User 10 Code, Initiated Replacement of Replacement			l	1	I										1		
Initial of Registerment					A1N	CAMAU		38.65	38.65	29.88	29.88		7.86				
ANY SNS Access Service - Session, Per Minutes ANY SNS Access Service - Company Performed Session, Per ANY SNS Access Service - Company Performed Session, Per ANY SNS Access Service - Company Performed Session, Per ANY SNS Access Service - Company Performed Session, Per ANY SNS Access Service - Company Performed Session, Per ANY SNS Access Service - Company Performed Session, Per ANY SNS Access Service - Company Performed Session, Per ANY SNS Access Service - Company Performed Session, Per State, Inc. ANY SNS Access Service - Session SNS Access Service - Company Performed Session, Per State, Inc. ANY SNS Access Service - Session SNS Access Service - Session SNS Access Service - Session SNS Access Service - Session SNS Access SNS																	
AIN SNS Access Sarvice - Company Performed Session, Per Minute		Initial or Replacement			A1N	CAMRC		75.08	75.08	12.93	12.93		7.86				
All N. SMS Access Service - Company Performed Session, Per 0.4608		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0025										
Manue		AIN SMS Access Service - Session, Per Minute					0.666										
Manue		AIN SMS Access Service - Company Performed Session, Per															
AIN - BELLISOUTH AIN TOOIKIT SERVICE AIN TOOIKIT SERVICE AIN TOOIKIT Service - Fraining Session, Per Customer BAPTIX 8.43653 4.493 7.66 1 BAPTIX 8.43653 5.43653 7.66 1 BAPTIX 8.43653 7.66 1 BAPTIX 8.43653 7.66 1 BAPTIX 8.43653 7.66 1 BAPTIX 8.43653 7.66 1 DN. Off-Hoto Delay DN. Off-Hoto Delay DN. Off-Hoto Delay DN. Off-Hoto Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Off-Hoto Delay DN. Off-Hoto Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Off-Hoto Delay DN. Off-Hoto Namediate BAPTIX 8.44 8.64 10.03 10.03 7.86 D BAPTIX 8.44 8.64 10.03 10.03 7.86 D DN. Off-Hoto Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Off-Hoto Delay DN. Off-Hoto Namediate BAPTIX 8.44 8.44 10.03 10.03 7.86 D BAPTIX 8.44 8.64 10.03 10.03 7.86 D DN. Off-Hoto Namediate BAPTIX 8.44 8.64 10.03 10.03 7.86 D DN. Off-Hoto Namediate BAPTIX 8.44 8.64 10.03 10.03 7.86 D DN. Off-Hoto Namediate BAPTIX 8.44 8.64 10.03 10.03 7.86 D DN. Off-Hoto Namediate BAPTIX 8.44 8.64 10.03 10.03 7.86 D DN. Off-Hoto Namediate BAPTIX 8.44 8.64 10.03 10.03 7.86 D DN. Off-Hoto Namediate BAPTIX 8.44 8.64 10.03 10.03 7.86 D DN. Off-Hoto Namediate BAPTIX 8.44 8.64 10.03 10.03 7.86 D DN. Off-Hoto Namediate BAPTIX 8.44 8.64 10.03 10.03 7.86 D DN. Off-Hoto Namediate BAPTIX 8.44 8.64 10.03 10.03 7.86 D DN. Off-Hoto Namediate BAPTIX 8.45 10.03 10.03 7.86 D DN. Off-Hoto Namediate BAPTIX 8.45 10.03 10.03 7.86 D DN. Off-Hoto Namediate BAPTIX 8.45 10.03 10.03 7.86 D DN. Off-Hoto Namediate BAPTIX 8.45 10.03 10.03 7.86 D DN. Off-Hoto Namediate BAPTIX 8.45 10.03 10.03 7.86 D DN. Off-Hoto Namediate BAPTIX 8.45 10.03 10.03 7.86 D DN. Off-Hoto Namediate BAPTIX 8.45 10.03 10.03 7.86 D DN. Off-Hoto Namediate BAPTIX 8.45 10.03 10.03 7.86 D DN. Off-Hoto Namediate BAPTIX 8.45 10.03 10.03 7.86 D DN. Off-Hoto Namediate BAPTIX 8.45 10.03 10.03 7.86 D DN. Off-Hoto Namediate BAPTIX 8.45 10.03 10.03 7.86 D DN. Off-Hoto Namediate BAPTIX 8.45 10.03 10.03 7.86 D							0.4608										
AN TOOKE Service Stablishment Charge, Per State, CAM BAPSC 43.55 43.55 44.93 44.93 7.86				1													
Initial Setup	AIN BLLLOOK																
AN Toolid Service - Trigger Access Charge, Per Trigger, Per DN, Term. Alternpt					CAM	DADCC		12 55	42 EE	44.02	44.02		7.06				
AN Toolk Service - Trigger Access Charge, Per Trigger, Per DN, Orl-Hook Delay AN Toolk Service - Trigger Access Charge, Per Trigger, Per DN, Orl-Hook Delay AN Toolk Service - Trigger Access Charge, Per Trigger, Per DN, Orl-Hook Delay AN Toolk Service - Trigger Access Charge, Per Trigger, Per DN, Orl-Hook Immediate BAPTM BA					CAIVI					44.93	44.93						
DN, Term, Attempt						BAPVX		8,436.93	8,436.93				7.86				
ANT Toolkit Service - Trigger Access Charge, Per Trigger, Per BAPTD 8.64 8.64 10.03 10.03 7.86																	
DN, Orl-Hook Delay						BAPTT		8.64	8.64	10.03	10.03		7.86				
AlN Toolki Service - Trigger Access Charge, Per Trigger, Per BAPTM 8.64 8.64 10.03 10.03 7.86																	
DN, Off-Hook Immediate						BAPTD		8.64	8.64	10.03	10.03		7.86				
All Toolkit Service - Trigger Access Charge, Per Trigger, Per BAPTO 51.01 51.01 18.50 18.50 7.86		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
DN. 10-Digit POID		DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03		7.86				
DN. 10-Digit POID		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
ANI Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP DN, CDP ANI Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code ANI Toolkit Service - Trigger Access Charge, Per Query DN, Feature Code ANI Toolkit Service - Trigger Access Charge, Per Query DN, Feature Code ANI Toolkit Service - Trype 1 Node Charge, Per Query ANI Toolkit Service - SUbscription, Per Node, Per Query ANI Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes ANI Toolkit Service - SCP Storage Charge, Per All Toolkit Service Subscription ANI Toolkit Service - Special Study - Per All Toolkit Service Subscription CAM BAPMS 7.87 8.64 8.64 6.08 6.08 7.86 ANI Toolkit Service - Call Event Report - Per All Toolkit Service Subscription ANI Toolkit Service - Call Event Report - Per All Toolkit Service Subscription CAM BAPLS 3.26 9.56 9.56 ANI Toolkit Service - Call Event Report - Per All Toolkit Service Subscription CAM BAPDS 4.72 8.64 8.64 6.08 6.08 7.86 ANI Toolkit Service - Call Event Report - Per All Toolkit Service Subscription CAM BAPDS 4.72 8.64 8.64 6.08 6.08 7.86 ANI Toolkit Service - Call Event Special Study - Per All Toolkit Service CAM BAPDS 4.72 8.64 8.64 6.08 6.08 7.86 ENHANCED EXTENDED LINK (EELs) NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all Tees below except Switch As Is Charge NOTE: In all states, EEL network elements shown below also apply to ordinating combined retwork elements shown below also apply to ordinating combined retwork elements shown below also apply to ordinating combined retwork elements shown below also apply to ordinating combined retwork elements shown below also apply to ordinating combined retwork elements shown below also apply to ordinating combined retwork elements shown below also apply to ordinating combined retwork elements shown below also apply to ordinating combined retwork elements shown below also apply to ordinating combined retwork elements shown below also apply to ordinating combined retwork elem	1 1				1	BAPTO		51.01	51.01	18.50	18.50	l	7.86				
DN, CDP				t	†	1		001	001	.0.00		l			1	1	1
AIN Toolkit Service - Query Charge, Per Trigger, Per DN, Feature Code DN, Feature Code AIN Toolkit Service - Query Charge, Per Query On AIN Toolkit Service - Query Charge, Per AIN Toolkit Service - Query Charge, Per AIN Toolkit Service - Query Charge, Per AIN Toolkit Service - Query Charge, Per AIN Toolkit Service - Query Charge, Per AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes On AIN Toolkit Service - SCP Storage Charge, Per AIN Toolkit Service - Query Charge, Per AIN Toolkit Service - Query Charge, Per AIN Toolkit Service - Query Charge, Per SMS Access Account, Per 100 Kilobytes On AIN Toolkit Service - Scpecial Study - Per AIN Toolkit Service - Query Charge, Per AIN Toolkit Service - Query Charge, Per SMS Access Account, Per 100 Kilobytes Charge, Per SMS Access Account, Per 100 Kilobytes Charge, Per SMS Access Account, Per 100 Kilobytes Charge, Per SMS Access Account, Per 100 Kilobytes Charge, Per SMS Access Account, Per 100 Kilobytes Charge, Per SMS Access Account, Per 100 Kilobytes Charge, Per SMS Access Account, Per 100 Kilobytes Charge, Per SMS Access Account, Per 100 Kilobytes Charge, Per AIN Toolkit Service Subscription Charge, Per AIN Toolkit Service Charge, Per AIN Toolkit Service Subscription Charge, Per AIN Toolkit Service Charge, Per AIN Toolkit Service Charge, Per AIN Toolkit Service Subscription Charge, Per AIN Toolkit Service Subscription Charge, Per AIN Toolkit Service Charge, Per AIN Toolkit Service Charge, Per AIN Toolkit Service Charge, Per AIN Toolkit Service Charge, Per AIN Toolkit Service Charge, Per AIN Toolkit Service Charge, Per AIN Toolkit Service Charge, Per AIN Toolkit Service Charge, Per AIN Toolkit Service Charge, Per AIN Toolkit Service Charge, Per AIN Toolkit Service Charge, Per AIN Toolkit Service Charge, Per AIN Toolkit Service Charge, Per AIN Toolkit Service Charge, Per AIN Toolkit Service Charge, Per AIN Toolkit Service Charge, Per AIN Toolkit Service Charge, Per AIN Toolkit Service Charge, Per AIN Toolkit Service Charge, Per AIN Toolk					1	BAPTO		51.01	51.01	18 50	18 50	l	7 86				
DN, Feature Code AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription CAM BAPMS 7.87 8.64 8.64 6.08 6.08 7.86 AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS 4.72 8.64 8.64 6.08 6.08 7.86 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 4.72 8.64 8.64 6.08 6.08 7.86 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 4.72 8.64 8.64 6.08 6.08 7.86 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPES 0.11 9.56 9.56 7.86 ENHANCED EXTENDED LINK (EELs) NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: In all states, EEL network elements shown below also apply to currently combined facilities onverted to UNEs.(Non-recurring rates do not apply.) NOTE: In GA, TN, KY, LA, MS, & SC the EEL network elements apply to ordinarily combined network lements (No with As Is Charge.)			-	 	-	טה וכ	-	31.01	31.01	10.50	10.30	 	1.00		-	1	
AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes 0.0066492 AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Service - Call Event Service Subscription CAM BAPES 0.11 9.56 9.56 9.56 9.56 9.56 9.56 9.56 9.56	1 1				1	DADTE		54.04	E4 04	40.50	40.50	l	7.00				
ANT Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS 3.26 9.56 9.56 7.86 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS 4.72 8.64 8.64 6.08 6.08 7.86 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - CAM BAPES 0.11 9.56 9.56 7.86 ENHANCED EXTENDED LINK (EELs) NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. NOTE: In all states, EEL network elements shown below also apply to ordinarily combined facilities which are converted to UNE rates. A Switch As Is Charge.)	\vdash			1	!	BAPIF	0.051000-	51.01	51.01	18.50	18.50		7.86		1	1	
Subscription, Per Node, Per Query AlN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AlN Toolkit Service - Monthly report - Per AlN Toolkit Service Subscription AlN Toolkit Service - Special Study - Per AlN Toolkit Service Subscription CAM BAPMS 7.87 8.64 8.64 6.08 6.08 7.86 AlN Toolkit Service - Special Study - Per AlN Toolkit Service Subscription CAM BAPLS 3.26 9.56 9.56 7.86 AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription CAM BAPDS 4.72 8.64 8.64 6.08 6.08 7.86 AlN Toolkit Service - Call Event Special Study - Per AlN Toolkit Service Subscription CAM BAPDS 4.72 8.64 8.64 6.08 6.08 7.86 BAPDS 7.86 Service Subscription CAM BAPES 0.11 9.56 9.56 9.56 7.86 SERVICE SUBSCRIPTION NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge NOTE: In all states, EEL network elements shown below also apply to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements. (No Switch As Is Charge.)				<u> </u>		 	0.0549207								-		
AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription CAM BAPMS 7.87 8.64			l	1	İ	1]]
Account, Per 100 Kilobytes ACCOUNT, Per 100 Kilobytes AND Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription AND Toolkit Service - Special Study - Per AIN Toolkit Service Subscription CAM BAPMS 7.87 8.64 8.64 8.64 8.64 8.64 8.60 8.60 7.86 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS 3.26 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS 4.72 8.64 8.64 8.64 8.68 6.08 7.86 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPES 0.11 9.56 9.56 7.86 ENHANCED EXTENDED LINK (EELs) NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. NOTE: In all states, EEL network elements shown below also apply to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)]			0.0066492										
AlN Toolkit Service - Monthly report - Per AlN Toolkit Service Subscription AlN Toolkit Service - Special Study - Per AlN Toolkit Service Subscription CAM BAPMS 7.87 8.64 8.64 8.64 6.08 6.08 7.86 AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription CAM BAPLS 3.26 9.56 9.56 7.86 AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription CAM BAPDS 4.72 8.64 8.64 6.08 6.08 7.86 AlN Toolkit Service - Call Event Special Study - Per AlN Toolkit Service Subscription CAM BAPDS 4.72 8.64 8.64 6.08 6.08 7.86 Service Subscription CAM BAPDS 7.86 Service Subscription CAM BAPDS 7.86 Service Subscription CAM BAPDS 7.86 Service Subscription Total Subscription Total Subscription Total Subscription Total Subscription Total Subscription Total Subscription Total Subscription Total Subscription Total Subscription To		AIN Toolkit Service - SCP Storage Charge, Per SMS Access		1		1											
AlN Toolkit Service - Monthly report - Per AlN Toolkit Service Subscription AlN Toolkit Service - Special Study - Per AlN Toolkit Service Subscription CAM BAPMS 7.87 8.64 8.64 8.64 6.08 6.08 7.86 AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription CAM BAPLS 3.26 9.56 9.56 7.86 AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription CAM BAPDS 4.72 8.64 8.64 6.08 6.08 7.86 AlN Toolkit Service - Call Event Special Study - Per AlN Toolkit Service Subscription CAM BAPDS 4.72 8.64 8.64 6.08 6.08 7.86 Service Subscription CAM BAPDS 7.86 Service Subscription CAM BAPDS 7.86 Service Subscription CAM BAPDS 7.86 Service Subscription Total Subscription Total Subscription Total Subscription Total Subscription Total Subscription Total Subscription Total Subscription Total Subscription Total Subscription To		Account, Per 100 Kilobytes	l	1	İ		0.07								1		
Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription CAM BAPLS 3.26 9.56 9.56 7.86 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS 3.26 9.56 9.56 7.86 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS 4.72 8.64 8.64 6.08 6.08 7.86 ENHANCED EXTENDED LINK (EELs) NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: In all states, EEL network elements shown below also apply to currently combined facilities converted to UNE stees. A Switch As Is Charge. NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription CAM BAPLS 3.26 9.56 9.56 7.86 AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription CAM BAPDS 4.72 8.64 8.64 6.08 6.08 7.86 AlN Toolkit Service - Call Event Special Study - Per AlN Toolkit Service Subscription CAM BAPDS 4.72 8.64 8.64 6.08 6.08 7.86 AlN Toolkit Service - Call Event Special Study - Per AlN Toolkit Service Subscription CAM BAPES 0.11 9.56 9.56 FINHANCED EXTENDED LINK (EELs) NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. NOTE: In all states, EEL network elements shown below also apply to currently combined facilities converted to UNE s.(Non-recurring rates do not apply.) NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)		Subscription	l	1	САМ	BAPMS	7.87	8.64	8.64	6,08	6,08]	7.86]
Subscription CAM BAPLS 3.26 9.56 9.56 7.86 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS 4.72 8.64 8.64 6.08 6.08 7.86 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 4.72 8.64 8.64 6.08 6.08 7.86 ENHANCED EXTENDED LINK (EELs) NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)				1	<u> </u>	1		2.01	2.0.	2.00	2.00	1	50		1	1	
AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS 4.72 8.64 8.64 6.08 6.08 7.86 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 4.72 8.64 8.64 6.08 6.08 7.86 ENHANCED EXTENDED LINK (EELs) NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)			l	1	CAM	BAPLS	3 26	9 56	9.56				7.86		1		
Subscription CAM BAPDS 4.72 8.64 8.64 6.08 6.08 7.86 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPES 0.11 9.56 9.56 7.86 ENHANCED EXTENDED LINK (EELs) NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)				 	O, 11V1	5,11 20	5.20	3.30	9.30				7.00		t	1	1
AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPES 0.11 9.56 9.56 7.86 ENHANCED EXTENDED LINK (EELs) NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. NOTE: In all states, EEL network elements shown below also apply to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)			l	1	CAM	BABBS	4.70	0.04	0.04	6.00	6.00]	7.00				
Service Subscription	\vdash			1	CAIVI	DAPUS	4.72	გ.ხ4	8.04	80.0	80.08	 	7.80		-	1	
ENHANCED EXTENDED LINK (EELs) NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)			l	1		DADES									1		
NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)					CAM	BAPES	0.11	9.56	9.56				7.86				ļ
NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)																	
NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)																	
NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)																	
NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)									As Is Charge a	pplies to currer	ntly combined	facilities co	onverted to	UNEs.(Non-re	ecurring rates	do not apply	.)
																1117-7	
I THE TOTAL STREET						1,		J.,		 		l			1	1	
	F *****			11	(LLL)									1	1	1	

ONDONDLE	D NETWORK ELEMENTS - Kentucky			I	1						Sua Ord	Svc Order	Attachment: Incremental		Exhibit: B Incremental	Incrementa
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)	•	•
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport															
	Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7.86				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed			ONOVA	ULALZ	17.40	120.22	00.40	39.09	7.04		7.00				
	Transport Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1 MQ1	79.02	181.24	123.53 14.74	56.72	22.32		7.86 7.86				
	DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNC1X UNCVX	1D1VG	113.33 0.62	57.26 6.71	4.84	1.86	1.67	-	7.86			 	
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			0140 V A	10146	0.02	0.71	4.04				1.00			t	
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															İ
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7.86				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86				
	Voice Grade COCI - DS1 to DS0 Channel System combination -			UNCVX	1D1VG	0.62	6.74	4.04				7.86				
	per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	IDIVG	0.62	6.71	4.84				7.86			-	-
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR		Citoco		0.00	0.00				7.00				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice			' '												
	Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL4	65.06	125.22	00.40	59.69	7.04		7.00				
	Per Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			0110111	120701	0.10										
	Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
	Voice Grade COCI - DS1 to DS0 Channel System combination -			LINOVA	4041/0	0.62	6.74	4.04				7.00				
	per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	1D1VG	0.62	6.71	4.84				7.86				
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire Analog Voice Grade Loop in same DS1			0.10171	02/121	20.20	120.22	00.10	00.00	7.01		7.00				
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		7.86				
	Voice Grade COCI - DS1 to DS0 Channel System combination -				45.040											
	per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	0.62	6.71	4.84				7.86				
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIR	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.30	0.90	11.17	11.17		7.00				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice				1										İ	
	Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice										1					
	Transport Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	OINCDV	UDLOB	30.37	125.22	60.48	99.69	7.84	-	7.80				
	Per Month			UNC1X	1L5XX	0.19									1	
	Interoffice Transport - Dedicated - DS1 - combination Facility			22	. 20, 0 (3.10									1	
1	Termination Per Month	l	1	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32	1	7.86			I	1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring		001450	001111		Rates(\$)	0014411	001111
 	Channelization - Channel System DS1 to DS0 combination Per				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				Ĭ
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84				7.86				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		<u> </u>	CHODA	02200	27.00	120.22	00.10	00.00	7.01		7.00				
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84				7.86				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIRE	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)												
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84				7.86				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84		7.86				
	OCU-DP COCI (data) - DS1 to DS0 Channel System								55.55	7.04						
	combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	1.32	6.71	4.84				7.86				
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INT	EROFFI	CE TRA	NSPORT (EEL)												├
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INT	EROFFI	CE TRA				2.20									
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
	1 First DS1Loop in DS3 Interoffice Transport Combination - Zone		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				1
	2 First DS1Loop in DS3 Interoffice Transport Combination - Zone		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
	3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				

UNDUNDLE	D NETWORK ELEMENTS - Kentucky			I	1	l					Sva Ord	Cua Orden	Attachment: Incremental		Exhibit: B	Incremental
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)	•	
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39		7.86				
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30		7.86				
	DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in DS3 Interoffice Transport Combination -			UNC1X	UC1D1	11.80	6.71	4.84				7.86				-
	Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.80	6.71	4.84				7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-			LINGOV	LINIOCO		0.00	0.00				7.00				
2 WIDI	Is Charge E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EBOEE	ICE TE	UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86				
Z-VVIRI	2-WireVG Loop used with 2-wire VG Interoffice Transport	EKOFF	ICE IF	ANSPORT (EEL)												+
	Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86				<u> </u>
	Combination - Zone 2 2-WireVG Loop used with 2-wire VG Interoffice Transport		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7.86				<u> </u>
	Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIRI	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE TR		ONCCC		0.30	0.30	11.17	11.17		7.00				+
	4-WireVG Loop used with 4-wire VG Interoffice Transport															+
	Combination - Zone 1 4-WireVG Loop used with 4-wire VG Interoffice Transport		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86				
	Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84		7.86				<u> </u>
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire VG combination - Per		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		7.86				
	Mile Per Month			UNCVX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17		7.86				
DS3 D	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRA	NSPOR		011000		0.50	0.00	11.17	11.17		7.00				1
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	9.25										
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	308.31	237.36	147.69	83.43	32.67		7.86				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09	201.00	177.03	00.43	52.01		7.00				
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86				
STS1 I	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TE	RANSP		5550		0.00	3.30		/		7.00				
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	9.25										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	320.51	237.36	147.69	83.43	32.67		7.86				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	4.09	207.00	147.00	55.45	02.01		7.00				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted	Incremental	Incremental Charge -	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					-		Nonrec	urring	Nonrecurring	n Disconnect	-	l l	220	Rates(\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOM AN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS1 combination - Facility						11131	Auu	11130	Addi	JOINED	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39		7.86				i
	Nonrecurring Currently Combined Network Elements Switch -As-															
	ls Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17		7.86				
2-WIRI	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	KI (EEL)													
	Transport - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84		7.86				i
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination								00.00							
	Transport - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84		7.86				<u> </u>
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		3	UNCNX	U1L2X	42.87	405.00	CO 40	50.00	7.04		7.00				i
	Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNC1X	1L5XX	0.19	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - DS1 combintion - Facility			0.10.01	120701	0.10										
	Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				İ
	Channelization - Channel System DS1 to DS0 combination -															i
-	per month 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
	combination - per month			UNCNX	UC1CA	2.84	6.71	4.84				7.86				i
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport					_	-									
	Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84		7.86				ļ
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_	LINIONIN	1141.00/	05.00	105.00	00.40	50.00	7.04		7.00				i
-	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84		7.86				
	Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84		7.86				i
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System						-									
	combintaion- per month			UNCNX	UC1CA	2.84	6.71	4.84				7.86				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	LINICOC		0.00	0.00	44.47	44.47		7.00				i
4-WIRI	IN CHAIGE EDS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROE	FICE TI		UNCCC		8.98	8.98	11.17	11.17		7.86				\vdash
7 7711	First DS1 Loop in STS1 Interoffice Transport Combination -	Littori		tartor orti (EEE)												
	Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	First DS1 Loop in STS1 Interoffice Transport Combination -		_	LINIOAN	1101.207	44440	040.70	444.00	00.00	47.07		7.00				i
-	Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination -		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
	Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				i
	Interoffice Transport - Dedicated - STS1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	4.09										1
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39		7.86				i
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30		7.86				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.80	6.71	4.84	10.12	0.00		7.86				
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				i l
	Additional DS1Loop in STS1 Interoffice Transport Combination -			OIVOIA	JJLAA	114.10	210.70	114.00	69.96	17.97	-	1.00				
	Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97	<u> </u>	7.86				<u>i </u>
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.80	6.71	4.84				7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINCSY	LINICCO		0.00	0.00	44.47	44.47		7.00				i l
4-WIRI	Is Charge 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE T	RANSI	UNCSX PORT (EEL)	UNCCC		8.98	8.98	11.17	11.17	 	7.86				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			()												
	Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		_	LINCDY	LIDI 50	00.40	405.00	00.40	50.00	7.01		7.00				1
	Combination - Zone 2 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84	 	7.86				
	Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86				i l
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -							-								
	Per Mile			UNCDX	1L5XX	0.01					<u> </u>					<u> </u>

UNBU	INDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
												Svc Order	Svc Order	Incremental			Incremental
												Submitted	1	_	Charge -	Charge -	Charge -
0.750		DATE EL EMENTO	Interi	-	D00				FF0(4)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42		7.86				
		Nonrecurring Currently Combined Network Elements Switch -As-															
	4 14/105	Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17		7.86				
	4-WIRE	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	FFICE	KANSI	PORT (EEL)	_											
		Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86				1
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		<u> </u>	ONODA	ODLOT	27.00	120.22	00.40	00.00	7.04		7.00				
		Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		7.86				1
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
		Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84		7.86				
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINODY	41.500											ı
-		Per Mile		<u> </u>	UNCDX	1L5XX	0.01			1			-				
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42		7.86				ı
-		Nonrecurring Currently Combined Network Elements Switch -As-		†	OIACDV	סטווט	17.25	90.09	55.67	30.31	22.42		1.00				
		Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17		7.86				1
ADDITI	ONAL N	IETWORK ELEMENTS				1	1										
		used as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a S	witch As Is c	harge does app	oly.									
		used as ordinarilty combined network elements in Kentucky, t					h As Is Charge	does not.									
	Nonrec	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)											
		Nonrecurring Currently Combined Network Elements Switch -As-			1110000	1111000		0.00	0.00	44.47	44.47		7.00				1
		Is Charge - 2 wire/4-Wire VG Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	UNCCC		8.98	8.98	11.17	11.17		7.86				
		Is Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	11.17	11.17		7.86				1
		Nonrecurring Currently Combined Network Elements Switch -As-			UNCDA	UNCCC		0.90	0.50	11.17	11.17		7.00				
		Is Charge - DS1			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				1
		Nonrecurring Currently Combined Network Elements Switch -As-															
		ls Charge - DS3			UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86				
		Nonrecurring Currently Combined Network Elements Switch -As-															1
	NOTE	Is Charge - STS1	l Dala	DC2	UNCSX	UNCCC		8.98	8.98	11.17	11.17		7.86				
	NOTE:	Local Channel - Dedicated Transport - minimum billing period Local Channel - Dedicated - 2-Wire Voice Grade per month	a - Belo	W D53=	UNCXV	ULDV2	18.57	265.78	46.96	46.79	4.98		7.86				
		Local Channel - Dedicated - 2-Wire Voice Grade per month			UNCXV	ULDV4	19.86	266.48	47.65	47.54	5.73		7.86				
		Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	40.46	209.60	176.51	30.21	21.07		7.86				
		Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	43.39	209.60	176.51	30.21	21.07		7.86				
		Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	164.50	209.60	176.51	30.21	21.07		7.86				
		Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	8.74		•								
1		Local Channel - Dedicated - DS3 - Facility Termination per				l											ı
-		month	-	 	UNC3X	ULDF3 1L5NC	576.05	551.38	338.08	173.00	120.42		7.86				
-		Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination per		 	UNCSX	ILDING	8.74					1					
		month			UNCSX	ULDFS	543.24	551.38	338.08	173.00	120.42		7.86				ı
UNBUN	DLED L	LOCAL EXCHANGE SWITCHING(PORTS)		†		1	5 .5.E4	3000	555.50		.20. 12						
	Exchar	nge Ports															
	NOTE:	Although the Port Rate includes all available features in GA, I	KY, LA	& TN, tl	ne desired features	will need to I	be ordered usin	g retail USOCs	3								
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)				1											
		Exchange Ports - 2-Wire Analog Line Port- Res.	-	<u> </u>	UEPSR	UEPRL	1.49	3.74	3.63	2.23	2.13		7.86				
		Evolungo Porto - 2 Wire Angles Line Port with Callar ID - Dan			UEPSR	UEPRC	1.49	3.74	3.63	2.23	2.13		7.86				ı
-	1	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	<u> </u>	 	ULFOR	DEPRU	1.49	3.14	3.03	2.23	2.13	1	7.86	1			
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.49	3.74	3.63	2.23	2.13		7.86				ı
		Exchange Ports - 2-Wire VG unbundled KY extended local		†		1		54	0.00		2.10						
1		dialing parity Port with Caller ID - Res.			UEPSR	UEPRM	1.49	3.74	3.63	2.23	2.13		7.86				İ
		Exchange Ports - 2-Wire VG unbundled res, low usage line port															
		with Caller ID (LUM)		ļ	UEPSR	UEPAP	1.49	3.74	3.63	2.23	2.13		7.86				ı
	FEAT	Subsequent Activity	<u> </u>	<u> </u>	UEPSR	USASC	0.00	0.00	0.00				7.86	ļ			
-	FEATU	All Available Vertical Features		 	UEPSR	UEPVF	0.00	0.00	0.00				7.86				ı
		Uni Urananie retitoai i eatries	l	1	OLFON	OLF VF	0.00	0.00	0.00	l .		l .	7.00	l	l		

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES(\$) Svc Order Submitted Submitted Elec Manual by per LSR Per Nonrecurring Disconnect Svc Order Submitted Charge - Charge - Charge - Manual Svc Manual Svc Order vs. Electronic- Electronic- Electronic- Submitted Charge - Manual Svc Manual Svc Order vs. Electronic- Stelectronic- Stelectronic- Electronic- Electronic- Disc 1st Disc	UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
ATTEMPT OF THE PLANT STATE PLANT STATE STA	0.1.20112											Svc Order	Svc Order				Incremental
CATEGORY RATE ELEMENTS Doc												Submitted	Submitted	Charge -	Charge -		Charge -
MAIL ELEMENTS March Marc			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
Note	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Note Note			""										-	Electronic-	Electronic-	Electronic-	Electronic-
2-9008-COCK GRAML UNFORCE TRATE BUSING COURT COU															Add'l	Disc 1st	Disc Add'l
Print Add Solet										N	<u> </u>				D-1(A)		
2							Rec					001150	001441			0011411	SOMAN
Exchange Petrs - 2-We for Underdicate Petrs with the Called ID -	2 WID	E VOICE CRADE LINE BORT BATES (BUS)				-		FIRST	Addi	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
But	Z-WIN																
Suchange Process - Wire Visit or Standard Control USPSB		Rus			LIEPSR	LIEPRI	1 49	3 74	3.63	2 23	2 13		7.86				
Section Sect		Exchange Ports - 2-Wire VG unbundled Line Port with			OLI OD	OLI DL	1.40	0.74	0.00	2.20	2.10		7.00				
Exchange Prof. 2-Wile Acided Late Prof. (algoing only - Siss. UEPSB UEPBD 1.49 374 3.60 2.22 2.13 7.66					UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13		7.86				
Exchange Points - 2-Wile CG unbounded IV all and a company on with other points of the company in the company of the company point with other points of the company of th																	
Exchange Points - 2-Wile CG unbounded IV all and a company on with other points of the company in the company of the company point with other points of the company of th		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.49	3.74	3.63	2.23	2.13		7.86				
Columb Patric 2-Wew Circ unbounded incoming only port with Called LEPSB LEPSB 1.49 3.74 3.63 2.22 2.11 7.96		Exchange Ports - 2-Wire VG unbundled KY extended local															
Caller in Bus		dialing parity Port with Caller ID - Bus.			UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13		7.86				
Subsequent Activity UPPS		Exhange Ports - 2-Wire VG unbundled incoming only port with															
PETATURES										2.23	2.13						
BXCHANGE PORT RATES (DID R PR3)	L		<u> </u>		UEPSB	USASC	0.00	0.00	0.00				7.86			ļ	
EXCHANGE FORT RATES (DID & PBX)	FEAT		ļ		LIEDOD	LIED E	2.05			ļ					ļ		ļ
Service VC Line Side Unburnded 2-Way PEX Trunk - Rise UEPSP UEPSP UEPSP 1.49 30.05 18.17 15.38 0.89 7.86			ļ		UEPSB	UEPVF	0.00	0.00	0.00				7.86		-		
2-Wer VS Lim Side Unbunded Carlyon PRX Trunk - Bias UEPSP UEPPC 1.48 33.05 18.17 15.38 0.89 7.86	EXCH		ļ		HEDOE	LIEDES	1 10	20.0=	10.7=	15.00	2.00		7.00		1		1
2 2 2 2 2 2 2 2 2 2	 		l												 	 	1
2 2 2 2 2 2 2 2 2 2															-		
2-Wire Analog Lang Distance Terminal PSX Trunk. Plass UEPSP UEPLD 1.49 30.06 18.17 15.38 0.89 7.86 2-Wire Voice Urbundled PSX LT Stamps Ports UEPSP UEPAN 1.49 30.06 18.17 15.38 0.89 7.86 2-Wire Voice Urbundled PSX Total French Ports UEPSP UEPAN 1.49 30.06 18.17 15.38 0.89 7.86 2-Wire Voice Urbundled PSX Total French Ports UEPSP UEPAN 1.49 30.06 18.17 15.38 0.89 7.86 2-Wire Voice Urbundled PSX Total French Port UEPSP UEPAN 1.49 30.06 18.17 15.38 0.89 7.86 2-Wire Voice Urbundled PSX Total French Port UEPSP UEPAN 1.49 30.06 18.17 15.38 0.89 7.86 2-Wire Voice Urbundled PSX LOT Bring Michael PSX LOT Br	-		1														
2.Wire Visice Unbundled PRIX DO Temmal Ports UEPSP UEPNA 1.49 39.05 18.17 15.38 0.89 7.86												1					
2-Wire Vision Unbounded PPX II Terman Hotel Ports UEPSP UEPX 1.49 39.05 18.17 15.38 0.89 7.86																	
2-Wire Voice Unburdied PBXLD DOT Perminals Port UEPSP UEPX 1.49 30.05 18.17 15.38 0.89 7.86			1														
2-Wire Voice Unbrundled PEX LD Tominal Switchboard Port UEPSP UEPXC 1.49 39.05 18.17 15.38 0.89 7.86																	
Capable Port Capa															1		
Capable Port		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.49	39.05	18.17	15.38	0.89		7.86				
Caling Port Without LUD		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
Calling Port Without LUD		Capable Port			UEPSP	UEPXE	1.49	39.05	18.17	15.38	0.89		7.86				
2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port UEPSP UEPXH 1.49 33.05 18.17 15.38 0.89 7.66																	
2-Wire Voice Unbundled PEX Kentucky Premium Calling Port UEPSP UEPX						_											
2-Wire Voice Unbundled 2-Way PBX Kentucky Area Calling UEPSP UEPX																	
Port Without LUD					UEPSP	UEPXH	1.49	39.05	18.17	15.38	0.89		7.86				
2-Wire Voice Unbundled 2-Way P8K Hotel/Hospital Economy UEPSP UEPXL 1.49 39.05 18.17 15.38 0.89 7.86					LIEDOD	HEDVI	4.40	00.05	40.47	45.00	0.00		7.00				
Administrative Calling Port					UEPSP	UEPXJ	1.49	39.05	18.17	15.38	0.89		7.86				
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port UEPSP UEPXM 1.49 39.05 18.17 15.38 0.89 7.86					LIEDOD	LIEDVI	4.40	20.05	40.47	45.00	0.00		7.00				
Room Calling Port	-				UEPSP	UEPAL	1.49	39.05	18.17	15.38	0.89		7.86		-		
Descount Room Calling Port UEPSP UEPXD 1.49 33.05 18.17 15.38 0.89 7.86					LIEPSP	HEDYM	1 40	30 NE	10 17	15 20	0.80		7 96		1		
Discount Room Calling Port	 		 		0L1 01	JEI AWI	1.49	39.03	10.17	15.56	0.09		7.00	1	t	1	1
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPSP UEPXS 1.49 39.05 18.17 15.38 0.89 7.86			1		UEPSP	UEPXO	1.49	39.05	18.17	15.38	0.89		7.86		I	1	
Subsequent Activity			1												1	1	1
FEATURES			1								2.30			İ	1		
EXCHANGE PORT RATES (COIN) Exchange Ports - Coin Port 1.49 3.74 3.63 2.23 2.13 7.86 Local Switching Features offered with Port 1.49 3.74 3.63 2.23 2.13 7.86 NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. NOTE: Access to B Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. Exchange port - 4-wire ISDN trunk port -all available features UEPEX 101.60 188.36 95.15 61.92 22.67 7.86 UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)	FEATU																
Exchange Ports - Coin Port Local Switching Features offered with Port Local Switching Features offered with Port Local Switching Features offered with Port Local Switching Features offered with Port Local Switching Features offered with Port Local Switching Features offered with Port Local Switching Features offered with Port Local Switching Features offered with Port Local Switching Features offered with Port Local Switching Features offered with Port Scircuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. Local Switching Features offered with Port Scircuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. Local Switching Features offered with Port Scircuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. Local Switching Features offered with Port Scircuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.					UEPSP UEPSE	UEPVF	0.00	0.00	0.00				7.86				
Local Switching Features offered with Port NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. Exchange port - 4-wire ISDN trunk port -all available features included UEPEX 101.60 188.36 95.15 61.92 22.67 7.86 UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) EXCHANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire IDIP Port UEPEX UEPP2 10.51 92.18 15.82 52.16 5.30 7.86 Exchange Ports - DDITS Port -4-Wire DS1 Port with DID capability UEPDD UEPDD 74.77 164.86 77.74 60.69 3.86 7.86 Exchange Ports - 2-Wire ISDN Port (See Notes below.) UEPTX UEPSX UIPPM 13.46 60.60 50.67 32.83 14.17 7.86 All Features Offered NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.	EXCH																
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. Exchange port - 4-wire ISDN trunk port -all available features included UEPEX 101.60 188.36 95.15 61.92 22.67 7.86 UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) EXCHANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DID Fort -4-Wire DS1 Port with DID capability UEPDD UEPDD 74.77 164.86 77.74 60.69 3.86 7.86 Exchange Ports - 2-Wire ISDN Port (See Notes below.) UEPTX UEPSX UIPPNA 13.46 60.60 50.67 32.83 14.17 7.86 All Features Offered NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.							1.49	3.74	3.63	2.23	2.13		7.86				
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Exchange port - 4-wire ISDN trunk port -all available features included UEPEX 101.60 188.36 95.15 61.92 22.67 7.86 UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) EXCHANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DIDTS Port - 4-Wire DS1 Port with DID capability Capability UEPDD 14.77 164.86 77.74 60.69 3.86 7.86 Exchange Ports - 2-Wire ISDN Port (See Notes below.) UEPTX UEPSX UEPN 13.46 60.60 50.67 32.83 14.17 7.86 NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.			l														
Exchange port - 4-wire ISDN trunk port -all available features UEPEX 101.60 188.36 95.15 61.92 22.67 7.86															<u> </u>		
Included UEPEX 101.60 188.36 95.15 61.92 22.67 7.86 UEBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)	NOTE		e availal	ne only	tnrough BFR/New	Business Re	quest Process.	kates for the	packet capabi	liities will be de	etermined via t	ne Bona Fi	ae Kequest/	New Busines	s Request Pro	cess.	ļ
EXCHANGE SWITCHING(PORTS)						HEDEY	404.00	400.00	05.45	04.00	20.07		7.00		1		
EXCHANGE PORT RATES (DID & PBX)	IINBIINDI ED		 			UEPEX	101.60	188.36	95.15	61.92	22.67	-	7.86			-	1
Exchange Ports - 2-Wire DID Port			l			1								-	 	1	1
Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability UEPDD UEPDD 74.77 164.86 77.74 60.69 3.86 7.86 Exchange Ports - 2-Wire ISDN Port (See Notes below.) UEPTX UEPSX UIPMA 13.46 60.60 50.67 32.83 14.17 7.86 ILEPTX UEPSX UEPTX UEPXX UEPTX UEPXX UEPTX UEPXX UEPTX UEPXX	EXCH		l		LIEPEX	LIFPP2	10 51	92 19	15.82	52 16	5 30		7.86	-	 	1	1
Capability			!		ULI L/\	JE112	10.51	32.10	10.02	52.10	5.30		7.00		t	 	
Exchange Ports - 2-Wire ISDN Port (See Notes below.) UEPTX UEPSX U1PMA 13.46 60.60 50.67 32.83 14.17 7.86 All Features Offered UEPTX UEPSX UEPVF 0.00 0.00 0.00 NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.			1		UEPDD	UEPDD	74.77	164.86	77.74	60.69	3.86		7.86		I	1	
All Features Offered UEPTX UEPSX UEPVF 0.00 0.00 0.00 0.00 NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.			†												1		
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.			1							32.00			1.00				
	NOTE:		witched	usage						nission by B-Cl	nannels assoc	ated with 2	-wire ISDN r	orts.	1		
The state of the parties of the part															s Request Pro	cess.	

LINES:	ND: F	D NETWORK ELEMENTS - K														le	I
ONRC	MULE	D NETWORK ELEMENTS - Kentucky	1				ı					Cup Onder	Sup Carde	Attachment:		Exhibit: B	In oronic - 1
			1									Svc Order					Incremental
												Submitted	Submitted	_	Charge -	Charge -	Charge -
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RΔ	TES(\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CAILC	JOIN I	KATE ELEMENTO	m	20116	500	0000		IVA	ι Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Da.a	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	101.60	188.36	95.15	61.92	22.67		7.86				
UNBU		LOCAL SWITCHING, PORT USAGE															
	End O	fice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0011971										
	T 1	End Office Trunk Port - Shared, Per MOU					0.0002112										
	rande	m Switching (Port Usage) (Local or Access Tandem)					0.000194										
		Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU					0.000194			-							
	Comm	on Transport					0.0002416										
-	COMM	Common Transport - Per Mile, Per MOU	 				0.000003			 				1	 	1	-
-		Common Transport - Fer Mile, Fer MOU Common Transport - Facilities Termination Per MOU	 			 	0.0007466			 				 	 	 	
UNBUN	DI FD	PORT/LOOP COMBINATIONS - COST BASED RATES	 			 	0.0007 400			 				 	 	 	-
5.1201		ased Rates are applied where BellSouth is required by FCC at	nd/or St	ate Cor	mmission rule to pro	vide Unbun	dled Local Swi	tching or Swite	ch Ports.	-					-		
		es shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate F	xhibit.			1		
	End O	fice and Tandem Switching Usage and Common Transport Us	sage rat	es in th	ne Port section of thi	is rate exhib	it shall apply to	all combination	ons of loop/po	rt network eler	nents except	for UNE Coi	n Port/Loor	Combinatio	ns.		
	For Ge	orgia, Kentucky, Louisiana, Mississippi, South Carolina and	Tenness	see, the	recurring UNE Port	and Loop cl	narges listed ap	oply to Current	ly Combined a	and Not Curren	tly Combined	Combos. T	he first and	additional Po	ort nonrecurri	ng charges a	pply to Not
	Curren	tly Combined Combos for all states. In GA, KY, LA, MS, SC ar	nd TN th	ese no	nrecurring charges	are commiss	sion ordered co	st based rates	and in AL, FL	and NC these	nonrecurring	charges are	Market Rat	tes and are al	so listed in th	e Market Rate	section.
	For Cu	rrently Combined Combos in all other states, the nonrecurrin	g charg	es shal	I be those identified	in the Nonre	ecurring - Curre	ently Combine	d sections.								
	2-WIRI	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
		2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.64										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	14.37										
	0 14/:	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30.59										
-	2-wire	Voice Grade Line Port Rates (Res)			HEDDY	LIEDDI	4.45	24.20	45.40	2.05	0.07		7.00		-		
		2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	<u> </u>		UEPRX UEPRX	UEPRL UEPRC	1.15 1.15	21.29 21.29	15.49 15.49	2.85	2.67 2.67	-	7.86 7.86				
-		2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.15	21.29	15.49	2.85 2.85	2.67	1	7.86				
-		2-Wire voice Grade unbundled Kentucky extended local dialing			OLFIX	OLFKO	1.13	21.23	13.49	2.00	2.07	1	7.00				
		parity port with Caller ID - res			UEPRX	UEPRM	1.15	21.29	15.49	2.85	2.67		7.86				
		2-Wire voice unbundles res, low usage line port with Caller ID			OLITOR	OLI IXW	1.10	21.20	10.40	2.00	2.07		7.00				
1		(LUM)	1		UEPRX	UEPAP	1.15	21.29	15.49	2.85	2.67		7.86	1	I	1	
	FEATL		†				0	220	.5.76	2.30	2.57			İ	1	1	
		All Features Offered	†		UEPRX	UEPVF	0.00	0.00	0.00	1			7.86	İ	1	1	
	LOCAL	NUMBER PORTABILITY	1							1					1	İ	İ
		Local Number Portability (1 per port)	<u></u>		UEPRX	LNPCX	0.35										
	NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1]]	<u> </u>
L		Switch-as-is	ļ		UEPRX	USAC2		0.10	0.10				7.86]	
1		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1]]	<u> </u>
<u> </u>		Switch with change	ļ		UEPRX	USACC		0.10	0.10	ļ			7.86	ļ	ļ	ļ	ļ
<u> </u>	ADDIT	IONAL NRCs	ļ														
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1		HEDDY	110465				I				1	I	1	
	0 16"5	Activity	<u> </u>		UEPRX	USAS2	0.00	0.00	0.00	-			7.86	 	-	 	
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	<u> </u>							-				 	-	 	
-	UNE P	ort/Loop Combination Rates	1	4			40.70			 		-		 	 	 	-
-	-	2-Wire VG Loop/Port Combo - Zone 1	1	1			10.79			 		-		 	 	 	-
-		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	1	3		1	15.52 31.74			 		-		-	1	ļ	-
	IINE I	poop Rates	 	3		-	31.74			 					 		
	JINE L		1	1	UEPBX	UEPLX	9.64			+					+		
	-	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPBX	UEPLX	9.64			 				1	 	1	-
-		2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	 	3	UEPBX	UEPLX	30.59			t				1	t	1	
 	2-Wiro	Voice Grade Line Port (Bus)	1	J	OLFDA	OLFLA	30.39			 				1	 	1	1
-	Z-4VII @	2-Wire voice unbundled port without Caller ID - bus	1		UEPBX	UEPBL	1.15	21.29	15.49	2.85	2.67	 	7.86	1	 	1	1
		2 1110 1000 annunated port without Galler ID - Dus	1		OLI <i>B</i> X	OLI DL	1.10	21.23	10.48	2.00	2.07	1	7.00	1	1		L

04/12/02 Page 140 of 352

ONRONDE	D NETWORK ELEMENTS - Kentucky			ı		T					_		Attachment:		Exhibit: B	.
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	21.29	15.49	2.85	2.67		7.86				ļ
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - bus			UEPBX	UEPBM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.15	21.29	15.49	2.85	2.67		7.86				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT																
NOND	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				7.86				1
NONK	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPBX	USAC2		0.10	0.10				7.86				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			02. 5%	007.02		0.10	0.10				7.00				
	Switch with change			UEPBX	USACC		0.10	0.10				7.86				
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
0.14/15	Activity			UEPBX	USAS2		0.00	0.00				7.86				
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) ort/Loop Combination Rates															
UNEF	2-Wire VG Loop/Port Combo - Zone 1		1			10.79										+
	2-Wire VG Loop/Port Combo - Zone 1		2			15.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
UNE L	oop Rates					_										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.37										
0.140	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30.59										ļ
2-Wire	PVoice Grade Line Port Rates (RES - PBX) 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67		7.86				
LOCA	L NUMBER PORTABILITY			02. 110	02.113	0	21.20	10.10	2.00	2.01		7.00				
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				7.86				
FEAT																
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				7.86				<u> </u>
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91				7.86				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OLI NO	OOAOZ		0.43	1.51				7.00				
	Conversion - Switch with Change			UEPRG	USACC		8.45	1.91				7.86				
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				7.86				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group		1		1		7.86	7.86				7.86				
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		 		+		00.1	1.00	1			7.00				
	Port/Loop Combination Rates		l		+		+				1				1	†
	2-Wire VG Loop/Port Combo - Zone 1		1		İ	10.79										1
	2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			31.74		· · · · ·		· · · · ·						ļ
UNE L	oop Rates		<u> </u>	LIEDDY	LIEDLY											
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX UEPPX	UEPLX	9.64 14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	30.59	1		1							
2-Wire	Voice Grade Line Port Rates (BUS - PBX)			OLI I X	JLI LX	30.39										†
		1	<u> </u>		1									1	1	1
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	<u> </u>	<u> </u>	UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67	<u> </u>	7.86		<u> </u>		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.15	21.29	15.49	2.85	2.67		7.86				ļ <u> </u>
	Line Side Unbundled Incoming PBX Trunk Port - Bus		<u> </u>	UEPPX	UEPP1	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled PBX LD Terminal Ports		<u> </u>	UEPPX	UEPLD	1.15	21.29	15.49	2.85	2.67		7.86				↓
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		1	UEPPX	UEPXA	1.15	21.29	15.49	2.85	2.67	l	7.86		l	1	J

UNBL	INDLE	NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
0				1								Svc Order		Incremental			Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc			Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	ES(\$)				per LSR		Order vs.	Order vs.	Order vs.
0,112			m		200				(,			per LSR	per LSR	Order vs.			
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	21.29	15.49	2.85	2.67		7.86				
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	21.29	15.49	2.85	2.67		7.86				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	21.29	15.49	2.85	2.67		7.86				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPPX	UEPXE	1.15	21.29	15.49	2.85	2.67		7.86				<u> </u>
		2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area															1
		Calling Port without LUD			UEPPX	UEPXF	1.15	21.29	15.49	2.85	2.67		7.86				L
		2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPPX	UEPXG	1.15	21.29	15.49	2.85	2.67		7.86				<u> </u>
		2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPPX	UEPXH	1.15	21.29	15.49	2.85	2.67		7.86				
		2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port		1	l	1				_	_						1
	ļ	without LUD	ļ		UEPPX	UEPXJ	1.15	21.29	15.49	2.85	2.67		7.86				├
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		HEDDY	LIEDY"									1	1	1
	<u> </u>	Administrative Calling Port	<u> </u>		UEPPX	UEPXL	1.15	21.29	15.49	2.85	2.67		7.86		ļ	 	
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		HEDDY	LIEDVA		04.00	45.40	0.0=	0.00		7.00		1	1	1
-		Room Calling Port			UEPPX	UEPXM	1.15	21.29	15.49	2.85	2.67		7.86				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXO	4.45	24.20	45.40	0.05	0.07		7.86				i .
		Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67		7.86				
	LOCAL	NUMBER PORTABILITY			UEFFA	UEFAS	1.15	21.29	15.49	2.00	2.07		7.00				
-		Local Number Portability (1 per port)		1	UEPPX	LNPCP	3.15	0.00	0.00								
	FEATU				OLITA	LIVI OI	3.13	0.00	0.00								——
		All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				7.86				
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91				7.86				1
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPPX	USACC		8.45	1.91				7.86				<u> </u>
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															i .
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				7.86				
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															1
	0.14/100	Group	<u> </u>	<u> </u>				7.86	7.86				7.86				├
		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR ort/Loop Combination Rates	<u> </u>														
	UNE PO	2-Wire VG Coin Port/Loop Combo – Zone 1		1		-	10.79										
		2-Wire VG Coin Port/Loop Combo – Zone 1		2		1	15.52										
		2-Wire VG Coin Port/Loop Combo – Zone 3		3		+	31.74										—
	UNE Lo	op Rates		Ŭ			0										
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.64										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.37										ſ
		2-Wire Voice Grade Loop (SL1) - Zone 3		3		UEPLX	30.59										
	2-Wire	Voice Grade Line Ports (COIN)															
		2-Wire Coin 2-Way without Operator Screening and without															1
	<u> </u>	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.15	21.29	15.49	2.85	2.67		7.86				
	ļ	2-Wire Coin 2-Way with Operator Screening (AL, KY)	ļ		UEPCO	UEPRE	1.15	21.29	15.49	2.85	2.67		7.86				
1		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	1												1	1	1
<u> </u>	<u> </u>	900/976, 1+DDD (AL, KY, LA, MS)	<u> </u>		UEPCO	UEPRA	1.15	21.29	15.49	2.85	2.67		7.86		ļ	 	
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking (KY)	1		LIEBCO	HEDK A	4 45	24.20	15 10	2.05	2.67		7.00		1	1	1
-	 	2-Wire Coin 2-Way with Operator Screening & Blocking:	1	1	UEPCO	UEPKA	1.15	21.29	15.49	2.85	2.67		7.86				
1		900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)	1		UEPCO	UEPCD	1.15	21.29	15.49	2.85	2.67		7.86		1	1	1
	1	2-Wire Coin Outward without Blocking and without Operator	1		02, 00	521 00	1.13	21.29	13.43	2.00	2.07		1.00				
		Screening (KY, LA, MS)			UEPCO	UEPRN	1.15	21.29	15.49	2.85	2.67		7.86				1
		2-Wire Coin Outward with Operator Screening and 011 Blocking					0	220	.0.40	2.00	2.07		50				
1		(GA, KY, MS)	1		UEPCO	UEPRJ	1.15	21.29	15.49	2.85	2.67		7.86			1	1
		2-Wire Coin Outward with Operator Screening and Blocking:				2 = 1 . 10		220	.0.70	2.50	2.57				İ	1	
		011, 900/976, 1+DDD (AL, KY, LA, MS)	1		UEPCO	UEPRH	1.15	21.29	15.49	2.85	2.67		7.86		1	1	1
	İ	2-Wire Coin Outward Operator Screening & Blocking: 900/976,	l												1	1	ſ
	<u> </u>	1+DDD, 011+, and Local (AL, KY, LA, MS)	<u></u>	<u>L</u>	UEPCO	UEPCN	1.15	21.29	15.49	2.85	2.67	<u> </u>	7.86		<u> </u>	<u> </u>	<u> </u>

UNDUNDLE	D NETWORK ELEMENTS - Kentucky	1	1	1	, ,				,		•		Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	⁻ ES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.91						7.86				<u> </u>
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	2.91						7.00				
ADDIT	IDNAL UNE COIN PORT/LOOP (RC)			UEPCO	UEPCR	2.91			+			7.86				+
ADDIT	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2.57	21.29	15.49	2.85	2.67						
LOCA	NUMBER PORTABILITY			02.00	011200	2.01	21.20	10.10	2.00	2.01					İ	†
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										1
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		0.10	0.10				7.86				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	l	İ	UEPCO	USACC		0.10	0.10				7.86			1	
ADDIT	IONAL NRCs			UEPCO	USACC		0.10	0.10				7.00				
ADDIT	2-Wire Voice Grade Loop/Line Port Combination - Subsequent								 							†
i	Activity		1	UEPCO	USAS2		0.00	0.00				7.86				
UNBU	NDLED REMOTE CALL FORWARDING - RES															
	ecurring							•		•						L
UNBU	NDLED REMOTE CALL FORWARDING - Bus															
N 5	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB	UEPVJ	1.49	3.74	3.63				7.86				
	ecurring E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	OPT (DEC)												
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE								1						1	+
	PORT/LOOP COMBINATIONS - COST BASED RATES		l cikir (l					1							
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT													1	1
	ort/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			21.30										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26.08										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			41.85										
UNE L	oop Rates		1	UEPPX	LIECD4	40.07						7.00			-	+
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1 UECD1	12.67 17.45						7.86 7.86				+
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		3	UEPPX	UECD1	33.22						7.86				+
UNE P	ort Rate					***************************************									1	1
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.63	336.11	27.75	132.37	9.31		7.86				
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
i l	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															
	with BellSouth Allowable Changes			UEPPX	USA1C		7.85	1.87				7.86				
ADDIT	IONAL NRCs			LIEDDY	LICACA		20.05	20.05				7.00				-
Toloni	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk none Number/Trunk Group Establisment Charges			UEPPX	USAS1		32.25	32.25	+			7.86				+
relepii	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00				7.86				+
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00				7.86				1
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00				7.86			İ	+
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00				7.86				
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				7.86				
LOCAL	NUMBER PORTABILITY															<u> </u>
0.1475	Local Number Portability (1 per port)	 	DCD-	UEPPX	LNPCP	3.15	0.00	0.00								
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII ort/Loop Combination Rates	NE SIDE	PORT	1											-	
UNE P	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		-			1			 							+
.	UNE Zone 1	1	1	UEPPB UEPPR		25.69										1
- 	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		<u> </u>			20.00										1
.	UNE Zone 2	1	2	UEPPB UEPPR		31.92										1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
	UNE Zone 3		3	UEPPB UEPPR		50.21									1	↓
IUNE L	oop Rates		<u> </u>	UEPPB UEPPR	1101.07	10.10			ļ			7.00				
																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	16.10						7.86				+

UNBUNDLE	D NETWORK ELEMENTS - Kentucky													Attachment:	2	Exhibit: B	,
CITECITE	North Element o Homasky					1						Svc Order		Incremental			Incremental
												Submitted		_	Charge -	Charge -	Charge -
CATECORY	DATE ELEMENTS	Interi	7		cs	USOC		D 4 7	FFC(#)			Elec	-	Manual Svc			
CATEGORY	RATE ELEMENTS	m	Zone	_	565	USUC		KA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.63						7.86				
UNE F	ort Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	9.59	320.53	289.13	92.19	17.56		7.86				
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	22.77	17.00				7.86				
ADDIT	TONAL NRCs																
	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00			1					
B-CH/	ANNEL USER PROFILE ACCESS:	1	1		JE: . IX		3.00	0.00	0.00			 					<u> </u>
В-Спи	CVS/CSD (DMS/5ESS)	 	 	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00						+	-	
 	CVS (EWSD)	1	1	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00			1			 		
\vdash		 	 	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00			 			 		
D 011	CSD	CMC	TAP	UEPPB	UEPPR	01000	0.00	0.00	0.00			1	 		 	 	
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	U,IVI 5, &	IN)	LIEBBB	LIEBBB	1141165					1	-			-	1	
———	CVS/CSD (DMS/5ESS)	1		UEPPB	UEPPR	U1UCD	0.00	0.00	0.00							ļ	
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	CAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
	facilities termination			UEPPB	UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75		7.86				
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.01	0.00	0.00				7.86				
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	K PORT															
	Port/Loop Combination Rates	1															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE					+						1					
	Zone 1		1	UEPPP			170.06										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<u> </u>	OLITI		+	170.00										
	Zone 2		2	UEPPP			197.70										
-				UEFFF		+	197.70					-			-		
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		3				004.05										
	Zone 3		3	UEPPP			381.35										<u> </u>
UNE L	oop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	86.47						7.86				
\vdash	4-Wire DS1 Digital Loop - UNE Zone 2	<u> </u>	2	UEPPP		USL4P	114.10						7.86				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	297.76					1	7.86		ļ	ļ	1
UNE F	ort Rate			<u> </u>		1	ļ ļ	_							1		
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	83.59	736.16	382.74	159.48	48.82		7.86				
NONR	ECURRING CHARGES - CURRENTLY COMBINED					1											
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		1			1											1
	Combination - Conversion -Switch-as-is	<u> </u>	<u> </u>	UEPPP		USACP	0.00	81.70	1.37	<u></u>	<u></u>		7.86				<u></u>
ADDIT	TONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																1
	Inward/two way tel nos within Std Allowance (except NC)		1	UEPPP		PR7TF		0.54					7.86		I	Ì	1
Ì	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		12.71	12.71				7.86				1
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -					1	i i			İ	İ	1			İ	İ	
	Subsequent Inward Tel Nos Above Std Allowance		1	UEPPP		PR7ZT		25.41	25.41				7.86		I	Ì	1
LOCA	L NUMBER PORTABILITY	1				1	1					1			1	1	
	Local Number Portability (1 per port)	1		UEPPP		LNPCN	1.75					1	i		1	1	
INTER	FACE (Provsioning Only)	1					0					1			1	1	
III EN	Voice/Data	1	1	UEPPP		PR71V	0.00	0.00	0.00	1		1			t	1	
 	Digital Data	1	1	UEPPP		PR71D	0.00	0.00	0.00	1		1			t	1	
\vdash	Inward Data	1	-	UEPPP		PR71E	0.00	0.00	0.00	-	1	+	H		 	 	
Ne		 	-	UEFFF		FRIE	0.00	0.00	0.00		-	 			-	-	
New o	r Additional "B" Channel	 	 	UEPPP		DD7D\/	0.00	45.40				 	7.00		 		
	New or Additional - Voice/Data B Channel	1	-			PR7BV	0.00	15.48				1	7.86		1	 	
\vdash	New or Additional - Digital Data B Channel		_	UEPPP		PR7BF	0.00	15.48				.	7.86				
	New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	15.48		l	l	1	7.86		1	l	

			1	i												
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			FES(\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		T
CALL T	VDF0						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inward			UEPPP	PR7C1	0.00	0.00	0.00	-							
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								1
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								1
	ice Channel Mileage			02	00	0.00	0.00	0.00								1
	Fixed Each Including First Mile			UEPPP	1LN1A	96.27	105.52	98.46	23.09	20.49		7.86				1
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.23										
4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	rt/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		147.99										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		175.62										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		359.28										<u> </u>
	op Rates			HEDDO	LICL DO	00.47						7.00				
	4-Wire DS1 Digital Loop - UNE Zone 1		2	UEPDC	USLDC	86.47						7.86				↓
	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	114.10 297.76						7.86 7.86				
UNE Po			3	UEPDC	USLDC	297.76						7.86				
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98		7.86				-
	CURRING CHARGES - CURRENTLY COMBINED			OLFDC	ODDII	01.52	700.01	373.32	170.19	10.90		7.00				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				+											
	- Switch-as-is			UEPDC	USAC4		92.84	46.70				7.86				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			OLI DO	00/104		02.04	40.70				7.00				
	- Conversion with DS1 Changes			UEPDC	USAWA		92.84	46.70				7.86				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk			UEPDC	USAWB		92.84	46.70				7.86				
	ONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.09	15.09				7.86				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															1
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.09	15.09				7.86				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.09	15.09				7.86				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.09	15.09				7.86				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.09	15.09				7.86				
	R 8 ZERO SUBSTITUTION			LIEDDO	CCCCE		0.00	730.00				7.00				
	B8ZS - Superframe Format B8ZS - Extended Superframe Format			UEPDC UEPDC	CCOSF CCOEF	-	0.00	730.00				7.86 7.86				
	te Mark Inversion			OLFDC	CCOLI		0.00	730.00				7.00				
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
	one Number/Trunk Group Establisment Charges			02. 50			0.00	0.00								
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00	0.00	0.00				7.86				
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00		0.00				7.86				
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00	0.00	0.00				7.86				
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00	0.00				7.86				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00				7.86				
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				7.86				
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				7.86				
	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loop	with 4-Wire DDITS	Trunk Port				ļļ							<u> </u>
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	96.04	105.52	98.46	23.09	20.49		7.86				
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.23	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.45	0.00	0.00								<u> </u>

LINIDLINID	VI EE	NETWORK ELEMENTS - Kantualar												I * * * * · · · · · · · · ·		E. 1. 1. 1. 15	1
UNBUND	JLEL	NETWORK ELEMENTS - Kentucky	1				1					00	00	Attachment:		Exhibit: B	1
														Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	ĽΥ	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	Disc Add I
							Dee	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	ŀ	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
		Tommaton		1	02. 50	12.100	0.00	0.00	0.00								
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.45	0.00	0.00								
-		Local Number Portability, per DS0 Activated		 	UEPDC	LNPCP	3.15	0.00	0.00								
				 			0.00	0.00	0.00								
L		Central Office Termininating Point			UEPDC	CTG	0.00										
		DS1 LOOP WITH CHANNELIZATION WITH PORT															
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
		stem can have up to 24 combinations of rates depending on	ı type aı	าd num	ber of ports used												
UN	IE DS	1 Loop															
		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	86.47	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	114.10	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	297.76	0.00	0.00								
LIN		O Channelization Capacities (D4 Channel Bank Configuratio	ns)	Ť			200	0.00	0.00			 					
JIN		24 DSO Channel Capacity - 1 per DS1	,	 	UEPMG	VUM24	111.16	0.00	0.00		1	1	7.86	1	1	1	1
\vdash		48 DSO Channel Capacity - 1 per DS1	 	 	UEPMG	VUM48	222.32	0.00	0.00		-	1	7.86	 	 	-	
\vdash			1	 	UEPMG UEPMG	VUM48 VUM96						1		 	 		
		96 DSO Channel Capacity -1per 4 DS1s					444.64	0.00	0.00				7.86				
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	666.96	0.00	0.00				7.86				
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	889.28	0.00	0.00				7.86				
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,111.60	0.00	0.00				7.86				
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,333.92	0.00	0.00				7.86				
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,778.56	0.00	0.00				7.86				
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,223.20	0.00	0.00				7.86				
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,667.84	0.00	0.00				7.86				
 		672 DS0 Channel Capacity - 1 per 28 DS1s		1	UEPMG	VUM67	3.112.48	0.00	0.00				7.86				
No		curring Charges (NRC) Associated with 4-Wire DS1 Loop wit	h Chani	aoliztio					0.00				7.00				
		num System configuration is One (1) DS1, One (1) D4 Channe						steili									
IVIU	ıitipie	es of this configuration functioning as one are considered Ac	dd i arte	r the m	inimum system con	inguration is	countea.										
		NRC - Conversion (Currently Combined) with or without															
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	94.30	4.24				7.86				
		Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nelizat	ion with Port Comb	ination Curre	ently Exists and										
Ne		ot Currently Combined) In GA, KY, LA, MS & TN Only															
		1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
		Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	718.89	469.86	149.83	17.77		7.86				
Big	polar	8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00	730.00				7.86				
	- 1	Clear Channel Capability Format - Extended Superframe -	1	 		1	0.00	0.00				1	1.50			1	
		Subsequent Activity Only		1	UEPMG	CCOEF	0.00	0.00	730.00				7.86	1	1	1	1
AIA	tornot	e Mark Inversion (AMI)	1	 	521 MO	JUULI	0.00	0.00	730.00		1	1	7.00	1	1	1	1
Alt		Superframe Format	 	 	UEPMG	MCOSF	0.00	0.00	0.00		-	1	 	 	 	-	
 			1	 								1	-	 	 		
		Extended Superframe Format	<u> </u>	Dari'	UEPMG	MCOPO	0.00	0.00	0.00			-	1				
		ge Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	rort		1	.						ļ				
Exc	chan	ge Ports															
l	J			1									I	1	1	1	1
		Line Side Combination Channelized PBX Trunk Port - Business	<u></u>	Щ_	UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00	<u> </u>	7.86	L	L	<u></u>	
	Ī	Line Side Outward Channelized PBX Trunk Port - Business		1	UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00		7.86			1	
1		Line Side Inward Only Channelized PBX Trunk Port without DID		1	UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00		7.86	1	1	1	1
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port	1	1	UEPPX	UEPDM	8.65	0.00	0.00	0.00	0.00	1	7.86	İ	İ	İ	İ
Fas		Activations - Unbundled Loop Concentration	†	1			5.55	0.00	0.50	5.50	3.50	1	1.50	1	1		1
1.60		Feature (Service) Activation for each Line Side Port Terminated	1	 		1	 					I	 	†	†		
	J	in D4 Bank			UEPPX	1PQWM	0.62	25.40	13.41	4.17	4.15		7.86				1
		in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated	1	 	OLFFA	1 F Q VVIVI	0.02	25.40	13.41	4.17	4.15	1	7.00	 	 		
				1	HEDDY	45014/11	0.00	70 :-	40.00	50.00	44		7.00	1	1	1	1
<u> </u>		in D4 Bank	<u> </u>	<u> </u>	UEPPX	1PQWU	0.62	78.15	19.68	59.05	11.54		7.86				
Tel		one Number/ Group Establishment Charges for DID Service	ļ	 		<u> </u>							ļ				
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				7.86				
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				7.86				
		Non-Consecutive DID Numbers - per number	1	1	UEPPX	ND5	0.00	0.00	0.00			1	7.86			1	1 -

IINRI	INDI FI	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
ONDO	JINDELL	NETWORK ELEMENTS - Remacky									T	Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA ⁻	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									P	p	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.444.
							Rec	Nonred			g Disconnect				Rates(\$)		
<u> </u>		D			UEDDV	N.D.o		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				7.86				
	I anal N	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				7.86				
<u> </u>		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional			UEPPA	LINECE	3.13	0.00	0.00								
		Switching Features Offered with Line Side Ports Only															
	Loou. C	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
	Market	Rates shall apply where BellSouth is not required to provide	unbun	dled loc													
		scenarios include:	1	1													
		undled port/loop combinations that are Not Currently Combin	ned in A	labama	a, Florida and North	Carolina.											
		undled port/loop combinations that are Currently Combined					p 8 MSAS in Be	ellSouth's region	on for end use	rs with 4 or mo	ore DS0 equiva	lent lines.					
	The To	p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd	ale, Mia	mi); GA	(Atlanta); LA (New	Orleans); NO	(Greensboro-	Winston Salem	-Highpoint/Ch	arlotte-Gaston	ia-Rock Hill);	N (Nashvill					
		uth currently is developing the billing capability to mechanica									not currently	ombined in	AL, FL and	NC. In the ir	nterim where	BellSouth can	not bill
		Rates, BellSouth shall bill the rates in the Cost-Based section			lieu of the Market Ra	ates and rese	erves the right	to true-up the	billing differen	ice.							
		rket Rate for unbundled ports includes all available features i															
	End Off	fice and Tandem Switching Usage and Common Transport Us	sage rat	es in th	ne Port section of thi	is rate exhibi	it shall apply to	all combination	ons of loop/po	rt network elei	ments except	for UNE Coi	n Port/Loop	Combination	ns which have	a flat rate us	age charge
		: URECU).															
	For Not	t Currently Combined scenarios where Market Rates apply, th	e Nonre	curring	g charges are listed i	in the First a	nd Additional	NRC columns t	for each Port U	JSOC. For Cur	rently Combin	ed scenario	s, the Nonre	curring charg	ges are listed	in the NRC - 0	Currently
		ned section. Additional NRCs may apply also and are categor															
		ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
		num System configuration is One (1) DS1, One (1) D4 Channe															
		es of this configuration functioning as one are considered Ac		r the m	inimum system conf	figuration is	counted.										
UNBU		ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:															
		Based Rates are applied where BellSouth is required by FCC								L		L					
		ures shall apply to the Unbundled Port/Loop Combination - C															
<u> </u>	3. End	Office and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re	Usage	rates in	the Port section of	this rate exh	ibit shall apply	to all combine	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.	maly to Not C	rrontly
		ned Combos for all states. In GA, KY, LA, MS and TN these no															
		ned Combos in all other states, the nonrecurring charges sha							, NC and SC ii	iese nomecun	ing charges at	e waret Na	ates and are	iisteu iii tiie i	warket Nate 5	ection. For C	Junemay
		ket Rates for Unbundled Centrex Port/Loop Combination will														1	
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		Juacea	on an marviduar oa.	l basis, uiii	li iuitilei ilotic	c.									
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1														
		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP91		10.79										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP91		15.52										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
L		Non-Design	<u></u>	3	UEP91		31.74										
	UNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1]]]		
L		Design	ļ	1	UEP91	ļ	13.82								ļ		
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		l										1		
<u></u>	1	Design	ļ	2	UEP91	ļ	18.60								ļ		
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
├		Design	<u> </u>	3	UEP91		34.37								 		
<u> </u>	UNE LO	pop Rate	<u> </u>	1	LIEDO4	LIECCA	0.04						7.00				
\vdash	1	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	2	UEP91 UEP91	UECS1 UECS1	9.64			ļ	ļ		7.86		 		
 	+	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	 	3	UEP91 UEP91	UECS1	14.37 30.59			-	-		7.86 7.86		-		
<u> </u>	1	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP91 UEP91	UECS1	12.67			1	1		7.86		1		
<u> </u>	+	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	 	2	UEP91	UECS2	17.45			-	-		7.86		 		
	+	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	3	UEP91	UECS2	33.22					1	7.86				
1				3	OLI 31	OLOUZ	33.22			1	1		7.00		1		
<u> </u>	LINE P	nrte															
	UNE Po																
		es (Except North Carolina and Sout Carolina)			UFP91	LIFPYA	1 15	21 29	15 49	2.85	2.67		7.86				
		es (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				
		es (Except North Carolina and Sout Carolina)			UEP91	UEPYA UEPYB	1.15	21.29	15.49	2.85	2.67		7.86 7.86				

04/12/02 Page 147 of 352

UNBUNDL	ED NETWORK ELEMENTS - Kentucky										I		Attachment:		Exhibit: B	l
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			LIEDOA	HEDVII	4.45	24.20	45.40	2.05	2.07		7.00				
	Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire		<u> </u>	UEP91	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
	Center)2 Basic Local Area			UEP91	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP91	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOA	LIEDVO	4.45	24.20	45.40	2.05	2.07		7.00				
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP91	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
	Basic Local Area			UEP91	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
AL. P	(Y, LA, MS, & TN Only			OLI 01	OLI 12	1.10	21.20	10.40	2.00	2.01		7.86				
7.2, 1	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
_	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI 01	OLI GII	1.10	21.20	10.40	2.00	2.01		7.00				
	Center)2			UEP91	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02. 0.	02. Q	0	21120	10.10	2.00	2.0.		7.00				
	Term			UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
	O.W. William Cont. Books with the Month of the Control of the			LIEDOA	LIEBOO	4.45	04.00	45.40	0.05	2.67		7.00				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91 UEP91	UEPQ9 UEPQ2	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67		7.86 7.86				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
Loca	l Switching			LIEDOA	LIDEOO	0.0070						7.00				
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.8873						7.86				
Loca	Number Portability		-	LIEDO4	LNDOO	0.05										
F 1	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featu			-	UEP91	UEPVF	0.00						7.00				
	All Standard Features Offered, per port		-	UEP91	UEPVS	0.00	405.66					7.86 7.86				
	All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP91	UEPVS	0.00	405.66					7.86				
NAR				UEP91	UEPVC	0.00						7.86				
NAK:	Unbundled Network Access Register - Combination		<u> </u>	UEP91	UARCX	0.00	0.00	0.00				7.86				
			<u> </u>		UAR1X			0.00								
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial			UEP91 UEP91	UAROX	0.00	0.00	0.00				7.86 7.86				
Mico	ellaneous Terminations		<u> </u>	UEF91	UARUX	0.00	0.00	0.00				7.00				
	e Trunk Side															
Z-VVII	Trunk Side Terminations, each			UEP91	CENA6	10.51	92.18	15.82	52.16	5.30		7.86				
Intor	office Channel Mileage - 2-Wire			OLF91	CLINAO	10.51	92.10	13.02	32.10	3.30		7.00				
inter	Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	29.11						7.86				
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	MIGBM	0.01			1			7.86				
Feati	re Activations (DS0) Centrex Loops on Channelized DS1 Service	6		OLI 01	WIIGEWI	0.01						7.00				
	hannel Bank Feature Activations				+											
D-7 0	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP91	1PQW7	0.62						7.86				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.62						7.86				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62						7.86				
İ	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP91	1PQWQ	0.62						7.86			1	
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.62						7.86				
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		0.102	0.102				7.86				
	Conversion of Existing Centrex Common Block			UEP91	USACN		18.95	8.32		-						
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				
1	New Centrex Customized Common Block		L_ ⁻	UEP91	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86	L	L		

UNBUNDI	ED NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
3.120NDL		$\overline{}$									Svc Order			Incremental		Incremental
			1	l .	1	•			1		Submitted			Charge -	Charge -	Charge -
		1	1	l .	1	•			1		Elec		Manual Svc			
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc	•	RΔT	TES(\$)	1			-				
SAL LOOK	NATE ELEMENTO	m		200	5500	•	I.A.	_ 	1		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			1	l .	1	•			1]	Electronic-	Electronic-	Electronic-	Electronic-
			1	l .	1	•			1]	1st	Add'l	Disc 1st	Disc Add'l
		\vdash	$\vdash \lnot$		+ +		Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
		 	\vdash		1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.32	78.32	13.27	13.27	1	7.86	 			
	NAR Establishment Charge, Per Occasion		1	UEP91	URECA	0.00	72.75				Ì	7.86	,			
	-P CENTREX - 5ESS (Valid in All States)		1	1							Ì		,			
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)												<u> </u>			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1			1 7	' Т	\neg		_	_		I 7				_
	Non-Design		1	UEP95		10.79					<u> </u>	igsquare	<u>'</u>		<u> </u>	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		1 _ 1				l	İ	I	I] .	1 1	١,		1	I
\vdash	Non-Design	└	2	UEP95	4	15.52			<u> </u>	<u> </u>	Ļ	\longmapsto	·	<u> </u>	<u> </u>	<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOS	1		l	i	I	I]	١,] .	ļ i
1181-	Non-Design		3	UEP95	+	31.74					-	\vdash	<u> </u>	-	 	
UNE	Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-		$\vdash \vdash$		+						 	\vdash	L	-	 	
	2-wire vG Loop/2-wire voice Grade Port (Centrex) Port Combo - Design	1	1 4 1	UEP95	1 1	13.82	1	i	I	I]	١ ,		1 .	Į 1
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	\vdash	⊢' ⊣	OFL 22	+ +	13.02	\longrightarrow				 	++	Ļ	 	 	
	Design		2	UEP95	1	18.60	l	i	Į.	Į.]	١,			ļ ,
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	\vdash	 	OL1 30	+ +	10.00					 	 	 	 	 	
	Design		3	UEP95	1	34.37	l	i	I	I]	١,] .	
UNF	Loop Rate	-	⊢∸┐	02. 00	+	557					 	\vdash		 	 	
	2-Wire Voice Grade Loop (SL 1) - Zone 1	\vdash	1	UEP95	UECS1	9.64	$\overline{}$					7.86	 	 	 	\vdash
	2-Wire Voice Grade Loop (SL 1) - Zone 2	$\overline{}$	2	UEP95	UECS1	14.37	1					7.86		 		
	2-Wire Voice Grade Loop (SL 1) - Zone 3	$\overline{}$	3	UEP95	UECS1	30.59	<u> </u>					7.86	 			
	2-Wire Voice Grade Loop (SL 2) - Zone 1	L	1	UEP95	UECS2	12.67						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17.45						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.22						7.86				
	Port Rate	二														
All S	tates	oxdot	اتسا										<u> </u>			
\Box	2-Wire Voice Grade Port (Centrex) Basic Local Area	\vdash	تــــا	UEP95	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86		\perp		
igsquare	2-Wire Voice Grade Port (Centrex 800 termination)	↓	تــــا	UEP95	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86			$ldsymbol{oxed}$	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1	1	LIEDO-	lues:	·		1	l .	l .	1	ļ <u> </u>	١ ,		1	1
\vdash	Area	₩	$\vdash \vdash$	UEP95	UEPYH	1.15	21.29	15.49	2.85	2.67	 	7.86	L	 	 	——
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	LIEDOF	HEDVA.		01.00	,			1	7.00	١ ,			
\vdash	Center)2 Basic Local Area	+	$\vdash \vdash$	UEP95	UEPYM	1.15	21.29	15.49	2.85	2.67	 	7.86	Ļ	1	 	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1	UEP95	HEDVZ	4 45	04.00	45 40	0.05	2.67	1	7.86	١ ,			
\vdash	Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent	+	-	OELAD	UEPYZ	1.15	21.29	15.49	2.85	2.67	 	7.86	Ļ	 	 	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area		1	UEP95	UEPY9	1.15	21.29	15.49	2.85	2.67	1	7.86	١ ,		1	1
\vdash	2-Wire Voice Grade Port Terminated on 800 Service Term -	+	\vdash	OE1 30	OFLIA	1.15	21.29	13.49	2.85	2.07	 	7.80	——	+	 	+
	Basic Local Area	1	1	UEP95	UEPY2	1.15	21.29	15.49	2.85	2.67	1	7.86	١ ,		1	I
ΔI	KY, LA, MS, SC, & TN Only	+-	$\vdash \vdash$	-2. 55	J-1 12	1.10	21.23	13.43	2.03	2.07	 	7.00		+	 	
ΛL, I	2-Wire Voice Grade Port (Centrex)	t	\vdash	UEP95	UEPQA	1.15	21.29	15.49	2.85	2.67	†	7.86	 	 	 	
	2-Wire Voice Grade Fort (Centrex 800 termination)	$\overline{}$	\Box	UEP95	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86		 		
	2-Wire Voice Grade Port (Centrex with Caller ID)1	$\overline{}$	\vdash	UEP95	UEPQH	1.15	21.29	15.49	2.85			7.86	Η	 	†	—
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	$\overline{}$											 			
	Center)2	L	L 1	UEP95	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86	<u>'</u>	<u></u>	<u></u>	<u></u>
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term	L	L 1	UEP95	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86	<u>'</u>	<u></u>	<u></u>	<u></u>
													Γ	Ī		
$oxedsymbol{oxed}$	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<u></u>	L_ 1	UEP95	UEPQ9	1.15	21.29	15.49	2.85	2.67	L :	7.86	<u> </u>	<u></u>	<u> </u>	<u> </u>
	2-Wire Voice Grade Port Terminated on 800 Service Term	二		UEP95	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
Loca	l Switching	oxdot	لتب		\bot						oxdot			\sqsubseteq		
	Centrex Intercom Funtionality, per port	$ldsymbol{oxed}$	تــــــــــــــــــــــــــــــــــــــ	UEP95	URECS	0.8873						7.86	<u> </u>			
Loca	l Number Portability	$oldsymbol{ol}oldsymbol{ol}oldsymbol{ol}}}}}}}}}}}}}}}}}}}$	لتب								oxdot			\sqsubseteq		
	Local Number Portability (1 per port)	└	تَــــا	UEP95	LNPCC	0.35					lacksquare	igsquare		↓	ldot	
Feat			$\vdash \vdash \vdash$	LIEDO-	1,,,,,,				<u> </u>	<u> </u>	<u> </u>	├	L		<u> </u>	<u> </u>
$\vdash \vdash$	All Standard Features Offered, per port		$\vdash \vdash$	UEP95	UEPVF	0.00			<u> </u>	<u> </u>	<u> </u>	7.86	L		<u> </u>	<u> </u>
\vdash	All Select Features Offered, per port	├	$\vdash \vdash$	UEP95	UEPVS	0.00	405.66		—	—		7.86	L			
	All Centrex Control Features Offered, per port	₩	\longmapsto	UEP95	UEPVC	0.00					 	7.86	L	 	 	\vdash
NAR	٥ <u> </u>		<u> </u>								L	i	<u> </u>		L	

UNBL	JNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
UND	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	NETWORK ELEMENTO Romadky										Svc Order	Svc Order	Incremental			Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc			_
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1										
							Rec	Nonrec First	urring Add'l	Nonrecurring First		SOMEC	COMAN		Rates(\$) SOMAN	SOMAN	SOMAN
		Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	FIRST	Add'l	SOMEC	SOMAN 7.86	SOMAN	SOWAN	SUMAN	SOWAN
		Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				7.86				-
		Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				7.86				-
	Miscel	aneous Terminations			02. 00	0, 11, 10, 1	0.00	0.00	0.00				7.00				
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP95	CEND6	10.51	92.18	15.82	52.16	5.30		7.86				
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86				
		DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.09					7.86				
		fice Channel Mileage - 2-Wire		<u> </u>			22.11						= 00				
-	1	Interoffice Channel Facilities Termination	1		UEP95	MIGBC	29.11						7.86 7.86				
<u> </u>	Feature	Interoffice Channel mileage, per mile or fraction of mile e Activations (DS0) Centrex Loops on Channelized DS1 Service	<u> </u>	-	UEP95	MIGBM	0.01						7.86		1	1	
—		nnel Bank Feature Activations	<u>~</u>	1		+ -	+	+					7.86				
	2.0110	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62						7.86				
	1														1	1	† ·
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.62						7.86				ļ '
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															1
		Slot			UEP95	1PQW7	0.62						7.86				
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															İ
		Different Wire Center			UEP95	1PQWP	0.62						7.86				
		Facture Activistics on D.4 Channel Beatly Brights Line Long Clat			UEP95	1PQWV	0.62						7.86				
	 	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		<u> </u>	UEP95	IPQWV	0.62						7.86				
		Slot			UEP95	1PQWQ	0.62						7.86				ļ '
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62						7.86				
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex			02.00		0.02						7.00				
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP95	USAC2		0.102	0.102				7.86				ļ '
		Conversion of Existing Centrex Common Block, each			UEP95	USACN		18.95	8.32				7.86				
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86				
	LINE D	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.75					7.86				
		CENTREX - DMS100 (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		ort/Loop Combination Rates (Non-Design)															-
	OI LI	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP9D		10.79										İ
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -								l i							
	1	Non-Design		2	UEP9D		15.52										
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			l		\neg	\neg									1
		Non-Design		3	UEP9D		31.74										 !
	UNE P	ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-		+		-									
		Design]	4	UEP9D		13.82	l									1 '
-	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	+-	OLF3D	+	13.02	ł									
		Design		2	UEP9D		18.60	l									1 '
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		Ė		1											<u> </u>
		Design		3	UEP9D		34.37	l									1 '
	UNE Lo	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.64						7.86				
	ļ	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	14.37						7.86				1
<u> </u>	<u> </u>	2-Wire Voice Grade Loop (SL 1) - Zone 3		_	UEP9D	UECS1	30.59						7.86		ļ	ļ	
—	1	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP9D UEP9D	UECS2	12.67 17.45	+					7.86 7.86				
-	+	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3		UECS2 UECS2	33.22						7.86		1	1	
\vdash	UNF P	prt Rate	1	3	OLF3D	ULUSZ	33.22	ł					7.00				
-	ALL ST			1		+		-									
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				<u> </u>
	•		•	•	•							•			•	•	

	NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	,
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ES(\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local						FIISL	Add I	FIISt	Add I	SOWIEC	SOWIAN	SOWAN	SOWAN	SOWAN	SOWAN
	Area			UEP9D	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local				LIEDVE											
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			UEP9D	UEPYT	1.15	21.29	15.49	2.85	2.67		7.86				
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	1.15	21.29	15.49	2.85	2.67		7.86				
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	1.15	21.29	15.49	2.85	2.67		7.86				
	Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPY3	1.15	21.29	15.49	2.85	2.67		7.86				
	Area			UEP9D	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				<u> </u>
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			OEF9D	UEPTR	1.15	21.29	15.49	2.00	2.07		7.00				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPYS	1.15	21.29	15.49	2.85	2.67		7.86				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY4	1.15	21.29	15.49	2.85	2.67		7.86				ļ
	Basic Local Area			UEP9D	UEPY5	1.15	21.29	15.49	2.85	2.67		7.86				ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				<u> </u>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86			-	<u></u>
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
	LA, MS, SC, & TN Only											7.86				
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D UEP9D	UEPQB UEPQC	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67		7.86 7.86				
	2-Wire Voice Grade Port (Centrex / EBS-PSE1)3 2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.15	21.29	15.49	2.85	2.67		7.86				

NDUNDLE	D NETWORK ELEMENTS - Kentucky		1								_		Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.15	21.29	15.49	2.85	2.67		7.86				1
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.15	21.29	15.49	2.85	2.67		7.86				[
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															ĺ
	Indication)3			UEP9D	UEPQW	1.15	21.29	15.49	2.85	2.67		7.86				l
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															ſ
	2			UEP9D	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.15	21.29	15.49	2.85	2.67		7.86				
																ſ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.15	21.29	15.49	2.85	2.67		7.86				1
																i
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.15	21.29	15.49	2.85	2.67		7.86				i .
																ſ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.15	21.29	15.49	2.85	2.67		7.86				i .
																ſ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.15	21.29	15.49	2.85	2.67		7.86				i .
																i
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.15	21.29	15.49	2.85	2.67		7.86				l
																ſ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.15	21.29	15.49	2.85	2.67		7.86				l
																ſ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.15	21.29	15.49	2.85	2.67		7.86				i
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															1
	Term			UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				l
																ſ
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				i .
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				l
Local	Switching															1
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8873						7.86				1
Local	Number Portability															1
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										1
Featur																1
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00						7.86				1
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.66					7.86				1
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00						7.86				
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				7.86				1
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				7.86				!
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				7.86				1
	laneous Terminations															
2-Wire	Trunk Side															1
	Trunk Side Terminations, each		 	UEP9D	CEND6	10.51	92.18	15.82	52.16	5.30		7.86			ļ	
4-Wire	Digital (1.544 Megabits)		ļ	LIEDAD	MALIE		40.00		22.25							
	DS1 Circuit Terminations, each		ļ	UEP9D	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86				
	DS0 Channels Activiated per Channel		<u> </u>	UEP9D	M1HDO	0.00	15.09					7.86				
Interof	fice Channel Mileage - 2-Wire		<u> </u>													
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	29.11						7.86				
	Interoffice Channel mileage, per mile or fraction of mile		ļ	UEP9D	MIGBM	0.01						7.86				
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	е	ļ		1											
D4 Cha	annel Bank Feature Activations		ļ	LIEBAB	400000											
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot		ļ	UEP9D	1PQWS	0.62						7.86				
		l	1		1]		1				Ì	1
1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	l	1	UEP9D	1PQW6	0.62						7.86				1

CIADCIADI	LED NETWORK ELEMENTS - Kentucky	1		1					,		Com Cont	Com Cont	Attachment:		Exhibit: B	In an arrant
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot		ļ	UEP9D	1PQW7	0.62						7.86				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.62						7.00				
-	Different Wire Center			UEP9D	TPQWP	0.62						7.86				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62						7.86				
	Feature Activation on D-4 Channel Bank Tivate Line/Trunk Loop	1		OLI 3D	II QVVV	0.02						7.00				
	Slot			UEP9D	1PQWQ	0.62						7.86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62						7.86				
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port	1		UEP9D	USAC2		0.102	0.102				7.86				
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		18.95	8.32				7.86				
	New Centrex Standard Common Block	ļ		UEP9D	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				
	New Centrex Customized Common Block	1		UEP9D	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.75					7.86				
	-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo										-					
	Non-Design		1	UEP9E		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		OLI OL		10.73										
	Non-Design		2	UEP9E		15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9E		31.74										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Design		1	UEP9E		13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9E		18.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOE		04.07										
LINE	Design Loop Rate		3	UEP9E		34.37										
UNE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9.64					-	7.86				
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	14.37						7.86				-
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP9E	UECS1	30.59						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	12.67						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	17.45						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	33.22						7.86				
	Port Rate															
AL,	FL, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1		LIEBOE	LIED: 75			.=								1
	Area	!	1	UEP9E	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86		-	-	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area	1		UEP9E	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	1	OEF9E	UEFIR	1.15	21.29	15.49	∠.ŏ5	2.07	1	7.86		1	1	
	Center)2 Basic Local Area	1		UEP9E	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				1
1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1			52. TW	1.10	21.20	10.49	2.00	2.01	1	7.00				
	Term - Basic Local Area			UEP9E	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area	<u></u>		UEP9E	UEPY9	1.15	21.29	15.49	2.85	2.67	<u> </u>	7.86		<u> </u>	<u> </u>	<u></u>
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area	<u> </u>		UEP9E	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
AL,	KY, LA, MS, & TN Only	ļ		LIEBAE	lump :											
	2-Wire Voice Grade Port (Centrex)	1		UEP9E	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination)	<u> </u>	1	UEP9E	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP9E	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Kentucky			r							T -	Γ-	Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP9E	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEF9E	UEPQIVI	1.15	21.29	15.49	2.00	2.07		7.00				+
	Term			UEP9E	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
																†
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8873						7.86				
Local	Number Portability			LIEBOE	LNDOO	0.05						7.00				
Featur	Local Number Portability (1 per port)		!	UEP9E	LNPCC	0.35						7.86				
reatur	All Standard Features Offered, per port		 	UEP9E	UEPVF	0.00	+		-			7.86	1	-	-	+
	All Select Features Offered, per port		1	UEP9E	UEPVS	0.00	405.66					7.86				
	All Centrex Control Features Offered, per port		 	UEP9E	UEPVC	0.00	.00.00					7.86				
NARS			<u> </u>			2.00	İ									†
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00								1
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00								1
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00								
	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30		7.86				<u> </u>
4-Wire	Digital (1.544 Megabits)			LIEDOE	MALIDA	74 77	101.00	77.74	00.00	2.00		7.00				
	DS1 Circuit Terminations, each DS0 Channel Activated Per Channel			UEP9E UEP9E	M1HD1 M1HDO	74.77 0.00	164.86 15.09	77.74	60.69	3.86		7.86 7.86				+
Interes	fice Channel Mileage - 2-Wire			UEP9E	MIHDO	0.00	15.09					7.86				+
Intero	Interoffice Channel Facilities Termination			UEP9E	MIGBC	29.11						7.86				+
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.01						7.86				†
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	annel Bank Feature Activations															1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop				450145							= 00				
	Slot			UEP9E	1PQW7	0.62						7.86				-
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.62						7.86				
	Different wife Center			UEF9E	IFQWF	0.62						7.00				+
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP9E	1PQWV	0.62						7.86				
1	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		<u> </u>	- "	1	3.32										
	Slot		1	UEP9E	1PQWQ	0.62						7.86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.62						7.86				
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port		<u> </u>	UEP9E	USAC2		0.102	0.102				7.86				
	Conversion of Existing Centrex Common Block, each		<u> </u>	UEP9E	USACN	0.00	18.95	8.32	111.0=	10.0=		7.00	-	-	-	
	New Centrex Standard Common Block New Centrex Customized Common Block	l	 	UEP9E UEP9E	M1ACS M1ACC	0.00	669.80 669.80	78.32 78.32	111.05 111.05	13.27 13.27		7.86 7.86				+
	NAR Establishment Charge, Per Occasion	-	1	UEP9E UEP9E	URECA	0.00	72.75	10.32	111.05	13.27		7.86				+
LINF-P	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	 	1	J_1 J_	JILOA	0.00	12.13					7.00				
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		<u> </u>													
	ort/Loop Combination Rates (Non-Design)				1								1			1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP93		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1													
	Non-Design	ļ	2	UEP93		15.52										<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	ı	1	I					l	l			l	l	l	1
	Non-Design		3	UEP93		31.74	l									

UNDUNDLE	ED NETWORK ELEMENTS - Kentucky			ı							I		Attachment:		Exhibit: B	1
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonrec	urring	Nonrecurring					Rates(\$)	1	<u>.</u>
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		4	UEP93		13.82										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP93	+	13.82									-	+
	Design		2	UEP93		18.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP93		34.37										
UNE I	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	30.59										-
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	12.67										-
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		2	UEP93 UEP93	UECS2	17.45									 	+
LINE	Port Rate	-	3	OFLAN	UECS2	33.22			1							+
	Y, LA, MS, & TN only				+											+
AL, K	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86			t	+
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			021 00	JEI IA	1.13	21.23	15.45	2.03	2.01	1	1.00			I	
	Area			UEP93	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86			1	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local														1	1
	Area			UEP93	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															1
	Center)2 Basic Local Area			UEP93	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP93	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP93	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP93	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP93	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86			-	+
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP93	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP93	UEPQIVI	1.15	21.29	15.49	2.00	2.07		7.00				+
	Term			UEP93	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
	Telli			OLI 33	OLI QZ	1.10	21.23	13.43	2.00	2.01		7.00				+
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				†
Local	Switching															<u> </u>
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8873						7.86				
Local	Number Portability															
	Local Number Portability (1 per port)			UEP93	LNCCC	0.35										
Featu										-						
	All Standard Features Offered, per port			UEP93	UEPVF	0.00		•				7.86				
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00						7.86				1
NARS			<u> </u>	LIEBOO	Lungy											
	Unbundled Network Access Register - Combination		1	UEP93	UARCX	0.00	0.00	0.00							-	
	Unbundled Network Access Register - Indial		 	UEP93	UAR1X	0.00	0.00	0.00							1	+
Minne	Unbundled Network Access Register - Outdial		-	UEP93	UAROX	0.00	0.00	0.00	1						 	+
	ellaneous Terminations Trunk Side		1		+ -	+									+	+
Z-VVII	Trunk Side Trunk Side Terminations, each			UEP93	CEND6	10.51	92.18	15.82	52.16	5.30		7.86			t	+
4-Wir	e Digital (1.544 Megabits)			OE1 33	OLINDO	10.51	32.10	13.02	52.10	5.50		7.00			t	+
7	DS1 Circuit Terminations, each			UEP93	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86			I	
-	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	15.09		33.55	3.50		7.86			1	
Intero	ffice Channel Mileage - 2-Wire					5.55									1	1
	Interoffice Channel Facilities Termination			UEP93	MIGBC	29.11						7.86				1
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.01						7.86				1
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														1

NBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:		Exhibit: B	
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)			1	Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order v
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
D4 Ch	annel Bank Feature Activations															1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.62						7.86				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.62						7.86				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.62						7.86				
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.62						7.86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.62						7.86				
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.102	0.102				7.86				
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		18.95	8.32				7.86				
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75					7.86				
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
	- Requires Specific Customer Premises Equipment												-			
NOTE:	Rates displaying an "R" in Interim column are interim and su	bject to	rate tr	rue-up as set forth in	n General Ter	ms and Conditi	ons.									

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
												Svc Order	Svc Order		Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA'	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Manne		Na	 - Dianament		ļ.	000	Rates(\$)		
							Rec	Nonred First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
						-		FIRST	Addi	FIRST	Addi	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
OPERA	TIONAL	L SUPPORT SYSTEMS															
OFERA		(1) Electronic Service Order: CLEC should contact its contract	t negot	iator if	it prefers the state s	specific elect	ronic service o	rdering charge	es as ordered b	ov the State Co	mmissions. T	he electron	ic service o	rdering charg	e currently co	ntained in th	is rate
		is the BellSouth regional electronic service ordering charge.															
		(2) Any element that can be ordered electronically will be billed															ly For
		elements that cannot be ordered electronically at present per t															
		ng charge, SOMAN, will be applied to a CLECs bill when it sub				in tins cate	gory reflects th	e charge that t	Would be billed	to a ollo on	ce electronic c	ruering cap	abilities co	ine on-line io	tilat elelilelli	. Otherwise,	the manual
	Oracini	Electronic OSS Charge, per LSR, submitted via BST's OSS		LOIL	o Benoodin.								I	l	l		l
		interactive interfaces (Regional)				SOMEC		3.50									
UNBUN	DLED E	XCHANGE ACCESS LOOP				0020		0.00									
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.90	36.54	16.87				15.20				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	<u></u>	2	UEANL	UEAL2	23.33	36.54	16.87				15.20				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	48.43	36.54	16.87				15.20				
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	33.17				15.20				
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.28	19.28				15.20				
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.75	8.93				15.20				
		Engineering Information Document (EI)			UEANL			13.04	13.04								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		7.92	7.92								
		Order Coordination for Specified Conversion Time for UVL-SL1															
	0 M//DF	(per LSR)			UEANL	OCOSL		17.56	17.56								
	2-WIRE	Unbundled COPPER LOOP			UEO	LIFONY	10.10	05.07	45.00				45.00				
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	12.40	35.27	15.60				15.20				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	H		UEQ UEQ	UEQ2X UEQ2X	14.32 16.87	35.27 35.27	15.60 15.60				15.20 15.20				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-	-	3	UEQ	UEQZX	10.07	33.21	15.60			1	15.20				
		Designed (per loop)			UEQ	USBMC		7.92	7.92								
		Engineering Information Document			UEQ	CODIVIC		13.04	13.04								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		33.17	33.17				15.20				
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.28	19.28				15.20				
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.25	7.42				15.20				
UNBUN	DLED E	XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00		15.20				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	l						-								
		Zone 1	ļ	1	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00		15.20				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	1	_													
 		Zone 2	!	2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00		15.20	ļ	ļ		ļ
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	l	_	HEDOD HEDOD	LIEARO	20.00	20.51	10.0=	0.00	0.00		45.00				
-		Zone 2		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00		15.20				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	l	2	HEDER HEDER	LIEALO	40.40	20.51	40.07	0.00	0.00		45.00				
-		Zone 3	<u> </u>	3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00		15.20				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3	l	3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00		15.20				
UNRUM	DI ED E	EXCHANGE ACCESS LOOP	1	3	OLF ON UEFOD	ULADO	40.43	30.34	10.07	0.00	0.00	-	15.20	1	1		1
		ANALOG VOICE GRADE LOOP															
	- *****\L	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1														
		Ground Start Signaling - Zone 1	l	1	UEA	UEAL2	14.93	102.10	65.72								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	l	<u> </u>				.02.10	00.72								
		Ground Start Signaling - Zone 2	l	2	UEA	UEAL2	25.35	102.10	65.72				15.20				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or								İ				l	l		·
		Ground Start Signaling - Zone 3	<u></u>	3	UEA	UEAL2	50.46	102.10	65.72			<u> </u>	15.20	<u></u>	<u> </u>		<u> </u>
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1	<u> </u>	1	UEA	UEAR2	14.93	102.10	65.72				15.20				

04/12/02 Page 157 of 352

UNBL	JNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2	Exhibit: B	
<u> </u>											Svc Order	Svc Order	Incremental			Incremental
											Submitted			Charge -	Charge -	Charge -
			Interi	_							Elec		Manual Svc			Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAI	'ES(\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	_	Nonrec	urring	Nonrecurring Disconnec	t		oss	Rates(\$)		
							Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse														
		Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	102.10	65.72			15.20				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3	UEA	UEAR2	50.46	102.10	65.72			15.20				
	-	Battery Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	50.46	17.56	65.72			15.20				
	1	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30			15.20				
	4-WIRE	ANALOG VOICE GRADE LOOP			0271	O.L.L.VO		07.00	00.00			10.20				
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	30.81	127.40	91.02			15.20				
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.32	127.40	91.02			15.20				
	 	4-Wire Analog Voice Grade Loop - Zone 3	ļ	3	UEA	UEAL4	60.39	127.40	91.02			15.20				
-	 	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			UEA	OCOSL		17.56	36.30		+	15.20				
-	2-WIRE	ISDN DIGITAL GRADE LOOP	-		UEA	UREWO		87.59	30.30		+	15.20				
		2-Wire ISDN Digital Grade Loop - Zone 1	-	1	UDN	U1L2X	22.09	113.34	76.96		+	15.20				
	1	2-Wire ISDN Digital Grade Loop - Zone 2	l	2	UDN	U1L2X	35.28	113.34	76.96		1	15.20		İ		
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	65.18	113.34	76.96			15.20				
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		17.56								
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.49	44.09			15.20				
	2-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone														
		2-wire Universal Digital Channel (UDC) Compatible Loop - Zone		1	UDC	UDC2X	22.09	113.34	76.96			15.20				
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		-	ODC	ODOZX	22.03	110.04	70.30			13.20				
		2		2	UDC	UDC2X	35.28	113.34	76.96			15.20				
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone														
		3		3	UDC	UDC2X	65.18	113.34	76.96			15.20				
		CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		91.49	44.09			15.20				
-	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP 2 Wire Unbundled ADSL Loop including manual service inquiry	AIIBLE	LOOP	' 	-										
		& facility reservation - Zone 1		1	UAL	UAL2X	12.29	117.08	68.36			15.20				
		2 Wire Unbundled ADSL Loop including manual service inquiry			O/ IL	ONLEX	12.20	117.00	00.00			10.20				
		& facility reservation - Zone 2		2	UAL	UAL2X	14.09	117.08	68.36			15.20				
		2 Wire Unbundled ADSL Loop including manual service inquiry														
		& facility reservation - Zone 3		3	UAL	UAL2X	15.75	117.08	68.36			15.20				
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17.56								
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL	UAL2W	12.29	92.83	56.02		1	15.20				
	1	2 Wire Unbundled ADSL Loop without manual service inquiry &		<u> </u>	O/ 1L	JALZ V V	12.23	32.03	50.02		+	15.20				
		facility reservaton - Zone 2		2	UAL	UAL2W	14.09	92.83	56.02			15.20				
		2 Wire Unbundled ADSL Loop without manual service inquiry &					İ									
	ļ	facility reservaton - Zone 3	ļ	3	UAL	UAL2W	15.75	92.83	56.02			15.20				
<u> </u>	1	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			UAL UAL	OCOSL UREWO		17.56 86.07	40.34		+	15.20				
-	2-WIRE	ICLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	UAL	UKEWU		86.07	40.34		+	15.20				
1		2 Wire Unbundled HDSL Loop including manual service inquiry				+ +					+	1				
		& facility reservation - Zone 1		1	UHL	UHL2X	9.79	125.50	76.77			15.20				
		2 Wire Unbundled HDSL Loop including manual service inquiry														
	<u> </u>	& facility reservation - Zone 2		2	UHL	UHL2X	11.52	125.50	76.77			15.20				
		2 Wire Unbundled HDSL Loop including manual service inquiry		_	UHL	LILLION	40.74	405 50	70.77			45.00				
\vdash	 	& facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	 	3	UHL	UHL2X OCOSL	12.74	125.50 17.56	76.77	 	+	15.20				
-	 	2 Wire Unbundled HDSL Loop without manual service inquiry	1		OFF	JUUSL		17.30			+					
		and facility reservation - Zone 1		1	UHL	UHL2W	9.79	101.24	64.43		1	15.20				
	Ì	2 Wire Unbundled HDSL Loop without manual service inquiry														
<u> </u>	<u> </u>	and facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43			15.20				
		2 Wire Unbundled HDSL Loop without manual service inquiry		_				,	****							
-	 	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL UHL	UHL2W OCOSL	12.74	101.24 17.56	64.43		+	15.20				
-	1	CLEC to CLEC Conversion Charge without outside dispatch	-		UHL	UREWO		17.56 86.00	40.34		+	15.20				
1	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	J. IL	JIKE VVO		00.00	70.04		+	13.20				
					l					11	_1			1		

UNDUNDLI	ED NETWORK ELEMENTS - Louisiana			ı									Attachment:		Exhibit: B	!
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	16.24	153.26	104.54				15.20				
	4-Wire Unbundled HDSL Loop including manual service inquiry			l		40.05	450.00	404.54				45.00				
	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL4X	16.65	153.26	104.54				15.20				
	and facility reservation - Zone 3		3	UHL	UHL4X	17.34	153.26	104.54				15.20				
-	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	17.54	17.56	104.54				13.20				
	4-Wire Unbundled HDSL Loop without manual service inquiry			0.12	00002											
	and facility reservation - Zone 1		1	UHL	UHL4W	16.24	129.00	92.20				15.20				
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	16.65	129.00	92.20				15.20				
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4W	17.34	129.00	92.20			ļ	15.20			ļ	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56	10.01				45.00				
4 14/15	CLEC to CLEC Conversion Charge without outside dispatch RE DS1 DIGITAL LOOP			UHL	UREWO		86.00	40.34				15.20			-	
4-111	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	85.70	245.16	152.98	-			15.20			-	
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	194.96	245.16	152.98				15.20				-
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	491.94	245.16	152.98				15.20				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		17.56								1	
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.93	42.98				15.20				
4-WIR	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	30.99	121.86	85.48				15.20				
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	36.78	121.86	85.48				15.20				
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	38.92	121.86	85.48				15.20				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	30.99	121.86	85.48				15.20				ļ
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL UDL	UDL56 UDL56	36.78	121.86	85.48 85.48				15.20				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	38.92	121.86 17.56	85.48				15.20				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	30.99	121.86	85.48				15.20				1
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	36.78	121.86	85.48				15.20				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.92	121.86	85.48				15.20			1	
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		17.56									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.97	49.67				15.20				
2-WIR	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.29	116.18	67.46				15.20				
	2-Wire Unbundled Copper Loop/Short including manual service	1	_	LICI	UCLPB	14.09	440.40	07.40			1	45.00				
	inquiry & facility reservation - Zone 2	 	2	UCL	OCTAR	14.09	116.18	67.46				15.20			 	
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	15.75	116.18	67.46			1	15.20				
	Order Coordination for Unbundled Copper Loops (per loop)	1	J	UCL	UCLMC	15.75	7.92	7.92				13.20			t	
	2-Wire Unbundled Copper Loop/Short without manual service	1			002.00		7.02	1.52	 						†	t
	inquiry and facility reservation - Zone 1	l	1	UCL	UCLPW	12.29	91.92	55.12				15.20			1	
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	14.09	91.92	55.12				15.20				
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	15.75	91.92	55.12				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)	ļ		UCL	UCLMC		7.92	7.92								
1	2-Wire Unbundled Copper Loop/Long - includes manual srvc.	l		UCL	UCL2L	47.04	116.18	07.40				45.00			1	
	inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Long - includes manual svc.	 	1	UCL	UCL2L	17.21	116.18	67.46	 		-	15.20				
	inquiry and facility reservation - Zone 2	1	2	UCL	UCL2L	24.98	116.18	67.46			1	15.20			I	
	2-Wire Unbundled Copper Loop/Long - includes manual svc.	1			JOLZE	24.30	110.10	07.40				10.20			t	
	inquiry and facility reservation - Zone 3	1	3	UCL	UCL2L	39.57	116.18	67.46			1	15.20				
1	Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	33.57	7.92	7.92	†			.0.20			1	
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 1	1	1	UCL	UCL2W	17.21	91.92	55.12			1	15.20			I	

UNBUND'	LED	NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGORY		RATE ELEMENTS	Interi m	Zone	BCS	USOC			ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec		Nonrecurring Disc		001150	001111		Rates(\$)	SOMAN	001141
-+		2-Wire Unbundled Copper Loop/Long - without manual service						First	Add'l	First /	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	į	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	24.98	91.92	55.12				15.20				
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	39.57	91.92	55.12				15.20				
	(Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
		CLEC to CLEC Conversion Charge without outside dispatch															
4.18	<u> </u>	(UCL-Des)			UCL	UREWO		91.92	42.47				15.20				<u> </u>
4-W		COPPER LOOP															
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	22.27	139.69	90.96				15.20				
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	18.95	139.69	90.96				15.20				
		4-Wire Copper Loop/Short - including manual service inquiry															
		and facility reservation - Zone 3		3	UCL UCL	UCL4S UCLMC	10.99	139.69 7.92	90.96 7.92				15.20				4
-+		Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop/Short - without manual service inquiry and		-	UCL	UCLIVIC	+	7.92	7.92								+
	1	facility reservation - Zone 1		1	UCL	UCL4W	22.27	115.43	78.63				15.20				
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63				15.20				
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		2	UCL	UCL4W	10.99	445.40	70.00				45.00				
		Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	10.99	115.43 7.92	78.63 7.92				15.20				1
		4-Wire Unbundled Copper Loop/Long - includes manual svc.			OCL	OCLIVIC		1.52	1.52								
	į	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	26.17	139.69	90.96				15.20				
		4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4L	28.47	139.69	90.96				15.20				
		4-Wire Unbundled Copper Loop/Long - includes manual svc.				i i											
		inquiry and facility reservation - Zone 3		3	UCL	UCL4L	62.93	139.69	90.96				15.20				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								ļ
		4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4O	26.17	115.43	78.63				15.20				
		4-Wire Unbundled Copper Loop/Long - without manual svc.			COL	COLTO	20.17	110.40	70.00				10.20				1
	į	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	28.47	115.43	78.63				15.20				
		4-Wire Unbundled Copper Loop/Long - without manual svc.															
-+		inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCL4O UCLMC	62.93	115.43 7.92	78.63 7.92				15.20				
-+		CLEC to CLEC Conversion Charge without outside dispatch			OCL	OCLIVIC		1.52	7.52								
	- 1	(UCL-Des)			UCL	UREWO		91.92	42.47				15.20				
LOOP MOD	DIFIC	ATION															
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULM2L		0.00	0.00				15.20				
+		Unbundled Loop Modification, Removal of Load Coils - 2 wire		1	OD.1, ODE, OOE	CLIVIZE	+	0.00	0.00				15.20				
	9	greater than 18k ft			UCL, ULS	ULM2G		0.00	0.00				15.20				
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L	\exists	0.00	0.00				15.20				
	-	Unbundled Loop Modification Removal of Load Coils - 4 Wire		1													
		pair greater than 18k ft Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UCL UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULM4G ULMBT		0.00 12.15	0.00				15.20 15.20				
SUB-LOOPS																	
Sub		pp Distribution		<u> </u>				-									
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	١.		UEANL	USBSA		144.09	144.09				15.20				

ONBONDLE	D NETWORK ELEMENTS - Louisiana			1									Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		10.99	10.99				15.20				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Op Sub-Loop - Per Building Equipment Room - CLEC Feeder	- '		UEANL	USBSB		10.99	10.99				15.20				
	Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	I		UEANL	USBSC		86.16	86.16				15.20				
	Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	- 1		UEANL	USBSD		27.13	27.13				15.20				
	Zone 1		1	UEANL	USBN2	7.57	63.89	30.06				15.20				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			OLANE	CODINZ	7.57	03.03	30.00				13.20				
	Zone 2	1	2	UEANL	USBN2	12.75	63.89	30.06				15.20				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 3	- 1	3	UEANL	USBN2	21.45	63.89	30.06				15.20				
								= 00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		4	UEANL	USBN4	11.76	76.75	42.92				15.20				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		-	ULANL	USBIN4	11.70	70.73	42.32				13.20				
	Zone 2		2	UEANL	USBN4	16.84	76.75	42.92				15.20				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	19.27	76.75	42.92				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR2	2.91	51.48	17.65				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR4	6.58	57.54	23.71				15.20				
	out 2005 4 Wile intraballating Notwork Cable (into)			OL7 II VL	COBIN	0.00	07.04	20.71				10.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS2X	6.26	63.89	30.06				15.20				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	10.07	63.89	30.06				15.20				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	12.70	63.89	30.06				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	8.03	76.75	42.92			1	15.20				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i i		UEF	UCS4X	10.71	76.75	42.92				15.20				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS4X	6.08	76.75	42.92				15.20				
	·															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
Unbur	dled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load			uee	111 1407		0.00	0.00				45.00				
	Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load			UEF	ULM2X		0.00	0.00				15.20				
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		0.00	0.00				15.20				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged			OL:	OLIVIAX		0.00	0.00				10.20				
	Tap Removal, per PR unloaded			UEF	ULM4T		224.55	4.29				15.20				
Unbur	ndled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3454	14.72	14.72				15.20				
Netwo	rk Interface Device (NID)			LIENTAL	LINIDAO		40.00	07.00			ļ	45.00				
	Network Interface Device (NID) - 1-2 lines			UENTW UENTW	UND12 UND16		42.26 62.86	27.83 48.43			 	15.20 15.20				
	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.73	5.73			1	15.20			1	
	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.73	5.73				15.20				
SUB-LOOPS	The state of the s						33	50				.0.20				
	oop Feeder			<u> </u>												
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,												
	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		144.09				ļ	15.20				
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,	HODEY		40.00	10.00				45.00				
	set-up USL Feeder DS1 Set-up at DSX location, per DS1 termination			UDN,UCL,UDL,UDC	USBFX USBFZ		10.99 568.98	10.99 11.30			<u> </u>	15.20 15.20			1	

UNBUNDLE	NETWORK ELEMENTS - Louisiana										Ι-		Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ES(\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Halanda II. 10 1 1 and Francisco Communication of Milanda Vision						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice			UEA	USBFA	0.74	89.81	54.05				45.00				
	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		1	UEA	USBFA	8.71	89.81	54.35				15.20				
	Grade - Zone 2		2	UEA	USBFA	13.64	89.81	54.35				15.20				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3		3	UEA	USBFA	30.21	89.81	54.35				15.20				
	Order Coordination for Specified Conversion Time, per LSR		3	UEA	OCOSL	30.21	17.56	34.33				13.20				
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice			OLIT	CCCCL		17.00									
	Grade - Zone 1		1	UEA	USBFB	8.71	89.81	54.35				15.20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice					_										
	Grade - Zone 2	L	2	UEA	USBFB	13.64	89.81	54.35				15.20				<u> </u>
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice							· · · · · · · · · · · · · · · · · · ·							1	
	Grade - Zone 3		3	UEA	USBFB	30.21	89.81	54.35			ļ	15.20				
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		17.56			ļ					ļ	
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	1			LIODEO											
	Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	!	1	UEA	USBFC	8.71	89.81	54.35				15.20			 	
	Voice Grade - Zone 2		2	UEA	USBFC	13.64	89.81	54.35				15.20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse			OLA	USBI C	13.04	09.01	34.33				13.20				
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	30.21	89.81	54.35				15.20				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		17.56									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 1		1	UEA	USBFD	21.44	103.69	67.31				15.20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 2		2	UEA	USBFD	24.66	103.69	67.31				15.20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFD	42.84	103.69	67.31				15.20				
-	Order Coordination For Specified Conversion Time, Per LSR		3	UEA	OCOSL	42.04	17.56	07.31				15.20				-
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			OLA	OCCOL		17.50									
	Grade - Zone 1		1	UEA	USBFE	21.44	103.69	67.31				15.20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFE	24.66	103.69	67.31				15.20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 3		3	UEA	USBFE	42.84	103.69	67.31				15.20				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		17.56					4= 00				
 	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1	ļ		UDN	USBFF	15.44 23.32	102.58	66.20 66.20				15.20				-
 	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3	-	3	UDN UDN	USBFF	23.32 44.57	102.58 102.58	66.20	-	-	-	15.20 15.20	1	-	-	-
	Order Coordination For Specified Conversion Time, Per LSR	 	3	UDN	OCOSL	44.57	17.56	00.20		1	1	13.20			1	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	1	1	UDC	USBFS	15.44	102.58	66.20		1	1	15.20	1		1	t
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	23.32	102.58	66.20				15.20				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	44.57	102.58	66.20				15.20				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	55.38	98.15	61.77				15.20				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	167.83	98.15	61.77				15.20				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	469.87	98.15	61.77				15.20				
	Order Coordination For Specified Conversion Time, Per LSR	1	4	USL	OCOSL	0.00	17.56	44.00		-		45.00			-	-
 	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	 	1	UCL	USBFH	6.96	81.36	44.98			1	15.20				
	2		2	UCL	USBFH	4.97	81.36	44.98				15.20				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	1			555.11	7.31	01.50	44.30				10.20				-
	3	l	3	UCL	USBFH	3.99	81.36	44.98				15.20				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		17.56								1	İ
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1			UCL	USBFJ	15.68	98.07	61.69				15.20				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	9.68	98.07	61.69				15.20				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	6.39	98.07	61.69		ļ		15.20			ļ	
	Order Coordination For Specified Conversion Time, per LSR	<u> </u>		UCL	OCOSL	00.01	17.56	04 ==		ļ	<u> </u>	45.00	ļ			<u> </u>
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop	 	1 2	UDL	USBFN	22.61	98.15 98.15	61.77 61.77		1	1	15.20 15.20	-	-	1	
	loub-Loop reeger - Per 4-Wire 19.2 NDDS Digital Grade Loop	ı		UDL UDL	USBFN	22.87 24.25	98.15	61.77]			15.20				

UNBUNI	DLED	NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	usoc			ES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring					Rates(\$)		
							1160	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															İ
		Zone 1		1	UDL	USBFO	22.61	98.15	61.77				15.20				
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		_	UDL	USBFO	22.87	00.45	61.77				45.00				İ
		Zone 2 Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		2	UDL	USBFU	22.87	98.15	61.77	-			15.20				
		Zone 3		3	UDL	USBFO	24.25	98.15	61.77				15.20				İ
		Order Coordination For Specified Time Conversion, per LSR		Ŭ	UDL	OCOSL	24.20	17.56	01.77				10.20				
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -								t t							
		Zone 1		1	UDL	USBFP	22.61	98.15	61.77				15.20				l
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
		Zone 2		2	UDL	USBFP	22.87	98.15	61.77				15.20		ļ	ļ	
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		_	l <u></u> .										1	1	1
 		Zone 3		3	UDL UDL	USBFP OCOSL	24.25	98.15	61.77				15.20		 	 	
SUB-LOO		Order Coordination For Specified Conversion Time, per LSR		!	UDL	UCUSL		17.56				-			-	-	
		op Feeder		 		+ +				+		1			1	1	
31		Sub Loop Feeder - DS3 - Per Mile Per Month	- 1		UE3	1L5SL	17.00			+							
		Sub Loop Feeder - DS3 - Facility Termination Per Month	i	<u> </u>	UE3	USBF1	368.44	3,381.00	406.56	 			15.20		1	1	
		Sub Loop Feeder – STS-1 – Per Mile Per Month	ı		UDLSX	1L5SL	17.00	-,									
		Sub Loop Feeder - STS-1 - Facility Termination Per Month	- 1		UDLSX	USBF7	395.92	3,381.00	406.56				15.20				
		Sub Loop Feeder – OC-3 – Per Mile Per Month	ı		UDLO3	1L5SL	12.90										
		Sub Loop Feeder - OC-3 - Facility Termination Protection Per															ĺ
		Month	_ !		UDLO3	USBF5	60.45		100 50				15.00				
		Sub Loop Feeder - OC-3 - Facility Termination Per Month Sub Loop Feeder - OC-12 - Per Mile Per Month			UDLO3 UDL12	USBF2 1L5SL	594.77 15.87	3,381.00	406.56				15.20				
		Sub Loop Feeder - OC-12 - Per Mile Per Month Sub Loop Feeder - OC-12 - Facility Termination Protection Per			UDL12	ILSSL	15.87										
		Month	- 1		UDL12	USBF6	683.03										İ
		Sub Loop Feeder - OC-12 - Facility Termination Per Month	i		UDL12	USBF3	1,922.00	3,381.00	406.56				15.20				
		Sub Loop Feeder - OC-48 - Per Mile Per Month	ı		UDL48	1L5SL	52.07	-,									
		Sub Loop Feeder - OC-48 - Facility Termination Protection Per															
		Month	- 1		UDL48	USBF9	341.64										
		Sub Loop Feeder - OC-48 - Facility Termination Per Month	I		UDL48	USBF4	1,663.00	3,566.00	406.56				15.20				
LINIBUND		Sub Loop Feeder - OC-12 Interface On OC-48	ı		UDL48	USBF8	385.45	787.24	406.56				15.20				
UNBUNDL		OOP CONCENTRATION			ULC	UCT8A	374.26	316.00	316.00	+			15.20				—
		Unbundled Loop Concentration - System A (TR008) Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	53.40	131.67	131.67				15.20				
 		Unbundled Loop Concentration - System 8 (TR303)		!	ULC	UCT3A	412.08	316.00	316.00	 			15.20				
		Unbundled Loop Concentration - System B (TR303)		<u> </u>	ULC	UCT3B	89.98	131.67	131.67	 			15.20		1	1	
		Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5.12	61.46	44.74				15.20				
		Unbundled Loop Concentration - ISDN Loop Interface (Brite							-								
		Card)		<u> </u>	UDN	ULCC1	8.12	10.23	10.18				15.20		ļ	ļ	
		Unbundled Loop Concentration - UDC Loop Interface (Brite		1	LIDO		0.10	40.00	40.10				45.60		1	1	1
		Card) Unbundled Loop Concentration2 Wire Voice-Loop Start or		<u> </u>	UDC	ULCCU	8.12	10.23	10.18				15.20		-	-	
		Ground Start Loop Interface (POTS Card)		1	UEA	ULCC2	2.03	10.23	10.18]			15.20		1	1	1
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery		 	ULA	ULUUZ	2.03	10.23	10.18	+		-	15.20		 	 	
		Loop Interface (SPOTS Card)			UEA	ULCCR	12.07	10.23	10.18				15.20				1
		Unbundled Loop Concentration - 4 Wire Voice Loop Interface				1				† †					İ	Ì	
		(Specials Card)		<u> </u>	UEA	ULCC4	7.20	10.23	10.18	<u> </u>		<u> </u>	15.20		<u> </u>		<u> </u>
		Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	35.19	10.23	10.18				15.20	·			
		Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop			l	1				1 T]		1	1	1
		Interface		<u> </u>	UDL	ULCC7	10.67	10.23	10.18				15.20				
		Unbundled Loop Concentration - Digital 56 Kbps Data Loop		1	UDL	111.005	40.07	40.00	40.40]			45.00		1	1	1
		Interface Unbundled Loop Concentration - Digital 64 Kbps Data Loop		 	UDL	ULCC5	10.67	10.23	10.18	+			15.20		-	-	-
		Interface			UDL	ULCC6	10.67	10.23	10.18				15.20				1
UNE OTH		ROVISIONING ONLY - NO RATE		<u> </u>		22000	10.07	10.20	10.10	 			10.20		1	1	
1		NID - Dispatch and Service Order for NID installation		1	UENTW	UNDBX				1							
		UNTW Circuit Id Establishment, Provisioning Only - No Rate		1	UENTW	UENCE											

UNBU	NDLEI	NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
-												Svc Order	Svc Order	Incremental			Incremental
												Submitted		Charge -	Charge -	Charge -	Charge -
0.4750	001	DATE EL EMENTO	Interi	-	D00	11000						Elec		Manual Svc			Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAI	ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Haland Hall Control Name Book States Only No Bota			UEANL,UEF,UEQ,U	LINIEONI											
LINE OT	HED D	Unbundled Contract Name, Provisioning Only - No Rate ROVISIONING ONLY - NO RATE			ENTW	UNECN											
OILE OI		ROTIONING ONE! NO RATE															
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UEA,UDN,UCL,UDC		0.00	0.00									
-		rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
HICH C	۲۵۸۵۱	no rate Y UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00									
HIGH C	APAUII	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	10.04										
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Termination per month			UE3	UE3PX	362.34	438.46	256.30				15.20				
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per			LIDLOV	1L5ND	40.04										
-		month High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	10.04										
		Termination per month			UDLSX	UDLS1	374.56	438.46	256.30				15.20				
LOOP N	IAKE-U						01.100										
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.70	24.70								
		Loop MakeupWith or Without Reservation, per working or			OWIT	OWNE		24.70	24.70								
		spare facility queried (Mechanized)			UMK	PSUMK		0.19	0.19								
		NCY SPECTRUM															
-	SPLITT	ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity			111.0	ULSDA	407.47	183.33	0.00	0.00	0.00		15.20				
-		Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS ULS	ULSDB	187.17 46.79	183.33	0.00	0.00	0.00		15.20				
		Line Sharing Splitter, Per System, 8 Line Capacity	1		ULS	ULSD8	15.59	183.33	0.00	0.00	0.00		15.20				
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
		deactivation (per LSOD)	L		ULS	ULSDG		83.98		0.00			15.20				
-	END US	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY Line Sharing - per Line Activation (BST Owned Splitter)	SPEC	TRUM A	ULS	ULSDC	0.61	17.97	10.29	0.00	0.00		15.20				
\vdash		Line Sharing - per Line Activation (BS) Owned Spritter) Line Sharing - per Subsequent Activity per Line			010	SLODO	0.01	11.51	10.29	0.00	0.00		13.20				
		Rearrangement(BST Owned Splitter)	L		ULS	ULSDS		15.91	7.95			<u> </u>	15.20		<u> </u>		
		Line Sharing - per Subsequent Activity per Line															
		Rearrangement(DLEC Owned Splitter)			ULS	ULSCS	0.04	15.91	7.95	0.00	0.00		15.20				
\vdash		Line Sharing - per Line Activation (DLEC owned Splitter) Line Splitting - per line activation DLEC owned splitter	-		ULS UEPSR UEPSB	ULSCC UREOS	0.61 0.61	47.44	19.31	0.00	0.00		15.20				
		Line Splitting - per line activation BET owned - physical	i i		UEPSR UEPSB	UREBP	0.642	17.97	10.29								
		Line Splitting - per line activation BST owned - virtual	Ĺ		UEPSR UEPSB	UREBV	0.64	17.97	10.29								
		EDICATED TRANSPORT															
		INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu OFFICE CHANNEL - DEDICATED TRANSPORT	m billin	g perio	d - below DS3=one	month, DS3/	STS-1=four mo	nths									
\vdash	INTERC	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.013										[
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
\vdash		Facility Termination per month			U1TVX	U1TV2	22.60	39.36	26.62				15.20				
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			U1TVX	1L5XX	0.040										
\vdash		Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			UIIVA	ILOXX	0.013										
		Facility Termination per month			U1TVX	U1TR2	22.60	39.36	26.62				15.20				
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.013										

UNBU	NDLE	NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	19.81	39.36	26.62				15.20				
\rightarrow		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OTTVA	01174	19.01	39.30	20.02				13.20				
		per month			U1TDX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	15.61	39.37	26.62				15.20				
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			UTIDX	פטווט	10.01	39.37	20.02				15.20				
		per month			U1TDX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination per month Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			U1TDX	U1TD6	15.61	39.37	26.62				15.20				
ļ		month			U1TD1	1L5XX	0.2652										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility				-											
		Termination per month			U1TD1	U1TF1	70.47	86.69	79.44				15.20				
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	6.04										
		Interoffice Channel - Dedicated Transport - DS3 - Facility			01103	TESAX	0.04										
		Termination per month			U1TD3	U1TF3	850.45	270.69	158.05				15.20				
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			114704	41.500/	0.04										
		month Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	1L5XX	6.04										
		Termination per month			U1TS1	U1TFS	830.19	270.69	158.05				15.20				
		CHANNEL - DEDICATED TRANSPORT															
		LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - belo													
		Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2	18.32	187.51	32.21				15.20				
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULDVX	ULDR2	18.32	187.51	32.21				15.20				
		Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	19.41	187.94	32.63				15.20				
		Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	39.18	172.34	149.27				15.20				
		Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	121.58	172.34	149.27				15.20				
		Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	70.02	172.34	149.27				15.20				
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	7.82										
,		Local Channel - Dedicated - DS3 - Facility Termination per			LII DDo	DE0	400.44	100.10	050.00				45.00				
		month			ULDD3 ULDS1	ULDF3 1L5NC	469.44 7.82	438.46	256.30				15.20				
		Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination per			ULDST	ILSING	7.82										
		month			ULDS1	ULDFS	457.22	438.46	256.30				15.20				
MULTIF	LEXER	S					-										
		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	105.09	88.41	60.76				15.20				
,		OCU-DP COCI (data) - DS1 to DS0 Channel System - per				1											
		month (2.4-64kbs) 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDL	1D1DD	1.38	6.39	4.58				15.20				
		month			UDN	UC1CA	2.96	6.39	4.58				15.20				
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.6497	6.39	4.58				15.20				
		DS3 to DS1 Channel System per month			UXTD3	MQ3	201.48	172.99	91.25				15.20				
		STS1 to DS1 Channel System per month			UXTS1	MQ3	201.48	172.99	91.25				15.20				
		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	11.78	6.39	4.58				15.20				
		DS3 Interface Unit (DS1 COCI) used with Local Channel per					44.70		. =0								
		month DS3 Interface Unit (DS1 COCI) used with Interoffice Channel		 	ULDD1	UC1D1	11.78	6.39	4.58								
ļ		per month			U1TD1	UC1D1	11.78	6.39	4.58								
DARK F	IBER								50								
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Local Channel			UDF	1L5DC	52.23										
		NRC Dark Fiber - Local Channel		<u> </u>	UDF	UDFC4		620.60	133.88				15.20				
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	25.28										
Ì																	

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF	1L5DL	52.23										
TD A NODODT O	NRC Dark Fiber - Local Loop	ļ		UDF	UDFL4		620.60	133.88				15.20				
TRANSPORT																
	al Features & Functions: FEN DIGIT SCREENING															
OAA ACCESS	8XX Access Ten Digit Screening, Per Call	1		OHD		0.0006387										
	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX	1		OLID		0.0000367										
	Number Reserved			OHD	N8R1X		2.51	0.43				15.20				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OTID	HOICIX		2.01	0.40				10.20				
	POTS Translations	1		OHD	I		5.77	0.78				15.20			I	1
	8XX Access Ten Digit Screening, Per 8XX No. Established With	†			1		57	30				.0.20			1	1
	POTS Translations	1		OHD	N8FTX		5.77	0.78				15.20			1	
	8XX Access Ten Digit Screening, Customized Area of Service															
	Per 8XX Number			OHD	N8FCX		2.51	1.26				15.20				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68				15.20				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43				15.20				
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features			OHD	N8FDX		2.51					15.20				
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query			OHD		0.0006387										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per															
	query			OHD		0.0006387										
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)			007		0.0000004										
	LIDB Common Transport Per Query LIDB Validation Per Query			OQT OQU		0.0000221 0.0135077										
	LIDB Originating Point Code Establishment or Change	<u> </u>		OQU OQT, OQU	NRPBX	0.0135077	33.33					15.20				
SIGNALING (C		1		OQ1, OQU	INICEDA		33.33					13.20				
JOHALING (C	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147.60										
	CCS7 Signaling Usage, Per TCAP Message			UDB	1 100%	0.000064										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.77	34.50					15.20				
	CCS7 Signaling Connection, Per link (B link) (also known as D														1	
	link)			UDB	TPP++	15.77	34.50	34.50				15.20				
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.000016										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected	<u> </u>		UDB	CCAPO		28.17	28.17				15.20				
	CCS7 Signaling Point Code, per Destination Point Code				1					·			·		1	
	Establishment or Change, Per Stp Affected	ļ		UDB	CCAPD		28.17	28.17				15.20				
E911 SERVICE		ļ				10.00						45.00				
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					18.32	187.51	32.21				15.20				
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2					18.32	187.51	32.21				15.20				
 	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3	 			+	18.32 0.013	187.51	32.21				15.20			 	
 	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	 	-		+	0.013										-
	Termination	1				22.60	39.36	26.62				15.20			1	
 	Local Channel - Dedicated - DS1 - Zone 1	 			+	39.18	172.34	149.27				15.20			t	1
 	Local Channel - Dedicated - DS1 - Zone 2	 			+	121.58	172.34	149.27				15.20			t	
	Local Channel - Dedicated - DS1 - Zone 3	<u> </u>			1	70.02	172.34	149.27				15.20			1	
	Interoffice Transport - Dedicated - DS1 Per Mile	†				0.2652	2.04					.0.20			1	1
	2011011110	†			1	3.2002									1	1
	Interoffice Transport - Dedicated - DS1 Per Facility Termination	1			I	70.47	86.69	79.44				15.20			I	1
CALLING NAM	E (CNAM) SERVICE	1			1											
	CNAM for DB Owners, Per Query	1		OQV	1	0.0010217									1	
	CNAM for Non DB Owners, Per Query			OQV		0.0010217										
	CNAM For DB Owners - Service Establishment	1		OQV			22.29					15.20				
	CNAM For Non DB Owners - Service Establishment			OQV			22.29					15.20				

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	FES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates(\$)		
						rico .	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CNAM For DB Owners - Service Provisioning With Point Code															j ,
	Establishment			OQV			962.22	711.64				15.20				
	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment			oqv			222 42	220.05				45.00				
LNP Query Se				OQV			332.43	238.05		1		15.20				├──
LNP Query Se	LNP Charge Per query			OQV		0.0008559				-						
	LNP Service Establishment Manual			OQV		0.00005559	12.16			<u> </u>		15.20				
	LNP Service Provisioning with Point Code Establishment						576.33	294.43		<u> </u>		15.20				
OPERATOR C	ALL PROCESSING				+		070.00	204.40				10.20				
	Oper. Call Processing - Oper. Provided, Per Min Using BST															
	LIDB	1				1.20				I					1	1
	Oper. Call Processing - Oper. Provided, Per Min Using															
	Foreign LIDB	1				1.24				I					1	1 !
	Oper. Call Processing - Fully Automated, per Call - Using BST															
	LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using						_]	
	Foreign LIDB					0.20										
INWARD OPE	RATOR SERVICES															
	Inward Operator Services - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt															j ,
	- Per Minute					1.15										
BRANDING - 0	DPERATOR CALL PROCESSING				00100		7 000 00	7,000,00				45.00				
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00 500.00	7,000.00				15.20				
Unban	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00		-		15.20				├──
Unbra	nding via OLNS for UNEP CLEC Loading of OA per OCN (Regional)				_		1,200.00	1,200.00				15.20				——
DIRECTORY	ASSISTANCE SERVICES						1,200.00	1,200.00				15.20				
	TORY ASSISTANCE ACCESS SERVICE															
DIKE	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	DACC)				0.270										
	Directory Assistance Call Completion Access Service (DACC),															
	Per Call Attempt					0.10										
DIREC	TORY TRANSPORT															
DIRECTORY A	SSISTANCE SERVICES															
DIREC	TORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
	DIRECTORY ASSISTANCE															
Facilit	y Based CLEC															
	Recording and Provisioning of DA Custom Branded	1								I					1	1
 	Announcement	<u> </u>		AMT	CBADA		6,000.00	6,000.00		_					 	└
	Loading of Custom Branded Announcement per DRAM	1		AMT	CDADC		4 470 00	4 470 00		I					1	1
UNEP	Card/Switch	!		AIVII	CBADC		1,170.00	1,170.00		 					 	├
UNEP	Recording of DA Custom Branded Announcement	-					3,000.00	3,000.00		 						
 	Loading of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per DRAM	1			+		3,000.00	3,000.00	1	+					1	\vdash
	Card/Switch per OCN	1					1,170.00	1,170.00		I					1	1
Unbra	nding via OLNS for UNEP CLEC				+		1,170.00	1,170.00		 					 	
Unida	Loading of DA per OCN (1 OCN per Order)	1			+	-	420.00	420.00		-					 	
	Loading of DA per Switch per OCN	1			1		16.00	16.00	1	<u> </u>					1	
SELECTIVE R								. 5.00								
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch	1			USRCR		82.25	82.25		I		15.20			1	1
VIRTUAL COL	LOCATION															
	Virtual Collocation - Application Cost			AMTFS	EAF		1,770.40									
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		841.54	•	_					_		
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.20	Ì									
	Virtual Collocation - Power, per breaker amp			AMTFS	ESPAX	8.32										

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
												1	Incremental	Incremental	Incremental	Incremental
		l									Submitted Elec			Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			g Disconnect				Rates(\$)		
	Virtual Collegation Coble Support Structure per entrance						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Cable Support Structure, per entrance cable			AMTFS	ESPSX	16.02										
	oabie			UEANL,UEA,UDN,U	20. 0/1	10.02										
				DC,UAL,UHL,UCL,U												
				EQ, AMTFS, UDL, UNCVX, UNCDX,												
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0.0296	11.94	11.46				15.20				
				UEA,UHL,UCL,UDL, AMTFS, UAL, UDN,												
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.0591	12.04	11.53				15.20				
				AMTFS,UDL12,												
				UDLO3, U1T48, U1T12, U1T03,												
				ULDO3, ULD12,												
	Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF	CNC2F	2.65	20.29	14.76				15.20				
				AMTFS,UDL12,												
				UDLO3, U1T48, U1T12, U1T03,												
				ULDO3, ULD12,												
	Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	5.31	24.81	19.29				15.20				
				USL,ULC,AMTFS, ULR, UXTD1,												
				UNC1X, ULDD1,												
				U1TD1, USLEL,												
	Virtual collocation - DS1 Cross Connects			UNLD1 USL,ULC,AMTFS,U	CNC1X	1.04	21.39	15.47				15.20				
				E3, U1TD3, UXTS1,												
				UXTD3, UNC3X,												
				UNCSX, ULDD3,												
	Virtual collocation - DS3 Cross Connects			U1TS1, ULDS1, UDLSX, UNLD3	CND3X	13.21	20.28	14.76				15.20				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			001074, 0141200	CHECK	10.21	20:20					10.20				
	Support Structure, per linear foot			AMTFS	VE1CB	0.0024										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0036										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable				VETOB	0.0000										
	Support Structure,per cable			AMTFS	VE1CC		534.79									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		534.79									
	Virtual collocation - Security Escort - Basic, per half hour	1		AMTFS	SPTBX		16.44	10.42				†				
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		21.41	13.45								
	Virtual collocation - Security Escort - Premium, per half hour Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS AMTFS	SPTPX CTRLX		26.38 27.12	16.49 10.42				-				
	virtual conocation - maintenance in CO - basic, per nall flour			7 WY:11 O	UTINEX		21.12	10.42				†				
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.42	13.45								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		43.72	16.49								
VIRTUAL COL				AWITES	OI TEIVI		40.72	10.49				+				
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSR	VE1R2	0.0296	11.94	11.46				15.20				
	Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	Voice Grade PBX Trunk - Res	1		UEPSE	VE1R2	0.0296	11.94	11.46				15.20				
1 1	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
	ISDN			UEPSX	VE1R2	0.0296	11.94	11.46	l	l		15.20	1			

ONRONDER	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC		RA1	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
													ist	Addi	DISC 1St	DISC Add 1
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	·	.1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															1
	ISDN			UEPTX	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire															1
	ISDN DS1			UEPEX	VE1R4	0.0591	12.04	11.53				15.20				
VIRTUAL COL	LOCATION															1
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															1
	Splitting			UEPSR, UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00		15.20				
AIN SELECTI	VE CARRIER ROUTING			, , , , , , , , , , , , , , , , , , , ,												†
	Regional Service Establishment			UEBIB	SRCEC		100,209.33					15.20				†
	End Office Establishment			UEBIB	SRCEO		164.29	164.29				15.20				†
	Query NRC, per query			UEBIB		0.0030293										†
AIN - BELLSC	OUTH AIN SMS ACCESS SERVICE															1
	AIN SMS Access Service - Service Establishment, Per State,															†
]	Initial Setup	1		A1N	CAMSE		38.30	38.30				15.20		I	I	
		1					22.00	22.00			1			1	1	1
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.60	7.60				15.20				
	AIN SMS Access Service - Port Connection - ISDN Access	1	1	A1N	CAM1P		7.60	7.60				15.20		t	t	†
 	AIN SMS Access Service - User Identification Codes - Per User				07		7.00	7.00			1	10.20		-		+
	ID Code			A1N	CAMAU		33.99	33.99				15.20				
	AIN SMS Access Service - Security Card, Per User ID Code,			71111	O7 HVI/ 10		00.00	00.00				10.20				+
	Initial or Replacement			A1N	CAMRC		41.39	41.39				15.20				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			Ally	CAWING	0.0022	41.55	41.00				13.20				+
	AIN SMS Access Service - Session, Per Minute					0.5795										+
	AIN SMS Access Service - Company Performed Session, Per					0.5735										+
	Minute					0.8104										
AIN - BELLSC	DUTH AIN TOOLKIT SERVICE					0.0104										+
AIIV - DELEGO	AIN Toolkit Service - Service Establishment Charge, Per State,															+
	Initial Setup			CAM	BAPSC		38.30	38.30				15.20				
	AIN Toolkit Service - Training Session, Per Customer			O7 W1	BAPVX		4,175.10	4,175.10				15.20				+
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				Dru VX		4,170.10	4,170.10				10.20				+
	DN, Term. Attempt				BAPTT		7.60	7.60				15.20				
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DALII		7.00	7.00				13.20				+
	DN, Off-Hook Delay				BAPTD		7.60	7.60				15.20				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DALID		7.00	7.00				13.20				+
	DN, Off-Hook Immediate				ВАРТМ		7.60	7.60				15.20				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI IIVI		7.00	7.00				13.20				+
	DN, 10-Digit PODP				ВАРТО		33.47	33.47				15.20				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI 10		33.47	33.47				13.20				+
	DN, CDP				BAPTC		33.47	33.47				15.20				
-	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	 	1	1	5, 1, 10	 	55.77	33.47			-	10.20		t	 	+
	DN, Feature Code				BAPTF		33.47	33.47				15.20				
	AIN Toolkit Service - Query Charge, Per Query				DAI II	0.0536446	33.47	33.47				13.20				+
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.0330440										+
	Subscription, Per Node, Per Query				1	0.006569								1	1	
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.000303										+
	Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service					0.00										+
	Subscription			CAM	BAPMS	10.90	7.60	7.60				15.20		1	1	
\vdash	AIN Toolkit Service - Special Study - Per AIN Toolkit Service	1	1	O/LIVI	DAF IVIO	10.90	1.00	7.00			 	15.20				+
	Subscription	1		CAM	BAPLS	2.80	8.41	8.41				15.20		1	I	
\vdash	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	 	1	O/NVI	DAFLO	∠.00	0.41	0.41			 	15.20		 	 	+
	Subscription	1		CAM	BAPDS	8.20	7.60	7.60				15.20		I	I	
\vdash	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	1		CAIVI	DAPUS	0.20	7.00	7.00				15.20				+
	Service Subscription	1		CAM	BAPES	0.09	8.41	8.41				15.20		I	I	
ENHANCES	SET SERVICE SUBSCRIPTION EXTENDED LINK (EELs)	 	1	CAIVI	DAFES	0.09	8.41	8.41				15.20		 	 	+
			06 5-"	lowing MCA Oct-	do El Misso	ELIEF Lauri	rdolo El :							 	 	
INOIE	: New EELs available in GA, TN, KY, LA, MS, & SC and density										 			-	-	+
NOTE														1	•	1
	: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply t							Ae le Charac -	nnline to ourse	ntly combin	facilities -	nyorted to	INEc /Non =	ourring rotes	do not onri-	. \

UNBL	INDLE	NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	Г
												Svc Order			Incremental		Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc			
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
		First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport															
		Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09				15.20				
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		2	11110101	11541.0	05.05	04.04	45.00				45.00				
		Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		2	UNCVX	UEAL2	25.35	94.21	45.09				15.20				
		Transport Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09				15.20				
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	ONCVX	ULALZ	30.40	34.21	45.09				13.20				
		per month			UNC1X	1L5XX	0.2652										
		Interoffice Transport - Dedicated - DS1 combination - Facility			0.1017	120701	0.2002										
		Termination per month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
		DS1 Channelization System Per Month		1	UNC1X	MQ1	105.09	59.97	12.96				15.20				
		Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.6497	5.91	4.26								
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09				15.20				
1		Each Additional 2-Wire VG Loop(SL2) in the same DS1	1]]				1]	1
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09				15.20				
		Each Additional 2-Wire VG Loop(SL2) in the same DS1		_													
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09				15.20				
		Voice Grade COCI - DS1 to DS0 Channel System combination -			11110101	454)/0	0.0407	5.04	4.00								
		per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	0.6497	5.91	4.26								-
		Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				İ
	4-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	FROFE	ICE TR		UNCCC		3.43	3.43			1	13.20				-
	- WIII.	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	1	1	AROI ORI (EEE)												
		Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09				15.20				ļ '
		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice					00.01	V 1									
		Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09				15.20				
		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
		Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09				15.20				
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		Per Month			UNC1X	1L5XX	0.2652										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per															İ
		Month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
		Channelization - Channel System DS1 to DS0 combination Per			LINIOAN		405.00	50.07	40.00								
—		Month Voice Grade COCI - DS1 to DS0 Channel System combination -	1	1	UNC1X	MQ1	105.09	59.97	12.96			 					
		per month			UNCVX	1D1VG	0.6497	5.91	4.26								1
		Additional 4-Wire Analog Voice Grade Loop in same DS1	1	1	OIVOVA	וטועט	0.0497	0.81	4.20	1	1	}			1	1	
		Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL4	30.81	94.21	45.09				15.20		1	1	1
		Additional 4-Wire Analog Voice Grade Loop in same DS1	1	 		J	30.01	J-1.2.1	-10.00	1	1		10.20		1	1	t
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09				15.20				1
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3	<u></u>	3	UNCVX	UEAL4	60.39	94.21	45.09		<u> </u>		15.20		<u> </u>	<u> </u>	<u> </u>
		Voice Grade COCI - DS1 to DS0 Channel System combination -	1					_]	1
		per month			UNCVX	1D1VG	0.6497	5.91	4.26								└
		Nonrecurring Currently Combined Network Elements Switch -As-	1		l .	I]	_	_						1	1	1
	4 10"5-	Is Charge	INTERS	L	UNC1X	UNCCC		5.43	5.43		ļ	<u> </u>	15.20		ļ	ļ	├
<u> </u>	4-WIRE	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	JEFICE.	IKANSPORT (EEL)	1											
		First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	4	UNCDX	LIDLES	30.99	94.21	45.09				15.20		1	1	1
		First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice	1	+-	OIACDV	UDL56	30.99	94.21	45.09	1	1	}	15.∠0		1	1	
		Transport Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09				15.20				1
\vdash		First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	 	 	5.10DA	32200	30.76	J4.21	45.05		<u> </u>	 	10.20		 	 	
		Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09				15.20				1
		Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	١Ť			33.32	021	.0.50	Ì	1		.0.20		İ	1	
		Per Month	1		UNC1X	1L5XX	0.2652								1	1	1
		Interoffice Transport - Dedicated - DS1 - combination Facility															
1		Termination Per Month	1		UNC1X	U1TF1	70.47	143.58	103.88				15.20		Ì	Ì	1

UNBL	INDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA ⁻	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred	curring	Nonrecurring	Disconnect				Rates(\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Channelization - Channel System DS1 to DS0 combination Per					40= 00										·
-		Month OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNC1X	MQ1	105.09	59.97	12.96								
		month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								·
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			0.1027	.5.55	1.00	0.01	20								
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09				15.20				
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															·
-		Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL56	36.78	94.21	45.09				15.20				
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09				15.20				
		OCU-DP COCI (data) - DS1 to DS0 Channel System -															
		combination per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		5.43	5.43				15.20				
-	4-WIDE	is charge 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	EEICE				5.43	5.43				15.20				
	4-WIIKE	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC) I IOL	TRANSFORT (LLL)												
		Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09				15.20				
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
-	ļ	Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09				15.20				
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09				15.20				
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ü	CHODA	OBLOT	00.02	04. <u>2</u> 1	40.00				10.20				
		Per Month			UNC1X	1L5XX	0.2652										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
-		Termination Per Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
		Month			UNC1X	MQ1	105.09	59.97	12.96								
		OCU-DP COCI (data) - DS1 to DS0 Channel System			0.10.17		100.00	00.07	12.00								
		combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		١.													
	-	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL64	30.99	94.21	45.09				15.20				
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09				15.20				
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09				15.20				
		OCU-DP COCI (data) - DS1 to DS0 Channel System			UNCDX	10100	1 20	E 01	4.26								
-	-	combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	1.38	5.91	4.26								+
		Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				
	4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI	EROFFI	CE TRA	NSPORT (EEL)												
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice			LINCAV	LICL VY	05.70	400.00	100.00				45.00				1
-		Transport - Zone 1 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	 	1	UNC1X	USLXX	85.70	169.22	100.89			 	15.20				<u> </u>
		Transport - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice			-												
		Transport - Zone 3	<u> </u>	3	UNC1X	USLXX	491.94	169.22	100.89				15.20				<u> </u>
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2652										1
		Interoffice Transport - Dedicated - DS1 combination - Facility	-		UNU IA	ILOAA	0.2052					 					
		Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
		Nonrecurring Currently Combined Network Elements Switch -As-															
	4 MUDE	Is Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI	EDOFF	CE TO	UNC1X	UNCCC		5.43	5.43				15.20				
-	4-WIKE	First DS1Loop in DS3 Interoffice Transport Combination - Zone	LKUFFI	CE IKA	ANGPORT (EEL)	+						 					
		1		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				1
		First DS1Loop in DS3 Interoffice Transport Combination - Zone															
<u> </u>		2 First DC4 in DC2 standfine Transport Combined to 7		2	UNC1X	USLXX	194.96	169.22	100.89			1	15.20				
		First DS1Loop in DS3 Interoffice Transport Combination - Zone		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				
	1	I -	1		12.30.11	120000	701.04	100.22	100.00				10.20		1	1	-

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Interesting Transport Dedicated DC2 combination Dec Mile						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	6.04										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	850.45	296.68	121.16				15.20				
-	DS3 to DS1 Channel System combination per month DS3 Interface Unit (DS1 COCI) combination per month			UNC3X UNC1X	MQ3 UC1D1	201.48 11.78	107.05 5.91	48.07 4.26								
	Additional DS1Loop in DS3 Interoffice Transport Combination -			UNCIX	OCIDI	11.70	5.91	4.20								
	Zone 1 Additional DS1Loop in DS3 Interoffice Transport Combination -		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				<u> </u>
	Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				i .
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.78	5.91	4.26				10.20				
	Nonrecurring Currently Combined Network Elements Switch -As-	-						-								
	Is Charge			UNC3X	UNCCC		5.43	5.43				15.20				
2-WIRE	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN	TEROFF	ICE TR	ANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09				15.20				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09				15.20				
	2-WireVG Loop used with 2-wire VG Interoffice Transport		3	UNCVX	UEAL2	50.46	94.21	45.09				15.20				ĺ
	Combination - Zone 3 Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month		3	UNCVX	1L5XX	0.013	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - 2- Wire Voice Grade											45.00				
	combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	U1TV2	22.60	72.60	41.75				15.20				
4-WIDE	Is Charge VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN	TEDOE	ICE TO	UNCVX	UNCCC		5.43	5.43				15.20				
4-99161	4-WireVG Loop used with 4-wire VG Interoffice Transport	LEKOFF	ICE IN	ANSPORT (EEL)												
	Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09				15.20				i .
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09				15.20				
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - 4-wire VG combination - Per		Ť	O. TO TA	02,12.	00.00	0	10.00				10.20				
	Mile Per Month			UNCVX	1L5XX	0.013										<u> </u>
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	19.81	72.60	41.75				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-			LINOVA	111000		F 10	F 40				45.00				l
D63 DI	Is Charge GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	CE TRA	NSPOP	UNCVX	UNCCC		5.43	5.43				15.20				
DOS DI	High Capacity Unbundled Local Loop - DS3 combination - Per	LIKA	13FOR	· (EEL)												
	Mile per month High Capacity Unbundled Local Loop - DS3 combination -			UNC3X	1L5ND	10.04										-
	Facility Termination per month			UNC3X	UE3PX	362.34	188.45	125.51								i
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.04										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	850.45	296.68	121.16				15.20			_	
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC3X	UNCCC		5.43	5.43				15.20			_	
STS1 [DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE T	RANSPO	ORT (EEL)												
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	10.04										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	374.56	188.45	125.51								
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	6.04										

UNBU	NDLE	NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	Г
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted	Incremental	Incremental Charge -	Incremental Charge -	Charge -
								Name		Namean	n Dianamant				Detec(f)		
							Rec	Nonrec		Nonrecurring		201150	001111		Rates(\$)	001441	SOMAN
		Interoffice Transport - Dedicated - STS1 combination - Facility						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
		Termination per month			UNCSX	U1TFS	830.19	296.68	121.16				15.20				1 '
		Nonrecurring Currently Combined Network Elements Switch -As-															
		ls Charge			UNCSX	UNCCC		5.43	5.43				15.20				
	2-WIRE	ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL)													
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09				15.20				1
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination		'	ONON	UTLZX	22.03	34.21	43.03				13.20				
		Transport - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09				15.20				
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															j '
		Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCNX UNC1X	U1L2X 1L5XX	65.18 0.2652	94.21	45.09		-		15.20				
		Interoffice Transport - Dedicated - DS1 combination - Fer Mile Interoffice Transport - Dedicated - DS1 combination - Facility			UNCIX	ILSAA	0.2652				1						
		Termination per month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				Ĭ
		Channelization - Channel System DS1 to DS0 combination -															
		per month			UNC1X	MQ1	105.09	59.97	12.96								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	2.96	5.91	4.26								Ĭ
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport			ONONA	OCTOA	2.90	5.51	4.20								
		Combination - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09				15.20				j '
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09				15.20				
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09				15.20				Ĭ
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		3	ONCIVA	UTLZX	05.10	34.21	43.09				13.20				
		combintaion- per month			UNCNX	UC1CA	2.96	5.91	4.26								j '
		Nonrecurring Currently Combined Network Elements Switch -As-															
	4 14/15/5	ls Charge	TERRE	FIGE T	UNC1X	UNCCC		5.43	5.43				15.20				
	4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN First DS1 Loop in STS1 Interoffice Transport Combination -	IEKUF	FICE II	KANSPORT (EEL)												
		Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				Ĭ
		First DS1 Loop in STS1 Interoffice Transport Combination -															
		Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
		First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				Ĭ
		Interoffice Transport - Dedicated - STS1 combination - Per Mile		3	UNCIA	USLAA	491.94	109.22	100.69				15.20				—
		Per Month			UNCSX	1L5XX	6.04										ĺ
		Interoffice Transport - Dedicated - STS1 combination - Facility															
		Termination	ļ		UNCSX	U1TFS	830.19	296.68	121.16		-		15.20				<u> </u>
-		STS1 to DS1 Channel System conbination per month DS3 Interface Unit (DS1 COCI) combination per month	-	-	UNCSX UNC1X	MQ3 UC1D1	201.48 11.78	107.05 5.91	48.07 4.26		 	1					
		Additional DS1Loop in STS1 Interoffice Transport Combination -			2.10.01	30.51	11.70	0.01	7.20		1						
		Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
		Additional DS1Loop in STS1 Interoffice Transport Combination -		_	LINIOAN	1101.201											1
		Zone 2 Additional DS1Loop in STS1 Interoffice Transport Combination -		2	UNC1X	USLXX	194.96	169.22	100.89			 	15.20				\vdash
		Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89		1		15.20				
		DS3 Interface Unit (DS1 COCI) combination per month		Ľ	UNC1X	UC1D1	11.78	5.91	4.26								
		Nonrecurring Currently Combined Network Elements Switch -As-						_									
	4 14/155	Is Charge	FEIGE 3	DANC	UNCSX	UNCCC		5.43	5.43		-		15.20				
-	4-WIKE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	FFICE I	KANSI	TOKI (EEL)	+					 	1					
		Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09		1		15.20				1
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport				Ì											
		Combination - Zone 2	<u> </u>	2	UNCDX	UDL56	36.78	94.21	45.09		ļ		15.20				<u> </u>
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		3	UNCDX	UDL56	38.92	94.21	45.09		1		15.20				
-		Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	ONODA	ODESO	30.92	94.∠1	45.09		 	 	15.20				
		Per Mile			UNCDX	1L5XX	0.013				1						1 '
			•							•		•	•				-

ONBONDE	ED NETWORK ELEMENTS - Louisiana												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)			Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Literatura Transport De Francia de la FOLLA de la FOLL						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	15.61	72.60	41.75				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDA	01105	15.61	72.00	41.75				15.20				
	Is Charge			UNCDX	UNCCC		5.43	5.43				15.20				
4-WI	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09				15.20				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		_					45.00								
	Combination - Zone 2 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		2	UNCDX	UDL64	36.78	94.21	45.09				15.20				
	Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ONODA	ODLO4	30.32	34.21	43.03				13.20				
	Per Mile			UNCDX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination			UNCDX	U1TD6	15.61	72.60	41.75				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-	-						= 40								
ADDITIONAL	Is Charge NETWORK ELEMENTS			UNCDX	UNCCC		5.43	5.43				15.20				
	n used as a part of a currently combined facility, the non-recur	rna cha	rass da	not apply but a S	witch As Is c	harge does ann	dy									
	n used as ordinarilty combined network elements in Louisiana,															
	ess to DCS - Customer Reconfiguration (FlexServ)	1	1		1		4000								İ	
	e (SynchroNet)															
Noni	recurring Currently Combined Network Elements "Switch As Is"		(One a	applies to each com	bination)											
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.43	5.43				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps	-		UNCDX	UNCCC		5.43	5.43				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDA	UNCCC		5.43	5.43				15.20				
	Is Charge - DS1			UNC1X	UNCCC		5.43	5.43				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS3			UNC3X	UNCCC		5.43	5.43				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-	-1														
NOT	Is Charge - STS1		D00	UNCSX	UNCCC		5.43	5.43				15.20				
NOI	E: Local Channel - Dedicated Transport - minimum billing perio Local Channel - Dedicated - 2-Wire Voice Grade Zone 1	d - Belo		=one month, DS3 ar IUNCVX	ULDV2	r months 18.32	187.51	32.21				15.20				
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 1		1	UNCVX	ULDV4	19.41	187.94	32.63				15.20			1	
	Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	39.18	172.34	149.27				15.20				
	Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	121.58	172.34	149.27				15.20			İ	
	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	70.02	172.34	149.27				15.20				
	Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	7.82										
	Local Channel - Dedicated - DS3 - Facility Termination per				550											
	month Local Channel - Dedicated - STS-1- Per Mile per month			UNC3X UNCSX	ULDF3 1L5NC	469.44 7.82	438.46	256.30				15.20 15.20				
	Local Channel - Dedicated - STS-1 - Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination per			UNCSX	ILSING	7.82						15.20				
	month			UNCSX	ULDFS	457.22	438.46	256.30								
UNBUNDLEI	D LOCAL EXCHANGE SWITCHING(PORTS)			0.100/1	025.0	107.22	100.10	200.00							1	
	nange Ports															
	E: Although the Port Rate includes all available features in GA,	KY, LA	& TN, t	he desired features	will need to l	be ordered usin	g retail USOCs	S								
2-WI	RE VOICE GRADE LINE PORT RATES (RES)	ļ		ļ	ļ	ļ									ļ	
	Exchange Ports - 2-Wire Analog Line Port- Res.	!	<u> </u>	UEPSR	UEPRL	1.52	2.31	2.21				15.20			1	
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.52	2.31	2.21				15.20			1	
	Landinge Forts - 2-wire Arialog Line Fort with Galler ID - Res.	1	 	OLFOR	OLFILO	1.52	2.31	2.21	-			13.20			 	1
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	1	1	UEPSR	UEPRO	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire VG unbundled LA extended local		1	-												
	dialing parity Port with Caller ID - Res.		<u> </u>	UEPSR	UEPAS	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL)	1														
		1	1	UEPSR	UEPAG	1.52	2.31	2.21			l	15.20			1	

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						ı	Monroe	urrina	Nonrocurring	n Disconnect			066	Rates(\$)		<u> </u>
-					-	Rec	Nonrec First			g Disconnect	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
+	Exchange Ports - 2-Wire VG unbundled res, low usage line port	-					LIISI	Add'l	First	Add'l	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
	with Caller ID (LUM)			UEPSR	UEPAP	1.52	2.31	2.21				15.20				
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00				15.20				
FEATU						0.00	0.00									
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00				15.20				
2-WIRE	VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.52	2.31	2.21				15.20				
	Forborn Bosto OMfor Andrew C. S. C. C. C. C.	ĺ		LIEDOD	LIEDE C							,		1	1	1
\vdash	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	<u> </u>	<u> </u>	UEPSB	UEPBO	1.52	2.31	2.21				15.20		-	-	-
1 1	Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Bus.	l	1	UEPSB	UEPAX	1.52	2.31	2.21				15.20		I	I	I
\vdash	Exhange Ports - 2-Wire VG unbundled incoming only port with	!	 	ULFOD	UEPAX	1.52	2.31	2.21				15.20				
1 1	Caller ID - Bus		1	UEPSB	UEPB1	1.52	2.31	2.21				15.20		I		
	Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area	-	<u> </u>	0L1 0D	טבו טו	1.52	۷.۵۱	2.21				13.20		t	t	t
	Calling Port with Caller ID - Bus (BUC)			UEPSB	UEPAA	1.52	2.31	2.21				15.20				
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00				15.20				
FEATU															1	
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00				15.20				
	NGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.52	30.37	14.42				15.20				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.52	30.37	14.42				15.20				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.52	30.37	14.42				15.20				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.52	30.37	14.42				15.20				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port			UEPSP	UEPL2	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.52	30.37	14.42				15.20				
	2-Wire Vice Unbundled 2-Way PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP UEPSP	UEPXA UEPXB	1.52 1.52	30.37 30.37	14.42 14.42				15.20 15.20				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.52	30.37	14.42			1	15.20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.52	30.37	14.42			1	15.20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLI GI	OLI AD	1.02	30.37	17.72				13.20				
	Capable Port			UEPSP	UEPXE	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional			02. 0.	02.7.2	1.02	00.01					10.20			1	
	Callling Port			UEPSP	UEPXK	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy							· · · · · · · · · · · · · · · · · · ·								
ļļ_	Room Calling Port	ļ	<u> </u>	UEPSP	UEPXM	1.52	30.37	14.42				15.20		1	1	ļ
1 1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	l	1			,								1	I	I
\vdash	Discount Room Calling Port		<u> </u>	UEPSP	UEPXO	1.52	30.37	14.42				15.20		-	-	-
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local		1	LIEDOD	LIEDYD	4.50	20.07	44.40				45.00		I		
\vdash	Discount Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	!	 	UEPSP UEPSP	UEPXP UEPXS	1.52 1.52	30.37 30.37	14.42 14.42				15.20 15.20				
 	Subsequent Activity	l -	1	UEPSP	USASC	0.00	0.00	0.00				15.20		 	 	
FEATU		 	!	0L1 01	30,00	0.00	0.00	0.00		1		13.20		t	t	1
1 2210	All Available Vertical Features	1	†	UEPSP UEPSE	UEPVF	0.00	0.00	0.00			<u> </u>	15.20		I	I	I
EXCHA	INGE PORT RATES (COIN)		1		1	2.20	2.20	2.30		1				1	1	1
	Exchange Ports - Coin Port		1			1.52	2.31	2.21				15.20				
NOTE:	Transmission/usage charges associated with POTS circuit so	witched	usage	will also apply to o	ircuit switche	d voice and/or	circuit switche	ed data transm	ission by B-Cl	hannels associ	iated with 2-	wire ISDN p	orts.			
NOTE:	Access to B Channel or D Channel Packet capabilities will be	availa	ble only	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fic	le Request/l	New Business	s Request Pro	cess.	
	OCAL EXCHANGE SWITCHING(PORTS)							•		_			_			
EXCHA	NGE PORT RATES (DID & PBX)															
	Exchange Ports - 2-Wire DID Port	ļ	<u> </u>	UEPEX	UEPP2	8.29	115.85	18.20		ļ		15.20		ļ	ļ	ļ
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	l	1	LIEDDD	LIEDES		,					,		I	I	I
\vdash	capability	ļ	<u> </u>	UEPDD	UEPDD	68.47	196.18	92.92				15.20		-	-	-
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	10.07	70.76	51.46	l		<u> </u>	15.20			l	1

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana								-				Attachment:	2	Exhibit: B	
CATEG		RATE ELEMENTS	Interi	Zone	BCS	USOC		D.A.	TES(\$)			Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge - Manual Svo
CATEG	JKT	RATE ELEMENTS	m	Zone	всѕ	USUC			.,			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
							Rec	Nonred		Nonrecurring					Rates(\$)		
		AU 5			HEDTY HEDDY			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		All Features Offered Transmission/usage charges associated with POTS circuit sy		<u> </u>	UEPTX UEPSX	UEPVF	0.00	0.00	0.00			-4	ina ICDNI .				
-		Access to B Channel or D Channel Packet capabilities will be													Doguest Bro	2000	
	NOTE.	Exchange Ports - 2-Wire ISDN Port Channel Profiles	availa	T OIL	UEPTX UEPSX	U1UMA	0.00	0.00	0.00	ilities will be de	terriffica via t	lie Bolla Fic	ie nequesii	lvew Busiliess	Request FIO	Cess.	
		Exchange Ports - 4-Wire ISDN DS1 Port		1	UEPEX	UEPEX	94.82	197.92	98.62				15.20				
UNBUN	DLED L	OCAL SWITCHING, PORT USAGE			02. 27.	02.27	0 1.02	107.02	00.02				10.20				
	End Of	fice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.001868										
		End Office Trunk Port - Shared, Per MOU					0.00018										
	Tander	m Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU		-			0.0001067										
——	Comm	Tandem Trunk Port - Shared, Per MOU	 	-		-	0.000222			1							
-	COMMIN	Common Transport - Per Mile, Per MOU	1	1			0.0000032			1							
		Common Transport - Facilities Termination Per MOU		1			0.0003748										
UNBUN	DLED F	PORT/LOOP COMBINATIONS - COST BASED RATES	<u> </u>				0.00001-40			1							
		ased Rates are applied where BellSouth is required by FCC ar	nd/or St	tate Co	mmission rule to pro	vide Unbun	dled Local Swi	tching or Swite	ch Ports.								
	Feature	es shall apply to the Unbundled Port/Loop Combination - Cos	t Based	d Rate s	ection in the same i	manner as th	ney are applied	to the Stand-A	Ione Unbundl	ed Port section	of this Rate E	xhibit.					
	End Of	fice and Tandem Switching Usage and Common Transport Us	sage rat	tes in tl	ne Port section of th	is rate exhib	it shall apply to	all combination	ons of loop/po	ort network elen	nents except 1	or UNE Coi	n Port/Loop	Combination	ıs.		
		orgia, Kentucky, Louisiana, MIssissippi, South Carolina and T															
		tly Combined Combos for all states. In GA, KY, LA, MS, SC an								. and NC these	nonrecurring	charges are	Market Ra	es and are als	o listed in the	e Market Rate	section.
		rrently Combined Combos in all other states, the nonrecurring	g charg	jes sha	I be those identified	in the Nonr	ecurring - Curr	ently Combine	d sections.								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE Po	ort/Loop Combination Rates															
	UNE Po	2-Wire VG Loop/Port Combo - Zone 1		1			13.13										
		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2			23.75										
		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3															
		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates		2	UEPRX	UEPLX	23.75 49.62										
		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1		3	UEPRX UEPRX	UEPLX UEPLX	23.75 49.62 11.77										
		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates		3	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX	23.75 49.62										
	UNE Lo	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2 3 1 2	UEPRX	UEPLX	23.75 49.62 11.77 22.39										
	UNE Lo	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence		2 3 1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL	23.75 49.62 11.77 22.39 48.26	38.85	19.08				15.20				
	UNE Lo	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res		2 3 1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	23.75 49.62 11.77 22.39 48.26 1.36	38.85	19.08				15.20				
	UNE Lo	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res		2 3 1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL	23.75 49.62 11.77 22.39 48.26										
	UNE Lo	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 >OP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO	23.75 49.62 11.77 22.39 48.26 1.36 1.36	38.85 38.85	19.08 19.08				15.20 15.20				
	UNE Lo	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res		2 3 1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	23.75 49.62 11.77 22.39 48.26 1.36	38.85	19.08				15.20				
	UNE Lo	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 >op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAS	23.75 49.62 11.77 22.39 48.26 1.36 1.36	38.85 38.85 38.85	19.08 19.08 19.08				15.20 15.20 15.20				
	UNE Lo	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade Lone Torton With Caller ID - res 2-Wire voice unbundled Dort outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL)		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO	23.75 49.62 11.77 22.39 48.26 1.36 1.36	38.85 38.85	19.08 19.08				15.20 15.20				
	UNE Lo	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 > Op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled sers, low usage line port with Caller ID		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAS UEPAG	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36	38.85 38.85 38.85 38.85	19.08 19.08 19.08				15.20 15.20 15.20				
	UNE Lo	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAS	23.75 49.62 11.77 22.39 48.26 1.36 1.36	38.85 38.85 38.85	19.08 19.08 19.08				15.20 15.20 15.20				
	UNE Lo	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAS UEPAG	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36	38.85 38.85 38.85 38.85	19.08 19.08 19.08				15.20 15.20 15.20				
	UNE Lo	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 300 Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY		2 3 1 2	UEPRX	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 38.85	19.08 19.08 19.08 19.08				15.20 15.20 15.20 15.20 15.20					
	UNE LC 2-Wire FEATU	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 >OP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - Res (RUL) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port)		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAS UEPAG UEPAP	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36	38.85 38.85 38.85 38.85 38.85	19.08 19.08 19.08 19.08				15.20 15.20 15.20 15.20 15.20				
	UNE LC 2-Wire FEATU	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade Loop Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 3-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 4-Wire voice unbundles res, low usage line port with Caller ID (LUM) 8-RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED		2 3 1 2	UEPRX	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 38.85	19.08 19.08 19.08 19.08				15.20 15.20 15.20 15.20 15.20					
	UNE LC 2-Wire FEATU	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Draw Component Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port eresidence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) 5-CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -		2 3 1 2	UEPRX	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 38.85	19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20					
	UNE LC 2-Wire FEATU	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 DOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		2 3 1 2	UEPRX	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 38.85	19.08 19.08 19.08 19.08				15.20 15.20 15.20 15.20 15.20					
	UNE LC 2-Wire FEATU	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 DOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 3-Wire voice unbundled ses, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -		2 3 1 2	UEPRX F	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 0.00	19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20					
	UNE Lo 2-Wire	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Draw Componer Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		2 3 1 2	UEPRX	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 38.85	19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20					
	UNE Lo 2-Wire	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change ONAL NRCs		2 3 1 2	UEPRX F	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 0.00	19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20					
	UNE Lo 2-Wire FEATU LOCAL NONRE	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 > Op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port dutgoing only - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Subsequent		2 3 1 2	UEPRX C UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36 0.00	38.85 38.85 38.85 38.85 0.00 0.10	19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20 15.20					
	UNE Lo	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Draw Component Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity Voice Grade Loop/Line Port Combination - Subsequent Activity		2 3 1 2	UEPRX F	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 0.00	19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20					
	UNE LC 2-Wire LOCAL NONRE	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 > Op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port dutgoing only - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Subsequent		2 3 1 2	UEPRX C UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36 0.00	38.85 38.85 38.85 38.85 0.00 0.10	19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20 15.20					
	UNE LC 2-Wire LOCAL NONRE	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 300 Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 8-Wire voice unbundled sers, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		2 3 1 2	UEPRX C UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36 0.00	38.85 38.85 38.85 38.85 0.00 0.10	19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20 15.20					
	UNE LC 2-Wire LOCAL NONRE	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 3-OP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		1 2 3 3	UEPRX C UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36 0.00	38.85 38.85 38.85 38.85 0.00 0.10	19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20 15.20			20.00		
	UNE LC 2-Wire FEATU LOCAL NONRE	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 DOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 3-Wire voice unbundles res, low usage line port with Caller ID 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change ONAL NRCs 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) 07t/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1 2 3	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAS UEPAG UEPAP UEPAF UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 0.00 0.35	38.85 38.85 38.85 38.85 0.00 0.10	19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20 15.20			20.00	

04/12/02 Page 176 of 352

ONRONDFI	ED NETWORK ELEMENTS - Louisiana			I							1_		Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	FES(\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX UEPLX	22.39										
2 Win	2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port (Bus)		3	UEPBX	UEPLX	48.26										
2-9911	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.36	38.85	19.08			1	15.20				
	2-Wire voice unbundled port without Caller ib - bus			UEPBX	UEPBC	1.36	38.85	19.08				15.20				
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.36	38.85	19.08				15.20				
	2-Wire voice Grade unbundled Louisiana extended local dialing											101_0				
	parity port with Caller ID - bus			UEPBX	UEPAX	1.36	38.85	19.08				15.20				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.36	38.85	19.08				15.20				
	2-Wire voice unbundled Louisiana Bus Area Calling Port with							· · · · · · · · · · · · · · · · · · ·							1	
	Caller ID (BUC)			UEPBX	UEPAA	1.36	38.85	19.08				15.20				
LOCA	AL NUMBER PORTABILITY	ļ		LIEBBY	LVIDS					ļ					ļ	
	Local Number Portability (1 per port)	ļ		UEPBX	LNPCX	0.35					ļ					
FEAT	URES			LIEDDY	LIED /E	0.00	0.00	0.00				45.00				
NONE	All Features Offered RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	 		UEPBX	UEPVF	0.00	0.00	0.00	ļ	 	 	15.20			 	-
NONE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPBX	USAC2		0.10	0.10				15.20				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLI DX	CONOZ		0.10	0.10				10.20				
	Switch with change			UEPBX	USACC		0.10	0.10				15.20				
ADDI	TIONAL NRCs				1		9119									
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPBX	USAS2		0.00	0.00				15.20				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE I	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			13.13										
	2-Wire VG Loop/Port Combo - Zone 2		2			23.75										
LINE	2-Wire VG Loop/Port Combo - Zone 3 Loop Rates		3			49.62										
UNE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11.77					1					
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	48.26										
2-Wir	e Voice Grade Line Port Rates (RES - PBX)		Ŭ	02.110	02.2.	10.20										
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				i i											
	Res			UEPRG	UEPRD	1.36	66.91	31.29				15.20				
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.20	·			_
FEAT	URES															
	All Features Offered	ļ		UEPRG	UEPVF	0.00	0.00	0.00			ļ	15.20				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	 							1	1	<u> </u>				 	-
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1		LIEDDC	USAC2		7.60	105				15.00			1	
	Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 		UEPRG	USAUZ		7.68	1.85		-	1	15.20			-	
	Conversion - Switch with Change	l		UEPRG	USACC		7.68	1.85				15.20				
ADDI	TIONAL NRCs	1		OLI INO	30,00		7.00	1.00				10.20				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1							1	1					1	
	Subsequent Activity	l		UEPRG	USAS2	0.00	0.00	0.00				15.20				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.11	7.11				15.20				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE I	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	ļ	1			13.13			ļ	ļ	ļ				ļ	
	2-Wire VG Loop/Port Combo - Zone 2	 	2			23.75			1	1	<u> </u>				 	
III.	2-Wire VG Loop/Port Combo - Zone 3 Loop Rates	 	3		+	49.62			ļ	 	 				 	-
UNE	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEPPX	UEPLX	11.77			-	-	 				1	-
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPPX	UEPLX	22.39			1	1	 				1	1
	2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3	UEPPX	UEPLX	48.26				1	1				-	-

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	,
3201126			1								Svc Order		Incremental			Incremental
											Submitted			Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		PΔT	TES(\$)			Elec		Manual Svc			
CATEGORI	KATE EEEMENTO	m	Zone	500	0000		I.A.	LO(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-			1			1	Nonrec	urring	Nonrecurring	n Disconnoct			066	Rates(\$)		
			-			Rec	First				COMEC	SOMAN			COMAN	SOMAN
0.14/:-	e Voice Grade Line Port Rates (BUS - PBX)		-				FIIST	Add'l	First	Add'l	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOWAN
2-9911	e voice Grade Line Fort Rates (BOS - FBA)		+		+											
	Line Cide Habandlad Combination C West DRV Terrals Deet Base			UEPPX	UEPPC	4.00	00.04	24.00				45.00				
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus					1.36	66.91	31.29				15.20				
-	Line Side Unbundled Outward PBX Trunk Port - Bus		1	UEPPX	UEPPO	1.36	66.91	31.29				15.20				
-	Line Side Unbundled Incoming PBX Trunk Port - Bus		1	UEPPX	UEPP1	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana			LIEDDY	LIEDLO	4.00	00.04	04.00				45.00				
	Calling Port			UEPPX	UEPL2	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.36	66.91	31.29				15.20				
ļ	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.36	66.91	31.29				15.20				
ļ	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	<u> </u>	UEPPX	UEPXD	1.36	66.91	31.29			ļ	15.20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		1	HEDDY	LIEDY C				Ì					Ì	Ì	1
	Capable Port			UEPPX	UEPXE	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional		1	l	1				Ì					Ì	Ì	1
	Calling Port			UEPPX	UEPXK	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local															
	Discount Calling Port			UEPPX	UEPXP	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.36	66.91	31.29				15.20				
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.20				
FEAT	TURES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.20				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		7.68	1.85				15.20				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		7.68	1.85				15.20				
ADD	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.20				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.11	7.11				15.20				
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT														
	Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			13.13										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2		1	23.75										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3		1	49.62										
UNE	Loop Rates		1		1											
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	22.39										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	48.26					İ					
2-Wii	re Voice Grade Line Ports (COIN)										İ					
	2-Wire Coin 2-Way without Operator Screening and without		1		1											
	Blocking (AL, KY, LA, MS)		1	UEPCO	UEPRF	1.36	38.85	19.08	Ì			15.20		Ì	Ì	1
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,				1						1					
	900/976, 1+DDD (AL, KY, LA, MS)		1	UEPCO	UEPRA	1.36	38.85	19.08	Ì			15.20		Ì	Ì	1
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	i –	1		T .				İ	İ	İ			İ	İ	
	(AL, LA, MS)		1	UEPCO	UEPRB	1.36	38.85	19.08	Ì			15.20		Ì	Ì	1
	2-Wire Coin 2-Way with Operator Screening & Blocking:	1	1				55.55			1	1	.5.25		1	1	
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)		1	UEPCO	UEPCD	1.36	38.85	19.08	Ì			15.20		Ì	Ì	1
	2-Wire Coin Outward without Blocking and without Operator	1	1	- "	1		55.55	.0.50	1	1		.0.20		1	1	t
	Screening (KY, LA, MS)		1	UEPCO	UEPRN	1.36	38.85	19.08	Ì	Ì	I	15.20		Ì	Ì	1
	porconning (i.i., in i, inio)	1		32. 00	JOET INT	1.50	55.05	15.00	1	1	1	10.20	1	1	1	

ONRONDLI	ED NETWORK ELEMENTS - Louisiana			1	ı	1							Attachment:		Exhibit: B	.
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and 011 Blocking (LA)			UEPCO	UEPLA	1.36	38.85	19.08				15.20				
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.36	38.85	19.08				15.20				
	2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.36	38.85	19.08				15.20				
	2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only)			UEPCO	UEPNA	1.36	38.85	19.08				15.20				
	2-Wire Coin Outward Smartline with 900/976 (Louisiana only)			UEPCO	UEPCB	1.36	38.85	19.08				15.20				
ADDI	FIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.81	0.00	0.00				15.20				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONE	ECURRING CHARGES - CURRENTLY COMBINED			ļ											ļ	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0.10	0.10				15.20				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0.10	0.10				15.20				
ADDI	FIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00				15.20				
UNBU	INDLED REMOTE CALL FORWARDING - RES															
	Recurring															
UNBU	NDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB	UEPVJ	1.52	2.31	2.21				15.20				
	Recurring															
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE															
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE PORT/LOOP COMBINATIONS - COST BASED RATES	LINE	י ואסי	BUS)												
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DODT														
	Port/Loop Combination Rates	FORT									1					
ONE I	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			23.20										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			33.62										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			58.73										
UNE L	oop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14.93						15.20				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	25.35						15.20				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	50.46						15.20				
UNE F	Port Rate															
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.27	217.95	83.92				15.20				
NONE	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															
	Switch-as-is			UEPPX	USAC1		7.10	1.81				15.20				-
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		7.10	1.81				15.20				
ADDI	FIONAL NRCs			LIEBBY .								,				
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		26.01	26.01				15.20				
relep	hone Number/Trunk Group Establisment Charges DID Trunk Termination (One Per Port)		-	UEPPX	NDT	0.00	0.00	0.00				15.20			 	
+	Additional DID Numbers for each Group of 20 DID Numbers		-	UEPPX	ND4	0.00	0.00	0.00				15.20				
	DID Numbers, Non- consecutive DID Numbers, Per Number	-		UEPPX	ND5	0.00	0.00	0.00				15.20			<u> </u>	
1	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00				15.20				t
1	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00	Ì	Ì		15.20			1	
LOCA	L NUMBER PORTABILITY			1	1	2.00	2.00	2.00								
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00	İ	İ						
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT												<u> </u>	
UNE F	Port/Loop Combination Rates															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UEPPR		27.48										

UNBUNDLE	D NETWORK ELEMENTS - Louisiana													Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			ΓES(\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec			g Disconnect				Rates(\$)		
	OW ICON Digital Conda Lagra/OW ICON Digital Line Cide Dogs							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		40.34										1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_	02	<u> </u>		10.01										
	UNE Zone 3		3	UEPPB	UEPPR		70.99										
UNE Lo	pop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.09						15.20				
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	31.95						15.20				l
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR		62.60						15.20				
UNE P	ort Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.39	184.10	128.42				15.20				ļ
NONRE	CURRING CHARGES - CURRENTLY COMBINED		-														
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			LIEPPR	UEPPR	USACB	0.00	37.40	26.23				15.20				i
ADDIT	ONAL NRCs			22110	JEITIN	33/100	0.00	37.40	20.20				10.20				
	NUMBER PORTABILITY									Ì							i
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHA	NNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR		0.00	0.00	0.00								
	CVS (EWSD)			UEPPB		U1UCB	0.00	0.00	0.00								
B.CHA	CSD NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SI	Me 8	TAI	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
Б-СПА	CVS/CSD (DMS/5ESS)	C,IVIO, 6	i IIV)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR		0.00	0.00	0.00								1
	CSD			UEPPB		U1UCF	0.00	0.00	0.00								ī
USER	FERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERTIO	CAL FEATURES												4= 00				
INTER	All Vertical Features - One per Channel B User Profile DFFICE CHANNEL MILEAGE			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00				15.20				
INTER	Interoffice Channel mileage each, including first mile and																
	facilities termination			UEPPB	UEPPR	M1GNC	22.613	39.36	26.62				15.20				ł
	Interoffice Channel mileage each, additional mile					M1GNM	0.013	0.00	0.00				15.20				
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															
UNE P	ort/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																ł
	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1	UEPPP			180.52										
	Zone 2		2	UEPPP			289.78										l
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		T -				2000			1							
	Zone 3	<u> </u>	3	UEPPP			586.76			<u> </u>		<u></u>					<u> </u>
UNE L	pop Rates								•								
	4-Wire DS1 Digital Loop - UNE Zone 1			UEPPP		USL4P	85.70						15.20				<u> </u>
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPPP		USL4P	194.96			 		 	15.20				
LINE D	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	491.94						15.20	-	-		
ONE P	Exchange Ports - 4-Wire ISDN DS1 Port		-	UEPPP		UEPPP	94.82	443.08	251.60		1	1	15.20				
NONRE	CURRING CHARGES - CURRENTLY COMBINED						002		2000	1			.0.20				
İ	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port							İ									i
	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	115.63	76.29			ļ	15.20				
ADDIT	ONAL NRCs		ļ								ļ	<u> </u>	1				
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance (except NC)			UEPPP		PR7TF		0.40					15 00				l
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	<u> </u>	 	UEPPP		rk/if		0.48		-	1	 	15.20				
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.18	11.18				15.20				l
1	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			J=. 1 1		0		11.10	11.10	1			10.20				
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		22.35	22.35				15.20				l
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										

ONROND	LED NETWORK ELEMENTS - Louisiana			,									Attachment:		Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INII	ERFACE (Provsioning Only)			LIEDDD	DD74)/	0.00	0.00	0.00								
	Voice/Data			UEPPP UEPPP	PR71V PR71D	0.00	0.00	0.00								
	Digital Data					0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel		-	LIEDDD	DDZD\/	0.00	4444					45.00				
	New or Additional - Voice/Data B Channel New or Additional - Digital Data B Channel		<u> </u>	UEPPP UEPPP	PR7BV PR7BF	0.00	14.11 14.11					15.20 15.20				
	New or Additional Inward Data B Channel		-	UEPPP	PR7BD	0.00	14.11					15.20				
CAL	L TYPES		-	UEPPP	PR/BD	0.00	14.11					15.20				
CAL			-	UEPPP	PR7C1	0.00	0.00	0.00								
	Inward		<u> </u>			0.00	0.00	0.00								
	Outward	 	1	UEPPP	PR7C0 PR7CC	0.00	0.00	0.00							 	
las Co	Two-way	1	_	UEPPP	PR/CC	0.00	0.00	0.00			ļ				 	-
inte	roffice Channel Mileage	1	<u> </u>	UEPPP	41 N/4 A	70 7050	00.00	70.44				45.00			1	
	Fixed Each Including First Mile	1	<u> </u>		1LN1A	70.7352	86.69	79.44				15.20			1	
	Each Airline-Fractional Additional Mile	1	_	UEPPP	1LN1B	0.2652					ļ				 	-
	IRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1	_	 							ļ				 	-
UNE	Port/Loop Combination Rates		1	LIEDDO		454.47						45.00				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			UEPDC		154.17						15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		263.43						15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		560.41						15.20				
UNE	Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	85.70						15.20				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	194.96						15.20				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	491.94						15.20				
UNE	Port Rate															
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	68.47	441.34	245.90				15.20				
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1														
	- Switch-as-is			UEPDC	USAC4		125.75	65.08				15.20				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1														
	- Conversion with DS1 Changes			UEPDC	USAWA		125.75	65.08				15.20				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1														
	- Conversion with Change - Trunk			UEPDC	USAWB		125.75	65.08				15.20				
ADE	DITIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.06	14.06				15.20				
BIP	OLAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00				15.20				
	B8ZS - Extended Superframe Format	1		UEPDC	CCOEF		0.00	605.00				15.20				
Alte	rnate Mark Inversion	ļ		L											1	
	AMI -Superframe Format	<u> </u>		UEPDC	MCOSF		0.00	0.00							ļ	
	AMI - Extended SuperFrame Format	<u> </u>	<u> </u>	UEPDC	MCOPO		0.00	0.00							1	
Tele	phone Number/Trunk Group Establisment Charges	<u> </u>		ļ											ļ	
	Telephone Number for 2-Way Trunk Group	1		UEPDC	UDTGX	0.00						15.20				
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						15.20				
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						15.20				
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						15.20				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00		-				15.20				
$\Box \Box$	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.20				
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				15.20				
Dod	icated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loon	with 4-Wire DDITS	Trunk Port				i i							

ONRONDL	ED NETWORK ELEMENTS - Louisiana				1								Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)			1	Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	ı	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	70.47	86.69	79.44				15.20				
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25			LIEDDO	41 NOD	0.0050	0.00	0.00								
	miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC	1LNOB	0.2652	0.00	0.00								
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Termination)			UEPDC	ILINO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.2652	0.00	0.00								1
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00									İ	
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT														<u> </u>	
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
	System can have up to 24 combinations of rates depending on	type ar	nd num	ber of ports used												
UNE	DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1			UEPMG	USLDC	85.70	0.00	0.00				15.20				
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	194.96	0.00	0.00				15.20				
	4-Wire DS1 Loop - UNE Zone 3	L,	3	UEPMG	USLDC	491.94	0.00	0.00				15.20				
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	1S)		1150110			2.22					15.00				
	24 DSO Channel Capacity - 1 per DS1			UEPMG UEPMG	VUM24 VUM48	97.35	0.00	0.00				15.20				
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48 VUM96	194.70 389.40	0.00	0.00				15.20 15.20				
	96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	584.10	0.00	0.00				15.20				
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	778.80	0.00	0.00				15.20				
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	973.50	0.00	0.00				15.20				-
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,168.20	0.00	0.00				15.20				
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,557.60	0.00	0.00				15.20				
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	1,947.00	0.00	0.00				15.20				
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,336.40	0.00	0.00				15.20				
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,725.80	0.00	0.00				15.20				
Non-	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chani	neliztio	n with Port - Conve	rsion Charge	Based on a Sy	stem									
A Mi	nimum System configuration is One (1) DS1, One (1) D4 Channe	l Bank,	and U	To 24 DSO Ports v	vith Feature A	ctivations.										
Multi	ples of this configuration functioning as one are considered Ac	ld'I afte	r the m	inimum system cor	figuration is	counted.										
	NRC - Conversion (Currently Combined) with or without															
	BellSouth Allowed Changes		L	UEPMG	USAC4	0.00	146.13	8.12				15.20				
	em Additions at End User Locations Where 4-Wire DS1 Loop wit	h Chan	nelizat	ion with Port Comb	ination Curre	ntly Exists and										
New	(Not Currently Combined) In GA, KY, LA, MS & TN Only 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
	Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	715.54	467.54				15.20				
Rino	lar 8 Zero Substitution			OLFIVIG	VOIVID4	0.00	715.54	407.34				13.20				
ыро	Clear Channel Capability Format, superframe - Subsequent				1											
	Activity Only			UEPMG	CCOSF	0.00	0.00	605.00				15.20				1
	Clear Channel Capability Format - Extended Superframe -						0.00									
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	605.00				15.20				
Alter	nate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port		1											
Exch	ange Ports															
	Line Cide Combination Channelined DDV Terral Sect. Sections			UEPPX	LIEDOV	4.50	0.00	0.00	0.00	0.00		45.00				1
	Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.52 1.52	0.00	0.00	0.00	0.00	-	15.20 15.20			-	
	Line Side Outward Channelized PBX Trunk Port - Business	-	-	UEPPA	UEPUX	1.52	0.00	0.00	0.00	0.00		15.20				
.	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.52	0.00	0.00	0.00	0.00		15.20				1
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.29	0.00	0.00	0.00	0.00		15.20			1	

UNBUNE	DLED	NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)				Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
				1				Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)	1	l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature (Service) Activation for each Line Side Port Terminated															
		in D4 Bank			UEPPX	1PQWM	0.6497	25.36	13.40				15.20				
		Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0.6497	78.05	18.40				15.20				
Te		one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				15.20				
		DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number	-	1	UEPPX UEPPX	ND4 ND5	0.00	0.00	0.00	-	1		15.20 15.20				
		Reserve Non-Consecutive DID Numbers	-	1	UEPPX	ND6	0.00	0.00	0.00				15.20				
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.20				
Lo		umber Portability				1		0.00									
		Local Number Portability - 1 per port	1		UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional															
Lo		witching Features Offered with Line Side Ports Only															
		All Features Available	1		UEPPX	UEPVF	0.00	0.00	0.00				15.20				
		ORT LOOP COMBINATIONS - MARKET RATES		diad ia			- 500 04	ata Camminai									
		Rates shall apply where BellSouth is not required to provide scenarios include:	unbune	alea lo	cai switching or swi	Itch ports per	r FCC and/or St	ate Commissio	on rules.								
		undled port/loop combinations that are Not Currently Combi	ned in A	Maham:	l a Florida and North	Carolina											
		undled port/loop combinations that are Currently Combined					n 8 MSAS in Be	ellSouth's region	on for end use	rs with 4 or mo	ore DS0 equiva	lent lines.					
		o 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd											e).				
Be	IISou	th currently is developing the billing capability to mechanica	ally bill	the rec	urring and non-recu	urring Market	Rates in this s	ection except f	or nonrecurri	ng charges for	not currently o	ombined in	AL, FL and	NC. In the in	nterim where	BellSouth car	not bill
Ma	arket l	Rates, BellSouth shall bill the rates in the Cost-Based section	n prece	ding in	lieu of the Market F	Rates and res	erves the right	to true-up the	billing differer	nce.	-						
Th	e Ma	rket Rate for unbundled ports includes all available features	in all st	ates.													
1 1-																	
En	d Off	ice and Tandem Switching Usage and Common Transport U	sage rat	tes in th	ne Port section of th	nis rate exhib	it shall apply to	all combination	ons of loop/po	ort network ele	ments except	or UNE Coi	n Port/Loop	Combination	ns which have	a flat rate us	age charge
(U	SOC:	URECU).	-								•		-				-
(U:	SOC: or Not	URECU). Currently Combined scenarios where Market Rates apply, the	ne Nonre	ecurring	g charges are listed						•		-				
(U: Fo Co	SOC: r Not mbin	URECU). Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are catego	ne Nonre	ecurring	g charges are listed						•		-				
(U: Fo Co 2-V	SOC: or Not ombin WIRE	URECU). Currently Combined scenarios where Market Rates apply, the led section. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	ne Nonre	ecurring	g charges are listed						•		-				
(U: Fo Co 2-V	SOC: or Not ombin WIRE VIE Po	URECU). Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates	ne Nonre	cording	g charges are listed		and Additional				•		-				
(U: Fo Co 2-V	SOC: or Not ombin WIRE NE Po	URECU). Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	ne Nonre	ecurring cording	g charges are listed		and Additional I				•		-				
(U: Fo Co 2-V	SOC: or Not ombin WIRE IE Po	URECU). Currently Combined scenarios where Market Rates apply, the desetion. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	ne Nonre	cording	g charges are listed		25.77 36.39				•		-				
(U: Fo Co 2-\ UN	SOC: or Not ombin WIRE NE Po	URECU). Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) wt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	ne Nonre	ecurring cording	g charges are listed		and Additional I				•		-				
(U: Fo Co 2-\ UN	SOC: or Not ombin WIRE IE Po	URECU). Currently Combined scenarios where Market Rates apply, the desetion. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	ne Nonre	cording	g charges are listed		25.77 36.39				•		-				
(U: Fo Co 2-\ UN	SOC: or Not ombin WIRE IE Po	URECU). Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates	ne Nonre	cording 1 2 3	g charges are listed gly.	in the First a	25.77 36.39 62.26				•		-				
(U: Fo Co 2-\ UN	SOC: or Not ombin WIRE IE Po	URECU). Currently Combined scenarios where Market Rates apply, the de section. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1	ne Nonre	coording 1 2 3	g charges are listed gly.	in the First a	25.77 36.39 62.26				•		-				
(U) Fo Co 2-1 UN	SOC: or Not ombin WIRE NE Po	URECU). Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res)	ne Nonre	cording	g charges are listed gly. UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX	25.77 36.39 62.26 11.77 22.39 48.26	NRC columns (or each Port U		•		-	ecurring char	ges are listed		
(U) Fo Co 2-1 UN	SOC: or Not ombin WIRE NE Po	URECU). Currently Combined scenarios where Market Rates apply, the de section. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **rt/Loop Combination Rates** 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **voice Grade Loop (SL1) - Zone 3 **Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence	ne Nonre	cording	g charges are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	25.77 36.39 62.26 11.77 22.39 48.26	NRC columns f	for each Port U		•		-	acurring charge	ges are listed		
(U) Fo Co 2-1 UN	SOC: or Not ombin WIRE IE Po	URECU). Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	ne Nonre	cording	g charges are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	25.77 36.39 62.26 11.77 22.39 48.26 14.00	90.00 90.00	90.00 90.00		•		-	31.92 31.92	7.32 7.32		
(U) Fo Co 2-1 UN	SOC: or Not ombin WIRE IE Po	URECU). Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or IVLoop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	ne Nonre	cording	g charges are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	25.77 36.39 62.26 11.77 22.39 48.26	NRC columns f	for each Port U		•		-	acurring charge	ges are listed		
(U) Fo Co 2-1 UN	SOC: or Not ombin WIRE IE Po	URECU). Currently Combined scenarios where Market Rates apply, the de section. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port (Res) 2-Wire voice unbundled port residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing	ne Nonre	cording	g charges are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO	25.77 36.39 62.26 11.77 22.39 48.26 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00		•		-	31.92 31.92 31.92	7.32 7.32		
(U) Fo Co 2-1 UN	SOC: or Not ombin WIRE IE Po	URECU). Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **rt/Loop Combination Rates* 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **op Rates* 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Line Port (Res)* 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res	ne Nonro	cording	g charges are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	25.77 36.39 62.26 11.77 22.39 48.26 14.00	90.00 90.00	90.00 90.00		•		-	31.92 31.92	7.32 7.32		
(U) Fo Co 2-1 UN	SOC: or Not ombin WIRE IE Po	URECU). Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Int/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res	ne Nonro	cording	g charges are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAS	25.77 36.39 62.26 11.77 22.39 48.26 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00		•		-	31.92 31.92 31.92	7.32 7.32		
(U) Fo Co 2-1 UN	SOC: or Not ombin WIRE IE Po	URECU). Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **rt/Loop Combination Rates* 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **op Rates* 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Line Port (Res)* 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res	ne Nonro	cording	g charges are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO	25.77 36.39 62.26 11.77 22.39 48.26 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00		•		-	31.92 31.92 31.92	7.32 7.32		
(U) Fo Co 2-1 UN	SOC: or Not ombin WIRE IE Po	URECU). Currently Combined scenarios where Market Rates apply, the de section. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL)	ne Nonro	cording	g charges are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAS	25.77 36.39 62.26 11.77 22.39 48.26 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00		•		-	31.92 31.92 31.92	7.32 7.32		
(U) Fo Co 2-1 UN	SOC: or Not ombin MIRE IE Po	URECU). Currently Combined scenarios where Market Rates apply, the desection. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **rt/Loop Combination Rates** 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **op Rates** 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **voice Grade Loop (SL1) - Zone 3 **Joice Grade Line Port (Res)* 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res	ne Nonro	cording	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS UEPAG	25.77 36.39 62.26 11.77 22.39 48.26 14.00 14.00	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00		•		-	31.92 31.92 31.92 31.92 31.92	7.32 7.32 7.32 7.32		
(U) Fo Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca	SOC: or Not Miles In Not Miles	URECU). Currently Combined scenarios where Market Rates apply, the de section. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **rt/Loop Combination Rates** 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Loop (SL1) - Zone 3 **Voice Grade Loop (SL1) - Zone 3 **Zwire Voice unbundled port vith Caller ID - res 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (ACT) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (ACT) 2-Wire voice unbundled ses, low usage line port with Caller ID (LUM)	ne Nonro	cording	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS UEPAG	25.77 36.39 62.26 11.77 22.39 48.26 14.00 14.00	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00		•		-	31.92 31.92 31.92 31.92 31.92	7.32 7.32 7.32 7.32		
(U) Fo Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca	SOC: or Not Miles In Not Miles It Pool It Louis	URECU). Currently Combined scenarios where Market Rates apply, the ed section. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **rt/Loop Combination Rates** 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **op Rates** 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Line Port (Res)* 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (AC7) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) **NUMBER PORTABILITY*	ne Nonro	cording	g charges are listed gly. UEPRX P	25.77 36.39 62.26 11.77 22.39 48.26 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00		•		-	31.92 31.92 31.92 31.92 31.92 31.92	7.32 7.32 7.32 7.32 7.32			
(U) Fo Cc Cc 2-1 UN UN CC Cc Cc Cc Cc Cc Cc Cc Cc Cc Cc Cc Cc	SOC: or Not mbin mbin MIRE IE Po Wire \ \text{V}	URECU). Currently Combined scenarios where Market Rates apply, the de section. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 1	ne Nonro	cording	g charges are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS UEPAG UEPAG	25.77 36.39 62.26 11.77 22.39 48.26 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00		•		-	31.92 31.92 31.92 31.92 31.92 31.92	7.32 7.32 7.32 7.32 7.32		
(U) Fo Cc Cc 2-1 UN UN CC Cc Cc Cc Cc Cc Cc Cc Cc Cc Cc Cc Cc	SOC: or Not motion WIRE IF PO	URECU). Currently Combined scenarios where Market Rates apply, the de section. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (ACT) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (ACT) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (ACT) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (ACT) 1	ne Nonro	cording	g charges are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS UEPAG UEPAG UEPAH UEPAP	25.77 36.39 62.26 11.77 22.39 48.26 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00		•		-	31.92 31.92 31.92 31.92 31.92 31.92	7.32 7.32 7.32 7.32 7.32 7.32		
(U) Fo Ca 2-V U) UN 2-V Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca	SOC: TO NOT NOT NOT NOT NOT NOT NOT NOT NOT	URECU). Currently Combined scenarios where Market Rates apply, the desection. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **rt/Loop Combination Rates** 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **op Rates** 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Loop (SL1) - Zone 3 **Voice Grade Line Port (Res)* 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (ACT) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (ACT) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) **NUMBER PORTABILITY* Local Number Portability (1 per port) **RES* All Features Offered	ne Nonro	cording	g charges are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAS UEPAG UEPAG UEPAH UEPAP	25.77 36.39 62.26 11.77 22.39 48.26 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00		•		-	31.92 31.92 31.92 31.92 31.92 31.92	7.32 7.32 7.32 7.32 7.32		-
(U) Fo Ca Ca 2-V U) U) 2-V Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca	SOC: TO NOT NOT NOT NOT NOT NOT NOT NOT NOT	URECU). Currently Combined scenarios where Market Rates apply, the de section. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (ACT) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (ACT) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (ACT) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (ACT) 1	ne Nonro	cording	g charges are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS UEPAG UEPAG UEPAH UEPAP	25.77 36.39 62.26 11.77 22.39 48.26 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00		•		-	31.92 31.92 31.92 31.92 31.92 31.92	7.32 7.32 7.32 7.32 7.32 7.32		-
(U) Fo Ca Ca 2-V U) U) 2-V Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca	SOC: TO NOT NOT NOT NOT NOT NOT NOT NOT NOT	URECU). Currently Combined scenarios where Market Rates apply, the de section. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port utip going only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (ACT) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (ACT) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered CURRING CHARGES - CURRENTLY COMBINED	ne Nonre	cording	g charges are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAS UEPAG UEPAG UEPAH UEPAP	25.77 36.39 62.26 11.77 22.39 48.26 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00		•		-	31.92 31.92 31.92 31.92 31.92 31.92 31.92	7.32 7.32 7.32 7.32 7.32 7.32 7.32		
(U) Fo Ca Ca 2-V U) U) 2-V Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca	SOC: or Note of the Note of th	URECU). Currently Combined scenarios where Market Rates apply, the desection. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (ACT) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered CURRING CHARGES - CURRENTLY COMBINED	ne Nonre	cording	g charges are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS UEPAG UEPAG UEPAH UEPAP	25.77 36.39 62.26 11.77 22.39 48.26 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00		•		-	31.92 31.92 31.92 31.92 31.92 31.92	7.32 7.32 7.32 7.32 7.32 7.32		
(U) Fo Ca Ca 2-V U) U) 2-V Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca	SOC: or Note of the Note of th	URECU). Currently Combined scenarios where Market Rates apply, the ced section. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **rt/Loop Combination Rates** 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **op Rates** 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Line Port (Res)* 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (AC7) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (AC7) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) **NUMBER PORTABILITY* Local Number Portability (1 per port) **RES All Features Offered **CURRING CHARGES - CURRENTLY COMBINED** 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is	ne Nonre	cording	g charges are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAS UEPAG UEPAG UEPAH UEPAP LNPCX UEPVF	25.77 36.39 62.26 11.77 22.39 48.26 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 41.50	90.00 90.00 90.00 90.00 90.00 90.00 41.50		•		-	31.92 31.92 31.92 31.92 31.92 31.92 31.92	7.32 7.32 7.32 7.32 7.32 7.32 7.32		
(U) Fo Co Co 2-1 UN UN LC FE NC	SOC: or Not over the control of the	URECU). Currently Combined scenarios where Market Rates apply, the desection. Additional NRCs may apply also and are catego VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (ACT) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered CURRING CHARGES - CURRENTLY COMBINED	ne Nonre	cording	g charges are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAS UEPAG UEPAG UEPAH UEPAP	25.77 36.39 62.26 11.77 22.39 48.26 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00		•		-	31.92 31.92 31.92 31.92 31.92 31.92 31.92	7.32 7.32 7.32 7.32 7.32 7.32 7.32		

04/12/02 Page 183 of 352

UNBU	JNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
<u> </u>												Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		ı
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
		Subsequent			UEPRX	USAS2		0.00	0.00					31.92	7.32		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) ort/Loop Combination Rates															
	UNE P	2-Wire VG Loop/Port Combo - Zone 1		1			25.77										
		2-Wire VG Loop/Port Combo - Zone 2		2			36.39										
		2-Wire VG Loop/Port Combo - Zone 3		3			62.26										
		pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.77								1		
	 	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	22.39			-	-						
-	2-Wire	2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Bus)	 	3	UEPBX	UEPLX	48.26							-	-	-	
	Z-44116	2-Wire voice unbundled port without Caller ID - bus		 	UEPBX	UEPBL	14.00	90.00	90.00	1	1	+		31.92	7.32		
	1	2-Wire voice unbundled port with Caller + E484 ID - bus		<u> </u>	UEPBX	UEPBC	14.00	90.00	90.00					31.92	7.32		
		2-Wire voice unbundled port outgoing only - bus		L	UEPBX	UEPBO	14.00	90.00	90.00					31.92	7.32		
		2-Wire voice Grade unbundled Louisiana extended local dialing															
		parity port with Caller ID - bus			UEPBX	UEPAX	14.00	90.00	90.00					31.92	7.32		
		2-Wire voice unbundled Louisiana Bus Area Calling Port with			LIEDDY	LIEDAA	44.00	00.00	00.00					04.00	7.00		
	LOCAL	Caller ID (BUC) NUMBER PORTABILITY			UEPBX	UEPAA	14.00	90.00	90.00					31.92	7.32		
	LOCAL	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
	NONRE	ECURRING CHARGES - CURRENTLY COMBINED			OLI DX	LIVI OX	0.00										
	1																
		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					31.92	7.32		
		2-Wire Voice Grade Loop / Line Port Combination - Switch with															
	ADDIT	change			UEPBX	USACC		41.50	41.50					31.92	7.32		
	ADDITI	NRC - 2-Wire Voice Grade Loop/Line Port Combination -													-		
		Subsequent			UEPBX	USAS2		0.00	0.00					31.92	7.32		
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			02. 5/	00/102		0.00	0.00					01.02	7.02		
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			25.77										
		2-Wire VG Loop/Port Combo - Zone 2		2			36.39										
	LINIE I	2-Wire VG Loop/Port Combo - Zone 3		3			62.26										
-	UNE LO	pop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPRG	UEPLX	11.77						1		+		
-	1	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	22.39								—		
	1	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	48.26			1	1	l –					
	2-Wire	Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				I											
	1.0041	Res		<u> </u>	UEPRG	UEPRD	14.00	90.00	90.00	-	-			31.92	7.32		
—		. NUMBER PORTABILITY Local Number Portability (1 per port)	 	 	UEPRG	LNPCP	3.15			-	-	 			 		
—	NONRE	ECURRING CHARGES - CURRENTLY COMBINED		 	OLI INO	LIVIOF	3.13					 			 		
	1		l			1				İ	İ				1	İ	
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		<u> </u>	UEPRG	USAC2		41.50	41.50					31.92	7.32		
1	1	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	ADDIT	Change	<u> </u>	ļ	UEPRG	USACC		41.50	41.50					31.92	7.32		
-	ADDIT	ONAL NRCs 2 Wire Loop/Line Side Port Combination - Non feature -		!		+						 			-		
	1	Subsequent Activity- Nonrecurring		1				0.00	0.00					31.92	7.32		
	1	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1		1	1	0.00	0.00	1	1	l –		01.02	7.02		
	1	Group		1				14.64	14.64					31.92	7.32		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	UNE Po	ort/Loop Combination Rates															
	-	2-Wire VG Loop/Port Combo - Zone 1	ļ	1		1	25.77								1		
—	+	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	<u> </u>	3			36.39 62.26								-		
	UNF I	poop Rates		3		+	02.20			1	1	+					
	J (p		1	l					1	1	1	1	l	l	ı	

UNBUNDLED N	IETWORK ELEMENTS - Louisiana			1							I		Attachment:		Exhibit: B	ļ <u>. </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Vire Voice Grade Loop (SL1) - Zone 1			UEPPX	UEPLX	11.77										
	Vire Voice Grade Loop (SL1) - Zone 2			UEPPX	UEPLX	22.39										
	Vire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	48.26										
2-Wire Void	ce Grade Line Port Rates (BUS - PBX)															
	011 11 1 1 1 0 1 1 1 0 1 1 D 1 D													= 00		
	e Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					31.92	7.32		
	e Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					31.92	7.32		
	e Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00					31.92	7.32		
	Vire Voice Unbundled 2-Way Combination PBX Louisiana			UEPPX	UEPL2	14.00							04.00	7.00		
	Iling Port			UEPPX			00.00	00.00					31.92	7.32		
	Vire Voice Unbundled PBX LD Terminal Ports	-		UEPPX	UEPLD UEPXA	14.00	90.00 90.00	90.00					31.92 31.92	7.32 7.32		
	Vire Voice Unbundled 2-Way Combination PBX Usage Port Vire Voice Unbundled PBX Toll Terminal Hotel Ports	 		UEPPX	UEPXA	14.00 14.00	90.00	90.00					31.92	7.32		
	Vire Voice Unbundled PBX LD DDD Terminals Port	 		UEPPX	UEPXB	14.00	90.00	90.00					31.92	7.32		
	Vire Voice Unbundled PBX LD DDD Terminals Port Vire Voice Unbundled PBX LD Terminal Switchboard Port	 	-	UEPPX	UEPXC	14.00	90.00	90.00	 				31.92	7.32		
	Vire Voice Unbundled PBX LD Terminal Switchboard Port Vire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPPX	UEPAD	14.00	90.00	90.00					31.92	7.32		
	pable Port			UEPPX	UEPXE	14.00	90.00	90.00					31.92	7.32		
	Vire Voice Unbundled 2-Way PBX Louisiana Local Optional			ULFFX	ULFAL	14.00	90.00	90.00	+				31.92	1.32		
	lling Port			UEPPX	UEPXK	14.00	90.00	90.00					31.92	7.32		
	Vire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			ULFFX	OLFAR	14.00	90.00	90.00					31.92	1.32		
	ministrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					31.92	7.32		
	Vire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			ULFFX	ULFAL	14.00	90.00	90.00					31.92	1.32		
	om Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					31.92	7.32		
	Vire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			OLITA	OLI XIVI	14.00	30.00	30.00					31.32	7.52		
	scount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					31.92	7.32		
	Vire Voice Unbundled 1-Way Outgoing PBX Louisiana Local			OLITA	OLI AO	14.00	30.00	30.00	-				31.32	7.52		
	scount Calling Port			UEPPX	UEPXP	14.00	90.00	90.00					31.92	7.32		
	Vire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					31.92	7.32		
	IMBER PORTABILITY			02.17	02.70		00.00	00.00	+				01.02	7.02		
	cal Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATURES				02.17	2.1. 0.	0.10	0.00	0.00								
	Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					31.92	7.32		
	RRING CHARGES - CURRENTLY COMBINED						0.00									
2-W	Vire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50					31.92	7.32		
	Vire Voice Grade Loop/ Line Port Combination - Switch with															
Cha	ange			UEPPX	USACC		41.50	41.50					31.92	7.32		
ADDITIONA																
2-W	Vire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0.00	0.00					31.92	7.32		
	Vire Loop/Line Side Port Combination - Non feature -															
	bsequent Activity- Nonrecurring						0.00	0.00					31.92	7.32		
PBX	X Subsequent Activity - Change/Rearrange Multiline Hunt															
Gro							14.64	14.64					31.92	7.32		
	DICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POP	RT														
	Loop Combination Rates															
	Vire VG Coin Port/Loop Combo – Zone 1		1			25.77										
	Vire VG Coin Port/Loop Combo – Zone 2		2			36.39										
	Vire VG Coin Port/Loop Combo – Zone 3	ļ	3			62.26										
UNE Loop		ļ														
	Vire Voice Grade Loop (SL1) - Zone 1	ļ	1	UEPCO	UEPLX	11.77										
	Vire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	22.39										
	Vire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	48.26										
	ce Grade Line Port Rates (Coin)	ļ														
	Vire Coin 2-Way without Operator Screening and without	l			1									_		
	ocking (AL, KY, LA, MS)	ļ		UEPCO	UEPRF	14.00	90.00	90.00					31.92	7.32		
2-W	Vire Coin 2-Way with Operator Screening and Blocking: 011,	1														1
1900	0/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14.00	90.00	90.00					31.92	7.32	l	I

UNBUNDL	ED NETWORK ELEMENTS - Louisiana											1-		Attachment:		Exhibit: B	L.
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	S	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec			g Disconnect				Rates(\$)		
	0.147 0.11 0.144 Ph. 114							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO		UEPRB	14.00	90.00	90.00					31.92	7.32		
	2-Wire Coin 2-Way with Operator Screening & Blocking:	-	1	UEPCO		UEPRB	14.00	90.00	90.00					31.92	1.32		
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO		UEPCD	14.00	90.00	90.00					31.92	7.32		
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO		UEPRN	14.00	90.00	90.00					31.92	7.32		
	2-Wire Coin Outward with Operator Screening and 011 Blocking			LIEDOO		UEPLA	14.00	90.00	90.00					31.92	7.32		
	(LA) 2-Wire Coin Outward with Operator Screening and Blocking:	-		UEPCO		UEPLA	14.00	90.00	90.00		<u> </u>			31.92	1.32		
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO		UEPRH	14.00	90.00	90.00					31.92	7.32		
	2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO		UEPCN	14.00	00.00	00.00					31.92	7.32		
LOC	AL NUMBER PORTABILITY	-		UEPCO		UEPCN	14.00	90.00	90.00		<u> </u>			31.92	1.32		
	Local Number Portability (1 per port)	1		UEPCO		LNPCX	0.35										1
NON	RECURRING CHARGES - CURRENTLY COMBINED			021 00		LIVI OX	0.00										
1.0.1																	İ
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO		USAC2		41.50	41.50					31.92	7.32		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with																
	Change			UEPCO		USACC		41.50	41.50					31.92	7.32		
ADD	ITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO		USAS2		0.00	0.00					31.92	7.32		
	D PORT/LOOP COMBINATIONS - MARKET BASED RATES																
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	(PORT															
UNE	Port/Loop Combination Rates						=0.00										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	-	1 2				50.93					1					-
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	-	3				61.35 86.46										
UNE	Loop Rates		3				80.40										
0.112	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	14.93						15.20				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	25.35						15.20				İ
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	50.46						15.20				
UNE	Port Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	36.00	600.00	45.00				15.20				
NON	RECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination	-		LIEDDY		110404		400.00	40.50				45.00				
 	Switch-As-Is Top 8 MSAs only 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	-	1	UEPPX		USAC1		100.00	42.50			1	15.20				-
	with BellSouth Allowable Changes Top 8 MSAs only			UEPPX		USA1C		100.00	42.50				15.20				
ADD	ITIONAL NRCs			OLI I X		00/110		100.00	72.00				10.20				
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		45.00	45.00				15.20				
Tele	phone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00				15.20				
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00				15.20				
	DID Numbers, Non- consecutive DID Numbers , Per Number		1	UEPPX		ND5	0.00	0.00	0.00				15.20				
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00				15.20				
1.00	Reserve DID Numbers AL NUMBER PORTABILITY	1		UEPPX		NDV	0.00	0.00	0.00		1	1	15.20				
LUC	Local Number Portability (1 per port)	1	1	UEPPX		LNPCP	3.15	0.00	0.00	1	1	1			1	1	
2-W	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NF SIDI	F PORT			LIVI OI	0.10	0.00	0.00								
	Port/Loop Combination Rates	0.0.									Ì						1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		84.09										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	+		OLI I'D	OLI: FIX		04.09				†	1					t
	UNE Zone 2		2	UEPPB	UEPPR		96.95										1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3		UEPPR		127.60										
				OLFFD	OFLLI	1	121.00			ı	1	1				ı	
LINE	Loop Rates	1															

UNBUNDLE	D NETWORK ELEMENTS - Louisiana													Attachment:		Exhibit: B	L
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	usoc			ΓES(\$)				Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	31.95						15.20				İ
	2-Wire ISDN Digital Grade Loop - ONE Zone 2			UEPPB	UEPPR		62.60						15.20				
UNE P	ort Rate			02	OL. TI	OOLLA	02.00						10.20				
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	65.00	525.00	400.00				15.20				
NONRE	CURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion - Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	230.00	230.00				15.20				ĺ
ADDIT	IONAL NRCs			UEPPB	UEPPR	USACB	0.00	230.00	230.00				15.20				
	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHA	NNEL USER PROFILE ACCESS:							•	•								
	CVS/CSD (DMS/5ESS)		<u> </u>	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)		!	UEPPB UEPPB	UEPPR UEPPR	U1UCB U1UCC	0.00	0.00	0.00	 		1					
B-CHA	ICSD NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. &	L TNI	UEPPB	UEPPK	01000	0.00	0.00	0.00	 							
2 5.17	CVS/CSD (DMS/5ESS)	_,5, 6	<u>, </u>	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00	1							
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE						2.22										
VEDTI	User Terminal Profile (EWSD only) CAL FEATURES			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERTI	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00				15.20				
INTER	OFFICE CHANNEL MILEAGE			OLITE	OLITIK	OLI VI	0.00	0.00	0.00				10.20				
	Interoffice Channel mileage each, including first mile and																
	facilities termination				UEPPR	M1GNC	22.613	39.36	26.62				15.20				
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.013	0.00	0.00				15.20				
	EDS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK ort/Loop Combination Rates	PORT															
ONL	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1		1	UEPPP			935.70										ĺ
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			1,044.96										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																ĺ
LINE	Zone 3		3	UEPPP		+	1,341.94										
ONE	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	85.70						15.20				—
1	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	194.96			İ			15.20				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	491.94						15.20				
UNE P	ort Rate																
NOND	Exchange Ports - 4-Wire ISDN DS1 Port ECURRING CHARGES - CURRENTLY COMBINED			UEPPP		UEPPP	850.00	1,150.00	1,150.00				15.20				
NONKI	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP		USACP	0.00	950.00	950.00				15.20				ĺ
ADDIT	IONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way tel nos within Std Allowance (except NC)		<u> </u>	UEPPP		PR7TF		0.48					15.20				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)		1	UEPPP		PR7TO		11.18	11.18	1			15.20				1
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		 	OLFFF		1 1/10		11.10	11.10	 		 	13.20				\vdash
	Subsequent Inward Tel Nos Above Std Allowance		1	UEPPP		PR7ZT		22.35	22.35	1			15.20				
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75		_								
INTER	FACE (Provsioning Only)		<u> </u>	LIEDDE		DD741/	0.00	0.00	0.00			1					
	Voice/Data Digital Data		!	UEPPP		PR71V PR71D	0.00	0.00	0.00	 		1					
- 	Inward Data		 	UEPPP		PR71E	0.00	0.00	0.00	 		 					
New or	r Additional "B" Channel			CLITI			0.00	0.00	0.00								
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	14.11					15.20				

ONRONDE	ED NETWORK ELEMENTS - Louisiana		1	ı							_		Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	ı	
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.11					15.20				
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.11					15.20				
CALL	TYPES			UEPPP	PR7C1	0.00	0.00	0.00								
	Inward Outward			UEPPP	PR7C1	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interd	office Channel Mileage			OLITI	1100	0.00	0.00	0.00								
	Fixed Each Including First Mile			UEPPP	1LN1A	70.7532	86.69	79.44				15.20				
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.2652										
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide		SW	UEPDC												
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		154.17						15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	ļ	2	UEPDC		263.43					ļ	15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	 	3	UEPDC		560.41						15.20		-	-	
LIME	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4 Loop Rates	<u> </u>	4	UEPDC												
UNE	4-Wire DS1 Digital Loop - Statewide	 	SW	UEPDC	USLDC						-			-	1	
	4-Wire DS1 Digital Loop - Statewide 4-Wire DS1 Digital Loop - UNE Zone 1		3W	UEPDC	USLDC	85.70						15.20				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	194.96						15.20				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	491.94						15.20				
	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC	101.01						10.20				
UNE	Port Rate															
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,006.28	479.28	0.00	0.00		15.20				
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		125.75	65.08				15.20				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		125.75	65.08				15.20				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		125.75	65.08				15.20				
ADDI	TIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order			UEPDC	USAS4											
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	UDTTA		14.06	14.06				15.20				
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB	l	14.06	14.06				15.20				1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk Wout DID			UEPDC	UDTTC		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans	İ		UEPDC	UDTTE		14.06	14.06				15.20				
BIPO	LAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00				15.20				
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	605.00				15.20				
Alteri	nate Mark Inversion	ļ	<u> </u>	LIEBBO	1100 ==						ļ					
	AMI -Superframe Format	 	<u> </u>	UEPDC	MCOSF		0.00	0.00						-	-	
T.1	AMI - Extended SuperFrame Format	 	<u> </u>	UEPDC	MCOPO		0.00	0.00						-	-	
relep	hone Number/Trunk Group Establisment Charges Telephone Number for 2-Way Trunk Group	<u> </u>		UEPDC	UDTGX	0.00						15.20				
	Telephone Number for 2-way Trunk Group Telephone Number for 1-Way Outward Trunk Group	 	-	UEPDC	UDTGX	0.00	+				-	15.20		-	1	
	Telephone Number for 1-Way Outward Trunk Group Telephone Number for 1-Way Inward Trunk Group Without DID	1	 	UEPDC	UDTGZ	0.00	ł					15.20				
	DID Numbers, Establish Trunk Group and Provide First Group			02. 00	35102	0.00	+					10.20				
1	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00				15.20				1
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						15.20				

IINBIINDI E	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
UNBUNDLE		1	ı								Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc		Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)				per LSR		Order vs.	Order vs.	Order vs.
		m						(+)			per LSR	per LSK	Order vs. Electronic-	Electronic-	Electronic-	Electronic-
															Disc 1st	
													1st	Add'l	DISC 1St	Disc Add'l
						Dan	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						15.20				
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.20				
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				15.20				
	ted DS1 (Interoffice Channel Mileage) -															
FX/FC	O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	70.47	86.69	79.44				15.20				
	Interesting Channel Mileson Additional acts are will also as in			LIEDDO	41 NO 4	0.0050	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	 	 	UEPDC	1LNOA	0.2652	0.00	0.00	 					 		
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)	l	l	UEPDC	1LNO2	0.00	0.00	0.00	1					1		
	Interoffice Channel Mileage - Additional rate per mile - 9-25	 		OLFDO	ILINUZ	0.00	0.00	0.00	t					t	1	
	miles	l	l	UEPDC	1LNOB	0.2652	0.00	0.00						1		
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	1	-		1200	3.2002	0.00	0.00	I			 		I		
	Termination)	l	l	UEPDC	1LNO3	0.00	0.00	0.00						1		
	,			-			2.20	3.30	1					1	İ	
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.2652	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00										
	DS1 LOOP WITH CHANNELIZATION WITH PORT															
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															
	em can have various rate combinations based on type and nur	mber of	ports	used												
UNE D	S1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	85.70	0.00	0.00				15.20				
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00				15.20				
IIIIE B	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	491.94	0.00	0.00				15.20				
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1	ns)		UEPMG	VUM24	97.35	0.00	0.00	1			15.20				
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	194.70	0.00	0.00				15.20				
	96 DSO Channel Capacity - 1 per 2 DS1s		-	UEPMG	VUM96	389.40	0.00	0.00				15.20				
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	584.10	0.00	0.00				15.20				
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	778.80	0.00	0.00				15.20				
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	973.50	0.00	0.00				15.20				
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,168.20	0.00	0.00				15.20				
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,557.60	0.00	0.00				15.20				
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	1,947.00	0.00	0.00				15.20				
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,336.40	0.00	0.00				15.20				
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,725.80	0.00	0.00				15.20				
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	mum System configuration is One (1) DS1, One (1) D4 Channe															
Multip	les of this configuration functioning as one are considered Ac	ld'I afte	r the m	inimum system con	figuration is	counted.			ļ					ļ		
	NRC - Conversion (Currently Combined) with or without	1	1	LIEDMO	LICACA	0.00	450.00	50.00	1			45.00				
Cucton	BellSouth Allowed Changes - Top 8 MSAs Only	L Comit	inad \	UEPMG	USAC4	0.00	450.00	50.00	!			15.20		!	1	
	n Additions Where Currently Combined and New (Not Currentle	y comb	inea)		+				 					 		
ın rop	8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc	 	.		+	-			 			 				
	Fea Activation -	1	1	UEPMG	VUMD4	0.00	900.00	600.00	I			15.20		I		
Rinola	r 8 Zero Substitution			OLI MO	VOIVIDT	0.00	300.00	000.00	 			10.20		 		
Біроїа	Clear Channel Capability Format, superframe - Subsequent	1	-		1				I			 		I		
	Activity Only	l	l	UEPMG	CCOSF	0.00	0.00	605.00				15.20		1		
	Clear Channel Capability Format - Extended Superframe -			-												
	Subsequent Activity Only	l	l	UEPMG	CCOEF	0.00	0.00	605.00				15.20		1		
Alterna	ate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port		1				ļ					ļ		
Excha	nge Ports				1				ļ					1		
	The Oile Continue of the IRRY Total Continue of	1	1	LIEDDY	LIEBOY	44.00	0.00	0.00	I			45.00		I		
	Line Side Combination Channelized PBX Trunk Port - Business	l	i	UEPPX	UEPCX	14.00	0.00	0.00	L	l	1	15.20		l	l	

	D NETWORK ELEMENTS - Louisiana	1	_	1		1						0	Attachment:		Exhibit: B	
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'
$\overline{}$							Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)	1	
_						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00				15.20				
	Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX UEPPX	UEP1X UEPDM	14.00 36.00	0.00	0.00				15.20 15.20				
Eostur	e Activations - Unbundled Loop Concentration			UEPPX	UEPDINI	36.00	0.00	0.00				15.20				
- reature	Feature (Service) Activation for each Line Side Port Terminated	1	1													
	in D4 Bank			UEPPX	1PQWM	0.6497	40.00	20.00				15.20				
	Feature (Service) Activation for each Trunk Side Port Terminated															
	in D4 Bank			UEPPX	1PQWU	0.6497	110.00	30.00				15.20				
Teleph	one Number/ Group Establishment Charges for DID Service															
-	DID Trunk Termination (1 per Port)	1	<u> </u>	UEPPX	NDT	0.00	0.00	0.00				15.20				
$+\!-\!$	DID Numbers - groups of 20 - Valid all States	1	1	UEPPX	ND4	0.00	0.00	0.00	1	-		15.20			1	
+	Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers	 	1	UEPPX UEPPX	ND5 ND6	0.00	0.00	0.00				15.20 15.20			 	
	Reserve DID Numbers	1		UEPPX	NDV	0.00	0.00	0.00				15.20				
Local	Number Portability	1	1	OLI I A	INDV	0.00	0.00	0.00				13.20			 	
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FEATU	JRES - Vertical and Optional															
Local S	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00				15.20				
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	c														
1. Cost	t Based Rates are applied where BellSouth is required by FCC	and/or								Land of the Barta	F. J. W. W.					
1. Cost 2. Feat 3. End For Ge Combin	t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, Mississippi and Tennessee, the r ned Combos for all states. In GA, KY, LA, MS and TN these no	and/or cost Bas Usage ecurring onrecur	sed Rat rates in g UNE ring ch	te section in the sa in the Port section Port and Loop cha narges are commis	me manner as of this rate exh rges listed app sion ordered c	they are applie ibit shall apply bly to Currently ost based rates	to the Stand to all combina Combined and and in AL, FL	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 3. End For Ge Combin Combin 5. Mar	t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, Mississippi and Tennessee, the r ned Combos for all states. In GA, KY, LA, MS and TN these nr ned Combos in all other states, the nonrecurring charges sha ket Rates for Unbundled Centrex Port/Loop Combination will	and/or Cost Base Usage ecurring onrecur all be the	sed Rat rates in g UNE ring ch ose ide	te section in the sa in the Port section Port and Loop cha narges are commis entified in the Non	me manner as of this rate exh orges listed app sion ordered c recurring - Cur	they are applie ibit shall apply bly to Currently ost based rates rently Combine	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 3. End For Ge Combin Combin 5. Mar UNE-P	t Based Rates are applied where BellSouth is required by FCC cures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, Mississippi and Tennessee, the r ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges sha ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	and/or Cost Base Usage ecurring onrecur all be the	sed Rat rates in g UNE ring ch ose ide	te section in the sa in the Port section Port and Loop cha narges are commis entified in the Non	me manner as of this rate exh orges listed app sion ordered c recurring - Cur	they are applie ibit shall apply bly to Currently ost based rates rently Combine	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 3. End For Ge Combin Combin 5. Mar UNE-P 2-Wire	t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport orogia, Kentucky, Louisiana, Mississippi and Tennessee, the r ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shall ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo	and/or Cost Base Usage ecurring onrecur all be the	sed Rat rates in g UNE ring ch ose ide	te section in the sa in the Port section Port and Loop cha narges are commis entified in the Non	me manner as of this rate exh orges listed app sion ordered c recurring - Cur	they are applie ibit shall apply bly to Currently ost based rates rently Combine	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 3. End For Ge Combin Combin 5. Mar UNE-P 2-Wire	t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - Office and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the rined Combos for all states. In GA, KY, LA, MS and TN these in ned Combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)	and/or Cost Base Usage ecurring onrecur all be the	sed Rat rates in g UNE ring ch ose ide	te section in the sa in the Port section Port and Loop cha narges are commis entified in the Non	me manner as of this rate exh orges listed app sion ordered c recurring - Cur	they are applie ibit shall apply bly to Currently ost based rates rently Combine	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 3. End For Ge Combin Combin 5. Mar UNE-P 2-Wire	t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - Office and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, Mississippi and Tennessee, the rined Combos for all states. In GA, KY, LA, MS and TN these nined Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	and/or Cost Base Usage ecurring onrecur all be the	sed Rat rates in g UNE ring ch ose ide	te section in the sa n the Port section Port and Loop cha narges are commis entified in the Non on an Individual	me manner as of this rate exh orges listed app sion ordered c recurring - Cur	they are applie ibit shall apply obly to Currently ost based rates rently Combine til further notice	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 3. End For Ge Combin Combin 5. Mar UNE-P 2-Wire	t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - Office and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the rined Combos for all states. In GA, KY, LA, MS and TN these in ned Combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)	and/or Cost Base Usage ecurring onrecur all be the	sed Rat rates in g UNE ring ch ose ide otiated	te section in the sa in the Port section Port and Loop cha narges are commis entified in the Non	me manner as of this rate exh orges listed app sion ordered c recurring - Cur	they are applie ibit shall apply bly to Currently ost based rates rently Combine	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 3. End For Ge Combin Combin 5. Mar UNE-P 2-Wire	t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - Office and Tandem Switching Usage and Common Transport torgia, Kentucky, Louisiana, Mississippi and Tennessee, the rined Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges shated Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboolNon-Design	and/or Cost Base Usage ecurring onrecur all be the	sed Rat rates in g UNE ring ch ose ide otiated	te section in the sa n the Port section Port and Loop cha narges are commis entified in the Non on an Individual	me manner as of this rate exh orges listed app sion ordered c recurring - Cur	they are applie ibit shall apply obly to Currently ost based rates rently Combine til further notice	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 3. End For Ge Combin Combin 5. Mar UNE-P 2-Wire	t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport orogia, Kentucky, Louisiana, Mississippi and Tennessee, the rined Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Voice Grade Port (Centrex) Port Centrex (Centrex) Port Centrex (Centrex) Port Centrex (Centrex) Por	and/or Cost Base Usage ecurring onrecur all be the	sed Raterates in g UNE ring chose ideotiated	te section in the sa n the Port section Port and Loop cha narges are commis entified in the Non on an Individual	me manner as of this rate exh orges listed app sion ordered c recurring - Cur	they are applie ibit shall apply by to Currently ost based rates rently Combine till further notice 13.13.13	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 3. End For Ge Combin Combin 5. Mar UNE-P 2-Wire	t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - Office and Tandem Switching Usage and Common Transport torgia, Kentucky, Louisiana, Mississippi and Tennessee, the rined Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design	and/or Cost Base Usage ecurring onrecur all be the	sed Raterates in g UNE ring chose ideotiated	te section in the sa n the Port section Port and Loop cha larges are commis entified in the Non on an Individual (me manner as of this rate exh orges listed app sion ordered c recurring - Cur	they are applie ibit shall apply oly to Currently ost based rates rently Combine iil further notice	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 3. End For Ge Combin Combin 5. Mar UNE-P 2-Wire	t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - Office and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, Mississippi and Tennessee, the rined Combos for all states. In GA, KY, LA, MS and TN these nined Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 7-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design	and/or Cost Base Usage ecurring onrecur all be the	sed Rat rates in g UNE ring ch ose ide otiated	te section in the sa n the Port section Port and Loop cha narges are commis entified in the Non on an Individual	me manner as of this rate exh orges listed app sion ordered c recurring - Cur	they are applie ibit shall apply by to Currently ost based rates rently Combine till further notice 13.13.13	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 3. End For Ge Combin Combin 5. Mar UNE-P 2-Wire	t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - Office and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, Mississippi and Tennessee, the rined Combos for all states. In GA, KY, LA, MS and TN these nined Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	and/or Cost Base Usage ecurring onrecur all be the	sed Rat rates in g UNE ring ch ose ide otiated	te section in the sa n the Port section Port and Loop cha arges are commis entified in the Non on an Individual (UEP91 UEP91	me manner as of this rate exh orges listed app sion ordered c recurring - Cur	they are applie ibit shall apply loy to Currently ost based rates rently Combine till further notice 13.13.13 23.75	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 3. End For Ge Combin Combin 5. Mar UNE-P 2-Wire	t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - Office and Tandem Switching Usage and Common Transport torgia, Kentucky, Louisiana, Mississippi and Tennessee, the rined Combos for all states. In GA, KY, LA, MS and TN these noned Combos in all other states, the nonrecurring charges she ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	and/or Cost Base Usage ecurring onrecur all be the	sed Rat rates in g UNE ring ch ose ide otiated	te section in the sa n the Port section Port and Loop cha narges are commis entified in the Non on an Individual	me manner as of this rate exh orges listed app sion ordered c recurring - Cur	they are applie ibit shall apply by to Currently ost based rates rently Combine till further notice 13.13.13	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 3. End For Ge Combin Combin 5. Mar UNE-P 2-Wire	t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - Office and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the rined Combos for all states. In GA, KY, LA, MS and TN these in ned Combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	and/or Cost Base Usage ecurring onrecur all be the	sed Rat rates in g UNE ring ch ose ide otiated	te section in the san the Port section Port and Loop charges are commissentified in the Nonion an Individual Cuep91 UEP91 UEP91 UEP91	me manner as of this rate exh orges listed app sion ordered c recurring - Cur	they are applie ibit shall apply lay to Currently ost based rates rently Combine till further notice 13.13.13.23.75.49.62.16.29	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 3. End For Ge Combin Combin 5. Mar UNE-P 2-Wire	t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - Office and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, Mississippi and Tennessee, the ried Combos for all states. In GA, KY, LA, MS and TN these ned Combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	and/or Cost Base Usage ecurring onrecur all be the	sed Rat rates in g UNE ring ch ose ide otiated	te section in the sa n the Port section Port and Loop cha arges are commis entified in the Non on an Individual (UEP91 UEP91	me manner as of this rate exh orges listed app sion ordered c recurring - Cur	they are applie ibit shall apply lay to Currently ost based rates rently Combine till further notice 13.13.13 23.75	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 3. End For Ge Combin Combin 5. Mar UNE-P 2-Wire	t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - Office and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the rined Combos for all states. In GA, KY, LA, MS and TN these in ned Combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	and/or Cost Base Usage ecurring onrecur all be the	sed Rat rates in g UNE ring ch ose ide otiated	te section in the san the Port section Port and Loop charges are commissentified in the Nonion an Individual Cuep91 UEP91 UEP91 UEP91	me manner as of this rate exh orges listed app sion ordered c recurring - Cur	they are applie ibit shall apply lay to Currently ost based rates rently Combine till further notice 13.13.13.23.75.49.62.16.29	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 3. End For Ge Combi 5. Mar UNE-P	E Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - Office and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, Mississippi and Tennessee, the ried Combos for all states. In GA, KY, LA, MS and TN these ned Combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboolesign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboolesign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboolesign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboolesign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboolesign	and/or Cost Base Usage ecurring onrecur all be the	sed Raterates in rates in g UNE ring choose ideotiated	te section in the sa n the Port section Port and Loop cha arges are commis antified in the Non on an Individual (UEP91 UEP91 UEP91 UEP91 UEP91	me manner as of this rate exh riges listed app sion ordered c recurring - Cur Case Basis, un	they are applie ibit shall apply lay to Currently ost based rates rently Combine iil further notice 13.13 13.23.75 49.62 16.29 26.71 48.26	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 3. End For Ge Combi 5. Mar UNE-P	t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - COffice and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, Mississippi and Tennessee, the rined Combos for all states. In GA, KY, LA, MS and TN these nined Combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	and/or Cost Base Usage ecurring onrecur all be the	sed Rai rates in graphs of the sed Rai rates in graphs of the	te section in the sa n the Port section Port and Loop cha arges are commis antified in the Non on an Individual of UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	me manner as of this rate exh riges listed app sion ordered c recurring - Cur case Basis, un	they are applie ibit shall apply loy to Currently ost based rates rently Combine iii further notice 13.13.13 23.75 49.62 16.29 26.71 48.26 11.77	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 3. End For Ge Combi 5. Mar UNE-P 2-Wire UNE Po	t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - Office and Tandem Switching Usage and Common Transport torgia, Kentucky, Louisiana, MIssissippi and Tennessee, the rined Combos for all states. In GA, KY, LA, MS and TN these in ned Combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only WG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	and/or Cost Base Usage ecurring onrecur all be the	sed Ratarates in groups of the second	te section in the sa n the Port section Port and Loop cha arges are commis entified in the Non on an Individual (UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	we manner as of this rate exh riges listed app sion ordered c recurring - Cur case Basis, un	they are applie ibit shall apply to Currently ost based rates rently Combine till further notice 13.13.13 23.75 49.62 16.29 26.71 48.26 11.77 22.39	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 3. End For Ge Combi 5. Mar UNE-P 2-Wire UNE Po	Ebased Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - Coffice and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, Mississippi and Tennessee, the ried Combos for all states. In GA, KY, LA, MS and TN these nied Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design	and/or Cost Base Usage ecurring onrecur all be the	sed Ratrates in grants in	te section in the san her Port section in the Port section in the Port section in the Port section in the Port and Loop charges are commismitified in the Non on an Individual (UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	me manner as of this rate exh riges listed app sion ordered c ecurring - Cur Case Basis, un UECS1 UECS1 UECS1	they are applie ibit shall apply ly to Currently ost based rates rently Combine iil further notice iil furth	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 3. End For Ge Combi 5. Mar UNE-P 2-Wire UNE Po	t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - Office and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, Mississippi and Tennessee, the ried Combos for all states. In GA, KY, LA, MS and TN these ned Combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	and/or Cost Base Usage ecurring onrecur all be the	sed Ratrates in g UNE ring choose ide otilated 1 2 3 11 2 3 11	te section in the san the Port section in the Port section Port and Loop charges are commis settified in the Non on an Individual of the Port and Loop charges are commis settified in the Non on an Individual of the Port of	une manner as of this rate exh riges listed app sion ordered c recurring - Cur case Basis, un UECS1 UECS1 UECS1 UECS1 UECS2	they are applie ibit shall apply ly to Currently ost based rates rently Combine iii further notice iii further notice 23.75 49.62 16.29 26.71 48.26 11.77 22.39 48.26 14.93	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 3. End For Ge Combin 5. Mar UNE-P UNE Po	t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - Office and Tandem Switching Usage and Common Transport torgia, Kentucky, Louisiana, MIssissippi and Tennessee, the rined Combos for all states. In GA, KY, LA, MS and TN these in ned Combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only WG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire VG Loop/2-Wire VG Loop/2-V	and/or Cost Base Usage ecurring onrecur all be the	sed Ratrates in grants in	te section in the san the Port section in the San the Port section Port and Loop changes are commis settified in the Non on an Individual UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	une manner as of this rate exh riges listed app sion ordered c recurring - Cur case Basis, un UECS1 UECS1 UECS1 UECS1 UECS2 UECS2	they are applie ibit shall apply loy to Currently ost based rates rently Combine till further notice ill further notice 13.13.13 23.75 49.62 16.29 26.71 48.26 11.77 22.39 48.26 14.93 25.35	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 3. End For Ge Combin 5. Mar UNE-P 2-Wire UNE P UNE P UNE P UNE P	E Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - COffice and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, Mississippi and Tennessee, the rined Combos for all states. In GA, KY, LA, MS and TN these ned Combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2	and/or Cost Base Usage ecurring onrecur all be the	sed Ratrates in g UNE ring choose ide ottiated 1 1 2 3 3 1 1 2 2 3 3 1 1 2 2	te section in the san the Port section in the Port section Port and Loop charges are commis settified in the Non on an Individual of the Port and Loop charges are commis settified in the Non on an Individual of the Port of	une manner as of this rate exh riges listed app sion ordered c recurring - Cur case Basis, un UECS1 UECS1 UECS1 UECS1 UECS2	they are applie ibit shall apply ly to Currently ost based rates rently Combine iii further notice iii further notice 23.75 49.62 16.29 26.71 48.26 11.77 22.39 48.26 14.93	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 2. Feat 3. End For Ge Combin 5. Mar UNE-P 2-Wire UNE P UNE P UNE P UNE P UNE P	E Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - COffice and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, Mississippi and Tennessee, the rined Combos for all states. In GA, KY, LA, MS and TN these ned Combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2	and/or Cost Base Usage ecurring onrecur all be the	sed Ratrates in g UNE ring choose ide ottiated 1 1 2 3 3 1 1 2 2 3 3 1 1 2 2	te section in the san the Port section in the San the Port section Port and Loop changes are commis settified in the Non on an Individual UEP91	une manner as of this rate exh riges listed app sion ordered c recurring - Cur case Basis, un UECS1 UECS1 UECS1 UECS1 UECS2 UECS2	they are applie ibit shall apply loy to Currently ost based rates rently Combine till further notice ill further notice 13.13.13 23.75 49.62 16.29 26.71 48.26 11.77 22.39 48.26 14.93 25.35	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 2. Feat 3. End For Ge Combin 5. Mar UNE-P 2-Wire UNE P UNE P UNE P UNE P UNE P	t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - Coffice and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, Mississippi and Tennessee, the rined Combos for all states. In GA, KY, LA, MS and TN these ned Combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	and/or Cost Base Usage ecurring onrecur all be the	sed Ratrates in g UNE ring choose ide ottiated 1 1 2 3 3 1 1 2 2 3 3 1 1 2 2	te section in the san the Port section in the San the Port section Port and Loop changes are commis settified in the Non on an Individual UEP91	une manner as of this rate exh riges listed app sion ordered c recurring - Cur case Basis, un UECS1 UECS1 UECS1 UECS1 UECS2 UECS2	they are applie ibit shall apply loy to Currently ost based rates rently Combine till further notice ill further notice 13.13.13 23.75 49.62 16.29 26.71 48.26 11.77 22.39 48.26 14.93 25.35	to the Stand to all combina Combined and and in AL, FL d sections.	-Alone Unbun tions of loop/ I Not Currentl	port network e y Combined C	lements excep	t for UNE C	additional P	ort nonrecurr	ing charges a		
1. Cost 2. Feat 2. Feat 3. End For Ge Combin 5. Mar UNE-P 2-Wire UNE P UNE P UNE P UNE P UNE P	t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - COffice and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, Mississippi and Tennessee, the rined Combos for all states. In GA, KY, LA, MS and TN these nined Combos in all other states, the nonrecurring charges shalket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 orts	and/or Cost Base Usage ecurring onrecur all be the	sed Ratrates in g UNE ring choose ide ottiated 1 1 2 3 3 1 1 2 2 3 3 1 1 2 2	te section in the sa n the Port section Port and Loop charges are commis artified in the Non on an Individual of the Port and Loop charges are commis artified in the Non on an Individual of the Port	une manner as of this rate exh riges listed app sion ordered c recurring - Cur Case Basis, un UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2	they are applie ibit shall apply ly to Currently ost based rates rently Combine iil further notice iil furth	d to the Stand- to all combina Combined and and in AL, FL d sections. e.	Alone Unbun titions of loop/ I Not Currentl , NC and SC ti	port network e y Combined C	lements excep	t for UNE C	additional Pites and are	ort nonrecurr	ing charges a		
1. Cost 2. Feat 2. Feat 3. End For Ge Combin 5. Mar UNE-P 2-Wire UNE P UNE P UNE P UNE P UNE P	E Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - COffice and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, Mississippi and Tennessee, the rined Combos for all states. In GA, KY, LA, MS and TN these nined Combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 orts tes (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area	and/or Cost Base Usage ecurring onrecur all be the	sed Ratrates in g UNE ring choose ide ottiated 1 1 2 3 3 1 1 2 2 3 3 1 1 2 2	te section in the san the Port section in the San the Port section Port and Loop changes are commis settified in the Non on an Individual of the Port and Loop changes are commis settified in the Non on an Individual of the Port of the	une manner as of this rate exh riges listed app sion ordered c recurring - Cur case Basis, un UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	they are applie ibit shall apply loy to Currently ost based rates rently Combine iil further notice iil further notice 13.13.13	d to the Stand- to all combina Combined an and in AL, FL d sections. e.	Alone Unbun titions of loop/ I Not Currentl , NC and SC ti	port network e y Combined C	lements excep	t for UNE C	additional Pites and are	ort nonrecurr	ing charges a		

LINDI	INDLE	D NETWORK ELEMENTS Louisiana												A44b	•	Fullible D	1
UNB	JNDLE	D NETWORK ELEMENTS - Louisiana	1	1		1						Core Conden	Cur Onden	Attachment:		Exhibit: B	la cacasa catal
														Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi	l_								Elec	Manually	Manual Svc		Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	ΓES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2 Basic Local Area			UEP91	UEPYM	1.36	104.41	67.93				15.20				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1	02. 0.	02	1.00		07.00				10.20				
		Term - Basic Local Area			UEP91	UEPYZ	1.36	104.41	67.93				15.20				
_	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI 31	OLITZ	1.50	104.41	07.33			ļ	13.20				
					LIEDO4	LIEDVO	4.00	20.05	40.00				45.00				
	1	- Basic Local Area			UEP91	UEPY9	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP91	UEPY2	1.36	38.85	19.08				15.20				
	AL, KY	, LA, MS, & TN Only															
		2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
1	1	Center)2	l	1	UEP91	UEPQM	1.36	104.41	67.93	I		1	15.20	Ì	I		
	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	 					000	 		t		†	†		
		Term	l		UEP91	UEPQZ	1.36	104.41	67.93	1			15.20				
-	1	101111	1	1	ال ال	ULFUL	1.30	104.41	01.93	 		1	13.20	1	1		
		2 Wire Voice Crade Bort terminated in an Magaliatical activities	l		UEP91	UEPQ9	1.36	38.85	19.08	1			15.20				
	<u> </u>	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.36	38.85	19.08				15.20				
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.8577										
	Local I	Number Portability															
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
	Feature	es															
		All Standard Features Offered, per port			UEP91	UEPVF	0.00										
		All Select Features Offered, per port			UEP91	UEPVS	0.00	412.25					15.20				
		All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
	NARS	The Control Co			02.0.	02. 10	0.00										
	IVAILO	Unbundled Network Access Register - Combination		1	UEP91	UARCX	0.00	0.00	0.00				15.20				
	1	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00			ļ	15.20				
				1	UEP91	UAROX	0.00	0.00	0.00				15.20				
-	 	Unbundled Network Access Register - Outdial	-	1	UEP91	UARUX	0.00	0.00	0.00				15.20				
		laneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	8.29	115.85	18.20				15.20				
	Interof	fice Channel Mileage - 2-Wire	<u> </u>										ļ				
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	22.60	39.36	26.62				15.20				
	\bot	Interoffice Channel mileage, per mile or fraction of mile	\Box	Щ	UEP91	MIGBM	0.13										
	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	D4 Cha	annel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.6497						15.20				
	1				- *:		2.2.01			1			12.20				
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot	l		UEP91	1PQW6	0.6497			1			15.20				
\vdash	+	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	 	 			3.0-137			 	-	1	10.20	 	1	l	
1	1	Slot	l	1	UEP91	1PQW7	0.6497			I		1	15.20	Ì	I		
<u> </u>	1	6.60	 	1	OLPSI	IFQW/	0.6497			 		1	15.20	 	 	-	
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -	l		LIEDOA	4001115	6 6 10-			1							
<u> </u>	 	Different Wire Center	<u> </u>	<u> </u>	UEP91	1PQWP	0.6497					.	15.20				
1	1		l	1	L					I		1	İ	Ì	I		
	1	Feature Activation on D-4 Channel Bank Private Line Loop Slot	<u> </u>		UEP91	1PQWV	0.6497						15.20				
1	1	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1	1						_			i	<u> </u>			
L	<u></u>	Slot	L	Ш_	UEP91	1PQWQ	0.6497			<u> </u>	<u> </u>		15.20	<u> </u>	<u> </u>	<u> </u>	<u> </u>
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.6497						15.20				
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed															ĺ
1	1	changes, per port	l	1	UEP91	USAC2		0.10	0.10	I			15.20	1	1	1]
	1	Conversion of Existing Centrex Common Block	1	1	UEP91	USACN	0.00	36.66	16.10	1	1	1	1	1	1	1	1
	 	New Centrex Standard Common Block	-	 	UEP91	M1ACS	0.00	680.40	10.10	t		1	15.20	 	t		
-	+	New Centrex Standard Common Block	 	 	UEP91	M1ACC	0.00	680.40		t	1	1	15.20	1	t	1	
—	+	Secondary Block, per Block	 	├	UEP91	M2CC1	0.00	79.31		 		 	15.20		 		
<u> </u>	1			1						1		1		1	1		-
	1	NAR Establishment Charge, Per Occasion		1	UEP91	URECA	0.00	73.93			l	1	15.20			l	L

ACTEGORY RATE BLAMENTS NATE BLAMEN	UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
ATE SLEMENTS RATE SL				1								Svc Order					Incremental
AFE ELEMENTS Manual Street																	
CATEGORY SATE REBERTS May 200 MSC MS																	
Recording	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC		RAT	TES(\$)								
No. Part No. Part No. Part No. Part No.			m						,			per Lor	per Lor				
New College New College																	
Description Company																Disc 1st	Disc Add I
With PC CENTERY. 1985 (Vilid in all States) With Port Comprover Common With Port Common							Pac	Nonrec	urring	Nonrecurring	g Disconnect						
Description for Value data for the first Control Combo Description							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Description Combination Ration (New Processing For Common, Port Comm																	
Service Vis Location Vis Vision State Prof. Control Prof. Control 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,				<u> </u>													
Non-Design	UNE P																
20/00 1/2 1/				4	LIEDOE		12 12										
New Design				- ' -	OLF 93	1	13.13										
2-Min Vil Long/2-Wire Voto Grade Part (Contract) Part Control 1 UEP95 16.29				2	UFP95		23.75										
Number																	
UHE Ford Long Combination Rates (Design)				3	UEP95		49.62										
Design 2	UNE P	ort/Loop Combination Rates (Design)															
2-Wife Vot Loops: Vivo Voto Grade Port (Centres)Port Combo - 2 UEP96 28.71 2.7		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -]	
Design 2 UFPRO 28.71				1	UEP95		16.29									ļ	
2-Wire Vot Loop Pate				_	LIEDOS											1	
Design	\vdash	ŭ		2	UEP95	1	26.71				-				1	 	-
UNE Loop Rate	1 1			2	LIEDOE		E1 00										
2-Wire Voce Gride Loop (St. 1) - Zone 2 2 UEP96 UECS1 17.77	LINE			3	UEP95	-	51.82					-					
2-Wire Votes Grade Loop (St. 1) - Zone 3 3 UPP8 UECS1 42.36	ONEL			1	LIEP95	LIECS1	11 77										
2-Wire Valor Grade Locg (St. 1) - Zone 3 3 UEP95 UEC52 48.36				2													
2-Wire Votes Grade Loop (SL2) - Zone 1																	
2 2 2 2 2 2 2 3 3 3																	
UNE Port Rate				2			25.35										
All States				3	UEP95	UECS2	50.46										
2-Wire Voice Grade Prot (Centrex 80 cumulation)																	
2-Wire Voice Grade Port (Centrox 800 termination)	All Sta																
2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local UEP95 UEPYH 1.36 38.85 19.08 15.20																	
Area UEP96 UEP7H 1.36 38.85 19.08 15.20					UEP95	UEPYB	1.36	38.85	19.08				15.20				
2-Wife Voice Grade Port (Centrex from diff Serving Wire UEP95 UEPYM 1.36 104.41 67.93 15.20					LIEDOE	LIEDVL	1 26	20.05	10.09				15.20				
Center/2 Basic Local Area UEP96 UEP7W 1.36 104.41 67.93 15.20					OLF 93	OLFIII	1.30	30.03	19.00				13.20				
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP95 UEPVZ 1.36 104.41 67.93 15.20					UFP95	UEPYM	1.36	104 41	67 93				15 20				
Term - Basic Local Area					02.00	02	1.00	10	01.00				10.20				
DEP96 UEP99 1.36 38.85 19.08 15.20					UEP95	UEPYZ	1.36	104.41	67.93				15.20				
2-Wire Voice Grade Port Terminated on 800 Service Term - UEP95 UEPY2 1.36 38.85 19.08 15.20		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
Basic Local Area					UEP95	UEPY9	1.36	38.85	19.08				15.20				
AL, KY, LA, MS, SC, & TN Only																	
2-Wire Voice Grade Port (Centrex N)					UEP95	UEPY2	1.36	38.85	19.08				15.20				
2-Wire Voice Grade Port (Centrex 800 termination)	AL, KY			ļ	LIEDOS	LIEDO A	1.00	00.0=	10.00				45.00			ļ	ļ
2-Wire Voice Grade Port (Centrex with Caller ID)1	\vdash			-											 	ļ	
2-Wire Voice Grade Port (Centrex from diff Serving Wire UEP95 UEPQM 1.36 104.41 67.93 15.20	\vdash			-							-				-	-	1
Center 2	 		1	 	OLF 30	ULFUN	1.30	30.05	19.08			-	15.20		1	 	
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP95	1 1				UEP95	UEPQM	1,36	104.41	67,93				15.20				
Term						1			220						İ	1	
2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP95 UEPQ2 1.36 38.85 19.08 15.20					UEP95	UEPQZ	1.36	104.41	67.93				15.20			1	
2-Wire Voice Grade Port Terminated on 800 Service Term																	
Local Switching																	
Centrex Intercom Funtionality, per port UEP95 URECS 0.8577 15.20					UEP95	UEPQ2	1.36	38.85	19.08				15.20				
Local Number Portability Local Number Portab	Local				LIEBAE	LIBEOG	0.05						1= 5				
Local Number Portability (1 per port)	1		1		UEP95	URECS	0.8577					1	15.20		 	 	
Features	Local			-	LIEDOS	LNDCC	∩ 2F				-				-	-	1
All Standard Features Offered, per port UEP95 UEPVF 0.00 15.20	Featur		-		OLF 30	LINFOU	0.35					-			1	1	1
All Select Features Offered, per port UEP95 UEPVS 0.00 412.25 15.20	reatur		1	 	UEP95	UEPVF	0.00					-	15 20		1	 	
All Centrex Control Features Offered, per port UEP95 UEPVC 0.00 15.20								412.25									
NARS Unbundled Network Access Register - Combination UEP95 UARCX 0.00 0.00 15.20 15.20											l						l
	NARS																
Unbundled Network Access Register - Indial UEP95 UAR1X 0.00 0.00 0.00 15.20																	
		Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				15.20				

UNBUNI	DLED	NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
<u> </u>	<u> </u>											Svc Order	Svc Order	Incremental			Incremental
												Submitted		Charge -	Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	₹Y	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		<u> </u>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				15.20				
		neous Terminations															
2-		runk Side															
		Trunk Side Terminations, each			UEP95	CEND6	8.29	115.85	18.20				15.20				
4-		Digital (1.544 Megabits) DS1 Circuit Terminations, each			UEP95	M1HD1	68.47	196.18	92.92	4.90			15.20				
		DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.06	92.92	4.90			15.20				
In		ce Channel Mileage - 2-Wire			OE1 00	WITIEG	0.00	14.00					10.20				
		nteroffice Channel Facilities Termination			UEP95	MIGBC	22.60	39.36	26.62				15.20				
		nteroffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.013										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4		nnel Bank Feature Activations			LIEDOE	4001110	0.0105										<u> </u>
		Feature Activation on D-4 Channel Bank Centrex Loop Slot	ļ		UEP95	1PQWS	0.6497						15.20				├
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot	l		UEP95	1PQW6	0.6497						15.20				
 		Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			ロ レド 90	IFUVVO	0.6497						15.20				1
		Slot	1		UEP95	1PQW7	0.6497						15.20		1		
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP95	1PQWP	0.6497						15.20				
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497						15.20				
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop					0.040=										
-		Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95 UEP95	1PQWQ 1PQWA	0.6497 0.6497						15.20 15.20				
N/		curring Charges (NRC) Associated with UNE-P Centrex			UEF95	IPQWA	0.0497						13.20				
-		NRC Conversion Currently Combined Switch-As-Is with allowed				+											
		changes, per port			UEP95	USAC2		0.10	0.10				15.20				
		Conversion of Existing Centrex Common Block, each			UEP95	USACN		36.66	16.10				15.20				
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	680.40					15.20				
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	680.40					15.20				
<u> </u>		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	73.93					15.20				
		CENTREX - DMS100 (Valid in All States) /G Loop/2-Wire Voice Grade Port (Centrex) Combo				-											
		rt/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP9D		13.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9D		23.75										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l		LIEDOD												
ļ,		Non-Design rt/Loop Combination Rates (Design)		3	UEP9D	+	49.62					-					
l lui		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+											
		Design		1	UEP9D		16.29										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1											
		Design	<u> </u>	2	UEP9D		26.71										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -							· · · · · · · · · · · · · · · · · · ·								
		Design	ļ	3	UEP9D		51.82										<u> </u>
UI		op Rate		4	LIEDOD	LIECC4	44 77					<u> </u>					├
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D UEP9D	UECS1 UECS1	11.77 22.39					-					
 		2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	 	3	UEP9D	UECS1	48.26					1	-		 		
 		2-Wire Voice Grade Loop (SL 1) - Zone 3	1	1	UEP9D	UECS2	14.93								1		
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	25.35										<u> </u>
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	50.46										
		rt Rate							· · · · ·								
Al	LL ST				LIEDOD	LIEDY'S	4.00	22.2-									
		2-Wire Voice Grade Port (Centrex) Basic Local Area	ļ		UEP9D	UEPYA	1.36	38.85	19.08				15.20				├
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area	1		UEP9D	UEPYB	1.36	38.85	19.08				15.20		1		
LL		nioa	l	l	OLFBD	OLFID	1.30	30.03	19.08	I		1	15.20		1		<u> </u>

ONRONDLE	D NETWORK ELEMENTS - Louisiana										1_		Attachment:		Exhibit: B	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			⁻ ES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect	COMEC	COMAN		Rates(\$)	COMAN	COMAN
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Area			UEP9D	UEPYC	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			UEP9D	UEPYT	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			OLI 3D	OLITI	1.50	30.03	13.00				13.20				
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	1.36	38.85	19.08				15.20				
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	1.36	38.85	19.08				15.20				
	Area			UEP9D	UEPY3	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPY4											
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3					1.36	104.41	67.93				15.20				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPY5	1.36	104.41	67.93				15.20				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY6	1.36	104.41	67.93				15.20				
	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	1.36	104.41	67.93				15.20				
	Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPYZ	1.36	104.41	67.93				15.20				
	Basic Local Area 2-Wire Voice Grade Port Terminated in 61 Weganin of equivalent Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	1.36	38.85	19.08				15.20				
	Local Area			UEP9D	UEPY2	1.36	38.85	19.08				15.20				
AL, KY	7, LA, MS, SC, & TN Only 2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)		<u> </u>	UEP9D	UEPQA	1.36	38.85	19.08		 		15.20				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.36	38.85	19.08		1		15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.36	38.85	19.08		-		15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3 2-Wire Voice Grade Port (Centrex / EBS-M5008)3		1	UEP9D UEP9D	UEPQG	1.36 1.36	38.85 38.85	19.08 19.08				15.20 15.20				}

BUNDLE	D NETWORK ELEMENTS - Louisiana			ı						1-		Attachment:		Exhibit: B	l
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)				Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring Discon	nect	•	oss	Rates(\$)	•	•
						Rec	First	Add'l	First Add	I'I SOME	C SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp														
	Indication)3			UEP9D	UEPQW	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)														
	2			UEP9D	UEPQM	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.36	104.41	67.93			15.20		1	1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service														
	Term			UEP9D	UEPQZ	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.36	38.85	19.08			15.20				
Local S	Switching														
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8577									
	lumber Portability														
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35									
Feature															
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00	440.05				15.20				
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	412.25				15.20				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00					15.20				
NARS				LIEBAB							15.00				
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00			15.20				
	Unbundled Network Access Register - Inward	-		UEP9D	UAR1X	0.00	0.00	0.00			15.20				
881	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00			15.20				
	aneous Terminations				_										
	Trunk Side			LIEBAB	OEND.			10.00			1= 00				
	Trunk Side Terminations, each	-		UEP9D	CEND6	8.29	115.85	18.20			15.20				
	Digital (1.544 Megabits)	-		LIEDOD	MALIDA	00.47	100.10	00.00			45.00				
	DS1 Circuit Terminations, each DS0 Channels Activiated per Channel	1		UEP9D UEP9D	M1HD1 M1HDO	68.47 0.00	196.18 14.06	98.62			15.20 15.20	1	 	 	!
				UEP9D	MILLIOO	0.00	14.06				15.20				
	rice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination	-		UEP9D	MIGBC	22.60	39.36	26.62	 		15.20	-	-		-
	Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile	-		UEP9D UEP9D	MIGBM	0.013	39.30	20.02			15.20	 			-
	e Activations (DS0) Centrex Loops on Channelized DS1 Service			OLFBD	IVIIGDIVI	0.013				-		1	 	 	
	nnel Bank Feature Activations	l			+	+	+				_	 			-
D4 Cna	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-		UEP9D	1PQWS	0.6497	+				15.20	 			-
	i eature Activation on 6-4 Chamilei Dank Centlex Loop 510t	-		OLFBD	IFUVVO	0.0497	+				15.20	 			-
				i .	1				l l	1	1	1	1	1	1
	Feature Activation on D-4 Channel Bank EV line Side Loop Stat			LIEDAD	1POM6	0.6407	J				15 20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9D	1PQW6	0.6497					15.20				

HOUNDLE	ED NETWORK ELEMENTS - Louisiana			ı					1		C C1	Comp Control	Attachment:		Exhibit: B	In an an and
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring	g Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			UEP9D	1PQWV	0.6497						15.20				
	Slot			UEP9D	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.6497						15.20				
Non-R	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		0.10	0.10				15.20				
	Conversion of existing Centrex Common Block, each	<u> </u>	<u> </u>	UEP9D	USACN		36.66	16.10		1		15.20				
	New Centrex Standard Common Block	<u> </u>		UEP9D	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	73.93					15.20				
UNE-F	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE F	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9E		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9E		49.62										
LINE E	Port/Loop Combination Rates (Design)		<u> </u>	OLI OL		40.0Z										
ONE.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1		-											
	Design		1	UEP9E		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9E		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP9E		51.82										
LINE	Design		3	UEP9E		51.82										
UNE L			-	LIEDOE	LIECC4	44.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	50.46										
	Port Rate															
AL, FI	L, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP9E	UEPYM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service									1						
	Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP9E	UEPYZ	1.36	104.41	67.93		1		15.20				
	- Basic Local Area			UEP9E	UEPY9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	1.36	38.85	19.08				15.20				
AL, K	Y, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		Ì												İ	
1	Center)2	1	1	UEP9E	UEPQM	1.36	104.41	67.93	I	1		15.20			I	I

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	res(\$)			1	Submitted	Incremental Charge -			Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9E	UEPQZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.36	38.85	19.08				15.20				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8577										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00						15.20				
	All Select Features Offered, per port		1	UEP9E	UEPVS	0.00	412.25					15.20	ļ		ļ	
	All Centrex Control Features Offered, per port		<u> </u>	UEP9E	UEPVC	0.00						15.20				1
NARS			<u> </u>													1
	Unbundled Network Access Register - Combination		ļ	UEP9E	UARCX	0.00	0.00	0.00								1
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00								
	laneous Terminations															
2-Wire	Trunk Side		ļ													
	Trunk Side Terminations, each			UEP9E	CEND6	8.29	115.85	18.20				15.20				
4-Wire	Digital (1.544 Megabits)						100.10					4= 00				
	DS1 Circuit Terminations, each		1	UEP9E	M1HD1	68.47	196.18	92.92				15.20				
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.06					15.20				
Interof	fice Channel Mileage - 2-Wire											1=00				
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	22.60	39.36	26.62				15.20				
F	Interoffice Channel mileage, per mile or fraction of mile		-	UEP9E	MIGBM	0.013										
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Services	e	-													
D4 Cha	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	IPQW5	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.6497						15.20				
-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9E	IPQW6	0.6497					-	15.20				
	Slot			UEP9E	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		-	UEP9E	IPQW/	0.0497						15.20				
	Different Wire Center			UEP9E	1PQWP	0.6497						15.20				
	Different wife Center			OLF9L	IFQWF	0.0497						13.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			OLI OL	11 Q 11 1	0.0407						10.20				
	Slot			UEP9E	1PQWQ	0.6497						15.20	1		1	1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.6497						15.20	1		1	
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex					0.0.0										
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E	USAC2		0.10	0.10				15.20				
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		36.66	16.10				15.20				
	New Centrex Standard Common Block	1		UEP9E	M1ACS	0.00	680.40					15.20		İ		
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	73.93					15.20				
	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						-							I		1
	Non-Design		1	UEP93		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						-									1
	Non-Design		2	UEP93		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -]]	
	Non-Design		3	UEP93		49.62										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1										<u> </u>	<u> </u>		<u> </u>	1
	Design		1	UEP93		16.29										

UNBUNDLE	D NETWORK ELEMENTS - Louisiana			1									Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	urring	Nonrecurrir	ng Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP93		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP93		51.82										
LINE L	poop Rate		3	UEF93		31.02										
OIAL L	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.77				1						†
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	22.36										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	50.46		-								
	ort Rate															
AL, KY	, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		1	LIEDOS	UED/D	4.00	00.0=	10.00				45.00				
	Area		 	UEP93	UEPYB	1.36	38.85	19.08	 	+	 	15.20		-	-	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1 26	20.05	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP93	UEPTH	1.36	38.85	19.06				15.20				.
	Center)2 Basic Local Area			UEP93	UEPYM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			ULF 93	OLFTIVI	1.30	104.41	07.55			1	13.20				-
	Term - Basic Local Area			UEP93	UEPYZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI SO	OLI 12	1.00	104.41	07.00				10.20				+
	- Basic Local Area			UEP93	UEPY9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP93	UEPY2	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP93	UEPQM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP93	UEPQZ	1.36	104.41	67.93				15.20				
	L															
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.36	38.85	19.08				15.20				
l and 6	2-Wire Voice Grade Port Terminated on 800 Service Term Switching			UEP93	UEPQ2	1.36	38.85	19.08		-		15.20				
Local	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8577				-		-				
l ocal l	Number Portability			ULF 93	UKLCS	0.0377					1					
Loodiii	Local Number Portability (1 per port)	1	†	UEP93	LNCCC	0.35			I	1		<u> </u>				†
Feature			1			2.00			1	1						
	All Standard Features Offered, per port		i –	UEP93	UEPVF	0.00			1	1		15.20	l	İ	İ	1
	All Centrex Control Features Offered, per port		1	UEP93	UEPVC	0.00						15.20				
NARS																
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00				15.20				
	laneous Terminations				\perp				ļ							ļ
2-Wire	Trunk Side		<u> </u>	LIEBOO	0505					ļ	ļ					ļ
	Trunk Side Terminations, each		<u> </u>	UEP93	CEND6	8.27	115.85	18.20	-	 		15.20				
4-Wire	Digital (1.544 Megabits)		<u> </u>	LIEDOS	MALID4	00.4=	400.40	20.00	1	1		45.00				
	DS1 Circuit Terminations, each		<u> </u>	UEP93	M1HD1 M1HDO	68.47	196.18	92.92	1	1		15.20				
Inter-f	DS0 Channels Activated, Per Channel		 	UEP93	MIHDO	0.00	14.01		 	+	 	15.20				
interof	fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination	1	!	UEP93	MICEC	22.60	20.20	26.60	 	+	 	15.00				
-+	Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile	-	 	UEP93 UEP93	MIGBC MIGBM	0.013	39.36	26.62	 	1	1	15.20				
Foatur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	<u> </u>	!	OLF 33	IVIIGDIVI	0.013			t	1	 		1	1	1	$\vdash \!$
	nnel Bank Feature Activations	<u>~</u>	†		+				 	+						
5- 5116	Feature Activation on D-4 Channel Bank Centrex Loop Slot		!	UEP93	1PQWS	0.6497			1	+	 	15.20				+

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						1	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497						15.20				
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.10	0.10				15.20				
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10				15.20				
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	680.40		Ì			15.20				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	73.93					15.20				
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2	? - Requres Interoffice Channel Mileage															
Note 3	- Requires Specific Customer Premises Equipment															
NOTE:	Rates displaying an "R" in Interim column are interim and su	bject to	rate tr	ue-up as set forth i	n General Ter	ms and Conditi	ons.									

LIND	IINDI E	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
UND	UNDLE	D NETWORK ELEMENTS - MISSISSIPPI	1	1	I	1	1			1	I	Cua Ordar		Incremental	Incremental		Incremental
												Submitted	Submitted Manually		Charge - Manual Svc	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		PΛ.	TES(\$)			Elec		Manual Svc			Manual Svc
CAIL	COICI	NATE ELEMENTO	m	Zone	500	0000		NA.	i Ε Ο (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Nonrecurring	Disconnect		l l	OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
								11130	Auu	11100	Auu	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
OPER	ΔΤΙΟΝΔΙ	L SUPPORT SYSTEMS															
OI LIN		(1) Electronic Service Order: CLEC should contact its contract	ct nego	tiator i	it prefers the state s	specific elect	ronic service o	rdering charge	es as ordered l	v the State Co	mmissions. T	he electroni	ic service or	dering charg	e currently co	ntained in thi	is rate
		is the BellSouth regional electronic service ordering charge.															5 rate
		(2) Any element that can be ordered electronically will be bill															ly For
		elements that cannot be ordered electronically at present per															
						e in this cate	gory reflects the	e charge that v	vould be billed	I to a CLEC on	ce electronic c	ruering cap	abilities coi	ille on-lille io	i tilat elellleli	i. Otherwise,	the manual
<u> </u>	oraerii	ng charge, SOMAN, will be applied to a CLECs bill when it sul	omits ar	LSK	o BellSouth.	IOONANI				1.07		1			1	1	Τ
<u> </u>		Manual Service Order Charge, per LSR, Disconnect Only (MS)		<u> </u>		SOMAN				1.97							
1		Electronic OSS Charge, per LSR, submitted via BST's OSS				COMEO		0.50									1
LINIE	NDI EE :	interactive interfaces (Regional)	<u> </u>	 		SOMEC		3.50									+
UNBU		EXCHANGE ACCESS LOOP	1	<u> </u>		ļ											
	2-WIRE	ANALOG VOICE GRADE LOOP	1	.	LIEANII	LIEALS	10.0-		.= -				,				
<u> </u>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25		15.75				
<u> </u>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1	2	UEANL	UEAL2	16.87	37.92	17.55	23.48	5.25		15.75				├
<u> </u>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1	3	UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25		15.75				├
		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25		15.75				
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36					15.75				!
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97					15.75				!
		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	UREWO		15.75	8.92				15.75				
		Engineering Information Document (EI)			UEANL			13.51	13.51								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20								l
		Order Coordination for Specified Conversion Time for UVL-SL1															1
		(per LSR)			UEANL	OCOSL		18.19	18.19								1
	2-WIRE	Unbundled COPPER LOOP															L
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	ı	1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42		15.75				L
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42		15.75				[
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42		15.75				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	-	4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42		15.75				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		8.20	8.20								1
		Engineering Information Document			UEQ			13.51	13.51								[
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.36					15.75				
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.97					15.75				
		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO		14.24	7.42				15.75				
UNBU	INDLED I	EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25		15.75				1
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25		15.75				1
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEALS,	16.87	37.92	17.55	23.48	5.25		15.75				1
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23,48	5.25		15.75				1
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS,	25.68	37.92	17.55	23.48	5.25		15.75				1
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25		15.75				ĺ
—		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		T -							0						
		Zone 4		4	UEPSR UEPSB	UEALS,	43.85	37.92	17.55	23.48	5.25		15.75				ĺ
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ė			.5.00	37.02	00	20.70	0.20		.5.70		1		
		Zone 4		4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25		15.75				ĺ
UNRI	INDI ED I	EXCHANGE ACCESS LOOP	-	+	OL. OK OLI OD	02/100	70.00	07.02	17.55	20.40	0.20		10.70		-		
5.450		E ANALOG VOICE GRADE LOOP	1	 		1	 								 		
—	Z-4VIIXE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	 		1	 								 		
1		Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75		l		1
1	+	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	+-	02.0	JLALZ	13.09	105.90	00.20	32.02	10.37		13.73		1		
1		Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75		Ì		1
		Ordana Start Olymaning - Zone Z	1		ULA	JLALZ	10.75	105.96	00.20	32.02	10.37		15.73			1	1

04/12/02 Page 200 of 352

HINDHIN	DI EI	O NETWORK ELEMENTS - Mississippi												Attachment	1	Exhibit: B	
UNDUN	DLEI	O NET WORK ELEMENTS - MISSISSIPPI		1								Svc Order	Svc Order	Attachment: Incremental			Incremental
												Submitted					
												Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	usoc		RΔ	TES(\$)								
CATEGO		KATE ELEMENTO	m	20116	500	0000		IVA.	i Ε Ο (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonred	curring	Nonrecurring	Disconnect		1	oss	Rates(\$)	l .	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or							71441		7.00.						
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				-											
		Ground Start Signaling - Zone 4		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37		15.75				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37		15.75				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
L		Battery Signaling - Zone 3	<u></u>	3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37	<u></u>	15.75	<u> </u>	<u> </u>	<u> </u>	<u>1</u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 4	<u></u>	4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37	<u></u>	15.75	<u> </u>	<u> </u>	<u> </u>	<u> </u>
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29				15.75				
4-	WIRE	ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
		4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29				15.75				
2-	WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75				
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.34	117.61	79.92	52.82	10.37		15.75				
		2-Wire ISDN Digital Grade Loop - Zone 4		4	UDN	U1L2X	59.18	117.61	79.92	52.82	10.37		15.75				
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.19									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.46	44.07				15.75				
2-	WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP															
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
		1		1	UDC	UDC2X	21.01	117.61	79.92	52.82	10.37		15.75				
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		_	LIDO	LIDOOY	07.50	447.04	70.00	50.00	40.07		45.75				
		2		2	UDC	UDC2X	27.59	117.61	79.92	52.82	10.37		15.75				
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		3	LIDO	LIDOSY	07.01	447.01	70.00	50.00	10.0=	1	45		I		1
		O Mire Heimerel Digital Channel (UDO) Comment La L		3	UDC	UDC2X	37.34	117.61	79.92	52.82	10.37		15.75		1		
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		4	UDC	LIDCOV	50.40	447.04	70.00	50.00	40.07	1	45.75		I		1
		CLEC to CLEC Conversion Charge without outside dispatch *	-	4	UDC	UDC2X UREWO	59.18	117.61 91.46	79.92 44.07	52.82	10.37	ļ	15.75 15.75	-	 	-	
-	WIDE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIDI	1.00		UKEWU		91.46	44.07	-	-		15.75	-	-	-	
2-	VVIKE	2 Wire Unbundled ADSL Loop including manual service inquiry	AIIDLE	LOOP		+ +									1		
		& facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93		15.75		1		1
		2 Wire Unbundled ADSL Loop including manual service inquiry		+ '-	O, 1L	UNLEA	11.11	121.21	70.01	30.36	1.93	-	13.73	1	 	1	
		& facility reservation - Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93	1	15.75		I		1
-		2 Wire Unbundled ADSL Loop including manual service inquiry		-	O	JALEA .	11.77	121.21	70.01	55.56	7.33		10.70		-		—
		& facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93	1	15.75		I		1
		2 Wire Unbundled ADSL Loop including manual service inquiry		Ť		J/		121.21	70.01	55.56	7.33		10.70	1	t	1	
		& facility reservation - Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93	1	15.75		I		1
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19		22.30	50				t		
		2 Wire Unbundled ADSL Loop without manual service inquiry &				1 1				İ	İ			İ	İ	İ	
		facility reservaton - Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93	1	15.75		I		1
		2 Wire Unbundled ADSL Loop without manual service inquiry &											-				
		facility reservaton - Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93	1	15.75		I		1
		2 Wire Unbundled ADSL Loop without manual service inquiry &		1				_									
		facility reservaton - Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93	1	15.75		I		1
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
L l		facility reservaton - Zone 4	<u></u>	4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93	<u></u>	15.75	<u> </u>	<u> </u>	<u> </u>	<u>1</u>
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.04	40.33				15.75				

CATEGORY RATE ELEMENTS Interference Decision		NETWORK ELEMENTS - Mississippi												Attachmanti	2	Exhibit: B	
CATEGORY RATE ELEMENTS Intent No. BCS USSC S.	-	NET WORK ELEMENTS - MISSISSIPPI	1				I			_		Svc Order	Svc Order	Attachment:		Incremental	Incremental
CATEGORY RATE ELEMENTS m m m m m m m m m															Charge -		
CATEGORY RATE ELEMENTS min Zone BCS USOC RATES(S) per LSR per LSR Coder vr Co															Manual Svc	Charge - Manual Svc	Charge - Manual Svc
Nonecurring Nonecurring Nonecurring Nonecurring Souther South So		PATE ELEMENTS	Interi	Zone	RCS	LISOC		PΛ.	TES/\$)								
None None		RATE ELEMENTS	m	Zone	603	0300		NA.	ILO(\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
Nonecourting Notes Nonecou															Electronic-	Electronic-	Electronic-
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HOSS) COMPATIBLE LOOP 1														1st	Add'l	Disc 1st	Disc Add'l
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HOSS) COMPATIBLE LOOP 1							I	Nonre	urring	Nonrecurring	a Disconnect		1	OSS	Rates(\$)	I.	<u> </u>
2 WINE HIGH BIT RATE CIORTAL SUBSCRIBER LINE (POSI) COMPATIBLE (COP) 1							Rec					SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
2 Viver Unbrundled HDSL Loop including manual service inquity 1 UHL	н	IIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP		+		11130	Auu	11130	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAN	COMPAR
Stability reservation - Zone 1			1	1													
2 Vive Unburselet PISS. Loop including manual service inquiry 2 UHL, UHL2X				1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93		15.75				
A lacity reservation - Zome 2 DHE, URLEX 9.22 129.88 79.52 50.38 7.33 15.75																	
2 Web Unburshed HDSL. Loop Including manual service inquiry 3 UHL	k i	facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93		15.75				
2 Vive Inhumided HOSL Loop including manual service inquiry 4 UHL, UHL2X	١ ١	Wire Unbundled HDSL Loop including manual service inquiry															
Stability reservation	k i	facility reservation - Zone 3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93		15.75				
Order Coordination for Specified Conversion Time (per LSR)	2 \	Wire Unbundled HDSL Loop including manual service inquiry															
2 Wire Urbunded HDSL Loop without manual service inquiry and facility reservation - Zone 1 UHL U				4	UHL		10.46	129.98	79.52	50.38	7.93		15.75				
and facility reservation - Zone 1					UHL	OCOSL		18.19									
2 Wire Unburdled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 UHL						1											1
and facility reservation - Zone 2			<u> </u>	1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93		15.75				1
2 Wire Unburdled HDSL Loop without manual service inquiry and facility reservation - Zone 3 3 UHL			1	_		l											1
and facility reservation - Zone 3			ļ	2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93		15.75				1
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4 UHL UHL2W 10.46 104.86 66.74 50.38 7.93 15.75			1			l		404		=0							1
and facility reservation - Zone 4			 	3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93		15.75				├
Order Coordination for Specified Conversion Time (per LSR)							10.40	404.00	00.74	50.00	7.00		45.75				
CLEC to CLEC Conversion Charge without outside dispatch				4	+··-		10.46		00.74	50.38	7.93		15.75				
A-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP									40.00	-			45.75				
A Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 UHL UHLAW 13.78 158.74 108.28 56.72 10.68 15.75			TIDLE	OOB	UNL	UREWO		85.98	40.33				15.75				
Advise Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 2 UHL UHLAX 13.43 158.74 108.28 56.72 10.68 15.75			T	LOOP		+							1				
A-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3				1	ПНІ	LIHLAX	13 78	158 74	108 28	56.72	10.68		15.75				
Advise Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 UHL				-	OTIL	OTILAX	13.70	130.74	100.20	30.72	10.00		10.70				-
A-Wire Dubundled HDSL Loop including manual service inquiry and facility reservation - Zone 3				2	UHI	UHI 4X	13 43	158 74	108 28	56.72	10.68		15.75				
Advire Unbundlet HDSL Loop mituding manual service inquiry and facility reservation - Zone 4					0.12	OTTE IX	10.10	100.7 1	100.20	00.72	10.00		10.70				
A-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - 2 one 4				3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68		15.75				
Order Coordination for Specified Conversion Time (per LSR)	١-١	Wire Unbundled HDSL Loop including manual service inquiry															
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1				4	UHL		14.46	158.74	108.28	56.72	10.68		15.75				
and facility reservation - Zone 1					UHL	OCOSL		18.19									
A-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2																	
and facility reservation - Zone 2				1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68		15.75				
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3				_			40.40			====	40.00						
and facility reservation - Zone 3				2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68		15.75				
A-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4							45.50	400.00	05.50	50.70	40.00		45.75				
and facility reservation - Zone 4			 	3	UTIL	UHL4VV	15.59	133.62	95.50	56.72	10.68		15./5				
Order Coordination for Specified Conversion Time (per LSR)			1	4	пы	LIHLAW	11 15	122 62	05.50	56.70	10.69		15 75				1
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 85.98 40.33 15.75			1	+			14.40		50.50	50.72	10.00	1	13.73				
4-Wire DS1 Digital Loop - Zone 1			 						40 33	 	1		15 75				
4-Wire DS1 Digital Loop - Zone 1			1		O. 1L	JIL 110		05.30	40.33	-	1	<u> </u>	10.73				—
4-Wire DS1 Digital Loop - Zone 2 2 USL USLXX 129.38 253.93 158.45 46.10 12.07 15.75 4-Wire DS1 Digital Loop - Zone 3 3 USL USLXX 206.74 253.93 158.45 46.10 12.07 15.75 4-Wire DS1 Digital Loop - Zone 4 USL USLXX 206.74 253.93 158.45 46.10 12.07 15.75 4-Wire DS1 Digital Loop - Zone 4 USL USLXX 458.46 253.93 158.45 46.10 12.07 15.75 Order Coordination for Specified Conversion Time (per LSR) USL OCOSL 18.19			1	1	USL	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
4-Wire DS1 Digital Loop - Zone 3 3 USL			†														
4-Wire DS1 Digital Loop - Zone 4			1											İ	İ	İ	
Order Coordination for Specified Conversion Time (per LSR)	١-١	-Wire DS1 Digital Loop - Zone 4	Ì	4	USL	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
4-WiRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP						OCOSL											
4 Wire Unbundled Digital 19.2 Kbps 1 UDL UDL19 27.44 126.53 88.85 60.68 14.64 15.75 4 Wire Unbundled Digital 19.2 Kbps 2 UDL UDL19 34.55 126.53 88.85 60.68 14.64 15.75 4 Wire Unbundled Digital 19.2 Kbps 3 UDL UDL19 40.76 126.53 88.85 60.68 14.64 15.75 4 Wire Unbundled Digital 19.2 Kbps 4 UDL UDL19 32.25 126.53 88.85 60.68 14.64 15.75 4 Wire Unbundled Digital 19.2 Kbps - Zone 1 1 UDL UDL56 27.44 126.53 88.85 60.68 14.64 15.75 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 UDL UDL56 27.44 126.53 88.85 60.68 14.64 15.75					USL	UREWO		100.90	42.96				15.75				
4 Wire Unbundled Digital 19.2 Kbps 2 UDL UDL19 34.55 126.53 88.85 60.68 14.64 15.75 4 Wire Unbundled Digital 19.2 Kbps 3 UDL UDL19 40.76 126.53 88.85 60.68 14.64 15.75 4 Wire Unbundled Digital 19.2 Kbps 4 UDL UDL19 32.25 126.53 88.85 60.68 14.64 15.75 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 UDL UDL56 27.44 126.53 88.85 60.68 14.64 15.75																	
4 Wire Unbundled Digital 19.2 Kbps 3 UDL UDL19 40.76 126.53 88.85 60.68 14.64 15.75 4 Wire Unbundled Digital 19.2 Kbps 4 UDL UDL19 32.25 126.53 88.85 60.68 14.64 15.75 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 UDL UDL56 27.44 126.53 88.85 60.68 14.64 15.75			<u> </u>														
4 Wire Unbundled Digital 19.2 Kbps 4 UDL UDL19 32.25 126.53 88.85 60.68 14.64 15.75 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 UDL UDL56 27.44 126.53 88.85 60.68 14.64 15.75			ļ														1
4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 UDL UDL56 27.44 126.53 88.85 60.68 14.64 15.75			ļ														
			ļ														├
			 											ļ	ļ	ļ	
4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 UDL UDL56 34.55 126.53 88.85 60.68 14.64 15.75 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 40.76 126.53 88.85 60.68 14.64 15.75			 														
4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 40.76 126.53 88.85 60.68 14.64 15.75 4 Wire Unbundled Digital Loop 56 Kbps - Zone 4 4 UDL UDL56 32.25 126.53 88.85 60.68 14.64 15.75			 														
4 Wife Unbundled Digital Loop 56 Kbps - Zone 4			1	4			32.25		88.85	80.08	14.04	-	15.75	1	1	1	
Order Coordination for specimed conversion time (per LSR)			1	1			27 11		88 85	60.68	14 64	-	15.75	1	1	1	
4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 UDL UDL64 34.55 126.53 88.85 60.68 14.64 15.75			 														

LINBUNDI E	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
UNBUNDLE	D NETWORK ELEMENTS - MISSISSIPPI	1							1		Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)				per LSR		Order vs.	Order vs.	Order vs.
		m						(+)			per LSR	per LSK	Order vs. Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4		4	UDL	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.94	49.66				15.75				
2-WIR	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93		15.75				
	2 Wire Unbundled Copper Loop/Short including manual service	1	_		1				I	_		l		Ì		
	inquiry & facility reservation - Zone 3	ļ	3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93		15.75		ļ		
	2 Wire Unbundled Copper Loop/Short including manual service	1	l .													
	inquiry & facility reservation - Zone 4	ļ	4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)	!		UCL	UCLMC		8.20	8.20								
	2-Wire Unbundled Copper Loop/Short without manual service															
\vdash	inquiry and facility reservation - Zone 1	!	1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93		15.75	1			
	2-Wire Unbundled Copper Loop/Short without manual service				LIOL DIA	44.47	05.04	F7 00	50.00	7.00		45.75				
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Short without manual service		_						====							
+	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Short without manual service		4	UCL	LIOL DIA	40.00	05.04	F7 00	50.00	7.00		45.75				
+	inquiry and facility reservation - Zone 4		4		UCLPW	12.69	95.21	57.09	50.38	7.93		15.75				
\vdash	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20	-							
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.		1	UCL	UCL2L	29.29	120.34	69.87	50.38	7.93		15.75				
	inquiry and facility reservation - Zone 1		1	UCL	UCLZL	29.29	120.34	69.87	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL2L	43.46	120.34	69.87	50.38	7.93		15.75				
—	2-Wire Unbundled Copper Loop/Long - includes manual svc.			OCL	UCLZL	43.40	120.34	09.07	30.36	7.93		13.73				
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	64.44	120.34	69.87	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.			001	OOLLL	04.44	120.04	00.01	00.00	7.00		10.70				
	inquiry and facility reservation - Zone 4		4	UCL	UCL2L	87.60	120.34	69.87	50.38	7.93		15.75				
+	Order Coordination for Unbundled Copper Loops (per loop)		_	UCL	UCLMC	07.00	8.20	8.20	00.00	7.00		10.70				
+	2-Wire Unbundled Copper Loop/Long - without manual service			002	0020		0.20	0.20								
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	29.29	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	43.46	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 3	1	3	UCL	UCL2W	64.44	95.21	57.09	50.38	7.93		15.75		1		
	2-Wire Unbundled Copper Loop/Long - without manual service				1											
	inquiry and facility reservation - Zone 4	<u> </u>	4	UCL	UCL2W	87.60	95.21	57.09	50.38	7.93	<u> </u>	15.75	<u> </u>	<u> </u>		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	CLEC to CLEC Conversion Charge without outside dispatch						_]		
	(UCL-Des)	<u> </u>		UCL	UREWO		95.21	42.40				15.75				
4-WIR	E COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry	1							1							
$oxed{oxed}$	and facility reservation - Zone 1	ļ	1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68		15.75		ļ		
	4-Wire Copper Loop/Short - including manual service inquiry	1	_													
	and facility reservation - Zone 2	ļ	2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68		15.75				
	4-Wire Copper Loop/Short - including manual service inquiry	1	_		1101.40									1		
 	and facility reservation - Zone 3	1	3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68		15.75		-		
	4-Wire Copper Loop/Short - including manual service inquiry	1	١,	LICI	110140	04.00	444.00	04.00	50.70	40.00		45.75		Ì		
	and facility reservation - Zone 4	!	4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68		15.75	1	 		
\vdash	Order Coordination for Unbundled Copper Loops (per loop)	1		UCL	UCLMC		8.20	8.20	 				-	 		
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1	1	4	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68		15.75		1		
	4-Wire Copper Loop/Short - without manual service inquiry and	1		UUL	UCL4VV	17.30	119.00	01.44	30.72	10.08	1	15.75	1	1		
	facility reservation - Zone 2	1	2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68		15.75		1		
 	4-Wire Copper Loop/Short - without manual service inquiry and	 		JUL	UOL-4VV	10.04	118.50	01.44	30.72	10.00		13.73	1	1		
	facility reservation - Zone 3	1	3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68		15.75		Ì		
	rading reservation Lone o	1		UUL	OOL-TVV	۵۱.۵۵	110.00	01.44	30.72	10.00	1	10.73	l	1		

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	'ES(\$)				Svc Order Submitted		Incremental Charge -		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 4	-	4	UCL UCL	UCL4W UCLMC	21.33	119.56	81.44 8.20	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Unbundled Copper Loop/Long - includes manual svc.			UCL	UCLIVIC		8.20	0.20								
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	54.72	144.68	94.22	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	97.47	144.68	94.22	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		_													
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	106.06	144.68	94.22	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 4		4	UCL	UCL4L	106.06	144.68	94.22	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)		4	UCL	UCLMC	106.06	8.20	8.20	50.72	10.00		15.75			1	
	4-Wire Unbundled Copper Loop/Long - without manual svc.		1	002	CCLING		0.20	0.20								
	inquiry and facility reservation - Zone 1	<u></u>	1	UCL	UCL4O	54.72	119.56	81.44	56.72	10.68		15.75		<u> </u>		<u> </u>
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 2	<u> </u>	2	UCL	UCL4O	97.47	119.56	81.44	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - without manual svc.		3	UCL	UCL4O	106.06	119.56	81.44	56.72	10.68		15.75				
-	inquiry and facility reservation - Zone 3 4-Wire Unbundled Copper Loop/Long - without manual service		3	UCL	UCL4U	106.06	119.56	81.44	30.72	10.68		15.75				
	inquiry and facility reservation - Zone 4		4	UCL	UCL4O	106.06	119.56	81.44	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	100.00	8.20	8.20	00.72	10.00		10.70			İ	
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		95.21	42.40				15.75				
LOOP MODIFI	CATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULM2L		32.57	32.57				15.75				
	greater than 18k ft			UCL, ULS	ULM2G		171.49	171.49				15.75				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			000,000												
	less than or equal to 18K ft			UHL, UCL	ULM4L		32.57	32.57				15.75				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	pair greater than 18k ft Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UCL UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULM4G ULMBT		171.49 32.59	171.49 32.59				15.75 15.75				
SUB-LOOPS																
Sub-Lo	pop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	- 1		UEANL	USBSA		259.69					15.75				
	Cub Loop Day Cross Boy Loopties Dec 05 Dais Bear LOOK Line		1	LIEANI	Hebeb		22.77					45.75				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	<u> </u>		UEANL	USBSB							15.75				
	Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	 	<u> </u>	UEANL	USBSC		178.47					15.75			 	
	Set-Up	- 1		UEANL	USBSD		56.39					15.75				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	ı	1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71		15.75				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	ı	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71		15.75				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	ı	3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71		15.75				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1		LIODALA	7.00	70.40	44.45	54.07	0.05		45.75				
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35		15.75			-	
	Zone 2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35		15.75				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			OLAIVL	OODIV	10.02	13.43	77.70	51.27	9.55		10.73				
	Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35		15.75				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20				15.75				
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		-	UEANL	USBR2	2.29	53.32	18.28	45.36	6.71		15.75			1	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		8.20	8.20								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR4	4.40	59.60	24.55	51.27	9.35		15.75				1
	232 2335 4 Will Intrabalianing Network Cable (1140)		1	U-/ 11 1L	305117	7.70	33.00	24.55	51.27	3.33		10.73			t	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20							1	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71		15.75				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı		UEF	UCS2X	7.09	66.18	31.14	45.36	6.71		15.75				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı		UEF	UCS2X	8.16	66.18	31.14	45.36	6.71		15.75				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71		15.75				
				==												
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF UEF	USBMC UCS4X	5.10	8.20 79.49	8.20 44.45	51.27	9.35		15.75				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35		15.75				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-i-	3	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35		15.75				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4			UEF	UCS4X	14.00	79.49	44.45	51.27	9.35		15.75				
									¥ 1							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
Unbur	dled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		176.80	5.13				15.75				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		176.80	5.13				15.75				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged			UEF	ULIVI4A		170.00	5.13				15.75				
	Tap Removal, per PR unloaded			UEF	ULM4T		279.81	6.15				15.75				
Unbur	Idled Network Terminating Wire (UNTW)			02.	OZ.W.		2,0.0.	0.10				10.70			1	
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3366	30.55					15.75				
Netwo	rk Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.84	28.90				15.75				
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		65.30	50.36				15.75				
	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W			UENTW UENTW	UNDC2 UNDC4		5.94	5.94 5.94				15.75 15.75				
SUB-LOOPS	Network Interface Device Cross Connect - 4vv			UENTW	UNDC4		5.94	5.94				15.75				
	pop Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA.												
	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		259.69					15.75				
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												
	set-up			UDN,UCL,UDL,UDC	USBFX		22.77	22.77				15.75				
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		534.46	11.30				15.75			ļ	ļ
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice			1154	LICDE A	7.00	00.00	50.50		10.51	1	45.35				1
	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		1	UEA	USBFA	7.98	93.23	56.50	54.45	13.51		15.75			 	
	Grade - Zone 2		2	UEA	USBFA	10.39	93.23	56.50	54.45	13.51	1	15.75				1
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,		-	027	JODI A	10.39	30.23	30.30	J4.40	13.31		13.73			t	
	Voice Grade - Zone 3		3	UEA	USBFA	16.11	93.23	56.50	54.45	13.51	1	15.75				1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start Loop,		Ť				11.20	22.00	210							
	Voice Grade - Zone 4	L	4	UEA	USBFA	28.37	93.23	56.50	54.45	13.51	<u> </u>	15.75			<u> </u>	<u> </u>
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		18.19									

ONBONDLE	D NETWORK ELEMENTS - Mississippi			•		•						•	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		1		LIODED	7.00	00.00	50.50	54.45	40.54		45.75				
	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		1	UEA	USBFB	7.98	93.23	56.50	54.45	13.51		15.75				<u> </u>
	Grade - Zone 2		2	UEA	USBFB	10.39	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice		<u> </u>	0271	005.5	10.00	00.20	00.00	00			10.10				
	Grade - Zone 3		3	UEA	USBFB	16.11	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 4		4	UEA	USBFB	28.37	93.23	56.50	54.45	13.51		15.75				
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		18.19									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		1	UEA	USBFC	7.98	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		-	OLA	ОЗЫС	7.50	93.23	30.30	34.43	13.31		13.73				
	Voice Grade - Zone 2		2	UEA	USBFC	10.39	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 3		3	UEA	USBFC	16.11	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 4		4	UEA	USBFC	28.37	93.23	56.50	54.45	13.51		15.75				
	Order Coordination For Specified Conversion Time, per LSR Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			UEA	OCOSL		18.19									
	Grade - Zone 1		1	UEA	USBFD	21.69	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		-	OLA	ООВГВ	21.03	107.71	70.03	03.00	17.04		10.70				
	Grade - Zone 2		2	UEA	USBFD	26.06	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice															
	Grade - Zone 3		3	UEA	USBFD	34.77	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 4		4	UEA UEA	USBFD	34.77	107.71	70.03	63.68	17.64		15.75				
-	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			UEA	OCOSL		18.19									ļ
	Grade - Zone 1		1	UEA	USBFE	21.69	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		<u> </u>	0271	002. 2	21.00		70.00	00.00			10.110				
	Grade - Zone 2		2	UEA	USBFE	26.06	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 3		3	UEA	USBFE	34.77	107.71	70.03	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire Analog Voice Grade Loop-Start				HODEE	04.77	407.74	70.00	00.00	47.04		45.75				
-	Loop - Zone 4 Order Coordination For Specified Conversion Time, Per LSR		4	UEA UEA	USBFE	34.77	107.71 18.19	70.03	63.68	17.64		15.75				ļ
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	14.60	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	18.78	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	25.47	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 4		4	UDN	USBFF	41.41	106.46	68.78	55.58	13.13		15.75				
	Order Coordination For Specified Conversion Time, Per LSR		<u> </u>	UDN	OCOSL		18.19			10 :-		4.5.5.				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC UDC	USBFS USBFS	14.60 18.78	106.46	68.78 68.78	55.58 55.58	13.13 13.13		15.75			1	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	18.78 25.47	106.46 106.46	68.78	55.58	13.13		15.75 15.75	-		-	
	Unbundled Sub-Loop Feeder, 2 Wire ODC (IDSL compatible)		4	UDC	USBFS	41.41	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	55.19	101.97	64.29	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	100.03	101.97	64.29	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3			USL	USBFG	183.66	101.97	64.29	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4		4	USL	USBFG	430.04	101.97	64.29	63.68	17.64		15.75				
	Order Coordination For Specified Conversion Time, Per LSR		 	USL	OCOSL		18.19									
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		1	UCL	USBFH	5.88	84.27	46.59	53.14	10.70		15.75				
 	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		+		JODETT	5.00	04.27	40.38	55.14	10.70		13.73				
	2		2	UCL	USBFH	5.21	84.27	46.59	53.14	10.70	1	15.75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
	3		3	UCL	USBFH	4.40	84.27	46.59	53.14	10.70		15.75				<u> </u>
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 4		4	UCL	USBFH	3.63	84.27	46.59	53.14	10.70		15.75				
	Order Coordination For Specified Conversion Time, per LSR		<u> </u>	UCL	OCOSL	10.10	18.19	20.00	50.71	10.0=		45.75	ļ		ļ	
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	13.49	101.58	63.90	59.71	13.67	l	15.75	l	l		L

ONRONDLE	D NETWORK ELEMENTS - Mississippi			1	1	1							Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	'ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	10.96	101.58	63.90	59.71	13.67		15.75				_
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	8.59	101.58	63.90 63.90	59.71 59.71	13.67		15.75				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 4 Order Coordination For Specified Conversion Time, per LSR		4	UCL UCL	USBFJ	8.59	101.58 18.19	63.90	59.71	13.67		15.75				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	22.89	101.97	64.29	63.68	17.64		15.75				1
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	25.11	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	30.84	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		4	UDL	USBFN	41.05	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	22.89	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	25.11	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		•	UDL	USBFO	20.04	404.07	04.00	62.60	47.04		45.75				
	Zone 3 Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		3	UDL	USBFU	30.84	101.97	64.29	63.68	17.64		15.75				
	Zone 4		4	UDL	USBFO	41.05	101.97	64.29	63.68	17.64		15.75				
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		18.19									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	22.89	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	25.11	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	30.84	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -						404.0=									
	Zone 4 Order Coordination For Specified Conversion Time, per LSR		4	UDL UDL	USBFP OCOSL	41.05	101.97 18.19	64.29	63.68	17.64		15.75				
SUB-LOOPS	Order Coordination For Specified Conversion Time, per LSK			UDL	OCOSL		10.19		1							
	pop Feeder															
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	18.88										
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	349.41	3,380.00	406.45	157.96	89.54		15.75				
	Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	18.88										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	376.07	3,380.00	406.45	157.96	89.54		15.75				
	Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	14.33										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month			LIDI OO	USBF5	50.00										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3 UDLO3	USBF3	58.63 569.22	3.380.00	406.45	157.96	89.54		15.75				+
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	17.63	3,360.00	400.43	137.90	09.34		13.73				
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per			ODETE	TEGGE	17.00										
	Month			UDL12	USBF6	662.39										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,795.00	3,380.00	406.45	157.96	89.54		15.75				
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	57.83										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month			UDL48	USBF9	331.52										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,545.00	3,565.00	406.45	157.96	89.54		15.75				
	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	374.04	787.04	406.45	157.96	89.54		15.75				
UNBUNDLED	LOOP CONCENTRATION															
	Unbundled Loop Concentration - System A (TR008)	ļ		ULC	UCT8A	36367	327.30	327.30				15.75				↓
 	Unbundled Loop Concentration - System B (TR008) Unbundled Loop Concentration - System A (TR303)	!	-	ULC ULC	UCT8B UCT3A	47.56 397.35	136.37 327.30	136.37 327.30				15.75 15.75		 	 	
 	Unbundled Loop Concentration - System A (TR303) Unbundled Loop Concentration - System B (TR303)	-	 	ULC	UCT3B	397.35 80.15	136.37	136.37	 		-	15.75		-	-	+
	Unbundled Loop Concentration - System B (TR303) Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	4.52	63.65	46.34	17.31	4.85		15.75		 	 	+
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	7.17	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - UDC Loop Interface (Brite															
	Card) Unbundled Loop Concentration2 Wire Voice-Loop Start or			UDC	ULCCU	7.17	10.60	10.54	5.56	5.53		15.75				
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	1.80	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	10.66	10.60	10.54	5.56	5.53		15.75				

UNBUND	LED NETWORK ELEMENTS - Mississippi												Attachment:		Exhibit: B	
CATEGOR	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc			ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface					0.00	40.00	10.51	5.50	5.50		45.75				
	(Specials Card) Unbundled Loop Concentration - TEST CIRCUIT Card			UEA ULC	ULCC4 UCTTC	6.36 31.07	10.60 10.60	10.54 10.54	5.56 5.56	5.53		15.75 15.75				
	Unbundled Loop Concentration - TEST CIRCUIT Card Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop			ULC	UCTIC	31.07	10.60	10.54	5.56	5.53		15.75			-	
	Interface			UDL	ULCC7	9.42	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop			052	02001	02	10.00	10.01	0.00	0.00		10.70				1
	Interface			UDL	ULCC5	9.42	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop															
	Interface			UDL	ULCC6	9.42	10.60	10.54	5.56	5.53		15.75				<u> </u>
UNE OTHE	R, PROVISIONING ONLY - NO RATE			UENTW	UNDBX											
-+	NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate	1	1	UENTW	UENCE						-				-	+
-	OTTER OFFICE IN LISTADISHIFICHT, FTOVISIONING OTHY - NO Rate			UEANL,UEF,UEQ,U	OLINOL										 	+
	Unbundled Contract Name, Provisioning Only - No Rate		1	ENTW	UNECN											
UNE OTHE	R, PROVISIONING ONLY - NO RATE															<u> </u>
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									ļ
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA.UDN.UCL.UDC	LICREO	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no	1		UEA,UDIN,UCL,UDC	USBFQ	0.00	0.00									+
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAP	ACITY UNBUNDLED LOCAL LOOP															<u> </u>
	High Capacity Unbundled Local Loop - DS3 - Per Mile per			1150	41 ENID	44.00										
	month High Capacity Unbundled Local Loop - DS3 - Facility	1		UE3	1L5ND	11.20										
	Termination per month			UE3	UE3PX	326.15	454.13	265.47	123.23	86.19		15.75				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			020	OLOI X	020.10	404.10	200.47	120.20	00.10		10.70				
	month			UDLSX	1L5ND	11.20										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19		15.75				
LOOP MAI																ļ
	Loop Makeup - Preordering Without Reservation, per working or			LIMIZ	LINAIZLAN		24.12	24.12								
	spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility			UMK	UMKLW		24.12	24.12								
	queried (Manual).		1	UMK	UMKLP		25.58	25.58								
	Loop MakeupWith or Without Reservation, per working or															1
	spare facility queried (Mechanized)			UMK	PSUMK		0.6652	0.6652								
	QUENCY SPECTRUM			ļ												ļ
SP	LITTERS-CENTRAL OFFICE BASED			1110	ULSDA	400.07	100.00	0.00	178.41	0.00		45.75				<u> </u>
	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity	1		ULS ULS	ULSDA	186.67 46.67	189.89 189.89	0.00	178.41	0.00		15.75 15.75			-	
	Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSDB ULSD8	15.55	189.89	0.00	178.41	0.00		15.75				
	Line Sharing Splitter, 1 et System, 5 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	<u> </u>		OLO	OLODO	13.33	103.03	0.00	170.41	0.00		15.75				†
	deactivation (per LSOD)		1	ULS	ULSDG		86.98		49.96			15.75				
EN	D USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC	Y SPEC	TRUM	AKA LINE SHARING												
	Line Sharing - per Line Activation (BST Owned Splitter)			ULS	ULSDC	0.61	18.62	10.66	10.04	4.93		15.75				
	Line Sharing - per Subsequent Activity per Line		1		000							,				
	Rearrangement(BST Owned Splitter)	!	<u> </u>	ULS	ULSDS		16.48	8.24				15.75			1	
	Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)	1	1	ULS	ULSCS		16.48	8.24			1	15.75				
	Line Sharing - per Line Activation (DLEC owned Splitter)	 	 	ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		15.75			t	
	Line Splitting - per line activation (BEEC owned splitter)	R		UEPSR UEPSB	UREOS	0.61	77.74	10.01	20.07	12.77		10.70			1	1
	Line Splitting - per line activation BST owned - physical	R		UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93		15.75				1
	Line Splitting - per line activation BST owned - virtual	R		UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93		15.75				
UNBUNDL	ED DEDICATED TRANSPORT															

UNBUNDLI	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
											Svc Order		Incremental			Incremental
											Submitted	1		Charge -	Charge -	Charge -
											Elec	1	Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		RAT	TES(\$)								
GATEGORI	NATE ELEMENTO	m	20.10	200	0000		TOA!	- Ε-Ο(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	ı	ı
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE	INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	d - below DS3=one	month, DS3/	STS-1=four mo	nths									
	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
	Facility Termination per month			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination per month			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11		15.75		ļ		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile				41 =>04											
	per month			U1TDX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			LIATOV	LIATOR	45.00	40.70	07.57	47.00	7.44		45.75				
	Termination per month			U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11		15.75				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			LIATOV	41.5007	0.0000										
	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.0098										
	Termination per month			U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11		15.75				
—	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			UTIDA	UTIDO	13.00	40.76	21.31	17.20	7.11	-	13.73		-		
	month			U1TD1	1L5XX	0.201										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			OTIDI	TEO/O	0.201										
	Termination per month			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90		15.75				
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per					000										
	month			U1TD3	1L5XX	4.76										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month			U1TS1	1L5XX	4.76										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination per month			U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29		15.75				
	L CHANNEL - DEDICATED TRANSPORT															
NOTE	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g period	d - belo											1		
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2	14.91	194.22	33.36	37.79	3.30		15.75		1		
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per			L II D) 0/	552									I		
	month			ULDVX	ULDR2	14.91	194.22	33.36	37.79	3.30		15.75		-		
—	Local Channel - Dedicated - 4-Wire Voice Grade per month		1	UNDVX	ULDV4	15.99	194.66	33.80	38.27	3.78	-	15.75		1		
	Local Channel - Dedicated - DS1 per month - Zone 1			ULDD1	ULDF1 ULDF1	36.83 35.99	178.50 178.50	154.61 154.61	22.89 22.89	15.74		15.75 15.75		 		
 	Local Channel - Dedicated - DS1 per month - Zone 2 Local Channel - Dedicated - DS1 per month - Zone 3			ULDD1 ULDD1	ULDF1 ULDF1	35.99 221.63	178.50 178.50	154.61	22.89	15.74 15.74	1	15.75 15.75	-	 	-	
 	Local Channel - Dedicated - DS1 per month - Zone 3 Local Channel - Dedicated - DS1 per month - Zone 4			ULDD1 ULDD1	ULDF1	221.63	178.50	154.61	22.89	15.74		15.75				
 	Local Channel - Dedicated - DS1 per month - Zone 4 Local Channel - Dedicated - DS3 - Per Mile per month	-	-4	ULDD3	1L5NC	9.66	170.00	104.01	22.69	15.74	-		1	 	1	1
 	Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination per			OLDDO	ILJING	9.00			1				1	t	1	1
	month			ULDD3	ULDF3	413.87	454.13	265.47	123.23	86.19		15.75		I		
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	9.66	707.10	200.47	120.20	55.19		10.70		-		
	Local Channel - Dedicated - STS-1 - Facility Termination per				1	5.55			1					1		
	month			ULDS1	ULDFS	408.02	454.13	265.47	123.23	86.19		15.75		I		
MULTIPLEXE																
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs)			UDL	1D1DD	1.22	6.62	4.74		<u></u>		15.75	<u></u>	<u></u>	<u></u>	<u></u>
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per							<u> </u>								
	month			UDN	UC1CA	2.62	6.62	4.74				15.75				
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.5737	6.62	4.74				15.75				ļ
	DS3 to DS1 Channel System per month			UXTD3	MQ3	170.63	179.17	94.52	34.30	32.82		15.75		ļ		
	STS1 to DS1 Channel System per month			UXTS1	MQ3	170.63	179.17	94.52	34.30	32.82		15.75				

UNBUN	NDLE	O NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)				Svc Order Submitted Manually per LSR			Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)		1
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	12.96	6.62	4.74				15.75				
		DS3 Interface Unit (DS1 COCI) used with Local Channel per				110454	40.00	0.00	4.74				45.75				
-		month DS3 Interface Unit (DS1 COCI) used with Interoffice Channel			ULDD1	UC1D1	12.96	6.62	4.74				15.75				
		per month			U1TD1	UC1D1	12.96	6.62	4.74				15.75				
DARK FI		por month.			0.15.	00.2.	12.00	0.02					10.10			İ	
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Local Channel			UDF	1L5DC	59.95										
		NRC Dark Fiber - Local Channel			UDF	UDFC4		642.79	138.67	326.97	203.85		15.75				
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	28.27										
-		NRC Dark Fiber - Interoffice Channel			UDF	UDF14	20.21	642.79	138.67	326.97	203.85		15.75				
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			05.	02		0.20	.00.01	020.01	200.00		10.10				
		Thereof per month - Local Loop			UDF	1L5DL	59.95										
		NRC Dark Fiber - Local Loop			UDF	UDFL4		642.79	138.67	326.97	203.85		15.75				
TRANSP																	
		al Features & Functions: EN DIGIT SCREENING															<u> </u>
OAA ACC		8XX Access Ten Digit Screening, Per Call			OHD		0.0006216										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OTID		0.0000210										
		Number Reserved			OHD	N8R1X		2.60	0.44				15.75				
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
		POTS Translations			OHD			5.97	0.81	4.60	0.54		15.75				
		8XX Access Ten Digit Screening, Per 8XX No. Established With			OUD	NOFTY		5.07	0.04	4.00	0.54		45.75				
-		POTS Translations 8XX Access Ten Digit Screening, Customized Area of Service			OHD	N8FTX	-	5.97	0.81	4.60	0.54		15.75				<u> </u>
		Per 8XX Number			OHD	N8FCX		2.60	1.30				15.75				
		8XX Access Ten Digit Screening, Multiple InterLATA CXR			0.15	1.0.07		2.00	1.00				10.10				
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.04	1.74				15.75				
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.04	0.44				15.75				
		8XX Access Ten Digit Screening, Call Handling and Destination			0.15												
		Features			OHD	N8FDX	1	2.60					15.75				
		8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD		0.0006216										
		8XX Access Ten Digit Screening, w/ POTS No. Delivery, per			OTID		0.0000210										1
		query			OHD		0.0006216										
LINE INF		TION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query			OQT		0.0000197										
		LIDB Validation Per Query			OQU OQT. OQU	NRPBX	0.0137053	34.52	34.52	42.33	42.33		15.75				
SIGNALI		LIDB Originating Point Code Establishment or Change			OQ1, OQU	NRPBA	+	34.52	34.52	42.33	42.33		15.75			1	1
SIGNALI		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000597										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53		15.75				
		CCS7 Signaling Connection, Per link (B link) (also known as D															
-		link)		-	UDB UDB	TPP++	16.55 0.0000149	35.74	35.74	16.53	16.53		15.75				
\vdash		CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	683.55									-	
		CCS7 Signaling Point Code, per Originating Point Code			ODB	01030	003.33										
		Establishment or Change, per STP affected			UDB	CCAPO	1	29.18	29.18	35.78	35.78		15.75				
E911 SE	RVICE								•		-						
		Local Channel - Dedicated - 2-wr Voice Grade	<u> </u>				14.91	194.22	33.36	37.79	3.30		15.75				
\vdash		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	<u> </u>	1			0.0098										
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					22.52	40.77	27.57	17.26	7.11		15.75				
\vdash		Local Channel - Dedicated - DS1 - Zone 1	1			+	36.83	178.50	154.61	22.89	15.74		15.75				
		Local Channel - Dedicated - DS1 - Zone 2				1	35.99	178.50	154.61	22.89	15.74		15.75				
		Local Channel - Dedicated - DS1 - Zone 3				1	221.63	178.50	154.61	22.89	15.74		15.75				
		Local Channel - Dedicated - DS1 - Zone 4		1			221.63	178.50	154.61	22.89	15.74		15.75				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)			1	Svc Order Submitted			Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
—							Nonrec	urring	Nonrecurring	ı Disconnect		l	oss	Rates(\$)		l
 						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 Per Mile					0.2010	THOU	Addi	11130	Addi	JONEC	JONAN	JONAN	JONAN	JOHAN	JONIAN
 	Interoffice Transport - Dedicated - DST Fel Mile					0.2010										
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					57.33	89.79	82.28	16.86	14.90		15.75				
	(0),440,050,050											15.75				
	IE (CNAM) SERVICE			001/												
	CNAM for DB Owners, Per Query			OQV		0.0010231										
	CNAM for Non DB Owners, Per Query			OQV		0.0010231										
	CNAM For DB Owners - Service Establishment			OQV			23.09	23.09	21.23	21.23		15.75				
	CNAM For Non DB Owners - Service Establishment			OQV			23.09	23.09	21.23	21.23		15.75				
	CNAM For DB Owners - Service Provisioning With Point Code															
	Establishment		1	OQV			996.62	737.08	270.49	198.89		15.75				
	CNAM For Non DB Owners - Service Provisioning With Point															
	Code Establishment	<u></u>	<u></u>	OQV		<u> </u>	344.32	246.56	276.85	198.89	<u></u>	15.75		<u> </u>	<u> </u>	<u> </u>
LNP Query Ser	rvice															
	LNP Charge Per query			OQV		0.0008477										
	LNP Service Establishment Manual						12.59	12.59	11.58	11.58		15.75				
	LNP Service Provisioning with Point Code Establishment						596.94	304.96	270.49	198.89		15.75				
OPERATOR CA	ALL PROCESSING															
	Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using					1.20										
	Foreign LIDB					1.24										
\vdash	Oper. Call Processing - Fully Automated, per Call - Using BST	1	-			1.24										
	LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20										
INWARD OPER	RATOR SERVICES															
	Inward Operator Services - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute					1.15										
BRANDING - O	PERATOR CALL PROCESSING					1.13										
DIVARIDING - C	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.75				
-	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00			-	15.75				
Unbran	nding via OLNS for UNEP CLEC				CDAOL		300.00	300.00			-	13.73				
Ulibrai	Loading of OA per OCN (Regional)	 	-				1,200.00	1,200.00				15.75				
DIDECTORY A		1	-				1,200.00	1,200.00				15.75				
	SSISTANCE SERVICES TORY ASSISTANCE ACCESS SERVICE	 	+		+				-		 	-				
DIKEC	Directory Assistance Access Service Calls, Charge Per Call	 	1		-	0.075			 		1			 	 	
DIDEC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I)VCC)	1		+	0.275			 					-		
DIKEC	Directory Assistance Call Completion Access Service (DACC),	JACC)	1		+				 					-		
	Per Call Attempt	1	1			0.10						1		Ì	Ì	I
DIDEC	TORY TRANSPORT	 	+		+	0.10			-		 	-				
		 	1		+				1		-	ļ		1	1	-
	SSISTANCE SERVICES		-		1				-		1	ļ			1	ļ
DIREC	TORY ASSISTANCE DATA BASE SERVICE (DADS)		1								1					
\vdash	Directory Assistance Data Base Service Charge Per Listing	<u> </u>	 		DD005	0.04			.							1
	Directory Assistance Data Base Service, per month	<u> </u>	1		DBSOF	150.00					ļ	ļ			ļ	
	DIRECTORY ASSISTANCE		1													
Facility	/ Based CLEC	ļ	ļ		1				ļ					ļ	ļ	
	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170.00	1,170.00								
UNEP (+	AIVII	CDADC		1,170.00	1,170.00	-		 	-				-
UNEP		 	1		-		2 000 00	2 000 00	 		1	 		 	 	
 	Recording of DA Custom Branded Announcement	 	1		+		3,000.00	3,000.00	1		-	ļ		1	1	-
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170.00	1,170.00			<u> </u>					
Unbrar	nding via OLNS for UNEP CLEC															
		-	1	i	1		420.00	420.00								
	Loading of DA per OCN (1 OCN per Order)						420.00	720.00								

UNBU	NDLE	NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			FES(\$)	Mariania	Diagonat		Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st			Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring		SOMEC	SOMAN			SOMAN	SOMAN
SELEC	TIVE D	NITING	1					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SELEC	IIVE K	Selective Routing Per Unique Line Class Code Per Request Per															
		Switch				USRCR		85.19	85.19	14.19	14.19		15.75				
VIRTU	I COLL	OCATION				OOROR		05.13	05.15	14.13	14.13		13.73				
*******		Virtual Collocation - Application Cost			AMTFS	EAF		1,212.25		0.51							
		Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		926.27		22.62							
		Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	5.74										
		Virtual Collocation - Power, per breaker amp			AMTFS	ESPAX	7.33										
		Virtual Collocation - Cable Support Structure, per entrance															
		cable			AMTFS	ESPSX	15.24										
					UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX,	LIEAGO	0.0000	40.07	44.07	0.04	5.45		45.75				
		Virtual Collocation - 2-wire Cross Connects (loop)	1		UNCNX	UEAC2	0.0268	12.37	11.87	6.04	5.45		15.75				
		Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX	UEAC4	0.0536	12.47	11.94	6.59	5.91		15.75				
					AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,												
		Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF	CNC2F	2.91	21.01	15.29	7.61	6.10		15.75				
		Virtual Collocation - 4-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5.82	25.70	19.97	10.01	8.50		15.75				
		Virtual collocation - DS1 Cross Connects			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1.14	22.16	16.02	6.60	5.97		15.75				
		Virtual collocation - DS3 Cross Connects			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14.49	21.01	15.29	7.61	6.10		15.75				
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.0025										
		Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0037										
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		534.65									
		Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax	1		ALTEO	\/E40=		F0.4.0=		1					1		[]
		Cable Support Structure, per cable	ļ		AMTES	VE1CE SPTBX		534.65	40.70	1							\vdash
<u> </u>		Virtual collocation - Security Escort - Basic, per half hour	1		AMTFS AMTFS	SPTBX		17.02	10.79 13.94	 					 		
<u> </u>		Virtual collocation - Security Escort - Overtime, per half hour Virtual collocation - Security Escort - Premium, per half hour	1		AMTES AMTES	SPTOX		22.17 27.32	13.94 17.08	 					-	1	\vdash
		Virtual collocation - Security Escort - Premium, per half hour	 		AMTFS	CTRLX		28.09	10.79	 					 		
		Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.69	13.94								
		Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.28	17.08								
VIRTU	AL COLI	OCATION	<u> </u>														
		Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.0536	12.47	11.94	6.59	5.91		15.75				
VIRTUAL COLI			 	OLI LA	V = 1114	0.0000	12.47	11.34	0.59	5.91		13.73			t	1
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45		15.75				
AIN SELECTIV	E CARRIER ROUTING			OLI OIX, OLI OB	¥2.1E0	0.0208	12.37	11.07	0.04	5.45		10.75			—	
7	Regional Service Establishment			SRC	SRCEC		101,685.12		8,640.51			15.75				
	End Office Establishment			SRC	SRCEO		167.49	167.49	1.71	1.71		15.75				
	Query NRC, per query			SRC		0.0030502										
AIN - BELLSO	JTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		39.67	39.67	40.92	40.92		15.75				
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.87	7.87	9.14	9.14		15.75				
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.87	7.87	9.14	9.14		15.75				
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		35.21	35.21	27.21	27.21		15.75				
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		42.13	42.13	11.78	11.78		15.75				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0021										
	AIN SMS Access Service - Session, Per Minute					0.5649										
	AIN SMS Access Service - Company Performed Session, Per Minute					0.8393										
AIN - BELLSO	JTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		39.67	39.67	40.92	40.92		15.75				
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,226.54	4,226.54				15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		7.87	7.87	9.14	9.14		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		7.87	7.87	9.14	9.14		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.87	7.87	9.14	9.14		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per IDN. 10-Digit PODP				BAPTO		34.67	34.67	14.44	14.44		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTC		34.67	34.67	14.44	14.44		15.75				1
	DN, Feature Code AIN Toolkit Service - Query Charge, Per Query				BAPTF	0.0535577	34.67	34.67	14.44	14.44		15.75				
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0063509										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	11.11	7.87	7.87	5.54	5.54		15.75				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	2.71	8.71	8.71	2.01	2.01		15.75				

LINBLINDI B	D NETWORK ELEMENTS - Mississippi												Attachment:	<u> </u>	Exhibit: B	
UNBUNDLE	D NETWORK ELEMENTS - MISSISSIPPI					I				1	Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA ⁻	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17)			per LSK	per LON	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonred	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
	Subscription			CAM	BAPDS	8.48	7.87	7.87	5.54	5.54		15.75				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
	Service Subscription			CAM	BAPES	0.09	8.71	8.71				15.75				
	XTENDED LINK (EELs)															
	: New EELs available in GA, TN, KY, LA, MS, & SC and density															
	: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-															
	In all states, EEL network elements shown below also apply t							As Is Charge a	pplies to curre	ently combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not apply.	.)
	: In GA, TN, KY, LA, MS & SC the EEL network elements apply				ements.(No S	witch As Is Ch	arge.)							ļ		
2-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	∟KOFF	ICE TR	ANSPORT (EEL)	1					1				1		
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport			LINICVA	LIEALO	13.89	405.00	68.28	50.00	40.07		45.75				
\vdash	Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
	Transport Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75				
\vdash	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	-		OIVOVA	ULALZ	10.75	105.96	00.28	52.62	10.37		15.75		1		
	Transport Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				
 	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	-	3	011017	JLALL	21.55	105.36	00.20	32.02	10.37		10.73				
	Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		<u> </u>	0.10171	02,122	.02	.00.00	00.20	02.02	10.01		10.70				
	per month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility					01.10.10										
	Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	DS1 Channelization System Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		_													
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
-	Voice Grade COCI - DS1 to DS0 Channel System combination -		4	UNCVA	UEALZ	45.72	105.96	00.20	52.62	10.37		15.75				
	per month			UNCVX	1D1VG	0.5737	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	IDIVO	0.5757	0.02	7.77				13.73				
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR				5.50	3.30	20	0						
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice			` '	İ					İ				İ		
	Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75		<u> </u>		
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice				l											
\vdash	Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		4	LINCV	LIEAL 4	50.00	400.07	04.50	00.00	44.04		45.75				
 	Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile	-	4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Per Month			UNC1X	1L5XX	0.1813										
 	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			011017	1LUXX	0.1013										
	Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization - Channel System DS1 to DS0 combination Per			-	1		220			50						
	Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month	<u> </u>		UNCVX	1D1VG	0.5737	6.62	4.74				15.75	<u> </u>			<u> </u>
	Additional 4-Wire Analog Voice Grade Loop in same DS1												_			_
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
\vdash	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75		ļ		
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Interonice Transport Combination - Zone 3		3	UNUVA	UEAL4	50.03	132.27	94.59	80.00	14.04	ı	15.75		l		

ONBONDE	D NETWORK ELEMENTS - Mississippi	1		1	1	П					0 0 :	06	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74	33.00			15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC	0.07.01	5.63	5.63	7.20	7.20		15.75				
4-WID	IS Charge E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTED	EEICE				5.03	5.03	7.20	7.20		15.75				
4-4411	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	JEFICE	TRANSFORT (EEL)	,											
	Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1813						15.75				
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month				U1TF1	51.72	89.79	82.28	16.86	14.90						
	Channelization - Channel System DS1 to DS0 combination Per			UNC1X								15.75				
	Month OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1				-											
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				İ
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				3.03	3.03	7.20	7.20		15.75				—
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice						400.50									
	Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				<u> </u>
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 4		4	UNCDX	UND64	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.1813										
	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per		-	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				<u> </u>
	Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75			<u> </u>	<u> </u>
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				<u> </u>

JINDONDEL	D NETWORK ELEMENTS - Mississippi			1	1				, , , , , , , , , , , , , , , , , , ,		C C1	Comp Contro	Attachment:		Exhibit: B	In an an an an an an an an an an an an an
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System			LINODY	10100	1.22	0.00	4.74				45.75				
	combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFI	CF TR		ONCCC		3.03	5.05	7.20	7.20		13.73				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		<u> </u>													
	Transport - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice										1					1
	Transport - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		١.	LINGAY	LIOLAGE	.=		.=			1	,			1	1
	Transport - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75			 	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1813					1				1	1
-	Interoffice Transport - Dedicated - DS1 combination - Facility			UNCIX	ILJAA	0.1013										
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-			0.1.0 1.7.		02	00.10	02.20	10.00			10.70				
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TR	ANSPORT (EEL)												
	First DS1Loop in DS3 Interoffice Transport Combination - Zone			, ,												
	1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
	2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone							.==	40.40							
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	I First DS 1Loop in DS3 interoffice Transport Combination - Zone		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile		4	UNCIA	USLAA	430.40	200.90	130.43	40.10	12.07		13.73				
	Per Month			UNC3X	1L5XX	4.29										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
	month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	107.85	179.17	94.52	34.30	32.82		15.75				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	12.96	6.62	4.74				15.75				
	Additional DS1Loop in DS3 Interoffice Transport Combination -										1				1]
	Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in DS3 Interoffice Transport Combination -		_	LINGAY	LICLYY	400.00	050.00	450.45	40.40	10.07	1	45.75			1	1
-+	Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination -		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07	-	15.75			1	
	Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07	1	15.75			1	
	Additional DS1Loop in DS3 Interoffice Transport Combination -		-	CINCIA	JULAA	200.74	200.30	130.43	40.10	12.07		13.13			 	
	Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07	1	15.75			1	
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	12.96	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75				
2-WIR	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE T	RANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport			1110101	LIEALO				== ==			,				
	Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75			 	
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.00	68.28	E0 00	10.37	1	15.75			1	
	2-WireVG Loop used with 2-wire VG Interoffice Transport			UNCVA	UEALZ	18.75	105.96	08.28	52.82	10.37		15./5				
	Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				
1	A.1.2 2-WireVG Loop used with 2-wire VG Interoffice Transport		J		3	21.00	100.00	00.20	02.02	10.07		10.70			1	
	Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37	1	15.75			1	1
	Interoffice Transport - Dedicated - 2-wire VG combination - Per															
	Mile Per Month		l	UNCVX	1L5XX	0.00088					l				ĺ	l

UNDUNDLE	D NETWORK ELEMENTS - Mississippi	1		1							Cup Cade	Cup Code	Attachment:		Exhibit: B	Inoro
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	USOC		RAT	TES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2- Wire Voice Grade			11000	11477.00	00.00	40.77	07.57	47.00	7.44		45.75				
	combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11		15.75			-	
	Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIRE	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	TEROFE	ICE TE		UNCCC		5.05	3.03	7.20	7.20		10.70				
	4-WireVG Loop used with 4-wire VG Interoffice Transport														İ	
	Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	4-WireVG Loop used with 4-wire VG Interoffice Transport		4	11000		50.00	400.07	04.50	00.00	4404		45.75				
	Combination - Zone 4 Interoffice Transport - Dedicated - 4-wire VG combination - Per		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75			-	
	Mile Per Month			UNCVX	1L5XX	0.00088										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade			UNCVA	ILJAA	0.00088										
	combination - Facility Termination per month			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-														1	
	Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				
DS3 DI	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	CE TRA	NSPOR	T (EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per															
	Mile per month			UNC3X	1L5ND	11.20										
	High Capacity Unbundled Local Loop - DS3 combination -								400.00							
	Facility Termination per month		1	UNC3X	UE3PX	252.17 4.29	454.13	265.47	123.23	86.19		15.75			-	
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility			UNC3X	1L5XX	4.29										
	Termination per per month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-			ONCOX	01113	041.50	200.57	103.70	02.00	00.23		10.70				
	Is Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75				
STS1 [DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TE	RANSP	ORT (EEL)												
	High Capacity Unbundled Local Loop - STS1 combination - Per															
	Mile per month			UNCSX	1L5ND	11.20										
	High Capacity Unbundled Local Loop - STS1 combination -															
	Facility Termination per month			UNCSX	UDLS1	264.35	454.13	265.47	123.23	86.19		15.75				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	4.29										
	Interoffice Transport - Dedicated - STS1 combination - Facility			UNCSX	ILDAX	4.29										
	Termination per month			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-					· · · · · ·			0						1	
	Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20		15.75				
2-WIRE	ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL)													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination							=	=====							
	Transport - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75			-	
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		15.75				
-	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	 	-	CINCINA	UILZA	31.34	117.01	13.32	32.02	10.37		13.13			t	
	Transport - Zone 4	1	4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.1813										1
	Interoffice Transport - Dedicated - DS1 combintion - Facility															
	Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization - Channel System DS1 to DS0 combination -	1		l	1											
	per month	<u> </u>	<u> </u>	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75			ļ	
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System	1	1	LINGNIY	110404	0.00	0.00					45.75				
	combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 		UNCNX	UC1CA	2.62	6.62	4.74				15.75			 	\vdash
1	Combination - Zone 1	1	1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75			1	1

ONDUNDLE	D NETWORK ELEMENTS - Mississippi			I	1						Cup Carle	Cup Cada	Attachment:		Exhibit: B	In are
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA ⁻	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates(\$)	•	
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		15.75				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		15.75				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	2.62	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	4.29										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29		15.75				
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	107.63	179.17	94.52	34.30	32.82		15.75				
	DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in STS1 Interoffice Transport Combination -			UNC1X	UC1D1	12.96	6.62	4.74				15.75				
	Zone 1 Additional DS1Loop in STS1 Interoffice Transport Combination -		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				1
	Zone 2 Additional DS1Loop in STS1 Interoffice Transport Combination -		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	Zone 3 Additional DS1Loop in STS1 Interoffice Transport Combination -		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	12.96	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIR	E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0.00088										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	14.14	40.78	27.57	17.26	7.11		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI	FFICE 1	RANS	PORT (EEL)												<u> </u>
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi										1 -		Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonre		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															i
	Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				1
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															i
	Per Mile			UNCDX	1L5XX	0.00088										1
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															i
	Facility Termination			UNCDX	U1TD6	14.14	40.78	27.57	17.26	7.11		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-						=	= 00								i
	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				
	IETWORK ELEMENTS				l											
	used as a part of a currently combined facility, the non-recurr															
	used as ordinarilty combined network elements in Mississippi					cn As is Charg	e aoes not.		 							
Nonrec	curring Currently Combined Network Elements "Switch As Is"	unarge	(One a	ppiles to each com	oination)											
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-											,				i
	Is Charge - 56/64 kbps			UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-															l
	ls Charge - DS1			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-						=	= 00								l
	ls Charge - DS3			UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-															l
	Is Charge - STS1			UNCSX	UNCCC		5.63	5.63	7.20	7.20		15.75				
NOTE:	Local Channel - Dedicated Transport - minimum billing period	I - Belo	w DS3:				10100		07.70							
	Local Channel - Dedicated - 2-Wire Voice Grade per month			UNCXV	ULDV2	14.91	194.22	33.36	37.79	3.30		15.75				
	Local Channel - Dedicated - 4-Wire Voice Grade per month		L .	UNCXV	ULDV4	15.99	194.66	33.80	38.27	3.78		15.75				
	Local Channel - Dedicated - DS1 per month Zone 1			UNC1X	ULDF1	36.83	178.50	154.61	22.89	15.74		15.75				
	Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	35.99	178.50	154.61	22.89	15.74		15.75				
	Local Channel - Dedicated - DS1- Per Month Zone 3			UNC1X	ULDF1	221.63	178.50	154.61	22.89	15.74		15.75				
	Local Channel - Dedicated - DS1- Per Month Zone 4		4	UNC1X	ULDF1	221.63	178.50	154.61	22.89	15.74		15.75				
	Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	9.66										-
	Local Channel - Dedicated - DS3 - Facility Termination per			LINOOV	ULDF3	440.07	454.40	005.47	400.00	00.40		45.75				l
	month			UNC3X	1L5NC	413.87	454.13	265.47	123.23	86.19		15.75				
	Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	9.66										
	Local Channel - Dedicated - STS-1 - Facility Termination per			LINOOV	550	400.00	454.40	005.47	400.00	00.40		45.75				l
VIDUNDI ED I	month			UNCSX	ULDFS	408.02	454.13	265.47	123.23	86.19		15.75				
	OCAL EXCHANGE SWITCHING(PORTS)															
	nge Ports Although the Port Rate includes all available features in GA, F	// I A	0 TN 4													
	EVOICE GRADE LINE PORT RATES (RES)	N, LA	Scin, ti	ne desired reatures	will need to b	e oraerea usin	g retail USUC	5	-							-
Z-WIKE				LIEDOD	UEPRL	4 44	2.20	2.20	4.40	4.00		45.75				—
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPKL	1.41	2.39	2.29	1.42	1.33		15.75				
	Evolungo Porto 2 Wiro Anglog Line Best with Colleg ID Ba-			UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33		15.75				i
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		-	UEFOR	UEPRU	1.41	2.39	2.29	1.42	1.33		15./5				
	Evolungo Porto - 2 Wiro Anglog Line Port cutaging only: - Do-		1	UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33		15.75				1
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		-	ULFOR	UEFKU	1.41	2.39	2.29	1.42	1.33		10.70				
	Exchange Ports - 2-Wire VG unbundled MS extended local		1	LIEDED	LIEDAT	4 44	0.00	0.00	1 440	4.00		45.75				1
	dialing parity Port with Caller ID - Res.		-	UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33		15.75				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port		1	UEPSR	UEPAP	1.41	2.39	2.29	1.40	4 22		15.75				1
	with Caller ID (LUM) Subsequent Activity		-	UEPSR	USASC	0.00	0.00	0.00	1.42	1.33		15.75				
FEATU				ULFOR	USASC	0.00	0.00	0.00	-			15.75				
	All Available Vertical Features			UEPSR	UEPVF	2.56	0.00	0.00	 			15.75				
	VOICE GRADE LINE PORT RATES (BUS)			ULFOR	UEFVF	∠.ɔb	0.00	0.00	 			15.75				
Z-WIRE	Exchange Ports - 2-Wire Analog Line Port without Caller ID -		-		<u> </u>				 							
	Bus		1	UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33		15.75				1
			-	ULFOD	UEFBL	1.41	2.39	2.29	1.42	1.33		10.70				
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.		1	UEPSB	UEPBC	4 44	0.00	0.00	1 440	1.33		15.75				1
	unbundied port with Caller+⊏484 ID - BUS.		-	UEPOB	UEPBC	1.41	2.39	2.29	1.42	1.33		15./5				
	Fortier Borro OMfor Analysis Borro S. S. S. S. S. S.			LIEDOD	LIEDE C						1	,				1
1	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		l	UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33	1	15.75			l	1

UNBUNDLE	D NETWORK ELEMENTS - Mississippi		•										Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled MS extended local															
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33		15.75				
	Exhange Ports - 2-Wire VG unbundled incoming only port with			LIEDOD	LIEDD4	4 44	0.00	0.00	4.40	4.00		45.75				
-	Caller ID - Bus Subsequent Activity		1	UEPSB UEPSB	UEPB1 USASC	1.41 0.00	2.39 0.00	2.29 0.00	1.42	1.33		15.75 15.75				
FEATU			1	UEPSB	USASC	0.00	0.00	0.00			-	15.75				
FEATO	All Available Vertical Features		+	UEPSB	UEPVF	2.56	0.00	0.00				15.75				
EXCH/	ANGE PORT RATES (DID & PBX)		+	OLI OD	OLI VI	2.30	0.00	0.00				13.73				
LXGIIA	2-Wire VG Unbundled 2-Way PBX Trunk - Res		1	UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		1	UEPSP	UEPPC	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		1	UEPSP	UEPP1	1.41	31.45	14.93	14.38	0.92		15.75	İ	İ		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		1	UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPSP	UEPXE	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy															
	Calling Port		1	UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional			LIEDOD	LIEDVD		04.45	44.00	44.00	0.00		45.75				
-	Calling Port		1	UEPSP UEPSP	UEPXR UEPXS	1.41 1.41	31.45 31.45	14.93 14.93	14.38 14.38	0.92 0.92		15.75				
-	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port Subsequent Activity		1	UEPSP	USASC	0.00	0.00	0.00	14.38	0.92		15.75 15.75				
FEATU			1	UEFSF	USASC	0.00	0.00	0.00				15.75				
FLATO	All Available Vertical Features	-	1	UEPSP UEPSE	UEPVF	2.56	0.00	0.00				15.75				
EXCH/	ANGE PORT RATES (COIN)		+	OLI OI OLI OL	OLI VI	2.30	0.00	0.00				13.73				
LAGILA	Exchange Ports - Coin Port					1.41	2.39	2.29	1.42	1.33		15.75				
NOTE:	Transmission/usage charges associated with POTS circuit sv	vitched	Lusage	will also apply to c	ircuit switche						iated with 2-		norts.			
NOTE:	Access to B Channel or D Channel Packet capabilities will be	availa	ble only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fic	le Request/	New Business	s Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS)		1	J								1				
	ANGE PORT RATES (DID & PBX)		1		1											
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.25	120.00	18.85	61.77	3.88		15.75			1.97	
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID													_		
	capability			UEPDD	UEPDD	58.41	203.19	96.25	74.86	2.54		15.75			1.97	
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	13.69	73.19	53.30	47.90	10.76		15.75			1.97	
	All Features Offered			UEPTX UEPSX	UEPVF	2.56	0.00	0.00				15.75			1.97	
	Transmission/usage charges associated with POTS circuit sy													L	<u> </u>	
NOTE:	Access to B Channel or D Channel Packet capabilities will be	availa	ble only	through BFR/New					lities will be de	termined via t	he Bona Fic	te Request/	New Business	s Request Pro	cess.	
\vdash	Exchange Ports - 2-Wire ISDN Port Channel Profiles	<u> </u>	 	UEPTX UEPSX	U1UMA	0.00	0.00	0.00	01.0=	00.00		45 7-	 	ļ	1.0-	
LINIDLINIS: 55 :	Exchange Ports - 4-Wire ISDN DS1 Port	<u> </u>	1	UEPEX	UEPEX	84.63	205.00	102.14	81.65	20.69		15.75	 	 	1.97	ļ
	LOCAL SWITCHING, PORT USAGE	 	+		+				ļ		-		 	 		
Ena O	ffice Switching (Port Usage) End Office Switching Function, Per MOU	<u> </u>	+		1	0.0010269							-	-		-
		-	+		-	0.0010269										
	End Office Trunk Bort Shared Bor MOLL		1	1	1	บ.บบบ.บ							-	-		-
Tanda	End Office Trunk Port - Shared, Per MOU	-														l
Tander	m Switching (Port Usage) (Local or Access Tandem)					0.0001722										
Tandel	m Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU					0.0001723										
	m Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU					0.0001723 0.0001828										
	m Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU															

UNBUNDLI	ED NETWORK ELEMENTS - Mississippi					-							Attachment:	2	Exhibit: B	
	micologip.	lutar'									1	Svc Order Submitted Manually	Incremental Charge -	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add'
						Rec	Nonre	curring	Nonrecurring	Disconnect		·	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	PORT/LOOP COMBINATIONS - COST BASED RATES															
	Based Rates are applied where BellSouth is required by FCC ar															
	res shall apply to the Unbundled Port/Loop Combination - Cos											L				
	Office and Tandem Switching Usage and Common Transport Us eorgia, Kentucky, Louisiana, MIssissippi, South Carolina and T														na charace a	nnly to Not
	ertly Combined Combos for all states. In GA, KY, LA, MS, SC an															
	currently Combined Combos in all other states, the nonrecurring								and NC mese	nomecuming	charges are	i Wai Ket Nai	es and are ar	so listeu ili tii	e Market Nate	section.
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	I	1	i be those identified	I	Couring Curr	citity combine	a scotions.								1
	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
	2-Wire VG Loop/Port Combo - Zone 2		2			17.13										
	2-Wire VG Loop/Port Combo - Zone 3		3	-		26.26										
	2-Wire VG Loop/Port Combo - Zone 4		4			44.91										
UNE I	Loop Rates	<u> </u>		HEDDY	LIEDLY	10.0-										
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPRX UEPRX	UEPLX UEPLX	10.98			ļ		1					ļ
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	-	3	UEPRX	UEPLX	15.91 25.04			-			-				
	2-Wire Voice Grade Loop (SL1) - Zone 3		4	UEPRX	UEPLX	43.68					-					
2-Wir	e Voice Grade Line Port Rates (Res)		-	OLI IXX	OLI LX	45.00										
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire voice Grade unbundled Mississippi extended local															
	dialing parity port with Caller ID - res			UEPRX	UEPAT	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPRX	UEPAP	1.23	40.31	19.84	24.90	6.58		15.75				
FEAT	URES			HEDDY	LIEDVE	0.50	0.00	0.00				45.75				
1.004	All Features Offered AL NUMBER PORTABILITY			UEPRX	UEPVF	2.56	0.00	0.00				15.75				
LOCA	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										1
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI IXX	LIVI OX	0.55										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPRX	USAC2		0.0988	0.0988				15.75				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPRX	USACC		0.0988	0.0988				15.75				<u> </u>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
4000	Subsequent Database Update						0.00	0.00				15.75				
ADDI	TIONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	 				 					-					
	Activity	1		UEPRX	USAS2	0.00	0.00	0.00				15.75				
2-WIR	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	1		OLI AX	OUNUL	0.00	0.00	0.00				13.73				
	Port/Loop Combination Rates								Ì							†
	2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
	2-Wire VG Loop/Port Combo - Zone 2		2			17.13										
	2-Wire VG Loop/Port Combo - Zone 3		3			26.26										
UNE I	Loop Rates	ļ	<u> </u>	LIEBBY .	LIEBLY.	10.55										
	2-Wire Voice Grade Loop (SL1) - Zone 1	ļ		UEPBX	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	 	3	UEPBX UEPBX	UEPLX UEPLX	15.91 25.04					-					
	2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4	1		UEPBX	UEPLX	43.68			1		1					-
2-Wir	e Voice Grade Line Port (Bus)	1	_	0 L1 D/	JLI LA	75.00										
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.23	40.31	19.84	24.90	6.58		15.75				†
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire voice Grade unbundled Mississippi extended local	l										1				
	dialing parity port with Caller ID - bus			UEPBX	UEPAY	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire voice unbundled incoming only port with Caller ID - Bus	 		UEPBX	UPEB1	1.23	40.31	19.84	24.90	6.58		15.75				
LOCA	L NUMBER PORTABILITY Local Number Portability (1 per port)	!		UEPBX	LNPCX	0.35										
	Local number Fortability (1 per port)			ULFBA	LINEUX	0.35					<u> </u>	l				<u> </u>

04/12/02 Page 221 of 352

LIND	IINDI E	D NETWORK ELEMENTS Mississippi												A44b	•	Fubility D	
UND	UNDLE	D NETWORK ELEMENTS - Mississippi				1				1	1	Core Conden	Cur Onden	Attachment:		Exhibit: B	l=====================================
														Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
											<u></u>						
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	FEATU																
		All Features Offered			UEPBX	UEPVF	2.56	0.00	0.00				15.75				
	NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is		<u> </u>	UEPBX	USAC2		0.0988	0.0988				15.75				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPBX	USACC		0.0988	0.0988				15.75				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Subsequent Database Update						0.00	0.00				15.75				
	ADDIT	IONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent	l	1	HEDDY	110465				Ì				Ì	I	Ì	
	0.1277	Activity PORT (PEG. PRY)	ļ	ļ	UEPBX	USAS2		0.00	0.00				15.75				
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	 	<u> </u>													
	UNE P	ort/Loop Combination Rates	 	<u> </u>			10										
<u> </u>		2-Wire VG Loop/Port Combo - Zone 1	<u> </u>	1		+	12.22				ļ				-		
<u> </u>		2-Wire VG Loop/Port Combo - Zone 2	<u> </u>	2		+	17.13				ļ				-		
		2-Wire VG Loop/Port Combo - Zone 3		3			26.26										
		2-Wire VG Loop/Port Combo - Zone 4		4			44.91										
	UNE L	oop Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.98										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	15.91										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	25.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPRG	UEPLX	43.68										
	2-Wire	Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res			UEPRG	UEPRD	1.23	69.37	32.48	37.86	6.17		15.75				
	LOCAL	NUMBER PORTABILITY			LIEBBO	LLIBOR	0.15										
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.75				
	FEATU																
		All Features Offered		<u> </u>	UEPRG	UEPVF	2.56	0.00	0.00				15.75				
	NONRI	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -						= 00									
		Conversion - Switch-As-Is		<u> </u>	UEPRG	USAC2		7.96	1.91				15.75				
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -						= 00									
		Conversion - Switch with Change			UEPRG	USACC		7.96	1.91				15.75				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -						0.00	0.00				45.75				
	ADDIT	Subsequent Database Update						0.00	0.00				15.75				
-	ADDII	IONAL NRCs	1	1		+				-		-		-	1	-	
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	l	1	LIEDDO	LICACO	0.00	2.22	0.00	Ì			45.75	Ì	I	Ì	
	+	Subsequent Activity	1	1	UEPRG	USAS2	0.00	0.00	0.00	1	-	1	15.75	1	 	1	
1		PBX Subsequent Activity - Change/Rearrange Multiline Hunt	l	1		1		7.00	7.00	Ì			45.75	Ì	I	Ì	
<u> </u>	0 14/15	Group	<u> </u>	<u> </u>		+		7.36	7.36		ļ		15.75		-		
-		E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1	1		+				-		-		-	1	-	
<u> </u>	UNE P	ort/Loop Combination Rates	<u> </u>	1		+	40.00				ļ				-		
-	+	2-Wire VG Loop/Port Combo - Zone 1	1			+	12.22			-		-		-	1	-	
-	+	2-Wire VG Loop/Port Combo - Zone 2	1	2		+	17.13			1	-	1		1	 	1	
<u> </u>		2-Wire VG Loop/Port Combo - Zone 3	<u> </u>	3		+	26.26				ļ				-		
-	LINE !	2-Wire VG Loop/Port Combo - Zone 4	1	4		+	44.91			1	-	1		1	 	1	
-	UNE L		-	-	UEPPX	LIEDLY	40.00								 		
-	-	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1		UEPLX	10.98								 		
-	-	2-Wire Voice Grade Loop (SL 1) - Zone 2	 	2	UEPPX	UEPLX	15.91								 		
-	+	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEPPX	UEPLX	25.04 43.68			1	-	1		1	 	1	
	2 14/:	2-Wire Voice Grade Loop (SL 1) - Zone 4 Voice Grade Line Port Rates (BUS - PBX)	1	4	UEPPX	UEPLX	43.68			1	-	1		1	 	1	
	z-wire	Voice Grade Line Port Rates (BUS - PBA)	-	 		+									 		
1		Line Cide Habandled Combination O. West DDV Total Days	l		UEPPX	LIEDDO	4.00	00.07	20.40	27.00	0.17		45.75		1		
-	-	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	 	 		UEPPC	1.23	69.37	32.48	37.86	6.17		15.75		 		
<u> </u>	+	Line Side Unbundled Outward PBX Trunk Port - Bus	1	1	UEPPX UEPPX	UEPPO UEPP1	1.23	69.37	32.48 32.48	37.86	6.17 6.17	1	15.75	1	 	1	
<u> </u>		Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports		1	UEPPX	UEPP1 UEPLD	1.23 1.23	69.37 69.37	32.48	37.86 37.86	6.17	-	15.75 15.75		1		
		2-vviie voice onbundled PBX LD Terminal Ports	l	l	UEFFA	UEPLU	1.23	b9.37	3∠.48	31.86	0.17	l	15./5		l		

<u> NARANDI</u>	LED NETWORK ELEMENTS - Mississippi			1									Attachment:		Exhibit: B	↓
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
										<u> </u>					Diac iat	Disc Add I
						Rec	Nonrec		Nonrecurring		001150	001441		Rates(\$)	001141	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		1	UEPPX	UEPXA	1.23	First 69.37	Add'I 32.48	First 37.86	Add'l 6.17	SOMEC	SOMAN 15.75	SOMAN	SOMAN	SOMAN	SOMAN
+	2-Wire Voice Unburidled 2-Way Combination PBX Osage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1	1	UEPPX	UEPXB	1.23	69.37	32.48	37.86	6.17		15.75				1
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		-	UEPPX	UEPXC	1.23	69.37	32.48	37.86	6.17		15.75				
-+	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	1	UEPPX	UEPXD	1.23	69.37	32.48	37.86	6.17		15.75				
-+	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLITA	OLI AD	1.20	00.07	02.40	07.00	0.17		10.70				+
	Capable Port			UEPPX	UEPXE	1.23	69.37	32.48	37.86	6.17		15.75				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02.17	02.7.2	20	00.07	02.10	07.00	0.11		10.10				
	Administrative Calling Port			UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17		15.75				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy								01100							
	Room Calling Port			UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17		15.75				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	1.23	69.37	32.48	37.86	6.17		15.75				
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy															1
	Calling Port			UEPPX	UEPXQ	1.23	69.37	32.48	37.86	6.17		15.75				
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional															Ì
	Calling Port			UEPPX	UEPXR	1.23	69.37	32.48	37.86	6.17		15.75				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.23	69.37	32.48	37.86	6.17		15.75				
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.75				
FEA	TURES															
	All Features Offered			UEPPX	UEPVF	2.56	0.00	0.00				15.75				
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															Ī
	Conversion - Switch-As-Is			UEPPX	USAC2		7.96	1.91				15.75				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		7.96	1.91				15.75				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-														
	Subsequent Database Update						0.00	0.00				15.75				
ADD	DITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.75				1
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.36	7.36				15.75				
	IRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT														
UNE	Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.22										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			17.13										
	2-Wire VG Coin Port/Loop Combo – Zone 3	1	3		4	26.26									ļ	<u> </u>
	2-Wire VG Coin Port/Loop Combo – Zone 4		4			44.91										
UNE	Loop Rates		<u> </u>			10.00										
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPCO	UEPLX	43.68										
2-W	ire Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (AL, KY, LA, MS)	-		UEPCO	UEPRF	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-Way without Operator Screening and without			LIEDCO	LIEDMA	4 00	40.04	40.04	04.00	0.50		45.75				
	Blocking; with Dialing Parity (Note 3) (MS)	1	-	UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58	ļ	15.75			1	
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			LIEDCO	LIEDDA	1 00	40.04	10.04	24.00	6.50	1	15.75				
-+	900/976, 1+DDD (AL, KY, LA, MS)	+	1	UEPCO	UEPRA	1.23	40.31	19.84	24.90	6.58	-	15.75			1	
	2-Wire Coin 2-W with Operator Screening and Blocking: 011,			LIEDCO	LIEDMA	1 00	40.04	10.04	24.00	6.50	1	15.75				
	900/976, 1+DDD; with Dialing Parity (MS)	1	-	UEPCO	UEPMA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			LIEDOO	LIEDES	4.00	40.01	10.01	04.00	0.50	1	45.75				
+	(AL, LA, MS)	1	1	UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58		15.75			1	
1	2-Wire Coin 2-Way with Operator Screening and 011 Blocking;			LIEDCO	LIEDMD	4 00	40.04	40.04	04.00	0.50		45.75				
ı	with Dialing Parity (MS)	1	1	UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58	l	15.75			1	4
	2-Wire Coin 2-Way with Operator Screening & Blocking:															

ONRONDE	ED NETWORK ELEMENTS - Mississippi			T							I		Attachment:		Exhibit: B	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA ⁻	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
					+		Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-W Operator Screening: 900 Block: 900/976,															
	1+DDD, 011+, Local; with Dialing Parity (MS)			UEPCO	UEPCJ	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward without Blocking and without Operator															
	Screening (KY, LA, MS)			UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward without Blocking and without Operator				l I											
	Screening; With Dailing Parity (MS)			UEPCO	UEPME	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward with Operator Screening and 011			ULFCO	OLFKJ	1.23	40.31	19.04	24.90	0.30		13.73				
	Blocking; with Dialing Parity (MS)			UEPCO	UEPMD	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward with Operator Screening and Blocking:			02. 00	OZ. IIIZ	1.20	10.01	10.01	200	0.00		10.10				
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,															
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,															
	011+, and Local; with Dialing Parity (MS)			UEPCO	UEPCS	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire 2-Way Smartline with 900/976 (all states except LA) 2-Wire Coin Outward Smartline with 900/976 (all states except			UEPCO	UEPCK	1.23	40.31	19.84	24.90	6.58		15.75				
	LA)			UEPCO	UEPCR	1.23	40.31	19.84	24.90	6.58		15.75				
ADD	ITIONAL UNE COIN PORT/LOOP (RC)			ULFCO	OLFCK	1.23	40.31	19.04	24.90	0.30		13.73				
7,55	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.62	0.00	0.00								
LOC	AL NUMBER PORTABILITY				1											
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		0.0988	0.0988				15.75				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
ADD	Switch with change ITIONAL NRCs		1	UEPCO	USACC		0.0988	0.0988				15.75				
ADD	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				-											
	Activity			UEPCO	USAS2		0.00	0.00				15.75				
UNB	UNDLED REMOTE CALL FORWARDING - RES			02. 00	007102		0.00	0.00				10.70				
	Recurring				i i											
UNB	UNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB	UEPVJ	1.41	2.39	2.29	1.42	1.33		15.75				
	-Recurring		<u> </u>													
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE															
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE D PORT/LOOP COMBINATIONS - COST BASED RATES	LINE	OKI (BUS)												
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	 	 											 	
	Port/Loop Combination Rates	. UK1													1	
15.1.2	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			21.32										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26.16										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			34.98		-		-			-			
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4		4	ļ		53.15									ļ	
UNE	Loop Rates		<u> </u>	LIEDDY	LIEOD4	10.00										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		1	UEPPX UEPPX	UECD1 UECD1	13.89 18.75									 	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	18.75 27.55					-				1	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		4	UEPPX	UECD1	45.72									 	
UNE	Port Rate				02001	70.72									1	
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	7.43	225.96	87.13	114.59	14.25		15.75			1.97	
NON	RECURRING CHARGES - CURRENTLY COMBINED														İ	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															
	Switch-as-is			UEPPX	USAC1		7.35	1.88				15.75			1.97	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		1	LIEDDY	110446						1	,				
ADD	with BellSouth Allowable Changes ITIONAL NRCs		 	UEPPX	USA1C		7.35	1.88				15.75			1.97	
	THOUAL MAC		1	UEPPX	1			26.94	1		i	15.75			1.97	1

UNBUND	LED	NETWORK ELEMENTS - Mississippi						1					•	,	Attachment:		Exhibit: B	ļ
CATEGOR	Υ	RATE ELEMENTS	Interi m	Zone	E	3CS	usoc			ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
								Rec	Nonrec		Nonrecurring					Rates(\$)		
								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Tele		ne Number/Trunk Group Establisment Charges																
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00				15.75			1.97	
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00				15.75			1.97	
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00				15.75			1.97	
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00				15.75			1.97	
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00				15.75			1.97	
LO	CAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
2-W		ISDN DIGITAL GRADÉ LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	POR														
		rt/Loop Combination Rates																
	2	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		28.59										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		-	OLITB	OLITIN	`	20.55										
		UNE Zone 2		2	UEPPB	UEPPR		35.00										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		45.18										
	- 1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	Į.	UNE Zone 4		4				67.61										
UNI		op Rates																
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	18.26						15.75			1.97	
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	24.67						15.75			1.97	
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	34.85						15.75			1.97	
		2-Wire ISDN Digital Grade Loop - UNE Zone 4		4	UEPPB	UEPPR	USL2X	57.28						15.75			1.97	
LIN		rt Rate			OLITE	OLITIK	OOLZX	37.20						13.73			1.57	
OIV		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13		15.75			1.97	
NO		CURRING CHARGES - CURRENTLY COMBINED			OLITE	OLITIK	OLITB	10.55	130.00	100.22	100.72	21.13		13.73			1.37	
110		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port					-											
		Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.73	27.17				15.75			1.97	
ADI		DNAL NRCs			OLI I D	OLITIK	CONOD	0.00	00.10	21.11				10.70			1.07	
		NUMBER PORTABILITY					-											
LO		Local Number Portability (1 per port)		1	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
В.С		NEL USER PROFILE ACCESS:			OLFFB	ULFFR	LINEUX	0.33	0.00	0.00							-	-
D-C		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00							-	-
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00							-	-
		CSD CSD		1	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
В.С		INEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	CMC 9	TAIL	UEFFB	UEPPK	01000	0.00	0.00	0.00							-	-
D-C		CVS/CSD (DMS/5ESS)	C,IVIO, A	: IIV)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
		CVS (EWSD)	 	1	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00			1				 	
		CSD CSD	 	 	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00							 	1
1161		ERMINAL PROFILE	 	 	OLI.LD	OLFFIX	01001	0.00	0.00	0.00							 	1
1001		User Terminal Profile (EWSD only)	 	1	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00							-	-
VEI		AL FEATURES		1	OLITE	OLITIK	OTOWA	0.00	0.00	0.00								
V.L.		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.56	0.00	0.00				15.75			1.97	
INIT		FFICE CHANNEL MILEAGE			OLITE	OLITIK	OLI VI	2.30	0.00	0.00				13.73			1.37	
IINI		Interoffice Channel mileage each, including first mile and		1	1		1											
		facilities termination			LIEDDD	UEPPR	M1GNC	22.5298	40.77	27.57	17.26	7.11		15.75			1.97	
		Interoffice Channel mileage each, additional mile				UEPPR	M1GNM	0.0098	0.00	0.00	17.20	7.11		13.73			1.57	-
4.14		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	POPT	1	OLI. FD	OLI. FIX	IVITOINIVI	0.0080	0.00	0.00			1				 	
		rt/Loop Combination Rates	51(1	 	 		†										 	1
ON		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	 	1	1		 										 	l
		Zone 1		1	UEPPP			155.43										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	 	- '-	J=: 1 1		 	100.40									 	1
		Zone 2		2	UEPPP		1	205.74									1	
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		Ť	1		†	2004									t	t
		Zone 3		3	UEPPP		1	283.10									1	
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		Ť	J		†	200.10									t	
		Zone 4		4	UEPPP		1	534.81									1	
		op Rates			J 1 1		+	50-7.01						1			 	+

OMBONDED I	NETWORK ELEMENTS - Mississippi		1	I	1 1						Cup Onder	Cup Cade	Attachment:		Exhibit: B	In organization
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Wire DS1 Digital Loop - UNE Zone 1			UEPPP	USL4P	79.08						15.75			1.97	
	Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	129.38						15.75			1.97	
	Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	206.74						15.75			1.97	
	Wire DS1 Digital Loop - UNE Zone 4		4	UEPPP	USL4P	458.46						15.75			1.97	
UNE Port						== ==	450.00		107.75							
	change Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	76.35	458.93	260.59	127.75	32.76		15.75			1.97	ļ
	JRRING CHARGES - CURRENTLY COMBINED Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port				-											
	ombination - Conversion -Switch-as-is			UEPPP	USACP	0.00	119.76	79.01				15.75			1.97	
ADDITION				OLFFF	USACE	0.00	119.70	79.01				13.73			1.57	
	Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
	ward/two way tel nos within Std Allowance (except NC)		l	UEPPP	PR7TF	l	0.49					15.75			1.97	
	Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			02			0.10					10.10			1.07	
	utward Tel Numbers (All States except NC)		1	UEPPP	PR7TO	l	11.58	11.58				15.75			1.97	1
	Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -					İ			†							
	bsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		23.15	23.15				15.75			1.97	
LOCAL N	JMBER PORTABILITY															
Lo	cal Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTERFAC	CE (Provsioning Only)															
	ice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	gital Data			UEPPP	PR71D	0.00	0.00	0.00								
	ward Data			UEPPP	PR71E	0.00	0.00	0.00								
	Iditional "B" Channel															
	ew or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.61					15.75			1.97	
	ew or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.61					15.75			1.97	
	ew or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.61					15.75			1.97	
CALL TYP	vard			UEPPP	PR7C1	0.00	0.00	0.00								
	utward			UEPPP	PR7C0	0.00	0.00	0.00								
	nwaru /o-way			UEPPP	PR7CC	0.00	0.00	0.00								ļ
	Channel Mileage			ULFFF	FRICE	0.00	0.00	0.00								
	ked Each Including First Mile			UEPPP	1LN1A	57.53	89.79	82.28	16.66	14.90		15.75			1.97	
	ch Airline-Fractional Additional Mile			UEPPP	1LN1B	0.20	00.70	02.20	10.00			10.10			1.07	
	S1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT				1				İ							
UNE Port/	Loop Combination Rates															
4V	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		131.78						15.75			1.97	
	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		182.07						15.75			1.97	
	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		259.44						15.75			1.97	
	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC		511.15						15.75			1.97	
UNE Loop																
	Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	79.08						15.75			1.97	
	Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	129.38						15.75			1.97 1.97	
	Wire DS1 Digital Loop - UNE Zone 3 Wire DS1 Digital Loop - UNE Zone 4			UEPDC UEPDC	USLDC USLDC	206.74 458.46						15.75			1.97	<u> </u>
UNE Port			4	UEPDC	USLDC	458.46						15.75			1.97	
	Wire DDITS Digital Trunk Port			UEPDC	UDD1T	52.70	457.12	254.70	120.96	14.61		15.75			1.97	
	JRRING CHARGES - CURRENTLY COMBINED			OLFDC	ODDII	32.70	457.12	234.70	120.90	14.01		13.73			1.97	
	Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				+ +				 		1				 	†
	Switch-as-is		1	UEPDC	USAC4	l	130.24	67.41				15.75			1.97	1
	Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination					İ			†							
	Conversion with DS1 Changes		1	UEPDC	USAWA	l	130.24	67.41				15.75			1.97	1
4-\	Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	Conversion with Change - Trunk			UEPDC	USAWB		130.24	67.41				15.75			1.97	
ADDITION								•		•				_		
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -									·			·			
	bsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.56	14.56	ļ <u> </u>			15.75			1.97	ـــــــ
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		1	l	1	l					1				l .	1
I ICh	nannel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.56	14.56				15.75			1.97	

JUNDEL	ED NETWORK ELEMENTS - Mississippi	1		I							Svo Orden	Svo Orde	Attachment: Incremental		Exhibit: B Incremental	Increme
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.56	14.56				15.75			1.97	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.56	14.56				15.75			1.97	1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.56	14.56				15.75			1.97	
BIBOI	AR 8 ZERO SUBSTITUTION			UEPDC	UDITE		14.56	14.56	-			15.75			1.97	-
BIFOL	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00				15.75			1.97	
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00				15.75			1.97	——
Altern	ate Mark Inversion			02. 50	0002.		0.00	000.00				10.10				
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telepi	hone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						15.75			1.97	
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						15.75			1.97	
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						15.75			1.97	<u> </u>
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						15.75			1.97	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						15.75			1.97	ļ
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.75			1.97	
	Reserve DID Numbers	<u> </u>	<u> </u>	UEPDC	NDV	0.00	0.00	0.00				15.75			1.97	<u> </u>
Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FC0 for 4-Wire DS1	Digita	Loop	with 4-Wire DDITS	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities			LIEDDO	41 NO4	57.33	00.70	00.00	40.00	14.90		45.75			1.97	
	Termination)			UEPDC	1LNO1	57.33	89.79	82.28	16.86	14.90		15.75			1.97	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.20	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			ULFDC	ILNOA	0.20	0.00	0.00								
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25						0.00									†
	miles			UEPDC	1LNOB	0.20	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.20	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							ļ
	Central Office Termininating Point			UEPDC	CTG	0.00										<u> </u>
	E DS1 LOOP WITH CHANNELIZATION WITH PORT	4 !			+											
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti System can have up to 24 combinations of rates depending on			har of parts used	-											
	OST Loop	type ai	lu mun	l	+											
ONE E	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	79.08	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	129.38	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	206.74	0.00	0.00								1
	4-Wire DS1 Loop - UNE Zone 4		4	UEPMG	USLDC	458.46	0.00	0.00				15.75			1.97	1
UNE D	OSO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	95.06	0.00	0.00				15.75			1.97	
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	190.12	0.00	0.00				15.75			1.97	
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	380.24	0.00	0.00				15.75			1.97	
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	570.36	0.00	0.00				15.75			1.97	
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	760.48	0.00	0.00				15.75			1.97	ļ
_	240 DS0 Channel Capacity - 1 per 10 DS1s	ļ		UEPMG	VUM20	950.60	0.00	0.00				15.75			1.97	
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,140.72	0.00	0.00				15.75			1.97	├
_	384 DS0 Channel Capacity - 1 per 16 DS1s	 		UEPMG	VUM38 VUM40	1,520.96	0.00	0.00	ļ			15.75			1.97	₩
	480 DS0 Channel Capacity - 1 per 20 DS1s	l		UEPMG UEPMG	VUM40 VUM57	1,901.20 2,281.44	0.00	0.00				15.75 15.75			1.97 1.97	
	576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s	!	-	UEPMG	VUM67	2,281.44	0.00	0.00			-	15.75			1.97	
Non-P	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	L Chane	aliztia					0.00	+		1	15.75			1.97	
	imum System configuration is One (1) DS1, One (1) D4 Channe						o.ciii		 						1	$\vdash \!$
	a 5,5.cm comiguration is one (1) D31, One (1) D4 Chaline			inimum system co							ļ				ļ	↓

		D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			ΓES(\$)		N		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec		urring	Nonrecurring		201150	001441		Rates(\$)	001441	001141
		NIDC Commercian (Commercial) with an in-				1	1	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		NRC - Conversion (Currently Combined) with or without			LIEDMO	110404	0.00	454.05	0.44				45.75			4.07	
		BellSouth Allowed Changes Additions at End User Locations Where 4-Wire DS1 Loop wit	h Chan	nolizot	UEPMG	USAC4	0.00	151.35	8.41	-			15.75			1.97	
		ot Currently Combined) In GA, KY, LA, MS & TN Only	n Chan	nenzat	ion with Port Combi	nation Curre	ently Exists and			-							
	new (N	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc								-							
		Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	715.15	327.39	148.05	17.56		15.75			1.97	
	Pinolar	*8 Zero Substitution			UEPIVIG	VUIVID4	0.00	7 15.15	321.39	146.03	17.30	1	15.75			1.97	
	Біроіаі	Clear Channel Capability Format, superframe - Subsequent										1					
		Activity Only			UEPMG	CCOSF	0.00	0.00	600.00				15.75			1.97	
		Clear Channel Capability Format - Extended Superframe -			OLI IVIO	00001	0.00	0.00	000.00	†			13.73			1.57	
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	600.00				15.75			1.97	
		te Mark Inversion (AMI)			OLI WO	CCOLI	0.00	0.00	000.00				13.73			1.57	+
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00	-						-	
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00	 			l			 	
		age Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	0		5.50	0.00	3.00	<u> </u>						<u> </u>	†
		ige Ports		. 5/1			†			t						1	
		<u> </u>					†			1						1	
		Line Side Combination Channelized PBX Trunk Port - Business	1		UEPPX	UEPCX	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
		Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	7.40	0.00	0.00	0.00	0.00		15.75			1.97	
	Feature	Activations - Unbundled Loop Concentration															
		Feature (Service) Activation for each Line Side Port Terminated															
		in D4 Bank			UEPPX	1PQWM	0.61	25.36	13.39	4.29	4.26		15.75			1.97	
		Feature (Service) Activation for each Trunk Side Port Terminated															
		in D4 Bank			UEPPX	1PQWU	0.61	78.03	18.39	60.66	11.85		15.75			1.97	
	Telepho	one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				15.75			1.97	
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				15.75			1.97	
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				15.75			1.97	
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				15.75			1.97	
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.75			1.97	
		lumber Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional															
		Switching Features Offered with Line Side Ports Only															
		All Features Available		<u>. </u>	UEPPX	UEPVF	2.56	0.00	0.00				15.75			1.97	
		Rates shall apply where BellSouth is not required to provide	unbunc	ned lo	cal switching or swif	cn ports per	r FCC and/or Sta	ite Commissio	n rules.	.						-	
		scenarios include:		lahar:	Florida and North	Canalina				 		-				1	
		undled port/loop combinations that are Not Currently Combin					n O MCAC in Dal	IICaushia nani	fa ada.		DC0i	lant lines					
		undled port/loop combinations that are Currently Combined on BellSouth's region are: FL (Orlando, Ft. Lauderda											٥)				
		p 8 MSAS in Bellsouth's region are: FL (Orlando, Ft. Lauderda uth currently is developing the billing capability to mechanica												INC In the in	storim whore	BollSouth car	nnot bill
		Rates, BellSouth shall bill the rates in the Cost-Based section									not currently t	ombined in	AL, FL and	INC. III the II	iteriii where	Deli Soutii Cai	mot bin
		rkates, Bensouth shall bill the rates in the Cost-Based section rket Rate for unbundled ports includes all available features i			lieu of the Warket K	ates and res	erves the right t	o true-up tne	billing amerer	ice.		1	ı	1			1
		fice and Tandem Switching Usage and Common Transport Us			a Dant acetica of th		it aball anabits	all a a mala im asi				L	. Dout/Loon	Combinetion		flet	
		Tice and Tandem Switching Osage and Common Transport Os	age rat	es iii u	ie Port Section of th	is rate exilib	it Silali apply to	an combinan	ons or roop/po	ort network elei	nents except	IOI UNE COI	ii Foit/Look	Combination	is willcii ilav	e a nai raie us	age charge
		t Currently Combined scenarios where Market Rates apply, the	e Nonre	currin	r charges are listed	in the Firet a	and Additional N	IRC columns	or each Port I	ISOC For Cur	rently Combin	ed scenario	s the Nonre	ecurring char	nes are listed	in the NRC -	Currently
		ned section. Additional NRCs may apply also and are categor				uie Fii3l 8	and Additional N	o columns	o each Full	Jooo. For our	City Combin	ou occiiailo	o, are NOIII	counting charg	geo are noteu	uie NICO -	Janentry
		ONAL NRCs	ızeu ac	corain	gry.		Г										
		PORT/LOOP COMBINATIONS - MARKET BASED RATES	-			1	+			 						t	
		S1 Loop				1	 			 			l			 	
		ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chann	neliztio	n with Port - Conver	sion Charge	Based on a Svs	stem		 			l			 	
		num System configuration is One (1) DS1, One (1) D4 Channel								†						<u> </u>	†
		es of this configuration functioning as one are considered Ad								t						t	1
		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES			270.0 3011	J				t						t	
		Based Rates are applied where BellSouth is required by FCC		State 0	Commission rule to	provide Unb	undled Local Sv	vitching or Sv	itch Ports.	İ						İ	
		ures shall apply to the Unbundled Port/Loop Combination - Co								dled Port secti	on of this Rate	Exhibit.				t	
							,						•		•	•	•

04/12/02 Page 228 of 352

SHEET	ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
					1						Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
1											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA [*]	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													131	Auu	Disc 1st	Disc Add I
						Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
3. End	l Office and Tandem Switching Usage and Common Transport eorgia, Kentucky, Louisiana, Mississippi and Tennessee, the re	Usage r	rates in	the Port section of	this rate exh	ibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
	ined Combos for all states. In GA, KY, LA, MS and TN these no							, NC and SC ti	nese nonrecurr	ing charges ar	e Market Ra	ites and are	listed in the	Market Rate s	ection. For 0	Surrently
	ined Combos in all other states, the nonrecurring charges sha															
	rket Rates for Unbundled Centrex Port/Loop Combination will		tiated	on an Individual Ca	se Basis, un	til further notice	e.									
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	Port/Loop Combination Rates (Non-Design)															
İ	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		4	UEP91		12.22										
 	Non-Design		- 1	UEP91		12.22										
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP91		17.13						1				
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OL1 31	1	17.13			 				1	1	1	
1	Non-Design		3	UEP91		26.26										
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-		<u></u>	 	20.20						 				t
1	Non-Design		4	UEP91		44.91										
UNF F	Port/Loop Combination Rates (Design)		_	J J1	1	77.31										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
İ	Design		1	UEP91		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
İ	Design		2	UEP91		19.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
İ	Design		3	UEP91		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		4	UEP91		46.95										
UNE L	oop Rate															
ullet	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	15.91										
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP91	UECS1	43.68										
igwedge	2-Wire Voice Grade Loop (SL 2) - Zone 1		1 2	UEP91	UECS2	13.89										
igwedge	2-Wire Voice Grade Loop (SL 2) - Zone 2		3	UEP91 UEP91	UECS2	18.75 27.55										
 	2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP91	UECS2 UECS2	45.72										
UNE P			-4	OLF91	ULC32	45.72										
	ates (Except North Carolina and Sout Carolina)	-			 							 				
All Ste	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				f
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				1	20	.5.51		250	5.50						
1	Area			UEP91	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				I
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP91	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
1	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP91	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				
1 1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service]				
igwdows	Term - Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				
1	2-Wire Voice Grade Port terminated in on Megalink or equivalent				L							1				
igsquare	- Basic Local Area			UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
1	2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDO4	LIED) (2											
	Basic Local Area			UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75	ļ	ļ	ļ	-
AL, K	Y, LA, MS, & TN Only			LIEDO4	LIEDC 1	4.00	10.01	10.01	04.00	0.50		45.75	1	1	1	
 	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75	-	-	-	+
 	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQB UEPQH	1.23	40.31	19.84	24.90 24.90	6.58		15.75				1
+-+-	2-Wire Voice Grade Port (Centrex With Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP91	UEPUH	1.23	40.31	19.84	∠4.90	6.58		15.75				-
1	Center)2			UEP91	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				
 	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OFLAI	OLF QIVI	1.23	100.33	10.37	54.24	11.70		15.75	1	1	1	
1	Term			UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				I
\vdash	····				J = : « =	1.23	100.00	70.07	54.24	11.70		10.70				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				

NBUNDL	ED NETWORK ELEMENTS - Mississippi			ı							_		Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	'ES(\$)				Manually	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7947										
Local	Number Portability			LIEDO4	LNDOO	0.05										
Foots	Local Number Portability (1 per port)		<u> </u>	UEP91	LNPCC	0.35										
Featu	All Standard Features Offered, per port			UEP91	UEPVF	2.56			-			15.75				
	All Select Features Offered, per port		1	UEP91	UEPVS	0.00	404.98		+			15.75				
-+	All Centrex Control Features Offered, per port	1		UEP91	UEPVC	2.56	404.00		+			15.75				
NARS				02. 0.	02. 10	2.00										
	Unbundled Network Access Register - Combination	1		UEP91	UARCX	0.00	0.00	0.00							1	
	Unbundled Network Access Register - Indial	1		UEP91	UAR1X	0.00	0.00	0.00	i i							
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00								
	ellaneous Terminations															
2-Wir	e Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	8.25	120.00	18.85	61.77	3.88		15.75		_		
Interc	office Channel Mileage - 2-Wire												·			
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	MIGBM	0.0098										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.57										
	Eastern Addition of B. 4 Okasa d Bard EV line Oille Land Oka			LIEDO4	400140	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.57										
-+	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1		UEP91	IFQW7	0.57										
	Different Wire Center			UEP91	1PQWP	0.57										
	Billiotetti VVIII Center			OLI OI	ii Qwi	0.07										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			02. 0.		0.01										
	Slot			UEP91	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.57										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		0.10	0.10				15.75				
	Conversion of Existing Centrex Common Block			UEP91	USACN		37.97	16.68				15.75				
	New Centrex Standard Common Block	ļ		UEP91	M1ACS	0.00	666.32					15.75				
	New Centrex Customized Common Block	ļ		UEP91	M1ACC	0.00	666.32					15.75				
	Secondary Block, per Block	ļ	-	UEP91	M2CC1	0.00	77.91					15.75				
LIKIT	NAR Establishment Charge, Per Occasion	l	-	UEP91	URECA	0.00	72.63					15.75			 	<u> </u>
	P CENTREX - 5ESS (Valid in All States) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	 	-		+				 						 	
	e VG Loop/z-wire voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	1	 						 						-	
ONE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	<u> </u>			+	+	ł									
	Non-Design	1	1	UEP95	1	12.22]								1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	† ·				İ		1						1	i
	Non-Design	1	2	UEP95	1	17.13	l								1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1				1			i i							
	Non-Design	<u>L</u>	3	UEP95		26.26										<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-				Ī	1						_			
	Non-Design	<u></u>	4	UEP95		44.91			L						<u> </u>	
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-						<u> </u>		<u> </u>						
	Design		1	UEP95		15.12										
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
			2	UEP95		19.98										

UNBUNDLED	NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	1
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge Manual S Order vs Electroni
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonre	curring	Nonrecurring	Disconnect		•		Rates(\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		4	UEP95		46.95										
UNE Lo																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP95	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	13.89										<u> </u>
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	18.75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	27.55										
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP95	UECS2	45.72										
UNE Po														ļ	ļ	<u> </u>
All State				LUEBAS	1		10 -					4.5.5		ļ	ļ	<u> </u>
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			LIEDOE	LIED/III	4.00	40.01	40.01	04.00	0 =0		45				
	Area			UEP95	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIED.									l	Ì	1
	Center)2 Basic Local Area			UEP95	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP95	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
	LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP95	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP95	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
FL & GA												15.75				
	witching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7947										
	umber Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Features																
	All Standard Features Offered, per port			UEP95	UEPVF	2.56						15.75				
	All Select Features Offered, per port			UEP95	UEPVS	0.00	404.98					15.75				
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.56						15.75				
NARS							-									
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00		-		15.75				
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				15.75				
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				15.75				
	neous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8.25	120.00	18.85	61.77	3.88		15.75				
	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.56									
	ce Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75				
1 1	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0098										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	:e														

DUNDLE	D NETWORK ELEMENTS - Mississippi	1	1	1							0	06	Attachment:		Exhibit: B	
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tivate Line Loop Slot			OLI 95	II QVVV	0.57										
	Slot			UEP95	1PQWQ	0.57										
1	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP95	1PQWA	0.57									1	
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex		<u> </u>													
	NRC Conversion Currently Combined Switch-As-Is with allowed		i –		1	İ										
	changes, per port			UEP95	USAC2		0.10	0.10				15.75				
	Conversion of Existing Centrex Common Block, each			UEP95	USACN	Ì	37.97	16.68				15.75				
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	666.32					15.75				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	666.32					15.75				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.63					15.75				
UNE-F	CENTREX - DMS100 (Valid in All States)															
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9D		12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		17.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9D		26.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		4	UEP9D		44.91										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9D		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		19.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		T -													
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	UEP9D		28.78										
	Design		4	UEP9D		46.95									1	1
UNE I	oop Rate		-			40.00									1	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.98									1	
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	15.91									1	
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	25.04									İ	
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9D	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	18.75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	27.55										
	2-Wire Voice Grade Loop (SL21) - Zone 4		4	UEP9D	UECS2	45.72										
	ort Rate							· · · · · · · · · · · · · · · · · · ·								
ALL S	TATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local]	1
	Area		ļ	UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.23	40.31	19.84	24.90	6.58		15.75				

LINBLINDI E	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
ONBONDE	WORK ELEMENTS - MISSISSIPPI										Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA [*]	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									,	,	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
									ļ.,	<u> </u>						
						Rec	Nonred			Disconnect	COMEC	SOMAN		Rates(\$)	COMAN	COMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Area			UEP9D	UEPYE	1.23	40.31	19.84	24.90	6.58		15.75				ł
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			OLI 3D	OLI IL	1.25	40.51	13.04	24.30	0.30		13.73				
	Area			UEP9D	UEPYF	1.23	40.31	19.84	24.90	6.58		15.75				ł
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															i
	Area			UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58		15.75				ł
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															1
	Area			UEP9D	UEPYT	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															i
\vdash	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local	1		UEP9D	UEPYU	1.23	40.31	19.84	24.90	6.58		15.75		-		
	Area			UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58		15.75		1		1
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			021 00	JE1 1 V	1.23	40.51	13.04	24.30	0.36		13.73				(
	Area			UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58		15.75		1		1
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															i
	Area			UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				<u> </u>
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))3 Basic Local Area			UEP9D	UEPYW	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3															i
	Basic Local Area			UEP9D	UEPYJ	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			OLI 3D	OLI TIVI	1.25	100.55	10.51	54.24	11.70		13.73				
	Basic Local Area			UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70		15.75				ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3															
	Basic Local Area			UEP9D	UEPYP	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3															ł
	Basic Local Area			UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.23	108.35	70.57	54.24	11.70		15.75				ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPTK	1.23	106.33	70.57	54.24	11.70		15.75				
	Basic Local Area			UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70		15.75				ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3				1											
	Basic Local Area			UEP9D	UEPY4	1.23	108.35	70.57	54.24	11.70		15.75				ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
\vdash	Basic Local Area			UEP9D	UEPY5	1.23	108.35	70.57	54.24	11.70		15.75		ļ		l
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			LIEDOD	LIEDVO	4	400.00	70		44 =-		45		1		1
 	Basic Local Area 2 Wire Voice Grade Port (Controy/differ SWC /EBS M5316)2.3			UEP9D	UEPY6	1.23	108.35	70.57	54.24	11.70		15.75		-		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	1.23	108.35	70.57	54.24	11.70		15.75				l
 	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1		OLFBD	JLF II	1.23	100.33	70.37	54.24	11.70		15.75		 		
	Term			UEP9D	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75		1		1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															i
	Basic Local Area			UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic					<u> </u>								1		1
	Local Area			UEP9D	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
AL, K	Y, LA, MS, SC, & TN Only			LIEDOD	LIEDO A	4.00	40.01	40.04	04.00	0.50		45.75				
\vdash	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D UEP9D	UEPQA UEPQB	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58		15.75 15.75	-	-		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.23	40.31	19.84	24.90	6.58		15.75				ſ
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.23	40.31	19.84	24.90	6.58		15.75		1		ĺ
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3	1		UEP9D	UEPQE	1.23	40.31	19.84	24.90	6.58		15.75		1		1
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.23	40.31	19.84	24.90	6.58		15.75				<u> </u>
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.23	40.31	19.84	24.90	6.58		15.75				
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5208)3	1		UEP9D	UEPQU	1.23	40.31	19.84	24.90	6.58		15.75		 		
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5216)3 2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D UEP9D	UEPQV UEPQ3	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58		15.75 15.75				
 	2-Wire Voice Grade Port (Centrex / EBS-N3316)3	1		UEP9D	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75		 		
<u> </u>		<u> </u>	1	321 VD	2 E1 (XII	1.20	70.01	10.04	27.30	0.30	1	10.73	l	1		

NDUNDL	ED NETWORK ELEMENTS - Mississippi										_		Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3			UEP9D UEP9D	UEPQW UEPQJ	1.23	40.31 40.31	19.84	24.90 24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPQJ	1.23	40.31	19.84	24.90	6.58		15.75				
	2-vviile voice Grade Fort (Centrex from din Serving vviile Center)			UEP9D	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.23	108.35	70.57	54.24	11.70		15.75				
					32. 33				¥							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.23	108.35	70.57	54.24	11.70		15.75			1	1
	2-wire voice Grade Port (Centrexiditer SVVC /EBS-M5312)2, 3			UEP9D	UEPQS	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70		15.75				
	2 WHO VOICE GRACE FOR (BOTHER WHICH GWO / 250 WOODO)2, 0			OLI OD	OLI Q	1.20	100.00	70.07	04.24	11.70		10.70				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70		15.75				
	·															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	UEDO7	4.00	100.05	70.57	54.04	44.70		45.75				
	Term			UEP9D	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated in 611 Megalink of equivalent			UEP9D	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
Local	Switching			02. 02	02. Q2	1.20	10.01	10.01	200	0.00		10.70				
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7947										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu				LIEBAR		0.50										
	All Standard Features Offered, per port All Select Features Offered, per port			UEP9D UEP9D	UEPVF UEPVS	2.56 0.00	404.98					15.75 15.75				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.56	404.96					15.75				
NARS				OLI OD	OLI VO	2.00						10.70				
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				15.75				
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				15.75				
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				15.75				
	Illaneous Terminations															
2-Wir	e Trunk Side			LIEDOD	OFNE	0.05	100.00	10.05	04.77	0.00		45.75				
4-/6/:	Trunk Side Terminations, each e Digital (1.544 Megabits)			UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88		15.75			-	
4-vvir	DS1 Circuit Terminations, each			UEP9D	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75			-	-
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.56	30.23	74.00	2.34		13.73				
Interd	office Channel Mileage - 2-Wire					2.00	00								İ	
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0098										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cł	nannel Bank Feature Activations			LIEDOD	4001110	. ==										
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.57									 	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.57									1	1
-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLF 3D	IFQVVO	0.57									1	-
	Slot			UEP9D	1PQW7	0.57									1	1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -				1	3.57										
	Different Wire Center			UEP9D	1PQWP	0.57										<u> </u>
1	Feature Activation on D-4 Channel Bank Private Line Loop Slot	l	1	UEP9D	1PQWV	0.57									1	l

NOUNDEL	D NETWORK ELEMENTS - Mississippi	1	1	1	1 1						0	001	Attachment:		Exhibit: B	t
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															i
	Slot			UEP9D	1PQWQ	0.57										1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.57										1
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															1
	NRC Conversion Currently Combined Switch-As-Is with allowed															i
	changes, per port			UEP9D	USAC2		0.10	0.10				15.75				1
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.97	16.68				15.75				!
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	666.32					15.75				
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	666.32					15.75				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.63					15.75				1
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)								ļ						ļ	
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ļ		ļ												
UNE P	ort/Loop Combination Rates (Non-Design)	ļ		ļ												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	i														i
	Non-Design		1	UEP9E		12.22					<u> </u>					L
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l		1												i
	Non-Design		2	UEP9E		17.13										l
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															ĺ
	Non-Design		3	UEP9E		26.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															ĺ
	Non-Design		4	UEP9E		44.91										i
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															1
	Design		1	UEP9E		15.12										i
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9E		19.98										i
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9E		28.78										i
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		Ť													
	Design		4	UEP9E		46.95										i
UNE L	oop Rate															
0.12	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	15.91			1							1
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	25.04			1							1
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9E	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	13.89			1							1
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	18.75			1							1
-	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP9E	UECS2	27.55			 						 	
-	2-Wire Voice Grade Loop (SL2) - Zone 3 2-Wire Voice Grade Loop (SL21) - Zone 4	1	4	UEP9E	UECS2	45.72			 						 	
LINE D	ort Rate		_	OLI OL	02002	40.72										
	., KY, LA, MS, & TN only				_											
AL, 1 L	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	l		OLI OL	JLITA	1.23	70.31	13.04	24.50	0.30	1	15.75			1	
	Area	1		UEP9E	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75			Ì	1
_	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	-		OLFBL	ULFID	1.23	40.31	19.04	24.90	0.38		15.75			 	
	Area	l		UEP9E	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				i
+	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		OLFBL	ULFIN	1.23	40.31	19.04	24.90	0.38	1	15.75			1	
	Center)2 Basic Local Area			UEP9E	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				i
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	-		OLF9L	OLFTW	1.23	100.55	10.31	34.24	11.70		13.73				
	Term - Basic Local Area	1		UEP9E	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75			Ì	1
-		1		OLYSE	UEFIZ	1.23	100.35	70.57	34.24	11.70	-	15.75			-	—
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area	l		UEP9E	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				i
_	2-Wire Voice Grade Port Terminated on 800 Service Term -	 		OLFSE	UEFT9	1.23	40.31	19.84	24.90	86.0		15.75				
		1		UEP9E	HEDVO	1.23	40.24	10.04	24.00	6.58		15 75			Ì	1
A1 10	Basic Local Area	1		UEPSE	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75			1	
AL, K	/, LA, MS, & TN Only	1		LIEDOE	LIEDOA	4.00	40.04	40.04	04.00	0.50		45.75			1	⊢—
-	2-Wire Voice Grade Port (Centrex)	1		UEP9E	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75			-	
	2-Wire Voice Grade Port (Centrex 800 termination)	 		UEP9E	UEPQB	1.23	40.31	19.84	24.90	6.58	ļ	15.75				
1	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				1

ATEORY RATE ELEMENTS Intel In March Reco BCS USOC RATES(4) RATES(5) RATES(5) RATES(6) RATES(6) RATES(6) RATES(6) RATES(7) RATE ELEMENTS RATE ELE	NDUNDLED	NETWORK ELEMENTS - Mississippi	1	1	1							0	0	Attachment:		Exhibit: B	
New New Yorks Clidde Port (Centrols Nom diff Seving Wire SPARA SPARA SOMEN	TEGORY	RATE ELEMENTS		Zone	BCS	USOC		RAT	ΓES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
2-Wine Votes Centre Part Centres from 6ff Serving Wee UEPGR 122 103.35 70.57 51.24 11.70 15.75 1.27 1.28 1.27 1.28 1.27 1.28 1.27 1.28 1.27 1.28 1.27 1.28 1							Pec										
Cented C							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SAVINE VICEO Clarido Port, CHIT Shoring VINING Control - 500 Services UEPDE UEPD2 1.23 108.35 70.07 54.24 11.70 15.75																	ĺ
Term					UEP9E	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				
Description Description					LIEDOE	UED07	4.00	400.05	70.57	54.04	44.70		45.75				i
Description Description		ı erm			UEP9E	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				+
Description Description	2	Wire Voice Grade Port terminated in an Magalink or equivalent			LIEDOE	LIEDOG	1 22	40.21	10.94	24.00	6.59		15.75				i
Local Switching																	
Continue Intercon Functionality, per port UEPRE URECS 0.7547					OLI SL	OLI QZ	1.25	40.51	13.04	24.30	0.50		13.73				
Local Number Portability Local Number Portab					UEP9E	URECS	0.7947										—
Local Number Protitically (1 per port)							****										
All Standard Features Offered, per port					UEP9E	LNPCC	0.35										
All Select Features Offered, per port	Features	3 7 7 7															
All Centrex Control Features Offered, per port UEP9E UEPVC 2.56 15.75																	
NARS Unbundled Network Access Register - Combination UEPPE UARCX 0.00 0.00 0.00 15.75 Unbundled Network Access Register - Combination UEPPE UARCX 0.00 0.00 0.00 0.00 15.75 Unbundled Network Access Register - Indial UEPPE UARCX 0.00 0.00 0.00 0.00 15.75 Unbundled Network Access Register - Cutfell UEPPE UARCX 0.00 0.00 0.00 0.00 15.75 UNBODE UARCX 0.00 0.00 0.00 0.00 15.75 UARCX 0.00 0.00 0.00 0.00 0.00 15.75 UARCX 0.00								404.98									
Unbundled Network Access Register - Combination UEPPE UARCX 0.00 0.00 0.00 15.75 Unbundled Network Access Register - Indied UEPPE UARCX 0.00 0.00 0.00 15.75 Unbundled Network Access Register - Under 0.00 0.00 0.00 15.75 Unbundled Network Access Register - Under 0.00 0.00 0.00 0.00 15.75 Unbundled Network Access Register - Under 0.00		All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.56	_					15.75				
Unbundled Network Access Register - Indial UEPSE UARTX 0.00 0.00 0.00 15.75																	
Unburded Network Access Register - Outdial UEP9E UAROX 0.00 0.00 15.75																	1
Miscellaneous Terminations																	1
2 Wire Trunk Side					UEP9E	UAROX	0.00	0.00	0.00				15.75				
Trunk Side Terminations, each																	
A-Wire Digital (1-54 Megabits)					LIEBAE	051100		100.00	10.00	0.4 ==							
DS1 Circuit Terminations, each					UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88		15./5				
DSG Channel Activated Per Channel UEP9E M1HDO 0.00 14.56 15.75					LIEDOE	MALIDA	E0 41	202.10	06.05	74.06	2.54		15 75				+
Interoffice Channel Mileage - 2-Wire									90.23	74.00	2.54						
Interoffice Channel Facilities Termination UEP9E MIGBC 22.52 40.77 27.57 17.26 7.11 15.75 Interoffice Channel mileage, per mile refraction of mile UEP9E MIGBM 0.0098					UEF9E	IVITIDO	0.00	14.56					15.75				-
Interoffice Channel mileage, per mile or fraction of mile UEP9E MIGBM 0.0098					LIEDQE	MIGRO	22.52	40.77	27 57	17.26	7 11		15 75				
Feature Activations (DSD) Centrex Loops on Channelized DS1 Service								40.77	21.01	17.20	7.11		13.73				
DA Channel Bank Feature Activations UEP9E 1POWS 0.57 15.75			e		02. 02	05	0.0000										
Feature Activation on D-4 Channel Bank KFX line Side Loop Slot UEP9E 1PQW6 0.57 15.75 15.75 15.75																	
Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP9E					UEP9E	1PQWS	0.57						15.75				
Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP9E																	
Slot	F	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.57						15.75				i
Feature Activation on D-4 Channel Bank Centrex Loop Slot	F	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
Different Wire Center	S	Slot			UEP9E	1PQW7	0.57						15.75				l
Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9E 1PQWV 0.57																	ĺ
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop UEP9E 1PQWQ 0.57 Slot 15.75 Slot 15		Different Wire Center			UEP9E	1PQWP	0.57						15.75				1
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop UEP9E 1PQWQ 0.57 15.75																	i
Slot					UEP9E	1PQWV	0.57						15.75				
Feature Activation on D-4 Channel Bank WATS Loop Slot UEP9E 1PQWA 0.57 15.75					LIEDOE	4001110	0.57						45.75				i
Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port UEP9E																	
NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port UEP9E USAC2 0.10 0.10 15.75					UEF9E	IPQVVA	0.57						15.75				
Changes, per port						_											
Conversion of Existing Centrex Common Block, each UEP9E USACN 37.97 16.68 15.75 New Centrex Standard Common Block UEP9E M1ACS 0.00 666.32 15.75 New Centrex Customized Common Block UEP9E M1ACC 0.00 666.32 15.75 NAR Establishment Charge, Per Occasion UEP9E URECA 0.00 72.63 15.75 UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 1 UEP93 12.22					LIEDOE	LISAC2		0.10	0.10				15 75				i
New Centrex Standard Common Block																	
New Centrex Customized Common Block				1			0.00										
NAR Establishment Charge, Per Occasion																	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 1 UEP93 12.22 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2 UEP93 17.13	N	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.63					15.75				
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 1 UEP93 12.22 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2 UEP93 17.13																	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 1 UEP93 12.22 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2 UEP93 17.13							_	_									
Non-Design																	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2 UEP93 17.13																	1
Non-Design				1	UEP93		12.22										
				_													1
DWG-VOL/DWG-VG-O/DWG-VG				2	UEP93		17.13								ļ	ļ	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 3 UEP93 26.26				_	LIEBOO												1

CATEGORY NATE ELEMENTS Name Society Company	IINRUNDI E	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
ACTEGION* RATE ELEMENTS Intel More RES RES RESIDENTIAN RES RES RES RES RES RES RES RE	CHOONDLE	D HET WORK ELEMENTO - MISSISSIPPI	1								1	Svc Order	Svc Order				Incremental
ATE ELEMENTS Manual State Manual																	Charge -
## CAPECONY ## RATE ELEMENTS ## ADDRESS Code vs.			1														Manual Svc
Received	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC		RA ⁻	TES(\$)								Order vs.
Note			m						- 117			per LOR	hei rok				Electronic-
Note																	Disc Add'l
Service Vol. Louris Vision Control C																DISC 1St	DISC AUUT
System Vot Lapped View Vote Clarate Prof (Corrison) Prof Combo Non-Design March							Rec										
Next-Design							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
West Forticos Controllation Rates (Distings) West Control We			1														
2-Vini Vic Loop/2-Vini Vic Control Port Co				4	UEP93		44.91										
Design	UNE P																
2-We VC Loop Awar Stock From Control or Design			1		LIEDOO		45.40										
Design				- 1	UEP93	-	15.12										
Description				2	LIEDOS		10.09										
Design 2 WPS Loop C-Wire Vace Grade Port (Centrel Port Compo Port Compo					OLF 93	1	19.90										
Deptile				3	UFP93		28 78										
Design				Ŭ	02. 00		20.70										
UNE Loop Rate				4	UEP93		46.95										
2-Wire Vote Grade Long (St. 1) - Zone 2 UEPRO UECS1 10.08	UNE L																1
2.Wire Votes Grade Loop (St. 1) - Zone 3 3 UEP93 UECS1 15:01				1	UEP93	UECS1	10.98										
2-Were Vision Grade Loop (58, 1) - Zome 1				2	UEP93	UECS1	15.91										
Average Value Contact Logic (St. 2) - Zone 1																	
2-Vive Voice Grade Loop (EL 9) - Zone 3									•								
2-Wire Votes Grade Long (SL2) - Zone 3 3 UEP98 UECS2 27.55																	
2.Vitro Votos Grade Local Area																	
UNP Port Rate			ļ												ļ		ļ
AL, KY, LA, MS, & TN only			ļ	4	UEP93	UECS2	45.72								-		
2-Wire Voice Grade Port (Centrex & Desire Local Area UEP93 UEP74 1.23 40.31 19.84 24.90 6.58 15.75			 			1									!	1	1
2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local UEP93 UEP78 1.23 40.31 19.84 24.90 6.58 15.75	AL, KY		 		LIEDOS	LIEDVA	1.00	40.24	10.04	24.00	6.50		15 75		!	1	1
Area	 		<u> </u>		UEF93	UEPTA	1.23	40.31	19.84	∠4.90	0.58		15./5		-	-	-
2-Wire Voice Grade Port Centrex vitr Caller (D)18asic Local Area UEP93 UEP74 1.23 40.31 19.84 24.90 6.58 15.75		, , , , , , , , , , , , , , , , , , ,	1		LIED03	LIEDVD	1 22	40.24	10.04	24.00	6 F0		15 7F		I		
Area C-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area UEP93 UEP74 1.23 40.31 19.84 24.90 6.58 15.75					OL: 30	OLFID	1.23	40.31	15.04	24.90	0.56		13.73		 		
Center 2 Basic Local Area UEP93 UEPY 1.23 108.35 70.57 54.24 11.70 15.75			l		UEP93	UEPYH	1 23	40.31	19.84	24.90	6.58		15.75		1		
Center 2 Basic Local Area			1		00	3=: ///	1.20	40.01	10.04	24.50	0.00		10.70		I		1
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP93			1		UEP93	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75		I		
Term - Basic Local Area																	
Pasic Local Area			<u></u>		UEP93	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75		<u> </u>		<u> </u>
2-Wire Voice Grade Port Terminated on 800 Service Term - UEP93 UEPV2 1.23 40.31 19.84 24.90 6.58 15.75 2-Wire Voice Grade Port (Centrex 800 termination) UEP93 UEPOA 1.23 40.31 19.84 24.90 6.58 15.75 2-Wire Voice Grade Port (Centrex 800 termination) UEP93 UEPOB 1.23 40.31 19.84 24.90 6.58 15.75 2-Wire Voice Grade Port (Centrex 800 termination) UEP93 UEPOB 1.23 40.31 19.84 24.90 6.58 15.75 2-Wire Voice Grade Port (Centrex With Caller ID)1 UEP93 UEPOB 1.23 40.31 19.84 24.90 6.58 15.75 2-Wire Voice Grade Port (Centrex from diff Serving Wire Centre)2 UEP93 UEPOB 1.23 108.35 70.57 54.24 11.70 15.75 2-Wire Voice Grade Port, Diff Serving Wire Centre - 800 Service UEP93 UEPQZ 1.23 108.35 70.57 54.24 11.70 15.75 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP93 UEPQ3 1.23 40.31 19.84 24.90 6.58 15.75 2-Wire Voice Grade Port Terminated on 800 Service Term UEP93 UEPQ2 1.23 40.31 19.84 24.90 6.58 15.75 2-Wire Voice Grade Port Terminated on 800 Service Term UEP93 UEPQ2 1.23 40.31 19.84 24.90 6.58 15.75 2-Wire Voice Grade Port Terminated on 800 Service Term UEP93 UEPQ2 1.23 40.31 19.84 24.90 6.58 15.75 2-Wire Voice Grade Port Terminated on 800 Service Term UEP93 UEPQ2 1.23 40.31 19.84 24.90 6.58 15.75 2-Wire Voice Grade Port Terminated on 800 Service Term UEP93 UEPQ2 1.23 40.31 19.84 24.90 6.58 15.75 2-Wire Voice Grade Port Terminated on 800 Service Term UEP93 UEPQ2 1.23 40.31 19.84 24.90 6.58 15.75 2-Wire Voice Grade Port Terminated on 800 Service Term UEP93 UEPQ2 1.23 40.31 19.84 24.90 6.58 15.75 2-Wire Voice Grade Port Terminated on 800 Service Term UEP93 UEPQ2 1.23 40.31 19.84 24.90 6.58 15.75 2-Wire Voice Grade Port Termination UEP93 UEPQ2 1.23 40.31 19.84 24.90 6.58 15		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
Basic Local Area					UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75			<u> </u>	<u> </u>
2-Wire Voice Grade Port (Centrex)			l														<u> </u>
2-Wire Voice Grade Port (Centrex 800 termination)															1		
2-Wire Voice Grade Port (Centrex with Caller ID)1			ļ														
2-Wire Voice Grade Port (Centrex from diff Serving Wire UEP93 UEPQM 1.23 108.35 70.57 54.24 11.70 15.75	ļļ		<u> </u>												-	ļ	
Center/2			 		UEP93	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75		!	1	
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP93			l		LIEDO2	LIEDOM	1 22	100 25	70.57	E4 04	44.70		15 75		1		
Term			1		OLFSO	UEFQIVI	1.23	108.35	/0.5/	54.24	11.70	1	15.75		 	1	
2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP93 UEPQ9 1.23 40.31 19.84 24.90 6.58 15.75			1		UEP93	UEPO7	1 23	108 35	70 57	54.24	11 70		15 75				
2-Wire Voice Grade Port Terminated on 800 Service Term		1000			S_1 00	JL1 42	1.23	100.55	10.51	37.24	11.70		10.70		t		
2-Wire Voice Grade Port Terminated on 800 Service Term		2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		UEP93	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75		I		
Centrex Intercom Funtionality, per port UEP93 URECS 0.7947															1		
Centrex Intercom Funtionality, per port	Local				- **		20				2.00						İ
Local Number Portability Local Number Portability (1 per port) UEP93 LNCCC 0.35 UEP94 LNCCC UEP95 UEP5 UEP5 UEP5 UEP5 UEP5 UEP5 UEP5 UEP5				UEP93	URECS	0.7947											
Features	Local I																
All Standard Features Offered, per port UEP93 UEPVF 2.56 15.75 All Centrex Control Features Offered, per port UEP93 UEPVC 2.56 15.75 NARS UInbundled Network Access Register - Combination UEP93 UARCX 0.00 0.00 0.00 0.00 15.75 Unbundled Network Access Register - Indial UEP93 UARCX 0.00 0.00 0.00 0.00 15.75 UInbundled Network Access Register - Outdial UEP93 UAROX 0.00 0.00 0.00 0.00 15.75 UInbundled Network Access Register - Outdial UEP93 UAROX 0.00 0.00 0.00 0.00 15.75 Miscellaneous Terminations UEP93 UAROX 0.00 0.00 0.00 0.00 0.00 0.00 0.00 2-Wire Trunk Side UEP93 UAROX 0.00		Local Number Portability (1 per port)			UEP93	LNCCC	0.35										
All Centrex Control Features Offered, per port UEP93 UEPVC 2.56 15.75	Featur							_	•								
NARS Unbundled Network Access Register - Combination UEP93 UARCX 0.00 0.00 0.00 0.00 15.75 Unbundled Network Access Register - Indial UEP93 UAR1X 0.00 0.00 0.00 0.00 15.75 Unbundled Network Access Register - Outdial UEP93 UAR0X 0.00 0.00 0.00 0.00 15.75 UEP93 UAROX 0.00 0.																	
Unbundled Network Access Register - Combination UEP93 UARCX 0.00 0.00 0.00 0.00 15.75		All Centrex Control Features Offered, per port			UEP93	UEPVC	2.56						15.75				
Unbundled Network Access Register - Indial UEP93 UAR1X 0.00 0.00 0.00 0.00 15.75	NARS					1											
Unbundled Network Access Register - Outdial UEP93 UAROX 0.00 0.00 0.00 15.75			ļ												ļ		
Miscellaneous Terminations 2-Wire Trunk Side			ļ														
2-Wire Trunk Side			<u> </u>		UEP93	UAROX	0.00	0.00	0.00				15.75		-	ļ	ļ
			<u> </u>												-	ļ	
	2-wire	Trunk Side Trunk Side Terminations, each	1		UEP93	CEND6	8.25	120.00	18.85	61.77	3.88		15.75		1		

INBUNDLE	NETWORK ELEMENTS - Mississippi												Attachment:		Exhibit: B	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	ES(\$)			per LSR	-	Order vs.	Order vs.	Order vs.	Order vs
		m									po. 20.1	po. 2011	Electronic-	Electronic-		Electroni
													1st	Add'l	Disc 1st	Disc Add
										B'					D130 131	DISC Auc
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
4-Wire	Digital (1.544 Megabits)		1				FIISL	Add I	FIISL	Auu i	SOMEC	SUMAN	SUMAN	SOWAN	SOWAN	SUMAN
	DS1 Circuit Terminations, each			UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.56	30.23	74.00	2.04		15.75				
	ice Channel Mileage - 2-Wire		1	OL1 33	WITTE	0.00	17.50					15.75			†	
	Interoffice Channel Facilities Termination		1	UEP93	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75			†	
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.0098	40.77	21.51	17.20	7.11		13.73				
	Activations (DS0) Centrex Loops on Channelized DS1 Service			OLI 33	IVIIODIVI	0.0030										
	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.57										
	realtire Activation on B-4 Channel Bank Gentlex Loop Glot			OLI 33	11 QVV0	0.57										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP93	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	Slot			UEP93	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.57										
	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.10	0.10				15.75				
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	666.32					15.75				
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	666.32					15.75				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63			-		15.75				
	Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage															
Note 3	- Requires Specific Customer Premises Equipment															
NOTE:	Rates displaying an "R" in Interim column are interim and su	hiect to	rate t	rue-up as set forth i	n General Te	rms and Conditi	one									

LINDI	NDI E	D NETWORK ELEMENTS North Corolina												A 44 1 4		E. 1. 1. 1. 15	1
UNBU	INDLE	D NETWORK ELEMENTS - North Carolina	1		ı	1	1				1	00	00	Attachment:		Exhibit: B	1
														Incremental	Incremental	Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -	Charge -
CATEG	OBV	RATE ELEMENTS	Interi	Zone	BCS	usoc		В 4-	TES(\$)			Elec		Manual Svc	Manual Svc		Manual Svo
CATE	JOKI	RATE ELEMENTS	m	Zone	B03	0300		NA.	ILO(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonred	curring	Nonrecurrin	g Disconnect		l	oss	Rates(\$)	l	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
									71441		7144	0020					
OPER/	TIONAL	SUPPORT SYSTEMS															
		(1) Electronic Service Order: CLEC should contact its contra	ct nego	tiator if	it prefers the state	specific elect	ronic service o	rdering charge	s as ordered l	by the State Co	mmissions. T	he electron	ic service or	dering charg	e currently co	ntained in thi	is rate
		is the BellSouth regional electronic service ordering charge.															
		(2) Any element that can be ordered electronically will be bil															ly. For
	those e	elements that cannot be ordered electronically at present per	the BBF	R-LO, th	ne listed SOMEC rat	e in this cate	gory reflects the	e charge that v	vould be billed	to a CLEC on	ce electronic o	rdering cap	abilities co	me on-line fo	r that element	. Otherwise,	the manual
	orderin	ng charge, SOMAN, will be applied to a CLECs bill when it su	bmits ar	n LSR t	o BellSouth.		-	-									
		Electronic OSS Charge, per LSR, submitted via BST's OSS															
		interactive interfaces (Regional)				SOMEC		3.50									
UNBUI		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Statewide		SW	UEANL	UEAL2	15.88	57.99	42.37					26.94	12.76		
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92					26.94	12.76		
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33					26.94	12.76		
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.76	8.93					26.94	12.76		
		Engineering Information Document (EI)			UEANL			28.74	28.74								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		45.34	45.34								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop Non-Designed - SW	I	SW	UEQ	UEQ2X	15.88	57.99	42.37					26.94	26.94		
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		61.38	61.38					26.94	12.76		
		Engineering Information Document		1	UEQ	I		28.74	28.74					26.94	12.76		
		Loop Testing - Basic 1st Half Hour			UEQ UEQ	URET1		78.92 23.33	78.92 23.33					26.94	12.76		
 		Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	URETA		23.33	23.33					26.94	12.76		
		(UCL-ND)			UEQ	UREWO		14.26	7.42					26.94	12.76		
LIMBLE	IDI ED E	EXCHANGE ACCESS LOOP			ULQ	UKLWO	-	14.20	7.42					20.54	12.70		
ONBOI		E ANALOG VOICE GRADE LOOP		_		1											
	Z-VVII\L	2 Wire Analog Voice Grade Loop -Service Level 1-Statewide-															
		Line Splitting			UEPSR UEPSB	UEALS	15.88	57.99	42.37					26.94	12.76		
		2 Wire Analog Voice Grade Loop -Service Level 1-Statewide-			02. 0 02. 03	027120	.0.00	07.00	12.01					20.0 .	.2		
		Line Splitting			UEPSR UEPSB	UEABS	15.88	57.99	42.37					26.94	12.76		
	UNE Lo	pop Rates for Line Splitting															
		2-Wire Voice Grade Loop (SL1) for Line Splitting- Statewide		sw	UEPRX	UEPLX	14.18										
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
L		Ground Start Signaling - Statewide		SW	UEA	UEAL2	19.50	142.97	106.56					26.94	12.76		
<u> </u>		Order Coordination for Specified Conversion Time (per LSR)	1		UEA	OCOSL		45.34									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			l	L							1				1
L		Battery Signaling-Statewide		SW	UEA	UEAR2	19.50	142.97	106.56					26.94	12.76		
		Order Coordination for Specified Conversion Time (per LSR)	1	ļ	UEA	OCOSL		45.34									ļ
<u> </u>		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.64	36.33		ļ			26.94	12.76		
<u> </u>	4-WIRE	ANALOG VOICE GRADE LOOP	-	<u> </u>	1154	LIE AL 4	07.10	000 17	007.15					00.01	40.70		
<u> </u>		4-Wire Analog Voice Grade Loop - Statewide	-	SW	UEA	UEAL4	27.49	288.47	237.45					26.94	12.76		
<u> </u>		Order Coordination for Specified Conversion Time (per LSR)	1	1	UEA	OCOSL UREWO	 	45.34	20.00	 	1			00.01	12.76		
	1	CLEC to CLEC Conversion Charge without outside dispatch ISDN DIGITAL GRADE LOOP	1	1	UEA	UKEWU		87.64	36.33		-			26.94	12.76		
—	2-WIDE		1	 	LIDAL	U1L2X	24.98	325.91	251.31	-	 			26.94	12.76	-	
							24.98	325.91	251.37		ļ		ļ	∠0.94	12.76	l	1
		2-Wire ISDN Digital Grade Loop - Statewide		SW				4E 24									
		2-Wire ISDN Digital Grade Loop - Statewide Order Coordination For Specified Conversion Time (per LSR)		SW	UDN	OCOSL		45.34 91.55	AA 12					26 04	12.76		
		2-Wire ISDN Digital Grade Loop - Statewide Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch		SW				45.34 91.55	44.12					26.94	12.76		
		2-Wire ISDN Digital Grade Loop - Statewide Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch Universal Digital Channel (UDC) COMPATIBLE LOOP		SW	UDN	OCOSL			44.12					26.94	12.76		
		2-Wire ISDN Digital Grade Loop - Statewide Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			UDN UDN	OCOSL UREWO		91.55									
		2-Wire ISDN Digital Grade Loop - Statewide Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch Universal Digital Channel (UDC) COMPATIBLE LOOP 2-Wire Universal Digital Channel (UDC) Compatible Loop -		SW	UDN	OCOSL	24.98		251.31 44.12					26.94 26.94 26.94	12.76 12.76 12.76		

04/12/02 Page 239 of 352

UNDUNDL	ED NETWORK ELEMENTS - North Carolina			1	, ,						0	001	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry						=0.4.00							40.00		
	& facility reservation - Statewide		SW	UAL	UAL2X	14.60	504.90	456.17					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34									
	2 Wire Unbundled ADSL Loop without manual service inquiry													40.00		
	and facility reservaton - Statewide Order Coordination for Specified Conversion Time (per LSR)		SW	UAL	UAL2W OCOSL	14.60	203.85 45.34	128.42					26.94	12.76		
	CLEC to CLEC Conversion Charge without outside dispatch		-	UAL	UREWO		45.34 86.12	40.36					26.94	12.76		
2-WIE	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP	UAL	UKEVVO		00.12	40.30					20.94	12.70	-	
2-4411	2 Wire Unbundled HDSL Loop including manual service inquiry	I	1	1	-				+							
	and facility reservation - Statewide		sw	UHL	UHL2X	11.98	504.90	456.17					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)		311	UHL	OCOSL	11.00	45.34	400.17					20.04	12.70		
	2 Wire Unbundled HDSL Loop without manual service inquiry			1					† †						İ	İ
	and facility reservation - Statewide	l	sw	UHL	UHL2W	11.98	221.08	145.65					26.94	12.76	1	
İ	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34		1							
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36					26.94	12.76		
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Statewide		SW	UHL	UHL4X	13.97	531.35	482.62					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Statewide		SW	UHL	UHL4W	13.97	277.99	202.56					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36					26.94	12.76		
4-WIF	RE DS1 DIGITAL LOOP				1101101		=	101.15					10.10	10 =0		
	4-Wire DS1 Digital Loop - Statewide		SW	USL	USLXX	62.78	714.84	421.47					42.19	12.76		
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			USL	OCOSL UREWO		45.34 100.99	43.00					26.94	12.76		
4-WIE	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UREWU		100.99	43.00					26.94	12.76		
4-4411	4 Wire Unbundled Digital 19.2 Kbps		CW	UDL	UDL19	32.67	489.04	337.51					19.99	19.99	19.99	19.99
	4 Wire Unbundled Digital Loop 56 Kbps			UDL	UDL56	32.67	489.04	337.51					26.94	12.76		13.33
	Order Coordination for Specified Conversion Time (per LSR)		311	UDL	OCOSL	02.07	45.34	007.01					20.04	12.70		
	4 Wire Unbundled Digital Loop 64 Kbps - Statewide		SW	UDL	UDL64	32.67	489.04	337.51					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.03	49.70					26.94	12.76		
2-WIF	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.40	281.95	162.85					19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	21.76	281.95	162.85					19.99	19.99	19.99	19.99
	2 Wire Unbundled Copper Loop/Short including manual service	1		l	[]										I	1
	inquiry & facility reservation - Zone 3	ļ	3	UCL	UCLPB	25.01	281.95	162.85					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)	ļ		UCL	UCLMC		61.38	61.38							-	
	2-Wire Unbundled Copper Loop/Short without manual service	1	1	UCL	UCLPW	13.40	250.17	174.74					19.99	19.99	19.99	10.00
	inquiry and facility reservation - Zone 1	-	1	UCL	UCLPVV	13.40	∠50.17	1/4./4	 				19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	21.76	250.17	174.74					19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Short without manual service	 		UCL	UCLEVV	21.70	250.17	174.74	 				19.99	19.99	19.99	19.99
	inquiry and facility reservation - Zone 3	l	3	UCL	UCLPW	25.01	250.17	174.74					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)	1		UCL	UCLMC	20.01	61.38	61.38	 				10.00	10.00	10.00	10.55
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.	1		- 	2220		550	050							1	1
	inquiry and facility reservation - Zone 1	l	1	UCL	UCL2L	37.79	268.96	149.86					19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															1.00
1	inquiry and facility reservation - Zone 2	1	2	UCL	UCL2L	63.16	268.96	149.86					19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Long - includes manual svc.								1							
	inquiry and facility reservation - Zone 3	<u> </u>	3	UCL	UCL2L	73.02	268.96	149.86	<u> </u>				19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	2-Wire Unbundled Copper Loop/Long - without manual service	l]
1	inquiry and facility reservation - Zone 1	l	1	UCL	UCL2W	37.79	189.00	113.57					19.99	19.99	19.99	19.99

UNDUNDLE	D NETWORK ELEMENTS - North Carolina	1		ı	1						C	Core Cord	Attachment:		Exhibit: B	In anamar: 1-1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - without manual service		_		1101014	00.40	400.00	440.57					40.00	40.00	40.00	40.00
-	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - without manual service		2	UCL	UCL2W	63.16	189.00	113.57					19.99	19.99	19.99	19.99
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	73.02	189.00	113.57					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	70.02	61.38	61.38					10.00	10.00	10.00	10.00
1	CLEC to CLEC Conversion Charge without outside dispatch			002	CCLING	1	01.00	01.00								1
	(UCL-Des)			UCL	UREWO		97.14	42.44					19.99	19.99	19.99	19.99
4-WIR	E COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	17.63	330.13	211.02					19.99	19.99	19.99	19.99
	4-Wire Copper Loop/Short - including manual service inquiry		2	UCL	1101.40	28.89	220.42	244.02					19.99	19.99	19.99	19.99
	and facility reservation - Zone 2 4-Wire Copper Loop/Short - including manual service inquiry		2	UCL	UCL4S	28.89	330.13	211.02					19.99	19.99	19.99	19.99
	and facility reservation - Zone 3	1	3	UCL	UCL4S	33.28	330.13	211.02					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)		Ŭ	UCL	UCLMC	00.20	61.38	61.38					10.00	10.00	10.00	10.00
	4-Wire Copper Loop/Short - without manual service inquiry and			002	CCLING	1	01.00	01.00								İ
	facility reservation - Zone 1		1	UCL	UCL4W	17.63	250.17	174.74					19.99	19.99	19.99	19.99
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 2		2	UCL	UCL4W	28.89	250.17	174.74					19.99	19.99	19.99	19.99
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 3		3	UCL	UCL4W	33.28	250.17	174.74					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Unbundled Copper Loop/Long - includes manual svc.			UCL	UCLMC		61.38	61.38								
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	53.68	317.14	198.03					19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		- '-	OCL	OCL4L	33.00	317.14	130.03					13.33	15.55	15.55	13.33
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	90.07	317.14	198.03					19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	104.23	317.14	198.03					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	53.68	237.18	161.75					19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - without manual svc.		2	UCL	UCL4O	90.07	237.18	161.75					19.99	19.99	19.99	19.99
-	inquiry and facility reservation - Zone 2 4-Wire Unbundled Copper Loop/Long - without manual svc.			UCL	UCL4U	90.07	237.10	101.75					19.99	19.99	19.99	19.99
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	104.23	237.18	161.75					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)		Ŭ	UCL	UCLMC	104.20	61.38	61.38					10.00	10.00	10.00	10.00
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		97.14	42.44					19.99	19.99	19.99	19.99
OOP MODIFI	CATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL. UDL. UDC.												
	pair less than or equal to 18k ft			UDN, UDL, USL	ULM2L		64.85	64.85					26.94	12.76		
	Unbundled Loop Modification, Removal of Load Coils - 2 wire		1	ODIN, ODE, OOE	OLIVIZE		04.03	04.03					20.34	12.70		
	greater than 18k ft			UCL, ULS	ULM2G		339.84	339.84					26.94	12.76		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			,												
	less than or equal to 18K ft			UHL, UCL	ULM4L		64.85	64.85					26.94	12.76		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	pair greater than 18k ft			UCL	ULM4G		339.84	339.84					26.94	12.76		
				UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL,												
	Unbundled Loop Modification Removal of Bridged Tap Removal,	1	1	UDC, UDN, UDL,												
	per unbundled loop	ļ	<u> </u>	USL	ULMBT		64.90	64.90					26.94	12.76		-
SUB-LOOPS Sub-L	oop Distribution	-	1		1											-
Jub-L	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	 	l -			-										†
	Up	1 .		UEANL	USBSA		498.09	498.09					26.94	12.76	15.12	15.12

NURONDE	D NETWORK ELEMENTS - North Carolina					1					T -	T -	Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	-		UEANL	USBSB		45.04	45.04					26.94	12.76	15.12	15.12
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	_		UEANL	USBSC		313.01	313.01					26.94	12.76	15.12	15.12
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	-		UEANL	USBSD		108.06	108.06					26.94	12.76	15.12	15.12
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	-	1	UEANL	USBN2	7.99	126.03	54.54	71.13	10.16			26.94	12.76	15.12	15.12
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	_	2	UEANL	USBN2	12.63	126.03	54.54	71.13	10.16			26.94	12.76	15.12	15.12
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	_	3	UEANL	USBN2	14.43	126.03	54.54	71.13	10.16			26.94	12.76	15.12	15.12
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.34	45.34								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	9.23	156.52	79.66	78.56	13.53			26.94	12.76	15.12	15.12
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	14.63	156.52	79.66	78.56	13.53			26.94	12.76	15.12	15.12
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	16.73	156.52	79.66	78.56	13.53			26.94	12.76	15.12	15.12
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.34	45.34								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR2	3.50	114.05	37.20	76.58	10.81			26.94	12.76	15.12	15.1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL UEANL	USBMC USBR4	3.75	45.34 127.67	45.34 50.82	78.71	10.69			26.94	12.76	15.12	15.1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.34	45.34								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS2X	7.33	137.10	60.24	76.58	10.81			26.94	12.76	15.12	15.1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	10.95	137.10	60.24	76.58	10.81			26.94	12.76	15.12	15.1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS2X	12.36	137.10	60.24	76.58	10.81			26.94	12.76	15.12	15.1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		.	UEF	USBMC	7.44	45.34	45.34	70.50	10.50			00.04	40.70	45.40	45
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		1	UEF UEF	UCS4X UCS4X	7.14 11.09	162.24	85.38	78.56	13.53			26.94 26.94	12.76	15.12	15.1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X UCS4X	11.09	162.24 162.24	85.38 85.38	78.56 78.56	13.53 13.53			26.94	12.76 12.76	15.12 15.12	15.1 15.1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.34	45.34								
Unbur	ndled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		353.95	12.20					26.94	12.76	15.12	15.1
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		353.95	12.20					26.94	12.76	15.12	15.1
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		557.78	14.23					26.94	12.76	15.12	15.1
Unbur	Indled Network Terminating Wire (UNTW)			UENTW	UENPP	0.44	04.00	04.00					26.94	12.76	15.12	15.1
Netwo	Unbundled Network Terminating Wire (UNTW) per Pair rk Interface Device (NID)					0.44	64.98	64.98								
_	Network Interface Device (NID) - 1-2 lines			UENTW	UND12 UND16		86.37	56.69					26.94 26.94	12.76	15.12	15.1
	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W			UENTW UENTW	UND16 UNDC2		127.93 11.68	98.21 11.68					26.94	12.76 12.76	15.12 15.12	15.1 15.1
	Network Interface Device Cross Connect - 4W	ı		UENTW	UNDC4		11.68	11.68					26.94	12.76	15.12	15.1
JB-LOOPS																
Sub-L	oop Feeder						•	•		•						
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		498.09						19.99	19.99	19.99	19.9
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UDL,UDC	USBEY		45.04	45.04					19.99	19.99	19.99	19.9
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		523.51	11.31			1	1	19.99	19.99	19.99	19.9

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonre			g Disconnect				Rates(\$)		
ļļ							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		1	UEA	USBFA	11.43	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Grade - Zone 2		2	UEA	USBFA	18.35	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3		3	UEA	USBFA	21.04	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		45.34									
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFB	11.43	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFB	18.35	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3		3	UEA	USBFB	21.04	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Order Coordination for Specified Time Conversion, per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			UEA	OCOSL		45.34									
	Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		1	UEA	USBFC	11.43	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Voice Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse		2	UEA	USBFC	18.35	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	21.04	122.52	46.61	149.46	59.37	ļ		19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		45.34									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1		1	UEA	USBFD	21.91	226.36	144.28					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFD	35.92	226.36	144.28					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFD	41.37	226.36	144.28					19.99	19.99	19.99	19.99
 	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			UEA	OCOSL		45.34		1		<u> </u>					
	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		1	UEA	USBFE	21.91	226.36	144.28					19.99	19.99	19.99	19.99
	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		2	UEA	USBFE	35.92	226.36	144.28					19.99	19.99	19.99	19.99
	Grade - Zone 3		3	UEA UEA	USBFE	41.37	226.36 45.34	144.28					19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	19.63	202.01	105.88					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	31.61	202.01	105.88					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	36.27	202.01	105.88		İ			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		45.34									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	19.63	202.01	105.88					19.99	19.99	19.99	19.99
 	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	31.61	202.01	105.88	1	 	 	1	19.99	19.99	19.99	19.99
\vdash	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		3	UDC USL	USBFS USBFG	36.27 39.69	202.01 393.01	105.88 153.37	 	-	 	-	19.99 42.19	19.99 12.76	19.99	19.99
 	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	67.36	393.01	153.37	1	1	 		42.19	12.76		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	1	3	USL	USBFG	78.12	393.01	153.37	1	1	1	1	42.19	12.76		t
	Order Coordination For Specified Conversion Time, Per LSR		<u> </u>	USL	OCOSL		45.34									
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	10.66	172.89	90.81					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2		2	UCL	USBFH	16.44	172.89	90.81					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		3	UCL	USBFH	18.69	172.89	90.81					19.99	19.99	19.99	19.99
—	Order Coordination For Specified Conversion Time, per LSR	ļ		UCL	OCOSL	44.00	45.34	404 77					40.00	40.00	40.00	40.00
 	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	14.68 23.74	207.14 207.14	134.77 134.77	1	-	 	-	19.99 19.99	19.99 19.99	19.99 19.99	19.99 19.99
 	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	27.26	207.14	134.77	1	1	 		19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR	1	3	UCL	OCOSL	21.20	45.34	104.77					13.99	15.55	10.55	13.33
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	26.71	215.00	132.92					19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	44.07	215.00	132.92					19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	50.83	215.00	132.92					19.99	19.99	19.99	19.99

UNBUNDLE	D NETWORK ELEMENTS - North Carolina			,									Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ΓES(\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		1	UDL	USBFO	00.74	245.00	422.00					19.99	40.00	10.00	10.00
	Zone 1 Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		-	UDL	USBFU	26.71	215.00	132.92					19.99	19.99	19.99	19.99
	Zone 2		2	UDL	USBFO	44.07	215.00	132.92					19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 3		3	UDL	USBFO	50.83	215.00	132.92					19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		45.34									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	26.71	215.00	132.92					19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			ODL	OODII	20.71	213.00	102.02					13.33	15.55	13.33	19.55
	Zone 2		2	UDL	USBFP	44.07	215.00	132.92					19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 3		3	UDL	USBFP	50.83	215.00	132.92					19.99	19.99	19.99	19.99
SUB-LOOPS	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		45.34									
	Dop Feeder				1											<u> </u>
Oub L	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	16.03										
	Sub Loop Feeder - DS3 - Facility Termination Per Month	i		UE3	USBF1	350.32	3,383.00	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder – STS-1 – Per Mile Per Month	ı		UDLSX	1L5SL	16.03										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	376.06	3,383.00	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder – OC-3 – Per Mile Per Month	I		UDLO3	1L5SL	12.16										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month	١.,		UDLO3	USBF5	56.60										ĺ
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	H		UDLO3	USBF2	564.14	3,383.00	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder - OC-12 - Per Mile Per Month	l i		UDL12	1L5SL	14.97	0,000.00	400.01	104.00	50.01			20.04	12.70		
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per			002.2	12002											
	Month	- 1		UDL12	USBF6	639.50										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	I		UDL12	USBF3	1,841.00	3,383.00	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder - OC-48 - Per Mile Per Month	l I		UDL48	1L5SL	49.10										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month	١.,		UDL48	USBF9	319.92										İ
	Sub Loop Feeder - OC-48 - Facility Termination Per Month	<u> </u>		UDL48	USBF4	1,603.00	3,569.00	406.81	160.39	90.92			26.94	12.76		
+	Sub Loop Feeder - OC-12 Interface On OC-48	l i		UDL48	USBF8	360.95	787.73	406.81	160.39	90.92			26.94	12.76		
UNBUNDLED I	LOOP CONCENTRATION															
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	398.41	652.26	652.26					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	58.36	271.78	271.78					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	439.73	652.25	652.26					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System B (TR303) Unbundled Loop Concentration - DS1 Loop Interface Card			ULC ULC	UCT3B UCTCO	98.34 5.52	271.78 126.85	271.78 92.35	33.65	9.42	1		19.99 19.99	19.99 19.99	19.99 19.99	19.99 19.99
 	Unbundled Loop Concentration - ISDN Loop Interface (Brite			OLO	00100	3.32	120.00	32.33	33.63	5.42			15.99	13.99	13.99	15.99
	Card)			UDN	ULCC1	8.77	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
ĺ	Unbundled Loop Concentration - UDC Loop Interface (Brite															
	Card)			UDC	ULCCU	8.77	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration2 Wire Voice-Loop Start or			LIEA	111.000	0.40	04.44	04.00	10.01	40 = 1			10.00	10.00	10.00	10.00
	Ground Start Loop Interface (POTS Card) Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			UEA	ULCC2	2.19	21.11	21.00	10.81	10.74	 		19.99	19.99	19.99	19.99
	Loop Interface (SPOTS Card)			UEA	ULCCR	13.03	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface				323311	10.00	21.11	21.00	10.01	10.74			10.00	10.00	10.00	10.00
	(Specials Card)	<u> </u>		UEA	ULCC4	7.77	21.11	21.00	10.81	10.74	<u></u>		19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	37.98	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop				007		04 **	04.00	40.04	40 = 1			10.00	40.00	40.00	40.00
	Interface			UDL	ULCC7	11.51	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	11.51	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop			552	32000	11.51	21.11	21.00	10.01	10.74	 		13.33	10.00	10.00	10.00
	Interface	L		UDL	ULCC6	11.51	21.11	21.00	10.81	10.74	<u></u>	<u> </u>	19.99	19.99	19.99	19.99
UNE OTHER, F	PROVISIONING ONLY - NO RATE							•								
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											<u> </u>

UNBUN	IDLE	NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
 							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOM AN	SOMAN	SOMAN
					UEANL,UEF,UEQ,U												
		Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN											
UNE OTI	HER, P	ROVISIONING ONLY - NO RATE															
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no					5.55										
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate Unbundled DS1 Loop - Superframe Format Option - no rate			UEA,USL,UCL,UDL USL	USBFR CCOSF	0.00	0.00									
\vdash		Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -			OOL	00001	0.00	0.00									
		no rate			USL	CCOEF	0.00	0.00			1						
HIGH CA		Y UNBUNDLED LOCAL LOOP															
1 T		High Capacity Unbundled Local Loop - DS3 - Per Mile per			LIEO	41.5115											
\vdash		month High Capacity Unbundled Local Loop - DS3 - Facility			UE3	1L5ND	11.12			1	 						
		Termination per month			UE3	UE3PX	404.98	1,124.48	699.60		1			53.48	53.48		
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per						.,.2	555.00		1			33.40	33.40		
		month			UDLSX	1L5ND	11.12										
		High Capacity Unbundled Local Loop - STS-1 - Facility			LIBL OV												
LOOP M		Termination per month			UDLSX	UDLS1	417.70	1,124.48	699.60		-			53.48	53.48		
LOOP M	ANE-U	Loop Makeup - Preordering Without Reservation, per working or									-						
		spare facility queried (Manual).			UMK	UMKLW		56.34	56.34		1						
		Loop Makeup - Preordering With Reservation, per spare facility				_											
		queried (Manual).			UMK	UMKLP		58.56	58.56								
		Loop MakeupWith or Without Reservation, per working or			LIMIZ	DCLIMIC		4.04	4.04		1						
HIGH ED		spare facility queried (Mechanized) NCY SPECTRUM			UMK	PSUMK		1.04	1.04	1	 						
		ERS-CENTRAL OFFICE BASED				1				+	-	1					
T T		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	152.73	424.61	0.00		1			26.94	12.76		
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.18	424.61	0.00					26.94	12.76		
\vdash		Line Sharing Splitter, Per System, 8 Line Capacity	- 1		ULS	ULSD8	12.73	424.61	0.00					26.94	12.76		
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD)			ULS	ULSDG		146.32	31.27		1			26.94	12.76		
-	ND US	deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPFC	TRUM :	AKA LINE SHARING	ULODG		140.32	31.27	1	 			20.94	12.76		
		Line Sharing - per Line Activation (BST Owned Splitter)	3. 20		ULS	ULSDC	0.61	56.92	28.59					26.94	12.76		
		Line Sharing - per Subsequent Activity per Line															
\vdash		Rearrangement(BST Owned Splitter			ULS	ULSDS		35.14	16.29					26.94	12.76		
		Line Sharing - per Subsequent Activity per Line			ULS	ULSCS		25 4 4	46.00		1			26.94	12.76		
\vdash		Rearrangement(DLEC Owned Splitter Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCS	0.61	35.14 47.44	16.29 19.31	20.67	12.74			26.94	12.76		
\vdash		Line Splitting - per line activation (BEEC owned splitter)	÷		UEPSR UEPSB	UREOS	0.61	71.74	10.01	20.07	12.74			20.04	12.70		
		Line Splitting - per line activation BST owned - physical	Ì		UEPSR UEPSB	UREBP	0.641	56.92	28.59					26.94	12.76		
		Line Splitting - per line activation BST owned - virtual	Ī		UEPSR UEPSB	UREBV	0.639	56.92	28.59	1	1			26.94	12.76		
		EDICATED TRANSPORT	L L''''	L	d balani Boo	manth Book	CTC 4 (
		INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu FFICE CHANNEL - DEDICATED TRANSPORT	m Dillin	g perio	oa - peiow DS3=one i	montn, DS3/	5 i 5-1=tour mo	ntns		1	 						
 		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -								+	†	1					
		Per Mile per month			U1TVX	1L5XX	0.0282				1						
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
$\sqcup \sqcup$		Facility Termination per month			U1TVX	U1TV2	18.00	137.48	52.58		ļ			38.07	38.07		
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0282				1						
\vdash		Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			UTIVA	ILOAA	0.0282			+	 						
		Facility Termination per month			U1TVX	U1TR2	18.00	137.48	52.58		1			38.07	38.07		
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -						•									
		Per Mile per month			U1TVX	1L5XX	0.0282										

OMBONDLI	ED NETWORK ELEMENTS - North Carolina		1	ı	1	1			1	1	I 0 C .	0	Attachment:		Exhibit: B	•
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	22.16	106.11	65.95					38.07	38.07		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0282										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0282										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.5753										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	12.98										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	720.38	794.94	579.55					91.26	91.26		
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	6.14										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	790.37	642.23	408.89					53.48	53.48		
LOCA	AL CHANNEL - DEDICATED TRANSPORT				1											
NOTE	: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing	g perio	d - belo	ow DS3=one month		our months										
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2								42.17	12.76		
	Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 1		1	ULDVX	ULDV2	12.51	553.80	89.69								
	Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 2		2	ULDVX	ULDV2	21.23	553.80	89.69								
	Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 3		3	UNDVX	ULDV2	24.62	553.80	89.69								
	Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 1		1	UNDVX	ULDV4	13.40	562.23	92.67								
	Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 2		2	UNDVX	ULDV4	22.73	562.23	92.67								
	Local Channel - Dedicated - 4-Wire Voice Grade per month -						· · · · · ·									
	Zone 3		3	UNDVX	ULDV4	26.37	562.23	92.67						10.5		
	Local Channel - Dedicated - DS1 per month - Zone 1 Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1 ULDD1	ULDF1 ULDF1	30.12 51.11	534.48 534.48	462.69 462.69	ļ				42.17 42.17	12.76 12.76		
	Local Channel - Dedicated - DS1 per month - Zone 2 Local Channel - Dedicated - DS1 per month - Zone 3			ULDD1	ULDF1 ULDF1	51.11	534.48	462.69	-	-			42.17	12.76	-	
	Local Channel - Dedicated - DS1 per Moltin - Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month		3	ULDD3	1L5NC	8.66	JJ4.40	402.09					42.17	12.70		
	Local Channel - Dedicated - DS3 - Facility Termination per				1.20.10	2.00										
	month			ULDD3	ULDF3	496.76	562.25	527.88					56.25	56.25		
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8.66										
	Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	484.06	1,071.00	646.12					38.07	38.07		
MULTIPLEXE				L												
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	146.69	197.78	140.06					24.85	8.16		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UDL	1D1DD	2.00	13.09	9.38					24.85	8.16		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	3.59	13.09	9.38					24.85	8.16		
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1.27	13.09	9.38					24.85	8.16		
	DS3 to DS1 Channel System per month			UXTD3	MQ3	233.10	403.97	234.40					24.78	7.42		
T I	STS1 to DS1 Channel System per month			UXTS1	MQ3	233.10	403.97	234.40					38.07	38.07		
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	16.07	13.09	9.38					24.85	8.16		
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month	L	<u></u>	ULDD1	UC1D1	16.07	13.09	9.38	<u> </u>	<u> </u>	<u> </u>		24.85	8.16	<u> </u>	

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	FES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel			LIATOA	110454	40.07	40.00	0.00					04.05	0.40		
DARK FIBER	per month			U1TD1	UC1D1	16.07	13.09	9.38					24.85	8.16		
DAKK FIBEK	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				+ +				1							
	Thereof per month - Local Channel			UDF	1L5DC	53.86										
	NRC Dark Fiber - Local Channel			UDF	UDFC4		1,807.00	562.96					38.07	38.07		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Interoffice Channel			UDF	1L5DF	27.71	4.00=.00	=00.00								
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,807.00	562.96					38.07	38.07		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF	1L5DL	53.86										
	NRC Dark Fiber - Local Loop			UDF	UDFL4	55.00	1,807.00	562.96					38.07	38.07		
TRANSPORT C					1 1		,,,,,,,,,	222.30								
	al Features & Functions:															
8XX ACCESS 1	TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0005										ļ
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		7.05	0.96					26.94	26.94		
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OHD	NONTA		7.05	0.90	1				20.94	20.94		
	POTS Translations			OHD			23.82	2.73					26.94	26.94		
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations			OHD	N8FTX		23.82	2.73					26.94	26.94		
	8XX Access Ten Digit Screening, Customized Area of Service															
	Per 8XX Number			OHD	N8FCX		5.63	2.82					26.94	26.94		
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		6.59	3.77					26.94	26.94		
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		8.01	0.96					26.94	26.94		
	8XX Access Ten Digit Screening, Call Handling and Destination			OLID	1401700		0.01	0.00					20.04	20.04		
	Features			OHD	N8FDX		5.63						26.94	26.94		
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0003										L
	LIDB Validation Per Query			OQU	NDDDV	0.0134	00.00						20.04	20.04		
SIGNALING (C	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		62.26						26.94	26.94		
J DIGNALING (C	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.83										
	CCS7 Signaling Usage, Per TCAP Message			UDB	1.00%	0.00009										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	18.22	278.02	278.02					19.99	19.99	19.99	19.99
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)		<u> </u>	UDB	TPP++	18.22	278.02	278.02					19.99	19.99	19.99	19.99
 	CCS7 Signaling Usage, Per ISUP Message		-	UDB	STI IEC	0.00004										
 	CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code		-	UDB	STU56	338.98					-	-				
	Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00					19.99	19.99	19.99	19.99
	CCS7 Signaling Point Code, per Destination Point Code				1			.5.50					.0.00	.0.00	.0.00	.0.00
	Establishment or Change, Per Stp Affected		<u>L</u>	UDB	CCAPD		8.00	8.00					19.99	19.99	19.99	19.99
CALLING NAM	E (CNAM) SERVICE					<u> </u>										
	CNAM for DB Owners, Per Query		<u> </u>	OQV	+	0.01										
 	CNAM for Non DB Owners, Per Query CNAM (Non-Databs Owner), NRC, applies when using the		-	OQV	+	0.01			 							1
	Character Based User Interface (CHUI)			oqv	CDDCH		595.00	595.00					26.94	26.94		
OPERATOR CA	ALL PROCESSING			~ · ·	000011		333.00	333.00					20.34	20.34		
1	Oper. Call Processing - Oper. Provided, Per Min Using BST				1											
	LIDB		<u>L</u>		_ <u> </u>	1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using					<u> </u>										
 	Foreign LIDB				+	1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB				1	0.20										1
 	Oper. Call Processing - Fully Automated, per Call - Using				+ +	0.20										
	Foreign LIDB	1	1			0.20						1	Ì	l	Ì	1

0	LED NETWORK ELEMENTS - North Carolina		1	-	1						C C1	C C1	Attachment:		Exhibit: B	In anarra and a
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INWARD OP	PERATOR SERVICES															
	Inward Operator Services - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt															
	- Per Minute					1.15										
BRANDING	- OPERATOR CALL PROCESSING	<u> </u>			00100		=	=					10.00	10.00	40.00	10.00
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00					19.99	19.99	19.99	19.99
	Loading of Custom Branded OA Announcement per shelf/NAV	<u> </u>			CBAOL		500.00	500.00					19.99	19.99		
Unb	randing via OLNS for UNEP CLEC						1,200.00	4 200 00								
DIDECTORY	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
	/ ASSISTANCE SERVICES ECTORY ASSISTANCE ACCESS SERVICE	 	 	-	 								-	-	-	-
DIKE	Directory Assistance Access Service Calls, Charge Per Call	 	 	1	1	0.275					1	 	1	 	 	
DIDE	ECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	DACCI	!	1	1	0.213					1		1	t	t	t
DINE	Directory Assistance Call Completion Access Service (DACC),		†	 	+						 		 	t	t	t
	Per Call Attempt					0.062										
DIRE	ECTORY TRANSPORT					0.002										
	ASSISTANCE SERVICES															
	ECTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
BRANDING	- DIRECTORY ASSISTANCE															
Faci	ility Based CLEC															
	Recording and Provisioning of DA Custom Branded															
	Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM															
	Card/Switch			AMT	CBADC		1,170.00	1,170.00								
UNE	PCLEC															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Announcement per DRAM															
	Card/Switch per OCN						1,170.00	1,170.00								
Unb	randing via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
SELECTIVE																
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch				USRCR		229.65	229.65					40.18	9.45		
VIRTUAL CO	OLLOCATION															
	Virtual Collocation - Application Cost	 	<u> </u>	AMTFS	EAF		2,848.30	2,848.30						1	.	.
	Virtual Collocation - Cable Installation Cost, per cable	<u> </u>	<u> </u>	AMTES	ESPCX		2,750.00	2,750.00			<u> </u>		 	-	-	-
	Virtual Collocation - Floor Space, per sq. ft.	<u> </u>	<u> </u>	AMTES	ESPVX	3.20								-	-	-
	Virtual Collocation - Power, per breaker amp	 	<u> </u>	AMTFS	ESPAX	3.48					}		 	!	!	!
1	Virtual Collocation - Cable Support Structure, per entrance			AMTEC	FODOY	10.05								1	1	1
	cable	 	 	AMTFS UEANL,UEA,UDN,U	ESPSX	13.35					1		-	1	1	1
				DC,UAL,UHL,UCL,U												
				EQ, AMTFS, UDL,												
1				UNCVX, UNCDX,										1	1	1
	Virtual Collocation - 2-wire Cross Connects (loop)	1		UNCNX	UEAC2	0.09	41.78	39.23	4.75	4.75			19.99	19.99	19.99	19.99
	virtual Johnocation - 2-wire Oross Confidents (100p)	 	!	OT VOTAX	JLAUZ	0.09	41.70	35.23	4.75	4.75	1		15.55	19.99	19.99	15.55
				UEA.UHL.UCL.UDL.										1	1	1
		1		AMTFS, UAL, UDN,									Ì	I	I	I
1	Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.18	41.91	39.25	4.73	4.73			19.99	19.99	19.99	19.99
	Time Groot Commons (100p)		-	AMTFS,UDL12,		5.10		33.20	0	0			.0.00	.0.00	.0.00	.0.00
				UDLO3, U1T48,										1	1	1
		1		U1T12, U1T03,									Ì	I	I	I
	I and the second second second second second second second second second second second second second second se	1	1	ULDO3, ULD12,	1						1		ĺ			

UNBUNDLE	D NETWORK ELEMENTS - North Carolina			T									Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 4-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	28.74	82.35	63.56					19.99	19.99	19.99	19.99
				USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL,									10.00	10.00	10.00	10.00
	Virtual collocation - DS1 Cross Connects Virtual collocation - DS3 Cross Connects			UNLD1 USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CNC1X CND3X	0.97 56.25	71.02	51.08								
 	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			ODLOX, ONLDS	CINDOX	30.23	131.90	11.03								
	Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTFS	VE1CB	0.0028										
	Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0041										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		532.72									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable			AMTFS	VE1CE		532.72									
\vdash	Virtual collocation - Security Escort - Basic, per half hour			AMTES	SPTBX		41.00	25.00								
\vdash	Virtual collocation - Security Escort - Overtime, per half hour Virtual collocation - Security Escort - Premium, per half hour			AMTFS AMTFS	SPTOX SPTPX		48.00 55.00	30.00 35.00								-
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		30.64	30.64								-
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.77	35.77								
VIRTUAL COLI	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		40.90	40.90								
VIKTOAL COLI	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSP	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Voice Grade PBX Trunk - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSE	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Analog Bus Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire			UEPSB	VE1R2	0.09	41.78	39.23					26.94	12.76		
	ISDN Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSX	VE1R2	0.09	41.78	39.23					26.94	12.76		
	ISDN Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire			UEPTX	VE1R2	0.09	41.78	39.23					26.94	12.76		
VIRTUAL COLI	ISDN DS1			UEPEX	VE1R4	0.18	41.91	39.25					26.94	12.76		
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.0287	33.96	32.08	36.72	34.84			19.99	19.99		
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment		<u> </u>	SRC	SRCEC		391,788.00	200 =2					19.99	19.99	19.99	19.99
 	End Office Establishment		<u> </u>	SRC	SRCEO		320.53	320.53					19.99 19.99	19.99 19.99	19.99 19.99	19.99 19.99
\vdash	Line/Port NRC, per end user		1	SRC SRC	SRCLP	0.000448	2.06	2.06					19.99	19.99	19.99	19.99
AIN - RELISO	Query NRC, per query UTH AIN SMS ACCESS SERVICE	-	 	ONU	-	0.000448										+
AIN - BELLOOI	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		294.77	294.77					26.94	26.94		

CATEGORY RATE ELEMENTS Intail Zone BCS USDC RATE(s) Degree Company	UNBUNDLE	D NETWORK ELEMENTS - North Carolina											Attachment:	2	Exhibit: B	
## APS SUST ACCORD Service - Port Connectivo - Dispositive Maces ARN CAMPP 69.34 69.94				Zone	BCS	usoc		RAT	TES(\$)		Submitte Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
AND SUBS Access Service - Port Correction - Duild'Surved Access AND CAMEP AND SUB Access Service - Servi							Rec									
SAYS SAN Access Service - Perf Commention (SEN Access Service - Perf United Service -							1100	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SAYS SAN Access Service - Perf Commention (SEN Access Service - Perf United Service -		AIN CMC Access Consider Bort Connection Dial/Cherod Access			A4NI	CAMDB		96.04	96.04				26.04	26.04		ĺ
ARS SER SACCOSE SERVICE - SUBJECT FOR 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-															
ANS NOT Access Service - Security Card, Per User ID Code, Name of Perspectment					71114	O/ UVI II		00.04	00.04				20.04	20.04		
Initial or Replacement Service					A1N	CAMAU		200.83	200.83				26.94	26.94		1
ARI SMS Accoss Service - Service - Entire (100 Kinchytee) ARI SMS Accoss Service - Service - Entire (100 Kinchytee) ARI SMS Accoss Service - Service - Entire (100 Kinchytee) ARI SMS Accoss Service - Serv																ĺ
AN SIGE Access Service - Security - Minute AN SIGE Access Service - Security - Minute AN SIGE Access Service - Security - Minute AN SIGE Access Service - Service Serv					A1N	CAMRC	0.0000	172.05	172.05				26.94	26.94		
AN SAS Access Service Company Performed Sesson, Per Mills Sesson, Per Mills Sesson, Per Mills Sesson, Per Mills Sesson, Per Mills Sesson, Per Mills Sesson, Per Mills Sesson, Per Mills Sesson, Per Mills Sesson, Per Mills Sesson, Per Contourner Mills Sesson, Per Contourner Mills Sesson, Per Contourner Mills Sesson, Per Contourner Mills Sesson, Per Contourner Mills Sesson, Per Contourner Mills Sesson, Per Contourner Mills Sesson, Per Contourner Mills Sesson, Per Contourner Mills Sesson, Per Contourner Mills Sesson, Per Contourner Mills Sesson, Per Contourner Mills Sesson, Per Contourner Mills Sesson, Per Contourner Mills Sesson, Per Contourner Mills Sesson, Per Contourner Mills Sesson, Per Contourner Mills Sesson, Per Contourner Mills Sesson, Per Contourner Mills Sesson, Per Mil						-										—
Missage Miss						-	0.0731									——
ANT Toold Service - Service Establishment Change, Per State, helps Service CAM	I	Minute		<u>L</u>			2.08									<u> </u>
Part Note: Service - Traiging Session, Per Customer	AIN - BELLSO															
AN TOOLE Service - Training Season, Per Customer BAPTX 8,383.00 3,383.00 1,569					CAM	DADCO	1	000.0=	200 0=			45.00				1
AN Total Service - Trigger Access Charge, Per Trigger, Per BAPTT 72.76 72.76 15.68				-	CAM											
D.N. Term. Attempt				-		DAFVA	+	0,303.00	0,303.00			15.69				
AN TOCKIS Service - Trigger Access Charge, Per Trigger, Per BAPTD 72.76 72.76 15.99		DN, Term. Attempt				BAPTT		72.76	72.76			15.69				1
ANT Tools Service - Trigger Access Charge, Per Trigger, Per BAPTM 72.76 72.76 15.69 No. 10.00		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per														
DN, Off-Holds (Immediate BAPTM 72,76 72,76 15,69		DN, Off-Hook Delay				BAPTD		72.76	72.76			15.69				L
AN Toolks Service - Trigger Access Charge, Per Tigger, Per BAPTO						DADTM		70.70	70.70			45.00				1
DN. 10-Digit PODP	-					BAPIM		72.76	72.76			15.69				
AN Toolks Service - Trigger Access Charge, Per Trigger, Per BAPTC						ВАРТО		149.95	149.95			15.69				1
AN Toolks Service - Trigger Access Charge, Per Trigger, Per BAPTF 148.95 148.95 148.95 15.69																
DN, Feature Code		DN, CDP				BAPTC		149.95	149.95			15.69				<u> </u>
AN Tockid Service - Cuery Charge, Per Query																1
ANT Toolikt Service - Type 1 Node Charge, Per AlN Toolikt Subsocription, Per Node, Per Query ANT Toolikt Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes ANT Toolikt Service - Monthly report - Per AlN Toolikt Service Subsocription ANT Toolikt Service - Special Study - Per AlN Toolikt Service Subsocription ANT Toolikt Service - Call Event Report - Per AlN Toolikt Service Subsocription ANT Toolikt Service - Call Event Report - Per AlN Toolikt Service Subsocription ANT Toolikt Service - Call Event Report - Per AlN Toolikt Service Subsocription ANT Toolikt Service - Call Event Report - Per AlN Toolikt Service Subsocription ANT Toolikt Service - Call Event Report - Per AlN Toolikt Serv	-					BAPTF	0.02	149.95	149.95			15.69				
Subscription, Per Node, Per Query							0.02					1				
AND Toolkit Service - SCP Storage Charge, Per SMS Access							0.005									i .
AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription CAM BAPMS 15.98 71.80 71.80 15.69 AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription CAM BAPLS 0.08 47.20 47.20 15.69 AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription CAM BAPLS 0.08 47.20 47.20 15.69 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS 15.90 71.80 71.80 15.69 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 15.90 71.80 71.80 15.69 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 15.90 71.80 71.80 15.69 ENHANCED EXTENDED LINK (EELs) NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: In all states, EEL network elements apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) NOTE: In all states, EEL network elements apply to corrently combined repents, (No Switch As Is Charge applies to currently combined facilities which are converted to UNEs.(Non-recurring rates do not apply.) NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarity combined repents, (No Switch As Is Charge applies to currently combined facilities which are converted to UNEs.(Non-recurring rates do not apply.) NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarity combined repents, (No Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarity combined repents, (No Switch As Is Charge applies to currently combined repents of the per Advisor of the per Advisor of the per A		AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.000									
Subscription							1.45									İ
ANT Toolkt Service - Special Study - Per AIN Toolkit Service CAM BAPLS 0.08 47.20 47.20 15.69								=	=			4= 00				ı
Subscription					CAM	BAPMS	15.98	71.80	71.80			15.69				
ANI Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription ANI Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription ENHANCED EXTENDED LINK (EELs) NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; FL Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC Use all rates below except Switch As Is Charge. NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge. NOTE: In GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; FL Lauderdale, FL; NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEss(Non-recurring rates do not apply.) NOTE: In GA, TN, KY, LA, MS, & SC the EEL network elements apply to ordinarily combined network elements. (No Switch As Is Charge.) Pirst 2-Wire VG Loop - Service Level 2/DS1 Interofficed Transport Combination - Statewide Interoffice Transport Dedicated - DS1 combination - Per Mile per month UNC1X					CAM	BAPI S	0.08	47 20	47 20			15.69				ı
Subscription CAM BAPDS 15.90 71.80 71.80 15.69						<i></i>	0.00	77.20	77.20		1	10.00				
Service Subscription		Subscription		<u>L</u>	CAM	BAPDS	15.90	71.80	71.80			15.69				<u> </u>
ENHANCED EXTENDED LINK (EELs) NOTE: New ELLs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; FL Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) NOTE: In all states, EEL network elements shown below also apply to ordinarily combined network elements.(No Switch As Is Charge.) NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.) 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) First 2-Wire VG Loop - Service Level 2/DS1 Interofficed Transport Combination - Statewide w UNCVX UEAL2 19.50 142.97 106.56 105.66 38.07																1
NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements. (No Switch As Is Charge.) NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements. (No Switch As Is Charge.) 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) First 2-Wire VG Loop. Service Level 2/DS1 Interofficed Transport Combination - Statewide Sw UNCVX UEAL2 19.50 142.97 106.56 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X 1L5XX 0.5753 Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X U1TF1 71.29 217.17 163.75 DS1 Channelization System Per Month UNC1X MQ1 146.69 197.78 140.06 DS1 Channelization System Per Month UNC1X MQ1 146.69 197.78 140.06 DS1 Channelization System Per Month UNC1X MQ1 146.69 197.78 140.06 Each Additional 2-Wire Vg Loop(SI2) in The Same DS1 UNCVX UEAL2 19.50 142.97 108.56 Each Additional 2-Wire Vg Loop(SI2) in The Same DS1 Each Additional 2-Wire Vg Loop(SI2) in the same DS1	ENHANCES			<u> </u>	CAM	BAPES	0.003	47.20	47.20		_	15.69				
NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. NOTE: In all states, EEL network elements shown below also apply to cordinarily combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) NOTE: In GA, TN, KY, LA, MS, &S Che EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) First 2-Wire VG Loop - Service Level 2/DS1 Interofficed			zone 1	of follo	owing MSAs: Orlan	do FI · Miam	ni FI·Ft laude	rdale FI:								
NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.) 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) First 2-Wire VG Loop - Service Level 2/DS1 Interofficed Transport Combination - Statewide UNCVX UEAL2 19.50 142.97 106.56 38.07 38.07 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X 1L5XX 0.5753 Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X U1TF1 71.29 217.17 163.75 DS1 Channelization System Per Month UNC1X MQ1 146.69 197.78 140.06 38.07 38.07 Voice Grade COCI - DS1 To Ds0 Interface - Per Month UNCVX ID1VG 1.27 13.09 9.38 UNCVX UEAL2 19.50 142.97 108.56 Each Additional 2-Wire Vg Loop(SI2) in The Same DS1 UNCVX UEAL2 19.50 142.97 108.56 UNCVX UEAL2 19.50 142.97 108.56 Basic Additional 2-Wire Vg Loop(SI2) in the same DS1										 						<u> </u>
NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)	NOTE:	In all states, EEL network elements shown below also apply t	o curre	ntly co	mbined facilities wh	nich are conv	erted to UNE ra	ites. A Switch	As Is Charge a	pplies to currently comb	ned facilities	onverted to	UNEs.(Non-re	curring rates	do not apply	.)
First 2-Wire VG Loop - Service Level 2/DS1 Interofficed Sw UNCVX UEAL2 19.50 142.97 106.56 38.07 38.07 38.07 38.07	NOTE:	In GA, TN, KY, LA, MS & SC the EEL network elements apply	to ordir	narily c	ombined network e				•	·				•		
Transport Combination - Statewide	2-WIRI		EROFF	ICE TR	ANSPORT (EEL)											
Interoffice Transport - Dedicated - DS1 combination - Per Mile DNC1X L5XX D.5753 DS1 combination - Per Mile DNC1X				CITA	LINCVX	LIEALS	10.50	142.07	106 F6				20.07	20 07		i
Der month UNC1X 1L5XX 0.5753	 			SW	OI NO VA	JLALZ	19.50	142.97	100.00			1	30.07	30.07		
Interoffice Transport - Dedicated - DS1 combination - Facility UNC1X					UNC1X	1L5XX	0.5753									1
DS1 Channelization System Per Month		Interoffice Transport - Dedicated - DS1 combination - Facility														
Voice Grade COCI - DS1 To Ds0 Interface - Per Month																
Each Additional 2-Wire Vg Loop(Sl2) In The Same Ds1 Interoffice Transport Combination Per Month UNCVX UEAL2 19.50 142.97 108.56 38.07 38.07																
Interoffice Transport Combination Per Month				-	UNCVA	אוטוע	1.27	13.09	9.38				38.07	38.07		
Each Additional 2-Wire VG Loop(SL2) in the same DS1					UNCVX	UEAL2	19.50	142.97	108.56				38.07	38.07		1
Intereffice Transport Combination, Zone 2		Each Additional 2-Wire VG Loop(SL2) in the same DS1					1	01					22.01	22.01		
Interonice transport Continuation - Zone 3 3 UNOVA UEALZ		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2							<u> </u>			<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - North Carolina			1							Cup Carles	Cup Cada	Attachment:		Exhibit: B	In orom and -!
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1.27	13.09	9.38					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	IDIVO	1.27	15.05	9.50					30.07	30.07		
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
	First 4-Wire Analog Voice Grade Loop/DS1 Interoffice Transport															
	Combination - Statewide Interoffice Transport - Dedicated - DS1 combination - Per Mile		SW	UNCVX	UEAL4	27.49	288.47	237.45					38.07	38.07		
	Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per		1	ONCIA	TEOXX	0.5755										
	Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination Per															
	Month		<u> </u>	UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	Voice Grade COCI - DS1 to DS0 Channel System combination -		1	LINOVA	454)(0	4.07	40.00	0.00					00.07	00.07		
	per month			UNCVX	1D1VG	1.27	13.09	9.38					38.07	38.07		
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Statewide		SW	UNCVX	UEAL4	27.49	288.47	237.45					38.07	38.07		
	Voice Grade COCI - DS1 to DS0 Channel System combination -		SW	ONCVA	OLALT	21.43	200.47	237.43					30.07	30.07		
	per month			UNCVX	1D1VG	1.27	13.09	9.38					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIR	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)											
	First 4-Wire 56Kbps Digital Grade Loop/DS1 Interoffice Transport Combination - Statewide		sw	UNCDX	UDL56	37.67	489.04	337.51					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		SW	UNCDA	UDLS6	37.07	409.04	337.31					30.07	30.07		
	Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 - combination Facility			0.1017	120701	0.07.00										
	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			LINODY	10100	0.00	45.70	44.00					00.07	00.07		
	month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
	Interoffice Transport Combination - Statewide		sw	UNCDX	UDL56	37.67	489.04	337.51					38.07	38.07		
	OCU-DP COCI (data) - DS1 to DS0 Channel System -		SW	ONODA	ODLOG	37.07	403.04	337.31					30.07	30.07		
	combination per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)											
	First 4-Wire 64Kbps Digital Grade Loop/DS1 Interoffice Transport Combination - Statewide			UNCDX	UDL64	37.67	400.04	337.51					38.07	20.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		SW	UNCDX	UDL64	37.67	489.04	337.51					38.07	38.07		
	Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility		1	0.1017	120/01	0.0100										
	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination Per															
	Month		ļ	UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
1	OCU-DP COCI (data) - DS1 to DS0 Channel System		1	LINCDY	10100	2.00	45.70	44.00					20.07	20.07		
+-	combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		<u> </u>	UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
1	Interoffice Transport Combination - Statewide		sw	UNCDX	UDL64	37.67	489.04	337.51					38.07	38.07		
1	OCU-DP COCI (data) - DS1 to DS0 Channel System		3,,,		00207	07.07	100.04	307.01					00.07	00.07		
	combination - per month (2.4-64kbs)		L	UNCDX	1D1DD	2.00	15.76	11.28	<u> </u>		<u> </u>		38.07	38.07	<u> </u>	<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-									_						
ı	Is Charge	<u> </u>	<u> </u>	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
				ANGDODT (EEI)	1						1				l	l
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI	EROFFI	CE IRA	HNOFORT (LLL)	+	+										

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile						FIRST	Addi	FIRST	Addi	SOWIEC	SUMAN	SOWAN	SOWAN	SUWAN	SUMAN
	Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-															
4-WIRI	Is Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI	FROFFI	CF TR	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
7-11111	First DS1Loop in DS3 Interoffice Transport Combination -	LICOTTI	CE III	(NOT OKT (LLL)												
	Statewide		SW	UNC1X	USLXX	62.78	714.84	421.47					38.07	38.07		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	12.98										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			UNC3X	ILSAX	12.98										
	month			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	233.10	403.97	234.40					38.07	38.07		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Statewide		sw	UNC1X	USLXX	62.78	714.84	421.47					38.07	38.07		
	DS3 Interface Unit (DS1 COCI) combination per month		SW	UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
2-WIRE	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN	TEROFF	ICE TR	ANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Statewide		sw	UNCVX	UEAL2	19.50	142.97	106.56					38.07	38.07		
	Interoffice Transport - Dedicated - 2-wire VG combination - Per		SW	ONOVA	OLALZ	19.50	142.51	100.50					30.07	30.07		
	Mile Per Month			UNCVX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade															
	combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	U1TV2	18.00	137.48	52.58					38.07	38.07		-
	Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIRI	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN	TEROFF	ICE TR		0.1000		20	20	02.20	10.00			00.01	00.07		
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Statewide		SW	UNCVX	UEAL4	27.49	288.47	237.45					38.07	38.07		
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	22.16	106.11	65.95					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-												99.91	99.01		
	Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
DS3 DI	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	CÉ TRAI	NSPOR	T (EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	11.12										
	High Capacity Unbundled Local Loop - DS3 combination -															
	Facility Termination per month			UNC3X	UE3PX	404.98	1,071.00	646.12					38.07	38.07		
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility			UNC3X	1L5XX	12.98										-
	Termination per per month			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-												99.91	99.01		
	Is Charge		<u> </u>	UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
STS1 I	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF High Capacity Unbundled Local Loop - STS1 combination - Per	FICE TE	ANSP	OK (EEL)												-
	Mile per month			UNCSX	1L5ND	11.12										
	High Capacity Unbundled Local Loop - STS1 combination -															
	Facility Termination per month		ļ	UNCSX	UDLS1	417.70	1,071.00	646.12					38.07	38.07		
	Interoffice Transport - Dedicated - STS1 combination - Per Mile			LINCOV	1L5XX	0.44										
 	per month Interoffice Transport - Dedicated - STS1 combination - Facility	 	-	UNCSX	ILOXX	6.14										
	Termination per month			UNCSX	U1TFS	790.37	794.94	679.55					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge	1		UNCSX	UNCCC		21.75	21.75	32.28	10.96]		38.07	38.07		<u> </u>

INRONDER	ED NETWORK ELEMENTS - North Carolina	ı		1	1 1						001	0 0 1	Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)	•	•
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIR	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL	.)													
	First 2-Wire ISDN Loop/DS1 Interoffice Combination Transport - Statewide			UNCNX	U1L2X	24.98	325.91	251.31					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		SW	UNC1X	1L5XX	0.5753	323.91	231.31					36.07	36.07		
	Interoffice Transport - Dedicated - DS1 combintion - Facility			ONOTA	120701	0.0700										
	Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination -															
	per month			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	3.59	15.76	11.28					38.07	38.07		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCIX	UCTCA	3.59	15.76	11.28					38.07	38.07		
	Combination - Statewide		sw	UNCNX	U1L2X	24.98	325.91	251.31					38.07	38.07		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System															
	combintaion- per month			UNCNX	UC1CA	3.59	15.76	11.28					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
4 WID	IS Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROE	EICE T	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-1111	First DS1 Loop in STS1 Interoffice Transport Combination -	IEKOF	FICE I	HANSPORT (EEL)	+											
	Statewide		sw	UNCIX	USLXX	62.78	714.84	421.47					38.07	38.07		
	Interoffice Transport - Dedicated - STS1 combination - Per Mile						-									
	Per Month			UNCSX	1L5XX	6.14										
	Interoffice Transport - Dedicated - STS1 combination - Facility						==									
	Termination STS1 to DS1 Channel System conbination per month			UNCSX	U1TFS MQ3	790.37 233.10	794.94 403.90	679.55 234.40					38.07 38.07	38.07 38.07		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		
	Additional DS1Loop in STS1 Interoffice Transport Combination -			OI TO IX	00151	10.07	10.00	0.00					00.07	00.07		
	Statewide		SW	UNC1X	USLXX	62.78	714.84	421.47					38.07	38.07		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WID	IS Charge E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FEICE 1	PANS		UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-4411	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	FFICE I	KANS	I LEEL)	+											
	Combination - Statewide		sw	UNCDX	UDL56	37.67	489.04	337.51					38.07	38.07		
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile			UNCDX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDA	01105	17.40	137.40	52.56					36.07	36.07		
	Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport				l											
	Combination - Statewide Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		SW	UNCDX	UDL64	37.67	489.04	337.51					38.07	38.07		
	Per Mile			UNCDX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				120,01	3.0202										
	Facility Termination			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-	1		l	I											
DITIONAL	Is Charge NETWORK ELEMENTS			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	used as a part of a currently combined facility, the non-recurr	rna cha	rnes d	notanniv but a S	Witch As Is of	arne does ann	alv									
	(SynchroNet)	ing cita	ges ut	ino cappiy, but a s	AS IS CI	ange aves app										
	ecurring Currently Combined Network Elements "Switch As Is"	Charge	(One a	applies to each com	bination)	1										
	Nonrecurring Currently Combined Network Elements Switch -As-	1				İ										
	Is Charge - 2 wire/4-Wire VG		<u> </u>	UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps	1	1	UNCDX	UNCCC]	21.75	21.75	32.28	10.96			38.07	38.07		
		1	1	OINCDV	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	-	
	Nonrecurring Currently Combined Network Elements Switch -As-	.			1	l l										

MOUNDELL	D NETWORK ELEMENTS - North Carolina		, ,			1							Attachment:		Exhibit: B	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
'	Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	UNCCC		04.75	21.75	32.28	40.00			38.07	20.07		
	Is Charge - DS3 Nonrecurring Currently Combined Network Elements Switch -As-		1	UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	Is Charge - STS1			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3=			r months	20	20	02.20	10.00			00.07	00.01		
	LOCAL EXCHANGE SWITCHING(PORTS)															
	nge Ports															
	Although the Port Rate includes all available features in GA,	KY, LA	& TN, th	ne desired features	will need to I	e ordered usin	g retail USOCs	5								
	VOICE GRADE LINE PORT RATES (RES)					2.12	21.00							10.70		
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.19	21.60	21.60					26.94	12.76		
['	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.19	21.60	21.60					26.94	12.76		
-+-	Zanango i ono Z milo maiog Elife i on with Oalier ID - Nes.			<u> </u>	321.10	2.19	21.00	21.00					20.34	12.70		1
['	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire VG unbundled res, low usage line port															
	with Caller ID (LUM)			UEPSR	UEPAP	2.19	21.60	21.60					26.94	12.76		
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					26.94	12.76		<u> </u>
FEATU				LIEBOD	LIED (E	0.10								10 =0		
	All Available Vertical Features			UEPSR	UEPVF	3.40	0.00	0.00					26.94	12.76		
	E VOICE GRADE LINE PORT RATES (BUS) Exchange Ports - 2-Wire Analog Line Port without Caller ID -				-											
'	Bus			UEPSB	UEPBL	2.19	21.60	21.60					26.94	12.76		
-+	Exchange Ports - 2-Wire VG unbundled Line Port with			OLI OB	OLI DE	2.10	21.00	21.00					20.04	12.70		
'	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.19	21.60	21.60					26.94	12.76		
	·															
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.19	21.60	21.60					26.94	12.76		
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	2.19	21.60	21.60					26.94	12.76		
FEATU	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
	All Available Vertical Features			UEPSB	UEPVF	3.40	0.00	0.00					26.94	12.76		
	ANGE PORT RATES (DID & PBX)			OLI OD	OLI VI	3.40	0.00	0.00					20.34	12.70		
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.18	21.60	21.60					26.94	12.76		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Ports		 	UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		<u> </u>
	2-Wire Vice Unbundled 2-Way PBX Usage Port	1		UEPSP UEPSP	UEPXA UEPXB	2.18 2.18	21.60	21.60					26.94 26.94	12.76		1
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXB	2.18	21.60 21.60	21.60 21.60			-		26.94	12.76 12.76	-	1
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			0.	52.70	2.10	21.00	21.00					20.04	12.70		
['	Capable Port			UEPSP	UEPXE	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	2.18	21.60	21.60					26.94	12.76		<u> </u>
['	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDOD	LIED.											
	Room Calling Port			UEPSP	UEPXM	2.18	21.60	21.60					26.94	12.76		1
'	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	2.18	21.60	21.60			1		26.94	12.76		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1		UEPSP	UEPXS	2.18	21.60	21.60					26.94	12.76		1
-+	Subsequent Activity	1		UEPSP	USASC	0.00	0.00	0.00					26.94	12.76		†
FEATU					1	2.00	2.00	2.00						:=::0		
	All Available Vertical Features			UEPSP UEPSE	UEPVF	3.40	0.00	0.00					26.94	12.76		<u> </u>
	ANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port				1	2.59	21.60	21.60					26.94	12.76		
	Transmission/usage charges associated with POTS circuit so															

	INDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted	_	Charge -	Charge -	Charge -
CATE	OPV	RATE ELEMENTS	Interi	Zone	BCS	usoc		Б.	TES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	JOKI	RATE ELEMENTS	m	Zone	BC3	0300		NA.	L3(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
														1st	Addi	DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXCHA	ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port	1		UEPEX	UEPP2	12.36	108.78	84.60					26.94	12.76		
		Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	1		UEPEX	UEFFZ	12.30	100.76	04.00					20.94	12.76		
		capability			UEPDD	UEPDD	123.65	143.53	82.68					19.99	19.99	19.99	19.99
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	24.50	117.59	117.59					55.30	55.30		
		All Features Offered			UEPTX UEPSX	UEPVF	3.40	0.00	0.00								
		Transmission/usage charges associated with POTS circuit st													<u> </u>		
	NOTE:	Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles	e avaliai	DIE ONI	UEPTX UEPSX	U1UMA	Quest Process	0.00	раскет сараы 0.00	lities will be de	etermined via t	ne Bona Fio	ie Request/	New Business	s Request Pro	cess.	
-		Exchange Ports - 2-Wire ISDN Port		1	UEPEX	UEPEX	179.75	241.63	241.63					53.89	53.89		
UNBU	IDLED L	LOCAL SWITCHING, PORT USAGE		1	<u></u>	1		211.50	250	1	İ			55.55	55.50		
	End Of	ffice Switching (Port Usage)							•								
		End Office Switching Function, Per MOU				1	0.0015										
-	Tando	End Office Trunk Port - Shared, Per MOU m Switching (Port Usage) (Local or Access Tandem)	1	!	1	+	0.00023			 	<u> </u>	1					
-	rander	Tandem Switching Function Per MOU	 	 	1	+	0.0006			 	1	 					
		Tandem Trunk Port - Shared, Per MOU					0.0003			İ							
	Commo	on Transport															
		Common Transport - Per Mile, Per MOU					0.00001										
LINIBLI	IDI ED E	Common Transport - Facilities Termination Per MOU	ļ				0.00034										
UNBU		PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at	nd/or St	ato Co	mmission rule to nr	ovido Unbun	dlad Lacal Swi	tching or Swite	h Dorte								
		es shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate F	xhibit.					
	End Of	ffice and Tandem Switching Usage and Common Transport Us	sage rat	es in th	he Port section of th	is rate exhib	it shall apply to	all combination	ons of loop/po	rt network eler	ments except	for UNE Coi	n Port/Loop	Combination	ns.		
	For Ge	eorgia, Kentucky, Louisiana, MIssissippi, South Carolina and	Tenness	see, the	e recurring UNE Por	t and Loop c	harges listed a	pply to Current	ly Combined a	and Not Curren	tly Combined	Combos. T	he first and	additional Po	ort nonrecurri		
		itly Combined Combos for all states. In GA, KY, LA, MS, SC ar		nese no	onrecurring charges	are commiss	sion ordered co	st based rates	and in Al El			abarasa ara	Market Rat	toe and are al	aa liatad in th		
-	For Cu									and NC these	nonrecurring	charges are	i wantet itai	les allu ale al	so nstea in th	e warket Kate	section.
	2-WIRE	rrently Combined Combos in all other states, the nonrecurring	g charg	es sha	Il be those identified					and NC these	nonrecurring	Triarges are	I Walket Kal	les and are an	so ristea in tri	e warket kate	section.
1		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	g charg	es sha	Il be those identified					and NC these	nonrecurring	charges are	- Market Nai	les and are an	so listea ili tii	e warket kate	section.
			g charg	es sha	II be those identified					and NC these	nonrecurring	charges are	market Kai	les and are an	so listed in th	e market kate	section.
	UNE PO	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates	g charg	SW		d in the Nonr	ecurring - Curr			and NC these	nonrecurring	charges are	market Nat	les and are an	so listed in th	e market kate	section.
	UNE PO	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide	g charg		Il be those identified		ecurring - Curr			and NC these	nonrecurring	charges are	s warket ital	les and are an	so listed in th	e market kate	section.
	UNE PO	E VOIĆE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res)	g charg	SW	UEPRX	UEPLX	16.46 14.18	ently Combine	d sections.	and NC these	nonrecurring	charges are	s warket ital			e warket Kate	section.
	UNE PO	E VOIĆE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide oop Rates [2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) [2-Wire voice unbundled port - residence	g charg	SW	UEPRX UEPRX	UEPLX	16.46 14.18 2.28	ently Combine	d sections.	and NC these	nonrecurring	charges are	s market ival	40.18	9.45	e warket Kate	section.
	UNE PO	E VOIĆE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res)	g charg	SW	UEPRX	UEPLX	16.46 14.18	ently Combine	d sections.	and NC these	nonrecurring	Charges are	, market Nat			e market Kate	section.
	UNE PO	EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide oop Rates [2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) [2-Wire voice unbundled port - residence [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundles res, low usage line port with Caller ID	g charg	SW	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO	16.46 14.18 2.28 2.28	90.00 90.00 90.00	90.00 90.00 90.00	and NC these	nonrecurring	Charges are	wan ket Ka	40.18 40.18 40.18	9.45 9.45 9.45	e warket kate	section.
	UNE Lo	E VOIĆE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide oop Rates [2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) [2-Wire voice unbundled port - residence [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled see, low usage line port with Caller ID (LUM)	g charg	SW	UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC	16.46 14.18 2.28 2.28	90.00 90.00	90.00 90.00	and NC these	nonrecurring	Charges are	wan ket Ka	40.18	9.45 9.45	e warket kate	section.
	UNE PO	TOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID (ILUM) RES	g charg	SW	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRC UEPRO UEPAP	16.46 14.18 2.28 2.28 2.28	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00	and NC these	nonrecurring	unarges are	wan ket Ka	40.18 40.18 40.18	9.45 9.45 9.45	e warket kate	section.
	UNE Lo 2-Wire FEATU	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res [g charg	SW	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO	16.46 14.18 2.28 2.28	90.00 90.00 90.00	90.00 90.00 90.00	and NC these	nonrecurring	unarges are	- Market Na	40.18 40.18 40.18	9.45 9.45 9.45	e warket kate	section.
	UNE Lo 2-Wire FEATU	TOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID (ILUM) RES	g charg	SW	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRC UEPRO UEPAP	16.46 14.18 2.28 2.28 2.28	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00	and NC these	nonrecurring	charges are		40.18 40.18 40.18	9.45 9.45 9.45	e warket kate	section.
	UNE Lo 2-Wire FEATU	E VOIĆE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide oop Rates [2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) [2-Wire voice unbundled port - residence [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [3-Wire voice unbundled port outgoing only - res [4-Wire voice unbundled port outgoing only - res	g charg	SW	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAP	16.46 14.18 2.28 2.28 2.28 2.28	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00	and NC these	nonrecurring	Charges are		40.18 40.18 40.18	9.45 9.45 9.45	e warket kate	section.
	UNE Lo 2-Wire FEATU	EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide oop Rates [2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) [2-Wire voice unbundled port - residence [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice Unbundled Port outgoing only - res [2-Wire voice Unbundled Port outgoing only - res [2-Wire Voice Grade Loop / Line Port Combination - Conversion -	g charg	SW	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAP UEPVF	16.46 14.18 2.28 2.28 2.28 2.28	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00	and NC these	nonrecurring	Unally es are		40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45	e warket kate	section.
	UNE Lo 2-Wire FEATU	EVOIĆE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide oop Rates [2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) [2-Wire voice unbundled port - residence [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [3-Wire voice unbundled port outgoing only - res [4-Wire voice unbundled port outgoing only - res [5-Wire voice unbundled port outgoing only - res	g charg	SW	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAP	16.46 14.18 2.28 2.28 2.28 2.28	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00	and NC triese	nonrecurring	Charges are		40.18 40.18 40.18	9.45 9.45 9.45	e warket kate	section.
	UNE Lo 2-Wire FEATU	TOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID (ILUM) IRES All Features Offered -NUMBER PORTABILITY Local Number Portability (1 per port) ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	g charg	SW	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAP UEPAP UEPVF	16.46 14.18 2.28 2.28 2.28 2.28	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 0.00	and NC these	nonrecurring	Charges are		40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45 9.45	e warket kate	section.
	UNE Lo 2-Wire FEATU	EVOIĆE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide oop Rates [2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) [2-Wire voice unbundled port - residence [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [3-Wire voice unbundled port outgoing only - res [4-Wire voice unbundled port outgoing only - res [5-Wire voice unbundled port outgoing only - res	g charg	SW	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAP UEPVF	16.46 14.18 2.28 2.28 2.28 2.28	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00	and NC these	nonrecurring	Charges are	THE RELIGIOUS AND ADDRESS OF THE PARTY OF TH	40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45	e warket Rate	section.
	UNE Lo 2-Wire FEATU	EVOIĆE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide oop Rates [2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) [2-Wire voice unbundled port - residence [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice Unbundled Port outgoing only - res [2-Wire Voice Offered NUMBER PORTABILITY [Local Number Portability (1 per port) [2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch vib change	g charg	SW	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAP UEPAP UEPVF	16.46 14.18 2.28 2.28 2.28 2.28	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 0.00	and NC these	nonrecurring	Charges are		40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45 9.45	e warket Rate	section.
	UNE LO 2-Wire FEATU LOCAL NONRE	EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide oop Rates [2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) [2-Wire voice unbundled port - residence [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundles res, low usage line port with Caller ID (ILUM) IRES [All Features Offered _NUMBER PORTABILITY [Local Number Portability (1 per port) [2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is [2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change [2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update [IONAL NRCs]	g charg	SW	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAP UEPAP UEPVF	16.46 14.18 2.28 2.28 2.28 2.28	90.00 90.00 90.00 90.00 90.00 2.77	90.00 90.00 90.00 90.00 0.00	and NC these	nonrecurring	Unally es are		40.18 40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45	e warket kate	section.
	UNE LO 2-Wire FEATU LOCAL NONRE	TOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide oop Rates [2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) [2-Wire voice unbundled port - residence [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port with Caller ID res [2-Wire voice unbundled port outgoing only - res [2-Wire voice Unbundled port outgoing only - res [2-Wire Voice Offered [2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch -as-is [2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change [2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update [2-Wire Voice Grade Loop/Line Port Combination - Subsequent [2-Wire Voice Grade Loop/Line Port Combination - Subsequent	g charg	SW	UEPRX .00 2.77 2.77	90.00 90.00 90.00 90.00 0.00	and NC these	nonrecurring	Charges are		40.18 40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45 9.45	e warket kate	section.			
	UNE LOCAL NONRE	TOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire Voice Offered NUMBER PORTABILITY Local Number Portability (1 per port) ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update IONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity	g charg	SW	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAP UEPAP UEPVF	16.46 14.18 2.28 2.28 2.28 2.28	90.00 90.00 90.00 90.00 90.00 2.77	90.00 90.00 90.00 90.00 0.00	and NC these	nonrecurring	Charges are		40.18 40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45	e warket kate	section.
	UNE LOCAL PERMIT LOCAL NONRE ADDITI 2-WIRE	EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide oop Rates [2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) [2-Wire voice unbundled port - residence [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundles res, low usage line port with Caller ID (ILUM) [RES [All Features Offered _ NUMBER PORTABILITY [Local Number Portability (1 per port) [2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is [2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change [2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update [ONAL NRCs [2-Wire Voice Grade Loop/Line Port Combination - Subsequent [Activity Voice Grade Loop WiTH 2-Wire LINE PORT (BUS)	g charg	SW	UEPRX .00 2.77 2.77	90.00 90.00 90.00 90.00 0.00	and NC these	nonrecurring	Charges are		40.18 40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45 9.45	e warket kate	section.			
	UNE LOCAL PERMIT LOCAL NONRE ADDITI 2-WIRE	TOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire Voice Offered NUMBER PORTABILITY Local Number Portability (1 per port) ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update IONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity	g charg	SW	UEPRX .00 2.77 2.77	90.00 90.00 90.00 90.00 0.00	and NC these	nonrecurring	Charges are		40.18 40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45 9.45	e warket kate	section.			
	UNE LOCAL LOCAL ADDITI 2-WIRE LOCAL LOC	TOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide oop Rates [2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) [2-Wire voice unbundled port - residence [2-Wire voice unbundled port vith Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice Unbundled Port Outgoing Only - res [2-Wire Voice Offered - NUMBER PORTABILITY [Local Number Portability (1 per port) [2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is [2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change [2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update [10NAL NRCs] [2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity [2-VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) [3-VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) [3-VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) [3-VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	g charg	SW	UEPRX .00 2.77 2.77	90.00 90.00 90.00 90.00 0.00	and NC these	nonrecurring	Unalyes are		40.18 40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45 9.45	e warket kate	section.			
	UNE LOCAL NONRE ADDITI 2-WIRE UNE LOCAL NONRE UNE PO UNE LOCAL	EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide oop Rates [2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) [2-Wire voice unbundled port - residence [2-Wire voice unbundled port vith Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire Voice Offered NUMBER PORTABILITY [Local Number Portability (1 per port) [2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is [2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change [2-Wire Voice Grade Loop / Line Port Combination - Subsequent Database Update [IONAL NRCs [2-Wire Voice Grade Loop WITH 2-WIRE LINE PORT (BUS) [2-Wire VG Loop/Port Combo - Statewide [2-Wire VG Loop/Port Combo - Statewide [2-Wire Voice Grade Loop (SL1) - Statewide	g charg	SW	UEPRX .00 2.77 2.77	90.00 90.00 90.00 90.00 0.00	and NC these	nonrecurring	Charles are		40.18 40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45 9.45	e warket kate	section.			
	UNE LOCAL NONRE ADDITI 2-WIRE UNE LOCAL NONRE UNE PO UNE LOCAL	TOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire Voice Offered NUMBER PORTABILITY Local Number Portability (1 per port) ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update IONAL NRCs 2-Wire Voice Grade Loop /Line Port Combination - Subsequent Activity EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) ort/Loop Combination Rates 2-Wire Voice Doop/Port Combo - Statewide oop Rates	g charg	SW	UEPRX .00 2.77 2.77	90.00 90.00 90.00 90.00 0.00	and NC these	nonrecurring	Charles are		40.18 40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45 9.45	e warket kate	section.			

04/12/02 Page 255 of 352

UNDUNDL	ED NETWORK ELEMENTS - North Carolina	1		ı							0	06	Attachment:		Exhibit: B	t
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2.28	90.00	90.00					40.18	9.45		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2.28	90.00	90.00					40.18	9.45		
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	2.28	90.00	90.00					40.18	9.45		
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port) TURES			UEPBX	LNPCX	0.35										
FEA	All Features Offered			UEPBX	UEPVF	3.40	0.00	0.00					40.18	9.45		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPBA	UEPVF	3.40	0.00	0.00					40.10	9.45		
NON	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															—
	Switch-as-is			UEPBX	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		†		00.02		2.77	5.40					70.10	5.40	1	
	Switch with change			UEPBX	USACC	l	2.77	0.40					40.18	9.45		1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		i –			İ	-		i i							
	Subsequent Database Update						1.42						10.27			
ADD	ITIONAL NRCs							-								
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent							·					·			1
	Activity			UEPBX	USAS2		0.00	0.00					40.18	9.45		
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Statewide		SW			16.46										├
UNE	Loop Rates 2-Wire Voice Grade Loop (SL 1) - Statewide		SW	UEPRG	UEPLX	14.18										
2.Wi	re Voice Grade Line Port Rates (RES - PBX)		SW	UEPRG	UEPLX	14.18										
2-441	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	2.28	90.00	90.00					40.18	9.45		
LOC	AL NUMBER PORTABILITY			02. 110	02.112	2.20	00.00	00.00					10.10	0.10		
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEA	TURES															
	All Features Offered			UEPRG	UEPVF	3.40	0.00	0.00					40.18	9.45		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDO	110400		0.77	0.40					10.10	0.45		
	Conversion - Switch with Change			UEPRG	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1.42						10.27			
ADD	ITIONAL NRCs						1.42						10.27			
ADD	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 			+ -	+			 							
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					40.18	9.45		1
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1										-			
<u>. </u>	Group						14.64	14.64					40.18	9.45		<u></u>
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)							·		<u> </u>						
UNE	Port/Loop Combination Rates	<u> </u>														└
	2-Wire VG Loop/Port Combo - Statewide	ļ	SW			16.46										├
UNE	Loop Rates	 	 	LIEDDY	LIEDLY	44.40			 						 	
2.14/:	2-Wire Voice Grade Loop (SL 1) - Statewide re Voice Grade Line Port Rates (BUS - PBX)	├	SW	UEPPX	UEPLX	14.18	-		 		-				-	⊢—
2-101	le voice Glade Lille Folt Nates (DUS - FDA)	 	 		+ +	+			+		1				1	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1	1	UEPPX	UEPPC	2.28	90.00	90.00			1		40.18	9.45	1	1
	Line Side Unbundled Outward PBX Trunk Port - Bus	<u> </u>	<u> </u>	UEPPX	UEPPO	2.28	90.00	90.00					40.18	9.45	1	
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.28	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Ports	1	1	UEPPX	UEPLD	2.28	90.00	90.00	1				40.18	9.45		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.28	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.28	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	<u> </u>		UEPPX	UEPXC	2.28	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	ļ	<u> </u>	UEPPX	UEPXD	2.28	90.00	90.00			ļ		40.18	9.45		<u> </u>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1	1	LIEDDY	LIEDY'E						1				1	1
. 1	Capable Port	1		UEPPX	UEPXE	2.28	90.00	90.00			l		40.18	9.45		<u> </u>

ONRONDLE	ED NETWORK ELEMENTS - North Carolina	1	1	ı	1 1				ı	1	I	06	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)	l .	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDDY	LIEDVI	0.00	00.00	00.00					10.10	0.45		
	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXL	2.28	90.00	90.00					40.18	9.45		
	Room Calling Port			UEPPX	UEPXM	2.28	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	2.28	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.28	90.00	90.00					40.18	9.45		
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00					40.18	9.45		
FEAT	URES															
	All Features Offered			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				 					_						
	Conversion - Switch-As-Is			UEPPX	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
4000	Subsequent Database Update						1.42						10.27			
ADDII	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					40.18	9.45		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64					40.19	9.45		
2.WID	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	T	<u> </u>				14.64	14.64					40.18	9.45		
	Port/Loop Combination Rates	1														
ONL I	2-Wire VG Coin Port/Loop Combo – Statewide		SW		+	16.80										
UNE L	oop Rates				1	10.00										
	2-Wire Voice Grade Loop (SL1) - Statewide		sw	UEPCO	UEPLX	14.18										
2-Wire	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (NC)			UEPCO	UEPND	2.62	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	2.62	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	2.62	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (NC)			UEPCO	UEPNB	2.62	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening: 900 Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	2.62	90.00	90.00					40.18	9.45		
	2-Wire Coin Outward with Operator Screening and 011 Blocking			021 00	OLI O/	2.02	50.00	50.00					40.10	0.40		
1	(NC)	l		UEPCO	UEPNE	2.62	90.00	90.00		I			40.18	9.45		I
	2-Wire Coin Outward with Operator Screening and Blocking:							22.30						20		1
	900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	2.62	90.00	90.00					40.18	9.45		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.62	90.00	90.00					40.18	9.45		
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	2.62	90.00	90.00					40.18	9.45		
ADDIT	TIONAL UNE COIN PORT/LOOP (RC)						_	•					_			
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.70	90.00	90.00		ļ	ļ		40.18	9.45		1
LOCA	L NUMBER PORTABILITY			LIEBOO	LNDCY	2.00										
Novio	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35	+			.						1
NONR	ECURRING CHARGES - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	!	 							-	 					
	Switch-as-is			UEPCO	USAC2		2.77	0.40					40.18	9.45		ļ
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		2.77	0.40					40.18	9.45		
ADDIT	TIONAL NRCs							3.70		1				0.70		t
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00					40.18	9.45		
		l	 	32. 00	30/102		5.50	0.00		1	 		-10.10	0.40		<u> </u>
UNRU	NDLED REMOTE CALL FORWARDING - RES															

UNBUNDLE	D NETWORK ELEMENTS - North Carolina													Attachment:	2	Exhibit: B	T
3.12.22												Svc Order	Svc Order			Incremental	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc		Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	В	CS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	1	m							(+)			per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
							1 _ 1	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBU	NDLED REMOTE CALL FORWARDING - Bus																1
	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB		UEPVJ	2.19	21.60	21.60					26.94	12.76		1
Non-R	ecurring																+
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (RES)			i i										1
2-WIRI	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (BUS)			i i										1
	2-Wire voice unbundled port with Caller + E484 ID - bus		,	UEPFB		UEPBC	2.19	225.00	225.00					40.18	9.45		1
UNBUNDLED!	PORT/LOOP COMBINATIONS - COST BASED RATES																1
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT					1										1
	ort/Loop Combination Rates						i i										1
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - Statewide		SW				31.07										1
UNE L	oop Rates																1
	2-Wire Analog Voice Grade Loop - (SL2) - Statewide		SW				19.50	142.97	106.56					40.18	9.45		1
	ort Rate						i i										1
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	12.36	485.00	75.00					40.18	9.45		1
NONR	ECURRING CHARGES - CURRENTLY COMBINED						1					İ					1
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		1														1
	Switch-as-is			UEPPX		USAC1		13.26	8.39					40.18	9.45		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion						i i										1
	with BellSouth Allowable Changes			UEPPX		USA1C		13.26	8.39					40.71	9.45		
ADDIT	IONAL NRCs						i i										1
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1	1	53.49						40.18	9.45		1
Teleph	none Number/Trunk Group Establisment Charges																1
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								1
	DID Numbers, Establish Trunk Group and Provide First Group																1
	of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOCAI	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
2-WIRF	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	E PORT														
UNE P	ort/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			UEPPB													
	Statewide		sw	UEPPR			44.49										
UNE L	oop Rates																
	2-Wire ISDN Digital Grade Loop - Statewide	1	sw	UEPPB	UEPPR	USL2X	20.12	l			1			19.99	19.99	1	
UNE P	ort Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	24.37	450.00	375.00					19.99	19.99		
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion	L	<u></u>	UEPPB	UEPPR	USACB	0.00	174.35	174.35	<u> </u>	<u> </u>			19.99	19.99	<u> </u>	<u> </u>
	IONAL NRCs																
LOCAL	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHA	NNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	INNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	(TN)														
USER	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERTI	CAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.40	0.00	0.00					19.99	19.99		
INTER	OFFICE CHANNEL MILEAGE																
	Hataneffina Channal mileana anab inabilata finat mila and	1	1													1	
1	Interoffice Channel mileage each, including first mile and																
	Interoffice Channel mileage each, including first mile and facilities termination Interoffice Channel mileage each, additional mile			UEPPB		M1GNC M1GNM	17.42 0.0282	137.48 0.00	52.58 0.00				0.00	19.99	19.99		

NDUNDL	LED NETWORK ELEMENTS - North Carolina	ı	1	1	1						Com Cont	C C1-	Attachment:		Exhibit: B	la suscessión de
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)				,	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	IRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT														
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -															
	Statewide	<u> </u>	SW	UEPPP		241.72										
UNE	E Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P											
LIME	E Port Rate		3	UEPPP	USL4P											
UNE	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	179.01	1,150.00	1,150.00					19.99	19.99		
NON	NRECURRING CHARGES - CURRENTLY COMBINED			ULFFF	OLFFF	179.01	1,130.00	1,130.00					15.55	15.55		
11011	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															
	Combination - Conversion -Switch-as-is		1	UEPPP	USACP	0.00	481.51	481.51					19.99	19.99	1	1
ADD	DITIONAL NRCs				30.10.	3.30	.001	.001								
-	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1													Ì	
	Subsequent Inward/2-Way Tel Nos - (NC Only)			UEPPP	PR7TG	l	1.17	1.17					19.99	19.99		
	4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent															
	Activity Outward tel nos. (NC only)			UEPPP	PR7TP		28.17	28.17					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		56.33	56.33					19.99	19.99		
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	ERFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data	<u> </u>	<u> </u>	UEPPP	PR71D	0.00	0.00	0.00								
M	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New	v or Additional "B" Channel New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	36.92						19.99	19.99		
	New or Additional - Voice/Data B Channel New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	36.92						19.99	19.99		
	New or Additional Inward Data B Channel		1	UEPPP	PR7BD	0.00	36.92						19.99	19.99		
CAL	L TYPES			OLITI	TIVIDD	0.00	30.32						13.33	15.55		
UAL.	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Inter	roffice Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	71.3683	217.17	163.75	0.00				19.99	19.99		
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.0783										
	IRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide	<u> </u>	SW	UEPDC		186.23							19.99	19.99		
UNE	Loop Rates	ļ	<u> </u>	LIEBBO	1,101,50	00.51		100					10	10		
	4-Wire DS1 Digital Loop - Statewide	 	SW	UEPDC	USLDC	62.71	714.84	482.62					19.99	19.99		
UNE	Port Rate	-	1	UEPDC	UDD1T	123.65							19.99	19.99	 	
NON	4-Wire DDITS Digital Trunk Port NRECURRING CHARGES - CURRENTLY COMBINED	 	1	UEPDU	וויטטט	123.65							19.99	19.99	 	
NON	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	 	 												-	-
	- Switch-as-is		1	UEPDC	USAC4	l	288.86	133.87					19.99	19.99	1	1
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	 	 	021 00	00/104		200.00	133.07					13.38	13.33		
	- Conversion with DS1 Changes			UEPDC	USAWA	l	288.86	133.37					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			-		İ									1	
	- Conversion with Change - Trunk		1	UEPDC	USAWB	l	288.86	133.37					19.99	19.99	1	1
ADD	DITIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent					Ī							_			
	Service Activity Per Service Order			UEPDC	USAS4		127.63	127.63								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk	<u> </u>		UEPDC	UDTTA	ļ	28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		1												1	1
_	Channel Activation/Chan - 1-Way Outward Trunk	<u> </u>	1	UEPDC	UDTTB		28.81	28.81					19.99	19.99		<u> </u>
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID	1	1	LIEBBO	LIDITO	l	00.01	00.01					40.00	40.00	Ì	1
		1	1	UEPDC	UDTTC		28.81	28.81	1		ĺ	i l	19.99	19.99	Ì	Ī

NRONDLED NE I WO	ORK ELEMENTS - North Carolina		, ,								_	_	Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.81	28.81					19.99	19.99		
	1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.81	28.81					19.99	19.99		
BIPOLAR 8 ZERO					00005			0.1.00					10.00	10.00		
	perframe Format			UEPDC UEPDC	CCOSF CCOEF		0.00	615.00 615.00					19.99 19.99	19.99 19.99		
Alternate Mark Inv	ended Superframe Format			UEPDC	CCOEF		0.00	615.00			-		19.99	19.99		
	rframe Format			UEPDC	MCOSF		0.00	0.00			-					
	nded SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
	er/Trunk Group Establisment Charges			OLI DO	WOO! O		0.00	0.00								
	Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00				İ			19.99	19.99	İ	
Telephone	Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
	Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							19.99	19.99		
	ers, Establish Trunk Group and Provide First Group							· · · · · · · · · · · · · · · · · · ·]			
of 20 DID N				UEPDC	NDZ	0.00	0.00	0.00]			
	ers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	\Box									
	ers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	on-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	D Numbers teroffice Channel Mileage) - FX/FCO for 4-Wire DS1	Dia :		UEPDC	NDV	0.00	0.00	0.00								
	teroffice Channel Mileage) - FX/FCO for 4-Wire DS1 Channel Mileage - Fixed rate 0-8 miles (Facilities	טוgital	Loop '	with 4-wire DDHS T	runk Port						-					
Termination				UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		
	Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.0783	0.00	0.00								
Termination				UEPDC	1LNO2	0.00	0.00	0.00								
miles	Channel Mileage - Additional rate per mile - 9-25			UEPDC	1LNOB	0.0783	0.00	0.00								
Interoffice (Termination	Channel Mileage - Fixed rate 25+ miles (Facilities n)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Observation Address to the Control of the Control o			LIEDDO	41.1100								1			
	Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.0783	0.00	0.00	0.00				 		ļ	
	ber Portability, per DS0 Activated fice Termininating Point			UEPDC UEPDC	LNPCP CTG	3.15 0.00	0.00	0.00	0.00		-					
	P WITH CHANNELIZATION WITH PORT			OLPDO	UIG	0.00				1	1	1	1		1	1
	oop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations					-									
	have up to 24 combinations of rates depending on			ber of ports used												
UNE DS1 Loop				•												
	Loop UNE - Statewide		SW	UEPMG	USLDC	62.71							19.99			
UNE DSO Channel	lization Capacities (D4 Channel Bank Configuration	าร)				_	_							_	_	
	nannel Capacity - 1 per DS1			UEPMG	VUM24	123.06	0.00	0.00					19.99	19.99		
	nannel Capacity - 1 per 2 DS1s			UEPMG	VUM48	246.12	0.00	0.00					19.99	19.99		
	nannel Capacity -1per 4 DS1s			UEPMG	VUM96	492.24	0.00	0.00		ļ			19.99	19.99		
	hannel Capacity - 1 per 6 DS1s			UEPMG	VUM14	738.36	0.00	0.00					19.99	19.99		
	hannel Capacity -1 per 8 DS1s		-	UEPMG UEPMG	VUM19	984.48 1.230.60	0.00	0.00		 			19.99	19.99 19.99	1	
	hannel Capacity - 1 per 10 DS1s hannel Capacity - 1 per 12 DS1s			UEPMG UEPMG	VUM20 VUM28	1,230.60 1,476.72	0.00	0.00					19.99 19.99	19.99		
	hannel Capacity - 1 per 12 DS1s hannel Capacity - 1 per 16 DS1s			UEPMG UEPMG	VUM28 VUM38	1,476.72	0.00	0.00		-	-		19.99	19.99	-	
	hannel Capacity - 1 per 16 DS1s			UEPMG	VUM40	2,461.20	0.00	0.00					19.99	19.99	-	
	hannel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,461.20	0.00	0.00			<u> </u>		19.99	19.99	1	
	hannel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,445.68	0.00	0.00					19.99	19.99		
	arges (NRC) Associated with 4-Wire DS1 Loop with	Chanr	eliztio					2.00					12.00			
	m configuration is One (1) DS1, One (1) D4 Channel						İ			Ì			Ì			
	configuration functioning as one are considered Ad															
NRC - Con	version (Currently Combined) with or without Allowed Changes			UEPMG	USAC4	0.00	330.61	16.64					19.99	19.99		
	at End User Locations Where 4-Wire DS1 Loop wit	h Chan	nelizat							1			12.00			
	y Combined) In GA, KY, LA, MS & TN Only					,	<u> </u>			1	1	i	1		1	

CATEGORY RATE ELEMENTS Metal Zone BCS USOC RATE\$400 BCS USOC RATE\$400 BCS USOC RATE\$400 BCS USOC RATE\$400 BCS USOC RATE\$400 BCS USOC RATE\$400 BCS USOC RATE\$400 BCS USOC RATE\$400 BCS USOC RATE\$400 BCS USOC RATE\$400 BCS USOC RATE\$400 BCS USOC RATE\$400 BCS USOC RATE\$400 BCS USOC	Exhibit: B	2	Attachment:												JNBUNDLED NETWORK ELEMENTS - North Carolina
ACTEGORY RATE BLEMENTS INFO: ROTE BCS USOC BATT-St(b) BCS USOC BATT-St(b) BCS BATT-St(b) BCS BATT-St(b) BCS BATT-St(b) BCS BATT-ST(b) BCS	Incremental Incrementa				Svc Order								Т	T	
APPER DEMENTS IN THE PROPERTY OF THE PROPERTY													1 1		
ANTECHNICATION RATE ELEMENTS IN 20th BCS Super Section Congress Congres													1 1		
Part								ree/e\	ВАТ		LISOC	BCG	Zono	Interi	PATEGORY DATE ELEMENTS
Fig. 10 Company Comp				per LSR	per LSR			L3(\$)	KAI		0300	BC3	Zone	m	CATE CLEMENTS
Rec			Electronic-										1 1		
TOTAL COMPAND REW. ACC PROCESS CONTINUE FOR POPTING ADDRES	Disc 1st Disc Add'	Add'l	1st										1 1		
TOTAL COMPAND REW. ACC PROCESS CONTINUE FOR POPTING ADDRES		Pates(\$)	220	l .		Disconnect	Nonrecurring	urring	Nonrec		1		+	+	
DSIDE Charmed Sake - Add INSC for each Perform of Assessment (Charmed Sake - Add INSC for each Perform - Subsequent (Ch	SOMAN SOMAN			COMAN	COMEC					Rec			+	+	
First Application - New Cold La (KY MB, STR 100)	30MAN 30MAN	JOWAN	SOWAN	JOWAN	SOWIEC	Auu i	FIISL	Auu i	FIISL		1		+	+	1 DS1/D4 Channel Bank Add NBC for each Bort and Asses
Bigspirk Zero Substitution		'	10.00			17.60	140.02	226.22	7/2 7/	0.00	VIIMDA	LIEDMG	1 1		
Clase Christed Copysible Format, sportures - Statespeed ISPAN CCOSP 0.00 0.00 0.05 0.00 0.05 0.00 0.0			15.55			17.00	145.02	320.22	143.14	0.00	VOIVID4	ULFIVIG	+	+	
Action Character Cognish Forms - Extended Superforms - USPNG COCOFF 0.00 0.00 0.15.00											1		+	+	
Clear Channel Capability Serval - Executed Signaturan - UEPMG		'						615.00	0.00	0.00	CCOSE	LIEDMG	1 1		
Subsequent Anny Conf. USPNG COOPE 0.00 0.00 61.00								013.00	0.00	0.00	00001	OLI WO	+	+	
Allered Mark Inversion (AM)		'						615.00	0.00	0.00	CCOFF	LIEDMG	1 1		
Superframe Format								013.00	0.00	0.00	CCOLI	OLI WO	+	+	
Extended Superiors Format Extended Superiors Expectation with AWINE DST Loop with Channelization with Port								0.00	0.00	0.00	MCOSE	LIEDMG	+	+	
Exchange Ports Associated with A-Wire DSI Loop with Channellation with Port			 										+	+	
Exchange Ports			 					0.00	0.00	0.00	IVICOPO	UEFIVIG	Port	ion with	
Line Sido Combination Chamelload PEX Trunk Port - Business UEPPX UEPCX 2.28 0.00 0.00 0.00 0.00 4.018 9.45											1		FUIL	T	
UPPX UPPX 228 0.00 0.00 0.00 0.00 4.18 9.45 UPPX 1.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0		\vdash	\vdash		1						+		+	+	Exchange i Oits
UPPX UPPX 228 0.00 0.00 0.00 0.00 4.18 9.45 UPPX 1.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0		0.15	<i>4</i> 0.19	1		0.00	0.00	0.00	0.00	2 20	LIEPCY	LIEPPX		1	Line Side Combination Channelized DRY Trunk Port Pusiness
Une Side Inward Only Channelized PBX Trunk Port without DID 2.Wire Trunk Side Unburded Channelized DID Trunk Port UEPPX UEPPX UEPPX UEPDM 13.26 0.00				-	-								+	+	
Evaluation Provided Chamber Provided Chamber Provided Pr		9.45	40.18	-	-	0.00	0.00	0.00	0.00	2.28	UEPUA	ULFFA	+	+	Line Side Odtward Charmenzed PDA Trunk POR - Business
Evaluation Provided Chamber Provided Chamber Provided Pr		0.45	40.49			0.00	0.00	0.00	0.00	2.20	LIEDIV	LIEDDY		1 '	Line Side Inward Only Channelized DRY Trusk Best without DID
Feature Activations - Unbunded Loop Concentration				-									+	+	
Feature (Service) Activation for each Line Side Port Terminated UEPPX IPOWM 0.65 25.27 13.34 4.15 4.12 40.18 9.45		9.45	40.18			0.00	0.00	0.00	0.00	13.20	OLF DIVI	OLFFA	+	+	
DA Bank		igwdot	├										+	+	
Feature Gentricol Activation for each Trunk Side Port Terminated Dept.		0.45	40.40			4.40	4.45	40.04	05.07	0.05	40014/4	LIEDDY	1 1		
In D4 Bank USEPPX IPOWU 0.65 77.75 18.33 58.74 11.48 40.18 9.45		9.45	40.18			4.12	4.15	13.34	25.27	0.05	TPQVVIVI	UEPPX	+	.——'	
Telephone Number/ Group Establishment Charges for DID Service UPPX UPPX D.00 0.00		0.45	40.40			44.40	50.74	40.00	77.75	0.05	45014/11	LIEDDY	1 1		
DID Tunk Termination (1 per Port)		9.45	40.18			11.48	58.74	18.33	77.75	0.65	1PQWU	UEPPX	+	<u> </u>	
Estab Trik Gry and Provider 1st 20 DID Nos. FLGA, NC, & SC) UEPPX NDZ 0.00 0								0.00	0.00	0.00	NDT	LIEDDY	+		
DID Numbers - groups of 20 - Valied all States UEPPX ND4 0.00													+		
Non-Consecutive DID Numbers - per number ULEPPX NDS 0.00 0.00 0.00 No.00													+		
Reserve Non-Consecutive DID Numbers UEPPX ND6 0.00													+	<u> </u>	
Reserve DID Numbers													+	<u> </u>	
Local Number Portability Local Number Portability - 1 per port UEPPX LNPCP 3.15 0.00 0.00															
EPATURES - Vertical and Optional Local Switching Features Offered with Line Side Ports Only UEPPX UEPP 3.45 0.00 0.00 4.018 9.45 In Features Available UEPPX UEPPX UEPP 3.40 0.00 0.00 4.018 9.45 IN Features Available UEPPX UEPPX UEPP 3.40 0.00 0.00 4.018 9.45 UNBINDLED PORT LOOP COMBINATIONS - MARKET RATES UEPPX								0.00	0.00	0.00	NDV	UEPPX			
FEATURES - Vertical and Optional Local Switching Features Offered with Line Side Ports Only Local Switching Features Offered with Line Side Ports Only Local Switching Features Offered with Line Side Ports Only Local Switching Features Available UEPPX UEPVF 3.40 0.00 0.00 0.00 40.18 9.45 0.00 0															
Local Switching Features Offered with Line Side Ports Only All Features Available UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. 1. Unbundled port/loop combinations that are Not Currently Combined in Alabama, Florida and North Carolina. 2. Unbundled port/loop combinations that are Not Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Altanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville). BellSouth currently is developing the billing capability to mechanically bill the recurring and non-returning Market Rates in this section except for nonrecurring charges for not currently combined in AL, Ft. and NC. In the interim where BellSouth and Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage (USCC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Cc Combined scenarios where Market Rates apply also and are categorized accordingly. 2-Wine Voice Ordea Loop (SL1) - Statewide Swy 2-8.18 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Statewide Swy 2-8.18 [2-Wire Voice Grade Loop (SL1) - Statewide Swy 2-8.18 [2-Wire Voice Grade Loop (SL1) - Statewide Swy 2-8.18 [2-Wire Voice Grade Loop (SL1) - Statewide Swy 2-8.18 [2-Wire Voice Unbundled port vimic Caller ID								0.00	0.00	3.15	LNPCP	UEPPX		<u> </u>	
All Features Available UEPY UEPVF 3.40 0.00 0.														<u> </u>	
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. These scenarios include: 1. Unbundled port/loop combinations that are Not Currently Combined in Alabama, Florida and North Carolina. 2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines. The Top 8 MSAs in BellSouth's region are: FL (Orlando, FL Lauderdale, Miamij): GA (Atlanta): LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville). BellSouth currently is developing the billing capability to mechanically bill the recurring and narial variation of the recurring and receives for non recurring charges for not currently combined in AL, FL and NC. In the interim where BellSouth cann Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates on the section except for non-currently combined in AL, FL and NC. In the interim where BellSouth cann Market Rates and a valiable features in all states.														<u> </u>	
Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. These scenarios include: 1. Unbundled port/loop combinations that are Not Currently Combined in Alabama, Florida and North Carolina. 2. Unbundled port/loop combinations that are Currently Combined in Alabama, Florida and North Carolina. The Top 8 MSAs in BellSouth's region for end users with 4 or more DS0 equivalent lines. The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); CA (Alambia); CA (Romania); CA (Grando); PL (Alambia); CA (Carolina); CA (Caro		9.45	40.18					0.00	0.00	3.40	UEPVF	UEPPX		<u> </u>	
These scenarios include: 1. Unbundled port/loop combinations that are Not Currently Combined in Alabama, Florida and North Carolina. 2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region are: FL (Orlando, FL Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboror-Winston Salam-Highpoint/Darlotte-Gastonia-Rock Hill); TN (Nashville). BellSouth surface are a state of the control of the transport of															
1. Unbundled port/loop combinations that are Not Currently Combined in Alabama, Florida and North Carolina. 2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more D80 equivalent lines. The Top 8 MSAS in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensbore-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville). BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined in AL, FL and NC. In the interim where BellSouth can Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. The Market Rate for unbundled ports includes all available features in all states. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage (USOC: URECU). For Not Currently Combined section: Additional NRCs may apply also and are categorized accordingly. 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire Voice Grade Loop (SL1) - Statewide								n rules.	ate Commissio	FCC and/or St	itch ports pe	cal switching or sw	Iled loc	unbund	
2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines. The Top 8 MSAs in BellSouth's region for end users with 4 or more DS0 equivalent lines. The Top 8 MSAs in BellSouth's region for end users with 4 or more DS0 equivalent lines. The Top 8 MSAs in BellSouth's region for end users with 4 or more DS0 equivalent lines. The Top 8 MSAs in BellSouth's region for end users with 4 or more DS0 equivalent lines. The Top 8 MSAs in BellSouth's region for end users with 4 or more DS0 equivalent lines. The Top 8 MSAs in BellSouth's region for end users with 4 or more DS0 equivalent lines. The Top 8 MSAs in BellSouth's region for end users with 4 or more DS0 equivalent lines. The Top 8 MSAs in BellSouth's region for end users with 4 or more DS0 equivalent lines. The Top 8 MSAs in BellSouth's region for end users with 4 or more DS0 equivalent lines. The Top 8 MSAs in BellSouth's region for end users with 4 or more DS0 equivalent lines. The Top 8 MSAs in BellSouth's region for end users with 4 or more DS0 equivalent lines. The Top 8 MSAs in BellSouth's region for end users with 4 or more DS0 equivalent lines. The Top 8 MSAs in BellSouth sand section provided provided provided provided provided in AL, FL and NC. In the interim where BellSouth cann Market Rates apply in the Top 8 MSAs in BellSouth cann lines. The Top 8 MSAs in BellSouth sand lines with a decreasing the provided											<u> </u>	L			
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville). BellSouth charlotte developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined in AL, FL and NC. In the interim where BellSouth cann Market Rates BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. The Market Rate for unbundled ports includes all available features in all states. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usag (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Ct Combined section. Additional NRCs may apply also and are categorized accordingly. 2-wirek Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire Voice Grade Loop (SL1) - Statewide															
BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined in AL, FL and NC. In the interim where BellSouth cann Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. The Market Rate for unbundled ports includes all available features in all states. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Ct. Combined section. Additional NRCs may apply also and are categorized accordingly. 2-Wire Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire Volce Grade Loop (SL1) - Statewide sw UEPRX UEPLX 14.18				١											
Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. The Market Rate for unbundled ports includes all available features in all states. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usag (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Ct Combined section. Additional NRCs may apply also and are categorized accordingly. 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates			<u> </u>	e).	N (Nashvill	ia-Rock Hill); T	arlotte-Gaston	-Highpoint/Ch	Winston Salem	(Greensboro-V	Orleans); NO	A (Atlanta); LA (Nev	mi); GA	ale, Mia	The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Laudero
The Market Rate for unbundled ports includes all available features in all states. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Ct. Combined section. Additional NRCs may apply also and are categorized accordingly. 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide sw UEPRX UEPLX 14.18 [2-Wire Voice Grade Loop (SL1) - Statewide sw UEPRX UEPLX 14.18 [2-Wire Voice Grade Line Port (Res) [2-Wire voice unbundled port - residence UEPRX UEPRC 14.00 90.00 90.00 90.00 40.18 9.45 [2-Wire voice unbundled port outgoing only - res UEPRX UEPRC 14.00 90.00 90.00 90.00 40.18 9.45 [2-Wire voice unbundled port outgoing only - res UEPRX UEPRC 14.00 90.00 90.00 90.00 40.18 9.45 [2-Wire voice unbundled port outgoing only - res UEPRX UEPRC 14.00 90.00 90.00 90.00 40.18 9.45 [2-Wire voice unbundled port outgoing only - res UEPRX UEPRC 14.00 90.00 90.00 90.00 40.18 9.45 [2-Wire voice unbundled port outgoing only - res UEPRX UEPRC 14.00 90.00 90.00 90.00 40.18 9.45 [2-Wire voice unbundled port outgoing only - res UEPRX UEPRC 14.00 90.00 90.00 90.00 40.18 9.45 [2-Wire voice unbundled port outgoing only - res UEPRX UEPRC 14.00 90.00 90.00 90.00 40.18 9.45 [2-Wire voice unbundled port outgoing only - res UEPRX UEPRC 14.00 90.00 90.00 90.00 90.00 40.18 9.45 [2-Wire voice unbundled port outgoing only - res UEPRX UEPRC 14.00 90.00 90.00 90.00 90.00 40.18 9.45	sellSouth cannot bill	iterim where i	INC. In the in	AL, FL and	combined in	not currently c									
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Ct Combined section. Additional NRCs may apply also and are categorized accordingly. 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide 12-Wire VG Loop/Port Combo - Statewide 2-Wire Voice Grade Loop (SL1) - Statewide 2-Wire Voice Grade Loop (SL1) - Statewide 2-Wire voice unbundled port - residence 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port with Caller ID 12-Wire voice unbundles res, low usage line port with Caller ID					•		ce.	billing differen	to true-up the I	erves the right	Rates and res	lieu of the Market I			
(USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Currentl															·
For Not Currentity Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Ct Combined section. Additional NRCs may apply also and are categorized accordingly. 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide sw UEPRX UEPLX 14.18 2-Wire Voice Grade Loop (SL1) - Statewide sw UEPRX UEPLX 14.18 2-Wire voice unbundled port - residence UEPRX UEPRX UEPRL 14.00 90.00 90.00 40.18 9.45 2-Wire voice unbundled port with Caller ID - res UEPRX UEPRC 14.00 90.00 90.00 90.00 40.18 9.45 2-Wire voice unbundled port outgoing only - res UEPRX UEPRC 14.00 90.00 90.00 90.00 40.18 9.45 2-Wire voice unbundled port outgoing only - res UEPRX UEPRC 14.00 90.00 90.00 90.00 40.18 9.45 2-Wire voice unbundled port outgoing only - res UEPRX UEPRC 14.00 90.00 90.00 90.00 40.18 9.45 2-Wire voice unbundles res, low usage line port with Caller ID	a flat rate usage charge	ns which have	Combination د	n Port/Loop	for UNE Coi	nents except f	rt network eler	ons of loop/po	all combination	it shall apply to	nis rate exhib	ne Port section of the	es in th	sage rate	
Combined section. Additional NRCs may apply also and are categorized accordingly. 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	n the NRC - Currently	ges are listed	ecurring charg	s, the Nonre	ed scenario	rently Combine	SOC. For Cur	or each Port L	NRC columns f	nd Additional I	in the First a	g charges are listed	curring	ne Nonre	For Not Currently Combined scenarios where Market Rates apply, t
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)												gly.	cording	rized ac	
2-Wire VG Loop/Port Combo - Statewide															2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)
UNE Loop Rates														T	UNE Port/Loop Combination Rates
UNE Loop Rates										28.18			SW		2-Wire VG Loop/Port Combo - Statewide
2-Wire Voice Grade Line Port (Res)															UNE Loop Rates
2-Wire voice unbundled port - residence										14.18	UEPLX	UEPRX	SW		2-Wire Voice Grade Loop (SL1) - Statewide
2-Wire voice unbundled port - residence															
2-Wire voice unbundled port with Caller ID - res UEPRX UEPRC 14.00 90.00 90.00 40.18 9.45		9.45	40.18					90.00	90.00	14.00	UEPRL	UEPRX			
2-Wire voice unbundled port outgoing only - res UEPRX UEPRO 14.00 90.00 90.00 40.18 9.45 2-Wire voice unbundles res, low usage line port with Caller ID														1	
2-Wire voice unbundles res, low usage line port with Caller ID													1	1	
								22.30			1	İ	1	1	
		9.45	40.18	1	I			90.00	90.00	14.00	UEPAP	UEPRX		1 '	(LUM)

04/12/02 Page 261 of 352

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec		curring	Nonrecurring I					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL	NUMBER PORTABILITY			UEDDV	LNBOY											
FEATU	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
FEATU	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					40.18	9.45		
	All Fediules Offered			UEPKA	UEPVF	0.00	0.00	0.00					40.16	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50					40.18	9.45		İ
-	2-Wire Voice Grade Loop / Line Port Combination - Switch with			OLITAX	OOAOZ		41.50	41.50					40.10	3.43		
	change			UEPRX	USACC		41.50	41.50					40.18	9.45		İ
ADDITI	ONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -	1							1					1	1	
	Subsequent		<u>L</u>	UEPRX	USAS2		0.00	0.00	<u> </u>				40.18	9.45		<u> </u>
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	ort/Loop Combination Rates						·									
	2-Wire VG Loop/Port Combo - Statewide		SW			28.18										
UNE Lo	pop Rates		<u> </u>	LIEBBY .	LIEBU:											
0.147	2-Wire Voice Grade Loop (SL1) - Statewide		SW	UEPBX	UEPLX	14.18			 				-	 	 	
2-wire	Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00					40.18	9.45		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00					40.18	9.45		
	2-Wire voice unbundled port with Callet + £464 ID - bus 2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00					40.18	9.45		
LOCAL	NUMBER PORTABILITY			OLFBA	OLFBO	14.00	90.00	90.00					40.10	5.45		
LOCAL	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATU				OLI DX	LITI OX	0.00										
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					40.18	9.45		
	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Switch with															
	change			UEPBX	USACC		41.50	41.50					40.18	9.45		
ADDITI	ONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
0.14/105	Subsequent			UEPBX	USAS2		0.00	0.00					40.18	9.45		
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) ort/Loop Combination Rates															
UNE PO	2-Wire VG Loop/Port Combo - Statewide		sw			28.18										-
LINE L	pop Rates		SW			20.10										
ONE E	2-Wire Voice Grade Loop (SL1) - Statewide		sw	UEPRG	UEPLX	14.18										
2-Wire	Voice Grade Line Port Rates (RES - PBX)	1	J**		32.2/	17.10			 				1	1	1	†
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -		<u> </u>		1											
	Res	<u> </u>	<u> </u>	UEPRG	UEPRD	14.00	90.00	90.00	<u> </u>				40.18	9.45		1
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEATU					1											1
	All Features Offered		<u> </u>	UEPRG	UEPVF	0.00	0.00	0.00	ļ				40.18	9.45	ļ	1
NONRE	CURRING CHARGES - CURRENTLY COMBINED		<u> </u>		ļ				 							├
1 1	2 Wire Voice Crade Lean/Line Bert Combination Could have		1	LIEDDO	116460		44.50	44 50					40.40	0.45	1	1
 	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with		 	UEPRG	USAC2		41.50	41.50	 				40.18	9.45	 	
1 1	Change			UEPRG	USACC		41.50	41.50					40.18	9.45		1
Δηριτι	ONAL NRCs	1	 	OLI IVO	JUAGO		41.30	41.30	+				40.10	5.40	 	
ADDITI	2 Wire Loop/Line Side Port Combination - Non feature -		 													
	Subsequent Activity- Nonrecurring		1				0.00	0.00					40.18	9.45	1	1
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						2.30	2.30					151.10	1	Ì	
	Group						14.64	14.64					40.18	9.45		1
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE Po	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Statewide		SW			28.18										
	pop Rates				1											
	2-Wire Voice Grade Loop (SL1) - Statewide		SW	UEPPX	UEPLX	14.18					İ]]	1

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
											Svc Order	Svc Order		Incremental	Incremental	Incrementa
													Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc		Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)								
OATEGORT	NATE ELEMENTO	m		500	0000		IVA	ΕΟ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			-				Managa		Namean	. Di			000	Detec(t)		
						Rec	Nonrec		Nonrecurring		201150	001111		Rates(\$)	001111	0011411
- 110	VI						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					40.18	9.45		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					40.18	9.45		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		+	UEPPX	UEPXB	14.00	90.00	90.00					40.18	9.45		
+-	2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPPX	UEPXC	14.00	90.00	90.00					40.18	9.45		
			1													
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPPX	UEPXD	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	l	1								I			1	1	
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy												-			
1	Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00			1		40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy						-									1
	Room Calling Port	l	1	UEPPX	UEPXM	14.00	90.00	90.00			I		40.18	9.45	1	
-+-	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1	52. 1 A	JEI /IIVI	14.00	55.00	33.00					40.10	5.45		
	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					40.18	9.45		
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT	URES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					40.18	9.45		
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with		1	OLITA	00A02		41.50	41.50					40.10	3.43		
				LIEDDY	110400		44.50	44.50					40.40	0.45		
4000	Change			UEPPX	USACC		41.50	41.50					40.18	9.45		
ADDIT	FIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0.00	0.00					40.18	9.45		
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring						0.00	0.00					40.18	9.45		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						14.64	14.64					40.18	9.45		
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	T														
	Port/Loop Combination Rates	·	+													
OINE I			SW			28.18										
	2-Wire VG Coin Port/Loop Combo – Statewide		SW		_	20.18					1			ļ	 	
UNE L	Loop Rates		1	LIEDOO	LIEDIN						1					1
	2-Wire Voice Grade Loop (SL1) - Statewide		SW	UEPCO	UEPLX	14.18										
2-Wire	e Voice Grade Line Port Rates (Coin)															
	2-Wire Coin 2-Way without Operator Screening and without	l	1								I			1	1	
	Blocking (NC)	l	1	UEPCO	UEPND	14.00	90.00	90.00			I		40.18	9.45	1	
	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	14.00	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															1
	900/976, 1+DDD (NC, TN)	l	1	UEPCO	UEPRP	14.00	90.00	90.00			I		40.18	9.45	1	
+-	2-Wire Coin 2-Way with Operator Screening and 011 Blocking		1		J. 111	14.00	55.50	55.50			 		40.10	5.45		
	(NC)	l	1	UEPCO	UEPNB	14.00	90.00	90.00			I		40.18	9.45	1	
			1	OLFOO	ULFIND	14.00	90.00	90.00			 		40.18	9.45	 	1
	2-Wire Coin 2-Way with Operator Screening and Blocking:										ĺ			l	1	1
$\longrightarrow \longleftarrow$	900/976, 1+DDD, 011+, and Local (NC, TN)		<u> </u>	UEPCO	UEPCA	14.00	90.00	90.00					40.18	9.45		
	2-Wire Coin Outward with Operator Screening and 011 Blocking	l	1								I			1	1	
	(NC)	L	<u></u>	UEPCO	UEPNE	14.00	90.00	90.00		<u> </u>	<u> </u>		40.18	9.45	<u>l</u>	
	2-Wire Coin Outward with Operator Screening and Blocking:												-			
	900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	14.00	90.00	90.00			1		40.18	9.45		
LOCA	L NUMBER PORTABILITY									İ				1		İ
LOCA	Local Number Portability (1 per port)	-	 	UEPCO	LNPCX	0.35					ł – – – –			 	 	
1			+	021 00	LIVI OA	0.33				 	-			-	-	1
NOND	PECLIDDING CHADGES - CLIDDENTLY COMPINED															
NONR	ECURRING CHARGES - CURRENTLY COMBINED				_											

UNBUND	LED	NETWORK ELEMENTS - North Carolina			•										Attachment:		Exhibit: B	↓
CATEGOR	Υ	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			TES(\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
								Rec	Nonrec			g Disconnect				Rates(\$)		
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with			LIEBOO		110400		44.50	44.50					40.40	0.45		
AD	DITIO	Change DNAL NRCs			UEPCO		USACC		41.50	41.50			1		40.18	9.45		
AD	טוווטי	ONAL NRCS		<u> </u>			-					-		-				
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO		USAS2		0.00	0.00					40.18	9.45		
UNBUNDI E		ORT/LOOP COMBINATIONS - MARKET BASED RATES			OLI CO		UUAUZ		0.00	0.00					40.10	3.43		+
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT										1					+
		rt/Loop Combination Rates						-										
	2	2-Wire VG Loop/2-Wire DID Trunk Port Combo - Statewide		sw				71.50										
UN		op Rates																
		2-Wire Analog Voice Grade Loop - (SL2) - Statewide		SW				19.50							40.18	9.45		
UN		rt Rate										1						
L		Exchange Ports - 2-Wire DID Port	ļ		UEPPX		UEPD1	52.00	485.00	75.00			ļ		40.18	9.45		
NO		CURRING CHARGES - CURRENTLY COMBINED		<u> </u>							-	+	<u> </u>		-	-	-	+
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-As-Is Top 8 MSAs only	l		LIEDDY		USAC1		200.00	75.00					40.40	0.45		
\vdash		Switch-As-Is Top 8 MSAs only 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	!	 	UEPPX		USACT		200.00	75.00		+	1		40.18	9.45		+
		with BellSouth Allowable Changes Top 8 MSAs only			UEPPX		USA1C		200.00	75.00					40.71	9.45		
ΔD		DNAL NRCs	 		JLIFA		COATO		200.00	75.00	1	1	 		40.71	9.40	1	+
7.0		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		75.00						40.18	9.45		+
Tel		one Number/Trunk Group Establisment Charges			OLITA		00/101	-	70.00						40.10	0.40		†
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								†
		DID Numbers, Establish Trunk Group and Provide First Group																†
		of 20 DID Numbers	L	L	UEPPX		NDZ	0.00	0.00	0.00	<u> </u>	1	<u></u>	<u> </u>	<u> </u>	<u></u>	<u></u>	
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LO		NUMBER PORTABILITY			HEDDY		LNDOD	0.45	0.00	0.00								-
2.14	VIDE I	Local Number Portability (1 per port) ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	IL CIDI	DODE	UEPPX		LNPCP	3.15	0.00	0.00			1					+
LIN	F Por	rt/Loop Combination Rates	NE SIDE	FURI									1					+
0.14		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			UEPPB													+
		Statewide		sw	UEPPR			85.12										
UN		op Rates											1					1
		2-Wire ISDN Digital Grade Loop - Statewide	<u> </u>	SW	UEPPB	UEPPR	USL2X	20.12			<u> </u>		<u> </u>	<u> </u>	19.99	19.99	<u> </u>	<u> </u>
UN		rt Rate																
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	65.00	450.00	375.00					19.99	19.99		
NO		CURRING CHARGES - CURRENTLY COMBINED	<u> </u>	<u> </u>								1	ļ					ļ
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			LIEBSS	LIEDDD	110,400	2.22	000.00	222.22					10.00	10.00		
AD		Combination - Conversion - Top 8 MSAs only DNAL NRCs	 	-	UEPPB	UEPPR	USACB	0.00	200.00	200.00		+	<u> </u>	1	19.99	19.99		
		NUMBER PORTABILITY	!	 	 		 					+	1					+
LO		Local Number Portability (1 per port)		-	UEPPB	UEPPR	LNPCY	0.35	0.00	0.00	1	+	1	1	1	1	1	+
R-C		NEL USER PROFILE ACCESS:			JLI FD	OFI. LIV	FIAI OV	0.33	0.00	0.00		+	 					
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00		1						
		CVS (EWSD)			UEPPB		U1UCB	0.00	0.00	0.00								1
		CSD					U1UCC	0.00	0.00	0.00					1		1	1
		INEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C,MS, 8	TN)														
US		ERMINAL PROFILE																
		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VE		AL FEATURES																1
L		All Vertical Features - One per Channel B User Profile	ļ		UEPPB	UEPPR	UEPVF	3.40	0.00	0.00		1	ļ		19.99	19.99		
INT		FFICE CHANNEL MILEAGE		<u> </u>							-	+	<u> </u>		-	-	-	
1		Interoffice Channel mileage each, including first mile and	I	1		LIEDDD	MACNIC	47.40	407.40	50.50	I		1		40.00			1
		facilities termination																
	f	facilities termination Interoffice Channel mileage each, additional mile			UEPPB		M1GNC M1GNM	17.42 0.0282	137.48 0.00	52.58 0.00		-			19.99	19.99		+

UNBL	JNDLEI	NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
5												Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA ⁻	ΓES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	· ·	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1						ı	Nonred	rrina	Nonrecurring	Dissennest			930	Rates(\$)		
	-					-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LINE D	ort/Loop Combination Rates						FIISL	Auu i	FIISL	Add I	SOWIEC	SOWAN	SOWAN	SUMAN	SOWAN	SOWAN
	O.V.L.	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -															
		Statewide		sw	UEPPP		962.71										
	UNE Lo	op Rates															
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P											
		ort Rate															
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	900.00	1,150.00	1,150.00					19.99	19.99		
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															
	ADDIT	Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	925.00	925.00					19.99	19.99		
-	ADDITI	ONAL NRCs 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1			+						1		1	-		-
1		Subsequent Inward/2-Way Tel Nos - (NC Only)			UEPPP	PR7TG		1.17	1.17					19.99	19.99		1
—	 	4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent	1		02.11	. 10710		1.17	1.17			 		15.55	15.55		
		Activity Outward tel nos. (NC only)			UEPPP	PR7TP		28.17	28.17					19.99	19.99		1
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -						20.17	20.17					.0.00			
		Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		56.33	56.33					19.99	19.99		
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
	INTER	ACE (Provsioning Only)															
		Voice/Data			UEPPP	PR71V	0.00										
		Digital Data			UEPPP	PR71D	0.00										
	Nam an	Inward Data Additional "B" Channel			UEPPP	PR71E	0.00										
	New or	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	36.92						19.99	19.99		
	1	New or Additional - Voice/Data B Channel			UEPPP	PR7BF	0.00	36.92						19.99	19.99		
		New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	36.92						19.99	19.99		
	CALL 1																
		Inward			UEPPP	PR7C1	0.00										
		Outward			UEPPP	PR7C0	0.00										
		Two-way			UEPPP	PR7CC	0.00										
	Interoff	ice Channel Mileage															
		Fixed Each Including First Mile			UEPPP	1LN1A	71.3683	217.17	163.75	0.00				19.99	19.99		
	4 14/105	Each Airline-Fractional Additional Mile DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			UEPPP	1LN1B	0.0783										
-		ort/Loop Combination Rates				+							-				
\vdash	OINE PO	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide	1	SW	UEPDC	+	186.23					1	-	19.99	19.99		
	-	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	 	3w	UEPDC		100.23					1		15.55	15.35		
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	1									Ì		Ì
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	1	3	UEPDC									<u> </u>	İ		İ
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC												
	UNE Lo	op Rates															
		4-Wire DS1 Digital Loop - Statewide		SW	UEPDC	USLDC	62.71	714.84	482.62					19.99	19.99		
<u> </u>	1	4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPDC	USLDC						<u> </u>		ļ	ļ		ļ
	1	4-Wire DS1 Digital Loop - UNE Zone 2	1	2	UEPDC UEPDC	USLDC						1	-		 		
-	1	4-Wire DS1 Digital Loop - UNE Zone 3 4-Wire DS1 Digital Loop - UNE Zone 4	1	3	UEPDC	USLDC											
-	UNE Po		1	4	OLFDO	USLDC						1	1	1	1		1
		4-Wire DDITS Digital Trunk Port	 		UEPDC	UDD1T	750.00	1,048.23	480.17	0.00	0.00	1		19.99	19.99		
		CURRING CHARGES - CURRENTLY COMBINED						.,		2,00	2.00			12.00	12.00		
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1														
		- Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		288.86	133.87	<u> </u>		<u> </u>	<u> </u>	19.99	19.99		<u> </u>
																_	
1		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination													1		1
		- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		288.86	133.37					19.99	19.99		
		A Wise DC4 Disited Lagra / A Wise DDITC Trusts Dot Combined													1		1
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		288.86	133.37					19.99	19.99		1
-	ADDIT	ONAL NRCs	1		ULFDC	USAVVD		∠00.88	133.37					19.99	19.99		
	LUDUIII	OHAL HINGS	1			1						l		l			l

UNBUND	LED NETWORK ELEMENTS - North Carolina												Attachment:		Exhibit: B	ļ
ATEGORY		Interi m	Zone	BCS	USOC		RA ⁻	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
															D130 131	DISC Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	<u> </u>					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Service Activity Per Service Order			UEPDC	USAS4		127.63	127.63								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	1		UEPDC	USAS4		127.03	127.03								
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	1		OLI DO	OBTIN		20.01	20.01					10.00	10.00		
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.81	28.81					19.99	19.99		
BIP	OLAR 8 ZERO SUBSTITUTION B8ZS -Superframe Format	<u> </u>		LIEDDO	00005		0.00	045.00					19.99	19.99	 	
		<u> </u>		UEPDC UEPDC	CCOSF		0.00	615.00					19.99	19.99		
Δlto	B8ZS - Extended Superframe Format	1		UEFDC	CCOEF		0.00	615.00					19.99	19.99	1	1
Aite	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format	1		UEPDC	MCOPO		0.00	0.00								
Tele	ephone Number/Trunk Group Establisment Charges			02. 20			0.00	0.00								
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							19.99	19.99		
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos. Reserve DID Numbers			UEPDC UEPDC	ND6 NDV	0.00	0.00	0.00								
Dod	dicated DS1 (Interoffice Channel Mileage) -	<u> </u>		UEPDC	NDV	0.00	0.00	0.00								
	FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port	1														
1 7/1	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	1														
	Termination)			UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.0783	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)	<u> </u>		UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25	1													1	
	miles	<u> </u>		UEPDC	1LNOB	0.0783	0.00	0.00								ļ
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	1		LIEDDO	41 NGC										1	
	Termination)	1		UEPDC	1LNO3	0.00	0.00	0.00	0.00					-	-	1
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.0783	0.00	0.00								
	Local Number Portability, per DS0 Activated		-	UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point	1		UEPDC	CTG	0.00	0.00	0.00	0.00							
4-W	/IRE DS1 LOOP WITH CHANNELIZATION WITH PORT	1		OLI DO	0.0	0.00										-
	stem is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations														
	ystem can have various rate combinations based on type and nu			used												
UNE	E DS1 Loop															
	4-wire DS1 Loop UNE - Statewide		SW	UEPMG	USLDC	62.71	-	•		•			19.99	19.99		
UNE	E DSO Channelization Capacities (D4 Channel Bank Configuration	ns)		<u> </u>												
	24 DSO Channel Capacity - 1 per DS1	<u> </u>		UEPMG	VUM24	123.06	0.00	0.00					19.99	19.99	ļ	<u> </u>
	48 DSO Channel Capacity - 1 per 2 DS1s	<u> </u>		UEPMG	VUM48	246.12	0.00	0.00					19.99	19.99	 	ļ
	96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s	 		UEPMG UEPMG	VUM96 VUM14	492.24 738.36	0.00	0.00	 				19.99 19.99	19.99 19.99	 	1
	192 DS0 Channel Capacity - 1 per 6 DS1s	 		UEPMG	VUM14 VUM19	738.36 984.48	0.00	0.00	 				19.99	19.99	-	
	240 DS0 Channel Capacity - 1 per 10 DS1s	 		UEPMG	VUM20	1,230.60	0.00	0.00	1				19.99	19.99	1	
	288 DS0 Channel Capacity - 1 per 10 DS1s	1		UEPMG	VUM28	1,476.72	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity - 1 per 16 DS1s	 		UEPMG	VUM38	1,968.96	0.00	0.00					19.99	19.99		1

UNBU	NDLE	NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
0.120												Svc Order	Svc Order	Incremental			Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc		Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,953.44	0.00	0.00					19.99	19.99		
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,445.68	0.00	0.00					19.99	19.99		
		curring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
		num System configuration is One (1) DS1, One (1) D4 Channe															
	Multiple	es of this configuration functioning as one are considered Ad NRC - Conversion (Currently Combined) with or without	a'i arte	r tne m	inimum system con	figuration is	counted.					ļ					├ ──
		BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	330.61	16.64					19.99	19.99		i
-	System	Additions Where Currently Combined and New (Not Currentl	v Comb	ined \	UEFINIG	USAC4	0.00	330.61	10.04					19.99	19.99		
		B MSAs and AL, FL, and NC Only	y COIIII	lilea)			1										
	тор	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
		Fea Activation -			UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68			19.99	19.99		1
	Bipolar	8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00	615.00								1
		Clear Channel Capability Format - Extended Superframe -															
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	615.00								<u> </u>
	Alterna	te Mark Inversion (AMI)															<u> </u>
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
		ge Ports Associated with 4-Wire DS1 Loop with Channelization	n with	Port													
-	Exchan	ge Ports															
		Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			40 18	9 45		1
		Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			40.18	9.45		
		Line Side Odtward Charmenzed FBA Hunk Fort - Business			ULFFX	OLFOX	14.00	0.00	0.00	0.00	0.00			40.10	9.45		
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00			40.18	9.45		i
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	52.00	0.00	0.00	0.00	0.00			40.18	9.45		
	Feature	Activations - Unbundled Loop Concentration															
		Feature (Service) Activation for each Line Side Port Terminated															
		in D4 Bank			UEPPX	1PQWM	0.65	40.00	20.00	10.00	5.00			40.18	9.45		1
		Feature (Service) Activation for each Trunk Side Port Terminated															
		in D4 Bank			UEPPX	1PQWU	0.65	110.00	30.00	75.00	15.00			40.18	9.45		
	Telepho	one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
-		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								+
		Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers			UEPPX UEPPX	ND5	0.00	0.00	0.00			ļ					
-		Reserve DID Numbers			UEPPX	ND6 NDV	0.00	0.00	0.00								\vdash
-	l ocal N	umber Portability			OLI I A	1101	0.00	0.00	0.00			 			<u> </u>		\vdash
1	_ooai N	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00			1			 		
	FEATU	RES - Vertical and Optional				T J.	50	5.50	3.50	Ì					1		
		witching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	3.40	0.00	0.00			İ		40.18	9.45		
UNBUN	IDLED C	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	3														
		Based Rates are applied where BellSouth is required by FCC															
		res shall apply to the Unbundled Port/Loop Combination - C															
<u> </u>	3. End	Office and Tandem Switching Usage and Common Transport	Usage	ates in	the Port section of	this rate exh	nibit shall apply	to all combina	tions of loop/	port network e	lements excep	t for UNE (oin Port/Lo	op Combinat	ions.	mmb. to No. 5	
		orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re															
1		ned Combos for all states. In GA, KY, LA, MS and TN these no							, NC and SC th	iese nonrecurr	ing charges ai	e warket Ra	ites and are	iistea in the	warket Katé s	ection. For (Jurrentity
-		ned Combos in all other states, the nonrecurring charges shall tet Rates for Unbundled Centrex Port/Loop Combination will								I		1	1	I	ı	I	
-		CENTREX - 5ESS (Valid in All States)	oe nego	rialed	on an murridual Ca	oc dasis, un	un runtiner motice										\vdash
-		VG Loop/2-Wire Voice Grade Port (Centrex) Combo				 	1			1		1		1	1	1	\vdash
-		ort/Loop Combination Rates (Non-Design)				†	 					 			 		
	J	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo -								1					1		
		Non-Design		sw	UEP95		16.46										i I
	UNE Po	rt/Loop Combination Rates (Design)								İ				İ		İ	
							•										

NOONDLE	D NETWORK ELEMENTS - North Carolina			ı					_	_	0	00	Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo -															
	Design		SW	UEP95		21.78										
UNE L	pop Rate															
	2-Wire Voice Grade Loop (SL 1) - Statewide		SW	UEP95	UECS1	14.18										
	2-Wire Voice Grade Loop (SL 2) - Statewide		SW	UEP95	UECS2	19.50										
	ort Rate															
All Sta				LIEBAE	115514	0.00							10.10	0.45		
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			l	l				1							1
	Center)2 Basic Local Area			UEP95	UEPYM	2.28			1				40.18	9.45		↓
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service								I							1
	Term - Basic Local Area			UEP95	UEPYZ	2.28				ļ			40.18	9.45		├
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	2.28							40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	2.28							40.18	9.45		
NC On																
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPUA	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPUB	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPUH	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP95	UEPUM	2.28			-				40.18	9.45		
	Term			UEP95	UEPUZ	2.28							40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPU9	2.28							40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPU2	2.28							40.18	9.45		
Local	Switching													, , , , , , , , , , , , , , , , , , ,		
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.903										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featur	es															
	All Standard Features Offered, per port			UEP95	UEPVF	3.40										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	457.83									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.40										
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00		<u> </u>			40.18	9.45		
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00					40.18	9.45		
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	1	ļ			40.18	9.45		1
	aneous Terminations								1	ļ						
2-Wire	Trunk Side			LIEBAE	10515				_	ļ						
4 147	Trunk Side Terminations, each			UEP95	CEND6	12.36			+	.				1	1	├
4-Wire	Digital (1.544 Megabits)			LIEDOE	M4 UD4	100.00			+	 			40.40	0.45	-	
	DS1 Circuit Terminations, each DS0 Channels Activated, each			UEP95 UEP95	M1HD1 M1HDO	186.23 0.00	28.81		+	 			40.18 40.18	9.45 9.45	-	
Interes	fice Channel Mileage - 2-Wire	-	-	OLPSO	טטחוואו	0.00	∠8.81		+	 			40.18	9.45		
interor	Interoffice Channel Facilities Termination			UEP95	MIGBC	18.00			+	 				-	-	
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0282			+	1	1					
Fastur	e Activations (DS0) Centrex Loops on Channelized DS1 Service			OLF 30	IVIIGDIVI	0.0202			1	 				1	1	
	annel Bank Feature Activations				1 1	+			1	 				1	1	
D-7 CI16	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.65			+	 						
_	. sata s / sata and it of b + original bank denties book oldt	-		021 00	11 4770	0.00			†	 						
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP95	1PQW6	0.65										
	Slot			UEP95	1PQW7	0.65										<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
ı											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA1	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											-		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Names		Non-servenie	, Diazzamasat			220	Rates(\$)		
						Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 	Feature Activation on D-4 Channel Bank Centrex Loop Slot -					+	First	Auu i	FIISL	Auu i	SOMEC	SOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	Different Wire Center			UEP95	1PQWP	0.65										
	Different Trib Conter			02. 00		0.00										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.65										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.65										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed												40.40			
	changes, per port			UEP95 UEP95	USAC2	0.00	2.77 695.11	0.40					40.18 40.18	9.45 9.45		
	New Centrex Standard Common Block New Centrex Customized Common Block	 	1	UEP95 UEP95	M1ACS M1ACC	0.00	695.11		1				40.18	9.45	1	1
	NAR Establishment Charge, Per Occasion	1	 	UEP95	URECA	0.00	72.73		 		-		40.18	9.45	 	
	CENTREX - DMS100 (Valid in All States)			00	320	3.30	. 2.70							3.40		
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		1			1										
	ort/Loop Combination Rates (Non-Design)															
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo -															
	Non-Design		SW	UEP9D		16.46										
	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo -					0.4 =0										
10151	Design pop Rate		SW	UEP9D		21.78										
	2-Wire Voice Grade Loop (SL 1) - Statewide		SW	UEP9D	UECS1	14.18					-					
	2-Wire Voice Grade Loop (SL 1) - Statewide			UEP9D	UECS2	19.50										
UNE Po			3**	OLI OD	GEGGE	10.00										
ALL ST																
l l	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	2.28							40.18	9.45		
1	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9D	UEPYB	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	2.28							40.18	9.45		
 	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			OLF3D	OLFID	2.20							40.16	9.43		
	Area			UEP9D	UEPYE	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area			UEP9D	UEPYF	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area	ļ	<u> </u>	UEP9D	UEPYG	2.28							40.18	9.45	ļ	
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			LIEDOD	LIEDYT	0.00							40.40	0.7-		
\vdash	Area	1	1	UEP9D	UEPYT	2.28							40.18	9.45		
'	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area	1		UEP9D	UEPYU	2.28							40.18	9.45	1	
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local	1	1	OL: 3D	JEI 10	2.20							40.10	9.43		
'	Area	1		UEP9D	UEPYV	2.28							40.18	9.45	1	
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			-		 								50		
'	Area	<u> </u>	<u>L</u>	UEP9D	UEPY3	2.28				<u></u>			40.18	9.45	<u> </u>	<u> </u>
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local							· · · · · · · · · · · · · · · · · · ·					-		1	
	Area	ļ	<u> </u>	UEP9D	UEPYH	2.28							40.18	9.45	ļ	
'	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	1		LIEDOD	LIEDVAN	0.00							40.10		1	
\vdash	Indication))3 Basic Local Area	-	l	UEP9D	UEPYW	2.28							40.18	9.45	 	
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1	 	OLFBD	ULFIJ	2.20			1	1	1		40.18	9.45	1	1
'	2 Basic Local Area	1		UEP9D	UEPYM	2.28							40.18	9.45	1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3	1		- "		2.23			Ì					U. 10	İ	
	Basic Local Area			UEP9D	UEPYO	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3															
1 '	Basic Local Area	1		UEP9D	UEPYP	2.28							40.18	9.45		

UNBU	INDLEI	NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
														Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEG	OPY	RATE ELEMENTS	Interi	Zone	BCS	usoc		PΛ	TES(\$)			Elec		Manual Svc			Manual Svc
CATE	OKI	RATE ELEMENTS	m	Zone	603	0300		NA.	1 L3(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
																DISC 1St	DISC Add I
							Rec		curring		g Disconnect				Rates(\$)		
		2 Mire Voice Crade Port (Centray/differ SMC /EBS 5200)2 2				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	2.28							40.18	9.45		İ
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			OLI OD	OLI IQ	2.20							40.10	0.40		
		Basic Local Area			UEP9D	UEPYR	2.28							40.18	9.45		Ĭ
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3															
		Basic Local Area			UEP9D	UEPYS	2.28							40.18	9.45		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	2.28							40.18	9.45		Ĭ
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEF14	2.20							40.16	9.45		
		Basic Local Area			UEP9D	UEPY5	2.28							40.18	9.45		1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			-												
		Basic Local Area			UEP9D	UEPY6	2.28							40.18	9.45		<u> </u>
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			115000	LIED) (=	2.05										1
-	 	Basic Local Area		<u> </u>	UEP9D	UEPY7	2.28			1	1	-		40.18	9.45		
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	2.28							40.18	9.45		1
	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent		†	021 00	JE: 12	2.20				1			70.10	3.73		†
		Basic Local Area			UEP9D	UEPY9	2.28							40.18	9.45		Ĭ
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
		Local Area			UEP9D	UEPY2	2.28							40.18	9.45		
	NC Onl				LIEDOD	LIEDILA	0.00			-				40.40	0.45		
		2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D UEP9D	UEPUA UEPUB	2.28 2.28							40.18 40.18	9.45 9.45		
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPUC	2.28							40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPUD	2.28							40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPUE	2.28							40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPUF	2.28							40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPUG	2.28							40.18	9.45		
-	 	2-Wire Voice Grade Port (Centrex / EBS-M5008)3 2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D UEP9D	UEPUT	2.28							40.18 40.18	9.45 9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5208)3 2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D UEP9D	UEPUV	2.28 2.28							40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPU3	2.28							40.18	9.45		
		2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPUH	2.28							40.18	9.45		
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	 	Indication)3		<u> </u>	UEP9D	UEPUW	2.28				ļ			40.18	9.45		↓
-	 	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3		<u> </u>	UEP9D	UEPUJ	2.28			1	1	-		40.18	9.45		
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPUM	2.28							40.18	9.45		
-	 	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		l	UEP9D	UEPUO	2.28			+	†	 	 	40.18	9.45		
				1							1			0	2.10		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPUP	2.28							40.18	9.45		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPUQ	2.28							40.18	9.45		
		O Mire Veire Crede Dest (Control differ CMC /FDC ME140)			LIEDOD	LIEDUD	2.00							40.40	0.45		1
-	 	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3		 	UEP9D	UEPUR	2.28			+	 	-		40.18	9.45		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPUS	2.28							40.18	9.45		1
		1.550 0.000 1 0.1 (00.000 Million 0110 / EBO 180012)2, 0		1	02	52. 55	2.20			1	İ			70.10	5.70		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3		<u></u>	UEP9D	UEPU4	2.28					<u></u>		40.18	9.45		<u> </u>
	ļ	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		!	UEP9D	UEPU5	2.28			1	ļ	ļ		40.18	9.45		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPU6	2.28							40.18	9.45		
-	1	2-vviile voice Grade Port (Certitexamer SVVC /EBS-MS216)2, 3		 	OLFAD	UEFUO	2.28			1				40.18	9.45		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPU7	2.28							40.18	9.45		
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service									1						
		Term		<u> </u>	UEP9D	UEPUZ	2.28							40.18	9.45		L
		OME Mile On to Destroy to the Control of the Contro			LIEDOD	LIEDI:	2.25										1
-	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term		 	UEP9D UEP9D	UEPU9 UEPU2	2.28 2.28			+	 	 		40.18 40.18	9.45 9.45		
	<u> </u>	2-vviie voice Grade Fort Terminated on 800 Service Term	l	<u> </u>	OLFAD	UEPUZ	2.28		L		L	I	L	40.18	9.45		

NBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:		Exhibit: B	
															Incremental	Increment
												Submitted	Charge -	Charge -	Charge -	Charge -
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		DAT	ES(\$)			Elec		Manual Svc			Manual Sv
ATEGORI	RATE ELEMENTS	m	Zone	ВСЗ	0300		KAI	E3(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonrec	urring	Nonrecurring	g Disconnect		lI	oss	Rates(\$)	I	
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Local S	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.903										
Local I	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Feature			1													
	All Standard Features Offered, per port			UEP9D	UEPVF	3.40	457.00						10.10	0.45		
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	457.83						40.18	9.45		
NARS	All Centrex Control Features Offered, per port	 	1	UEP9D	UEPVC	3.40				-	-			-	-	
CHAN	Unbundled Network Access Register - Combination	1	1	UEP9D	UARCX	0.00	0.00	0.00		1	1		40.18	9.45		1
	Unbundled Network Access Register - Inward		_	UEP9D	UAR1X	0.00	0.00	0.00		1			40.18	9.45		
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00					40.18	9.45		
Miscel	laneous Terminations			02. 02	07111071	0.00	0.00	0.00					.00	0.10		
	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	12.36										
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	186.23										
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81						40.18	9.45		
													40.18	9.45		
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	18.00										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0282										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	annel Bank Feature Activations		ļ													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.65										
	End and Artifaction of Building City Inc. Old Inc.			LIEDOD	400140	0.05										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1	UEP9D	1PQW6	0.65				-						
	Slot			UEP9D	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		1	OLF 9D	IFQW/	0.05										
	Different Wire Center			UEP9D	1PQWP	0.65				1						
	Different Wife Office	 		OL1 3D	11 (211)	0.03	+			-						
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.65	l			1						
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		1		1	2.00	İ			1						
	Slot			UEP9D	1PQWQ	0.65	l			1						
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.65										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed						Ì									
	changes, per port			UEP9D	USAC2		2.77	0.40					40.18	9.45		
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	695.11		`				40.18	9.45		
	New Centrex Customized Common Block	ļ		UEP9D	M1ACC	0.00	695.11			ļ			40.18	9.45		
	NAR Establishment Charge, Per Occasion	ļ		UEP9D	URECA	0.00	72.73			ļ			40.18	9.45		
	Digital (1.544 Megabits)	ļ														
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD	<u> </u>								-				ļ	ļ	ļ
	Requres Interoffice Channel Mileage Requires Specific Customer Premises Equipment	 	1	1	+		+			!				1	1	
		•	1	1	i						•				1	

UNBU	NDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA'	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				-			ı	Nonro	curring	Nonrecurring	n Disconnoct		l .	088	Rates(\$)		L
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
								11130	Auu i	THOU	Auu i	JOHILO	JOINAIN	JONAN	JONAN	JOHAN	JOHAN
OPER/	TIONAL	SUPPORT SYSTEMS															
		(1) Electronic Service Order: CLEC should contact its contract	t nego	tiator if	it prefers the state :	specific elect	ronic service o	rdering charge	es as ordered l	y the State Co	mmissions. T	ne electron	ic service o	rdering charg	e currently co	ntained in th	is rate
	exhibit	is the BellSouth regional electronic service ordering charge.	CLEC	may ele	ect either the state s	pecific Comr	nission ordered	rates for the	electronic serv	ice ordering cl	narges, or CLE	C may elec	t the region	al electronic s	ervice orderi	ng charge.	
	NOTE:	(2) Any element that can be ordered electronically will be bill	ed acco	ording	to the SOMEC rate li	sted in this	category. Pleas	e refer to Bell	South's Busine	ess Rules for L	ocal Ordering	(BBR-LO) to	o determine	if a product of	an be ordere	d electronical	ly. For
	those e	elements that cannot be ordered electronically at present per t	he BBF	R-LO, th	ne listed SOMEC rate	in this cate	gory reflects the	e charge that v	would be billed	to a CLEC on	ce electronic o	rdering cap	oabilities co	me on-line for	r that elemen	. Otherwise,	the manual
	orderin	g charge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	n LSR t	o BellSouth.												
		Manual Service Order Charge, per LSR, Disconnect Only (SC)				SOMAN				1.97							
		Electronic OSS Charge, per LSR, submitted via BST's OSS															
		interactive interfaces (Regional)				SOMEC		3.50									
UNBU		EXCHANGE ACCESS LOOP		ļ													
	2-WIRE	ANALOG VOICE GRADE LOOP			LIEANII	LIEALO	44.04	07.00	47.00	00.50	5.00		45.00				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32		15.69				
-		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	-	3	UEANL UEANL	UEAL2 UEAL2	21.39 26.72	37.92 37.92	17.62 17.62	23.56 23.56	5.32 5.32		15.69 15.69			 	
		Loop Testing - Basic 1st Half Hour		3	UEANL	URET1	20.72	34.23	34.23	23.56	5.32		15.69				<u> </u>
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90				15.69				
		CLEC to CLEC Conversion Charge Without Outside Dispatch			OLIVIL	OKETA		10.00	10.00				10.00				
		(UVL-SL1)			UEANL	UREWO		15.81	8.96				15.69			l '	
		Engineering Information Document (EI)			UEANL			13.47	13.47								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.17	8.17								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		18.13	18.13								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	-		UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42		15.69				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	-	3	UEQ UEQ	UEQ2X UEQ2X	14.51 15.02	36.40 36.40	16.10 16.10	22.66 22.66	4.42 4.42		15.69 15.69				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Order Coordination 2 Wire Unbundled Copper Loop - Non-	-	3	UEQ	UEQZX	15.02	30.40	16.10	22.00	4.42		15.69				
		Designed (per loop)			UEQ	USBMC		8.17	8.17				15.69			l '	
		Engineering Information Document			UEQ	CODINIC		13.47	13.47				15.69				
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.23	34.23				15.69				
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.90	19.90				15.69			1	
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.30	7.45				15.69				
UNBU		EXCHANGE ACCESS LOOP		1													
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		4	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32		15.69			1	İ
-		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-	UEFOR UEFOB	UEALS	14.94	31.92	17.02	23.36	5.32		15.69				
		Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32		15.69			l '	
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		<u> </u>	OLI OK OLI OD	CLABO	14.04	07.02	17.02	20.00	0.02		10.00				
		Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32		15.69			l '	
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32		15.69				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32		15.69				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	l		LIEDOD LIEDOS	LIEADO	00 =0	07.00	47.00	00 =0			45.00]		1 '	1
LINIBLIA	IDI ED E	Zone 3		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32		15.69				
ONBU		EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP		<u> </u>						-			1	1	-	 	
-	Z-VVIRE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	-	1									1	 		 	
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69	1		1 '	1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u> </u>				.00.00	55.10	33.30			.0.00	1			
		Ground Start Signaling - Zone 2	ĺ	2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69			1 '	1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69			<u> </u>	
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13								<u> </u>	1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		l .	LIEA	LIEADO				== ==						1 '	1
		Battery Signaling - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61		15.69				1

04/12/02 Page 272 of 352

UNBUNDL	ED NETWORK ELEMENTS - South Carolina			•									Attachment:		Exhibit: B	↓
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	res(\$)			Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	0.00						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_		LIEADO	00.40	405.00	00.40	53.05	40.04		45.00				
	Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	+	2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61		15.69				+
	Battery Signaling - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61		15.69				
	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	20.40	18.13	00.43	33.03	10.01		15.09				+
	CLEC to CLEC Conversion Charge without outside dispatch	+	1	UEA	UREWO		87.90	36.44				15.69				+
4-WI	IRE ANALOG VOICE GRADE LOOP			OLIT	OILEWO		07.50	00.44				10.00				†
- 1	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				†
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44				15.69				
2-WI	IRE ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69				
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61		15.69				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.82	44.25				15.69				
2-WI	IRE Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	9														
	1		1	UDC	UDC2X	25.21	117.58	80.03	53.05	10.61		15.69				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	9														
	2		2	UDC	UDC2X	32.76	117.58	80.03	53.05	10.61		15.69				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	9	_													
	3		3	UDC	UDC2X	37.70	117.58	80.03	53.05	10.61		15.69				
0.14/1	CLEC to CLEC Conversion Charge without outside dispatch	DATIBLE	- 1 005	UDC	UREWO		91.82	44.25				15.69				-
2-WI	IRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMI	PATIBLE	LOOF	,												-
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93		15.69				
	2 Wire Unbundled ADSL Loop including manual service inquiry	-		UAL	UALZA	12.19	120.04	70.56	50.57	7.93		15.69				+
	& facility reservation - Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93		15.69				
	2 Wire Unbundled ADSL Loop including manual service inquiry			UAL	UALZA	13.71	120.04	70.50	30.37	1.55		13.09				+
	& facility reservation - Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93		15.69				
	Order Coordination for Specified Conversion Time (per LSR)		_	UAL	OCOSL	17.17	18.13	70.00	00.01	7.00		10.00				+
	2 Wire Unbundled ADSL Loop without manual service inquiry &			0,12	00002		10.10									+
	facility reservaton - Zone 1		1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93		15.69				
	2 Wire Unbundled ADSL Loop without manual service inquiry &											10.00				1
	facility reservaton - Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93		15.69				
	2 Wire Unbundled ADSL Loop without manual service inquiry &								1							
	facility reservaton - Zone 3		3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.38	40.48				15.69				
2-WI	IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP	ATIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry						-	<u> </u>								
	& facility reservation - Zone 1		1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93		15.69				1
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93		15.69				
	2 Wire Unbundled HDSL Loop including manual service inquiry		_													
	& facility reservation - Zone 3	1	3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93		15.69				
	Order Coordination for Specified Conversion Time (per LSR)	-		UHL	OCOSL		18.13									+
	2 Wire Unbundled HDSL Loop without manual service inquiry			L	11111 0144	0.50	404.40	00.50	50.0-	7.00		45.00				
	and facility reservation - Zone 1	-	1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93		15.69			ļ	
	2 Wire Unbundled HDSL Loop without manual service inquiry		_	L	11111 0144	10.00	404.40	00.50	50.0-	7.00		45.00				
	and facility reservation - Zone 2	1	2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93		15.69			ļ.	+
	2 Wire Unbundled HDSL Loop without manual service inquiry		2	LILLI	LILLOW	44 40	404.40	00.50	50.07	7.00		45.00				
	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	1	3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93		15.69		-	1	+
	numer containation for Specified Conversion Time (per LSR)	i	1	UHL	OCOSL		18.13							l	1	1
	CLEC to CLEC Conversion Charge without outside dispatch	+		UHL	UREWO		86.32	40.48				15.69				

UNBUNDLE	D NETWORK ELEMENTS - South Carolina				 						C C1	Cura Curt	Attachment:		Exhibit: B	I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
					1	5	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38		15.69				
	4-Wire Unbundled HDSL Loop including manual service inquiry		_		I I											
	and facility reservation - Zone 2		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38		15.69				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38		15.69				
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	10.04	18.13	107.03	33.12	10.50		15.05				
	4-Wire Unbundled HDSL Loop without manual service inquiry				11111											
	and facility reservation - Zone 1		1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38		15.69				
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38		15.69			1	1
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38		15.69				
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL OCOSL	10.04	18.13	95.16	55.12	10.38		15.69				
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.32	40.48				15.69				
4-WIR	E DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	79.51	253.03	157.89	44.80	11.73		15.69				
	4-Wire DS1 Digital Loop - Zone 2		2		USLXX	136.00	253.03	157.89	44.80	11.73		15.69				
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	229.15	253.03	157.89	44.80	11.73		15.69				
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			USL	OCOSL UREWO		18.13 101.30	43.13				15.69			-	
4-WIB	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UREWO		101.30	43.13				15.69				
7-1111	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61		15.69			İ	İ
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UDL UDL	UDL56 OCOSL	34.74	126.66 18.13	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.34	49.85				15.69				
2-WIR	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Short including manual service			OCL	OCLFB	12.19	119.91	09.02	30.37	7.95		13.09			1	1
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93		15.69				
	2 Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Short without manual service			OCL	OCLFVV	12.19	34.07	30.09	30.37	7.95		13.09			1	1
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.		_	UCL	UCL2L	38.22	440.04	00.00	50.37	7.00		45.00				
	inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Long - includes manual svc.		7	UCL	UCLZL	38.22	119.91	69.62	50.37	7.93	-	15.69			-	-
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	55.33	119.91	69.62	50.37	7.93		15.69			1	1
	2-Wire Unbundled Copper Loop/Long - includes manual svc.					55.55	7.0.01	55.52	55.57			.0.00				
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	67.95	119.91	69.62	50.37	7.93		15.69				<u> </u>
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	2-Wire Unbundled Copper Loop/Long - without manual service		١					=0			1					
1	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	38.22	94.87	56.89	50.37	7.93		15.69			1	

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - without manual service		_													
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	55.33	94.87	56.89	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Long - without manual service				1101 014	07.05	04.07	50.00	50.07	7.00		45.00				
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W UCLMC	67.95	94.87 8.17	56.89 8.17	50.37	7.93		15.69				
	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UCL	UCLINC		8.17	8.17								-
	(UCL-Des)			UCL	UREWO		94.87	42.57				15.69				
/-WIDE	COPPER LOOP	-		OCL	UKLVVO		34.07	42.37				13.09				
7 ******	4-Wire Copper Loop/Short - including manual service inquiry															+
	and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38		15.69				
	4-Wire Copper Loop/Short - including manual service inquiry		<u> </u>			.0.04		22.00	33.12			.0.50				
	and facility reservation - Zone 2	ĺ	2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38		15.69				
	4-Wire Copper Loop/Short - including manual service inquiry						-			. , , ,		- · · · ·			İ	
	and facility reservation - Zone 3	<u> </u>	3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38	<u> </u>	15.69			<u> </u>	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	4-Wire Copper Loop/Short - without manual service inquiry and			_				-								
	facility reservation - Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38		15.69				
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38		15.69				
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.			UCL	1101.41	77.00	444.47	93.88	55.40	40.00		45.00				
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	77.29	144.17	93.88	55.12	10.38		15.69				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		2	UCL	UCL4L	118.78	144.17	93.88	55.12	10.38		15.69				
	inquiry and facility reservation - Zone 2 4-Wire Unbundled Copper Loop/Long - includes manual svc.			UCL	UCL4L	118.78	144.17	93.88	55.12	10.38		15.69				
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	144.10	144.17	93.88	55.12	10.38		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)		3		UCLMC	144.10	8.17	8.17	33.12	10.30		13.09				
	4-Wire Unbundled Copper Loop/Long - without manual svc.			002	COLIVIO		0.17	0.17								+
	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	77.29	119.44	81.45	55.12	10.38		15.69				
	4-Wire Unbundled Copper Loop/Long - without manual svc.			002	002.0	77.20		01110	00.12	10.00		10.00				
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	118.78	119.44	81.45	55.12	10.38		15.69				
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	144.10	119.44	81.45	55.12	10.38		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		94.87	42.57				15.69				
LOOP MODIFIC	CATION															
				UAL, UHL, UCL,												
	Unit and land Land Madification Demonstrated Caile 2 Wins			UEQ, ULS, UEA, UEANL. UDL. UDC.												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UDN, UDL, USL	ULM2L		32.46	32.46				15.69				
	Unbundled Loop Modification, Removal of Load Coils - 2 wire	!	 	UDIN, UDL, USL	ULIVIZL		32.46	32.46				15.09				
	greater than 18k ft	ĺ		UCL, ULS	ULM2G	l	170.89	170.89				15.69				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			UCL, ULS	ULIVIZG		170.69	170.69				15.09				
1	less than or equal to 18K ft	l		UHL, UCL	ULM4L	l	32.46	32.46				15.69				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1		,		†	32	32.70				.0.00				1
	pair greater than 18k ft	ĺ		UCL	ULM4G	l	170.89	170.89				15.69				
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		32.48	32.48				15.69				
SUB-LOOPS	por amountaine toop	1			O LIVID I	+	32.40	02.40				10.00				
	pop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
j.					USBSA											

JNDUNDLE	D NETWORK ELEMENTS - South Carolina			•								,	Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
ı	 					ı	Nonroa	urrina	Nonrecurring	Disconnect			000	Rates(\$)		
						Rec	Nonrec First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							FIISL	Add I	FIISL	Add I	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		22.69	22.69				15.69				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	-		OL7 II VL	COBOB		22.00	22.00				10.00				
	Facility Set-Up	- 1		UEANL	USBSC		177.84	177.84				15.69				
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up	- 1		UEANL	USBSD		55.58	55.58				15.69				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1	I	1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71		15.69				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -					40.50			4= 0=			4= 00				
	Zone 2		2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71		15.69			-	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	1	3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71		15.69				
	LONG 3	-	3	OLAINL	OODINZ	14.79	65.94	31.03	40.00	0.71	1	15.69		1	 	1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		8.17	8.17								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				2020		0.17	0.17						1	†	1
	Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09		15.69				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09		15.69				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR2	2.41	53.13	18.21	45.35	6.71		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR4	5.36	8.17 59.38	8.17 24.47	49.82	9.09		45.00			-	1
	Sub-Loop 4-vvire intrabuliding Network Cable (INC)	l l		UEANL	USBR4	5.36	59.38	24.47	49.82	9.09		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	7.11	65.94	31.03	45.35	6.71		15.69				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2	UEF	UCS2X	9.83	65.94	31.03	45.35	6.71		15.69			1	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i	3	UEF	UCS2X	10.48	65.94	31.03	45.35	6.71		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09		15.69				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı	2	UEF	UCS4X	14.17	79.21	44.29	49.82	9.09		15.69				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09		15.69				
				UEF	1100140		0.47	0.47								
Habiii	Order Coordination for Unbundled Sub-Loops, per sub-loop pair ndled Sub-Loop Modification			UEF	USBMC		8.17	8.17							-	
Ulibui	Unbundled Sub-Loop Modification - 2-W Copper Dist Load														-	
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		176.17	5.11				15.69				
-	Unbundled Sub-loop Modification - 4-W Copper Dist Load			OLI	OLIVIZA		170.17	0.11				10.00				
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		176.17	5.11				15.69				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged														1	
	Tap Removal, per PR unloaded			UEF	ULM4T		278.82	6.13				15.69				
Unbur	ndled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3303	30.20	30.20				15.69				
Netwo	ork Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.68	28.79				15.69		ļ	1	
	Network Interface Device (NID) - 1-6 lines		<u> </u>	UENTW	UND16		64.42	49.53				15.69			-	<u> </u>
	Network Interface Device Cross Connect - 2 W		-	UENTW	UNDC2		5.92	5.92				15.69		 	1	1
B-LOOPS	Network Interface Device Cross Connect - 4W		-	UENTW	UNDC4		5.92	5.92				15.69		 	1	1
	oop Feeder		 	 	—									-		
Jub-L	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,										1	 	
	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBEW/		241.42					15.69			1	
-	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,	30D: W		۲۱.٦٤					10.08		1	†	1
	set-up			UDN,UCL,UDL,UDC	USBFX		22.69	22.69				15.69			1	
	USL Feeder DS1 Set-up at DSX location, per DS1 termination		t	USL	USBFZ		523.87	11.34			i e	15.69		†	1	1

ONBONDLE	D NETWORK ELEMENTS - South Carolina												Attachment:		Exhibit: B	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		PΛ	TES(\$)								
CATEGORI	NATE ELEMENTS	m	ZOITE	BC3	0300		NA.	1 L3(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	g Disconnect				Rates(\$)		
						INCO	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice															
	Grade - Zone 1		1	UEA	USBFA	8.93	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice															
	Grade - Zone 2		2	UEA	USBFA	11.74	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,			OLA	OODI /	11.7-	30.20	00.00	04.00	10.74	1	10.00				
	Voice Grade - Zone 3		3	UEA	USBFA	14.74	93.28	56.69	54.68	13.74		15.69				
			3			14.74		56.69	54.68	13.74	ļ	15.69				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		18.13									
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFB	8.93	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFB	11.74	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice													İ		
1 1	Grade - Zone 3		3	UEA	USBFB	14.74	93.28	56.69	54.68	13.74	1	15.69		1		
 	Order Coordination for Specified Time Conversion, per LSR		_	UEA	OCOSL	17.77	18.13	00.00	04.00	10.74	 	10.00		 	 	
 	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		 	02/1	JUJUL		10.13		1	1	1	1		1	1	1
			1	lue A	LICEC	0.00	00.00	FC CC	54.00	40.74	I	45.00		Ì		
	Voice Grade - Zone 1		1	UEA	USBFC	8.93	93.28	56.69	54.68	13.74	1	15.69			1	1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 2		2	UEA	USBFC	11.74	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse															
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	14.74	93.28	56.69	54.68	13.74		15.69				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		18.13									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 1		1	UEA	USBFD	21.63	107.91	70.36	62.26	17.52		15.69				
-	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		'	OLA	CODID	21.00	107.01	70.00	02.20	17.02	<u> </u>	10.00				
	Grade - Zone 2		2	UEA	USBFD	27.57	407.04	70.36	00.00	47.50		45.00				
			2	UEA	OSBED	27.57	107.91	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice															
	Grade - Zone 3		3	UEA	USBFD	26.04	107.91	70.36	62.26	17.52		15.69				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.13									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFE	21.63	107.91	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice									-						
	Grade - Zone 2		2	UEA	USBFE	27.57	107.91	70.36	62.26	17.52		15.69				
-	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			OLA	CODIL	21.01	107.01	70.00	02.20	17.02	<u> </u>	10.00				
	Grade - Zone 3		3	UEA	USBFE	26.04	107.91	70.36	62.26	17.52		15.69				
			3			20.04		70.36	02.20	17.32		15.69				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.13									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	17.05	106.47	68.92	55.81	13.37	ļ	15.69				ļ
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	20.92	106.47	68.92	55.81	13.37		15.69				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	23.49	106.47	68.92	55.81	13.37		15.69				
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		18.13									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	17.05	106.47	68.92	55.81	13.37	1	15.69				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	20.92	106.47	68.92	55.81	13.37	1	15.69		1	Ì	Ì
 	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	23.49	106.47	68.92	55.81	13.37	 	15.69		 	 	
 	Unbundled Sub-Loop Feeder, 2 Wife ODC (IDSL compatible)		1	USL	USBFG	55.85	102.19	64.64	62.26	17.52	}	15.69		 	1	1
\vdash				USL	USBFG					17.52	 			 	1	1
\vdash	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2			109.16	102.19	64.64	62.26		1	15.69		ļ	ļ	1
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	203.35	102.19	64.64	62.26	17.52		15.69				
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		18.13]]
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	<u></u>	1	UCL	USBFH	5.98	83.97	46.42	53.14	10.69	<u> </u>	15.69				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
	2		2	UCL	USBFH	4.80	83.97	46.42	53.14	10.69	I	15.69		Ì		
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone													İ		
1 1	3		3	UCL	USBFH	4.59	83.97	46.42	53.14	10.69	1	15.69		1		
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	7.00	18.13	70.72	55.14	10.00	1	10.00				1
 	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	13.21	101.22	63.67	58.03	13.29	1	15.69		1	†	1
\vdash											 			 	 	1
\vdash	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	8.28	101.22	63.67	58.03	13.29	1	15.69				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	8.42	101.22	63.67	58.03	13.29	ļ	15.69				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		18.13				Į					
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop	<u></u>	1	UDL	USBFN	21.02	102.19	64.64	62.26	17.52	<u> </u>	15.69				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	21.30	102.19	64.64	62.26	17.52		15.69				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	20.17	102.19	64.64	62.26	17.52	i e	15.69			İ	İ

UNBUNE	DLED	NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)				Svc Order Submitted Manually per LSR				Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							_	Nonrec	urrina	Nonrecurring	Disconnect		1	oss	Rates(\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
		Zone 1		1	UDL	USBFO	21.02	102.19	64.64	62.26	17.52		15.69				
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
		Zone 2		2	UDL	USBFO	21.30	102.19	64.64	62.26	17.52		15.69				
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		_									4= 00				İ
		Zone 3		3	UDL UDL	USBFO OCOSL	20.17	102.19 18.13	64.64	62.26	17.52		15.69				<u> </u>
		Order Coordination For Specified Time Conversion, per LSR Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			UDL	OCOSL		10.13		-							
		Zone 1		1	UDL	USBFP	21.02	102.19	64.64	62.26	17.52		15.69				
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
		Zone 2		2	UDL	USBFP	21.30	102.19	64.64	62.26	17.52		15.69	1		1	1
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
		Zone 3		3	UDL	USBFP	20.17	102.19	64.64	62.26	17.52		15.69				
		Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		18.13		ļ							
SUB-LOOI		- Factor		!		+								ļ		ļ	
Su		op Feeder Sub Loop Feeder - DS3 - Per Mile Per Month		!	UE3	1L5SL	20.44			 	 	ļ		 		 	
		Sub Loop Feeder - DS3 - Per Mile Per Month Sub Loop Feeder - DS3 - Facility Termination Per Month	÷		UE3	USBF1	348.12	3,392.00	407.90	160.83	91.17		15.69				
		Sub Loop Feeder – STS-1 – Per Mile Per Month	·		UDLSX	1L5SL	20.44	3,392.00	407.90	100.03	91.17		13.09				
		Sub Loop Feeder - STS-1 - Facility Termination Per Month	·		UDLSX	USBF7	369.07	3,392.00	407.90	160.83	91.17		15.69				
		Sub Loop Feeder – OC-3 – Per Mile Per Month	i		UDLO3	1L5SL	15.51	0,002.00	107.00	100.00	0		10.00				
		Sub Loop Feeder - OC-3 - Facility Termination Protection Per															
		Month	- 1		UDLO3	USBF5	56.04										
		Sub Loop Feeder - OC-3 - Facility Termination Per Month	ı		UDLO3	USBF2	565.50	3,392.00	407.90	160.83	91.17		15.69				
		Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	19.08										
		Sub Loop Feeder - OC-12 - Facility Termination Protection Per			LIDI 40	LICDEC	000 00										İ
		Month Sub Loop Feeder - OC-12 - Facility Termination Per Month	+		UDL12 UDL12	USBF6 USBF3	669.82 1,840.00	3,392.00	407.90	160.83	91.17		15.69				
		Sub Loop Feeder - OC-12 - Facility Fermination Fermination Sub Loop Feeder - OC-48 - Per Mile Per Month	·		UDL48	1L5SL	62.60	3,392.00	407.90	100.03	91.17		13.09				
		Sub Loop Feeder - OC-48 - Facility Termination Protection Per			ODE-10	TLOOL	02.00										
		Month	- 1		UDL48	USBF9	326.16										l
		Sub Loop Feeder - OC-48 - Facility Termination Per Month	- 1		UDL48	USBF4	1,560.00	3,578.00	407.90	160.83	91.17		15.69				
		Sub Loop Feeder - OC-12 Interface On OC-48	ı		UDL48	USBF8	366.86	789.85	407.90	160.83	91.17		15.69				
UNBUNDL		OOP CONCENTRATION															
		Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	318.73	326.13	326.13				15.69				
		Unbundled Loop Concentration - System B (TR008)		!	ULC	UCT8B	46.69 351.78	135.89	135.89	 	 	ļ	15.69 15.69	 		 	1
		Unbundled Loop Concentration - System A (TR303) Unbundled Loop Concentration - System B (TR303)		!	ULC ULC	UCT3A UCT3B	351.78 78.67	326.13 135.89	326.13 135.89	_		1	15.69 15.69	-		-	
		Unbundled Loop Concentration - System B (18303) Unbundled Loop Concentration - DS1 Loop Interface Card		 	ULC	UCTCO	4.42	63.43	46.18	16.83	4.71		15.69	1		1	
		Unbundled Loop Concentration - ISDN Loop Interface (Brite			0_0	50100	7.72	00.40	-10.10	10.00	7.71		10.00				
		Card)		1	UDN	ULCC1	7.02	10.56	10.50	5.41	5.37		15.69	1		1	1
		Unbundled Loop Concentration - UDC Loop Interface (Brite															
		Card)			UDC	ULCCU	7.02	10.56	10.50	5.41	5.37		15.69				
		Unbundled Loop Concentration2 Wire Voice-Loop Start or			l	05-											1
		Ground Start Loop Interface (POTS Card)		!	UEA	ULCC2	1.75	10.56	10.50	5.41	5.37		15.69	ļ		ļ	
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	10.42	10.56	10.50	5.41	5.37		15.69				1
		Unbundled Loop Concentration - 4 Wire Voice Loop Interface		1	ULA	OLCCK	10.42	10.50	10.50	5.41	5.37		15.69				
		(Specials Card)		1	UEA	ULCC4	6.22	10.56	10.50	5.41	5.37		15.69	1		1	1
		Unbundled Loop Concentration - TEST CIRCUIT Card		<u> </u>	ULC	UCTTC	30.38	10.56	10.50	5.41	5.37		15.69				
		Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop												1		1	
		Interface		<u> </u>	UDL	ULCC7	9.21	10.56	10.50	5.41	5.37		15.69				
		Unbundled Loop Concentration - Digital 56 Kbps Data Loop			l	I T											1
		Interface		!	UDL	ULCC5	9.21	10.56	10.50	5.41	5.37		15.69	ļ		ļ	
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface		1	UDL	ULCC6	9.21	10.50	10.50	E 14	5.37		15.60				
LINE OTH		INTERFACE ROVISIONING ONLY - NO RATE		1	UDL	ULUUB	9.21	10.56	10.50	5.41	5.37		15.69				
OHE OTHE		NID - Dispatch and Service Order for NID installation		 	UENTW	UNDBX				 	1	1		 		 	
		UNTW Circuit Id Establishment, Provisioning Only - No Rate		1	UENTW	UENCE				<u> </u>	1			1	1	1	

UNBUNDLE	D NETWORK ELEMENTS - South Carolina			T									Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN											
UNE OTHER	PROVISIONING ONLY - NO RATE			LINIVV	UNLCIN	+ +									1	
1																
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UEA,UDN,UCL,UDC	LICDEO	0.00	0.00									
-	rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
İ	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									ļ
HIGH CAPAC	TY UNBUNDLED LOCAL LOOP					1										
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	12.26										
	High Capacity Unbundled Local Loop - DS3 - Facility			0_0	. 20112	12.20										
L	Termination per month			UE3	UE3PX	306.36	452.52	264.53	119.75	83.77	<u></u>	15.69		<u> </u>	<u> </u>	<u> </u>
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	12.26					1	15.69				
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77		15.69				
LOOP MAKE-				UDLOX	UDLOI	313.49	452.52	∠04.53	119.75	03.77		15.69				
I I	Loop Makeup - Preordering Without Reservation, per working or					†									†	
	spare facility queried (Manual).			UMK	UMKLW		24.04	24.04			<u></u>					
	Loop Makeup - Preordering With Reservation, per spare facility															
	queried (Manual).			UMK	UMKLP	ļ	25.49	25.49								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0.34	0.34								
HIGH FREQUI	ENCY SPECTRUM			CIVIIX	1 GOIVIN	 	0.34	0.34			 				 	
	TERS-CENTRAL OFFICE BASED					 										
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	216.22	189.21	0.00	178.38	0.00		15.69				
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	54.05	189.21	0.00	178.38	0.00		15.69				
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	18.02	189.21	0.00	178.38	0.00		15.69			<u> </u>	
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)			ULS	ULSDG	1	86.67		49.95			15.69				['
END I	Ideactivation (per LSOD) ISER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPECT	TRUM A		ULUDU	 	00.07		49.90		 	15.69			 	
	Line Sharing - per Line Activation (BST owned Splitter)			ULS	ULSDC	0.61	18.55	10.62	10.04	4.93		15.69				
İ	Line Sharing - per Subsequent Activity per Line															
	Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.42	8.21				15.69				ļ
	Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.42	8.21				15.69				
	Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCS	0.61	16.42 47.44	19.31	20.67	12.74	-	15.69			-	
	Line Splitting - per line activation DLEC owned splitter	i		UEPSR UEPSB	UREOS	0.61	77.44	10.01	20.07	12.14		10.00				
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.644	37.09	21.24	20.07	9.85		15.69				
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.642	37.09	21.24	20.07	9.85		15.69				
	DEDICATED TRANSPORT		L	1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		[DT0.4.f										
	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimul OFFICE CHANNEL - DEDICATED TRANSPORT	m billin	g perio	a - pelow DS3=one i	month, DS3/	S I S-1=four moi	ntns									
INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -					 					 	 			 	
	Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -						İ									
	Facility Termination per month			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91		15.69				
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			LIATON	41.577	0.040-										1
 	Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			U1TVX	1L5XX	0.0167					-	-			-	
	Facility Termination per month			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91		15.69				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -						.5.56			0.01		.0.00				
1 1	Per Mile per month	<u></u>		U1TVX	1L5XX	0.0167			<u> </u>		<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>

UNBUN	IDLE	NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)				Manually	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
		Literation Channel Bullion I Transport A Miles Veller Control						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91		15.69				
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			UTIVA	01174	21.29	40.03	21.41	10.77	0.91		13.09			1	
		per month			U1TDX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination per month			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91		15.69				
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			LIATOV	41.5007	0.0407										
		per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.0167									1	
		Termination per month			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91		15.69				
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			OTTEX	01120	10.70	40.00	21.41	10.77	0.01		10.00				
		month			U1TD1	1L5XX	0.3415										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
		Termination per month			U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48		15.69				
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	8.02										
		Interoffice Channel - Dedicated Transport - DS3 - Facility			01103	TESTON	0.02										
		Termination per month			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59		15.69				
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
		month			U1TS1	1L5XX	8.02										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility			LIATOA	U1TFS	000.55	270.27	163.12	60.33	58.59		45.00				
		Termination per month CHANNEL - DEDICATED TRANSPORT			U1TS1	UTIFS	880.55	279.37	163.12	60.33	58.59		15.69				
		LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing	a perio	d - belo	w DS3=one month	. DS3/STS-1=f	our months										
		Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2	15.33	193.53	33.24	36.72	3.21		15.69				
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per															
		month			ULDVX	ULDR2	15.33	193.53	33.24	36.72	3.21		15.69				
		Local Channel - Dedicated - 4-Wire Voice Grade per month		1	UNDVX	ULDV4	16.54	193.97	33.68	37.19	3.68		15.69				
		Local Channel - Dedicated - DS1 per month - Zone 1 Local Channel - Dedicated - DS1 per month - Zone 2			ULDD1 ULDD1	ULDF1 ULDF1	42.62 70.32	177.87 177.87	154.06 154.06	22.24 22.24	15.30 15.30		15.69 15.69				
		Local Channel - Dedicated - DS1 per month - Zone 2 Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	190.68	177.87	154.06	22.24	15.30		15.69				
		Local Channel - Dedicated - DS3 - Per Mile per month		3	ULDD3	1L5NC	11.93	177.07	134.00	22.24	13.30		15.05				
		Interoffice Channel - Dedicated Transport - DS3 - Facility				1										İ	
		Termination per month			U1TD3	U1TF3	446.00	452.52	264.53	119.75	83.77		15.69				
		Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	11.93										
		Local Channel - Dedicated - STS-1 - Facility Termination per			504	550							4= 00				
MULTIPL	EVED	month			ULDS1	ULDFS	435.10	452.52	264.53	119.75	83.77		15.69				
- I		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per				1				12.00	2.01						
		month (2.4-64kbs)			UDL	1D1DD	1.19	6.59	4.73				15.69				
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			LIDA	11046							,				
		month Voice Grade COCI - DS1 to DS0 Channel System - per month			UDN UEA	UC1CA 1D1VG	2.56 0.56	6.59 6.59	4.73 4.73	1			15.69 15.69				1
-+		DS3 to DS1 Channel System per month			UXTD3	MQ3	144.02	178.54	94.18	33.33	31.90		15.69			-	1
		STS1 to DS1 Channel System per month			UXTS1	MQ3	144.02	178.54	94.18	33.33	31.90		15.69			†	
		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	8.64	6.59	4.73	55.50	000		15.69				
		DS3 Interface Unit (DS1 COCI) used with Local Channel per														1	
		month			ULDD1	UC1D1	8.64	6.59	4.73				15.69				
		DS3 Interface Unit (DS1 COCI) used with Interoffice Channel			U1TD1	UC1D1	8.64	6.59	4.73				15.00				
DARK FIE	RFR	per month			וטווט	OCIDI	8.64	0.59	4.73	1		1	15.69			+	+
-annill	J-1\	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				+				 						†	
		Thereof per month - Local Channel			UDF	1L5DC	97.65									1	
		NRC Dark Fiber - Local Channel			UDF	UDFC4		640.51	138.17	317.76	198.11		15.69				
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Interoffice Channel			UDF	1L5DF	36.41		100 (-	0.15.5	100 (7= 00				
		NRC Dark Fiber - Interoffice Channel			UDF	UDF14		640.51	138.17	317.76	198.11		15.69			L	

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
											Svc Order	Svc Order				Incrementa
												Submitted		Charge -	Charge -	Charge -
		Intori									Elec	Manually	_	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									,	F	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.44.
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE	41.501	07.05										
	Thereof per month - Local Loop			UDF UDF	1L5DL UDFL4	97.65	640.51	138.17	317.76	198.11		15.69				
TRANSPORT C	NRC Dark Fiber - Local Loop			UDF	UDFL4		640.51	138.17	317.76	198.11	ļ	15.69				
	al Features & Functions:															
	EN DIGIT SCREENING				+						1	1				
OAX ACCESS I	8XX Access Ten Digit Screening, Per Call			OHD		0.0006673										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OTID		0.0000070										
	Number Reserved			OHD	N8R1X		2.59	0.44				15.69				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	POTS Translations			OHD			5.95	0.81	4.58	0.54		15.69	1		1	I
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations			OHD	N8FTX		5.95	0.81	4.58	0.54		15.69			<u> </u>	<u> </u>
	8XX Access Ten Digit Screening, Customized Area of Service							· · · · · · · · · · · · · · · · · · ·					1		1	
	Per 8XX Number			OHD	N8FCX		2.59	1.30				15.69				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.03	1.74				15.69				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.03	0.44				15.69				
	8XX Access Ten Digit Screening, Call Handling and Destination			0.15								4= 00				
<u> </u>	Features			OHD OHD	N8FDX	0.0006673	2.59	2.59				15.69				
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery 8XX Access Ten Digit Screening, w/ POTS No. Delivery		<u> </u>	OHD OHD		0.0006673										
I INE INEODMA	ATION DATA BASE ACCESS (LIDB)			OUD		0.0006673										
	LIDB Common Transport Per Query			OQT		0.0000246										
	LIDB Validation Per Query			OQU		0.0138158										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX	0.0100100	34.40		42.18			15.69				
SIGNALING (C																
	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	163.49										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000692										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48		15.69				
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48		15.69				
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000173										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37										
	CCS7 Signaling Point Code, per Originating Point Code			UDB	CCAPO		29.08	29.08	35.65	35.65		15.69				1
\vdash	Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code		-	סטס	CCAPU		29.08	29.08	35.05	35.05	1	15.69	-	-	1	-
	Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65		15.69				1
E911 SERVICE					20.10		20.00	20.00	55.55	00.00	1	10.00	 		 	I
1	Local Channel - Dedicated - 2-wr Voice Grade					15.33	193.53	33.24	36.72	3.21		15.69				1
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				1	0.0167			55.7.2	3.21		12.00				
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility				1									İ		1
	Termination				<u> </u>	24.30	40.63	27.47	16.77	6.91	<u> </u>	15.69		<u> </u>	<u> </u>	<u> </u>
	Local Channel - Dedicated - DS1 - Zone 1					42.62	177.87	154.06	22.24	15.30		15.69				
	Local Channel - Dedicated - DS1 - Zone 2					70.32	177.87	154.06	22.24	15.30		15.69				
	Local Channel - Dedicated - DS1 - Zone 3					190.68	177.87	154.06	22.24	15.30		15.69				
	Interoffice Transport - Dedicated - DS1 Per Mile					0.3415										
													1		1	I
	Interoffice Transport - Dedicated - DS1 Per Facility Termination				1	77.14	89.47	81.99	16.39	14.48	<u> </u>	15.69	 	ļ	 	-
CALLING NAM	E (CNAM) SERVICE		<u> </u>	001/	1		22.00	22.22	24.45	04.45	}	45.00	 	1	 	!
	CNAM For DB Owners - Service Establishment CNAM For Non DB Owners - Service Establishment		<u> </u>	OQV OQV	1		23.00 23.00	23.00 23.00	21.15	21.15 21.15	}	15.69 15.69	 	1	 	
	CNAM For DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code	-	 	υųν	1		∠3.00	23.00	21.15	∠1.15	 	15.69	-		-	
	Establishment			oqv			993.09	734.47	269.53	198.18		15.69	1		1	
	CNAM For Non DB Owners - Service Provisioning With Point			OQV	1		993.09	134.41	209.53	190.18		15.69		-	1	
	Code Establishment			oqv			343.09	245.69	275.87	198.18		15.69	1		1	I
$\overline{}$	CNAM for DB Owners, Per Query		 	OQV	1	0.0010433	J - J.U3	240.09	213.01	130.10	 	10.03	 		 	t

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
											Svc Order	Svc Order				Incremental
		1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)				per LSR	Order vs.	Order vs.	Order vs.	Order vs.
OATEOORT	TOTAL ELEMENTO	m		500	0000		IVA	ΕΟ(ψ)			per LSR	per LSR				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					-	1	Nonrec	urring	Nonrecurring	Disconnect			220	Rates(\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LNP Query Se	rvice															
	LNP Charge Per query					0.0008837										
	LNP Service Establishment Manual						25.09	25.09	23.07	23.07		15.69				
	LNP Service Provisioning with Point Code Establishment						594.82	303.88	269.53	198.18		15.69				
OPERATOR C	ALL PROCESSING															
	Oper. Call Processing - Oper. Provided, Per Min Using BST															
	LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using															
	Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST									•						
	LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using															
	Foreign LIDB					0.20										
INWARD OPE	RATOR SERVICES															
	Inward Operator Services - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt															
	- Per Minute					1.15										
BRANDING -	OPERATOR CALL PROCESSING															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.69				
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00				15.69				
Unbra	nding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				15.69				
	ASSISTANCE SERVICES															
DIREC	TORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)														
	Directory Assistance Call Completion Access Service (DACC),															
	Per Call Attempt					0.10										
	TORY TRANSPORT															
	ASSISTANCE SERVICES															
DIREC	TORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
	DIRECTORY ASSISTANCE															
Facilit	y Based CLEC															
	Recording and Provisioning of DA Custom Branded															
	Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM															
	Card/Switch			AMT	CBADC		1,170.00	1,170.00								
UNEP	CLEC															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Announcement per DRAM															
	Card/Switch per OCN						1,170.00	1,170.00								
Unbra	nding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)				1	ļ	420.00	420.00								
	Loading of DA per Switch per OCN					ļ	16.00	16.00								
SELECTIVE R		<u> </u>														
	Selective Routing Per Unique Line Class Code Per Request Per	1			110000						1					1
	Switch	 	\vdash		USRCR		84.89	84.89	14.14	14.14		15.69			ļ	
VIRTUAL COL		 	\vdash						0						ļ	—
	Virtual Collocation - Application Cost			AMTES	EAF		1,207.95	1,207.95	0.51	0.51						
	Virtual Collocation - Cable Installation Cost, per cable			AMTES	ESPCX		794.22	794.22	22.54	22.54						
	Virtual Collocation - Floor Space, per sq. ft.	ļ		AMTES	ESPVX	3.95									ļ	
\vdash	Virtual Collocation - Power, per breaker amp	ļ		AMTFS	ESPAX	9.19									ļ	
	Virtual Collocation - Cable Support Structure, per entrance	l]			I		I		1 1
1	cable			AMTFS	ESPSX	18.66					l					1

ONBONDE	ED NETWORK ELEMENTS - South Carolina													2		
					l I				I	1	Svc Order		Attachment: Incremental		Exhibit: B Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
														Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		DAT	TES(\$)			Elec	Manually	Manual Svc		Manual Svc	Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	ВСЗ	0300		KAI	L3(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec	urring	Nonrecurring	n Disconnect			220	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOM AN	SOMAN	SOMAN
				UEANL,UEA,UDN,U			FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	SOWAN	SOWAN	JOWAN
				DC,UAL,UHL,UCL,U												
				EQ, AMTFS, UDL,												
				UNCVX, UNCDX,												
	Vistual Callegation 2 wire Comm Commette (Incom)				LIEACO	0.0317	40.00	44.00	0.04	5.45		45.00				
\vdash	Virtual Collocation - 2-wire Cross Connects (loop)		1	UNCNX	UEAC2	0.0317	12.32	11.83	6.04	5.45		15.69				
				UEA,UHL,UCL,UDL,												
				AMTFS, UAL, UDN,												
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.0634	12.42	11.90	6.40	5.74		15.69				
				AMTFS,UDL12,												
				UDLO3, U1T48,												
				U1T12, U1T03,												
				ULDO3, ULD12,												
	Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF	CNC2F	2.86	20.94	15.23	7.40	5.93		15.69				
				AMTFS,UDL12,												
				UDLO3, U1T48,												
				U1T12, U1T03,												
				ULDO3, ULD12,												
	Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	5.71	25.61	19.90	9.73	8.26		15.69				
				USL,ULC,AMTFS,												
				ULR, UXTD1,												
				UNC1X, ULDD1,												
				U1TD1, USLEL,												
	Virtual collocation - DS1 Cross Connects			UNLD1	CNC1X	1.12	22.08	15.96	6.42	5.80		15.69				
		1		USL,ULC,AMTFS,U												
				E3, U1TD3, UXTS1,												
				UXTD3, UNC3X,												
				UNCSX, ULDD3,												
				U1TS1, ULDS1,												
	Virtual collocation - DS3 Cross Connects			UDLSX, UNLD3	CND3X	14.21	20.94	15.23	7.39	5.93		15.69				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			ODLOX, UNLDO	CINDSX	14.21	20.94	13.23	7.39	3.93		13.09				
	Support Structure, per linear foot			AMTFS	VE1CB	0.0022										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax		H	AWITTO	VLICB	0.0022										
	Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0033										
\vdash			 	AIVIIFO	VEICD	0.0033										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			AMTEC	VE100	l	E26 F0				1					
\vdash	Support Structure, per cable	1	+	AMTFS	VE1CC		536.56									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax	1		AMTEC	VE1CE	l	500.50									
\vdash	Cable Support Structure, per cable	<u> </u>		AMTES	VE1CE		536.56	10.75		1	1	1				
\vdash	Virtual collocation - Security Escort - Basic, per half hour	<u> </u>		AMTES	SPTBX		16.96	10.75								
\vdash	Virtual collocation - Security Escort - Overtime, per half hour	1		AMTFS	SPTOX		22.10	13.89								
\vdash	Virtual collocation - Security Escort - Premium, per half hour	!		AMTES	SPTPX		27.23	17.02								
\vdash	Virtual collocation - Maintenance in CO - Basic, per half hour	ļ	ļļ:	AMTFS	CTRLX		27.99	10.75								
		1				l										
\vdash	Virtual collocation - Maintenance in CO - Overtime, per half hour		<u> </u>	AMTFS	SPTOM	ļ	36.56	13.89								
						l					1					
	Virtual collocation - Maintenance in CO - Premium per half hour	<u> </u>	لللم	AMTFS	SPTPM	ļ	45.12	17.02								
VIRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res	<u></u>	<u>L</u>	UEPSR	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus	<u></u>	<u> </u>	UEPSP	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	Voice Grade PBX Trunk - Res	1		UEPSE	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire					İ										
	Analog Bus			UEPSB	VE1R2	0.0317	12.32	11.83	6.04	5.45	1	15.69				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire											-				
	ISDN			UEPSX	VE1R2	0.0317	12.32	11.83	6.04	5.45	1	15.69				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	1				1										
	ISDN	1	1)	UEPTX	VE1R2	0.0317	12.32	11.83	6.04	5.45	l	15.69				

ONRONDLE	D NETWORK ELEMENTS - South Carolina	_	1	T	1	ı			,		·		Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			'ES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Mind College Control C						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	1.12	22.08	15.96	6.42	5.80		15.69				
VIRTUAL COL				UEPEX	VE IR4	1.12	22.00	15.96	0.42	5.60		15.09				+
I I	Virtual Collocation-2 Wire Cross Connects (Loop) for Line				+											
	Splitting			UEPSR, UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45		15.69				
AIN SELECTIV	E CARRIER ROUTING			,												
	Regional Service Establishment			SRC	SRCEC		101,324.34	101,324.34	8,609.85	8,609.85		15.69				
	End Office Establishment			SRC	SRCEO		175.66	175.66	1.70	1.70		15.69				
	Query NRC, per query			SRC		0.0035036										
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		39.53	39.53	40.78	40.78		15.69				
	AIN CMC Access Comics - Dort Committee - Dist/Other - 1.5		1	l _{AAN} ,	CAMDP		7.0-	7.0-		0.4.	1	45.00				
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access			A1N A1N	CAMDP CAM1P		7.85 7.85	7.85 7.85	9.11 9.11	9.11 9.11		15.69 15.69				
+	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User		1	AIN	CAIVITE		7.85	7.85	9.11	9.11		15.09			+	+
	ID Code AIN SMS Access Service - Security Card, Per User ID Code,			A1N	CAMAU		35.08	35.08	27.12	27.12		15.69				
	Initial or Replacement			A1N	CAMRC		41.98	41.98	11.74	11.74		15.69				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			Ally	CAWING	0.0027	41.90	41.50	11.74	11.74		10.00				+
	AIN SMS Access Service - Session, Per Minute					0.7121									1	
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.8364										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		39.53	39.53	40.78	40.78		15.69				
	AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPVX		4,211.54	4,211.54	0.00	0.00		15.69			-	<u> </u>
	DN, Term. Attempt				BAPTT		7.85	7.85	9.11	9.11		15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI II		7.00	7.00	3.11	3.11		10.00				+
	DN, Off-Hook Delay				BAPTD		7.85	7.85	9.11	9.11		15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.85	7.85	9.11	9.11		15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		34.54	34.54	14.39	14.39		15.69				
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. CDP				BAPTC		34.54	34.54	14.39	14.39		15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPIC		34.54	34.54	14.39	14.39		15.69				
	DN, Feature Code				BAPTE		34.54	34.54	14.39	14.39		15.69				
	AIN Toolkit Service - Query Charge, Per Query					0.0558238										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0069214										
	AlN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.07										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	11.87	7.85	7.85	5.52	5.52		15.69				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAM	BAPLS	3.51	8.68	8.68	0.02	0.02		15.69				
	Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service		 	CAIVI	BAPLS	3.51	8.68	8.68	 			15.69			 	+
	Subscription			CAM	BAPDS	8.48	7.85	7.85	5.52	5.52		15.69				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			CAM	BAPES	0.12	8.68	8.68				15.69				
ENHANCED E	KTENDED LINK (EELs)		1		27.11.20	0.12	0.00	0.00	 			10.00			†	†
	New EELs available in GA, TN, KY, LA, MS, & SC and density	zone 1	of foll	owing MSAs: Orlan	do, FL; Miam	i, FL; Ft. Laude	rdale, FL;		1						1	1
NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-	-High P	oint, N	C. Use all rates belo	w except Sw	itch As Is Charg	ge.									
NOTE:	In all states, EEL network elements shown below also apply t	o curre	ntly co	mbined facilities w	hich are conv	erted to UNE ra	tes. A Switch	As Is Charge a	pplies to currer	ntly combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not apply	(.)
NOTE:	In GA, TN, KY, LA, MS & SC the EEL network elements apply	to ordi	narily c	ombined network e	lements.(No	Switch As Is Ch	arge.)						·			
2-WIR	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)	1										l]

ONDONDEL	D NETWORK ELEMENTS - South Carolina	ı ———		I	1						Cup Carles	Cup Code	Attachment:		Exhibit: B	Inoro
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)	•	•
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport															
	Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				-
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed			UNCVX	ULALZ	23.13	105.96	00.43	33.03	10.01		13.09			1	+
	Transport Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNC1X UNCVX	MQ1 1D1VG	107.57 0.56	91.24 6.59	62.71 4.73	10.56	9.81		15.69 15.69				-
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			UNCVA	IDIVG	0.56	0.59	4.73				15.69			-	+
	Interoffice Transport Combination - Zone 1	l	1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69			1	
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	Ė					550	55.55			70.00			1	
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	0.56	6.59	4.73				15.69				+
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIRI	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	FROFF	ICF TR		UNCCC		5.01	3.01	7.00	7.00		13.09			1	+
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice														İ	+
	Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		3	LINOVA	UEAL4	43.38	132.38	94.83	59.35	14.61		45.00				
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				+
	Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			0140174	120701	0.27										1
	Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Channelization - Channel System DS1 to DS0 combination Per															1
	Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
	Voice Grade COCI - DS1 to DS0 Channel System combination -							. =0				4= 00				
	per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	1D1VG	0.56	6.59	4.73				15.69				+
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
	Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOVA	OL/ IL-	02.00	102.00	04.00	00.00	14.01		10.00				+
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
	Additional 4-Wire Analog Voice Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-											4= 00				
4 14/10/	Is Charge E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				+
4-99171	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	I KANSPORT (EEL)											1	+
	Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice			-												<u> </u>
	Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				<u> </u>
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice						,					,				
	Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				<u> </u>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	l		UNC1X	1L5XX	0.27									1	
	Interoffice Transport - Dedicated - DS1 - combination Facility			OING IA	ILUAA	0.27										
	Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Channelization - Channel System DS1 to DS0 combination Per			-												1
	Month	1		UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81	1	15.69			I	I

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES(\$) Svc Order Submitted Submitted Elec Manually per LSR per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Charge - Manual Svc Manual Svc Order vs Electronic- Disc 1st Disc Ad
CATEGORY RATE ELEMENTS	Manual Svc Order vs. Electronic- 1st OSS Rates(\$)	/c Manual Svc Manual Order vs. - Electronic- Disc 1st Disc A
CATEGORY RATE ELEMENTS	Order vs. Electronic- 1st OSS Rates(\$)	Disc 1st Disc A
Nonrecurring Disconnect Nonrecurring Dis	1st Add'I OSS Rates(\$)	Disc 1st Disc A
COU-DP COCI (data) - DS1 to DS0 Channel System - per	OSS Rates(\$)	
COU-DP COCI (data) - DS1 to DS0 Channel System - per		SOMAN SOMA
COU-DP COCI (data) - DS1 to DS0 Channel System - per	SOMAN SOMAN	SOMAN SOMA
month (2.4-64kbs)		
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		
Interoffice Transport Combination - Zone 1		_
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 33.99 126.66 89.12 59.35 14.61 15.69		
Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 33.99 126.66 89.12 59.35 14.61 15.69		
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		
Interoffice Transport Combination - Zone 3 3 UNCDX UDL56 34.74 126.66 89.12 59.35 14.61 15.69		
OCU-DP COCI (data) - DS1 to DS0 Channel System -		
Nonrecurring Currently Combined Network Elements Switch -As-		
Is Charge		
4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)		
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		
Transport Combination - Zone ONCDA ODL64 29.93 120.06 69.12 59.35 14.01 15.09		
Transport Combination - Zone 2		
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		
Transport Combination - Zone 3 3 UNCDX UDL64 34.74 126.66 89.12 59.35 14.61 15.69		
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.27		
Per Month UNC1X 1L5XX 0.27 Interoffice Transport - Dedicated - DS1 combination - Facility UNC1X		
Channelization - Channel System DS1 to DS0 combination Per		
Month UNC1X MQ1 107.57 91.24 62.71 10.56 9.81 15.69		
OCU-DP COCI (data) - DS1 to DS0 Channel System		
Combination - per month (2.4*-04-80s) UNCDA 10100 1.19 6.39 4.73 13.69 Additional 4-Wire 64(bps Digital Grade Loopin same DS1		
Interoffice Transport Combination - Zone 1 1 UNCDX UDL64 29.93 126.66 89.12 59.35 14.61 15.69		
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		
Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 33.99 126.66 89.12 59.35 14.61 15.69		
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 34.74 126.66 89.12 59.35 14.61 15.69		
Interconic Trainsport Continuation		
Nonrecurring Currently Combined Network Elements Switch -As-		
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		+ +
Transport - Zone 1 1 UNC1X USLXX 90.87 253.03 157.89 44.80 11.73 15.69		
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		
Transport - Zone 2 2 UNC1X USLXX 155.43 253.03 157.89 44.80 11.73 15.69		
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		
Interoffice Transport - Dedicated - DS1 combination - Per Mile		+ + + + + + + + + + + + + + + + + + + +
Per Month UNC1X 1L5XX 0.27		
Interoffice Transport - Dedicated - DS1 combination - Facility		
Termination Per Month		
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)		
First DS1Loop in DS3 Interoffice Transport Combination - Zone		
1 UNC1X USLXX 90.87 253.03 157.89 44.80 11.73 15.69		
First DS1Loop in DS3 Interoffice Transport Combination - Zone 2 UNC1X		
2 UNC1X USLXX 155.43 253.03 157.89 44.80 11.73 15.69 First DS1Loop in DS3 Interoffice Transport Combination - Zone		+
3 UNC1X USLXX 261.89 253.03 157.89 44.80 11.73 15.69		
Interoffice Transport - Dedicated - DS3 combination - Per Mile		
Per Month UNC3X 1L5XX 6.42		

ONDUNDLE	D NETWORK ELEMENTS - South Carolina	1	ı	ı	1 1						Core Contr	Com Contr	Attachment:		Exhibit: B	In an arrange
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 - Facility Termination per				===					=0.=0						
	month			UNC3X UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59		15.69				
-	DS3 to DS1 Channel System combination per month DS3 Interface Unit (DS1 COCI) combination per month		1	UNC1X	MQ3 UC1D1	144.02 8.64	178.54 6.59	94.18 4.73	33.33	31.90		15.69 15.69			-	
	Additional DS1Loop in DS3 Interoffice Transport Combination -			UNCIA	OCIDI	0.04	0.59	4.73				15.69			-	ļ
	Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	Additional DS1Loop in DS3 Interoffice Transport Combination -			0.10.17	002701	00.0.	200.00	101.00	11.00			10.00			1	
	Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	8.64	6.59	4.73				15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-			LINIOOV	1111000		5.04	5.04	7.00	7.00		45.00				
2 WIDE	Is Charge VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EBOEE	ICE TE	UNC3X	UNCCC		5.61	5.61	7.00	7.00		15.69			-	
Z-WIKE	2-WireVG Loop used with 2-wire VG Interoffice Transport	EKOFF	ICE II	I												
	Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				
	2-WireVG Loop used with 2-wire VG Interoffice Transport		-	ONOVA	OL7 (LZ	10.00	100.00	00.40	00.00	10.01		10.00				
	Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per															
	Mile Per Month			UNCVX	1L5XX	0.0134										ļ
	Interoffice Transport - Dedicated - 2- Wire Voice Grade						40.00					4= 00				
	combination - Facility Termination per month		1	UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91		15.69			-	
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIRE	IN CHAIGE EVOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	FROFE	ICE TE		UNCCC		3.01	5.01	7.00	7.00		15.05				
7 11111	4-WireVG Loop used with 4-wire VG Interoffice Transport	<u> </u>	<u> </u>	I	+											
	Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0404										
-	Interoffice Transport - Dedicated - 4- Wire Voice Grade			UNCVX	ILOXX	0.0134									-	
	combination - Facility Termination per month			UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	01114	17.00	40.00	27.47	10.77	0.01		10.00				
	Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00		15.69				
DS3 DI	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRA	NSPOR	T (EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per															
	Mile per month			UNC3X	1L5ND	12.26										
	High Capacity Unbundled Local Loop - DS3 combination -			LINIOOV	LIEODY	000.00	452.52	264.53	440.75	83.77		45.00				
	Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X UNC3X	UE3PX 1L5XX	306.36 6.42	452.52	264.53	119.75	83.77		15.69				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility			UNC3X	ILSXX	0.42										
1	Termination per per month		1	UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59		15.69				
1	Nonrecurring Currently Combined Network Elements Switch -As-			2.1307	1 0		2. 3.01	.00.12	55.00	33.00		.0.00			1	
1	Is Charge		1	UNC3X	UNCCC		5.61	5.61	7.00	7.00		15.69				
STS1 [DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TF	RANSP	ORT (EEL)												
1 -	High Capacity Unbundled Local Loop - STS1 combination - Per		1	l	1										_	
	Mile per month			UNCSX	1L5ND	12.26									1	1
1	High Capacity Unbundled Local Loop - STS1 combination -		1	LINCSY	LIDI 64	242.40	450.50	204.52	440.75	00.77		15.00				
	Facility Termination per month Interoffice Transport - Dedicated - STS1 combination - Per Mile			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77		15.69			 	
	per month		1	UNCSX	1L5XX	6.42										
	Interoffice Transport - Dedicated - STS1 combination - Facility	1		01100/	ILUXX	0.42									-	
	and the second s	I	1	UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59	l	15.69			1	1

ONDONDLE	D NETWORK ELEMENTS - South Carolina			Г	1								Attachment:		Exhibit: B	1.
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			'ES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Normalia Caratta Caratta I Normalia I Normalia Caratta						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69				
2-WIR	IS Charge E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	T (FFI		UNCSX	UNCCC		5.61	5.61	7.00	7.00		13.69				1
Z-WIIKI	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	. , , , , , ,	_													
	Transport - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combintion - Facility			LINCAV	U1TF1	61.71	89.47	81.99	16 20	14.48		15.69				
	Termination per month Channelization - Channel System DS1 to DS0 combination -			UNC1X	UTIFT	61.71	09.47	01.99	16.39	14.40		15.69				
	per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			0.10.1%		101.01	01.21	02	10.00	0.01		10.00				
	combination - per month			UNCNX	UC1CA	2.56	6.59	4.73				15.69				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_	LINGNIV	1141.00/	07.70	447.50	00.00	50.05	40.04		45.00				
	Combination - Zone 3 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61		15.69				<u> </u>
	combintaion- per month			UNCNX	UC1CA	2.56	6.59	4.73				15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-			ONONA	OCTOA	2.50	0.55	4.73				15.05				
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIRI	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	First DS1 Loop in STS1 Interoffice Transport Combination -		_													
	Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile		3	UNCIA	USLAA	201.09	255.05	157.69	44.00	11.73		15.69				
	Per Month			UNCSX	1L5XX	6.42										
	Interoffice Transport - Dedicated - STS1 combination - Facility			0.100/	120701	02										
	Termination			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59		15.69				
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	8.64	6.59	4.73				15.69				
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	Additional DS1Loop in STS1 Interoffice Transport Combination -			UNCIA	USLAA	155.45	255.05	157.69	44.00	11.73		15.69				
	Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
	DS3 Interface Unit (DS1 COCI) combination per month		Ŭ	UNC1X	UC1D1	8.64	6.59	4.73				15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIR	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE T	RANS	PORT (EEL)												
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	1	١									4.5.5				
	Combination - Zone 1	 	1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69			1	
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	l	2	LINCDY	LIDI EG	22.00	106.00	90.40	50.05	14.04		15.00				
 	Combination - Zone 2 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	 	2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
	Combination - Zone 3	l	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
 	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1	3	OITODA	ODLOG	54.74	120.00	03.12	55.55	17.01		10.09				<u> </u>
	Per Mile	1		UNCDX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															1
	Facility Termination	l		UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91		15.69				

UNBL	INDLE	NETWORK ELEMENTS - South Carolina												Attachment:		Exhibit: B	
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
				1			_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	ı
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				
		64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
		Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			UNCDX	UDL64	33.99	120.00	89.12	59.35	14.61		15.69				
		Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		Ŭ	ONODA	ODLOT	04.74	120.00	00.12	00.00	14.01		10.00				
		Per Mile			UNCDX	1L5XX	0.0134										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Facility Termination			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				
ADDIT		ETWORK ELEMENTS		L	L			_									
		used as a part of a currently combined facility, the non-recurr															
		used as ordinarilty combined network elements in South Caro	lina, th	e non-	recurring charges a	pply and the	Switch As Is Cr	narge does not									
		SynchroNet) urring Currently Combined Network Elements "Switch As Is"	Charma	(0===		him eti e m											
	Nonrec	Nonrecurring Currently Combined Network Elements Switch As-		(One a	applies to each com	ibination)											
		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.61	5.61	7.00	7.00		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	011000		3.01	3.01	7.00	7.00		13.03				
		Is Charge - 56/64 kbps			UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-				-										1	
		Is Charge - DS1			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-															
		ls Charge - DS3			UNC3X	UNCCC		5.61	5.61	7.00	7.00		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - STS1	<u> </u>	L	UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69				
		Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3				100.50	20.04	00.70	0.01		45.00				
		Local Channel - Dedicated - 2-Wire Voice Grade per month Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCXV	ULDV2 ULDV4	15.33 16.54	193.53 193.97	33.24 33.68	36.72	3.21 3.68		15.69 15.69			-	
-		Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	42.62	177.87	154.06	37.19 22.24	15.30		15.69			-	
-		Local Channel - Dedicated - DS1 Per Month Zone 2		2	UNC1X	ULDF1	70.32	177.87	154.06	22.24	15.30		15.69				
		Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	190.68	177.87	154.06	22.24	15.30		15.69			1	
		Local Channel - Dedicated - DS3 - Per Mile per month		Ť	UNC3X	1L5NC	11.93		.000	22.27	.0.50		,0.00			1	
		Local Channel - Dedicated - DS3 - Facility Termination per					1										
<u></u>	<u> </u>	month		<u>L</u>	UNC3X	ULDF3	446.00	452.52	264.53	119.75	83.77		15.69			<u></u>	
		Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	11.93	•	•		•						
		Local Channel - Dedicated - STS-1 - Facility Termination per											,			1	
IIN/SI	IDI ES:	month		<u> </u>	UNCSX	ULDFS	435.10	452.52	264.53	119.75	83.77		15.69				ļ
ONBU		OCAL EXCHANGE SWITCHING(PORTS)		<u> </u>	1	+										!	1
<u> </u>		ge Ports Although the Port Rate includes all available features in GA, I	KV I A	9 TN 4	he desired features	will nood to	o ordered weigh	a rotail HSOC								-	-
-		Although the Port Rate includes all available features in GA, I VOICE GRADE LINE PORT RATES (RES)	ιτ, LA	ox ≀N,t	le desired reatures	will need to I	e ordered uSIN	y retail USUCS	•							 	1
-		Exchange Ports - 2-Wire Analog Line Port- Res.	-	 	UEPSR	UEPRL	1.65	2.38	2.28	1.42	1.33		15.69			t	
			1			52	1.00	2.00	2.20	1.72	1.00		10.00			†	1
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.65	2.38	2.28	1.42	1.33		15.69			1	
			1					_									
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		<u> </u>	UEPSR	UEPRO	1.65	2.38	2.28	1.42	1.33		15.69				
		Exchange Ports - 2-Wire VG unbundled SC extended local															
		dialing parity Port with Caller ID - Res.		<u> </u>	UEPSR	UEPAU	1.65	2.38	2.28	1.42	1.33		15.69			1	
		Exchange Ports - 2-Wire VG unbundled South Carolina Area			l	1		_								I	
	 	Calling port with Caller ID - Res (LW8)		ļ	UEPSR	UEPAJ	1.65	2.38	2.28	1.42	1.33		15.69			-	
-		Exchange Ports - 2-Wire VG unbundled res, low usage line port			UEPSR	UEPAP	1.65	2.38	2.28	1.42	1.33		15.69				
								7.38	2.28	1.42	1.33	i l	10 09		ì	•	i
		with Caller ID (LUM) Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00		1.00		15.69				

ONRONDLE	D NETWORK ELEMENTS - South Carolina			•		1							Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Available Vertical Features			UEPSR	UEPVF	3.04	0.00	0.00		7.44		15.69			00	
2-WIRE	E VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPAZ	1.65	2.38	2.28	1.42	1.33		15.69				
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports - 2-Wire VG unbundled South Carolina Bus Area Calling Port with Caller ID - Bus (LMB)			UEPSB	UEPAB	1.65	2.38	2.28	1.42	1.33		15.69				
FFATI	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00				15.69				
FEATU	All Available Vertical Features	 	 	UEPSB	UEPVF	3.04	0.00	0.00			-	15.69		-	 	\vdash
-	All Available Vertical Features All Available Vertical Features			UEFSB	UEPVF	3.04	0.00	0.00				15.69				
EXCH	ANGE PORT RATES (DID & PBX)				OLI VI	0.04	0.00	0.00				10.00				
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP UEPSP	UEPXB UEPXC	1.65 1.65	31.34 31.34	14.88 14.88	13.97 13.97	0.90 0.90		15.69 15.69				
-	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLFSF	OLFAD	1.05	31.34	14.00	13.91	0.90		15.09				
	Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXE	1.65	31.34	14.88	13.97	0.90		15.69				
	Administrative Calling Port			UEPSP	UEPXL	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital											4= 00				
	Discount Room Calling Port			UEPSP	UEPXO	1.65	31.34	14.88	13.97	0.90		15.69				
_	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port 2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus			UEPSP	UEPXS	1.65	31.34	14.88	13.97	0.90		15.69				
	Calling Port			UEPSP	UEPXT	1.65	31.34	14.88	13.97	0.90		15.69				
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	10.07	0.00		15.69				
FEATU						0.00	2.00					10.00				
	All Available Vertical Features			UEPSP UEPSE	UEPVF	3.04	0.00	0.00				15.69				
EXCHA	ANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port					1.65	2.38	2.28	1.42	1.33		15.69				
	Switching Features offered with Port	L		L	1				<u> </u>		L			ļ		
	Transmission/usage charges associated with POTS circuit sv													Damiest D		
	Access to B Channel or D Channel Packet capabilities will be LOCAL EXCHANGE SWITCHING(PORTS)	avanak	ie onl	y through BFK/New	business Re	quest Process.	kates for the	раскет сараы	IITIES WIII DE de	terminea via ti	ne Bona Fic	ie Kequest/I	New Business	s Request Pro	ocess.	
	ANGE PORT RATES (DID & PBX)	1	 		+				-		 			1		-
EVOU	Exchange Ports - 2-Wire DID Port	1	1	UEPEX	UEPP2	8.86	119.57	18.78	60.03	3.77		15.69			<u> </u>	
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	73.62	202.47	95.90	72.75	2.47		15.69				
-	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	1		UEPTX UEPSX	U1PMA	13.38	72.93	53.11	47.90	10.76		15.69		1		
	All Features Offered			UEPTX UEPSX	UEPVF	3.04	0.00	0.00						Ì		
NOTE:	Transmission/usage charges associated with POTS circuit sv	witched	usage						ission by B-Ch	nannels associ	ated with 2-	wire ISDN p	orts.	<u> </u>	<u> </u>	
	Access to B Channel or D Channel Packet capabilities will be			y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi						s Request Pro	ocess.	
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	107.44	204.27	101.78	79.35	20.10		15.69				

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
											Svc Order	Svc Order		Incremental	Incremental	Incrementa
											1	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec			_		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RΔ	TES(\$)				Manually		Manual Svc	Manual Svc	
CATEGORI	KATE ELEMENTO	m	20116	БОО	0000		IVA.	i Ε Ο (Ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						ı	Nonre	curring	Nonrecurrin	g Disconnect		l .	220	Rates(\$)	l .	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDI ED	LOCAL SWITCHING, PORT USAGE						11130	Auu	11100	Auui	COME	COMPAR	COMPAN	COMPAN	COMPAR	COMPAR
	Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0010519					1					†
+	End Office Trunk Port - Shared, Per MOU					0.0002136										
Tande	em Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0001634										
	Tandem Trunk Port - Shared, Per MOU					0.0002863										
Comn	non Transport															
	Common Transport - Per Mile, Per MOU					0.0000045										
	Common Transport - Facilities Termination Per MOU					0.0004095										
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES	1			i	2.230.000			1	1						1
	Based Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to pro	vide Unbun	dled Local Swit	tching or Swit	ch Ports.		†						
	res shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate E	xhibit.					1
	Office and Tandem Switching Usage and Common Transport Us											n Port/Loor	Combination	ns.		
	eorgia, Kentucky, Louisiana, MIssissippi, South Carolina and 1														ng charges a	pply to Not
	ntly Combined Combos for all states. In GA, KY, LA, MS, SC an															
	urrently Combined Combos in all other states, the nonrecurring															
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	j 0u <u>g</u>	00 0		1	l l	J, CO									
	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
UNF	oop Rates					27.17										
0.12	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	13.76					1					†
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	20.38					1					†
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	26.04										•
2-Wire	e Voice Grade Line Port Rates (Res)		Ť	021101	02. 2.	20.01										
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.13	37.93	16.72				15.69				•
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.13	37.93	16.72				15.69				
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.13	37.93	16.72				15.69				
	2-Wire voice Grade unbundled South Carolina extended local			021101	020	0	01.00	2				10.00				
	dialing parity port with Caller ID - res			UEPRX	UEPAU	1.13	37.93	16.72				15.69				
	2-Wire voice unbundled South Carolina Area Calling port with			021.101	02.7.0	0	01.00	2				10.00				
	Caller ID - res (LW8)			UEPRX	UEPAJ	1.13	37.93	16.72				15.69				
	2-Wire voice unbundles res, low usage line port with Caller ID			021.101	02.7.0		01.00	2				10.00				
	(LUM)			UEPRX	UEPAP	1.13	37.93	16.72				15.69				
FEAT				021101	02.74	0	01.00	10.72				10.00				
. =	All Features Offered			UEPRX	UEPVF	3.04	0.00	0.00				15.69				
LOCA	L NUMBER PORTABILITY			021101	02	0.01	0.00	0.00			1	10.00				†
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			021101	2.1. 0/1	0.00										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is	1	1	UEPRX	USAC2]	0.10	0.10]			15.69				
- 	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1	101	- 57.102		3.10	3.10		†		.0.50				†
	Switch with change	1	1	UEPRX	USACC]	0.10	0.10]			15.69				
בוחמם	TIONAL NRCs	1	1	SE. 707	23/100		0.10	5.10		†		10.00				†
ADDII	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	1		l				1	l .				1	1	†
	Activity	l		UEPRX	USAS2	0.00	0.00	0.00				15.69				
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	1	1		1	3.50	3.50	5.50	1	l .		.0.00		1	1	†
	Port/Loop Combination Rates	l	1		 				 	1	i	1				†
O.AL I	2-Wire VG Loop/Port Combo - Zone 1	1	1		1	14.89				†						†
- 	2-Wire VG Loop/Port Combo - Zone 2	1	2		l	21.52			1	l .				1	1	†
	2-Wire VG Loop/Port Combo - Zone 3	1	3		-	27.17				1		l				
UNFI	Loop Rates				 	21.11				†	1					
10.112.1	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPBX	UEPLX	13.76				1		l				
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPBX	UEPLX	20.38			 	 	-					
	2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPBX	UEPLX	26.04				†						
2-Wire	e Voice Grade Line Port (Bus)	 	3	OLI DA	OLI LX	20.04				 	1					
2-44116	2-Wire voice unbundled port without Caller ID - bus	 	-	UEPBX	UEPBL	1.13	37.93	16.72		 	1	15.69				
	2-vviie voice dibulidied poit without Callet ib - bus			OLI BA	OLFBL	1.13	31.93	10.72	1			15.09				

04/12/02 Page 291 of 352

UNBUNDL	ED NETWORK ELEMENTS - South Carolina	1		1							Ia	I	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	'ES(\$)			1	Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-
•						1							1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	O.Wissonias control and most with Calley v. E404 ID. hos			UEPBX	UEPBC	4.40	First 37.93	Add'I	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBO	1.13 1.13	37.93	16.72 16.72				15.69 15.69				
	2-Wire voice unbundled port outgoing only - bus 2-Wire voice Grade unbundled South Carolina extended local			UEPBX	UEPBU	1.13	37.93	16.72				15.69				
	dialing parity port with Caller ID - bus			UEPBX	UEPAZ	1.13	37.93	16.72				15.69				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.13	37.93	16.72				15.69				
	2-Wire voice unbundled South Carolina Bus Area Calling Port			OLI DX	OI EDI	1.13	37.93	10.72				13.03				
	with Caller ID (LMB)			UEPBX	UEPAB	1.13	37.93	16.72				15.69				İ
LOCA	AL NUMBER PORTABILITY				1											
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	URES															
	All Features Offered			UEPBX	UEPVF	3.04	0.00	0.00				15.69				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -									-						1
	Switch-as-is			UEPBX	USAC2		0.10	0.10				15.69				
1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -							·								1
	Switch with change		<u> </u>	UEPBX	USACC		0.10	0.10				15.69				
ADDI	TIONAL NRCs						ļ									└
ı I	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1													1
	Activity			UEPBX	USAS2		0.00	0.00				15.69				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		2			21.52 27.17										
LINE	Loop Rates		3		-	27.17										
UNE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	13.76			-		1					
	2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEPRG	UEPLX	20.38	1				1					
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPRG	UEPLX	26.04										
2-Wir	e Voice Grade Line Port Rates (RES - PBX)			OLI IKO	OLI LX	20.04										
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	1.13	37.93	16.72				15.69				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.69				
FEAT	URES															
	All Features Offered			UEPRG	UEPVF	3.04	0.00	0.00				15.69				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		7.93	1.91				15.69				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1				!									1
1.55	Conversion - Switch with Change		<u> </u>	UEPRG	USACC		7.93	1.91				15.69				
ADDI	TIONAL NRCs		 		+		-				1					
1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPRG	USAS2	0.00	0.00	0.00				15.00				1
	Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1	UEPKG	USAS2	0.00	0.00	0.00				15.69				\vdash
	Group				1		7.34	7.34				15.69				1
2-///10	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		!		+ +		1.34	1.34	+		 	15.69		1	1	
	Port/Loop Combination Rates	-	<u> </u>		+ +		+				 					
ONE	2-Wire VG Loop/Port Combo - Zone 1		1		+ +	14.89	-									
	2-Wire VG Loop/Port Combo - Zone 2	1	2		+ +	21.52			 					1	1	—
1	2-Wire VG Loop/Port Combo - Zone 3		3		+ +	27.17										t
UNE	Loop Rates		Ť		1		İ							İ	İ	
1	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	20.38										
l	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	26.04										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
										-						1
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		<u></u>	UEPPX	UEPPC	1.13	37.93	16.72				15.69				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.13	37.93	16.72				15.69				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.13	37.93	16.72				15.69				

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina			П									Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPAE	1.13	37.93	10.72	-			15.69				
	Administrative Calling Port			UEPPX	UEPXL	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	l							1							
	Discount Room Calling Port			UEPPX	UEPXO	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus			l												
	Calling Port			UEPPX	UEPXT	1.13	37.93	16.72				15.69				
LOCA	L NUMBER PORTABILITY			LIEDDY	LNDOD	0.45	0.00	0.00				45.00				
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.69				
FEAT				LIEDDY	LIED) (E	0.04	0.00	0.00	-			45.00				
NONE	All Features Offered			UEPPX	UEPVF	3.04	0.00	0.00	-			15.69				
NONK	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		7.93	1.91				15.69				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OLITA	OOAOZ		7.33	1.51				13.03				
	Conversion - Switch with Change			UEPPX	USACC		7.93	1.91				15.69				
ADDIT	FIONAL NRCs			OLI I X	OOACC		7.55	1.01				13.03				
ADDI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.69				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			-												
	Group						7.34	7.34				15.69				
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	₹T														
UNE F	Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.89										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			21.52										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			27.17										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13.76										
_	2-Wire Voice Grade Loop (SL1) - Zone 2	 	2	UEPCO	UEPLX	20.38			1						 	
2 181:	2-Wire Voice Grade Loop (SL1) - Zone 3	-	3	UEPCO	UEPLX	26.04			 							
2-Wire	e Voice Grade Line Ports (COIN) 2-Wire Coin 2-Way without Operator Screening and without	 			+	-			 						-	
	Blocking (SC)			UEPCO	UEPSD	1.13	37.93	16.72				15.69				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,				1 1	0	21.50					.5.50				
	900/976, 1+DDD (SC)	L		UEPCO	UEPSA	1.13	37.93	16.72				15.69			<u> </u>	
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			LIEBCO	HEDOLI	4.40	27.00	40.70				45.00				
	(SC) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking;			UEPCO	UEPSH	1.13	37.93	16.72	+			15.69				
	with Dialing Parity (SC)			UEPCO	UEPSC	1.13	37.93	16.72				15.69				
	2-Wire Coin 2-Way with Operator Screening and: 900 Blocking:								1							
	900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	1.13	37.93	16.72				15.69			ļ	
	2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD, 011+, Local; Enhanced Call OPT 3YV (SC)			UEPCO	UEPCE	1.13	37.93	16.72				15.69				
	2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,	1		OLFOO	OLFGE	1.13	31.93	10.72	+ +			15.69			1	
	011+, Local; Enhanced Call OPT AP7 (SC)	1		UEPCO	UEPCF	1.13	37.93	16.72				15.69			1	
	2-Wire Coin Outward without Blocking and without Operator			02.1 00	02. 0	1.13	37.33	10.72	 			10.03			 	
	Screening (SC)	L		UEPCO	UEPSG	1.13	37.93	16.72				15.69				
	2-Wire Coin Outward with Operator Screening and 011 Blocking															
1	(SC)		1	UEPCO	UEPSF	1.13	37.93	16.72				15.69			1	

ONRONDLE	NETWORK ELEMENTS - South Carolina			I .	· ·						1_	1_	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and Blocking:			LIEBOO	LIEDO	4.40	07.00	40.70				45.00				
	011, 900/976, 1+DDD (SC) 2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEPSJ	1.13	37.93	16.72				15.69				
	900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	1.13	37.93	16.72				15.69				
	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD, 011+, Local; Enhanced Calling OPT 3YW (SC)			UEPCO	UEPCP	1.13	37.93	16.72				15.69				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.13	37.93	16.72				15.69				
	2-Wire Coin Outward Smartline with 900/976 (all states except			OLI OO	OLI OIL	1.10	07.00	10.72				10.00				
	LA)			UEPCO	UEPCR	1.13	37.93	16.72				15.69				
ADDITIO	ONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.05	37.93	16.72	_			15.69		_	_	
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)		<u> </u>	UEPCO	LNPCX	0.35										
	CURRING CHARGES - CURRENTLY COMBINED		<u> </u>		+						<u> </u>	1				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0.10	0.10				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPCO	USACC		0.10	0.10				15.69				
	ONAL NRCs				+											
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00				15.69				
	DLED REMOTE CALL FORWARDING - RES															
Non-Re					1											
	DLED REMOTE CALL FORWARDING - Bus			LIEDUD.		4.05						1= 00				
Non-Re	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB	UEPVJ	1.65	2.38	2.28	1.42	1.33	1	15.69				
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (DES)	+ +						1					
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE				+											
	ORT/LOOP COMBINATIONS - COST BASED RATES		1		1						1					
2-WIRE	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
	ort/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			23.75										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			30.20										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		+	35.52										
	pop Rates 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	16.68										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2			UEPPX	UECD1	23.13										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	28.46										
	ort Rate			-												
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	7.06	225.55	87.21	113.08	14.38			15.69			
	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		1	LIEDDY	LIGAC:		7.00	4.6=					45.00			
	Switch-as-is 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	1	}	UEPPX	USAC1		7.32	1.87			<u> </u>	ļ	15.69			
	with BellSouth Allowable Changes		1	UEPPX	USA1C		7.32	1.87					15.69			
ADDITIO	ONAL NRCs	1	†	0211 X	55,110		1.52	1.07			1		13.09			
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		26.84						15.69			
Telepho	one Number/Trunk Group Establisment Charges															
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00					15.69			
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00					15.69			
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00					15.69			
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00					15.69			
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00					15.69			
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00					15.69			
	NUMBER PORTABILITY	1	1	I	1						1	1		l		
			+	UEDDV	LNIBOR		0.00									
	Local Number Portability (1 per port) ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	NE CIC	BOD.	UEPPX	LNPCP	3.15	0.00	0.00								

ONRONDE	ED NETWORK ELEMENTS - South Carolina													Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC		RAT	ES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	I	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port		١.														ı
	UNE Zone 1 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	UEPPB	UEPPR		30.86	1									
	UNE Zone 2		2	UEPPB	UEPPR		38.60										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																ĺ
LINE	UNE Zone 3 Loop Rates		3	UEPPB	UEPPR		44.23										
UNE	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	21.90							15.69			
-	2-Wile ISBN Digital Grade Loop - GNL Zone 1		<u>'</u>	OLFFB	ULFFR	USLZA	21.50							13.09			
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.64							15.69			1
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB		USL2X	35.27							15.69			
UNE	Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.96	190.51	133.14	100.95	21.37			15.69			
NONE	RECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																ĺ
A D D I	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.59	27.08					15.69			+
	TIONAL NRCS AL NUMBER PORTABILITY																
LUCA	Local Number Portability (1 per port)		<u> </u>	UEPPB	UEPPR	LNDCV	0.35	0.00	0.00								
B-CH	ANNEL USER PROFILE ACCESS:			OLFFB	ULFFR	LINFOX	0.55	0.00	0.00								
B-CH.	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CH	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	TN)														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								[
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	R TERMINAL PROFILE																
VEDT	User Terminal Profile (EWSD only) TICAL FEATURES			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								+
VERI	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.04	0.00	0.00					15.69			
INTE	ROFFICE CHANNEL MILEAGE			OLFFB	OLFFR	OLF VI	3.04	0.00	0.00					13.09			
	Interoffice Channel mileage each, including first mile and																—
	facilities termination			UEPPB	UEPPR	M1GNC	24.30	40.63	27.47	16.77	6.91			15.69			ĺ
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0167	0.00	0.00								
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	K PORT															
UNE	Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1	LIEDDD			470.00										
	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	+ '-	UEPPP			176.82										
	Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	<u> </u>	2	UEPPP			241.38										
	Zone 3		3	UEPPP			347.84	l				1					1
UNF	Loop Rates	1		CLIII			347.04	+									
J.1.L	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	90.87							15.69			
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	155.43							15.69			
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	261.89							15.69			
UNE	Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	85.95	457.30	259.67	124.15	31.83			15.69			<u> </u>
NONE	RECURRING CHARGES - CURRENTLY COMBINED	1	ļ			ļ											
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		1	LIEDDD		HEACD	0.00	440.04	70.70			1		45.00			i
VDDI.	Combination - Conversion -Switch-as-is TIONAL NRCs	1	1	UEPPP		USACP	0.00	119.34	78.73					15.69			
ADDI	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	1	-	-		1	+	+				-			-	-	
	Inward/two way tel nos within Std Allowance (except NC)			UEPPP		PR7TF		0.49	0.49					15.69			i
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1		J		. 15/ 11	1	0.43	0.43					13.09			
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.54	11.54					15.69			1
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		23.07	23.07					15.69			İ

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
											Svc Order	Svc Order			Incremental	Incremental
ĺ												Submitted	Charge -	Charge -	Charge -	Charge -
i											Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		RΔT	TES(\$)								
I DATE CORT	NATE ELEMENTO	m		500	0000		IVAI	ΕΟ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1													Electronic-	Electronic-	Electronic-	Electronic-
i													1st	Add'l	Disc 1st	Disc Add'l
\vdash					-	1	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	I.	1
					-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCA	L NUMBER PORTABILITY				-		11131	Addi	THOU	Auu i	JONEC	JONAN	JONAN	JOHIAN	JOHIAN	JONAN
LOUA	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New c	or Additional "B" Channel			OLITT	110712	0.00	0.00	0.00			1					
11011 0	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.56				1		15.69			
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.56						15.69			
 	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.56				1		15.69			
CALL	TYPES			02		0.00	1 1.00						10.00			
- JOALE	Inward	1	1	UEPPP	PR7C1	0.00	0.00	0.00						 		
	Outward	1	1	UEPPP	PR7C0	0.00	0.00	0.00						 		
	Two-way	l	1	UEPPP	PR7CC	0.00	0.00	0.00	-						<u> </u>	
Interc	ffice Channel Mileage	l	1		50	0.00	0.00	0.00							<u> </u>	
	Fixed Each Including First Mile	1	1	UEPPP	1LN1A	77.4815	89.47	81.99	16.39	14.48			15.69			
 	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.3415	00.41	01.00	10.00	14.40	1		10.00			
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			OLITT	TENTE	0.0+10	1				1					
	Port/Loop Combination Rates				+											
I GIVE !	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	+	149.77										
 	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		214.33	1				1					
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3			UEPDC	+	320.78										
UNF	Loop Rates			OLI DO		020.70	1				1					
- CIVE 2	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	90.87							15.69			
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	155.43							15.69			
 	4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	261.89	1				1		15.69			
UNF	Port Rate		Ŭ	OLI DO	OOLDO	201.00							10.00			
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	58.90	455.50	253.79	117.55	14.20			15.69			
NONE	ECURRING CHARGES - CURRENTLY COMBINED			02. 50	000	00.00	100.00	2000		20	1		10.00			
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination						1				1					
1	- Switch-as-is			UEPDC	USAC4		129.78	67.17					15.69			
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			02. 20	00/101		120.70	0					10.00			
1	- Conversion with DS1 Changes			UEPDC	USAWA		129.78	67.17					15.69			
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination							•								
1	- Conversion with Change - Trunk			UEPDC	USAWB		129.78	67.17					15.69			
ADDI [*]	TIONAL NRCs							•								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
1	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.51	14.51					15.69			
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
1	Activation/Chan Inward Trunk w/out DID	l		UEPDC	UDTTC		14.51	14.51					15.69	l		l
\cap	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			İ			İ							İ		İ
1	Activation Per Chan - Inward Trunk with DID	l		UEPDC	UDTTD		14.51	14.51					15.69	l		l
\frown	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			-	1									İ		İ
1	Activation / Chan - 2-Way DID w User Trans	l		UEPDC	UDTTE		14.51	14.51					15.69	l		l
BIPOI	AR 8 ZERO SUBSTITUTION			-			İ						15.69	İ		İ
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00					15.69	İ		İ
\frown	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	605.00					15.69	İ		İ
Alterr	ate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00						İ		İ
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	hone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							15.69			
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							15.69			
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							15.69			
	DID Numbers, Establish Trunk Group and Provide First Group															
1			1	UEPDC	NDZ	0.00	0.00	0.00					15.69	l		l
	of 20 DID Numbers															
	of 20 DID Numbers DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00							15.69			
	DID Numbers for each Group of 20 DID Numbers			UEPDC				0.00								
					ND4	0.00	0.00	0.00					15.69 15.69 15.69			

UNBUNDU	ED NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
ONDONDE		l .			1						Svc Order	Svc Order	Incremental			Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec	Manually				
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		RΔT	TES(\$)								
CATEGORI	KATE EEEMENTO	m	Zone	Воо	0000		IVA.	LO(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1	1		1		Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digital	Loop	with 4-Wire DDITS T	runk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48			15.69			
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3415	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.3415	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	1			1				1					1		1
	Termination)	ļ		UEPDC	1LNO3	0.00	0.00	0.00	1					1		└
		1			1				1					1		1
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	<u> </u>	<u> </u>	UEPDC	1LNOC	0.3415	0.00	0.00	ļ					ļ		↓
	Local Number Portability, per DS0 Activated	<u> </u>	<u> </u>	UEPDC	LNPCP	3.15	0.00	0.00	ļ					ļ		1
	Central Office Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
	System can have up to 24 combinations of rates depending on	type ar	nd num	ber of ports used												
UNE	OS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1			UEPMG	USLDC	90.87	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	155.43	0.00	0.00								
L	4-Wire DS1 Loop - UNE Zone 3	L	3	UEPMG	USLDC	261.89	0.00	0.00								
UNE	OSO Channelization Capacities (D4 Channel Bank Configuration	ns)		LIEDMO	V (I I I I I O I	00.70	0.00	0.00					45.00			
-	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	82.78	0.00	0.00					15.69			
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG UEPMG	VUM48 VUM96	165.56	0.00	0.00					15.69			
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM14	331.12 496.68	0.00	0.00	-				15.69			
	144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	496.68 662.24	0.00	0.00	-				15.69 15.69			
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	827.80	0.00	0.00	-				15.69			
	288 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM28	993.36	0.00	0.00	-				15.69			
	384 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM38	1,324.48	0.00	0.00					15.69			
-	480 DS0 Channel Capacity - 1 per 16 DS1s		-	UEPMG	VUM40	1,655.60	0.00	0.00					15.69			
	576 DS0 Channel Capacity - 1 per 20 DS1s		-	UEPMG	VUM57	1,986.72	0.00	0.00	-				15.69	-		
	672 DS0 Channel Capacity - 1 per 24 DS1s		-	UEPMG	VUM67	2.317.84	0.00	0.00	-				15.69	-		
Non-I	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit	h Chanr	oliztio					0.00					15.05			
	imum System configuration is One (1) DS1, One (1) D4 Channe						Sterri									
	oles of this configuration functioning as one are considered A								-		1		 	I	1	—
	NRC - Conversion (Currently Combined) with or without	1							<u> </u>				1	<u> </u>		—
	BellSouth Allowed Changes	1	1	UEPMG	USAC4	0.00	150.81	8.38	I				15.69	I		1
Syste	m Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nelizat	ion with Port Comb	ination Curre	ently Exists and										
	Not Currently Combined) In GA, KY, LA, MS & TN Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
	Fea Activation - New GA, LA, KY, MS, &TN Only	1	1	UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69	1		15.69	I		1
Bipol	ar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only	<u> </u>		UEPMG	CCOSF	0.00	0.00	605.00								
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only	ļ		UEPMG	CCOEF	0.00	0.00	605.00								
Alterr	ate Mark Inversion (AMI)	<u> </u>			1											
	Superframe Format	<u> </u>	<u> </u>	UEPMG	MCOSF	0.00	0.00	0.00	ļ					ļ		1
	Extended Superframe Format	L	<u></u>	UEPMG	MCOPO	0.00	0.00	0.00	.				ļ	.		1
	ange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port		 				.				ļ	.		1
Excha	ange Ports	!			1											
	11 - 01 - 0 - 11 - 0 - 11 - 12 - 12 - 12	1	1	HEDDY	LIEBOY						1			I		1
\vdash	Line Side Combination Channelized PBX Trunk Port - Business	!		UEPPX	UEPCX	1.13	0.00	0.00	0.00	0.00			15.69	-	1	├
 	Line Side Outward Channelized PBX Trunk Port - Business	1	<u> </u>	UEPPX	UEPOX	1.13	0.00	0.00	0.00	0.00			15.69	1		
	Line Cide learned Only Observational DDV Totals Co. 1915 1 DD	1	1	HEDDY	LIEDAY	4.40	0.00	0.00	0.00	0.00	1		45.00	I		1
 	Line Side Inward Only Channelized PBX Trunk Port without DID	 	-	UEPPX	UEP1X	1.13	0.00	0.00	0.00	0.00		 	15.69	 	-	
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port	1	l	UEPPX	UEPDM	7.09	0.00	0.00	0.00	0.00			15.69			1

Feature A Feature A Fin Fin Telephon Di Es	RATE ELEMENTS RATE ELEMENTS Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank	Interi m	Zone	BCS	USOC	- Rec	RAT	⁻ ES(\$)				Svc Order Submitted	Attachment: Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Exhibit: B Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs.
Fe in Fe in Telephon	Feature (Service) Activation for each Line Side Port Terminated n D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated n D4 Bank					Rec	Nonrec						1st	Add'l	Disc 1st	Electronic- Disc Add'l
Fe in Fe in Telephon	Feature (Service) Activation for each Line Side Port Terminated n D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated n D4 Bank					Rec		urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
Fe in Fe in Telephon	Feature (Service) Activation for each Line Side Port Terminated n D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated n D4 Bank										001150	0011411			0011411	001111
Fe in Fe in Telephon	Feature (Service) Activation for each Line Side Port Terminated n D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated n D4 Bank					+	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
in Fe in Telephon DI Es	n D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated n D4 Bank															
Telephon Di	Feature (Service) Activation for each Trunk Side Port Terminated n D4 Bank															
Telephon DI Es	n D4 Bank			UEPPX	1PQWM	0.56	25.45	13.44	4.20	4.17			15.69			
Telephon Di																
DI Es				UEPPX	1PQWU	0.56	78.31	18.46	59.37	11.60			15.69			
Es Di	ne Number/ Group Establishment Charges for DID Service															
DI	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers		 	UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers		1	UEPPX	NDV	0.00	0.00	0.00								
			1	ULPPA	INDA	0.00	0.00	0.00								
	umber Portability		 	LIEDDY	LNDOD	0.15	0.00	0.00								ļ
	Local Number Portability - 1 per port		<u> </u>	UEPPX	LNPCP	3.15	0.00	0.00								
	ES - Vertical and Optional				1											
	vitching Features Offered with Line Side Ports Only															
	All Features Available		1	UEPPX	UEPVF	3.04	0.00	0.00					15.69			
UNBUNDLED PO	ORT LOOP COMBINATIONS - MARKET RATES															
	Rates shall apply where BellSouth is not required to provide	unbund	dled lo	cal switching or swi	itch ports per	FCC and/or Sta	ate Commissio	n rules.								
	cenarios include:		1	I	1											
	ndled port/loop combinations that are Not Currently Combir	ed in A	laham	Elorida and North	Carolina											
	ndled port/loop combinations that are Not currently Combined					n O MCAC in Do	IICauth'a ragio	n for and use	ro with 4 or mo	ro DCO oquivo	lant lines					
												,				
The Top 8	8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda	ale, Mia	mı); G/	A (Atlanta); LA (New	Orleans); NC	(Greensboro-V	Vinston Salem	-Highpoint/Ch	ariotte-Gastoni	a-Rock Hill); I	N (Nashville	e).				
BellSouth	th currently is developing the billing capability to mechanica	וווס עווו	tne rec	urring and non-recu	urring Market	Rates in this se	ection except t	or nonrecurrin	ig cnarges for i	not currently c	ombinea in	AL, FL and	NC. In the ir	iterim where i	BeiiSouth car	nnot bili
Market Ra	Rates, BellSouth shall bill the rates in the Cost-Based section	preced	ding in	lieu of the Market R	Rates and res	erves the right t	to true-up the I	oilling differen	ce.							
The Mark	ket Rate for unbundled ports includes all available features i	n all sta	ates.													
	ce and Tandem Switching Usage and Common Transport Us				nis rate exhib	it shall apply to	all combination	ns of loop/po	rt network elen	nents except f	or UNE Coi	n Port/Loop	Combination	s which have	a flat rate us	age charge
(USOC: U		•				,				•		•				
	Currently Combined scenarios where Market Rates apply, the	Nonre	currin	n charnes are listed	in the First a	nd Additional N	NRC columns f	or each Port I	SOC For Curr	ently Combine	ed scenario	s the Nonre	curring char	nes are listed	in the NRC -	Currently
	ed section. Additional NRCs may apply also and are categor					ina Additional i	110000141111151	or caon rone c	000. 101 0011	citily combine	ou sociiuiio	5, 1110 11011110	ourning onars	geo are noted	in the raite	ouriently
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	izeu ac	Corum	giy. I	1											1
			1		_											
	t/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			27.76										
	2-Wire VG Loop/Port Combo - Zone 2		2			34.38										
2-	2-Wire VG Loop/Port Combo - Zone 3		3			40.04										
UNE Loop	pp Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	26.04			 							1
	oice Grade Line Port (Res)		-	OLI IVA	JLI LA	20.04										
			1	LIEDDY	LIEDDI	44.00	00.00	00.00				45.00				1
	2-Wire voice unbundled port - residence		<u> </u>	UEPRX	UEPRL	14.00	90.00	90.00				15.69				ļ
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00				15.69				
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90.00				15.69				
- 10	2-Wire voice unbundles res, low usage line port with Caller ID														-	
12-	LUM)		1	UEPRX	UEPAP	14.00	90.00	90.00				15.69				1
					1	1										
(L	NUMBER PORTABILITY		+	UEPRX	LNPCX	0.35										
LOCAL N	NUMBER PORTABILITY ocal Number Portability (1 per port)			OLI IXX	LIVI OA	0.33										1
LOCAL N	Local Number Portability (1 per port)		<u> </u>													
LOCAL N LOCAL N Local FEATURE	ocal Number Portability (1 per port)			HEDDY	LIEDVE	0.00	0.00	0.00	- 1							
LOCAL N LC FEATURE	Local Number Portability (1 per port) ES All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				15.69				
LOCAL N LC FEATURE ADDITION	.ocal Number Portability (1 per port) ES All Features Offered NAL NRCs			UEPRX	UEPVF	0.00	0.00	0.00				15.69				
LOCAL N LC FEATURE ADDITION	.ocal Number Portability (1 per port) ES All Features Offered NAL NRCs NRC - 2-Wire Voice Grade Loop/Line Port Combination -					0.00										
LOCAL N LC FEATURE ADDITION	.ocal Number Portability (1 per port) ES All Features Offered NAL NRCs			UEPRX UEPRX	UEPVF USAS2	0.00	0.00	0.00				15.69				
LOCAL N LC FEATURE ADDITION NI SI	.ocal Number Portability (1 per port) ES All Features Offered WAL NRCs URC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent					0.00										
(L LOCAL N LC FEATURE ADDITION SI 2-WIRE V	.ocal Number Portability (1 per port) ES All Features Offered NAL NRCs NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)					0.00										
(L LOCAL N LOCAL N FEATURE AI ADDITION NI SI 2-WIRE V UNE Port	Local Number Portability (1 per port) ES All Features Offered NAL NRCs NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) 1/Loop Combination Rates		1													
LOCAL N LOCAL N LC FEATURE AI ADDITION N S 2-WIRE V UNE Port 2-2 2-2 2-3 3-4 3-4 3-4 3-4 3-4 3-4 3-4 3-4 3-4 3	Local Number Portability (1 per port) ES All Features Offered NAL NRCs NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) 1/LOop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1 2			27.76										
LOCAL N LOCAL N LOCAL N LC FEATURE AI ADDITION NI SI 2-WIRE V UNE Port 2-2-2-2	Local Number Portability (1 per port) ES All Features Offered NNAL NRCs NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) **t/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2			27.76 34.38										
LOCAL N LOCAL N LC FEATURE AI ADDITION NI SI 2-WIRE V UNE Port 2- 2- 2- 2-	Local Number Portability (1 per port) ES All Features Offered NAL NRCs NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) tt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3					27.76										
LOCAL N LOCAL	Local Number Portability (1 per port) ES All Features Offered NAL NRCs NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) tt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3			27.76 34.38										

04/12/02 Page 298 of 352

ONDONDEED N	ETWORK ELEMENTS - South Carolina	1	1	ı							0	0	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-W	/ire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.38										
	/ire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	26.04										
	ce Grade Line Port (Bus)															
	/ire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00				15.69				
	/ire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00				15.69				
	/ire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00				15.69				
	/ire voice Grade unbundled South Carolina extended local			UEPBX	UEPAZ	44.00	90.00	90.00				45.00				
	ing parity port with Caller ID - bus /ire voice unbundled South Carolina Bus Area Calling Port			UEPBX	UEPAZ	14.00	90.00	90.00				15.69				
	n Caller ID (LMB)			UEPBX	UEPAB	14.00	90.00	90.00				15.69				
	MBER PORTABILITY			UEPBA	UEPAB	14.00	90.00	90.00				15.69				
	al Number Portability (1 per port)	1		UEPBX	LNPCX	0.35			 							
FEATURES		1		02. DA		0.00			 							
	Features Offered	1		UEPBX	UEPVF	0.00	0.00	0.00				15.69			1	
ADDITIONA					1											
	C - 2-Wire Voice Grade Loop/Line Port Combination -															
Sub	sequent			UEPBX	USAS2		0.00	0.00				15.69				
2-WIRE VO	ICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE Port/L	oop Combination Rates															
	/ire VG Loop/Port Combo - Zone 1		1			27.76										
	/ire VG Loop/Port Combo - Zone 2		2			34.38										
	/ire VG Loop/Port Combo - Zone 3		3			40.04										
UNE Loop																
	/ire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	13.76										
	/ire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	20.38										
	/ire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	26.04										
	ce Grade Line Port Rates (RES - PBX) //ire VG Unbundled Combination 2-Way PBX Trunk Port -															
Res				UEPRG	UEPRD	14.00	90.00	90.00				15.69				
	MBER PORTABILITY			OLI NO	OLIND	14.00	30.00	30.00				13.03				
	al Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEATURES				02.110	2.1. 0.	0.10	0.00	0.00								
	Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.69				
NONRECU	RRING CHARGES - CURRENTLY COMBINED															
ADDITION/	AL NRCs															
2 W	/ire Loop/Line Side Port Combination - Non feature -															
	sequent Activity- Nonrecurring						0.00	0.00				15.69				
	X Subsequent Activity - Change/Rearrange Multiline Hunt	1									1	l]	
Gro							14.64	14.64				15.69				
	ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	oop Combination Rates		1			07.70										
	/ire VG Loop/Port Combo - Zone 1 /ire VG Loop/Port Combo - Zone 2	 	2		+	27.76 34.38									 	-
	/ire VG Loop/Port Combo - Zone 2 /ire VG Loop/Port Combo - Zone 3	 	3			34.38 40.04			-		-				-	-
UNE Loop		1	3		1	40.04			+		 				1	1
	/ire Voice Grade Loop (SL1) - Zone 1	1	1	UEPPX	UEPLX	13.76			 							
	/ire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	20.38										
	/ire Voice Grade Loop (SL1) - Zone 3	1	3	UEPPX	UEPLX	26.04									1	
	ce Grade Line Port Rates (BUS - PBX)				1											
	. ,															
	e Side Unbundled Combination 2-Way PBX Trunk Port - Bus	<u> </u>		UEPPX	UEPPC	14.00	90.00	90.00				15.69			<u> </u>	<u></u>
	e Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00				15.69				
	e Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00				15.69				
	/ire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00				15.69				
	/ire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00				15.69				<u> </u>
	/ire Voice Unbundled PBX Toll Terminal Hotel Ports	ļ		UEPPX	UEPXB	14.00	90.00	90.00				15.69				
	/ire Voice Unbundled PBX LD DDD Terminals Port	 		UEPPX	UEPXC	14.00	90.00	90.00				15.69				
I 12-W	/ire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00			l	15.69			l	l

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			FES(\$)			Submitted Elec	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring I		001150	001111		Rates(\$)	0011411	0011411
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00				15.69				ı
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00				15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00				15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			LIEDDY	LIEDVO	44.00	00.00	00.00				45.00				
	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX UEPPX	UEPXO UEPXS	14.00 14.00	90.00 90.00	90.00				15.69 15.69				
LOC	AL NUMBER PORTABILITY			UEPPX	UEFAS	14.00	90.00	90.00				15.09				
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEA	TURES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.69				
	RECURRING CHARGES - CURRENTLY COMBINED															
ADD	ITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0.00	0.00				15.69				
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring						0.00	0.00				15.69				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7.34	7.34				15.69				
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POP	₹T														
UNE	Port/Loop Combination Rates		<u> </u>													
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			27.76										├
	2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3		3			34.38 40.04										——
UNE	Loop Rates					40.04										—
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	26.04										
2-Wi	re Voice Grade Line Port Rates (Coin)															
	2-Wire Coin 2-Way without Operator Screening and without Blocking (SC)			UEPCO	UEPSD	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC)			UEPCO	UEPSA	14.00	90.00	90.00				15.69				ı
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (SC)			UEPCO	UEPSH	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking; with Dialing Parity (SC)			UEPCO	UEPSC	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-W Oper Screen & Blocking: 900/976, 1+DDD,						90.00									
	011+ & Local; Enhanced Calling OPT 3YV (SC) 2-Wire Coin 2-W Oper Screen & Block: 900/976, 1+DDD, 011+, & Local; Enhanced Calling OPT AP7 (SC)			UEPCO UEPCO	UEPCF	14.00 14.00	90.00	90.00				15.69 15.69				
	2-Wire Coin Outward without Blocking and without Operator															
	Screening (SC) 2-Wire Coin Outward with Operator Screening and 011 Blocking			UEPCO	UEPSG	14.00	90.00	90.00				15.69				
	(SC) 2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC)			UEPCO UEPCO	UEPSF	14.00 14.00	90.00	90.00				15.69 15.69				
_	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (SC) 2-Wire Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+,			UEPCO	UEPCM	14.00	90.00	90.00				15.69				
LOC	& Local ; w/ Enhanced Call OPT 3YW (SC) AL NUMBER PORTABILITY			UEPCO	UEPCP	14.00	90.00	90.00				15.69				
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										

ACTION PARTE REMEMTS MADE AND ACTION AND ACT	UNRU	NDI FI	NETWORK ELEMENTS - South Carolina													Attachment:	2	Exhibit: B	
ACTION PARTECLEMENTS INTER CLINES INTER CLIN	UNDO	IVELL	NETWORK ELEMENTO Godin Garonna											Svc Order	Svc Order				Incremental
## APPER ELEMENTS March Section															1				
CAPECOPY				Intori											1				_
ABDITIONAL INICE Part ADDITIONAL PROPERTY ADDITIONAL PROPE	CATEG	ORY	RATE ELEMENTS		Zone	BC	cs	USOC		RAT	ES(\$)			per LSR					
April Apri														•		Electronic-	Electronic-	Electronic-	Electronic-
Part Add First Add SOMAN S																		Disc 1st	Disc Add'l
Part Add First Add SOMAN S									1	Manros		Monroourrin	a Dissennest			220	Botoo(\$)		
DECIDIONAL NECL									Rec					COMEC	COMAN			COMAN	COMAN
Description Comparison Co	-	ADDITI	ONAL NPCs							FIISL	Auu i	FIISt	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
DRUBUNEL DP OFFT LOOP COMENSTRONG - MARKET BASED NATES		ADDITIO	DIAL HIGS																
DRUBUNEL DP OFFT LOOP COMENSTRONG - MARKET BASED NATES			2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO		USAS2		0.00	0.00				15.69				
2-Vern Vol. Logo 2/We DD From For Cortobs - UNE Zong 1	UNBUN	DLED P																	
2-Vern Vol. Logo 2/We DD From For Cortobs - UNE Zong 1		2-WIRE	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
2-Min vol Loco/2-Min DI Trush Port Control - MIC Zour 3 3 5.66									73.68										
UPP UPP			2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				80.13										
E-Vivi A-Redo Valo Grade Loon - (SLD - Vivi Zone 1 1 VEPTY USC 1 16.66					3				85.46										
2-Vive Analog Vives Grade Loop - (SE) - UNE Zame 1																			
2-Wire Analog Votor Grade Logo SE21 - URE Zono 3 3 UPPYX UECO1 23.13	<u> </u>			ļ		LIEDDY.			10.55					ļ					
2-Wine Analog Votor Grade Long - (882) - USE Zona 3 3 UPPPX UECD1 28.46				<u> </u>								 	1	<u> </u>			-	ļ	ļ
UNE POR Rate	<u> </u>			 								 	1	}			!	1	1
Sectionage Potts 2-Wine DID Pott Sectionage Potts 2-Wine DID Potts Pott Confederation Sect	-			 	3	UEPPA		UECDI	∠8.46				-	 			-	-	
NONNECURRING CHARGES - CURRENTY COMBINED 2-WIVE ORG Indication - 1	-			1		LIEPPY		LIEPD1	57.00	600.00	75.00	1	1	1	15.60		 	1	1
SWITE-Visited Cristal Except / 2-Wire IDID Trunk Port Combination UEPPX USAC1 125.00 75.00 15.60	-			 		OLFFA		OLFDI	37.00	000.00	73.00		<u> </u>	 	15.09		 		
Switch-Aels Top & MSAs only USPPX USAC1 125.00 75.00 15.69																			
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Convention Web Bill South Allowable Changes Top 8 Market only USPPX USA1C 125,00 75,00 15,59						UEPPX		USAC1		125.00	75.00				15.69				
with BallSouth Allowable Changes Tog & MSAs entry																			
2-Wire DID Subsequent Actively - Add Trunks, Per Trunk UEPPX						UEPPX		USA1C		125.00	75.00				15.69				
Telephone NumberTrunk Group Establishment Charges		ADDITIO	ONAL NRCs																
DID Trunk Termination (One Per Port)						UEPPX		USAS1		53.68					15.69				
DID Numbers, Establish Trunk Group and Provide First Group UEPPX NDZ 0.00 0.																			
Of 20 DID Numbers UEPPX NDZ 0.00 0						UEPPX		NDT	0.00	0.00	0.00								
Additional DIO Numbers (or each Group of 20 DIO Numbers (or consecutive DIO Numbers (or consecutive DIO Numbers (or consecutive DIO Numbers (or consecutive DIO Numbers (or consecutive DIO Numbers (or consecutive DIO Numbers (or consecutive DIO Numbers (or consecutive DIO Numbers (or consecutive DIO Numbers (or consecutive DIO Numbers (or consecutive DIO Numbers (or consecutive DIO Numbers (or consecutive DIO Numbers (or consecutive DIO Numbers (or consecutive DIO Number (or						l													
DID Numbers, Non-consecutive DID Numbers UEPPX NDS 0.00 0.00 0.00 D.00																			
Reserve Non-Consecutive DID numbers																			
Reserve DID Numbers	-														-		-		
LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTIAL PLANCES: LOCAL NUMBER PORTIAL PLANCES: LOCAL NUMBER PORTIAL PLANCES: LOCAL NUMBER PORTIAL PLANCES: LOCAL NUMBER PORTIAL PLANCES: LOCAL NUMBER PORTIAL PLANCES: LOCAL NUMBER PORTIAL PLANCES: LOCAL NUMBER PORTIAL PLANCES: LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTIAL PLANCES: LOCAL NUMBER PORTIAL LOCAL PLANCES: LOCAL NUMBER PORTIAL PLANCES: LOCAL NUMBER PORTIAL PLANCES: LOCAL NUMBER PORTIAL PLANCES: LOCAL NUMBER PORTIAL PLANCES: LOCAL PLANCES: LOCAL PLANCES: LOCAL PLAN	-													1					
Lical Number Portability (1 per port)						OLITA		NDV	0.00	0.00	0.00								
2-WIRE ISON Digital Grade LOOP WITH 2-WIRE ISON DIGITAL LINE SIDE PORT						UEPPX		LNPCP	3.15	0.00	0.00								
ZW ISDN Digital Grade Loop/ZW ISDN Digital Line Side Port - UNE Zone 1				NE SIDE	PORT														
UNE Zone 1		UNE Po	rt/Loop Combination Rates																
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - 2 UEPPB UEPPR 84.64			2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
UNE Zone 2					1	UEPPB	UEPPR		76.90										
2VI ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 UEPPB UEPPR USL2X 90.27				1					\Box]					_		
UNE Zone 3				ļ	2	UEPPB	UEPPR	1	84.64								ļ		
UNE Loop Rates					_	LIEDES	LIEBBE	1	22.2-								1		
2-Wire ISDN Digital Grade Loop - Statewide	<u> </u>	LINE !		 	3	UEPPB	UEPPR	1	90.27			 	 	1	-		1		
2-Wire ISDN Digital Grade Loop - UNE Zone 1	<u> </u>	UNE LO	Up nates	 		-		-	-			-	1	1				1	1
2-Wire ISDN Digital Grade Loop - UNE Zone 1			2-Wire ISDN Digital Grade Loop - Statewide		SW	LIFPPR	LIEPPP	USI 2X									1		
2-Wire ISDN Digital Grade Loop - UNE Zone 2 2 UEPPB UEPPR USL2X 29.64 2-Wire ISDN Digital Grade Loop - UNE Zone 3 3 UEPPB UEPPR USL2X 35.27 UNE Port Rate Exchange Port - 2-Wire ISDN Line Side Port Power ISDN Digital Grade Loop - UNE Zone 3 3 UEPPB UEPPR UEPPB UEPBB UEPPB	 					21.90					1			 					
2-Wire ISDN Digital Grade Loop - UNE Zone 3 3 UEPPB UEPPR USL2X 35.27				1	i i				200			1	1				1		
2-Wire ISDN Digital Grade Loop - UNE Zone 3 3 UEPPB UEPPR USL2X 35.27	1		2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB	UEPPR	USL2X	29.64]					I		
Exchange Port - 2-Wire ISDN Line Side Port			2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB		USL2X	35.27										
NONRECURRING CHARGES - CURRENTLY COMBINED											-								
2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port UEPPB UEPPR USACB 0.00 225.00 225.00 15.69 15.69						UEPPB	UEPPR	UEPPB	55.00	525.00	400.00				15.69				
Combination - Conversion - Top 8 MSAs only				ļ				1									1		
ADDITIONAL NRCs				1		LIEDDD	LIEDDE	110400	0.00	005.00	005.00]			45.00		I		
LOCAL NUMBER PORTABILITY	<u> </u>			 		UEPPB	UEPPK	USACB	0.00	225.00	225.00		1		15.69		1		
Local Number Portability (1 per port)	-			 				1				 	 	1	-		1		
CVS/CSD (DMS/5ESS)	<u> </u>			├		LIEDDD	HEDDD	LNDCV	0.35	0.00	0.00	-	1	 					
CVS/CSD (DMS/5ESS) UEPPB UEPPR U1UCA 0.00 0.00 0.00 0.00 CVS (EWSD) UEPPB UEPPR U1UCB 0.00 0.00 0.00 0.00	-			1		ULFFD	JLFFK	LINEON	0.33	0.00	0.00	1	 	1	-		t		
CVS (EWSD) UEPPB UEPPR U1UCB				 		UEPPR	UEPPR	U1UCA	0.00	0.00	0.00		1				-		-
				†								1	1	1			†	1	1
												1	Ì				1		

UNBUNDLE	D NETWORK ELEMENTS - South Carolina											T -	1 -	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			FES(\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	TN)														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB		U1UCE	0.00	0.00	0.00								
HOED	CSD TERMINAL PROFILE			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	CAL FEATURES			UEPPB	UEPPR	UTUMA	0.00	0.00	0.00								
VENTI	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.04	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE			OLITE	OLITIK	OLI VI	3.04	0.00	0.00								
- INTERN	Interoffice Channel mileage each, including first mile and					1											
	facilities termination		l	UEPPB	UEPPR	M1GNC	24.30	60.00	40.00	25.00	10.00		15.69				
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0167	0.00	0.00						İ		
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															
UNE P	ort/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			940.87										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP			1,005.43										
IIII I	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP			1,111.89										
UNE LO	oop Rates 4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	90.87						15.69				
	4-Wire DS1 Digital Loop - UNE Zone 1		2	UEPPP		USL4P USL4P	155.43						15.69				
	4-Wire DS1 Digital Loop - UNE Zone 3			UEPPP		USL4P	261.89						15.69				
LINE P	ort Rate			OL: II		OOL-11	201.00						10.00				
O.L.	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	850.00	1,150.00	1,150.00				15.69				
NONR	CURRING CHARGES - CURRENTLY COMBINED							1,100.00	.,								
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP		USACP	0.00	950.00	950.00				15.69				
ADDIT	IONAL NRCs																
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)			UEPPP		PR7TG							15.69				
	4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Activity Outward tel nos. (NC only)			UEPPP		PR7TP							15.69				
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance (except NC)			UEPPP		PR7TF		0.9822					15.69				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		23.02	23.02				15.69				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		46.05	46.05				15.69				
LOCAL	NUMBER PORTABILITY	ļ				1											<u> </u>
 _	Local Number Portability (1 per port)	ļ		UEPPP		LNPCN	1.75									ļ	<u> </u>
INTER	FACE (Provsioning Only)	<u> </u>		LIEDOD		DD741	2.22	0.00	2.00								
	Voice/Data	1	 	UEPPP		PR71V	0.00	0.00	0.00							 	
\longrightarrow	Digital Data Inward Data	 		UEPPP		PR71D PR71E	0.00	0.00	0.00						-		
Now o	Inward Data r Additional "B" Channel	1	 	UEPPP		rk/ IE	0.00	0.00	0.00			1			1	1	1
INGW O	New or Additional - Voice/Data B Channel	1		UEPPP		PR7BV	0.00	40.00							1	1	1
	New or Additional - Voice Data B Channel	 	1	UEPPP		PR7BF	0.00	40.00									
	New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	40.00								1	1
CALL						1	3.00	.5.00									
	Inward	İ		UEPPP		PR7C1	0.00	0.00	0.00							1	1
	Outward			UEPPP		PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00								
Interof	fice Channel Mileage																
	Fixed Each Including First Mile			UEPPP		1LN1A	77.4815	89.47	81.99	16.39	14.48		15.69				
	Each Airline-Fractional Additional Mile			UEPPP		1LN1B	0.3415										<u> </u>
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	ļ				1										ļ	ļ
UNE P	ort/Loop Combination Rates	1				<u> </u>										l	L

NEUNDLE	D NETWORK ELEMENTS - South Carolina			1	1						C C1	Cura Circle	Attachment:		Exhibit: B	la sacrete d
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide		SW	UEPDC												
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		840.87										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		905.43										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		1,011.89										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC												
UNE Lo	pop Rates															
	4-Wire DS1 Digital Loop - Statewide		SW	UEPDC	USLDC											
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	90.87										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	155.43										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	261.89										
	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC											
UNE P	ort Rate	<u> </u>		LIEDDO	LIDDAT	750.00	4 005 05	170.00	040.50	00.61		45.00				
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,005.07	478.99	213.53	20.94		15.69				
NONRE	CURRING CHARGES - CURRENTLY COMBINED	<u> </u>			-											
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		259.56	134.33				15.69				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		259.56	134.33				15.69				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		259.56	134.33				15.69				
ADDIT	ONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order			UEPDC	USAS4							15.69				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		29.01	29.01				15.69				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		29.01	29.01				15.69				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		29.01	29.01				15.69				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		29.01	29.01				15.69				
21221	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		29.01	29.01				15.69				
BIPOL	AR 8 ZERO SUBSTITUTION			LIEDDO	CCOSF		0.00	005.00								
	B8ZS - Superframe Format B8ZS - Extended Superframe Format			UEPDC UEPDC	CCOSF		0.00	605.00 605.00								
Altorno	te Mark Inversion		-	UEFDC	CCOEF		0.00	603.00								
Aiteilia	AMI -Superframe Format	-		UEPDC	MCOSF	-	0.00	0.00								-
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telenh	one Number/Trunk Group Establisment Charges			OLFDC	IVICOFO		0.00	0.00								
Тегерп	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						15.69				
-	Telephone Number for 1-Way Outward Trunk Group	1		UEPDC	UDTGY	0.00						15.69				
	Telephone Number for 1-Way Inward Trunk Group Without DID	1		UEPDC	UDTGZ	0.00						15.69			 	t
	DID Numbers, Establish Trunk Group and Provide First Group	l			32.02	5.00						.0.00			1	†
	of 20 DID Numbers	1		UEPDC	NDZ	0.00	0.00	0.00				15.69			l	
	DID Numbers for each Group of 20 DID Numbers	1		UEPDC	ND4	0.00	0.00	0.00				15.69			 	t
	DID Numbers, Non- consecutive DID Numbers, Per Number	1		UEPDC	ND5	0.00	0.00	0.00				15.69			1	†
	Reserve Non-Consecutive DID Nos.	l		UEPDC	ND6	0.00	0.00	0.00				15.69			1	†
	Reserve DID Numbers	1		UEPDC	NDV	0.00	0.00	0.00				15.69			1	†
Dedica	ted DS1 (Interoffice Channel Mileage) -			1	1	5.55	5.50	0.00				.0.00			İ	T
	o for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port	1		 	1	+									 	t -
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	1			1	1										<u> </u>
	Termination)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48		15.69				
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			UEPDC	1LNOA	0.3415	0.00	0.00								
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								

	D NETWORK ELEMENTS - South Carolina			•		1							Attachment:		Exhibit: B	
			1	1								Svc Order	Incremental			Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
TEGORY	RATE ELEMENTS		Zone	BCS	USOC		RAT	'ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic
															Disc 1st	Disc Add'
													1st	Add'l	DISC 1St	DISC Add
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)	l.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\neg	Interoffice Channel Mileage - Additional rate per mile - 9-25	1	-					71441		71441		00		•••••		00
	miles			UEPDC	1LNOB	0.7598	0.00	0.00								
-	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		1	OLI DO	TENOB	0.7550	0.00	0.00								1
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
-	Termination)		1	OLI DO	TENOS	0.00	0.00	0.00								1
	Intereffice Channel Mileson Additional acts are will Of carille			UEPDC	1LNOC	0.7598	0.00	0.00								
$-\!\!\!\!+\!\!\!\!-\!\!\!\!-$	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	1	<u> </u>	UEPDC	LNPCP											
$-\!$	Local Number Portability, per DS0 Activated		_			3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00										
	DS1 LOOP WITH CHANNELIZATION WITH PORT															
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
	em can have various rate combinations based on type and nu	mber of	ports	used												
	S1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	155.43	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	261.89	0.00	0.00								
	SO Channelization Capacities (D4 Channel Bank Configuration	ns)							i i							
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	103.47	0.00	0.00	i i			15.69				
+-	48 DSO Channel Capacity - 1 per 2 DS1s		 	UEPMG	VUM48	206.94	0.00	0.00			 	15.69			†	
+-	96 DSO Channel Capacity -1 per 2 DS1s	 	 	UEPMG	VUM96	413.88	0.00	0.00			ł – – – –	15.69			t	
+-	144 DS0 Channel Capacity - 1 per 6 DS1s	 	 	UEPMG	VUM14	620.82	0.00	0.00	1		1	15.69			t	
-	192 DS0 Channel Capacity - 1 per 8 DS1s		-	UEPMG	VUM19	827.76	0.00	0.00			1	15.69			 	
+		 	 	UEPMG	VUM20	1,034.70	0.00	0.00	-		-	15.69			 	
	240 DS0 Channel Capacity - 1 per 10 DS1s	ļ	-	UEPMG	VUM20 VUM28				 		1				 	
	288 DS0 Channel Capacity - 1 per 12 DS1s		<u> </u>			1,241.64	0.00	0.00				15.69			1	
	384 DS0 Channel Capacity - 1 per 16 DS1s	<u> </u>	<u> </u>	UEPMG	VUM38	1,655.52	0.00	0.00			ļ	15.69				
	480 DS0 Channel Capacity - 1 per 20 DS1s	ļ	<u> </u>	UEPMG	VUM40	2,069.40	0.00	0.00			ļ	15.69				
	576 DS0 Channel Capacity -1 per 24 DS1s	<u> </u>		UEPMG	VUM57	2,483.28	0.00	0.00				15.69			ļ	
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,897.16	0.00	0.00				15.69				
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	mum System configuration is One (1) DS1, One (1) D4 Channe															
Multipl	les of this configuration functioning as one are considered Ac	dd'I afte	r the n	ninimum system co	onfiguration is	counted.										
	NRC - Conversion (Currently Combined) with or without															
	BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	150.81	8.38				15.69				
System	Additions Where Currently Combined and New (Not Current	lv Comb	oined)													
	8 MSAs and AL, FL, and NC Only	ĺ	T													
+	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc	1		†					1		i				1	1
	Fea Activation -	1	1	UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69	I	15.69			I	
	r 8 Zero Substitution	 	 	OLI IVIO	V CIVIDA	0.00	, 17.71	720.01	143.00	17.05	ł – – – –	15.05			t	
Sipoiai	Clear Channel Capability Format, superframe - Subsequent	 	 	 							1				t	
	Activity Only			UEPMG	CCOSF	0.00	0.00	605.00	1		1					
$-\!\!\!\!+\!\!\!\!-\!\!\!\!-$		-	-	OF1. IAIQ	00001	0.00	0.00	003.00	-		-				-	1
	Clear Channel Capability Format - Extended Superframe -			UEPMG	CCOEF	0.00	0.00	005.00	1		1					
	Subsequent Activity Only	1	1	UEPING	CCOEF	0.00	0.00	605.00			1				1	1
A 14	ate Mark Inversion (AMI)	I	!	1155110		0.77										
				UEPMG	MCOSF	0.00	0.00	0.00								
	Superframe Format						0.00	0.00								
	Superframe Format Extended Superframe Format			UEPMG	MCOPO	0.00	0.00									
Exchan	Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	UEPMG	MCOPO	0.00	0.00									
Exchan	Superframe Format Extended Superframe Format	on with	Port	UEPMG	MCOPO	0.00	0.00									
Exchan	Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports	on with	Port													
Exchan	Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business	on with	Port	UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00		15.69				
Exchan	Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports	on with	Port					0.00	0.00	0.00		15.69 15.69				
Exchan	Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business	on with	Port	UEPPX	UEPCX	14.00	0.00									
Exchan	Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business	on with	Port	UEPPX	UEPCX	14.00	0.00									
Exchan	Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelizatinge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID	on with	Port	UEPPX UEPPX UEPPX	UEPCX UEPOX	14.00 14.00 14.00	0.00 0.00 0.00	0.00	0.00	0.00		15.69 15.69				
Exchan	Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization time Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port	on with	Port	UEPPX UEPPX	UEPCX UEPOX UEP1X	14.00	0.00	0.00	0.00	0.00		15.69				
Exchan	Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port 2-Wire Channelized PBX Area Calling Service Combination Port	on with	Port	UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEP1X UEPDM	14.00 14.00 14.00	0.00 0.00 0.00	0.00	0.00	0.00		15.69 15.69				
Exchan Exchan	Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization pe Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port 2-Wire Channelized PBX Area Calling Service Combination Port (AL Only)	on with	Port	UEPPX UEPPX UEPPX	UEPCX UEPOX UEP1X	14.00 14.00 14.00	0.00 0.00 0.00	0.00	0.00	0.00		15.69 15.69				
Exchan Exchan	Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelizatinge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port 2-Wire Channelized PBX Area Calling Service Combination Port (AL Only) 2 Wire Channelized PBX Area Calling Service Outgoing Only	on with	Port	UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEP1X UEPDM UEPA4	14.00 14.00 14.00	0.00 0.00 0.00	0.00	0.00	0.00		15.69 15.69				
Exchan Exchan	Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port 2-Wire Channelized PBX Area Calling Service Combination Port (AL Only) 2 Wire Channelized PBX Area Calling Service Outgoing Only Port (AL Only)	on with	Port	UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEP1X UEPDM	14.00 14.00 14.00	0.00 0.00 0.00	0.00	0.00	0.00		15.69 15.69				
Exchan Exchan	Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelizatinge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port 2-Wire Channelized PBX Area Calling Service Combination Port (AL Only) 2 Wire Channelized PBX Area Calling Service Outgoing Only	on with	Port	UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEP1X UEPDM UEPA4	14.00 14.00 14.00	0.00 0.00 0.00	0.00	0.00	0.00		15.69 15.69				

UNDU	INDI E	D NETWORK ELEMENTS. Courth Corolina												A	•	E-435 B	
	INDLE	D NETWORK ELEMENTS - South Carolina	1			1	1					Svc Order		Attachment: Incremental		Exhibit: B Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATE	ODV	DATE ELEMENTO	Interi	7	BCS	USOC		DAT	FFC(#)			Elec	-	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	OKT	RATE ELEMENTS	m	Zone	всъ	USUC		KA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
											B'				D - ((ft)		
<u> </u>							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature (Service) Activation for each Trunk Side Port Terminated															
		in D4 Bank			UEPPX	1PQWU	0.70	110.00	30.00	65.00	20.00		15.69				
	Teleph	one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				15.69				
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00				15.69				
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				15.69				
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				15.69				
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				15.69				
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.69				
		Number Portability															
		Local Number Portability - 1 per port	1		UEPPX	LNPCP	3.15	0.00	0.00								
—	FEATU	JRES - Vertical and Optional	 		J_1 1 /	12111 01	3.13	0.00	0.00								
-		Switching Features Offered with Line Side Ports Only	1	1		+	-			-					-	-	
├	Local S	All Features Available	 	 	UEPPX	UEPVF	3.04	0.00	0.00				15.69				
LINE	IDLES 1			1	ULPPA	UEFVF	3.04	0.00	0.00	ļ			15.09				
ONBU		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:		01-1		1			B								
<u> </u>		t Based Rates are applied where BellSouth is required by FCC								<u>. </u>							
		ures shall apply to the Unbundled Port/Loop Combination - C															
	3. End	Office and Tandem Switching Usage and Common Transport	Usage I	rates in	the Port section of	this rate exh	ibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
		eorgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re															
		ned Combos for all states. In GA, KY, LA, MS and TN these no							, NC and SC th	nese nonrecurr	ing charges ar	e Market Ra	ites and are	listed in the l	Market Rate s	ection. For C	Currently
	Combi	ned Combos in all other states, the nonrecurring charges sha	II be the	ose ide	ntified in the Nonred	curring - Cur	rently Combine	d sections.									
		ket Rates for Unbundled Centrex Port/Loop Combination will															
		CENTREX - 5ESS (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1											
	LINE P	ort/Loon Combination Rates (Non-Design)															
	UNE Po	ort/Loop Combination Rates (Non-Design)															
	UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-	1	LIEDOS		14 90										
	UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		1	UEP95		14.89										
	UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	-	1													
	UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design	•	1 2	UEP95 UEP95		14.89 21.52										
	UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	-	1 2	UEP95		21.52										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design	-	1 2 3													
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design ort/Loop Combination Rates (Design)	-	1 2 3	UEP95		21.52										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design	-	1 2 3	UEP95		21.52										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design ort/Loop Combination Rates (Design)	-	1 2 3	UEP95		21.52										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-		1 2 3	UEP95 UEP95		21.52 27.17										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design		1 2 3	UEP95 UEP95		21.52 27.17 17.81										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design		1	UEP95 UEP95		21.52 27.17										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-		1	UEP95 UEP95 UEP95		21.52 27.17 17.81 24.26										
	UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design		1 2	UEP95 UEP95		21.52 27.17 17.81										
	UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 0-rt/Loop Combination Rates (Design) 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design		1 2 3	UEP95 UEP95 UEP95 UEP95 UEP95	LIECCA	21.52 27.17 17.81 24.26 29.59										
	UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 3-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 3-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design		1 2 3	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1	21.52 27.17 17.81 24.26 29.59										
	UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		1 2 3	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1	21.52 27.17 17.81 24.26 29.59 13.76 20.38										
	UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2		1 2 3	UEP95												
	UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3		1 2 3 1	UEP95												
	UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- posign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1		1 2 3 1 2 3	UEP95 >23.13												
	UNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Dosign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2		1 2 3 1	UEP95												
	UNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 0rt Rate		1 2 3 1 2 2	UEP95 >23.13												
	UNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3		1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2	21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46										
	UNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3		1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46	40.30	19.90	24.98	6.65		15.69				
	UNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3		1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2	21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46	40.30	19.90	24.98	6.65		15.69 15.69				
	UNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3		1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46										
	UNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate tes 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area		1 2 3 1 2 2	UEP95 >23.13 28.46	40.30	19.90	24.98	6.65		15.69						
	UNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 0-Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 0-OP Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 0-Vire Voice Grade Loop (SL 2) - Zone 3 0-Vire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex With Caller ID)1Basic Local Area		1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46										
	UNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 3-OFT Rate 12-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area		1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYH	21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46 1.13 1.13	40.30	19.90	24.98 24.98	6.65		15.69 15.69				
	UNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 7- Valve Voice Grade Loop (SL 2) - Zone 3 7- Valve Voice Grade Port (Centrex No Design Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex No Design Voice Grade Port (Centrex No Design Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex With Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex With Caller ID)1Basic Local Area		1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2	21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46	40.30	19.90	24.98	6.65		15.69				
	UNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port (Centrex Form Giff Serving Wire Center - 800 Service		1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYH UEPYH	21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46 1.13 1.13	40.30 40.30 108.36	19.90 19.90 70.71	24.98 24.98 54.47	6.65 6.65 11.94		15.69 15.69 15.69				
	UNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate tes 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area		1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYH	21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46 1.13 1.13	40.30	19.90	24.98 24.98	6.65		15.69 15.69				
	UNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent		1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECYS UEPYA UEPYH UEPYH UEPYH UEPYH	21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46 1.13 1.13 1.13	40.30 40.30 108.36 108.36	19.90 19.90 70.71 70.71	24.98 24.98 54.47 54.47	6.65 6.65 11.94 11.94		15.69 15.69 15.69				
	UNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area		1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYH UEPYH	21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46 1.13 1.13	40.30 40.30 108.36	19.90 19.90 70.71	24.98 24.98 54.47	6.65 6.65 11.94		15.69 15.69 15.69				
	UNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent		1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECYS UEPYA UEPYH UEPYH UEPYH UEPYH	21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46 1.13 1.13 1.13	40.30 40.30 108.36 108.36	19.90 19.90 70.71 70.71	24.98 24.98 54.47 54.47	6.65 6.65 11.94 11.94		15.69 15.69 15.69				

NROND	ıLED	NETWORK ELEMENTS - South Carolina		1	ı							_		Attachment:		Exhibit: B	
:ATEGOR	Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AL		LA, MS, SC, & TN Only				-											
		2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95 UEP95	UEPQB UEPQH	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP95	UEPQH	1.13	40.30	19.90	24.98	6.65		15.69				
		Center)2			UEP95	UEPQM	1.13	108.36	70.71	54.47	11.94		15.69				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 95	OLI QIVI	1.10	100.50	70.71	54.47	11.54		13.03				
		Term			UEP95	UEPQZ	1.13	108.36	70.71	54.47	11.94		15.69				
	2	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.13	40.30	19.90	24.98	6.65		15.69				
Loc		witching															
		Centrex Intercom Funtionality, per port			UEP95	URECS	0.7996										
Loc		umber Portability															
		Local Number Portability (1 per port)		<u> </u>	UEP95	LNPCC	0.35					ļ					
Fea	atures				LIEDOS	LIED) /E	0.01			ļ			45.00			 	
		All Standard Features Offered, per port		<u> </u>	UEP95	UEPVF	3.04	400.40					15.69			 	
		All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP95 UEP95	UEPVS UEPVC	0.00 3.04	406.42					15.69 15.69			-	
NI A	RS /	All Centrex Control Features Offered, per port		<u> </u>	UEP95	UEPVC	3.04			-			15.69				
INA		Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				15.69				
_		Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				15.69				
_		Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				15.69				
Mis		neous Terminations			02. 00	0741071	0.00	0.00	0.00				10.00				
		runk Side															
	-	Trunk Side Terminations, each			UEP95	CEND6	8.86	119.57	18.78	60.03	3.77		15.69				
4-V	Vire D	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47		15.69				
		DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.51					15.69				
Inte		ce Channel Mileage - 2-Wire															
		nteroffice Channel Facilities Termination		<u> </u>	UEP95	MIGBC	24.30	40.63	27.47	16.77	6.91		15.69				
Fac		Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0167										
		Activations (DS0) Centrex Loops on Channelized DS1 Servicinel Bank Feature Activations	e	<u> </u>		-				-							
D4		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56			-			15.69				
_		eature Activation on 5-4 Chainler Bank Centrex Loop Siot			ULF 93	IFQWS	0.30						13.09				
	l.	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56						15.69				
	ı	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP95	1PQW7	0.56						15.69				
		Different Wire Center			UEP95	1PQWP	0.56						15.69				
	ı	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56						15.69				
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP95	1PQWQ	0.56						15.69				
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56			 		 	15.69			 	1
No		curring Charges (NRC) Associated with UNE-P Centrex				~,,,,	0.00			1			10.00			1	
		NRC Conversion Currently Combined Switch-As-Is with allowed				1				İ							
]		changes, per port	<u></u>	L	UEP95	USAC2		37.93	16.72			<u></u>	15.69			<u> </u>	<u></u>
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	668.70					15.69				
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	668.70					15.69				
	!	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.89					15.69			ļ	
UN	E-P C	CENTREX - DMS100 (Valid in All States)															
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo		<u> </u>		1										 	
UN		rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+										-	
	1	Non-Design		1	UEP9D		14.89										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		21.52										

UNBUNDLI	ED NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)				Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9D		27.17										ĺ
UNE	Port/Loop Combination Rates (Design)		3	OLF9D		21.11										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Design		1	UEP9D		17.81										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		24.26										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
LINE	Design		3	UEP9D		29.59										
UNE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	13.76										1
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	20.38										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	26.04										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.68										
-	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D UEP9D	UECS2 UECS2	23.13 28.46										
UNF	2-Wire Voice Grade Loop (SL 2) - Zone 3 Port Rate		3	UEP9D	UEC52	28.46										
	TATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1.13	40.30	19.90	24.98	6.65		15.69				
	Wire Voice Grade Port (Centrex from diff Serving Wire Center) Basic Local Area			UEP9D	UEPYM	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area Nicolary Control (Centrex/differ SWC /EBS NEA40)3, 3			UEP9D	UEPYQ	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPYR	1.13	108.36	70.71	54.47	11.94		15.69				<u> </u>
	Basic Local Area	<u> </u>		UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.13	108.36	70.71	54.47	11.94		15.69				

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					+		Name		Nameannin	. Dianamant			220	Detec(f)		
					+	Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3				+ -		FIISL	Auu i	FIISL	Auu i	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
	Basic Local Area			UEP9D	UEPY5	1.13	108.36	70.71	54.47	11.94		15.69				İ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3				1											
	Basic Local Area			UEP9D	UEPY6	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3															
	Basic Local Area			UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94		15.69				└
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94		15.69				İ
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLF3D	OLFIZ	1.13	100.30	70.71	34.47	11.54		13.09				
	Basic Local Area			UEP9D	UEPY9	1.13	40.30	19.90	24.98	6.65		15.69				1
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65		15.69				
AL, K	/, LA, MS, SC, & TN Only	ļ		LIEDAD	LIEDO A	4.40	40.00	10.00	04.60	0.0=		45.00				↓
\vdash	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	 		UEP9D UEP9D	UEPQA UEPQB	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65		15.69 15.69				
 	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D UEP9D	UEPQB	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D UEP9D	UEPQU UEPQV	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65		15.69 15.69				├
 	2-Wire Voice Grade Port (Centrex / EBS-M5216)3 2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQV UEPQ3	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex vith Caller ID)			UEP9D	UEPQH	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			02.02	02. Q		10.00	10.00	200	0.00		10.00				
	Indication)3			UEP9D	UEPQW	1.13	40.30	19.90	24.98	6.65		15.69				İ
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)				l											İ
h	2 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D UEP9D	UEPQM UEPQO	1.13 1.13	108.36 108.36	70.71 70.71	54.47 54.47	11.94 11.94		15.69 15.69				├
—	2-wire voice Grade Port (Centrex/diller SWC /EBS-PSET)2, 3	1		UEP9D	UEPQU	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.13	108.36	70.71	54.47	11.94		15.69				İ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.13	108.36	70.71	54.47	11.94		15.69				
	·															
L	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.13	108.36	70.71	54.47	11.94		15.69				
	O.M. Co. March Co. La Dest (O. March (1997) O.M.O. (EDO MECACO)			LIEBOD	LIEBOO	4.40	400.00	70.74	54.47	44.04		45.00				İ
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.13	108.36	70.71	54.47	11.94		15.69				1
	1500 0.000 1 0.1 (00.11.0) 0.1101 0.110 1.100 1				J &¬	1.10	100.00	70.71	54.47	11.04		10.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.13	108.36	70.71	54.47	11.94		15.69				
					I											
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.13	108.36	70.71	54.47	11.94		15.69				↓
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94		15.69				1
 	2-Wire Voice Grade Port (Centrex/diller SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLF 3D	ULFQ/	1.13	100.30	70.71	54.47	11.94		15.09				
	Term			UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94		15.69				1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.13	40.30	19.90	24.98	6.65		15.69				<u> </u>
	2-Wire Voice Grade Port Terminated on 800 Service Term	ļ		UEP9D	UEPQ2	1.13	40.30	19.90	24.98	6.65		15.69				├
Local	Switching Tentral Intercom Funtionality, per port	<u> </u>	-	UEP9D	URECS	0.7996			 			15.69				<u> </u>
l ocal	Centrex Intercom Funtionality, per port Number Portability	1		OLFAD	UKEUS	0.7996			1			15.69				
Local	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featur						2.00										
	All Standard Features Offered, per port			UEP9D	UEPVF	3.04		•		-		15.69				
\vdash	All Select Features Offered, per port			UEP9D	UEPVS	0.00	406.42					15.69				
	All Centrex Control Features Offered, per port	1		UEP9D	UEPVC	3.04			<u> </u>			15.69		l		

Unbun Unbun Miscellaneous 2-Wire Trunk Trunk 4-Wire Digital DS1 C	Side Terminations, each I (1.544 Megabits)	Interi m	BCS UEP9D UEP9D UEP9D	USOC	Rec -	RATI Nonrecu First	,	Nonrecurring	Disconnect	Submitted Elec	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge
NARS Unbun Unbun Miscellaneous 2-Wire Trunk Trunk 4-Wire Digital DS1 C	ndled Network Access Register - Combination ndled Network Access Register - Inward ndled Network Access Register - Outdial is Terminations Side Side Terminations, each 1 (1.544 Megabits)		UEP9D	USOC	Rec -	Nonrecu	ırring		Disconnect	Elec	Manually	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic-	Manual S Order v Electron
NARS Unbun Unbun Miscellaneous 2-Wire Trunk Trunk 4-Wire Digital DS1 C	ndled Network Access Register - Combination ndled Network Access Register - Inward ndled Network Access Register - Outdial is Terminations Side Side Terminations, each 1 (1.544 Megabits)		UEP9D	USOC	Rec -	Nonrecu	ırring		Disconnect		,	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic-	Order v
NARS Unbun Unbun Miscellaneous 2-Wire Trunk Trunk 4-Wire Digital DS1 C	ndled Network Access Register - Combination ndled Network Access Register - Inward ndled Network Access Register - Outdial is Terminations Side Side Terminations, each 1 (1.544 Megabits)		UEP9D	USOC	Rec -	Nonrecu	ırring		Disconnect		,	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic-	Order v
Unbun Unbun Unbun Miscellaneous 2-Wire Trunk 4-Wire Digital	ndled Network Access Register - Inward ndled Network Access Register - Outdial ss Terminations Side Side Terminations, each I (1.544 Megabits)	m			Rec -				Disconnect	per zerk	per Lore	Electronic- 1st	Electronic- Add'l	Electronic-	Electron
Unbun Unbun Unbun Miscellaneous 2-Wire Trunk 4-Wire Digital	ndled Network Access Register - Inward ndled Network Access Register - Outdial ss Terminations Side Side Terminations, each I (1.544 Megabits)				Rec				Disconnect			1st	Add'l		
Unbun Unbun Unbun Miscellaneous 2-Wire Trunk 4-Wire Digital	ndled Network Access Register - Inward ndled Network Access Register - Outdial ss Terminations Side Side Terminations, each I (1.544 Megabits)				Rec -				Disconnect					DISC ISI	DISC AU
Unbun Unbun Unbun Miscellaneous 2-Wire Trunk 4-Wire Digital	ndled Network Access Register - Inward ndled Network Access Register - Outdial ss Terminations Side Side Terminations, each I (1.544 Megabits)				Rec				Disconnect				Dotoo(¢)		
Unbun Unbun Unbun Miscellaneous 2-Wire Trunk 4-Wire Digital	ndled Network Access Register - Inward ndled Network Access Register - Outdial ss Terminations Side Side Terminations, each I (1.544 Megabits)				1100	First	٨٨٨١						Rates(\$)		
Unbun Unbun Unbun Miscellaneous 2-Wire Trunk 4-Wire Digital	ndled Network Access Register - Inward ndled Network Access Register - Outdial ss Terminations Side Side Terminations, each I (1.544 Megabits)						Auu i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Unbun Unbun Unbun Miscellaneous 2-Wire Trunk 4-Wire Digital	ndled Network Access Register - Inward ndled Network Access Register - Outdial ss Terminations Side Side Terminations, each I (1.544 Megabits)										15.69				ļ
Unbun Unbun Miscellaneous 2-Wire Trunk Trunk 4-Wire Digital DS1 C	ndled Network Access Register - Inward ndled Network Access Register - Outdial ss Terminations Side Side Terminations, each I (1.544 Megabits)														ļ
Unbun Miscellaneous 2-Wire Trunk Trunk 4-Wire Digital DS1 C	ndled Network Access Register - Outdial ss Terminations Side Side Terminations, each I (1.544 Megabits)			UARCX	0.00	0.00	0.00				15.69				ļ
2-Wire Trunk STrunk STrunk STrunk STrunk STrunk STrunk STrunk STrunk STRUNK STR	ıs Terminations Side Side Terminations, each I (1.544 Megabits)			UAR1X	0.00	0.00	0.00				15.69				ļ
2-Wire Trunk S Trunk S 4-Wire Digital DS1 C	Side Side Terminations, each I (1.544 Megabits)		UEP9D	UAROX	0.00	0.00	0.00				15.69				
4-Wire Digital DS1 C	Side Terminations, each I (1.544 Megabits)														
4-Wire Digital DS1 C	I (1.544 Megabits)														
DS1 C			UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77		15.69				
DS0 C	Circuit Terminations, each		UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47		15.69				
	Channels Activiated per Channel		UEP9D	M1HDO	0.00	14.51					15.69				
	nannel Mileage - 2-Wire											<u> </u>			
	ffice Channel Facilities Termination		UEP9D	MIGBC	24.30	40.63	27.47	16.77	6.91		15.69	i I			
Interof	ffice Channel mileage, per mile or fraction of mile		UEP9D	MIGBM	0.0167							1			
Feature Activa	vations (DS0) Centrex Loops on Channelized DS1 Service	е										i			
	Bank Feature Activations											i I			
Featur	re Activation on D-4 Channel Bank Centrex Loop Slot		UEP9D	1PQWS	0.56						15.69	i 1			
												1			
	re Activation on D-4 Channel Bank FX line Side Loop Slot		UEP9D	1PQW6	0.56						15.69	i			
Featur	re Activation on D-4 Channel Bank FX Trunk Side Loop											1			
Slot	·		UEP9D	1PQW7	0.56						15.69	i			
Featur	re Activation on D-4 Channel Bank Centrex Loop Slot -											1			
Differe	ent Wire Center		UEP9D	1PQWP	0.56						15.69	i l			
												i I			
	re Activation on D-4 Channel Bank Private Line Loop Slot		UEP9D	1PQWV	0.56						15.69	i			
Featur	re Activation on D-4 Channel Bank Tjie Line/Trunk Loop											i I			
Slot	·		UEP9D	1PQWQ	0.56						15.69	ı l			
Featur	re Activation on D-4 Channel Bank WATS Loop Slot		UEP9D	1PQWA	0.56						15.69				
Non-Recurrin	ng Charges (NRC) Associated with UNE-P Centrex														
	Conversion Currently Combined Switch-As-Is with allowed														
	ges, per port		UEP9D	USAC2		37.93	16.72				15.69	, ,			
	Centrex Standard Common Block		UEP9D	M1ACS	0.00	668.70					15.69				
	Centrex Customized Common Block		UEP9D	M1ACC	0.00	668.70					15.69				†
	Establishment Charge, Per Occasion		UEP9D	URECA	0.00	72.89					15.69			1	
	uired Port for Centrex Control in 1AESS, 5ESS & EWSD				2.30									1	
	ures Interoffice Channel Mileage													1	
	uires Specific Customer Premises Equipment			1	<u> </u>	-				l		$\overline{}$		1	1

UNRU	NDI F	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge -		Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
							Rec	Nonrecurring		Nonrecurring	Disconnect		•	oss	Rates(\$)	•	
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODEDA	TIONA	L SUPPORT SYSTEMS				-											
OFERA		(1) Electronic Service Order: CLEC should contact its contract	t nego	tiator it	it prefers the state	specific elec	tronic service of	ordering charge	es as ordered	by the State Co	l mmissions. T	he electroni	c service o	l rdering charg	e currently co	ntained in th	is rate
		is the BellSouth regional electronic service ordering charge.															
	NOTE:	(2) Any element that can be ordered electronically will be bill	ed acco	rding	to the SOMEC rate I	isted in this	category. Plea	se refer to Bell	South's Busin	ess Rules for L	ocal Ordering	(BBR-LO) to	determine	if a product of	can be ordere	d electronical	ly. For
		elements that cannot be ordered electronically at present per t				e in this cate	gory reflects th	e charge that	would be bille	d to a CLEC on	ce electronic o	ordering cap	abilities co	me on-line fo	r that elemen	t. Otherwise,	the manual
	orderii	ng charge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	LSR t	o BellSouth.												
		Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)				SOMEC		3.50									
IINRIIN	DI ED I	EXCHANGE ACCESS LOOP				SOIVIEC		3.50									—
2,1201		E ANALOG VOICE GRADE LOOP					1			†					†		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEANL UEANL	URET1 URETA	1	78.92 23.33	78.92 23.33	 				20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
		CLEC to CLEC Conversion Charge Without Outside Dispatch			ULANL	UNLTA		23.33	23.33					20.33	10.54	13.32	13.32
		(UVL-SL1)			UEANL	UREWO		15.80	8.95					20.35	10.54	13.32	13.32
		Engineering Information Document (EI)			UEANL			28.80	28.80								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36.52	36.52								
		Order Coordination for Specified Conversion Time for UVL-SL1															
	2-WIDI	(per LSR) E Unbundled COPPER LOOP			UEANL	OCOSL		34.29	34.29								
	Z-VVIINI	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	i	2	UEQ	UEQ2X	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	I		UEQ	UEQ2X	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		36.52	36.52					20.35	10.54	13.32	13.32
		Engineering Information Document Loop Testing - Basic 1st Half Hour			UEQ UEQ	URET1		28.80 78.92	28.80 78.92					20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33	1				20.35		13.32	13.32
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.32
UNBUN		EXCHANGE ACCESS LOOP															
	2-WIRI	ANALOG VOICE GRADE LOOP 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			02. 01. 02. 02	027120	10.10	01.00	20.02	10.00				20.00	10.01	10.02	10.02
		Zone 1		1	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_	HEDOD HEDOD	LIEALO	17.00	04.00	00.00	10.0-				00.0-	40.51	10.00	10.00
		Zone 2		2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLI OK OLI OB	OL/ IDO	17.20	01.55	20.02	10.00	11			20.00	10.04	10.02	10.02
		Zone 3		3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
ONRON		EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP	<u> </u>	 		+	 		-	 	-				 		
	~-441IKI	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					1			†					†		
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	20.28	34.29	40.20	20.70	17.04			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					1	520		Ì							
1		Battery Signaling - Zone 1	l	1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64	I		20.35	10.54	13.32	13.32

04/12/02 Page 310 of 352

IINRI	NDI FI	NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	Τ
UNDU	NDLE	O NETWORK ELEMENTS - Termessee	1	1								Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -		
												Elec				Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	ВС	s usoc		PAT	TES(\$)				Manually	Manual Svc			
OAILC	OKI	NATE ELEMENTO	m	20116		.5		IVA.	ι ΕΘ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
					1			Nonrecurring		Nonrecurring	d Disconnect			088	Rates(\$)		
					1		Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			-			11130	Auu i	11130	Addi	JONEC	JOINAIN	JONIAN	JONIAN	JOHIAN	JONIAN
		Battery Signaling - Zone 2		2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		-	OLA	OLTITE	21.00	70.00	40.20	20.70	17.04			20.00	10.04	10.02	10.02
		Battery Signaling - Zone 3		3	UEA	UEAR2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)		Ŭ	UEA	OCOSL	20.20	34.29	40.20	20.70	17.04			20.00	10.04	10.02	10.02
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
	4-WIRE	ANALOG VOICE GRADE LOOP			OLA	OILEWO		70.00	00.41				1	20.00	10.04	10.02	10.02
	7 ******	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	32.25	122.76	85.57	76.35	39.16			20.35		13.32	
		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	42.17	122.76	85.57	76.35	39.16			20.35		13.32	
	1	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	74.17	34.29	55.57	7 0.00	33.10			20.00	10.04	10.02	10.02
—	l	CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UEA	UREWO		75.06	36.41		1			20.35	10.54	13.32	13.32
	2-WIRF	ISDN DIGITAL GRADE LOOP				02770	1	. 5.00	00.41					20.00	10.04	.3.02	13.02
—		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	1	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		34.29									1
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
	2-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP						• • • • • • • • • • • • • • • • • • • •									
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															1
		1		1	UDC	UDC2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
		2		2	UDC	UDC2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
		3		3	UDC	UDC2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF	•												
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29									
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 1	I	1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
1	1	2 Wire Unbundled ADSL Loop without manual service inquiry &	1		1							1		_		_	
	ļ	facility reservaton - Zone 2		2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	1	2 Wire Unbundled ADSL Loop without manual service inquiry &	1									1		I		I	
	ļ	facility reservaton - Zone 3		3	UAL	UAL2W	23.60	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	1	2 Wire Unbundled ADSL Loop without manual service inquiry &	1		l							1		I		I	
ļ		facility reservaton - Zone 4		4	UAL	UAL2W								.	ļ	.	+
	ļ	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UAL	OCOSL		34.29						20.5-	40.5	10.5-	1000
	0.14"=-	CLEC to CLEC Conversion Charge without outside dispatch	TID: -	000	UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
<u> </u>	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	<u> </u>		1	-						-	1	-	↓
	1	2 Wire Unbundled HDSL Loop including manual service inquiry	1	١.,	l		40.00	070 01	004.00		00 **	1		00.00	40	40.00	40.00
	<u> </u>	& facility reservation - Zone 1	<u> </u>	1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL2X	4445	270.04	224.02	74.54	20.44			20.25	40.54	40.00	40.00
	<u> </u>	& facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry			UTL	UHLZX	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	l	& facility reservation - Zone 3		3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
-	-	& facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	-	3	UHL	OCOSL	18.50	34.29	234.03	74.54	39.14			∠0.35	10.54	13.32	13.32
	 	2 Wire Unbundled HDSL Loop without manual service inquiry	 		UIL	UCUSL	+	34.29		-				 	 	 	
1	l	and facility reservation - Zone 1		1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	-	2 Wire Unbundled HDSL Loop without manual service inquiry	- '-		OI IL	UNLZVV	10.83	31.88	20.02	10.05	1.41			20.35	10.54	13.32	13.32
1		and facility reservation - Zone 2		2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41	1		20.35	10.54	13.32	13.32
-	1	2 Wire Unbundled HDSL Loop without manual service inquiry			UNL	UNLZW	14.15	31.99	20.02	10.05	1.41		1	20.35	10.54	13.32	13.32
	1	and facility reservation - Zone 3		3	UHL	UHL2W	18.50	31.99	20.02	10.65	1.41	1		20.35	10.54	13.32	13.32
-	-	Order Coordination for Specified Conversion Time (per LSR)		J	UHL	OCOSL	10.50	34.29	20.02	10.05	1.41		-	20.33	10.54	13.32	13.32
	l	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		OI IL	UCUSL	1	34.29		1	l .	l	L	L	1	1	

ONRONDLE	D NETWORK ELEMENTS - Tennessee	_		1							•		Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WIRI	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry		2		UHL4X	23.80	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL UHL	OCOSL	23.80	34.29	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry			OFIL	OCOGL		34.25									
	and facility reservation - Zone 1	1	1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry	i i	<u> </u>	i	1	.0.50	000	20.02					20.00	.5.54	.5.52	.0.02
	and facility reservation - Zone 2	- 1	2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3	- 1	3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch	- 1		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WIRI	DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	57.73	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	75.40	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	98.59	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		34.59 130.47	40.11					20.35	10.54	13.32	13.32
4 WIDI	CLEC to CLEC Conversion Charge without outside dispatch 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UREWO		130.47	40.11					20.35	10.54	13.32	13.32
4-4411/1	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UDL UDL	OCOSL		34.29 102.28	49.82					20.35	10.54	13.32	13.32
2 WIDI	CLEC to CLEC Conversion Charge without outside dispatch Unbundled COPPER LOOP		-	UDL	UREWO		102.28	49.82					20.35	10.54	13.32	13.32
Z-VVIKI	2-Wire Unbundled Copper Loop/Short including manual service															-
	inquiry & facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Short including manual service	I	1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	inquiry & facility reservation - Zone 2	ı	2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)	- '-	3	UCL	UCLMC	22.33	36.52	36.52	10.05	1.41			20.35	10.34	13.32	13.32
	2-Wire Unbundled Copper Loop/Short without manual service	1			002.00		00.02	00.02	†					1	1	I
	inquiry and facility reservation - Zone 1	- 1	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2	ı	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop/Short without manual service	 			- COL. **	17.20	01.00	20.02	10.00	171			20.00	10.04	10.02	10.02
	inquiry and facility reservation - Zone 3	ı	3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.			l	1											I
	inquiry and facility reservation - Zone 1	-	1	UCL	UCL2L	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop/Long - includes manual svc.	Ι.	2	UCL	110101	47.00	24.00	20.22	40.05	1.41			20.35	10.54	13.32	40.00
	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - includes manual svc.		2	UCL	UCL2L	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	inquiry and facility reservation - Zone 3	- 1	3	UCL	UCL2L	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
			J	UCL	UCLMC	22.33	31.39	20.02	10.00	1.41		1	20.33	10.54	10.32	10.32

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - without manual service	١.,	1	UCL	UCL2W	40.40	24.00	20.00	10.65				20.35	10.54	13.32	40.00
	inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Long - without manual service	<u> </u>	1	UCL	UCLZVV	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)	- 1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WIRI	COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry						400 =0									40.00
	and facility reservation - Zone 1 4-Wire Copper Loop/Short - including manual service inquiry		1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	and facility reservation - Zone 2	1	2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop/Short - including manual service inquiry	<u> </u>	ΙŤ		- 32.0	02.20	.22.70	00.07	. 5.00	55.10			20.00	. 5.04	.0.02	.5.02
	and facility reservation - Zone 3		3	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	4-Wire Copper Loop/Short - without manual service inquiry and				1101 433		, a a = a		== ==							
	facility reservation - Zone 1 4-Wire Copper Loop/Short - without manual service inquiry and	l l	1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	facility reservation - Zone 2		2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop/Short - without manual service inquiry and	-		OCL	OCL4VV	32.23	122.70	03.37	70.55	39.10			20.55	10.54	10.02	10.02
	facility reservation - Zone 3	- 1	3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1	I	1	UCL	UCL4L	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Unbundled Copper Loop/Long - includes manual svc.	١.	2	UCL	UCL4L	32.25	400.70	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	inquiry and facility reservation - Zone 2 4-Wire Unbundled Copper Loop/Long - includes manual svc.	- '		UCL	UCL4L	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	inquiry and facility reservation - Zone 3	1	3	UCL	UCL4L	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	4-Wire Unbundled Copper Loop/Long - without manual svc.				ĺ											
	inquiry and facility reservation - Statewide	- 1	sw	UCL	UCL4O											
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)	١.,		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
LOOP MODIFI		- '		UCL	OKLVVO		31.55	20.02					20.33	10.54	13.32	13.32
				UAL, UHL, UCL,												
				UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UDL, UDC,												
	pair less than or equal to 18k ft	- 1		UDN, UDL, USL	ULM2L		65.40	65.40					20.35	10.54	13.32	13.32
	Unbundled Loop Modification, Removal of Load Coils - 2 wire	Ι.		UCL, ULS	ULM2G		710 74	23.77					20.25	10.54	13.32	13.32
-	greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire			UCL, ULS	ULIVIZG		710.71	23.11					20.35	10.54	13.32	13.32
	less than or equal to 18K ft	- 1		UHL, UCL	ULM4L		65.40	65.40					20.35	10.54	13.32	13.32
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			,			223		İ							1
	pair greater than 18k ft	- 1		UCL	ULM4G		710.71	23.77					20.35	10.54	13.32	13.32
				UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL,												
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UDC, UDN, UDL, USL	ULMBT		65.44	65.44					20.35	10.54	13.32	13.32
SUB-LOOPS	per unbunuleu 100p		1	UGL	ULIVID I		65.44	05.44					20.35	10.54	13.32	13.32
	Dop Distribution								1							
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up	I		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
		1									l					
	Delice Business Business Business Business			LIE AND	LIODOG											
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	I		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	- '		OLANL	03030		100.00	100.00					20.33	10.34	13.32	13.32
	Statewide		sw	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	LIFANI	LICDNIA	7.00	447.00	75.44	00.00	40.00			20.25	40.54	40.00	40.00
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -								00.00							
	Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Cub Lease are sub-lease as			LIEANI	USBMC		24.00	04.00								
-+	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		1	UEANL UEANL	USBR2	1.35	34.29 94.56	34.29 29.35					20.35	10.54	13.32	13.32
-+	222 235 2 1110 Intraballanty (1etwork Cable (1110)		†	S=/ W1E	CODINA	1.33	34.30	20.00			†		20.33	10.54	10.32	10.02
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	5.16	34.29 110.71	34.29	94.41	13.09			20.35	10.54	13.32	13.32
-+	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i i		UEF	UCS2X	6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29	22.22	10.00					10.00	10.00
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-	1 2	UEF UEF	UCS4X UCS4X	6.52 8.52	117.12 117.12	44.30 44.30	99.96 99.96	16.98 16.98			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	H		UEF	UCS4X	11.14	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	4 Wile copper distanced out Edop Blatistation Zone o			OLI	000-170	11.14	117.12	44.00	55.56	10.00			20.00	10.04	10.02	10.02
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29								
Unbu	ndled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load			urr	LILMOV		225.20	7.00					20.24	40.54	40.00	40.00
	Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load			UEF	ULM2X		335.36	7.82					20.34	10.54	13.32	13.32
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		335.36	7.82					20.35	10.54	13.32	13.32
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged															
	Tap Removal, per PR unloaded			UEF	ULM4T		528.48	9.74					20.35	10.54	13.32	13.32
Unbu	Indled Network Terminating Wire (UNTW)	<u> </u>	<u> </u>	LIENTAL	LIENDD	0.4555	0.40	0.40					20.05	40.54	40.00	40.00
Notes	Unbundled Network Terminating Wire (UNTW) per Pair ork Interface Device (NID)		<u> </u>	UENTW	UENPP	0.4555	2.48	2.48					20.35	10.54	13.32	13.32
NetWi	Network Interface Device (NID) - 1-2 lines		!	UENTW	UND12		89.69	54.56	0.6391	0.6391	-		20.35	10.54	13.32	13.32
-+	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		129.65	94.51	0.6522	0.6522			20.35	10.54	13.32	13.32
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		11.11	11.11					20.35	10.54	13.32	13.32
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11.11	11.11					20.35	10.54	13.32	13.32
SUB-LOOPS			<u> </u>								ļ					ļ
Sub-l	Loop Feeder USL-Feeder, DS0 Set-up per Cross Box location - CLEC		1	UEA,			 				-	-				}
	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		517.25						20.35	10.54	13.32	13.32
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												1
	set-up		<u> </u>	UDN,UCL,UDL,UDC			42.68	42.68					20.35	10.54	13.32	13.32
$-\!\!+\!\!\!-$	USL Feeder DS1 Set-up at DSX location, per DS1 termination		<u> </u>	USL	USBFZ		531.04	11.34					20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade- Statewide		sw	UEA	USBFA	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.32
-+	Order Coordination for Specified Conversion Time, per LSR		JW	UEA	OCOSL	12.03	34.29	05.05	70.35	35.10	-		20.33	10.34	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice						20									1
l	Grade - Statewide		sw	UEA	USBFB	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Specified Time Conversion, per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			UEA	OCOSL		34.29									

LINDIINDI	D NETWORK ELEMENTS - Tennessee												Attachment	2	Evhibit. D	_
UNBUNDLE	D NETWORK ELEMENTS - Tennessee		1			1					Cur Onden	Cua Ondan	Attachment:		Exhibit: B	lu anamantal
											Svc Order		Incremental			
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											-		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
									ļ.,	L						<u> </u>
						Rec	Nonrecurring			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		34.29									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 1		1	UEA	USBFD	21.52	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		_													
<u> </u>	Grade - Zone 2		2	UEA	USBFD	28.11	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice		_													40.00
—	Grade - Zone 3		3	UEA	USBFD	36.76	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
<u> </u>	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		34.29									ļ
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															40.00
-	Grade - Zone 1		1	UEA	USBFE	21.52	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		2	1154	HCDEE	20.44	407.04	04.00	440.04	20.40		1	20.05	40.54	40.00	42.00
 	Grade - Zone 2		2	UEA	USBFE	28.11	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		3	1154	Heber	20.70	407.04	04.00	440.04	20.40			20.05	40.54	40.00	40.00
 	Grade - Zone 3		3	UEA	USBFE	36.76	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
\vdash	Order Coordination For Specified Conversion Time, Per LSR		1	UEA	OCOSL	16.11	34.29	67.45	104.67	18.53			19.99	19.99	19.99	19.99
 	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1			UDN UDN	USBFF USBFF	16.11 21.04	142.83 142.83	67.45	104.67	18.53 18.53			19.99 19.99	19.99	19.99	
-	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2															
-	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	27.51	142.83	67.45	104.64	18.53			19.99	19.99	19.99	19.99
-	Order Coordination For Specified Conversion Time, Per LSR		1	UDN	OCOSL	40.44	34.29	07.45	404.07	10.50			40.00	40.00	40.00	40.00
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	16.11	142.83	67.45	104.67	18.53			19.99		19.99	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC UDC	USBFS USBFS	21.04 27.51	142.83	67.45 67.45	104.67	18.53 18.53			19.99 19.99	19.99 19.99	19.99 19.99	
-	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1		USBFG		142.83		104.64					19.99	19.99	
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	39.74 51.90	116.00 116.00	40.62 40.62	106.82 106.82	18.91 18.91			19.99 19.99	19.99	19.99	
-	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	67.86	116.00	40.62	106.82	18.91			19.99	19.99	19.99	
	Order Coordination For Specified Conversion Time, Per LSR		3	USL	OCOSL	67.86	34.59	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	9.52	114.27	38.89	104.64	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone			OCL	USBITT	9.52	114.21	30.03	104.04	10.55			15.55	19.99	19.99	19.99
	2		2	UCL	USBFH	12.43	114.27	38.89	104.64	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone			001	CODITI	12.40	114.27	00.00	104.04	10.00			10.00	10.00	10.00	10.00
	3		3	UCL	USBFH	16.26	114.27	38.89	104.64	18.53			19.99	19.99	19.99	19.99
-	Order Coordination For Specified Conversion Time, per LSR		Ŭ	UCL	OCOSL	10.20	34.29	00.00	104.04	10.00			10.00	10.00	10.00	10.00
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	14.37	123.41	48.03	110.44	22.53			19.99	19.99	19.99	19.99
-	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	18.76	123.41	48.03	110.44	22.53			19.99	19.99	19.99	
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	24.53	123.41	48.03	110.44	22.53			19.99	19.99	19.99	
	Order Coordination For Specified Conversion Time, per LSR		Ŭ	UCL	OCOSL	21.00	34.29	10.00	110.11	22.00			10.00	10.00	10.00	10.00
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	44.50	116.00	40.62	106.82	18.91			19.99	19.99	19.99	
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 1		1	UDL	USBFO	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 2		2	UDL	USBFO	34.03	116.00	40.62	106.82	18.91	<u> </u>	<u></u>	19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 3	<u></u>	3	UDL	USBFO	44.50	116.00	40.62	106.82	18.91		<u></u>	19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		34.29									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 1		1	UDL	USBFP	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -														1	
	Zone 2		2	UDL	USBFP	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 3		3	UDL	USBFP	44.50	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		34.29									<u> </u>
SUB-LOOPS																<u> </u>
Sub-L	oop Feeder												1		1	<u> </u>
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	14.11							ļ		ļ	
	Sub Loop Feeder - DS3 - Facility Termination Per Month	- 1		UE3	USBF1	333.26	3,390.00	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder – STS-1 – Per Mile Per Month	I		UDLSX	1L5SL	14.11			ļ	L			L	ļ	L	
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	359.02	3,390.00	407.68	165.17	501.31	İ	l	20.35	10.54	13.32	L

UNBUNDLE	NETWORK ELEMENTS - Tennessee												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	⁻ ES(\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub Loop Feeder – OC-3 – Per Mile Per Month	ı		UDLO3	1L5SL	10.71										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month			UDLO3	USBF5	56.64										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month				USBF2	546.31	3,390.00	407.68	165.17	501.31	-		20.35	10.54	13.32	-
	Sub Loop Feeder - OC-12 - Per Mile Per Month	÷			1L5SL	13.18	5,530.00	407.00	100.17	301.31			20.55	10.54	10.02	
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per	·		002.2	12002	10.10	† †									
	Month	- 1		UDL12	USBF6	639.98										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	ı		UDL12	USBF3	1,697.00	3,390.00	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder - OC-48 - Per Mile Per Month	Π		UDL48	1L5SL	43.22										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per		1	LIDI 40	LICDEC	200.00										
	Month Sub Loop Feeder - OC-48 - Facility Termination Per Month		1	UDL48 UDL48	USBF9 USBF4	320.36 1,457.00	3,576.00	407.68	165.17	501.31			20.35	10.54	13.32	
-	Sub Loop Feeder - OC-48 - Facility Termination Per Month Sub Loop Feeder - OC-12 Interface On OC-48	-	1	UDL48 UDL48	USBF8	361.44	789.41	407.68	165.17	501.31	-	-	20.35	10.54	13.32	-
UNBUNDLED L	OOP CONCENTRATION		1	55E-10	20010	301.44	703.41	407.00	103.17	301.31			20.00	10.54	10.02	t
	Loop Channelization System			ULC	ULCCS	307.07	307.34	74.37	4.18				20.35	10.54	13.32	13.32
	CO Channel Interface - 2-Wire Voice Grade			ULC	ULCC2	1.20	9.57	9.52	8.66	8.60			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	500.18	613.60	613.60					20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - System B (TR008)				UCT8B	54.82	255.67	255.67					20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - System A (TR303)				UCT3A	539.00	613.60	613.60					20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - System B (TR303) Unbundled Loop Concentration - DS1 Loop Interface Card			ULC ULC	UCT3B UCTCO	92.37 6.23	255.67 74.39	255.67 53.07	30.23	8.46			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	Unbundled Loop Concentration - ISDN Loop Interface (Brite			OLC	UCTCO	0.23	74.39	55.07	30.23	0.40			20.33	10.54	13.32	13.32
	Card)			UDN	ULCC1	8.46	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - UDC Loop Interface (Brite															
	Card)			UDC	ULCCU	8.46	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration2 Wire Voice-Loop Start or															
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.32	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			1154	ULCCR	10.45	0.00	0.05	0.74	0.05			20.25	10.54	40.00	40.00
	Loop Interface (SPOTS Card) Unbundled Loop Concentration - 4 Wire Voice Loop Interface			UEA	ULCCR	12.45	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	(Specials Card)			UEA	ULCC4	7.53	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.332
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	35.77	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop															
	Interface			UDL	ULCC7	11.03	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop															
	Interface		ļ	UDL	ULCC5	11.03	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface		1	UDL	ULCC6	11.03	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
-	interrace		 	ODL	ULUUU	11.03	0.09	0.05	9.71	9.05			20.33	10.54	13.32	13.32
UNE OTHER. P	ROVISIONING ONLY - NO RATE		<u> </u>				† †		3.71							1
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX		<u> </u>									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	•				•						
	Haland Had October Name Books (1982)			UEANL,UEF,UEQ,U	LINEON		1 7									
LINE OTHER S	Unbundled Contract Name, Provisioning Only - No Rate ROVISIONING ONLY - NO RATE		<u> </u>	ENTW	UNECN											1
UNE UTHER, P	KUVISIUNING UNLY - NU KATE		 				 		-							
			1	UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate		1	UDN,UEA,UHL,ULC	UNECN	0.00	0.00					1				
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no		1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		2.00	1									1
	rate		<u>L</u>	UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no					· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·						
	rate		ļ	UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate		!	USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
HIGH CAPACIT	TY UNBUNDLED LOCAL LOOP		 	USL	CCCEF	0.00	0.00		1							
			1	1			1		1		1	l			l	1
1	High Capacity Unbundled Local Loop - DS3 - Per Mile per										1					

UNBU	JNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	1							Nonrecurring		Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		High Capacity Unbundled Local Loop - DS3 - Facility															
	1	Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UE3	UE3PX	374.24	595.37	304.50	234.83	170.16			36.84	36.84	19.01	19.01
		Imonth			UDLSX	1L5ND	9.19										
		High Capacity Unbundled Local Loop - STS-1 - Facility															
	N	Termination per month		<u> </u>	UDLSX	UDLS1	389.35	595.37	304.50	215.82	151.15			36.84	36.84	19.01	19.01
LOOP	MAKE-U): Rates provided in TN for both electronic and manual Loop	Makeu	p are ir	nterim and subject to	retro-active	true-up adjust	ments pending	a permanent	rate ruling on	these rate elen	ents from t	he Tenness	ee Regulatory	y Authority.		
2001	T T	Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).	R		UMK	UMKLW		0.76	0.76								
		Loop Makeup - Preordering With Reservation, per spare facility	_		UMK	UMKLP		0.76	0.76								
		queried (Manual). Loop MakeupWith or Without Reservation, per working or	R		UIVIK	UIVIKLP		0.76	0.76								
		spare facility queried (Mechanized)	R		UMK	PSUMK		0.76	0.76								
HIGH		NCY SPECTRUM															
	SPLITI	ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	100.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	25.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
	END III	deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC	V ODEO		ULS	ULSDG		163.06		92.71				20.35	10.54	13.32	13.32
	END U	Line Sharing - per Line Activation (BST owned Splitter)	SPEC	IKUM	ULS	ULSDC	0.61	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
		Line Sharing - per Subsequent Activity per Line					0.01	40.00	01.00	0.00	0.00			20.00	10.04	10.02	10.02
		Rearrangement(BST Owned Splitter)			ULS	ULSDS		30.00	15.00					20.35	10.54	13.32	13.32
		Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		30.00	15.00					20.35	10.54	13.32	13.32
		Line Sharing - per Line Activation (DLEC owned Splitter)	1		ULS	ULSCC	0.61	47.44	19.31	0.00	0.00			20.35	10.54	13.32	13.32
		Line Splitting - per line activation DLEC owned splitter	I		UEPSR UEPSB	UREOS	0.61										
	1	Line Splitting - per line activation BST owned - physical	1		UEPSR UEPSB UEPSR UEPSB	UREBP UREBV	0.97	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
UNBU	NDI FD I	Line Splitting - per line activation BST owned - virtual DEDICATED TRANSPORT			UEPSK UEPSB	UKEBV	0.91	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
0.120	NOTE:	INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	od - below DS3=one	month, DS3/	/STS-1=four mo	onths									
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0054										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			UTTVX	ILJAA	0.0034										
		Facility Termination per month			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0054										
	1	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			UTIVX	ILSXX	0.0054										
		Facility Termination per month			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade			11477.07	41.500/	0.007:										
-	1	Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade	 	<u> </u>	U1TVX	1L5XX	0.0054										
		- Facility Termination per month			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08	8.66	8.66
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	1	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility		<u> </u>	U1TDX	1L5XX	0.0174										
		Termination per month			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	1	Interoffice Channel - Dedicated Transport - 64 kbps - per mile								250						2.20	
<u> </u>	1	per month			U1TDX	1L5XX	0.0174										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month		1	U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	1	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			5.15A	31120	11.30	55.55	11.31	21.30	5.51			20.00	21.03	3.00	10.54
	ļ	month			U1TD1	1L5XX	0.3562										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	21.09	9.80	10.54
	1	Termination per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			וטווטו	UIIFI	77.86	112.40	/6.2/	19.55	14.99			20.35	∠1.09	9.80	10.54
L	<u> </u>	month			U1TD3	1L5XX	2.34										

UNBUN	DLE	NETWORK ELEMENTS - Tennessee			1	1	1							Attachment:		Exhibit: B	
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						1	1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - DS3 - Facility			LIATEDO	LIATEO	848.99	005.00	470.50	400.04	405.04			36.84	00.04	40.04	40.04
		Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		<u> </u>	U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91	-		30.84	36.84	19.01	19.01
		month			U1TS1	1L5XX	2.34										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	ľ	Termination per month			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84	19.01	19.01
		CHANNEL - DEDICATED TRANSPORT															
NC		OCAL CHANNEL DEDICATED TRANSPORT - minimum billing	g perio	d - belo	ow DS3=one month,	DS3/STS-1=	our months										
		Local Channel - Dedicated - 2-Wire Voice Grade per month -		١		5. 10											
		Zone 1 Local Channel - Dedicated - 2-Wire Voice Grade per month -		1	ULDVX	ULDV2	17.18	199.33	24.16	54.81	4.80						
		Zone 2		2	ULDVX	ULDV2	22.44	199.33	24.16	54.81	4.80						
		Local Channel - Dedicated - 2-Wire Voice Grade per month -		_	025171	02512		100.00	20	001							
		Zone 3		3	UNDVX	ULDV2	29.34	199.33	24.16	54.81	4.80	<u></u>					
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per															
		month			ULDVX	ULDR2								20.35	21.09	9.80	10.54
		Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per month - Zone 1		1	ULDVX	ULDR2	17.18	199.33	24.16	54.81	4.80						
-		Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per		-	ULDVX	ULDR2	17.18	199.33	24.16	54.81	4.80						
		Month - Zone 2		2	ULDVX	ULDR2	22.44	199.33	24.16	54.81	4.80						
		Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per			025171	OLD.IL		100.00	20	001							
		Month - Zone 3		3	ULDVX	ULDR2	29.34	199.33	24.16	54.81	4.80						
		Local Channel - Dedicated - 4-Wire Voice Grade per month -															
		Zone 1		1	UNDVX	ULDV4	18.18	201.53	24.83	55.52	5.51						
		Local Channel - Dedicated - 4-Wire Voice Grade per month -		2	UNDVX	ULDV4	23.74	204.52	24.02	55.50	5.51						
		Zone 2 Local Channel - Dedicated - 4-Wire Voice Grade per month -			UNDVX	ULDV4	23.74	201.53	24.83	55.52	5.51						
		Zone 3		3	UNDVX	ULDV4	31.05	201.53	24.83	55.52	5.51						
		Local Channel - Dedicated - DS1 per month - Zone 1			ULDD1	ULDF1	36.24	277.35	233.26	33.18	22.30						
		Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	47.33	277.35	233.26	33.18	22.30						
		Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	61.89	277.35	233.26	33.18	22.30						
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	7.15										
		Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	611.30	595.37	304.50	215.82	151.15			36.84	36.84	19.01	19.01
		Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	7.15	393.37	304.30	213.02	131.13			30.64	30.04	19.01	19.01
		Local Channel - Dedicated - STS-1 - Facility Termination per			02501	120110	70										
		month			ULDS1	ULDFS	599.59	588.07	297.20	215.82	151.15			20.35	21.09	9.80	10.54
MULTIPLE																	
		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	80.77	141.67	77.11	14.51	13.46			20.35	9.80	11.49	1.18
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UDL	1D1DD	1.82	6.07	4.66					20.35	9.80	11.49	1.18
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			ODL	טטוטו	1.62	0.07	4.00	+		 		20.33	9.60	11.49	1.18
		month		1	UDN	UC1CA	3.10	6.07	4.66					20.35	9.80	11.49	1.18
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.91	6.07	4.66					20.35	9.80	11.49	1.18
		DS3 to DS1 Channel System per month			UXTD3	MQ3	222.98	308.03	108.47	44.47	42.62			20.35	9.80	11.49	
		STS1 to DS1 Channel System per month		1	UXTS1	MQ3	222.98	308.03	108.47	44.47	42.62	ļ		20.35	21.09	9.80	9.80
-		DS3 Interface Unit (DS1 COCI) used with Loop per month DS3 Interface Unit (DS1 COCI) used with Local Channel per		-	USL	UC1D1	17.58	6.07	4.66					20.35	9.80	11.49	1.18
		month			ULDD1	UC1D1		6.07	4.66					20.35	9.80	11.49	1.18
		DS3 Interface Unit (DS1 COCI) used with Interoffice Channel				30.51		0.07	4.50					20.00	5.50	1113	1.10
		per month		<u> </u>	U1TD1	UC1D1	<u></u>	6.07	4.66			<u></u>		20.35	9.80	11.49	1.18
DARK FIB																	
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE	41.500	50.00										
		Thereof per month - Local Channel NRC Dark Fiber - Local Channel		-	UDF UDF	1L5DC UDFC4	58.83	1,121.00	153.19	580.26	357.17			20.35	21.09	9.80	10.54
		Dark Fiber - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			ODF	UDFU4		1,121.00	153.19	58∪.∠6	351.17	+		20.35	21.09	9.80	10.54
		Thereof per month - Interoffice Channel			UDF	1L5DF	28.74										
		NRC Dark Fiber - Interoffice Channel		1	UDF	UDF14		1,121.00	153.19	580.26	357.17			20.35	21.09	9.80	10.54

UNBUNDLE	D NETWORK ELEMENTS - Tennessee			1		1							Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	g Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
-	Thereof per month - Local Loop NRC Dark Fiber - Local Loop			UDF UDF	1L5DL UDFL4	58.83	1,121.00	153.19	580.26	357.17			20.35	21.09	9.80	10.54
TRANSPORT (UDF	UDFL4		1,121.00	155.19	560.26	337.17			20.35	21.09	9.60	10.54
	TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0005192										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
	Number Reserved			OHD	N8R1X		5.21	0.76					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Per 8XX No. Established With			OHD	+		11.47	1.40	7.54	0.7002			20.33	20.33	13.20	13.20
	POTS Translations			OHD	N8FTX		11.47	1.46	7.34	0.7602	<u> </u>	<u> </u>	20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Customized Area of Service															
	Per 8XX Number			OHD	N8FCX		4.47	2.24					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.23	3.00					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		5.23	0.76					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Call Handling and Destination			01.15	110.751		0.07	00					20.00	20.00	10.20	10.20
	Features			OHD	N8FDX		4.47						20.35	20.35	13.28	13.28
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000354										
	LIDB Validation Per Query LIDB Originating Point Code Establishment or Change			OQU OQT, OQU	NRPBX	0.0117403	49.03						20.35	20.35	13.28	13.28
SIGNALING (C				OQ1, OQU	INKPDA		49.03		1	1			20.35	20.33	13.20	13.20
1	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	138.41										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000916										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Connection, Per link (B link) (also known as D			LIDD	TDD	47.04	400.04	400.04					00.05	00.05	40.00	40.00
-	link) CCS7 Signaling Usage, Per ISUP Message			UDB UDB	TPP++	17.84 0.0000373	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352.30										
	Signaling Point Code, per Originating Point Code Establishment			000	0.000	002.00										
	or Change, per STP			UDB	CCAPO		121.77	121.77					20.35	20.35	13.32	13.32
CALLING NAM	E (CNAM) SERVICE															
-	CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query			OQV OQV		0.0010541 0.0010541				-						
+	CNAM (Non-Databs Owner), NRC, applies when using the			OQV		0.0010541			1	1						
	Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00					20.35	20.35	13.28	13.28
OPERATOR CA	ALL PROCESSING															
	Oper. Call Processing - Oper. Provided, Per Min Using BST															
-	LIDB				_	1.08				-						
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB					1.13										
	Oper. Call Processing - Fully Automated, per Call - Using BST					1.10										
	LIDB					0.1010353										
	Oper. Call Processing - Fully Automated, per Call - Using															
INIWARD ORE	Foreign LIDB					0.122818										
INWARD OPER	Inward Operator Services - Verification, Per Minute				+	1.03										
	Inward Operator Services - Verification and Emergency Interrupt					1.00										
	- Per Minute					1.03				<u></u>	<u></u>	<u></u>				
BRANDING - C	PERATOR CALL PROCESSING															
	Recording of Custom Branded OA Announcement				CBAOS		1,555.00	1,553.00	7.03	7.03			19.99	19.99	19.99	19.99
I I a la	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		240.71	240.71	 	 	-	-	19.99	19.99		<u> </u>
Unbrai	Iding via OLNS for UNEP CLEC Loading of OA per OCN (Regional)				+		1,200.00	1,200.00	 	+	-	-				
DIRECTORY A	SSISTANCE SERVICES						1,200.00	1,200.00								
	TORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.2286787										

ONR	JNULE	D NETWORK ELEMENTS - Tennessee			ı	1	T					1_		Attachment:		Exhibit: B	ļ
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DIRECT	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	DACC)														
		Directory Assistance Call Completion Access Service (DACC),															
		Per Call Attempt					0.0364771										
		ER SERVICES INTERCEPT ACCESS SERVICE															
		Number Services Intercept Per Query TORY TRANSPORT (DT)					0.017793					1				-	
		DT-Local Channel DS1					40.99	277.35	233.26	33.18	22.30						
		DT-DS1 Level Interoffice per mile					0.3562	211.35	233.20	33.18	22.30						
		DT-DS1 Level Interoffice per facility termination					77.86	112.40	76.27	19.55	14.99						
		SWA Common Transport per Directory Assistance Access					11.00	112.40	10.21	19.55	14.55						
		Service Per Call					0.000271										
		SWA Common Transport per Directory Assistance Access					0.000271	† †		1						1	1
		Service Per Call Per Mile	l				0.0000165									1	1
		Access Tandem Switching Per Directory Assistance Access															
		Service Per Call					0.0001875										
		DT- Directory Assistance Interconnection Per Directory					1										
		Assistance Service Call					0.00										
		DT-Installation NRC, Per Trunk or Signaling Connection						204.62	4.43	136.09	4.43						
		DT Local Channel DS1-Incremental Cost-Manual Svc Order vs															
		Electronic						45.68	1.76	21.75	1.76						
		DT Interoffice DS1-Incremental Cost-Manual Svc Order vs															
DIDEO		Electronic						20.35	21.09	9.80	10.54						
DIREC		SSISTANCE SERVICES TORY ASSISTANCE DATA BASE SERVICE (DADS)															
		Directory Assistance Data Base Service (DADS)					0.0485	1									
		Directory Assistance Data Base Service, per month				DBSOF	104.13					1					
BRANI		IRECTORY ASSISTANCE				DBSCI	104.13										
DIVAIN		Based CLEC															
		Recording and Provisioning of DA Custom Branded															
		Announcement			AMT	CBADA		1,555.00	1,553.00	7.03	7.03						
		Loading of Custom Branded Announcement per DRAM						,	,								
		Card/Switch			AMT	CBADC		240.71	240.71								
	UNEP (
		Recording of DA Custom Branded Announcement						1,555.00	1,553.00	7.03	7.03						
		Loading of DA Custom Branded Announcement per DRAM															
		Card/Switch per OCN						240.71	240.71								
	Unbran	Iding via OLNS for UNEP CLEC						400.00	100.00								
	1	Loading of DA per OCN (1 OCN per Order)	 				 	420.00	420.00			}			 	!	!
SEI E	CTIVE RO	Loading of DA per Switch per OCN	!	-			-	16.00	16.00	1		 			-		
JELEC		Selective Routing Per Unique Line Class Code Per Request Per	 				1	 		1		1			1	t	1
		Switch				USRCR		179.60	179.60					20.35	20.35		1
VIRTU		LOCATION	1			231(01)		170.00	175.00					20.00	20.00	-	-
		Virtual Collocation - Application Cost	1		AMTFS	EAF	1	2,633.00	2,633.00						1	1	t
		Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		1,749.00	1,749.00								
		Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.91										
		Virtual Collocation - Power, per breaker amp			AMTFS	ESPAX	6.79										
		Virtual Collocation - Cable Support Structure, per entrance					1										
	<u> </u>	cable			AMTFS	ESPSX	17.87					ļ				1	1
		Virtual Collocation - 2-wire Cross Connects (loop)			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX	UEAC2	0.57	11.62	9.90	10.38	8.66			2.07	2.81	0.67	1.41
					UEA,UHL,UCL,UDL, AMTFS, UAL, UDN,												
		Virtual Collocation - 4-wire Cross Connects (loop)	l		UNCVX, UNCDX	UEAC4	0.57	11.81	10.04	10.44	8.67	1	l	2.07	2.81	0.67	1.4

HINDH	UDI EI	D NETWORK ELEMENTS - Tennessee												Attachment:	<u> </u>	Exhibit: B	I
ONBO	ADLLI	NETWORK ELEMENTS - Tellilessee					1			1		Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec			Manual Svc		
CATEG	nev	RATE ELEMENTS	Interi	Zone	BCS	USOC		DAT	TES(\$)				Manually	Manual Svc			Manual Svc
CAILG	JKI	RATE ELEMENTS	m	Zone	B03	0300		NAI	L3(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>								I 8 1			D'				D = (= = (A)		
							Rec	Nonrecurring			Disconnect				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					AMTFS,UDL12,												
					UDLO3, U1T48,												
					U1T12, U1T03,												
					ULDO3, ULD12,												
		Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF	CNC2F	3.03	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.56
					AMTFS,UDL12,												
					UDLO3, U1T48,												
					U1T12, U1T03,												
					ULDO3, ULD12,												
		Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	6.06	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
-		Virtual Collocation - 4-1 iber Cross Confrects			USL,ULC,AMTFS,	CINC4I	0.00	30.33	30.70	10.97	14.55			2.09	2.09	1.50	1.30
			1				Ì			I		İ	İ	Ì	Ì	Ì	
					ULR, UXTD1,					1							
			1		UNC1X, ULDD1,		Ì			I		İ	İ	Ì	Ì	Ì	
					U1TD1, USLEL,					1							
		Virtual collocation - DS1 Cross Connects	<u> </u>		UNLD1	CNC1X	1.32	32.22	17.76	10.46	8.75			2.07	2.81	0.67	1.41
1 7					USL,ULC,AMTFS,U							i	i		<u> </u>	<u> </u>	
			1		E3, U1TD3, UXTS1,		Ì			I		İ	İ	Ì	Ì	Ì	
					UXTD3, UNC3X,												
					UNCSX, ULDD3,												
					U1TS1, ULDS1,												
		Virtual collocation - DS3 Cross Connects			UDLSX, UNLD3	CND3X	12.32	29.97	16.30	12.03	8.99			2.07	2.81	0.67	1.41
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			ODLOX, ONLDO	ONDOX	12.02	20.07	10.00	12.00	0.00			2.07	2.01	0.01	1.41
		Support Structure, per linear foot			AMTFS	VE1CB	0.0031										
		Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax		-	AWITTO	VLICB	0.0031										
					ALTEO	\/E40D	0.0045										
		Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0045										
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
		Support Structure,per cable			AMTFS	VE1CC		555.03									
		Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
		Cable Support Structure, per cable			AMTFS	VE1CE		555.03									
		Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		33.15	20.44								
		Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		41.50	25.61								
		Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		49.86	30.79								
		Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		30.64	30.64								
		•															
		Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.77	35.77								
		The state of the s						337	301	t		1	1	1	1	1	
		Virtual collocation - Maintenance in CO - Premium per half hour	1		AMTFS	SPTPM	Ì	40.90	40.90	I		l	l	Ì	Ì	Ì	
VIRTIIA	I COLI	LOCATION	 	 	, 0	O. 11 IVI	1	40.30	+0.30	t		1	1	1	1	1	1
VIIXTOA	- COLL	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-	1	1		 	1	-		 	1	 	 	 	 	 	1
		Wire Analog - Res			UEPSR	VE1R2	0.30	19.20	19.20	1				20.35	10.54	13.32	1 40
\vdash			-		UEFSK	VE IRZ	0.30	19.20	19.20	 		1	1	20.35	10.54	13.32	1.40
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-			LIEDOD	VE4D0	0.00	40.00	40.00	1				00.05	40 = 1	40.00	
——		Wire Line Side PBX Trunk - Bus	 		UEPSP	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire				l	_	l l		1							l .
		Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.30	19.20	19.20			ļ	ļ	20.35	10.54	13.32	1.40
1 7		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire										<u> </u>	<u> </u>		<u> </u>	<u> </u>	
		Analog Bus			UEPSB	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
		Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
		ISDN			UEPSX	VE1R2	0.30	19.20	19.20	1				20.35	10.54	13.32	1.40
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire												İ	İ	İ	
		ISDN	1		UEPTX	VE1R2	0.30	19.20	19.20	I		l	l	20.35	10.54	13.32	1.40
		Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire					5.50	.5.20		1		i	i	20.00	.5.54	.5.52	
		ISDN DS1	1		UEPEX	VE1R4	0.50	19.20	19.20	I		İ	İ	20.35	10.54	13.32	1.40
VIRTIIA	I COLI	LOCATION	 	 	0L1 L/		0.30	13.20	19.20	t		1	1	20.33	10.54	13.32	1.70
VIIXTOA	- COLL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line	 	1		 	1	-		 	1	 	 	 	 	 	1
			1		HEDED HEDED	VE11.0	0.57	44.00	0.00	10.38	8.66	İ	İ	19.99	19.99	40.00	40.00
AIN OF	FOT:	Splitting	 	1	UEPSR, UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66	 	 	19.99	19.99	19.99	19.99
AIN SEL	-ECTIV	E CARRIER ROUTING		<u> </u>	200	0005		100 5				ļ	ļ				
		Regional Service Establishment			SRC	SRCEC		190,638.00						20.35			
		End Office Establishment			SRC	SRCEO		317.55	317.55	3.19	3.19			20.35	20.35	13.28	13.28
		Line/Port NRC, per end user	<u></u>		SRC	SRCLP									L	L	

UNBUNDLE	D NETWORK ELEMENTS - Tennessee						-						Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	0. 100			000			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AIN DELLO	Query NRC, per query			SRC		0.0206047										
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		135.56	135.56					20.35	20.35	13.28	13.28
	Initial Setup			AIN	CAIVISE		133.36	133.36					20.33	20.35	13.20	13.20
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		41.75	41.75					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		41.75	41.75					20.35	20.35	13.28	13.28
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		96.63	96.63					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		113.67	113.67					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0024										
	AIN SMS Access Service - Session, Per Minute					0.0820123										
	AIN SMS Access Service - Company Performed Session, Per		1		I										1	
AIN DELLOS	Minute		<u> </u>		+	2.27									 	
AIN - BELLSO	UTH AIN TOOLKIT SERVICE AIN Toolkit Service - Service Establishment Charge, Per State,		 		+										 	1
	Initial Setup			CAM	BAPSC		132.04	132.04					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Training Session, Per Customer			CAW	BAPVX		7,915.00	7,915.00					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI VA		7,313.00	7,313.00					20.55	20.55	13.20	13.20
	DN. Term. Attempt				BAPTT		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				27.11.11		01.21	01.21					20.00	20.00	10.20	10.20
	DN, Off-Hook Delay				BAPTD		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		85.24	85.24					20.35	20.35	13.28	13.28
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Feature Code				BAPTF		05.04	05.04					00.05	00.05	13.28	13.28
	AIN Toolkit Service - Query Charge, Per Query				BAPTE	0.0211882	85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.0211002										
	Subscription, Per Node, Per Query					0.0054774										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.000										
	Account, Per 100 Kilobytes					1.50										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	17.43	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service							· · · · · · · · · · · · · · · · · · ·							1	
	Subscription		<u> </u>	CAM	BAPLS	0.1321116	36.23	36.23					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service				L											
	Subscription		<u> </u>	CAM	BAPDS	17.35	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription		1	CAM	BAPES	0.0511435	36.23	36.23					20.35	20.35	13.28	13.28
ENITANCED E	Service Subscription KTENDED LINK (EELs)	1	!	CAIVI	BAPES	0.0511435	36.23	36.23					20.35	20.35	13.28	13.28
	New EELs available in GA, TN, KY, LA, MS, & SC and density	/ 7000 ⁴	of fall	owing MSAs: Orlar	ndo El · Miom	EliEttand	rdale El ·									
	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-															1
	In all states, EEL network elements shown below also apply t							As Is Charge a	pplies to curre	ntly combined	facilities co	nverted to	UNEs.(Non-re	curring rates	do not apply	r.)
	In GA, TN, KY, LA, MS & SC the EEL network elements apply									,						ĺ
	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT														<u> </u>	<u> </u>
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport												_			
	Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed				I										1	
	Transport Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	1	1	1		l									ĺ	
			_	11110101	115410	00.00	400 =0	05 17	70 01	40.00			00.05	04 00	0 00	
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54

CHECHDLE	D NETWORK ELEMENTS - Tennessee	ı ———	ı —	I	 						Cup Carle	Sup Cada	Attachment:		Exhibit: B	Inoro
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	DS1 Channelization System Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.91	5.70	4.42								
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1		1	1110101	UEAL2	40.50	400.70	05.47	70.04	40.00			20.35	04.00	0.00	40.5
	Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1			UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
-	Each Additional 2-Wire VG Loop(SL2) in the same DS1			UNCVX	ULALZ	21.03	100.70	33.47	72.54	10.00			20.33	21.09	9.00	10.5
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Voice Grade COCI - DS1 to DS0 Channel System combination -		Ū	ONOVA	OLITE	20.20	100.70	00.47	72.04	10.00			20.00	21.00	3.00	10.0
	per month	1	1	UNCVX	1D1VG	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-				1 -				1							
	Is Charge	1	1	UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.5
4-WIRI	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per				=.											
	Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Channelization - Channel System DS1 to DS0 combination Per			LINICAY	MO4	00.77	405.70	44.40	2.04	0.74						
	Month Voice Grade COCI - DS1 to DS0 Channel System combination -			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	per month			UNCVX	1D1VG	0.91	5.70	4.42								
-	Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOVA	IDIVO	0.31	5.70	7.72								
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOVA	OL/ IL-	24.70	100.70	00.47	72.04	10.00			20.00	21.00	0.00	10.0
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.5
4-WIRI	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL))											
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice		_	LINODY	LIDI 50	10.01	400.70	05.47	70.04	40.00			00.05	04.00	0.00	40.5
	Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDA	UDLS6	55.11	100.76	33.47	72.94	10.00			20.33	21.09	9.60	10.5
	Per Month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 - combination Facility			ONOTA	TEO/O	0.0002										
	Termination Per Month	l	l	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.5
	Channelization - Channel System DS1 to DS0 combination Per	l				00	24		. 5.01	33.00			20.00	200	3.00	.0.0
	Month	1	1	UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per				1			0								
	month (2.4-64kbs)	l	l	UNCDX	1D1DD	0.91	5.70	4.42								
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1				1									İ	İ	
	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
1	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5

UNRI	INDI FI	NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CIVE	MULL	THE TWORK ELEMENTO TERMESSEE										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			to the second									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA ⁻	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC 1St	DISC Add I
							Dee	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		OCU-DP COCI (data) - DS1 to DS0 Channel System -															
		combination per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		ls Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	4-WIRE	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)	1											
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
		Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
		Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_				400 =0		=0.04	40.00						
<u> </u>	_	Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
1		Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINICAY	41.5307	0.0500			I		1	1	I	I	1	
		Per Month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.3562			-							
		Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
		Channelization - Channel System DS1 to DS0 combination Per			UNCIA	UTIFT	11.00	171.24	113.12	70.07	30.90			20.33	21.09	9.00	10.54
		Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	21.09	9.80	10.54
		OCU-DP COCI (data) - DS1 to DS0 Channel System			UNCIX	IVIQT	00.77	105.76	14.40	3.04	2.14			20.33	21.09	9.00	10.54
		combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			ONODA	10100	0.31	5.70	7.72								
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		-	ОПОВХ	OBLOT	01.10	100.70	00.47	72.04	10.00			20.00	21.00	0.00	10.04
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1														0.00	
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		OCU-DP COCI (data) - DS1 to DS0 Channel System															
		combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		ls Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	EROFFI	CE TRA	NSPORT (EEL)												
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
		Transport - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		_													
		Transport - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		3	LINGAY	1101.307	00.50	000.40	101.71	70.07	04.00			00.05	04.00	0.00	40.54
-		Transport - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
1		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			LINICAV	1L5XX	0.0500			I		1	1	I	I	1	
—	-	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility	-		UNC1X	ILOAX	0.3562			-		-	-			-	1
1		Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90	1	1	20.35	21.09	9.80	10.54
	1	Nonrecurring Currently Combined Network Elements Switch -As-			014017	51111	11.00	171.24	113.12	70.07	30.90			20.35	21.09	9.00	10.34
1		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12	1	1	20.35	21.09	9.80	10.54
	4-WIRF	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	EROFFI	CE TR		3550		02.70	27.02	U.12	U. 12	 	 	20.00	21.00	3.30	10.04
		First DS1Loop in DS3 Interoffice Transport Combination - Zone								1	1			1	1	1	
		1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
		First DS1Loop in DS3 Interoffice Transport Combination - Zone							-								
		2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
		First DS1Loop in DS3 Interoffice Transport Combination - Zone															
		3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
		Interoffice Transport - Dedicated - DS3 combination - Per Mile															
		Per Month			UNC3X	1L5XX	2.34										
		Interoffice Transport - Dedicated - DS3 - Facility Termination per												1			
		month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			20.35	21.09	9.80	10.54
		DS3 to DS1 Channel System combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			ļ	ļ	ļ	
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17.58	5.70	4.42	ļ	ļ			ļ	ļ	ļ	
		Additional DS1Loop in DS3 Interoffice Transport Combination -			LINICAY	LICLY?		200 42	101 = 1	70.0-	04.65	1	1	20.5-	04.00	0.00	10.51
		Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88	l	l	20.35	21.09	9.80	10.54

UNBUNE	DLED	NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
0.1.2011.												Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												1	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								The contract of		N1	<u> </u>				D-1(A)		
-							Rec	Nonrecurring		Nonrecurring		001150	001111		Rates(\$)	001441	001441
		Additional DS1Loop in DS3 Interoffice Transport Combination -				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ľ	Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
-		Additional DS1Loop in DS3 Interoffice Transport Combination -			UNCIX	USLAA	73.40	220.40	101.74	19.01	24.00	1		20.33	21.09	9.00	10.54
		Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
 		DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X	UC1D1	17.58	5.70	4.42	13.01	24.00			20.55	21.03	3.00	10.54
		Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	OCIDI	17.50	5.70	7.72								
		Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
2-\	WIRE	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN	TEROFF	ICE TR		0.1000		020	2 1.02	02	0.12			20.00	200	0.00	.0.0 .
	1	2-WireVG Loop used with 2-wire VG Interoffice Transport			,												
		Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	İ	2-WireVG Loop used with 2-wire VG Interoffice Transport															
		Combination - Zone 2	<u> </u>	2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86	<u> </u>	<u></u>	20.35	21.09	9.80	10.54
		2-WireVG Loop used with 2-wire VG Interoffice Transport															
		Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		Interoffice Transport - Dedicated - 2-wire VG combination - Per															
$\vdash \!$		Mile Per Month	ļ		UNCVX	1L5XX	0.0174			ļ				ļ	ļ		
		Interoffice Transport - Dedicated - 2- Wire Voice Grade															
		combination - Facility Termination per month			UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
4.	MUDE	Is Charge	FEDOLE	ICE TO	UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-1		VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE IR	ANSPORT (EEL)	+						-					
	ľ	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	-	4-WireVG Loop used with 4-wire VG Interoffice Transport		-	UNCVX	OLAL4	24.70	100.70	33.47	72.54	10.00	1		20.33	21.09	9.00	10.54
		Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		4-WireVG Loop used with 4-wire VG Interoffice Transport			ONOVA	OLAL	32.20	100.70	33.47	72.54	10.00			20.55	21.03	3.00	10.54
		Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		Interoffice Transport - Dedicated - 4-wire VG combination - Per		-					-								
		Mile Per Month			UNCVX	1L5XX	0.0174										
		Interoffice Transport - Dedicated - 4- Wire Voice Grade															
		combination - Facility Termination per month			UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
		Nonrecurring Currently Combined Network Elements Switch -As-															
		ls Charge			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
DS		GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRA	NSPOR	T (EEL)												
1 1		High Capacity Unbundled Local Loop - DS3 combination - Per			LINIONY	41.53.5	- · -							1			
\vdash		Mile per month	 		UNC3X	1L5ND	9.19	1		 				!	ļ	1	1
		High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month	1		UNC3X	UE3PX	373.47	240.23	180.87	106.78	45.24		1	20.35	21.09	9.80	10.54
\vdash		Interoffice Transport - Dedicated - DS3 - Per Mile per month	 		UNC3X	1L5XX	2.34	240.23	100.87	100.78	45.24			20.35	21.09	9.80	10.54
\vdash		Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility	1		0.100/	ILOAA	2.34			 		-		t	 	1	1
	ŀ	Termination per per month	1		UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43		1	20.35	21.09	9.80	10.54
		Nonrecurring Currently Combined Network Elements Switch -As-					3301	.02.01	.00.01	J40	55.40			20.00	200	2.00	
		Is Charge	1		UNC3X	UNCCC		52.73	24.62	9.12	9.12		1	20.35	21.09	9.80	10.54
ST	S1 D	IGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TF	RANSPO					,=_					1	1		
		High Capacity Unbundled Local Loop - STS1 combination - Per															
		Mile per month			UNCSX	1L5ND	9.19										
	T	High Capacity Unbundled Local Loop - STS1 combination -				1							1				
		Facility Termination per month			UNCSX	UDLS1	394.56	240.23	180.87	106.78	45.24			20.35	21.09	9.80	10.54
		Interoffice Transport - Dedicated - STS1 combination - Per Mile	1		l .	1	_						1	I			
\vdash		per month	<u> </u>		UNCSX	1L5XX	2.34							-	ļ	ļ	ļ
1 1	ļ	Interoffice Transport - Dedicated - STS1 combination - Facility			LINICOV	LIATEO	040.00	400.04	450.04	04.40	05.40			20.05	04.00	0.00	40.54
\vdash		Termination per month	-		UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			20.35	21.09	9.80	10.54
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge	1		UNCSX	UNCCC		52.73	24.62	9.12	9.12		1	20.35	21.09	9.80	10.54
2.1	WIPE	ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (FFI	1	0.1007	514000		32.13	24.02	9.12	9.12			20.35	21.09	9.00	10.34
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination	,, (EEL			+		 					 	t	 	 	+
	ŀ	Transport - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1			1			33. H	. 2.54	.0.50			20.00	255	5.50	.0.54
1 1	ŀ	Transport - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
													Incremental	Incremental		Incremental
											Submitted		_	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA-	TES(\$)			Elec	Manually		Manual Svc		Manual Svc
J	10112 ====1110	m		200	3333			(4)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
l							Nonrecurring		Nonrecurring	Disconnoct				Rates(\$)		
+						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
-	Interoffice Transport - Dedicated - DS1 combination - Per Mile Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.3562										
	Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Channelization - Channel System DS1 to DS0 combination -															
	per month 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	21.09	9.80	10.54
	combination - per month			UNCNX	UC1CA	3.24	5.70	4.42					20.35	21.09	9.80	10.54
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_			20.02	100.70	33.47	. 2.04	. 5.00			20.00	200	3.00	
	Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	3.24	5.70	4.42					20.35	21.09	9.80	10.54
+	Nonrecurring Currently Combined Network Elements Switch -As-			UNCINA	OCICA	3.24	3.70	4.42					20.33	21.09	9.00	10.54
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE TI	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	First DS1 Loop in STS1 Interoffice Transport Combination -			0.10.17	COLUT	00	220.10		7 0.01	2 1.00			20.00	21.00	0.00	10.01
	Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - STS1 combination - Per Mile		3	ONOTA	OOLXX	90.59	220.40	101.74	13.01	24.00			20.55	21.03	3.00	10.54
	Per Month			UNCSX	1L5XX	2.34										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			20.35	21.09	9.80	10.54
+	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	21.09	9.80	10.54
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17.58	5.70	4.42					20.35	21.09	9.80	10.54
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1			LINICAY	LICLYY	F7 70	220.40	404.74	70.07	24.88			20.35	24.00	0.00	10.54
h + +	Additional DS1Loop in STS1 Interoffice Transport Combination -		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Additional DS1Loop in STS1 Interoffice Transport Combination -			LINGAY	1101.201				=0.5=					0.0	2.5-	
	Zone 3 DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X UNC1X	USLXX UC1D1	98.59 17.58	228.40 5.70	161.74 4.42	79.87	24.88			20.35 20.35	21.09 21.09	9.80 9.80	10.54 10.54
	Nonrecurring Currently Combined Network Elements Switch -As-			5.10 IX	30.01	17.50	5.10	7.72					20.33	21.05	3.30	10.54
	Is Charge	<u> </u>		UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIR	E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	FFICE T	RANSE	PORT (EEL)	1				-							
	Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				1	00		33.17	.2.54				20.00	255	3.30	.0.04
	Per Mile			UNCDX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-			CIAODA	31103	21.19	1 3.03	44.00	09.32	31.00			20.35	21.09	5.00	10.34
	Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE T	RANSE	PORT (EEL)	-				1							
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54

ONRONDL	ED NETWORK ELEMENTS - Tennessee			1	1	T							Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		_													
	Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX	ILSAA	0.0174										
	Facility Termination			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
ADDITIONAL	NETWORK ELEMENTS															
	nused as a part of a currently combined facility, the non-recurr															
	used as ordinarilty combined network elements in Tennessee,	the no	n-recu	rring charges apply	and the Swit	ch As Is Charg	e does not.									
	(SynchroNet)	<u> </u>	<u> </u>	L	1											
Nonre	ecurring Currently Combined Network Elements "Switch As Is"	Charge	(One a	applies to each com	bination)											
	Nonrecurring Currently Combined Network Elements Switch -As-			11110101	1111000		50.70	04.00	0.40	0.40			00.05	04.00	0.00	40.54
	Is Charge - 2 wire/4-Wire VG Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	Is Charge - 56/64 kbps			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	ONCCC		32.73	24.02	3.12	3.12			20.55	21.03	3.00	10.54
	Is Charge - DS1			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-			CHOTA	011000		02.70	24.02	0.12	0.12			20.00	21.00	0.00	10.04
	Is Charge - DS3			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - STS1			UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
NOTE	: Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3	=one month, DS3 ar	nd above=fou	r months										
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 1		1	UNCVX	ULDV2	17.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 2		2	UNCVX	ULDV2	22.44	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 3		3	UNCXV	ULDV2	29.34	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 1		1	UNCVX	ULDV4	18.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 2		2	UNCVX	ULDV4	23.74	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 3		_	UNCXV UNC1X	ULDV4 ULDF1	31.05 36.24	108.76	35.47 161.74	72.94 79.87	10.86 24.88			20.35 20.35	21.09 21.09	9.80 9.80	10.54 10.54
	Local Channel - Dedicated - DS1 per month Zone 1 Local Channel - Dedicated -DS1 Per Month Zone 2		1 2	UNC1X UNC1X	ULDF1	47.33	228.40 228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - DS1-Per Month Zone 3		3	UNC1X	ULDF1	61.89	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - DS3 - Per Mile per month		3	UNC3X	1L5NC	7.15	220.40	101.74	19.01	24.00			20.33	21.09	9.00	10.54
	Local Channel - Dedicated - DS3 - Facility Termination per			CITOOX	120140	7.10										
	month			UNC3X	ULDF3	611.30	595.37	304.50	215.82	151.15			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	7.15										
	Local Channel - Dedicated - STS-1 - Facility Termination per															
	month			UNCSX	ULDFS	599.59	588.07	297.20	215.82	151.15			20.35	21.09	9.80	10.54
	LOCAL EXCHANGE SWITCHING(PORTS)															
	ange Ports															
	: Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to I	e ordered usir	ng retail USOCs	i								
2-WIF	RE VOICE GRADE LINE PORT RATES (RES)			UEPSR	UEPRL	4.00	0.00	9.19	2.00	2.92			20.35	10.54	13.32	1 10
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSK	UEPKL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	ĺ		UEPSR	UEPRC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Forts - 2-wife Arialog Life Fort with Callel ID - Res.			OLI ON	OLFINO	1.09	3.93	5.18	3.00	2.92			20.33	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	ĺ		UEPSR	UEPRO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
l	Exchange Ports - 2-Wire VG unbundled TN extended local		1		1		2.00	2.10	2.00	02					12.02	1110
	dialing parity Port with Caller ID - Res.	ĺ		UEPSR	UEPAQ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus															
	with Caller ID - Res (AC7)			UEPSR	UEPAH	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
			1													
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															4 40
	port with Caller ID - Res (F2R)			UEPSR	UEPAK	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	port with Caller ID - Res (F2R) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
	port with Caller ID - Res (F2R)			UEPSR UEPSR	UEPAL	1.89	9.93 9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40

PINDUNDLE	D NETWORK ELEMENTS - Tennessee		1	l	т т					1	C O	C C	Attachment:		Exhibit: B	In anama :: 1 -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring			•		Rates(\$)	•	•
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (1MF2X)			UEPSR	UEPAN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (2MR)			UEPSR	UEPAO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00	3.00	2.92			20.35	10.54	13.32	1.40
FEATU				OLI OIX	OOAOC	0.00	0.00	0.00					20.55	10.54	13.32	1.40
ILAIC	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
2-WIRI	VOICE GRADE LINE PORT RATES (BUS)			02. 0.0	02. 1.	0.00	0.00	0.00					20.00	10.01	10.02	
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPAV	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Economy Option - Bus (TACC1)			UEPSB	UEPAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Standard Option - Bus (TACC2) Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville			UEPSB	UEPAD	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	& Memphis Local Calling Port - Bus (B2F) Subsequent Activity			UEPSB UEPSB	UEPAE USASC	1.89	9.93 0.00	9.19 0.00	3.66	2.92			20.35 20.35	10.54 10.54	13.32 13.32	1.4
FEATU				OLI OD	00/100	0.00	0.00	0.00					20.00	10.04	10.02	1.4
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.4
EXCH	ANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire TN Outward Calling Plan PBX Trunk - Bus			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee Calling Port			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
B.1.7	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		!	UEPSP	UEPXB	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
B.1.7	2-Wire Voice Unbundled PBX LD DDD Terminals Port		 	UEPSP	UEPXC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
B.1.7	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPSP	UEPXD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
B.1.7	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
B.1.7	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
B.1.7	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
B.1.7	2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPSP	UEPXN	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
B.1.7	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
B.1.7	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
B.1.7	2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port			UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4

UNBUN	DLE	NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
CATEGO	DV.	RATE ELEMENTS	Interi	7	BCS	USOC		D.A.	FFC(6)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	Kī	RATE ELEMENTS	m	Zone	BCS	USUC		KA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring			Disconnect				Rates(\$)		
-		2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
В	.1.7	Calling Port			UEPSP	UEPXV	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
F	EATU	-															
		All Available Vertical Features NGE PORT RATES (COIN)			UEPSP UEPSE	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
		Exchange Ports - Coin Port					2.11	9.93	9.19	3.66	2 92			20.35	10.54	13.32	1.40
N		Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to ci	rcuit switche					nannels associ	ated with 2-	wire ISDN p		10.01	10.02	
		Access to B Channel or D Channel Packet capabilities will be	availal	ole only	through BFR/New	Business Re	quest Process.	. Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fic	le Request/	New Business	s Request Pro	cess.	
		OCAL EXCHANGE SWITCHING(PORTS)															
E	XCHA	NGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.97	47.75	47.01	9.21	8.47			20.35	10.54	13.32	1.40
		Exchange Ports - DITS Port - 4-Wire DS1 Port with DID			UEPEX	UEFFZ	0.97	41.15	47.01	9.21	0.47			20.35	10.54	13.32	1.40
		capability			UEPDD	UEPDD	35.74	75.93	38.15	8.77	8.04			19.99	19.99	19.99	19.99
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	16.26	30.23	29.49	4.10	4.10			41.43	42.17	9.80	9.80
		Transmission/usage charges associated with POTS circuit sy													L		
N	OIE:	Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles	availai	ole only	UEPTX UEPSX	Business Re IU1UMA	quest Process 0.00	. Rates for the	Dacket capabi 0.00	lities will be de	etermined via t	he Bona Fid	le Request/	New Business	s Request Pro	cess.	
		Exchange Ports - 4-Wire ISDN Port Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	75.04	148.66	147.18	38.46	36.98			40.69	42.17	9.07	10.54
UNBUND	LED L	OCAL SWITCHING, PORT USAGE			02. 2%	02.27	70.01	1 10.00		55.15	00.00			10.00		0.01	10.01
E		ice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0008041										
T	anden	Switching (Port Usage) (Local or Access Tandem)					0.0009778										
	ommo	Tandem Switching Function Per MOU n Transport					0.0009778										
	01111110	Common Transport - Per Mile, Per MOU					0.0000064										
		Common Transport - Facilities Termination Per MOU					0.0003871										
		ORT/LOOP COMBINATIONS - COST BASED RATES															
		sed Rates are applied where BellSouth is required by FCC ar								1.0	- ((I) - B-(- E	. 1 11 14					
		s shall apply to the Unbundled Port/Loop Combination - Cos											n Port/Loor	Combination	l ne		
F	or Geo	ice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, MIssissippi, South Carolina and 1	enness	see, the	recurring UNE Port	and Loop c	narges listed a	pply to Current	ly Combined a	and Not Curren	tly Combined	Combos. T	he first and	additional Po	ort nonrecurri	ng charges a	oply to Not
C	urrent	ly Combined Combos for all states. In GA, KY, LA, MS, SC an	nd TN th	nese no	nrecurring charges	are commiss	sion ordered co	ost based rates	and in AL, FL								
		rently Combined Combos in all other states, the nonrecurring	g charg	es shal	l be those identified	in the Nonr	ecurring - Curr	ently Combine	d sections.				,				
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates															
"		2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
		2-Wire VG Loop/Port Combo - Zone 2		2			18.01										
		2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
U	NE Lo	op Rates		L.	UEBBY												
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		1 2	UEPRX UEPRX	UEPLX UEPLX	12.48 16.31										
 		2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	21.32										
2-	-Wire	/oice Grade Line Port Rates (Res)		Ť			21.02										
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
\vdash		2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Tennessee extended local		<u> </u>	UEPRX	UEPRO	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
		z-vvire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - res			UEPRX	UEPAQ	1.70	22.14	15.25	8.45	3.91			30.89	7.03]
		2-Wire voice unbundled Tennessee Area Plus with Caller ID -		1			0		.3.20	3.40	5.01			55.00			
		res (AC7)			UEPRX	UEPAH	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
		2-Wire voice unbundled Tennessee Area Calling port with Caller			HEDDY	LIEDAY											
\vdash		ID - res (F2R) 2-Wire voice unbundled Tennessee Area Calling port with Caller		-	UEPRX	UEPAK	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
		2-wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)			UEPRX	UEPAL	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
		2-Wire voice unbundled Tennessee Area Calling port with Caller					1.70	22.17	10.20	5.40	5.91			00.00	7.55		
		ID - res (TACSR)			UEPRX	UEPAM	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
		2-Wire voice unbundled Tennessee Area Calling port with Caller			HEDDY	LIEDA::			.= .=								7
		ID - res (1MF2X)	<u> </u>	<u> </u>	UEPRX	UEPAN	1.70	22.14	15.25	8.45	3.91	<u> </u>	<u> </u>	30.89	7.03		

04/12/02 Page 329 of 352

UNBUNDLE	NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CHECKELL	THE TWORK ELLINEITTO TERMESSEE				1						Svc Order		Incremental			Incremental
											1	1				
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		1111											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC ISL	DISC Add I
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
 	2-Wire voice unbundled Tennessee Area Calling port with Caller						11131	Auu i	11130	Auu	JOHILO	JONAN	JOHAN	JONAN	JOHAN	JOHAN
				UEPRX	UEPAO	4.70	20.44	45.05	8.45	2.04			30.89	7.03		
	ID - res (2MR)			UEPRX	UEPAU	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPRX	UEPAP	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
FEATU																
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					30.89	7.03		
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONDE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OL: TO	L. 1. 071	0.00										
NONINE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -										1	1				
				HEDDY	110400		4.00	0.00					00.00	7.00		
	Switch-as-is			UEPRX	USAC2		1.03	0.29					30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPRX	USACC		1.03	0.29					30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															1
	Subsequent Database Update						0.76			1			7.97	1	1]
ADDITI	ONAL NRCs								İ		1		İ	İ	İ	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent									1	İ	1				
	Activity			UEPRX	USAS2	0.00	0.00	0.00					30.89	7.03		
2 WIDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			OLITIX	00/102	0.00	0.00	0.00			1	-	30.03	7.00		
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
	2-Wire VG Loop/Port Combo - Zone 2		2			18.01										
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
UNE Lo	op Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12.48					1					
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPBX	UEPLX	21.32					1					
2-Wiro	Voice Grade Line Port (Bus)		Ŭ	OLI DX	OLI DX	21.02										
				LIEDDY	LIEDDI	4.70	00.44	45.05	0.45	2.04			20.00	7.00		
-	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.70	22.14	15.25	8.45	3.91		ļ	30.89	7.03		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice Grade unbundled Tennessee extended local															
	dialing parity port with Caller ID - bus			UEPBX	UEPAV	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
	Port Economy Option (TACC1)			UEPBX	UEPAC	1.70	22.14	15.25	8.45	3.91			30.89	7.03	1]
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling				32.710	1.70	22.17	10.20	0.40	0.01	1	1	55.55	7.55		1
				UEPBX	UEPAD	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
 	Port Standard Option (TACC2)			ULFDA	UEPAD	1.70	22.14	15.25	0.45	3.91	 	 	30.89	1.03	 	
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and			LIEDDY	LIEDAE			.= -								
	Memphis Local Calling Port (B2F)			UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91	!	.	30.89	7.03		
	NUMBER PORTABILITY										ļ					
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										<u> </u>
FEATU	RES															
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					30.89	7.03		
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED										1					ĺ
1.0.110	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1				1	1	1	1	1	1	1	1
	Switch-as-is			UEPBX	USAC2		1.03	0.29		1			30.89	7.03	1]
\vdash		-	-	OLFDA	UUAUZ		1.03	0.29		 	 	 	30.69	1.03	 	-
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDDY	110400		4.00	0.00					00.00	7.00		
\vdash	Switch with change			UEPBX	USACC		1.03	0.29			!	.	30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update						0.76					1	7.97			
ADDITI	ONAL NRCs	L			<u> </u>				<u> </u>	L			<u> </u>	<u> </u>	<u> </u>	l
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPBX	USAS2	0.00	0.00	0.00		1			30.89	7.03	1	1
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)				1	2.30		2.30	1	1	1	1	22.30	1	1	
	ort/Loop Combination Rates								 	t	 	1	 	 	 	
ONE FO			1		 	14.18			 	 	 	 	 	 	 	
\vdash	2-Wire VG Loop/Port Combo - Zone 1								1	1	1	1	1	1	1	
	2-Wire VG Loop/Port Combo - Zone 2		2			18.01										
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02										l

UNDUNDLI	ED NETWORK ELEMENTS - Tennessee			ı	- T						0	06	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEPRG	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	21.32										
2-Wir	e Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00					30.89	7.03		
FEAT	URES															
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					30.89	7.03		
NONF	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		1.03	0.29					30.89	7.03		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRG	USACC		1.03	0.29					30.89	7.03		
ADDI	Subsequent Database Update TIONAL NRCs						0.76						7.97			
ADDI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt			UEPRG	USAS2	0.00	0.00	0.00					30.89	7.03		<u> </u>
	Group						14.64	14.64					30.89	7.03		
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE I	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
	2-Wire VG Loop/Port Combo - Zone 2		2			18.01										
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
UNE I	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	12.48										<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	21.32										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	l			l												
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.70	22.14	15.25	8.45	3.91			30.89	7.03		.
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee Calling Port			UEPPX	UEPT2	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee Calling Port			UEPPX	UEPTO	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.70		15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.70		15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
-	Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXE	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	Administrative Calling Port			UEPPX	UEPXL	1.70	22.14	15.25	8.45	3.91			30.89	7.03		<u> </u>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.70	22.14	15.25	8.45	3.91			30.89	7.03		<u> </u>
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPPX	UEPXN	1.70	22.14	15.25	8.45	3.91			30.89	7.03		1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															F
	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX UEPPX	UEPXO UEPXS	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91			30.89 30.89	7.03 7.03		
	2-Wire Voice Unburidled 1-Way Outgoing PBX Measured Port 2-Wire Voice Unbundled PBX Collierville and Memphis Calling			OLI I A	OLI AG	1.70	22.14	13.23	0.40	3.81			30.09	1.03	 	
	Port	1	1	UEPPX	UEPXU	1.70	22.14	15.25	8.45	3.91	I	1	30.89	7.03	I	1

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	O Wire Veige Hab and led O West DDV Terresses Design Com-	-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Callling Port			UEPPX	UEPXV	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00					30.89	7.03		
FEAT	TURES				I											
NON	All Features Offered	-		UEPPX	UEPVF	0.00	0.00	0.00					30.89	7.03		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				<u> </u>								-			
	Conversion - Switch-As-Is			UEPPX	USAC2		1.03	0.29					30.89	7.03		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEDDY			4.00							= 00		
	Conversion - Switch with Change 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPPX	USACC		1.03	0.29					30.89	7.03		
	Subsequent Database Update						0.76						7.97			
ADD	ITIONAL NRCs				1											
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					30.89	7.03		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLFFX	USASZ	0.00	0.00	0.00					30.89	7.03		
	Group						14.64	14.64					30.89	7.03		
UNE	Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.18										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			18.01										
LINE	2-Wire VG Coin Port/Loop Combo – Zone 3 Loop Rates		3			23.02	-									
UNE	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.48										-
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	16.31										+
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	21.32										1
2-Wi	re Voice Grade Line Ports (COIN)		Ť	02.00	02.20	21.02										
	2-Wire Coin 2-Way without Operator Screening and without			LIEDOO	UEPTB	1.70	20.44	45.05	0.45	2.04			20.00	7.03		
	Blocking (TN) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			UEPCO	UEPIB	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking				LIEDTA	4.70								7.00		
	(TN) 2-Wire Coin 2-Way with Operator Screening: 900 Blocking:			UEPCO	UEPTA	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Coin Outward with Operator Screening and 011 Blocking															
	(TN) 2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEPTC	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.88	22.14	10.20	0.40	0.01			30.89	7.03		1
	2-Wire Coin Outward Smartline with 900/976 (all states except															
	LA)			UEPCO	UEPCR	1.88							30.89	7.03		
ADD	ITIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.45	0.00	0.00					30.89	7.03		
	Local Number Portability (1 per port) 2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	UEPCO	LNPCX	0.35					1		-			+
	Switch-as-is			UEPCO	USAC2		1.03	0.29					30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	1		UEPCO	USACC		1.03	0.29					30.89	7.03		
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent						1.03						30.09			<u> </u>
LINES	Activity	ļ	ļ	UEPCO	USAS2	0.00	0.00	0.00					30.89	7.03		
	UNDLED REMOTE CALL FORWARDING - RES Recurring	1														
	UNDLED REMOTE CALL FORWARDING - Bus												1			
	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB	UEPVJ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Recurring															
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE										ļ					
2-WI	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE			Lusps :											<u> </u>
	2-Wire voice unbundled incoming only port with Caller ID - Bus		1	UEPFB	UEPB1	1.89	84.99	57.39	32.36	20.56	I	l	30.89	7.03	l	<u> </u>

ONBONDL	ED NETWORK ELEMENTS - Tennessee					1						1		Attachment:		Exhibit: B	.
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	usoc		RAT	'ES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
		1					B	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP		UEPXS	1.79	106.40	63.08	42.67	18.54			30.89	7.03		
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES																
2-WII	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUN	K PORT															
UNE	Port/Loop Combination Rates																
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				18.38										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				19.87										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				24.78										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	9.60										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	11.09										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	16.00										
	Exchange Ports - 2-Wire DID Port	1		UEPPX		UEPD1	8.78	45.44	29.94	8.45	3.91			30.89	7.03		1
NON	RECURRING CHARGES - CURRENTLY COMBINED	1															1
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination	-			·			Π									
	Switch-as-is	<u> </u>	<u> </u>	UEPPX		USAC1		8.76	5.75			<u> </u>		30.89	7.03		<u> </u>
1	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	1															
	with BellSouth Allowable Changes	<u> </u>	<u> </u>	UEPPX		USA1C		8.76	5.75			<u> </u>		30.89	7.03		1
Telep	phone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOCA	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL L	INE SIDE	POR														
UNE	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port			LIEDDD	HEDDO		00.07										
	UNE Zone 1		1	UEPPB	UEPPR		32.27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		2	LIEDDD	LIEDDD		04.70										
	UNE Zone 2		2	UEPPB	UEPPR		34.78										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port		_	LIEDDD	LIEDDD		44.00										
	UNE Zone 3		3	UEPPB	UEPPR	LICLOV	44.32										
	2-Wire ISDN Digital Grade Loop - UNE Zone 1			UEPPB	UEPPR	USLZX	16.20										
	2 Wire ICDN Digital Conde Lang. LINE 7 2		2	LIEDDD	LIEDDD	USL2X	40.74										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3			UEPPB	UEPPR UEPPR	USL2X USL2X	18.71 28.25										
	Exchange Port - 2-Wire ISDN Line Side Port		3	UEPPB UEPPB	UEPPR	UEPPB	16.07	141.75	118.37	49.20	43.26			19.99	19.99		
NON	RECURRING CHARGES - CURRENTLY COMBINED			UEPPB	UEFFR	UEPPB	16.07	141.75	110.31	49.20	43.20			19.99	19.99		
NON	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	+	!	-		}		+		+		-			-	1	
	Combination - Conversion	1		LIEDDD	UEPPR	USACB	0.00	117.23	117.23					19.99	19.99		
ADDI	TIONAL NRCs			OLFFB	ULFFR	USACB	0.00	117.23	117.23	+ +		1		13.33	19.99		
ADDI	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy	! 	 			1		 		 		1				1	
	Non Feature/Add Trunk	1		UEPPB	UEPPR	USASB		212.88						19.99	19.99		
LOCA	AL NUMBER PORTABILITY			OLITE	OLITIK	OOAOD		212.00						13.33	13.33		1
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	+ +		1					
R-CH	IANNEL USER PROFILE ACCESS:	1	1	CLIID	JLIIK	L141 O/	0.33	0.00	0.00								
5.011	CVS/CSD (DMS/5ESS)	1	!	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								t
 	CVS (EWSD)	1	!		UEPPR	U1UCB	0.00	0.00	0.00								†
 	CSD	1	!		UEPPR	U1UCC	0.00	0.00	0.00								†
В-СН	IANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. 8	(NT	1		1	2,00	2.00	2.00								
	CVS/CSD (DMS/5ESS)	1	1,	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00	† †							<u> </u>
1	CVS (EWSD)	1		UEPPB	UEPPR	U1UCE	0.00	0.00	0.00	† †					İ		1
	CSD	1	t	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00	† †						Ì	
USEF	R TERMINAL PROFILE	1	1	<u> </u>		1	2.30	5.55	2.30	† †							1
	User Terminal Profile (EWSD only)	1		UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	† †					İ		1
VER	TICAL FEATURES	1					2.30		5.50	† †					İ		1
	All Vertical Features - One per Channel B User Profile	1		UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								1
	Interoffice Channel mileage each, including first mile and	1				İ				† †					İ		1
		1	1	1	UEPPR	M1GNC	17.91	53.99	17.37			1		19.99	19.99	1	1

ONBONDL	ED NETWORK ELEMENTS - Tennessee			ı	1								Attachment:		Exhibit: B	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			'ES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring		201150	001441		Rates(\$)	001111	001141
	Intereffice Channel miles and and distance mile			UEPPB UEPPR	MACNIM	0.173	First	Add'l 0.00	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4 14/10	Interoffice Channel mileage each, additional mile RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT		UEPPB UEPPR	MTGNM	0.173	0.00	0.00								
	REDST DIGITAL LOOP WITH 4-WIRE ISON DST DIGITAL TRONK Port/Loop Combination Rates	PURI			-											
UNE I	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															-
	Zone 1		1	UEPPP		132.58										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<u> </u>	OLITI	1	102.00										
	Zone 2		2	UEPPP		150.25										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 3		3	UEPPP		173.44										
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	57.73										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	75.40										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	98.59										
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	74.85	415.53	366.90	89.28	77.43			19.99	19.99		
NONR	RECURRING CHARGES - CURRENTLY COMBINED				1											ļ
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		1	LIEDDD	110465											I
455	Combination - Conversion -Switch-as-is TIONAL NRCs		<u> </u>	UEPPP	USACP	0.00	328.53	328.53					19.99	19.99	1	!
ADDI	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
	Inward/two way tel nos within Std Allowance (except NC)			UEPPP	PR7TF		0.94						19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			UEFFF	PK/IF		0.94						19.99	19.99		
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22.36	22.36					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			ULFFF	FRIIO		22.30	22.30					15.55	19.99		
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		44.71	44.70					19.99	19.99		
LOCA	AL NUMBER PORTABILITY			OLITI	110721		44.71	77.70					10.00	10.00		
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTER	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	or Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.39						19.99	19.99		
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	29.11						19.99	19.99		
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	29.39						19.99	19.99		
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP UEPPP	PR7C0	0.00	0.00	0.00								
Intere	Two-way office Channel Mileage	-	-	OLFFF	PR7CC	0.00	0.00	0.00								
Intero	Fixed Each Including First Mile			UEPPP	1LN1A	76.1825	145.98	109.85	19.55				19.99	19.99	-	
	Each Airline-Fractional Additional Mile		1	UEPPP	1LN1B	0.3525	140.00	100.00	10.00				13.33	10.00		†
4-WIR	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT					0.0020										1
	Port/Loop Combination Rates				1											1
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	1	93.28							19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		110.95							19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		134.14							19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	57.53										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	75.40							·			
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	98.59										
	4-Wire DDITS Digital Trunk Port		<u> </u>	UEPDC	UDD1T	35.55	342.80	257.87	61.41	48.49			19.99	19.99		
NONE	RECURRING CHARGES - CURRENTLY COMBINED		<u> </u>		-	ļ									ļ	-
1	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		l	LIEDDC	LICAC4		240.04	040.04					40.00	40.00		1
	- Switch-as-is		-	UEPDC	USAC4		312.91	312.91					19.99	19.99		
1	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes		l	UEPDC	USAWA		312.91	312.91					19.99	19.99		1
-+-	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	-	 	OLFDO	JOANA	1	312.91	312.91					19.99	19.99	1	
	- Conversion with Change - Trunk		1	UEPDC	USAWB		312.91	312.91					19.99	19.99		1
ADDI	TIONAL NRCs	-		021 00	JUAND	1	312.31	312.31					13.33	19.99		t
ADDI	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	-			+	1										t
1	Service Activity Per Service Order	1	Ì	UEPDC	USAS4	1	94.88	94.88				1			l	1

LINDUA	וחו בי	NETWORK ELEMENTS Tarresses												A44L	•	Fubility B	
ONRON	IDLE	NETWORK ELEMENTS - Tennessee	ı		ı	1						la a :	I 0 C .	Attachment:		Exhibit: B	
														Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
											l						
$oxed{oxed}$							Rec	Nonrecurring		Nonrecurring					Rates(\$)		1
$oxed{oxed}$								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		108.67	108.67					19.99	19.99		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		108.67	108.67					19.99	19.99		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		108.67	108.67					19.99	19.99		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		108.67	108.67					19.99	19.99		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
		Activation / Chan - 2-Way DID w User Trans		ļ	UEPDC	UDTTE		108.67	108.67					19.99	19.99		
⊢ ₽		R 8 ZERO SUBSTITUTION	<u> </u>	1	LUEBBO				=00					10	10.77		
$\sqcup \!\!\! \perp$		B8ZS -Superframe Format	ļ	ļ	UEPDC	CCOSF		0.00	590.00	.				19.99	19.99		
		B8ZS - Extended Superframe Format	ļ	ļ	UEPDC	CCOEF		0.00	590.00	.				19.99	19.99		
A		te Mark Inversion	<u> </u>	1	LUEBBO												
\longmapsto		AMI -Superframe Format	<u> </u>	1	UEPDC	MCOSF		0.00	0.00								
├		AMI - Extended SuperFrame Format	<u> </u>	 	UEPDC	MCOPO		0.00	0.00	-							
		one Number/Trunk Group Establisment Charges		ļ	LIEBBO	LIBTOY								10.00	10.00		
		Telephone Number for 2-Way Trunk Group		ļ	UEPDC	UDTGX	0.00							19.99	19.99		
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
		Telephone Number for 1-Way Inward Trunk Group Without DID	<u> </u>		UEPDC	UDTGZ	0.00							19.99	19.99		
		DID Numbers for each Group of 20 DID Numbers	<u> </u>		UEPDC	ND4	0.00							19.99	19.99		
		DID Numbers, Non- consecutive DID Numbers , Per Number	<u> </u>		UEPDC	ND5	0.00	0.00	0.00					19.99	19.99		
		Reserve Non-Consecutive DID Nos.	<u> </u>		UEPDC	ND6	0.00	0.00	0.00								
		Reserve DID Numbers	<u> </u>	<u> </u>	UEPDC	NDV	0.00	0.00	0.00								
<u>_</u>		ed DS1 (Interoffice Channel Mileage) - FX/FC0 for 4-Wire DS1	Digita	Loop	With 4-Wire DDITS I	runk Port				-							
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities			UEPDC	41 N/O4	75.00	145.98	109.85	19.66	14.99						
	-	Termination)		-	UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99						
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3525	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities		-	UEPDC	ILINOA	0.3323	0.00	0.00								
		Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
		Interoffice Channel Mileage - Additional rate per mile - 9-25			UEFDC	ILINOZ	0.00	0.00	0.00			-					
		miles			UEPDC	1LNOB	0.3525	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			ULFDC	ILINOB	0.3323	0.00	0.00			-					
		Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
-		Terrilination)			ULFDC	ILINOS	0.00	0.00	0.00								
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles	1		UEPDC	1LNOC	0.3525	0.00	0.00	I					Ì		
	-	Local Number Portability, per DS0 Activated	1	1	UEPDC	LNPCP	3.15	0.00	0.00	 	1	 	1	1	1		
+		Central Office Termininating Point	 	 	UEPDC	CTG	0.00		0.00	 					 		
1		DS1 LOOP WITH CHANNELIZATION WITH PORT	1	1		15.5	0.00	t		 							
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivation			 		†		I		<u> </u>			 		
		ystem can have up to 24 combinations of rates depending on			ber of ports used	†		 		†							
		1 Loop	-, p = u			†		†		t	1			1	1		
H		4-Wire DS1 Loop - UNE Zone 1	1	1	UEPMG	USLDC	57.73	0.00	0.00	t	1			1	1		
	l	4-Wire DS1 Loop - UNE Zone 2	<u> </u>	2	UEPMG	USLDC	75.40	0.00	0.00	t					1		
		4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	98.59		0.00	İ					İ		
ľ		O Channelization Capacities (D4 Channel Bank Configuration	ns)														
		24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	131.87	0.00	0.00					19.99	19.99		
		48 DSO Channel Capacity - 1 per 2 DS1s	1		UEPMG	VUM48	263.74	0.00	0.00					19.99	19.99		
		96 DSO Channel Capacity -1per 4 DS1s	1		UEPMG	VUM96	527.48	0.00	0.00					19.99	19.99		
—		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	791.42	0.00	0.00					19.99	19.99		
					UEPMG	VUM19	827.76	0.00	0.00					19.99	19.99		
\vdash		192 DS0 Channel Capacity -1 per 8 DS1s					1,318,70		0.00					19.99	19.99		
		240 DS0 Channel Capacity - 1 per 8 DS1s			UEPMG	VUM20	1,310.70										
					UEPMG UEPMG	VUM20 VUM28	1,582.44	0.00	0.00					19.99	19.99		
		240 DS0 Channel Capacity - 1 per 10 DS1s													19.99 19.99		
		240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,582.44	0.00	0.00					19.99			
		240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 24 DS1s			UEPMG UEPMG	VUM28 VUM38	1,582.44 2,109.92	0.00	0.00					19.99 19.99	19.99		
		240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG UEPMG UEPMG UEPMG UEPMG	VUM28 VUM38 VUM40 VUM57 VUM67	1,582.44 2,109.92 2,637.40 3,164.88 3,692.36	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00					19.99 19.99 19.99	19.99 19.99		

UNBU	NDLED	NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
<u> </u>	<u> </u>											Svc Order	Svc Order				Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	_	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
			m						(+)			per LSK	per LSK	Electronic-		Electronic-	Electronic-
															Electronic-		
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	···	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
,	A Minin	num System configuration is One (1) DS1, One (1) D4 Channe	l Bank,	and U	To 24 DSO Ports w	ith Feature	Activations.										
T I	Multiple	es of this configuration functioning as one are considered Ac	dd'I afte	r the m	ninimum system con	figuration is	counted.										
		NRC - Conversion (Currently Combined) with or without															
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	303.61	15.74					19.99	19.99		
		Additions at End User Locations Where 4-Wire DS1 Loop with	th Chan	nelizat	tion with Port Comb	ination Curre	ently Exists an	d									
		ot Currently Combined) In GA, KY, LA, MS & TN Only															
		1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
		Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			19.99			
		8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent							====					1		1	
\vdash		Activity Only		<u> </u>	UEPMG	CCOSF	0.00	0.00	590.00					-		-	
		Clear Channel Capability Format - Extended Superframe -			LIEDMO	00055	0.00	0.00	500.00					1		1	
\vdash		Subsequent Activity Only		<u> </u>	UEPMG	CCOEF	0.00	0.00	590.00	1		}		!	 	!	
⊢ —-′		te Mark Inversion (AMI) Superframe Format		 	UEPMG	MCOCE	0.00	0.00	0.00	 		1	-	 	 	 	
\vdash				1	UEPMG	MCOSF MCOPO		0.00	0.00			1		 	-	 	
\vdash		Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Do=4	UEPIVIG	IVICOPO	0.00	0.00	0.00	 		 		 	-		
			on with	FOIL													
 	_xcrian	ge Ports	-	 	 	 	 	-		1		}	-	 	1	 	+
		Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.79	0.00	0.00	0.00	0.00			30.89	7.03		
-		Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.79	0.00	0.00	0.00	0.00			30.89	7.03		1
 		Ellie Glad Gatward Griannenzed i Ext Trank i Gri Eddiness			OLI I X	OLI OX	1.75	0.00	0.00	0.00	0.00			00.00	7.00		1
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.79	0.00	0.00	0.00	0.00			30.89	7.03		
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.97	0.00	0.00		0.00			30.89	7.03		
		Activations - Unbundled Loop Concentration															
		Feature (Service) Activation for each Line Side Port Terminated															
		in D4 Bank			UEPPX	1PQWM	0.66	23.94	12.64	3.82	3.80			30.89	7.03		
		Feature (Service) Activation for each Trunk Side Port Terminated															
		in D4 Bank			UEPPX	1PQWU	0.66	73.67	17.37	54.09	10.57			30.89	7.03		
	Telepho	one Number/ Group Establishment Charges for DID Service															
L		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
<u> </u>		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00			1					
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00			1	1				1
 		RES - Vertical and Optional			OLFFX	LINE CE	3.13	0.00	0.00			1	1				1
		witching Features Offered with Line Side Ports Only															1
 		All Features Available	1	!	UEPPX	UEPVF	0.00	0.00	0.00			1	<u> </u>	I	 	I	1
UNBUNI		ORT LOOP COMBINATIONS - MARKET RATES		†		J=. //	0.00	0.00	0.00					1	1	1	1
		Rates shall apply where BellSouth is not required to provide	unbund	dled lo	cal switching or swi	tch ports pe	r FCC and/or S	tate Commissio	n rules.	1				1		1	1
		scenarios include:			J					1				1		1	1
		undled port/loop combinations that are Not Currently Combin										İ					1
		undled port/loop combinations that are Currently Combined					p 8 MSAS in B	ellSouth's region	on for end use	ers with 4 or mo	re DS0 equiva	lent lines.					
	The Top	o 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda	ale, Mia	mi); G	A (Atlanta); LA (New	Orleans); No	C (Greensboro-	Winston Salem	-Highpoint/Ch	narlotte-Gaston	a-Rock Hill);	TN (Nashvill					
		th currently is developing the billing capability to mechanica									not currently	combined in	AL, FL and	NC. In the in	nterim where	BellSouth car	nnot bill
		Rates, BellSouth shall bill the rates in the Cost-Based section			lieu of the Market R	ates and res	erves the right	to true-up the	billing differer	nce.							-
		rket Rate for unbundled ports includes all available features i				<u> </u>								1			<u> </u>
		ice and Tandem Switching Usage and Common Transport Us	sage rat	es in ti	he Port section of th	is rate exhib	it shall apply t	o all combination	ons of loop/po	ort network elen	nents except	for UNE Coi	in Port/Loop	o Combination	ns which have	e a flat rate us	age charge
		URECU).															
		Currently Combined scenarios where Market Rates apply, the				in the First a	and Additional	NRC columns f	or each Port l	JSOC. For Curi	ently Combin	ed scenario	s, the Nonr	ecurring char	ges are listed	in the NRC -	Currently
		ned section. Additional NRCs may apply also and are categor	rized ac	cordin	gly.	1	,			1 .		1			T		т
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		<u> </u>		ļ	_					<u> </u>		-	ļ	-	4
├ ──- '	JNE PO	ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		4	 	 	00.40	 		 		1	-	 	 	 	
\vdash		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2	-	1	26.48 30.31	-		 		 		-		-	
\vdash		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	-	3	 	 	35.32	H		1		}	-	+	1	 	
		2 11.10 10 E00p/1 011 0011100 20110 0		J		-	33.32			!		 			-	1	
Ti-	JNF I ^	op Rates															

HINRH	NDI FI	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
ONDO	INDEL	NETWORK ELEMENTO - Termessee	1			1						Svc Order		Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc		Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
071120	•		m		200	5555			(+)			per LSR	per LSK	Order vs. Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	ı	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.48										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16.31										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	21.32										
	2-Wire	Voice Grade Line Port (Res)															
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice Grade unbundled Tennessee extended local															
		dialing parity port with Caller ID - res			UEPRX	UEPAQ	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		ID - res (F2R)			UEPRX	UEPAK	14.00	90.00	90.00					30.89	7.03		
1 1		2-Wire voice unbundled Tennessee Area Calling port with Caller	1]		_		1
		ID - res (TACER)			UEPRX	UEPAL	14.00	90.00	90.00					30.89	7.03		
l T		2-Wire voice unbundled Tennessee Area Calling port with Caller	1]		_		1
		ID - res (TACSR)			UEPRX	UEPAM	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		ID - res (1MF2X)			UEPRX	UEPAN	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		ID - res (2MR)			UEPRX	UEPAO	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)			UEPRX	UEPAP	14.00	90.00	90.00					30.89	7.03		
		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	FEATU																
		All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					30.89	7.03		
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
															= 00		
<u> </u>		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50					30.89	7.03		
		2-Wire Voice Grade Loop / Line Port Combination - Switch with			HEDDY	110400		44.50	44.50					00.00	7.00		
	ADDITI	change ONAL NRCs			UEPRX	USACC		41.50	41.50					30.89	7.03		
	ADDIII	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															-
		Subsequent			UEPRX	USAS2	0.00	0.00	0.00					30.89	7.03		
	2.W/IDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPKA	U3A32	0.00	0.00	0.00					30.69	7.03		-
		ort/Loop Combination Rates				+		-				-			-		
	ONL F	2-Wire VG Loop/Port Combo - Zone 1		1			26.48										
\vdash		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	1	2		+	30.31	 		 					 		
\vdash		2-Wire VG Loop/Port Combo - Zone 2	1	3		+	35.32	 		 					 		
\vdash	UNFI	pop Rates	1	-		1	00.02								-		—
	J(2-Wire Voice Grade Loop (SL1) - Zone 1	†	1	UEPBX	UEPLX	12.48					<u> </u>	 		I		—
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16.31							1	t	1	t
		2-Wire Voice Grade Loop (SL1) - Zone 2	1	3	UEPBX	UEPLX	21.32								1		t
	2-Wire	Voice Grade Line Port (Bus)		Ť			202								<u> </u>		†
		2-Wire voice unbundled port without Caller ID - bus	†		UEPBX	UEPBL	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00	İ				30.89	7.03	İ	
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00					30.89	7.03	İ	
		2-Wire voice Grade unbundled Tennessee extended local															
		dialing parity port with Caller ID - bus			UEPBX	UEPAV	14.00	90.00	90.00					30.89	7.03		1
		2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
I		Port Economy Option (TACC1)	<u> </u>		UEPBX	UEPAC	14.00	90.00	90.00	<u> </u>		<u> </u>	<u> </u>	30.89	7.03	<u> </u>	<u>1</u>
		2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
		Port Standard Option (TACC2)	<u> </u>		UEPBX	UEPAD	14.00	90.00	90.00	<u> </u>		<u></u>	<u></u>	30.89	7.03	<u> </u>	1
		2-Wire voice unbundled Tennessee Bus 2-Way Collierville and															
		Memphis Local Calling Port (B2F)	<u> </u>		UEPBX	UEPAE	14.00	90.00	90.00]		<u></u>	<u></u>	30.89	7.03		1
		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATU																
		All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					30.89	7.03		
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															

NOUNDLI	ED NETWORK ELEMENTS - Tennessee	1	1	1					,		0	06	Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Switch with						44.50							= 00		
	change		<u> </u>	UEPBX	USACC		41.50	41.50					30.89	7.03		
ADDI	TIONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2	0.00	0.00	0.00					30.89	7.03		
2 WIE	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEPBA	U3A32	0.00	0.00	0.00					30.09	7.03		
	Port/Loop Combination Rates		1		+		1									
ONE I	2-Wire VG Loop/Port Combo - Zone 1		1			26.48										
	2-Wire VG Loop/Port Combo - Zone 2		2			30.31										
	2-Wire VG Loop/Port Combo - Zone 3	†	3			35.32										
UNE I	Loop Rates	†														
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPRG	UEPLX	12.48									İ	
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	21.32										
2-Wir	e Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	14.00	90.00	90.00					30.89	7.03		
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT	TURES															
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					30.89	7.03		
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50					30.89	7.03		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change			UEPRG	USACC		41.50	41.50					30.89	7.03		
ADDI	TIONAL NRCs															
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring						0.00	0.00					30.89	7.03		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64					30.89	7.03		
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE I	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			26.48										
	2-Wire VG Loop/Port Combo - Zone 2		2			30.31										
	2-Wire VG Loop/Port Combo - Zone 3	<u> </u>	3			35.32										
UNE I	Loop Rates	ļ	<u> </u>	LIEBBY	ues: · ·											
	2-Wire Voice Grade Loop (SL1) - Zone 1	 	1	UEPPX	UEPLX	12.48									1	
-+	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPPX	UEPLX UEPLX	16.31									-	<u> </u>
O 18/:	2-Wire Voice Grade Loop (SL1) - Zone 3 re Voice Grade Line Port Rates (BUS - PBX)	 	3	UEPPX	UEPLX	21.32										
Z-WIR	e voice Grade Line Port Rates (BUS - PBA)	 	1													
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					30.89	7.03		
	Line Side Unbundled Outward PBX Trunk Port - Bus	ļ	<u> </u>	UEPPX	UEPPO	14.00	90.00	90.00					30.89	7.03		
	Line Side Unbundled Incoming PBX Trunk Port - Bus	ļ		UEPPX	UEPP1	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Ports	<u> </u>		UEPPX	UEPLD	14.00	90.00	90.00					30.89	7.03	ļ	
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee Calling Port			UEPPX	UEPT2	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee Calling Port			UEPPX	UEPTO	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	 		UEPPX	UEPXA	14.00	90.00	90.00					30.89	7.03	1	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	 	 	UEPPX	UEPXB	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	 	1	UEPPX	UEPXC	14.00	90.00	90.00	 				30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	<u> </u>	UEPPX	UEPXD	14.00	90.00	90.00			 		30.89	7.03		
-	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1			52. AD	14.00	55.50	55.50	 				00.00	7.00	1	
	Capable Port		1	UEPPX	UEPXE	14.00	90.00	90.00	1		l	1	30.89	7.03	1	l

NNRNNDLE	D NETWORK ELEMENTS - Tennessee		1	T					1	1			Attachment:		Exhibit: B	<u> </u>
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 1-W Out PBX Hotel/Hospital Economy Administrative Calling Port TN 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXN	14.00	90.00	90.00					30.89	7.03		
	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					30.89	7.03		+
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling			02.17	02.70	1 1.00	00.00	00.00					00.00	7.00		
	Port 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ			UEPPX	UEPXU	14.00	90.00	90.00					30.89	7.03		
	Callling Port			UEPPX	UEPXV	14.00	90.00	90.00					30.89	7.03		
LOCAL	L NUMBER PORTABILITY	1				50	55.50	22.30					30.00	50		
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATU																
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					30.89	7.03		
NONRI	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50					30.89	7.03		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change			UEPPX	USACC		41.50	41.50					30.89	7.03		
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent 2 Wire Loop/Line Side Port Combination - Non feature -			UEPPX	USAS2	0.00	0.00	0.00					30.89	7.03		
	Subsequent Activity- Nonrecurring PBX Subsequent Activity - Change/Rearrange Multiline Hunt						0.00	0.00					30.89	7.03		
	Group						14.64	14.64					30.89	7.03		
2-WIRI	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POP	RT														
UNE P	ort/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			26.48										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			30.31										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			35.32										
UNE L	oop Rates		<u> </u>	LIEBOO		10.10										
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO UEPCO	UEPLX UEPLX	12.48 16.31										-
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	-	3	UEPCO	UEPLX	21.32								1	1	
2-Wire	Voice Grade Line Port Rates (Coin)	1	3	OLFOO	ULFLA	21.32					1			1	1	1
2-44116	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (TN) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			UEPCO	UEPTB	14.00	90.00	90.00					30.89	7.03		
	900/976, 1+DDD (NC, TN) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEPRP	14.00	90.00	90.00					30.89	7.03		
	(TN) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking 2-Wire Coin 2-Way with Operator Screening and Blocking:			UEPCO	UEPTA	14.00	90.00	90.00					30.89	7.03		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN) 2-Wire Coin Outward with Operator Screening and 011 Blocking			UEPCO	UEPCA	14.00	90.00	90.00					30.89	7.03		
	(TN)			UEPCO	UEPTC	14.00	90.00	90.00					30.89	7.03		
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	14.00	90.00	90.00					30.89	7.03		
LOCAL	NUMBER PORTABILITY			LIEBOO	Lunav											ļ
None	Local Number Portability (1 per port)		ļ	UEPCO	LNPCX	0.35										
NONRI	ECURRING CHARGES - CURRENTLY COMBINED		<u> </u>											-	-	
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50					30.89	7.03		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPCO	USACC		41.50	41.50					30.89	7.03		
ADDIT	IONAL NRCs		<u> </u>													<u> </u>

UNBUNDLE	ED NETWORK ELEMENTS - Tennessee													Attachment:		Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC		RAT	FES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge - Manual Svo Order vs.
							Rec	Nonrecurring		Nonrecurring	Disconnect				Rates(\$)	•	
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OMf - Vision One In Long (Line Book One) in the One			LIEBOO		110400	0.00	0.00	0.00					00.00	7.00		
LINDUNDI ED	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent PORT/LOOP COMBINATIONS - MARKET BASED RATES			UEPCO		USAS2	0.00	0.00	0.00					30.89	7.03		ļ
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT											-				+
	Port/Loop Combination Rates	IOKI															-
ONE I	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				49.60										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				51.09										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				56.00										
UNE L	Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	9.60										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		2	UEPPX		UECD1	11.09										1
	Exchange Ports - 2-Wire DID Port		3	UEPPX		UECD1 UEPD1	16.00 40.00	600.00	45.00	8.45	3.91		-	30.89	7.03		
NONR	RECURRING CHARGES - CURRENTLY COMBINED			OLFFA		OLFDI	40.00	000.00	45.00	0.45	3.91			30.09	7.03		-
110.410	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-As-Is Top 8 MSAs only			UEPPX		USAC1		100.00	42.50					30.89	7.03		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	with BellSouth Allowable Changes Top 8 MSAs only			UEPPX		USA1C		100.00	42.50					30.89	7.03		
Telepi	hone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX UEPPX		ND4 ND5	0.00	0.00	0.00								<u> </u>
	DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOCA	L NUMBER PORTABILITY			OL: IX			0.00	0.00	0.00								
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT														
UNE F	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1		1	UEPPB	UEPPR		32.27										1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		34.78										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			OLFFB	ULFFR		34.76										1
	UNE Zone 3		3	UEPPB	UEPPR		44.32										
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.20										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	18.71										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB		USL2X	28.25	======	100.00		=0.00						
NOND	Exchange Port - 2-Wire ISDN Line Side Port			OEPPB	UEPPR	UEPPB	80.00	525.00	400.00	75.00	70.00			30.89	7.03		1
NONR	RECURRING CHARGES - CURRENTLY COMBINED 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port					-						-	-				
	Combination - Conversion - Top 8 MSAs only			UEPPR	UEPPR	USACB	0.00	225.00	225.00					30.89	7.03		
ADDIT	FIONAL NRCs					- 57.105	2.00	220.00	223.00					55.05			
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy																
	Non Feature/Add Trunk			UEPPB	UEPPR	USASB		212.88						30.89	7.03	<u> </u>	
LOCA	L NUMBER PORTABILITY																L
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								<u> </u>
B-CH/	ANNEL USER PROFILE ACCESS:			HEDDE	UEPPR	HALICA	0.00	0.00	0.00			1		 	-	-	
	CVS/CSD (DMS/5ESS) CVS (EWSD)			UEPPB UEPPB	UEPPR	U1UCA U1UCB	0.00	0.00	0.00	-		1	-	-	-	1	+
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00			1					+
B-CHA	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC	C,MS, &	TN)				2.00	2.00	2.00					İ			†
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00							1	1
	CVS (EWSD)			UEPPB	UEPPR		0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE			LIEDDE	LIEDDE	11411540	0.00	0.00	0.00			<u> </u>		ļ		ļ	<u> </u>
VEDT	User Terminal Profile (EWSD only)			UEPPB	UEPPR	UTUMA	0.00	0.00	0.00			1	1	 			
IVERI	ICAL FEATURES			UEPPB		UEPVF	0.00	0.00	0.00	ļ		1	ļ		ļ	ļ	

ONRONDLE	D NETWORK ELEMENTS - Tennessee	1		ı										Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	B(cs	usoc			TES(\$)				Manually	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage each, including first mile and																
	facilities termination			UEPPB		M1GNC	17.91	53.99	17.37								
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.173	0.00	0.00								
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	(PORT															
UNE P	ort/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			982.73										ĺ
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		-	UEFFF		+	902.73										
	Zone 2		2	UEPPP			1,000.40										İ
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		-	OL: 11			1,000.40										
	Zone 3		3	UEPPP			1,023.59										
İ	4-Wire DS1 Digital Loop - UNE Zone 1	†	1	UEPPP		USL4P	57.73										
	4-Wire DS1 Digital Loop - UNE Zone 2	1	2	UEPPP		USL4P	75.40										
	4-Wire DS1 Digital Loop - UNE Zone 3	1	3	UEPPP		USL4P	98.59			İ						İ	
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	925.00	950.00	950.00	130.00	100.00			30.89	7.03		
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP		USACP	0.00	925.00	925.00					30.89	7.03		
ADDIT	IONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way tel nos within Std Allowance (except NC)			UEPPP		PR7TF		0.94									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		22.36	22.36								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		44.71	44.70								
LOCAL	NUMBER PORTABILITY			LIEDDD													
INITED	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INTER	FACE (Provsioning Only) Voice/Data			UEPPP		PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00								
	Inward Data		-	UEPPP		PR71E	0.00	0.00	0.00								
Now o	r Additional "B" Channel			UEFFF		PR/IE	0.00	0.00	0.00								
INCW O	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	28.39									
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	29.11									
	New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	29.39									
CALL	TYPES	†					2.00	20.00									
	Inward			UEPPP		PR7C1	0.00	0.00	0.00								
<u> </u>	Outward	1		UEPPP		PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00								
Interof	fice Channel Mileage																
	Fixed Each Including First Mile			UEPPP		1LN1A	76.1825	145.98	109.85	19.55							
	Each Airline-Fractional Additional Mile			UEPPP		1LN1B	0.3525		-								
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT										·			·			
UNE P	ort/Loop Combination Rates	<u> </u>		<u> </u>													
	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide	ļ	SW	UEPDC													└
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	<u> </u>	1	UEPDC		1	93.28									ļ	├
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	<u> </u>	2	UEPDC		1	110.95									ļ	├
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4	l	3	UEPDC		+	134.14										
IINE I	oop Rates	 	4	UEFDC		+		 									
UNE L	4-Wire DS1 Digital Loop - Statewide	1	SW	UEPDC		USLDC						1					
	4-Wire DS1 Digital Loop - Statewide 4-Wire DS1 Digital Loop - UNE Zone 1	 	SW 1	UEPDC		USLDC	57.53									1	
	4-Wire DS1 Digital Loop - UNE Zone 2	 	2	UEPDC		USLDC	75.40									1	
+	4-Wire DS1 Digital Loop - UNE Zone 3	 	3	UEPDC		USLDC	98.59										
	4-Wire DS1 Digital Loop - UNE Zone 4	1	4	UEPDC		USLDC	30.33					1					—
UNE P	ort Rate	1	_	52. 50		30250											
J 1	4-Wire DDITS Digital Trunk Port	†		UEPDC		UDD1T	750.00	982.57	450.10	196.09	19.23			30.89	7.03		
	ECURRING CHARGES - CURRENTLY COMBINED			†		1							 				1

NRONDLE	D NETWORK ELEMENTS - Tennessee												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc		RAT	ES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		312.91	312.91					30.89	7.03		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO	USAWA		242.04	242.04					20.00	7.03		
	- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		312.91	312.91					30.89	7.03		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		312.91	312.91					30.89	7.03		
ADDIT	IONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Service Activity Per Service Order			UEPDC	USAS4		94.88	94.88								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		108.67	108.67					30.89	7.03		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	ODITA		100.07	100.07					30.69	7.03		
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		108.67	108.67					30.89	7.03		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			02. 20	05.15		100.01	100.01	1				00.00	7.00		
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		108.67	108.67					30.89	7.03		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		108.67	108.67					30.89	7.03		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			LIEDDO	UDTTE		400.07	400.07					00.00	7.00		
DIDOL	Activation / Chan - 2-Way DID w User Trans AR 8 ZERO SUBSTITUTION			UEPDC	UDTTE		108.67	108.67					30.89	7.03		
DIFUL	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	590.00								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	590.00								
Altern	ate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telepi	none Number/Trunk Group Establisment Charges			UEPDC	UDTGX	0.00										
	Telephone Number for 2-Way Trunk Group Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
	DID Numbers, Establish Trunk Group and Provide First Group			02. 20	00.02	0.00			1							
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
Dodio	Reserve DID Numbers ated DS1 (Interoffice Channel Mileage) -			UEPDC	NDV	0.00	0.00	0.00								
	O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port				+											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities								1							
	Termination)			UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3525	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			LIEDDC	11 NO2	0.00	0.00	0.00	[
	Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25	-		UEPDC	1LNO2	0.00	0.00	0.00	-					-	-	
	miles			UEPDC	1LNOB	0.3525	0.00	0.00	[
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities					0.0020	5.50									
	Termination)	<u> </u>		UEPDC	1LNO3	0.00	0.00	0.00	<u> </u>	<u></u>	<u></u>					
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	ļ		UEPDC	1LNOC	0.3525	0.00	0.00								
_	Local Number Portability, per DS0 Activated Central Office Termininating Point	 		UEPDC UEPDC	LNPCP CTG	3.15 0.00	0.00	0.00	<u> </u>	-				-	-	
4-WID	Central Office Termininating Point E DS1 LOOP WITH CHANNELIZATION WITH PORT			UEPDC	CIG	0.00			 	-	 					-
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations			+				 		 					
	em can have various rate combinations based on type and nui			used	1											
	S1 Loop				<u> </u>											
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	57.73	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2	l	2	UEPMG	USLDC	75.40	0.00	0.00		1				1	l	l

	D NETWORK ELEMENTS - Tennessee		1	l							Svc Order	Svc Order	Attachment: Incremental		Exhibit: B Incremental	Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
						B	Nonrecurring		Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	98.59	0.00	0.00								
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	18)		UEPMG	VUM24	131.87	0.00	0.00					30.89	7.00		-
	24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	263.74	0.00	0.00					30.89	7.03 7.03		
	96 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM96	527.48	0.00	0.00					30.89	7.03		+
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	791.42	0.00	0.00					30.89	7.03		1
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827.76	0.00	0.00					30.89	7.03		1
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,318.70	0.00	0.00					30.89	7.03		
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,582.44	0.00	0.00					30.89	7.03		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	2,109.92	0.00	0.00					30.89	7.03		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,637.40	0.00	0.00					30.89	7.03		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3,164.88	0.00	0.00					30.89	7.03		1
N 5	672 DS0 Channel Capacity - 1 per 28 DS1s	01		UEPMG	VUM67	3,692.36	0.00	0.00					30.89	7.03		
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with mum System configuration is One (1) DS1, One (1) D4 Channe						stem									+
	les of this configuration is One (1) DS1, One (1) D4 Channe les of this configuration functioning as one are considered Ac															
With	NRC - Conversion (Currently Combined) with or without	iu i aite	lile II	liiliiliidiii systeiii co	Illiguration is	Counted.										+
	BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	303.61	15.74					30.89	7.03		
Syster	n Additions Where Currently Combined and New (Not Currentl	v Comb	ined)		007.01	0.00	000.01						00.00	7.00		†
	8 MSAs and AL, FL, and NC Only															1
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
	Fea Activation -			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			30.89	7.03		
Bipola	r 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00	590.00								
	Clear Channel Capability Format - Extended Superframe -			LIEDMO	00055	0.00	0.00	500.00								
Altorn	Subsequent Activity Only ate Mark Inversion (AMI)			UEPMG	CCOEF	0.00	0.00	590.00								+
Aitem	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								+
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								+
Excha	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	OLI MO	WOO! O	0.00	0.00	0.00								
	nge Ports															†
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
Feetur	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	40.00	0.00	0.00	0.00	0.00			30.89	7.03		-
Featur	re Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank		1	UEPPX	1PQWM	0.66	40.00	20.00	6.00	5.00		1				
	Feature (Service) Activation for each Trunk Side Port Terminated		1	OLI I A	II ØVVIVI	0.00	40.00	20.00	0.00	5.00						+
	in D4 Bank		1	UEPPX	1PQWU	0.66	110.00	30.00	75.00	15.00		1				
Teleph	none Number/ Group Establishment Charges for DID Service															1
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								1
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers		<u> </u>	UEPPX	NDV	0.00	0.00	0.00								
Local	Number Portability		<u> </u>	LIEDDY	LNDOD	0.15	0.00	0.00						ļ	ļ	
FF A T	Local Number Portability - 1 per port		 	UEPPX	LNPCP	3.15	0.00	0.00							 	+
	JRES - Vertical and Optional Switching Features Offered with Line Side Ports Only		-		+										 	+
Local	All Features Available		 	UEPPX	UEPVF	0.00	0.00	0.00			1	-		1	1	+
NBUNDI ED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	<u> </u>	 	OLI I A	OLI VI	0.00	0.00	0.00							1	+
	t Based Rates are applied where BellSouth is required by FCC		State (Commission rule to	provide Unb	undled Local S	witching or Sw	itch Ports.							1	†
				e section in the sa											-	+

HINDHINDI	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
UNDUNDLI	ED NETWORK ELEWENTS - Tellilessee	1	1								Svc Order	Svc Order	Incremental			Incrementa
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7000	BCS	USOC		В.	TES(\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORT	RATE ELEMENTS	m	Zone	ВСЗ	0300		KA	1 E 3(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		-					Nananaa		Managarinia	Disconnect			000	Rates(\$)		
						Rec	Nonrecurring									
F 0	Description of Toursess the s		. LINIE I) - ut - u - l u - l u -	uaa liatad au	ales da Cermandle	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	
	Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the r															
	bined Combos for all states. In GA, KY, LA, MS and TN these no							., NC and SC tl	nese nonrecuri	ring charges a	e Market Ra	ites and are	listed in the	Market Rate s	ection. For (Currently
	bined Combos in all other states, the nonrecurring charges sha															
5. Ma	arket Rates for Unbundled Centrex Port/Loop Combination will	be nego	otiated	on an Individual Ca	ise Basis, un	til further notic	e.									
UNE-I	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	r)														
2-Wir	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP91		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design	1	2	UEP91		18.01			1	Ì	1			Ì		İ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 		02101	+	10.01			t	 				 	1	
	Non-Design	1	3	UEP91		23.02			1	Ì	1			Ì		İ
I INIT I		 	3	OLF31	+	23.02			 						-	-
UNE	Port/Loop Combination Rates (Design)	 	1		+	-			-						-	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1 .	LIEDO4		10.00			1	Ì	1			Ì		İ
	Design	-	1	UEP91	1	18.26			1						-	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	I .						1	Ì	1			Ì		İ
	Design		2	UEP91		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1				I			1	Ì	1			Ì		İ
	Design		3	UEP91		29.98										
UNE I	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.48										
ĺ	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	16.31										
İ	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	28.28										
UNE	Ports		-	OLI 01	OLOGE	20.20										
	ates (Except North Carolina and Sout Carolina)															
7.11 0.1	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLF91	OLFIA	1.70	22.14	13.23	0.40	3.91		30.09	7.03			
				LIEDO4	LIEDVD	4.70	20.44	45.05	0.45	2.04		20.00	7.00			
	Area			UEP91	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP91	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1				I			1	Ì	1			Ì		İ
	Center)2 Basic Local Area	<u> </u>		UEP91	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03		1	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1				I			1	Ì	1			Ì		İ
	Term - Basic Local Area	<u></u>	<u></u>	UEP91	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03	L		
T	2-Wire Voice Grade Port terminated in on Megalink or equivalent						<u> </u>									
<u> </u>	- Basic Local Area	<u></u>	<u> </u>	UEP91	UEPY9	1.70	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03	<u> </u>	<u> </u>	
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP91	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
AL, K	(Y, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)		i –	UEP91	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03	İ	1	İ
	2-Wire Voice Grade Port (Centrex 800 termination)		i e	UEP91	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		i
- 	2-Wire Voice Grade Fort (Centrex with Caller ID)1		1	UEP91	UEPQH	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	†	t	
	2-Wire Voice Grade Fort (Centrex with Caller 15)1	 	!	02101	JE1 (411	1.70	22.14	10.20	0.40	5.51		30.09	7.03	 	1	
	Center)2	1		UEP91	UEPQM	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	Ì		İ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	1	OLI 31	JEI WIVI	1.70	22.14	15.25	0.40	3.91		30.09	1.03	 	 	
	_	1		LIEDO4	LIEDOZ	4 70	00.44	45.05	0.45	2.01	1	20.00	7.00	Ì		İ
	Term	 	1	UEP91	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03	 	1	
	OMESS Velos Ossila Bost translation in the state of the s	1		LIEDO4	LIEDCS						1			Ì		İ
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	ļ	ļ	UEP91	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ļ
	2-Wire Voice Grade Port Terminated on 800 Service Term	<u> </u>		UEP91	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03		1	
Local	Switching		<u> </u>		1											<u> </u>
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.6381										
Local	Number Portability	\bot														
1	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featu				UEP91	UEPVF	0.00						30.89	7.03			

UNE	BUNDLE	D NETWORK ELEMENTS - Tennessee											,	Attachment:		Exhibit: B	↓
												Svc Order Submitted	Svc Order Submitted	Charge -	Charge -	Charge -	Charge -
CATI	EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Sve Order vs. Electronic Disc Add'l
								Nonrecurring		Nonrecurring	Disconnect				Rates(\$)		
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		All Select Features Offered, per port			UEP91	UEPVS	0.00	433.78	Addi	1 1130	даат	COMILO	30.89	7.03	COMPAR	COMPAR	COMPAR
		All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						30.89	7.03			
	NARS																
		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00				30.89	7.03			
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				30.89	7.03			
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00				30.89	7.03			
		laneous Terminations															
	2-wire	Trunk Side Trunk Side Terminations, each		1	UEP91	CENA6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			+
	Interef	fice Channel Mileage - 2-Wire			UEP91	CENAO	0.70	22.14	15.25	0.40	3.91		30.69	7.03			+
	IIILEI OI	Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			+
		Interoffice Channel mileage, per mile or fraction of mile	1		UEP91	MIGBM	0.0174	22.17	10.20	0.40	0.01		50.00	7.00			†
	Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e		1			1									†
		annel Bank Feature Activations			<u> </u>			<u> </u>									
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66		•		•						
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP91	1PQWP	0.66										1
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed												=			
		changes, per port			UEP91 UEP91	USAC2 M1ACS	0.00	1.03 658.60	0.29				30.89 30.89	7.03			
	-	New Centrex Standard Common Block New Centrex Customized Common Block			UEP91	M1ACC	0.00	658.60					30.89	7.03 7.03			+
		Secondary Block, per Block			UEP91	M2CC1	0.00	73.55					30.89	7.03			+
	_	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	68.57					30.89	7.03			+
	UNE-P	CENTREX - 5ESS (Valid in All States)			02. 0.	0.120/1		00.01					00.00	7.00			1
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															1
		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP95		14.18										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		2	UEP95		18.01										
l		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP95		23.02										
_	UNF P	ort/Loop Combination Rates (Design)	1	3	OLF 30	+	23.02	1				1				1	+
	OIAL F	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		 	 	+		 								1	+
		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP95		18.26										
		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		2	UEP95		23.33										
		Design		3	UEP95		29.98										
	UNE L	oop Rate			ļ	1											
	_	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEP95	UECS1	12.48	 								1	
	_	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95 UEP95	UECS1	16.31 21.32										₩
	-	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	 	3	UEP95 UEP95	UECS1 UECS2	21.32 16.56	 								-	
	-	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP95	UECS2	21.63	 				1				1	+
 		2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP95	UECS2	28.28	1								1	+
	UNE P	ort Rate	1		02.1 00	02002	20.20	 				1				1	
	All Sta		1		 		1	†							1		
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03		İ	

UNBUNDLE	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
ONBONDE	TOTAL CONTROL OF THE PROPERTY										Svc Order	Svc Order			Incremental	Incremental
												Submitted				
											1		Charge -	Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAI	ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													101	Addi	D130 131	Disc Add I
						B	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLF 93	OLFIII	1.70	22.14	13.23	0.43	3.91		30.09	7.03			
				LIEDOS	LIEDVAA	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
	Center)2 Basic Local Area			UEP95	UEPYM	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				l											
	Term - Basic Local Area			UEP95	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL. K	Y, LA, MS, SC, & TN Only		1													
· · · · · · ·	2-Wire Voice Grade Port (Centrex)	t	1	UEP95	UEPQA	1.70	22.14	15.25	8.45	3.91	l	30.89	7.03	 		1
 	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	 	1	UEP95	UEPQB	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	1	1	t
 			1								1			 	1	-
 	2-Wire Voice Grade Port (Centrex with Caller ID)1	-	1	UEP95	UEPQH	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	1	1	1
]	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1												İ		I
ļļ_	Center)2	<u> </u>		UEP95	UEPQM	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03			ļ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP95	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
FI & (GA Only	 		OLI SO	OLI QE	1.70	22.17	10.20	0.40	0.01		00.00	7.00			
	Switching	1	1								-					
Local		1	1	UEP95	LIDEOO	0.6381										
<u> </u>	Centrex Intercom Funtionality, per port			UEP95	URECS	0.6381					ļ					
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP95	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP95	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						30.89	7.03			
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Indial	 		UEP95	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00		0.00			1	30.89	7.03			
N4:			1	05590	UARUX	0.00	0.00	0.00	-		1	30.89	7.03	 	1	-
	Illaneous Terminations	-	1	1	-				1	-	1			1	1	1
2-Wire	Trunk Side			LIEDAE	OFFIE -											
	Trunk Side Terminations, each			UEP95	CEND6	8.78	47.75	47.01	9.21	8.47	1	30.89	7.03			
4-Wire	e Digital (1.544 Megabits)										1					
	DS1 Circuit Terminations, each			UEP95	M1HD1	35.55	75.93	38.15		<u></u>		30.89	7.03			
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	108.67					30.89	7.03			
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MIGBC	18.58	22.14	15.25	8.45	3.91	1	30.89	7.03		Ì	1
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0174			51.10	2.01	1	22.30		1	1	1
E034···	re Activations (DS0) Centrex Loops on Channelized DS1 Service	<u>.</u>	1	02.00		0.0174	 		 		 			1	<u> </u>	1
	nannel Bank Feature Activations	, c	1	 	+		+				1			1	†	1
D4 Ch		-	<u> </u>	LIEDOE	100140	0.00	 		-		 			-	1	-
 	Feature Activation on D-4 Channel Bank Centrex Loop Slot	<u> </u>	1	UEP95	1PQWS	0.66			ļ	ļ	!			ļ	ļ	
]		1		L.====	4501]		1		
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
]	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1		İ]		1		
	Slot	<u> </u>	L	UEP95	1PQW7	0.66	<u> </u>		<u> </u>	<u> </u>	<u> </u>			<u>l</u>	<u> </u>	<u> </u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.66								1		
			1	<u> </u>	1	2.30			1	1	1	i		i e	1	1
]	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP95	1PQWV	0.66]]		1		
 	Feature Activation on D-4 Channel Bank Flivate Line Loop Slot	 	1	OL: 30	IF COVV	0.00	+				1			1	†	1
]		1		LIEDOE	400140	0.00]		1		
	Slot	ļ	ļ	UEP95	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot Recurring Charges (NRC) Associated with UNE-P Centrex			UEP95	1PQWA	0.66										
															1	1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nananaan mina		Namaaaaa						2.00 .00	
-					-	Rec	Nonrecurring First	Add'l	First	Disconnect Add'l	SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
	NRC Conversion Currently Combined Switch-As-Is with allowed						FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	changes, per port			UEP95	USAC2		1.03	0.29				30.89	7.03			İ
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	68.57					30.89	7.03			
	CENTREX - DMS100 (Valid in All States)															├
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)	1														
ONLF	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	<u> </u>														
	Non-Design		1	UEP9D		14.18										İ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP9D		18.01										
1 1	Non-Design		3	UEP9D		23.02										1
UNE Po	ort/Loop Combination Rates (Design)	1				25.52			1							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
	Design		1	UEP9D		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9D		29.98										
UNE Lo	pop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9D	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1 UECS1	16.31 21.32										├
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	1	3	UEP9D UEP9D	UECS1	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.28										
UNE Po	ort Rate															
ALL ST																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
 	Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	 		UEP9D	UEPYD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Area			UEP9D	UEPYE	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.70	22.14	15.25	8.45	3.91		30.89	7.03	<u> </u>	<u> </u>	1
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			UEP9D	UEPYT	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Area			UEP9D	UEPY3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<u> </u>
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2 Basic Local Area	<u> </u>		UEP9D	UEPYM	1.70	22.14	15.25	8.45	3.91	l	30.89	7.03			

UNBUNDEL	D NETWORK ELEMENTS - Tennessee	1		ı									Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			LIEDOD	LIEDVO	4.70	22.44	45.05	0.45	2.04		20.00	7.00			ĺ
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPYO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Basic Local Area			UEP9D	UEPYP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3									-						
	Basic Local Area			UEP9D	UEPYQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3															ĺ
	Basic Local Area			UEP9D	UEPYR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEFTS	1.70	22.14	15.25	0.40	3.91		30.09	7.03			
	Basic Local Area			UEP9D	UEPY4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3					. =0										İ
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Basic Local Area			UEP9D	UEPY7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			İ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02.05	02			10.20	0.10	0.01		00.00	7.00			
	Term			UEP9D	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ĺ
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			LIEDOD	LIEDVO	1.70	22.44	45.05	0.45	2.04		20.00	7.00			ĺ
AI K	Local Area (, LA, MS, SC, & TN Only			UEP9D	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, K	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<u> </u>
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D UEP9D	UEPQF UEPQG	1.70 1.70	22.14	15.25	8.45	3.91 3.91		30.89 30.89	7.03 7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3 2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPQW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLI 3D	OLI Q3	1.70	22.14	13.23	0.40	3.91		30.03	7.03			
	2			UEP9D	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	<u> </u>								[ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	, , , , , , , , , , , , , , , , , , , ,					<u>_</u>										
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	O.M Voltage Oracle Production / P. Carolina O.M.O. /EPO 2. TEORGIS. 2			LIEDOD	LIEBO 4	4 ===	00.11	45.00				00.00	7.00			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3		-	UEP9D	UEPQ4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	(0		.0.20	50	3.31		30.00	7.00			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
											1					1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1

MOUNDLE	D NETWORK ELEMENTS - Tennessee	1		ı							0	06	Attachment:		Exhibit: B	l
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.6381										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu	res															
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00						30.89	7.03			
NARS					1											
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				30.89	7.03			
Misce	laneous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.78	22.14	15.25	8,45	3.91		30.89	7.03			
4-Wire	Digital (1.544 Megabits)			02. 02	02.120	00		10.20	0.10	0.01		00.00	7.00			
7 11110	DS1 Circuit Terminations, each		1	UEP9D	M1HD1	35.55	75.93	38.15				30.89	7.03			-
	DS0 Channels Activiated per Channel	-	_	UEP9D	M1HDO	0.00	108.67	00.10				30.89	7.03			
Intero	ffice Channel Mileage - 2-Wire			OLI 3D	WITIDO	0.00	100.07					30.03	7.00			
intero	Interoffice Channel Facilities Termination			UEP9D	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0174	22.14	13.23	0.45	3.91		30.09	7.03			
Footuu	re Activations (DS0) Centrex Loops on Channelized DS1 Service			UEF9D	IVIIGDIVI	0.0174	-									-
	annel Bank Feature Activations	e														
D4 CII	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-		UEP9D	1PQWS	0.66										
	reature Activation on D-4 Channel Bank Centrex Loop Siot	-		UEF9D	IFQWS	0.00										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			02. 02		0.00										
	Different Wire Center			UEP9D	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9D	1PQWQ	0.66										
			1	UEP9D	1PQWA	0.66										
N 5	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP9D	IPQWA	0.00										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex	-														
	NRC Conversion Currently Combined Switch-As-Is with allowed			UEP9D	110400		4.00	0.00				00.00	7.00			
	changes, per port				USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP9D	URECA		68.57					30.89	7.03			
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9E		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			İ	1 1											İ
			3	LIEPOE		23 02						J				
LINE	Non-Design		3	UEP9E		23.02										
UNE P			3	UEP9E		23.02										

Jnbundlei	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	l
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	res(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st			Increment Charge Manual S Order vs Electroni Disc Add
															Disc 1st	DISC Add
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9E		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9E		29.98										
UNE Lo	pop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	28.28										
UNE Po	ort Rate										1	l				
	KY, LA, MS, & TN only		<u> </u>		1						İ	1			1	
/ \=, · =,	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex) Education Basic Local		1			0		.0.20	5.46	3.01	1	55.55			 	
	Area			UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		 	OLI OL	OLI ID	1.70	22.14	15.25	0.40	5.91	1	30.09	1.03	1	1	
	Area			UEP9E	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
				UEP9E	UEPTH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP9E	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP9E	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP9E	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP9E	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL KY	, LA, MS, & TN Only															
,,	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1		 	UEP9E	UEPQH	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID) 1 2-Wire Voice Grade Port (Centrex from diff Serving Wire		-	UEF9E	UEFQH	1.70	22.14	15.25	0.40	3.91	1	30.69	7.03			
				LIEDOE	UEPQM	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
	Center)2			UEP9E	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9E	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local S	witching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.6381										
Local N	lumber Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Feature											1	l				
	All Standard Features Offered, per port		<u> </u>	UEP9E	UEPVF	0.00					İ	30.89	7.03		1	
_	All Select Features Offered, per port		1	UEP9E	UEPVS	0.00	433.78				1	30.89	7.03		 	
+	All Centrex Control Features Offered, per port		 	UEP9E	UEPVC	0.00	400.70				 	30.89	7.03		 	
NARS	y ar Schalox Somilor i Salures Shereu, per port		 	OLI OL	OLI VO	0.00					1	30.09	1.03	1	1	
ITANO	Unbundled Network Access Register - Combination		 	UEP9E	UARCX	0.00	0.00	0.00			1	30.89	7.03	1	1	
_			├	UEP9E UEP9E	UARCX UAR1X	0.00					1	30.89	7.03			
-	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial		1		UARTX		0.00	0.00	ļ		 				 	
			1	UEP9E	UARUX	0.00	0.00	0.00			1	30.89	7.03	-	 	
	aneous Terminations										1					
2-Wire	Trunk Side				0515						ļ					
	Trunk Side Terminations, each		<u> </u>	UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	35.55		38.15				30.89	7.03			
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	108.67					30.89	7.03			
Interoff	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0174					İ					
	Activations (DS0) Centrex Loops on Channelized DS1 Service		1	- "		0.0.74							!	1		

CATEGORY RATE ELEMENTS Moor Zone BCS USOC RATES(B) Security Changes	UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CATEGORY RATE ELEMENTS Intelligence RATE												Svc Order					Incremental
CATEGORY PATE ELEMENTS Interior Zone BCS USOC PATES(B) PATES Manage Manag																	Charge -
CATEORY RATE ELEMENTS Part Pa			l														Manual Svc
Part Part	CATEGORY	RATE ELEMENTS		Zone	BCS	usoc		RA ⁻	TES(\$)								Order vs.
Second S			m						(+)			per LSK	per LSK				Electronic-
Noncentral Bask Feature Activations																	
Mode Print Address Pri														1st	Add'I	Disc 1st	Disc Add'l
Mode Print Address Pri							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
Distance Bank Fauture Activation in Dist Octomed Sand Central Loop Stat UEPSC 170WS 0.06							Rec		Add'l			SOMEC	SOMAN			SOMAN	SOMAN
Feature Activation on D-4 Charmed Base Cut Per Seed 1990 1990	D4 Cha	annel Bank Feature Activations															
Peans Arminion to D.4 Channel Book EV like Side Loop Size Peans Arminion to D.4 Channel Book EV Three Size Loop UEP96 190W7 0.66					UEP9E	1PQWS	0.66										
Feature Activation on D-4 Charmed Bank Fortwas Copy 801																	
Feature Activation on D-4 Charmed Basis Private State Loss UPPSE 1POWP 0.66		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
Set																	
Pasture Activation on D-4 Channel Bank Pulses Enter Loop Side UEPPE POWP 0.66					UEP9E	1PQW7	0.66										
Different Wine Center		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
Feature Actination on 2-Clearinet Benk Private Line Loop Stol UEPRE IPOWV 0.66					UEP9E	1PQWP	0.66										
Feature Activation on Det Channel Bank Tiple Line Trank Loop UEPSE TPOWO 0.66																	
Feature Activation on Det Channel Bank Tiple Line Trank Loop UEPSE TPOWO 0.66		Feature Activation on D-4 Channel Bank Private Line Loop Slot	l		UEP9E	1PQWV	0.66						1		I	I	Ì
Stort Product Activation on 0-4 Channel Basin WATS Loop Stot UEP98 1PO/WO 0.06																	
Feature Antimition on D 4 Channel Bank WATS Loop Stot UEP98 IPOWA 0.66		Slot	l				0.66						1		I	I	1
SRC Convenients Currently Combined Switch-Ne-bis with allowed changes, per port SAC2 1.00 0.29 3.0.89 7.03 1.00		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E		0.66										
Changes, per port	Non-R																
New Centrex Standard Common Block		NRC Conversion Currently Combined Switch-As-Is with allowed															
New Centrex Customback Common Block		changes, per port			UEP9E	USAC2		1.03	0.29				30.89	7.03			
NNR Establishment Charge, Per Occasion URECA 0.00 68.57 30.89 7,03		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	658.60					30.89	7.03			
UNEP CENTREX DOC - Valid in AL KY, LA, MS, & TN)							0.00	658.60					30.89	7.03			
2-Wire Vol. Loop/2-Wire Volos Grade Port (Centres) Combo		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	68.57					30.89	7.03			
Nex PortIL.op Combination Rates (Non-Design)																	
2.Wire Visit Corpt2-Wire Voice Grade Port (Centres) Port Combo-Non-Design 2.Wire Visit Corpt2-Wire Voice Grade Port (Centres) Port Combo-Non-Design 2.Wire Visit Corpt2-Wire Voice Grade Port (Centres) Port Combo-Design 2.Wire Visit Corpt2-Wire Voice Grade Port (Centres) Port Combo-Design 2.Wire Visit Corpt2-Wire Voice Grade Port (Centres) Port Combo-Design 1. UEP93 18.66 2.Wire Visit Corpt2-Wire Voice Grade Port (Centres) Port Combo-Design 2.Wire Visit Corpt2-Wire Voice Grade Port (Centres) Port Combo-Design 2.Wire Visit Corpt2-Wire Voice Grade Port (Centres) Port Combo-Design 2.Wire Visit Corpt2-Wire Voice Grade Port (Centres) Port Combo-Design 2.Wire Visit Corpt2-Wire Voice Grade Port (Centres) Port Combo-Design 2.Wire Visit Corpt2-Wire Voice Grade Port (Centres) Port Combo-Design 3. UEP93 22.9.98 22.9.98 22.9.98 22.9.98 22.9.98 22.9.98 22.9.99 22.9																	
Non-Design 14.18	UNE P																
2-Wire Vol Lopp/2-Wire Volce Grade Port (Centrex)Port Combo - Non-Design 18.01 1																	
Non-Design 2 UEP8S 18.01				1	UEP93		14.18										
2-Wire VG Loop/2-Wire Valce Grade Port (Centrex)Port Combo Non-Design Non-Des																	
Non-Design 3 UEP93 23.02				2	UEP93		18.01										
UNE Port/Loop Combination Rates (Design)																	
2-Wire Vice Grade Port (Centrex) Port Combo- Design 2-Wire Vice Grade Port (Centrex) Port Combo- Design 2-Wire Vice Grade Port (Centrex) Port Combo- Design 2-Wire Vice Grade Port (Centrex) Port Combo- Design 2-Wire Vice Grade Port (Centrex) Port Combo- Design 2-Wire Vice Grade Loop (SL 1) - Zone 1 1 UEP93 UECS1 12.48				3	UEP93		23.02										
Design	UNE P																
Design			1														
Design 2 UEP93 23.33				1	UEP93		18.26										
2-Wife Voice Grade Loop (St. 1) - Zone 1					LIEBOO		00.00										
Design				2	UEP93		23.33										
UNE Loop Rate				_													
2-Wire Voice Grade Loop (St. 1) - Zone 1				3	UEP93		29.98										
2-Wire Voice Grade Loop (St. 1) - Zone 2	UNE L				LIEDOO	115004	40.40										
2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEP93 UECS1 21.32																	
2-Wire Voice Grade Loop (SL 2) - Zone 1	 		!										 				-
2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP93 UECS2 21.63	 		-	_													-
2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP93 UECS2 28.28	 		1							1		 	-		 	 	1
UNE Port Rate AL, KY, LA, MS, & TN only 2-Wire Voice Grade Port (Centrex) Basic Local Area UEP93 UEPYA 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area UEP93 UEPYB 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area UEP93 UEPYH 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area UEP93 UEPYM 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area UEP93 UEPYZ 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port terminated in on Megalink or equivalent -8 sisc Local Area UEP93 UEPYS 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port terminated on 800 Service Term - Basic Local Area UEP93 UEPYS 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area UEP93 UEPYS 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area UEP93 UEPYS 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex) UEP93 UEPYS 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex) UEP93 UEPYS 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex) UEP93 UEPYS 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex) UEP93 UEPYS 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex) UEP93 UEPYS 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex) UEP93 UEPYS 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex) UEP93 UEPYS 1.70 22.14 15.25 8.45 3.91	 		1					 							t	 	
AL, KY, LA, MS, & TN only	UNFP		1	-	021 00	02002	20.20	 							t	 	
2-Wire Voice Grade Port (Centrex) Basic Local Area UEP93 UEPYA 1.70 22.14 15.25 8.45 3.91 30.89 7.03			1	1		+	 	 							t	 	
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local UEP93	AL, KI		1	1	UEP93	LIFPYA	1 70	22 14	15 25	8 45	3 91		30.89	7.03	 	 	
Area	 		1	1	021 00	OLI IA	1.70	22.14	10.20	0.40	5.31		30.03	7.03	 	 	
2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local UEP93			l		UEP93	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03	I	I	Ì
Area	 		1	1			0		.0.20	3.10	5.51		30.00		t	t	1
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area UEP93 UEPYM 1.70 22.14 15.25 8.45 3.91 30.89 7.03			l		UEP93	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03	I	I	Ì
Center)2 Basic Local Area		2-Wire Voice Grade Port (Centrex from diff Serving Wire		İ	İ	1	1	İ		1					İ	İ	İ
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP93			l		UEP93	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03	I	I	Ì
Term - Basic Local Area																	
2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			l		UEP93	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1	1	
Basic Local Area																	
Basic Local Area UEP93 UEPY2 1.70 22.14 15.25 8.45 3.91 30.89 7.03			l		UEP93	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03	I	I	l
2-Wire Voice Grade Port (Centrex) UEP93 UEPQA 1.70 22.14 15.25 8.45 3.91 30.89 7.03		2-Wire Voice Grade Port Terminated on 800 Service Term -															
	I		<u> </u>	<u>L</u>								<u></u>			L	<u> </u>	<u> </u>
2-Wire Voice Grade Port (Centrex 800 termination) UEP93 UEPQB 1.70 22.14 15.25 8.45 3.91 30.89 7.03		2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			

ADOIADE	ED NETWORK ELEMENTS - Tennessee			1							Core Condition	C C	Attachment:		Exhibit: B	lm anamas :: 1
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RATI	ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	0 M/ 1/2 0 1 - D 1/0 1 21 0 1 1 D 1			LIEDOO	LIEDOLL	4.70	First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP93	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	2-Wire Voice Grade Port Terminated in 800 Service Term			UEP93	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local	Switching			021 00	OLI QL	1.70	22.17	10.20	0.40	0.01		00.00	7.00			
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.6381	 		 			 			1	—
Local	Number Portability			021 00	OTTEOO.	0.0001	 		 			 			1	
Looui	Local Number Portability (1 per port)			UEP93	LNCCC	0.35			+							
Featu				021 00	211000	0.00										+
· outu	All Standard Features Offered, per port			UEP93	UEPVF	0.00			+							
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00			+							
NARS				021 00	OLI VO	0.00										t
IVAILO	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00				30.89	7.03			t
_	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00				30.89	7.03			+
Misce	Illaneous Terminations			02. 00	07111071	0.00	0.00	0.00	+			00.00	7.00			
	e Trunk Side															t
	Trunk Side Terminations, each			UEP93	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			+
4-Wire	e Digital (1.544 Megabits)			OLI SO	OLINDO	0.70	22.17	10.20	0.40	0.01		00.00	7.00			†
7 *****	DS1 Circuit Terminations, each			UEP93	M1HD1	35.55	75.93	38.15				30.89	7.03			†
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	108.67	00.10	+			30.89	7.03			+
Intero	ffice Channel Mileage - 2-Wire			OLI 33	WITIDO	0.00	100.07					30.03	7.03			
1111010	Interoffice Channel Facilities Termination			UEP93	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			t
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.0174	22.17	10.20	0.40	0.01		00.00	7.00			+
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	Δ.		OLI SO	IVIIODIVI	0.0174										
	annel Bank Feature Activations								+							+
D4 011	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.66			+							+
-	realtire Activation on 5-4 channel bank centrex Loop Glot			OLI 33	11 QVV0	0.00										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -				400440											
-	Different Wire Center			UEP93	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop			UEP93	1PQWV	0.66										ļ
	Slot			UEP93	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.66										+
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex		 	02.00	// 0211/1	5.00	 		+		 				1	
	NRC Conversion Currently Combined Switch-As-Is with allowed											l			1	-
	changes, per port	1		UEP93	USAC2		1.03	0.29				30.89	7.03			
1	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60	0.20	+			30.89	7.03		l .	—
-	New Centrex Customized Common Block		1	UEP93	M1ACC	0.00	658.60				i	30.89	7.03		1	
1	NAR Establishment Charge, Per Occasion			UEP93	URECA	3.30	68.57		+			30.89	7.03		l .	
Note 1	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD			1			55.57		+			30.00			l .	
	2 - Requires Interoffice Channel Mileage						 		+						†	
	3 - Requires Specific Customer Premises Equipment		1	1							i				1	
	: Rates displaying an "R" in Interim column are interim and su			1											1	

AMENDMENT TO THE AGREEMENT BETWEEN ALCALL, INC. AND BELLSOUTH TELECOMMUNICATIONS, INC. DATED JANUARY 8, 2001

Pursuant to this Amendment, (the "Amendment") ALCALL, Inc. ("ALCALL") and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties", hereby agree to amend that certain Interconnection Agreement between the Parties dated January 8, 2001 ("Agreement").

WHEREAS, BellSouth and ALCALL entered into the Agreement on January 8, 2001, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. Attachment 1, Resale, Section 6.7, is hereby deleted in its entirety and replaced with new Section 6.7, as set forth in Exhibit 1 attached hereto and incorporated herein by this reference.
- 2. Attachment 7, Billing and Billing Accuracy Certification, Section 1.8, <u>Deposit Policy</u>, is hereby deleted in its entirety and replaced with a new Section 1.8, <u>Deposit Policy</u>, as set forth in Exhibit 1 attached hereto and incorporated herein by this reference.
- 3. All of the other provisions of the Agreement, dated January 8, 2001, shall remain in full force and effect.
- 4. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives and shall be deemed effective the date of the last signature of both Parties.

BellSouth Telecommunications, Inc.	ALCALL, Inc.
By: Original Signed	By: Original Signed
Name: Gregory R. Follensbee	Name: Greg Davis
Title: Senior Director	Title: V.P.
Date:6/17/02	Date:6/17/02

Attachment 1 – Resale

6.7 ALCALL shall complete the BellSouth Credit Profile and provide information to BellSouth regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security. The fact that a security deposit has been made in no way relieves ALCALL from complying with BellSouth's regulations as to advance payments. Any such security deposit shall in no way release ALCALL from its obligation to make complete and timely payments of its bill. ALCALL shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in ALCALL's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event ALCALL fails to remit to BellSouth any deposit requested pursuant to this Section, service to ALCALL may be terminated, and any security deposits will be applied to ALCALL's account(s). In the event ALCALL defaults on its account, service to ALCALL will be terminated, and any security deposits will be applied to its account.

Attachment 7 - Billing and Billing Accuracy Certification

1.8 Deposit Policy. ALCALL shall complete the BellSouth Credit Profile and provide information to BellSouth regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security. Any such security deposit shall in no way release ALCALL from its obligation to make complete and timely payments of its bill. ALCALL shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in ALCALL's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event ALCALL fails to remit to BellSouth any deposit requested pursuant to this Section, service to ALCALL may be terminated, and any security deposits will be applied to ALCALL's account(s). In the event that ALCALL defaults on its account, service to ALCALL will be terminated, and any security deposits held will be applied to its account.