

BELLSOUTH® / CLEC Agreement

Customer Name: Al-Call, Inc.

| | |
|---|-----|
| Al-Call | 2 |
| Table of Contents | 3 |
| General Terms and Conditions | 5 |
| Attachment 1 | 32 |
| Attachment 1 Rates | 64 |
| Attachment 2 | 65 |
| Attachment 2 Rates | 141 |
| Attachment 3 | 213 |
| Attachment 3 Exhibit | 237 |
| Attachment 3 Rates | 241 |
| Attachment 4 Physical Collocation | 246 |
| Attachment 4 Remote Site | 308 |
| Attachment 5 | 355 |
| Attachment 5 Rates | 367 |
| Attachment 6 | 368 |
| Attachment 7 | 378 |
| Attachment 7 Rates | 398 |
| Attachment 8 | 399 |
| Attachment 9 | 401 |
| Attachment 10 | 403 |
| Attachment 11 | 414 |
| Attachment 12 | 425 |
| Amendment - Att 2 Provisions for Line Sharing | 428 |
| Al-Call, Inc. | 435 |
| Al-Call, Inc. Amdmt | 863 |
| Al-Call, Inc. | 865 |
| Al-Call, Inc. | 883 |

By and Between
BellSouth Telecommunications, Inc.
And
Al-Call, Inc.

**INTERCONNECTION
AGREEMENT
BETWEEN
BELLSOUTH TELECOMMUNICATIONS INC.
AND
AL-CALL, INC.**

TABLE OF CONTENTS

General Terms and Conditions

1. Definitions
2. Term of the Agreement
3. Operational Support Systems
4. Parity
5. White Pages Listings
6. Bona Fide Request/New Business Request Process for Further Unbundling
7. Court Ordered Requests for Call Detail Records and Other Subscriber Information
8. Liability and Indemnification
9. Intellectual Property Rights and Indemnification
10. Proprietary and Confidential Information
11. Assignments
12. Resolution of Disputes
13. Taxes
14. Force Majeure
15. Adoption of Agreements
16. Modification of Agreement
17. Non-waiver of Legal Rights
18. Severability
19. Waivers
20. Governing Law
21. Arm's Length Negotiations
22. Notices
23. Rule of Construction
24. Headings of No Force or Effect
25. Multiple Counterparts
26. Implementation of Agreement
27. Filing of Agreement
28. Compliance with Applicable Law
29. Necessary Approvals
30. Good Faith Performance
31. Nonexclusive Dealings
32. Survival
33. Entire Agreement

Attachment 1 - Resale

Attachment 2 - Network Elements and Other Services

Attachment 3 - Network Interconnection

Attachment 4 - Physical Collocation

Attachment 5 - Access to Numbers and Number Portability

Attachment 6 – Pre-Ordering, Ordering and Provisioning, Maintenance and Repair

Attachment 7 - Billing and Billing Accuracy Certification

Attachment 8 - Rights-of-Way, Conduits and Pole Attachments

Attachment 9 - Performance Measurements

Attachment 10- Agreement Implementation Template

Attachment 11- BellSouth Disaster Recovery Plan

Attachment 12-Bona Fide Request and New Business Requests Process

AGREEMENT

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., (“BellSouth”), a Georgia corporation, and Al-Call, (“Al-Call”), a Georgia corporation, on behalf of itself and its certificated operating affiliates identified in Part C hereof, and shall be deemed effective as of January 8, 2001. This Agreement may refer to either BellSouth or Al-Call or both as a “Party” or “Parties “.

WITNESSETH

WHEREAS, BellSouth is an incumbent local exchange telecommunications company (“ILEC”) authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, Al-Call is a competitive local exchange telecommunications company (“CLEC”) authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee, and

WHEREAS, the Parties wish to resell BellSouth’s telecommunications services and/or interconnect their facilities, for Al-Call to purchase network elements and other services from BellSouth, and to exchange traffic specifically for the purposes of fulfilling their applicable obligations pursuant to sections 251 and 252 of the Telecommunications Act of 1996 (“the Act”).

NOW THEREFORE, in consideration of the mutual agreements contained herein, BellSouth and Al-Call agree as follows:

1. **Purpose**

The resale, access and interconnection obligations contained herein enable Al-Call to provide competing telephone exchange service to residential and business subscribers within the territory of BellSouth. The Parties agree that Al-Call will not be considered to have offered telecommunications services to the public in any state within BellSouth’s region until such time as it has ordered services for resale or interconnection facilities for the purposes of providing business and/or residential local exchange service to customers. Furthermore, the Parties agree that execution of this agreement will not preclude either party from advocating its position before the Commission or a court of competent jurisdiction.

2. **Term of the Agreement**

- 2.1 The term of this Agreement shall be three years, beginning January 8, 2001, and shall apply to the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee. If as of the expiration of this Agreement, a Subsequent Agreement (as defined in Section 2.2 below) has not been executed by the Parties, this Agreement shall continue on a month-to-month basis while a Subsequent Agreement is being negotiated. The Parties' rights and obligations with respect to this Agreement after expiration shall be as set forth in Section 2.4 below.
- 2.2 The Parties agree that by no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations with regard to the terms, conditions and prices of resale and/or local interconnection to be effective beginning on the expiration date of this Agreement ("Subsequent Agreement").
- 2.3 If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2, above, the Parties are unable to satisfactorily negotiate new resale and/or local interconnection terms, conditions and prices, either Party may petition the Commission to establish appropriate local interconnection and/or resale arrangements pursuant to 47 U.S.C. 252. The Parties agree that, in such event, they shall encourage the Commission to issue its order regarding the appropriate local interconnection and/or resale arrangements no later than the expiration date of this Agreement. The Parties further agree that in the event the Commission does not issue its order prior to the expiration date of this Agreement, or if the Parties continue beyond the expiration date of this Agreement to negotiate the local interconnection and/or resale arrangements without Commission intervention, the terms, conditions and prices ultimately ordered by the Commission, or negotiated by the Parties, will be effective retroactive to the day following the expiration date of this Agreement.
- 2.4 Notwithstanding the foregoing, in the event that as of the date of expiration of this Agreement and conversion of this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and either no arbitration proceeding has been filed in accordance with Section 2.3 above, or the Parties have not mutually agreed (where permissible) to extend the arbitration window for petitioning the applicable Commission(s) for resolution of those terms upon which the Parties have not agreed, then either Party may terminate this Agreement upon sixty (60) days notice to the other Party. In the event that BellSouth or Al-Call terminates this Agreement as provided above, BellSouth shall continue to offer services to Al-Call pursuant to the terms, conditions and rates set forth in BellSouth's Statement of Generally Available Terms (SGAT) to the extent an SGAT has been approved by the applicable Commission(s). If any state Commission has not approved a BellSouth SGAT, then upon BellSouth's termination of this Agreement as provided herein, BellSouth will continue to

provide services to Al-Call pursuant to BellSouth's then current standard interconnection agreement. In the event that the SGAT or BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement, and the terms of such Subsequent Agreement shall be effective retroactive to the day following expiration of this Agreement.

3. **Ordering Procedures**

- 3.1 To the extent not already provided, State shall provide BellSouth its Carrier Identification Code (CIC), Operating Company Number (OCN), Group Access Code (GAC) and Access Customer Name and Address (ACNA) code as applicable prior to placing its first order.
- 3.2 The Parties agree to adhere to the BellSouth Local Interconnection and Facility Based Ordering Guide and Resale Ordering Guide, as appropriate for the services ordered, provided however that nothing required in these guides shall override Al-Call's rights or BellSouth's obligations under this Agreement.
- 3.3 Al-Call shall pay charges for Operational Support Systems (OSS) as specifically set forth in Attachments 1, 2, 3, 5 and 7 of this agreement, as applicable.

4. **Parity**

When Al-Call purchases, pursuant to Attachment 1 of this Agreement, telecommunications services from BellSouth for the purposes of resale to end users, BellSouth shall provide said services so that the services are equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its affiliates, subsidiaries and end users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to Al-Call shall be at least equal in quality to that which BellSouth provides to itself. The provisioning intervals for network elements shall be at least equal to, but no longer than, those that BellSouth provides to itself. BellSouth shall make available network elements to Al-Call on the same terms and conditions as BellSouth provides to its affiliates, subsidiaries, end-users and any other carriers. The quality of the interconnection between the networks of BellSouth and the network of Al-Call shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by end users and service quality as perceived by Al-Call.

5. **White Pages Listings**

BellSouth shall provide Al-Call and its customers access to white pages directory listings under the following terms:

- 5.1 **Listings.** BellSouth or its agent will include Al-Call residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories. Directory listings will make no distinction between Al-Call and BellSouth subscribers.
- 5.2 **Rates.** BellSouth and Al-Call will provide to each other subscriber primary listing information in the White Pages at no charge except for applicable service order charges as set forth in the applicable tariffs.
- 5.3 **Procedures for Submitting Al-Call Subscriber Information.** BellSouth will provide to Al-Call a magnetic tape or computer disk containing the proper format for submitting subscriber listings. Al-Call will be required to provide BellSouth with directory listings and daily updates to those listings, including new, changed, and deleted listings, in an industry-accepted format. These procedures are detailed in BellSouth's Local Interconnection and Facility Based Ordering Guide.
- 5.3.1 Notwithstanding any provision(s) to the contrary, Al-Call agrees to provide to BellSouth, and BellSouth agrees to accept, Al-Call's Subscriber Listing Information (SLI) relating to Al-Call's customers in the geographic area(s) covered by this Interconnection Agreement. Al-Call authorizes BellSouth to release all such Al-Call SLI provided to BellSouth by Al-Call to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff, Section A38.2, as the same may be amended from time to time. Such Al-Call SLI shall be intermingled with BellSouth's own customer listings of any other CLEC that has authorized a similar release of SLI. Where necessary, BellSouth will use good faith efforts to obtain state commission approval of any necessary modifications to Section A38.2 of its tariff to provide for release of third party directory listings, including modifications regarding listings to be released pursuant to such tariff and BellSouth's liability thereunder. BellSouth's obligation pursuant to this Section shall not arise in any particular state until the commission of such state has approved modifications to such tariff.
- 5.3.2 No compensation shall be paid to Al-Call for BellSouth's receipt of Al-Call Telecom SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Al-Call's SLI, or costs on an ongoing basis to administer the release of Al-Call SLI, Al-Call shall pay to BellSouth its proportionate share of the reasonable and nondiscriminatory costs associated therewith. BellSouth shall not be liable for the content or accuracy of any SLI

provided by Al-Call under this Agreement. Al-Call shall indemnify, hold harmless and defend BellSouth from and against any damages, losses, liabilities, demands claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Al-Call listings or use of the SLI provided pursuant to this Agreement. BellSouth shall forward to Al-Call any complaints received by BellSouth relating to the accuracy or quality of Al-Call listings.

- 5.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.
- 5.4 Unlisted/Non-Published Subscribers. Al-Call will be required to provide to BellSouth the names, addresses and telephone numbers of all Al-Call customers that wish to be omitted from directories.
- 5.5 Inclusion of Al-Call Customers in Directory Assistance Database. BellSouth will include and maintain Al-Call subscriber listings in BellSouth's directory assistance databases at no charge. BellSouth and Al-Call will adhere to appropriate procedures regarding lead time, timeliness, format and content of listing information as set forth in the BellSouth Local Interconnection and Facility Based Ordering Guide.
- 5.6 Listing Information Confidentiality. BellSouth will accord Al-Call's directory listing information the same level of confidentiality that BellSouth accords its own directory listing information, and BellSouth shall limit access to Al-Call's customer proprietary confidential directory information to those BellSouth employees who are involved in the preparation of listings.
- 5.7 Optional Listings. Additional listings and optional listings will be offered by BellSouth at tariffed rates as set forth in the General Subscriber Services Tariff.
- 5.8 Delivery. BellSouth or its agent shall deliver White Pages directories to Al-Call subscribers at no charge and within the same time frame as BellSouth delivers such directories to its own subscribers.

6. **Bona Fide Request/New Business Request Process for Further Unbundling**

Subject to 47 C.F.R. 51.317 and 47 C.F.R. 51.319 BellSouth shall, upon request of Al-Call, provide to Al-Call access to network elements not identified in this agreement at any technically feasible point for the provision of Al-Call's telecommunications service. . Any request by Al-Call for access to a network element, interconnection option, or for the provisioning of any service or product that is not already available shall be treated as a Bona Fide Request/New Business Request, and shall be submitted to BellSouth pursuant to the Bona Fide Request/New Business Request process set forth in Attachment 12 of this Agreement.

7. **Local Dialing Parity**

BellSouth shall provide local dialing parity as described in the Act and required by FCC rules, regulations and policies. Al-Call End Users shall not have to dial any greater number of digits than BellSouth End Users to complete the same call. In addition, Al-Call End Users shall experience at least the same service quality as BellSouth End Users in terms of post-dial delay, call completion rate and transmission quality.

8. **Court Ordered Requests for Call Detail Records and Other Subscriber Information**

8.1 To the extent technically feasible, BellSouth maintains call detail records for Al-Call end users for limited time periods and can respond to subpoenas and court ordered requests for this information. BellSouth shall maintain such information for Al-Call end users for the same length of time it maintains such information for its own end users.

8.2 Al-Call agrees that BellSouth will respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to Al-Call end users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request.

8.3 Al-Call agrees that in cases where Al-Call receives subpoenas or court ordered requests for call detail records for targeted telephone numbers belonging to Al-Call end users, Al-Call will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth. Billing for call detail information will be generated by BellSouth and directed to the law enforcement agency initiating the request.

- 8.4 Where BellSouth is providing to Al-Call telecommunications services for resale or providing to Al-Call the local switching function, then Al-Call agrees that in those cases where Al-Call receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Al-Call end users, if Al-Call does not have the requested information, Al-Call will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth. Where the request has been forwarded to BellSouth, billing for call detail information will be generated by BellSouth and directed to the law enforcement agency initiating the request.
- 8.5 Al-Call will provide Al-Call end user and/or other customer information that is available to Al-Call in response to subpoenas and court orders for their own customer records. BellSouth will redirect subpoenas and court ordered requests for Al-Call end user and/or other customer information to Al-Call for the purpose of providing this information to the law enforcement agency.

9. **Liability and Indemnification**

- 9.1 BellSouth Liability. BellSouth shall take financial responsibility for its own actions in causing, or its lack of action in preventing, unbillable or uncollectible Al-Call revenues.
- 9.2 Al-Call Liability. In the event that Al-Call consists of two (2) or more separate entities as set forth in the preamble to this Agreement, all such entities shall be jointly and severally liable for the obligations of Al-Call under this Agreement.
- 9.3 Liability for Acts or Omissions of Third Parties. Neither BellSouth nor Al-Call shall be liable for any act or omission of another telecommunications company providing a portion of the services provided under this Agreement.
- 9.4 Limitation of Liability.
- 9.4.1 With respect to any claim or suit, whether based in contract, tort or any other theory of legal liability, by Al-Call, any Al-Call Customer or by any other Person or entity, for damages associated with any of the services provided by BellSouth pursuant to or in connection with this Agreement, including but not limited to the installation, provision, preemption, termination, maintenance, repair or restoration of service, and subject to the provisions of the remainder of this Section, BellSouth's liability shall be limited to an amount equal to the proportionate charge for the service provided pursuant to this Agreement for the period during which the service was affected. Notwithstanding the foregoing, claims for damages by Al-Call, any Al-Call Customer or any other Person or entity, resulting from the gross negligence or willful misconduct of BellSouth, shall not be subject to such limitation of liability.

- 9.4.2 With respect to any claim or suit, whether based in contract, tort or any other theory of legal liability, by BellSouth, any BellSouth Customer or by any other Person or entity, for damages associated with any of the services provided by Al-Call pursuant to or in connection with this Agreement, including but not limited to the installation, provision, preemption, termination, maintenance, repair or restoration of service, and subject to the provisions of the remainder of this Section, Al-Call's liability shall be limited to an amount equal to the proportionate charge for the service provided pursuant to this Agreement for the period during which the service was affected. Notwithstanding the foregoing, claims for damages by BellSouth, any BellSouth Customer or any other Person or entity resulting from the gross negligence or willful misconduct of Al-Call, shall not be subject to such limitation of liability.
- 9.4.3 Limitations in Tariffs. A Party may, in its sole discretion, provide in its tariffs and contracts with its Customer and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to Customer or third Party for (i) any Loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such Loss and (ii) Consequential Damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a Loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the Loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such Loss.
- 9.4.4 Neither BellSouth nor Al-Call shall be liable for damages to the other's terminal location, POI or other company's customers' premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a company's negligence or willful misconduct or by a company's failure to properly ground a local loop after disconnection.
- 9.4.5 Except in case of gross negligence or willful or intentional misconduct, under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the Services, or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.

- 9.5 Indemnification for Certain Claims. The Party providing services hereunder, its affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving company's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving company's own communications, or (2) any claim, loss or damage claimed by the customer of the Party receiving services arising from such company's use or reliance on the providing company's services, actions, duties, or obligations arising out of this Agreement.
- 9.6 Disclaimer. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.
10. **Intellectual Property Rights and Indemnification**
- 10.1 No License. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. Al-Call is strictly prohibited from any use, including but not limited to in sales, in marketing or advertising of telecommunications services, of any BellSouth name, service mark or trademark.
- 10.2 Ownership of Intellectual Property. Any intellectual property which originates from or is developed by a Party shall remain in the exclusive ownership of that Party. Except for a limited license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right now or hereafter owned, controlled or licensable by a Party, is granted to the other Party or shall be implied or arise by estoppel. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.
- 10.3 Indemnification. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of

such service and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 8 of this Agreement.

10.4 Claim of Infringement. In the event that use of any facilities or equipment (including software), becomes, or in reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense, but subject to the limitations of liability set forth below:

10.4.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or

10.4.2 obtain a license sufficient to allow such use to continue.

10.4.3 In the event 9.4.1 or 9.4.2 are commercially unreasonable, then said Party may, terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.

10.5 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.

10.6 Exclusive Remedy. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.

11. Treatment of Proprietary and Confidential Information

11.1 Confidential Information. It may be necessary for BellSouth and Al-Call to provide each other with certain confidential information, including trade secret information, including but not limited to, technical and business plans, technical information, proposals, specifications, drawings, procedures, customer account data, call detail records and like information (hereinafter collectively referred to as "Information"). All Information shall be in writing or other tangible form and clearly marked with a confidential, private or proprietary legend and that the Information will be returned to the owner within a reasonable time. The Information shall not be copied or reproduced in any form. BellSouth and Al-Call

shall receive such Information and not disclose such Information. BellSouth and Al-Call shall protect the Information received from distribution, disclosure or dissemination to anyone except employees of BellSouth and Al-Call with a need to know such Information and which employees agree to be bound by the terms of this Section. BellSouth and Al-Call will use the same standard of care to protect Information received as they would use to protect their own confidential and proprietary Information.

- 11.2 Exception to Obligation. Notwithstanding the foregoing, there will be no obligation on BellSouth or Al-Call to protect any portion of the Information that is: (1) made publicly available by the owner of the Information or lawfully disclosed by a Party other than BellSouth or Al-Call; (2) lawfully obtained from any source other than the owner of the Information; or (3) previously known to the receiving Party without an obligation to keep it confidential.

12. **Assignments**

Neither Party hereto may assign or otherwise transfer its rights or obligations under this Agreement, except with the prior written consent of the other Party hereto, which consent shall not be unreasonably withheld; provided, however, that, so long as the performance of any assignee is guaranteed by the assignor: (i) either Party may assign its rights and delegate its benefits, duties and obligations under this Agreement, without the consent of the other Party, to any Affiliate of such Party and (ii) either Party may assign its rights and delegate its benefits, duties and obligations under this Agreement, without the consent of the other, to any person or entity that obtains control of all or substantially all of such assigning Party's assets, by stock purchase, asset purchase, merger, foreclosure, or otherwise. Each Party shall notify the other in writing of any such assignment. Nothing in this Section is intended to impair the right of either Party to utilize subcontractors.

13. **Escalation Procedures**

Each Party hereto shall provide the other party hereto with the names and telephone numbers or pagers of their respective managers up to the Vice Presidential level for the escalation of unresolved matters relating to their performance of their duties under this Agreement. Each Party shall supplement and update such information as necessary to facilitate prompt resolution of such matters. Each Party further agrees to establish an automatic internal escalation procedure relating to unresolved disputes arising under this Agreement.

14. **Expedite Procedures**

Each Party shall promptly establish a nondiscriminatory procedure for expediting installation and repair of facilities provided pursuant to this Agreement.

15. **Resolution of Disputes**

Except as otherwise stated in this Agreement, the Parties agree that if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, either Party may petition the Commission, the FCC or a court of law for resolution of the dispute. Each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement. Furthermore, the Parties agree to carry on their obligations under the Agreement while any dispute resolution is pending

16. **Taxes**

16.1 **Definition.** For purposes of this Section, the terms “taxes” and “fees” shall include but not limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.

16.2 **Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.**

16.2.1 Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.

16.2.2 Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.

16.3 **Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.**

16.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.

16.3.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.

- 16.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- 16.3.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 16.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 16.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 16.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 16.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.
- 16.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- 16.4.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any

such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed. The Parties agree to use best efforts to bill taxes promptly.

- 16.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. Both Parties shall retain the right to contest the imposition of such taxes and fees. However, the Party contesting the imposition of such taxes and fees shall bear the resulting expense.
- 16.4.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 16.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 16.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 16.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 16.5 Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

17. **Network Maintenance and Management**

- 17.1 The Parties shall work cooperatively to implement this Agreement. The Parties shall exchange appropriate information (e.g., maintenance contact numbers, network information, information required to comply with law enforcement and other security agencies of the Government, etc.) as reasonably required to implement and perform this Agreement.
- 17.2 Each Party hereto shall design, maintain and operate their respective networks as necessary to ensure that the other Party hereto receives service quality which is consistent with generally accepted industry standards at least at parity with the network service quality given to itself, its Affiliates, its End Users or any other Telecommunications Carrier.
- 17.3 Neither Party shall use any service or facility provided under this Agreement in a manner that impairs the quality of service to other Telecommunications Carriers' or to either Party's End Users. Each Party will provide the other Party notice of any such impairment at the earliest practicable time.
- 17.4 BellSouth agrees to provide AI-Call prior notice consistent with applicable FCC rules and the Act of changes in the information necessary for the transmission and routing of services using BellSouth's facilities or networks, as well as other changes that affect the interoperability of those respective facilities and networks. This Agreement is not intended to limit BellSouth's ability to upgrade its network through the incorporation of new equipment, new software or otherwise so long as such upgrades are not inconsistent with BellSouth's obligations to AI-Call under the terms of this Agreement.

18. **Changes In Subscriber Carrier Selection**

- 18.1 Both Parties hereto shall apply all of the principles set forth in 47 C.F.R. § 64.1100 to the process for End User selection of a primary Local Exchange Carrier. BellSouth shall not require a disconnect order from an AI-Call Customer or another LEC in order to process an AI-Call order for Resale Service for an AI-Call End User. Until the FCC or the Commission adopts final rules and procedures regarding a Customer's selection of a primary Local Exchange Carrier, unless already done so, AI-Call shall deliver to BellSouth a Blanket Representation of Authorization that applies to all orders submitted by AI-Call under this Agreement that require a primary Local Exchange Carrier change. Both Parties hereto shall retain on file all applicable documentation of authorization, including letters of authorization, relating to their End User's selection as its primary Local Exchange Carrier, which documentation shall be available for inspection by the other Party hereto upon reasonable request during normal business hours.
- 18.2 If an End User denies authorizing a change in his or her primary Local Exchange Carrier selection to a different local exchange carrier ("Unauthorized Switching"),

the Party receiving the End User complaint shall switch or caused to be switched that End User back to his preferred carrier in accordance with Applicable Law.

19. **Force Majeure**

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Customer, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

20. **Year 2000 Compliance**

Each Party warrants that it has implemented a program the goal of which is to ensure that all software, hardware and related materials (collectively called “Systems”) delivered, connected with BellSouth or supplied in the furtherance of the terms and conditions specified in this Agreement: (i) will record, store, process and display calendar dates falling on or after January 1, 2000, in the same manner, and with the same functionality as such software records, stores, processes and calendar dates falling on or before December 31, 1999; and (ii) shall include without limitation date data century recognition, calculations that accommodate same century and multicentury formulas and date values, and date data interface values that reflect the century.

21. **Modification of Agreement**

21.1 BellSouth shall make available, pursuant to 47 USC § 252(i) and the FCC rules and regulations regarding such availability, to AI-Call at the same rates and terms and conditions of any interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252. The adopted interconnection, service, or network element and agreement shall apply to the same states as such other agreement and for the identical term of such other agreement.

21.2 If AI-Call changes its name or makes changes to its identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of AI-Call to notify

BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.

- 21.3 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- 21.4 Execution of this Agreement by either Party does not confirm or infer that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).
- 21.5 In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Al-Call or BellSouth to perform any material terms of this Agreement, Al-Call or BellSouth may, on fifteen (15) business days' written notice require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within forty-five (45) business days after such notice, the Dispute may be referred to the Dispute Resolution procedure set forth in Section 12. In the event that the Parties reach agreement as to the new terms consistent with the above, the Parties agree to make the effective date of such amendment retroactive to the effective date of such Order consistent with this section, unless otherwise stated in the relevant Order.

22. **Waivers**

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the specific performance of any and all of the provisions of this Agreement.

23. **Governing Law**

This Agreement shall be governed by, and construed and enforced in accordance with, the laws of the state of Georgia.

24. **Arm's Length Negotiations**

This Agreement was executed after arm's length negotiations between the undersigned Parties and reflects the conclusion of the undersigned that this Agreement is in the best interests of all Parties.

25. **Notices**

25.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered in person or given by postage prepaid mail, addressed to:

BellSouth Telecommunications, Inc.

CLEC Account Team
9th Floor
600 North 19th Street
Birmingham, Alabama 35203

and

General Attorney - COU
Suite 4300
675 W. Peachtree St.
Atlanta, GA 30375

Al-Call, Inc.

Al-Call, Inc.
Gregg Davis, Vice President Operations
101 Mercer Street
Alma, GA 31510

Al-Call, Inc.
Teddy Soloman, President
101 Mercer Street
Alma, GA 31510

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

25.2 Where specifically required, notices shall be by certified or registered mail. Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.

25.3 BellSouth shall provide Al-Call notice via Internet posting of price changes and of changes to the terms and conditions of services available for resale.

26. **Relationship of Parties**

This Agreement shall not establish, be interpreted as establishing, or be used by either Party to establish, or to represent their relationship as any form of agency, partnership or joint venture. Neither Party shall have any authority to bind the other or to act as an agent for the other unless written authority, separate from this Agreement, is provided. Nothing in this Agreement shall be construed as providing for the sharing of profits or losses arising out of the efforts of either or both of the Parties. Nothing herein shall be construed as making either Party responsible or liable for the obligations and undertakings of the other Party.

27. **Third Party Beneficiaries**

This Agreement does not provide, and shall not be construed to provide, third parties with any benefit, remedy, claim, liability, reimbursement, cause of action, or other privilege.

28. **Cooperation on Preventing End User Fraud**

The Parties agree to cooperate fully with one another to investigate, minimize, prevent, and take corrective action in cases of fraud.

29. **Good Faith Performance**

In the performance of their obligations under this Agreement the Parties will act in good faith and consistently with the intent of the Act. Where notice, approval or similar action by a Party is permitted or required by any provision of this Agreement (including without limitation, the obligation of the Parties to further negotiate the resolution of new or open issues under this Agreement), such action will not be unreasonably delayed, withheld or conditioned.

30. **Independent Contractors**

Each Party is an independent contractor, and has and hereby retains the right to exercise full control of and supervision over its own performance of its obligations under this Agreement, and retains full control over the employment, direction, compensation and discharge of its employees assisting in the performance of such obligations. Each Party shall be solely responsible for all matters relating to payment of such employees, including compliance with social security taxes, withholding taxes and all other regulations governing such matters. Subject to the limitations on liability and except as otherwise provided in this Agreement, each Party shall be responsible for (i) its own acts and performance of all obligations imposed by Applicable Law in connection with its activities, legal status and

property, real or personal and, (ii) the acts of its own Affiliates, employees, agents and contractors during the performance of the Party's obligations hereunder.

31. **Subcontracting**

If any obligation is performed through a subcontractor, each Party shall remain fully responsible for the performance of this Agreement in accordance with its terms, including any obligations either Party performs through subcontractors, and each Party shall be solely responsible for payments due the Party's subcontractors. No contract, subcontract or other Agreement entered into by either Party with any third party in connection with the provision of any facilities or services provided herein, shall provide for any indemnity, guarantee or assumption of liability by, or other obligation of, the other Party to this Agreement with respect to such arrangement, except as consented to in writing by the other Party. No subcontractor shall be deemed a third party beneficiary for any purposes under this Agreement. Any subcontractor who gains access to CPNI or Confidential Information covered by this Agreement shall be required by the subcontracting Party to protect such CPNI or Confidential Information to the same extent that the subcontracting Party is required to protect the same under the terms of this Agreement.

32. **Severability**

If any term, condition or provision of this Agreement is held to be invalid or unenforceable for any reason, such invalidity or unenforceability shall not invalidate the entire Agreement, unless such construction would be unreasonable. The Agreement shall be construed as if it did not contain the invalid or unenforceable provision or provisions, and the rights and obligations of each Party shall be construed and enforced accordingly. Provided, however, that in the event such invalid or unenforceable provision or provisions are essential elements of this Agreement and substantially impair the rights or obligations of either Party, the Parties shall promptly negotiate a replacement provision or provisions. If impasse is reached, the Parties will resolve said impasse under the dispute resolution procedures set forth in Section 13.

33. **Survival of Obligations**

Any liabilities or obligations of a Party for acts or omissions prior to the cancellation or termination of this Agreement, and any obligation of a Party under the provisions regarding indemnification, Confidential Information, limitations on liability, and any other provisions of this Agreement which, by their terms are contemplated to survive (or to be performed after) termination of this Agreement, shall survive cancellation or termination thereof.

34. **Customer Inquiries**

34.1 Each Party shall refer all questions regarding the other Party's services or products directly to the other Party at a telephone number specified by that Party.

34.2 Each Party shall ensure that each of their representatives who receive inquiries regarding the other Party's services: (i) provide the numbers described in Section 46.1 to callers who inquire about the other Party's services or products, and (ii) do not in any way disparage or discriminate against the other Party or its products or services.

35. **Compliance with Applicable Law**

35.1 Each Party shall comply at its own expense with all applicable federal, state, and local statutes, laws, rules, regulations, codes, effective orders, decisions, injunctions, judgments, awards and decrees that relate to its obligations under this Agreement. Nothing in this Agreement shall be construed as requiring or permitting either Party to contravene any mandatory requirement of Applicable Law, and nothing herein shall be deemed to prevent either Party from recovering its cost or otherwise billing the other Party for compliance with the Order to the extent required or permitted by the term of such Order.

35.2 Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

36. **Labor Relations**

Each Party shall be responsible for labor relations with its own employees. Each Party agrees to notify the other Party as soon as practicable whenever such Party has knowledge that a labor dispute concerning its employees is delaying or threatens to delay such Party's timely performance of its obligations under this Agreement and shall endeavor to minimize impairment of service to the other Party (by using its management personnel to perform work or by other means) in the event of a labor dispute to the extent permitted by Applicable Law.

37. **Compliance with the Communications Law Enforcement Act of 1994 ("CALEA")**

Each Party represents and warrants that any equipment, facilities or services provided to the other Party under this Agreement comply with CALEA. Each Party shall indemnify and hold the other Party harmless from any and all penalties imposed upon the other Party for such other Party's noncompliance, and shall at the non-compliant Party's sole cost and expense, modify or replace any equipment, facilities or services provided to the other Party under this Agreement to ensure that such equipment, facilities and services fully comply with CALEA.

38. **Arm's Length Negotiations**

This Agreement was executed after arm's length negotiations between the undersigned Parties and reflects the conclusion of the undersigned that this Agreement is in the best interests of all Parties.

39. **Rule of Construction**

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

40. **Headings of No Force or Effect**

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

41. **Multiple Counterparts**

This Agreement may be executed multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

42. **Implementation of Agreement**

If AI-Call is a facilities based provider or a facilities based and resale provider, this section shall apply. Within 60 days of the execution of this Agreement or within 30 days of AI-Call placing its first order, whichever is later, the Parties will adopt a schedule for the implementation of the Agreement. The schedule shall state with specificity time frames for submission of including but not limited to, network design, interconnection points, collocation arrangement requests, pre-sales testing and full operational time frames for the business and residential markets. An implementation template to be used for the implementation schedule is contained in Attachment 10 of this Agreement.

43. **Additional Fair Competition Requirements**

43.1 In the event that either Party transfers facilities or other assets to an Affiliate which are necessary to comply with its obligations under this Agreement, the obligations hereunder shall survive and transfer to such Affiliate.

43.2 BellSouth shall allow local exchange customers of AI-Call to select BellSouth for the provision of intraLATA toll services on a nondiscriminatory basis; provided, however, that prior to establishment of BellSouth as the intraLATA toll carrier for AI-Call local exchange customers, the Parties shall negotiate a billing and collections agreement on commercially reasonable terms whereby AI-Call shall bill the customer on

BellSouth's behalf and shall collect from the customer and remit to BellSouth intraLATA toll revenues. Al-Call agrees to bill its customers on BellSouth's behalf for both presubscribed and "dial around" intraLATA toll traffic. The Parties shall exchange customer record data on a timely basis as necessary to bill such customers for intraLATA toll usage.

43.3 BellSouth shall not use information derived from providing services or facilities to Al-Call to create a lead or other information base for a "winback" sales program.

44. **Filing of Agreement**

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, Al-Call shall be responsible for publishing the required notice and the publication and/or notice costs shall be borne by Al-Call.

44.1 For electronic filing purposes in the State of Louisiana, the CLEC Louisiana Certification Number is required and must be provided by Al-Call prior to execution of the Agreement. The CLEC Louisiana Certification Number is _____.

45. **Entire Agreement**

This Agreement and its Attachments, incorporated herein by this reference, sets forth the entire understanding and supersedes prior Agreements between the Parties relating to the subject matter contained herein and merges all prior discussions between them, and neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

This Agreement may include attachments with provisions for the following services:

Network Elements and Other Services
Local Interconnection
Resale
Collocation

The following services are included as options for purchase by Al-Call. Al-Call shall elect said services by written request to its Account Manager if applicable.

Optional Daily Usage File (ODUF)

Enhanced Optional Daily Usage File (EODUF)
Access Daily Usage File (ADUF)
Line Information Database (LIDB) Storage
Centralized Message Distribution Service (CMDS)
Calling Name (CNAM)

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year above first written.

BellSouth Telecommunications, Inc.

Signature on file

Signature
Patrick C. Finlen

Name
Managing Director

Title
01/08/01

Date

AI-Call , Inc.

Signature on file

Signature
Greg Davis

Name
Vice President Operations

Title
12/27/00

Date

Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term “own” means to own an equity interest (or equivalent thereof) of more than 10 percent.

Centralized Message Distribution System is the Telcordia (formerly BellCore) administered national system, based in Kansas City, Missouri, used to exchange Exchange Message Interface (EMI) formatted data among host companies.

Commission is defined as the appropriate regulatory agency in each of the states in BellSouth’s nine state region: Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee.

Daily Usage File is the compilation of messages or copies of messages in standard Exchange Message Interface (EMI) format exchanged from BellSouth to a CLEC.

Exchange Message Interface is the nationally administered standard format for the exchange of data among the Exchange Carriers within the telecommunications industry.

Information Service means the offering of a capability for generating, acquiring, storing, transforming, processing, retrieving, utilizing, or making available information via telecommunications, and includes electronic publishing, but does not include any use of any such capability for the management, control, or operation of a telecommunications system or the management of a telecommunications service.

Intercompany Settlements (ICS) is the revenue associated with charges billed by a company other than the company in whose service area such charges were incurred. ICS on a national level includes third number and credit card calls and is administered by Telcordia (formerly BellCore)’s Calling Card and Third Number Settlement System (CATS). Included is traffic that originates in one Regional Bell Operating Company’s (RBOC) territory and bills in another RBOC’s territory.

Intermediary Function is defined as the delivery of traffic from Al-Call, a CLEC other than Al-Call or another telecommunications carrier through the network of BellSouth or Al-Call to an end user of Al-Call, a CLEC other than Al-Call or another telecommunications carrier.

Local Interconnection is defined as 1) the delivery of local traffic to be terminated on each Party’s local network so that end users of either Party have the ability to reach end users of the other Party without the use of any access code or substantial delay in the processing of the call; 2) the LEC network features, functions, and capabilities set forth in this Agreement; and 3) Service Provider Number Portability sometimes referred to as temporary telephone number portability to be implemented pursuant to the terms of this Agreement.

Local Traffic is as defined in Attachment 3.

Message Distribution is routing determination and subsequent delivery of message data from one company to another. Also included is the interface function with CMDS, where appropriate.

Multiple Exchange Carrier Access Billing (“MECAB”) means the document prepared by the Billing Committee of the Ordering and Billing Forum (“OBF”), which functions under the auspices of the Carrier Liaison Committee of the Alliance for Telecommunications Industry Solutions (“ATIS”) and by Telcordia (formerly BellCore) as Special Report SR-BDS-000983, Containing the recommended guidelines for the billing of Exchange Service access provided by two or more LECs and/or CLECs or by one LEC in two or more states within a single LATA.

Network Element is defined to mean a facility or equipment used in the provision of a telecommunications service. Such term may include, but is not limited to, features, functions, and capabilities that are provided by means of such facility or equipment, including but not limited to, subscriber numbers, databases, signaling systems, and information sufficient for billing and collection or used in the transmission, routing, or other provision of a telecommunications service. BellSouth offers access to the following Network Elements: unbundled loops; network interface device; sub-loop elements; local switching; transport; tandem switching; signaling; access to call-related databases; dark fiber as set forth in Attachment 2 of this Agreement. BellSouth will provide packet switching capability only to the extent required pursuant to FCC rules. BellSouth will make Operator Call Processing and Directory Assistance Services available at the rates set forth in Exhibit C of Attachment 2 of this Agreement.

Non-Intercompany Settlement System (NICS) is the Telcordia (formerly BellCore) system that calculates non-intercompany settlements amounts due from one company to another within the same RBOC region. It includes credit card, third number and collect messages.

Percent of Interstate Usage (PIU) is defined as a factor to be applied to terminating access services minutes of use to obtain those minutes that should be rated as interstate access services minutes of use. The numerator includes all interstate “non-intermediary” minutes of use, including interstate minutes of use that are forwarded due to service provider number portability less any interstate minutes of use for Terminating Party Pays services, such as 800 Services. The denominator includes all “non-intermediary”, local, interstate, intrastate, toll and access minutes of use adjusted for service provider number portability less all minutes attributable to terminating Party pays services.

Percent Local Usage (PLU) is defined as a factor to be applied to intrastate terminating minutes of use. The numerator shall include all “non-intermediary” local minutes of use adjusted for those minutes of use that only apply local due to Service Provider Number Portability. The denominator is the total intrastate minutes of use including local, intrastate toll, and access, adjusted for Service Provider Number Portability less intrastate terminating Party pays minutes of use.

Revenue Accounting Office (RAO) Status Company is a local exchange company/alternate local exchange company that has been assigned a unique RAO code. Message data exchanged

among RAO status companies is grouped (i.e. packed) according to From/To/Bill RAO combinations.

Service Control Points (“SCPs”) are defined as databases that store information and have the ability to manipulate data required to offer particular services.

Signal Transfer Points (“STPs”) are signaling message switches that interconnect Signaling Links to route signaling messages between switches and databases. STPs enable the exchange of Signaling System 7 (“SS7”) messages between switching elements, database elements and STPs. STPs provide access to various BellSouth and third party network elements such as local switching and databases.

Signaling links are dedicated transmission paths carrying signaling messages between carrier switches and signaling networks. Signal Link Transport is a set of two or four dedicated 56 kbps transmission paths between AI-Call designated Signaling Points of Interconnection that provide a diverse transmission path and cross connect to a BellSouth Signal Transfer Point.

Telecommunications means the transmission, between or among points specified by the user, of information of the user’s choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 (“Act”) means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47, U.S.C. Section 1 et. seq.).

Attachment 1

Resale

TABLE OF CONTENTS

| | | |
|-----|---|----|
| 1. | DISCOUNT RATES | 3 |
| 2. | DEFINITION OF TERMS..... | 3 |
| 3. | GENERAL PROVISIONS..... | 3 |
| 4. | BELLSOUTH'S PROVISION OF SERVICES TO AL-CALL..... | 6 |
| 5. | MAINTENANCE OF SERVICES | 6 |
| 6. | ESTABLISHMENT OF SERVICE..... | 7 |
| 7. | PAYMENT AND BILLING ARRANGEMENTS..... | 8 |
| 8. | DISCONTINUANCE OF SERVICE | 10 |
| 9. | RESALE OF CUSTOMER SPECIFIC ARRANGEMENTS..... | 11 |
| 10. | LINE INFORMATION DATABASE (LIDB)..... | 12 |
| 11. | RAO HOSTING..... | 12 |
| 12. | OPTIONAL DAILY USAGE FILE (ODUF) | 12 |
| 13. | ENHANCED OPTIONAL DAILY USAGE FILE (EODUF) | 12 |
| 14. | CALLING NAME DELIVERY (CNAM) DATABASE SERVICE | 12 |
| | EXHIBIT A | 13 |
| | EXHIBIT B | 16 |
| | EXHIBIT C | 18 |
| | EXHIBIT D | 25 |
| | EXHIBIT E..... | 28 |
| | EXHIBIT F..... | 31 |

RESALE

1. Discount Rates

The rates pursuant by which AI-Call is to purchase services from BellSouth for resale shall be at a discount rate off of the retail rate for the telecommunications service. The discount rates shall be as set forth in Exhibit A, attached hereto and incorporated herein by this reference. Such discount shall reflect the costs avoided by BellSouth when selling a service for wholesale purposes.

2. Definition of Terms

- 2.1 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.2 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.3 END USER means the ultimate user of the telecommunications services.
- 2.4 END USER CUSTOMER LOCATION means the physical location of the premises where an end user makes use of the telecommunications services.
- 2.5 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.6 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the public service commissions of BellSouth's franchised area to provide local exchange service within BellSouth's franchised area
- 2.7 RESALE means an activity wherein a certificated CLEC, such as AI-Call subscribes to the telecommunications services of BellSouth and then reoffers those telecommunications services to the public (with or without "adding value").
- 2.8 RESALE SERVICE AREA means the area, as defined in a public service commission approved certificate of operation, within which an CLEC, such as AI-Call, may offer resold local exchange telecommunications service.

3. General Provisions

- 3.1 AI-Call may resell the tariffed local exchange and toll telecommunications services of BellSouth contained in the General Subscriber Service Tariff and Private Line Service Tariff subject to the terms, and conditions specifically set forth herein. Notwithstanding the foregoing, the exclusions and limitations on services available for resale will be as set forth in Exhibit B, attached hereto and incorporated herein by this reference.

BellSouth shall make available telecommunications services for resale at the rates set forth in Exhibit A to this Agreement and subject to the exclusions and limitations set forth in Exhibit B to this Agreement. The Parties do not however waive their rights to appeal or otherwise challenge any decision regarding resale that resulted in the discount rates contained in Exhibit A or the exclusions and limitations contained in Exhibit B. The Parties reserve the right to pursue any and all legal and/or equitable remedies, including appeals of any decisions. If such appeals or challenges result in changes in the discount rates or exclusions and limitations, the parties agree that appropriate modifications to this Agreement will be made promptly to make its terms

consistent with the outcome of the appeal. Al-Call may purchase resale services from BellSouth for its own use in operating its business. The resale discount will apply to those services under the following conditions:

- 3.1.1 Al-Call must resell services to other end users.
- 3.1.2 Al-Call must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Resale Account Teams pursuant to Section 3 of the General Terms and Conditions.
- 3.1.3 Al-Call cannot be an alternative local exchange telecommunications company for the single purpose of selling to itself.
- 3.2 The provision of services by BellSouth to Al-Call does not constitute a joint undertaking for the furnishing of any service.
- 3.3 Al-Call will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and expect payment from Al-Call for all services.
- 3.4 Al-Call will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the end user except to the extent provided for herein.
- 3.5 BellSouth will continue to bill the end user for any services that the end user specifies it wishes to receive directly from BellSouth.
- 3.6 BellSouth maintains the right to serve directly any end user within the service area of Al-Call. BellSouth will continue to directly market its own telecommunications products and services and in doing so may establish independent relationships with end users of Al-Call.
- 3.7 Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.8 Current telephone numbers are assigned to the service furnished and may normally be retained by the end user. Neither Party has property rights to the telephone number or any other call number designation associated with services furnished by BellSouth. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both in a non-discriminatory manner and at parity.
- 3.9 For the purpose of the resale of BellSouth's telecommunications services by Al-Call, BellSouth will provide Al-Call with an on line access to telephone numbers for reservation on a first come first serve basis. Al-Call shall be able to reserve telephone numbers to the same extent that BellSouth's retail operations may reserve telephone numbers. Al-Call acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC). In such instances BellSouth may request that Al-Call cancel its reservations of numbers, and any such request will be made in a non-discriminatory manner and at parity. Al-Call shall comply with such request.
- 3.10 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.11 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.

- 3.12 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.13 BellSouth accepts no responsibility to any person for any unlawful act committed by AI-Call or its end users as part of providing service to AI-Call for purposes of resale or otherwise.
- 3.14 The characteristics and methods of operation of any circuits, facilities or equipment provided by any person or entity other than BellSouth shall not:
- 3.14.1 Interfere with or impair service over any facilities of BellSouth, its affiliates, or its connecting and concurring carriers involved in its service;
 - 3.14.2 Cause damage to BellSouth's plant;
 - 3.14.3 Impair the privacy of any communications; or
 - 3.14.4 Create hazards to any BellSouth employees or the public.
- 3.15 Facilities and/or equipment utilized by BellSouth to provide service to AI-Call remain the property of BellSouth.
- 3.16 White page directory listings will be provided in accordance with regulations set forth in Section A6 of the General Subscriber Services Tariff and will be available for resale.
- 3.17 BellSouth provides electronic access to customer record information. Access is provided through the Local Exchange Navigation System (LENS) and the Telecommunications Access Gateway (TAG). Customer Record Information includes but is not limited to, customer specific information in CRIS and RSAG. AI-Call agrees not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission, and further agrees that AI-Call will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the AI-Call in which the service is provided.
- 3.18 All costs incurred by BellSouth to develop and implement operational interfaces shall be recovered, from Resellers who utilize the services. Charges for use of Operational Support Systems (OSS) shall be as set forth in Exhibit A of this attachment. Where available to BellSouth's end users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
- Simplified Message Desk Interface - Enhanced ("SMDI-E")
 - Simplified Message Desk Interface ("SMDI") Message Waiting Indicator ("MWT") stutter dial tone and message waiting light feature capabilities
 - Call Forward on Busy/Don't Answer ("CF-B/DA")
 - Call Forward on Busy ("CF/B")
 - Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount BellSouth's Inside Wire Maintenance Service Plans may be made available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.

3.19 Recovery of charges associated with implementing Number Portability through monthly charges assessed to end users has been authorized by the FCC. This end user line charge will be billed to Resellers of BellSouth's telecommunications services and will be as filed in FCC No. 1. This charge will not be discounted.

3.20 BellSouth shall notify Al-Call in advance of long term promotions (offered for longer than ninety (90) days) by posting a notice on its website.

3.21 New Resale Services; Changes in Provision of Resale Services

BellSouth shall use best efforts to provide Al-Call forty-five (45) days advance notice via Internet posting of changes to the prices, terms or conditions of services available for Resale. To the extent that revisions occur between the time BellSouth notifies Al-Call of changes under this Agreement and the time the changes are scheduled to be implemented, BellSouth will notify Al-Call of such revisions consistent with its internal notification process; provided that, Al-Call shall not utilize any notice given under this subsection to market resold offerings of that service in advance of BellSouth. In addition, upon request BellSouth shall furnish Al-Call with copies of publicly available service descriptions regarding the Resale Services. Notwithstanding the foregoing, Al-Call shall not utilize any such BellSouth service descriptions as part of its own sales or marketing efforts.

4. **BellSouth's Provision of Services to Al-Call**

4.1 Al-Call agrees that its resale of BellSouth services shall be as follows:

4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.

4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital end users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Independent Payphone Provider (IPP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.

4.1.3 BellSouth reserves the right to periodically audit services purchased by Al-Call to establish authenticity of use. Consistent with Section 4.2 below. Such audit shall not occur more than once in a calendar year. Al-Call shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit.

4.2 Resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual end user of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features, e.g., a usage allowance per month, shall not be aggregated across multiple resold services.

4.3 Al-Call may resell services only within the specific resale service area as defined in its certificate.

4.4 Telephone numbers transmitted via any resold service feature are intended solely for the use of the end user of the feature. Resale of this information is prohibited.

5. **Maintenance of Services**

- 5.1 Al-Call will adopt and adhere to the standards contained in the applicable CLEC Work Center Operational Understanding Agreement regarding maintenance and installation of service. Any conflict between the terms of the Operational Understanding Agreement and this Agreement shall be resolved in favor of this Agreement. Services resold under BellSouth's Tariffs and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- 5.2 Al-Call or its end users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth, other than by connection or disconnection to any interface means used, except with the written consent of BellSouth.
- 5.3 Al-Call accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- 5.4 Al-Call will be BellSouth's single point of contact for all repair calls on behalf of Al-Call's end users. The parties agree to provide one another with toll-free contact numbers for such purposes.
- 5.5 Al-Call will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- 5.6 For all repair requests, Al-Call accepts responsibility for adhering to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- 5.7 BellSouth will bill Al-Call for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 5.8 BellSouth reserves the right to contact Al-Call's end users, if deemed necessary, for maintenance purposes.

6. Establishment of Service

- 6.1 After receiving certification as a local exchange company from the appropriate regulatory agency, Al-Call will provide the appropriate BellSouth service center the necessary documentation to enable BellSouth to establish a master account for Al-Call's resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable. When necessary deposit requirements are met, BellSouth will begin taking orders for the resale of service.
- 6.2 Service orders will be in a standard format designated by BellSouth.
- 6.3 When notification is received from Al-Call that a current end user of BellSouth will subscribe to Al-Call's service, standard service order intervals for the appropriate class of service will apply.
- 6.4 BellSouth will not require end user confirmation prior to establishing service for Al-Call's end user customer. Al-Call must, however, be able to demonstrate end user authorization upon request.
- 6.5 Al-Call will be the single point of contact with BellSouth for all subsequent ordering activity resulting in additions or changes to resold services except that BellSouth will accept a request directly from the end user for conversion of the end user's service from Al-Call to BellSouth or will accept a request from another CLEC for conversion of the end user's service from Al-Call to the other LEC. BellSouth will notify Al-Call that such a request has been processed.

- 6.6 If BellSouth determines that an unauthorized change in local service to Al-Call has occurred, BellSouth, upon customer request, will reestablish service with the appropriate local service provider and will assess Al-Call as the CLEC initiating the unauthorized change, the unauthorized change charge described in F.C.C. Tariff No. 1, Section 13 or applicable state tariff. Appropriate nonrecurring charges, as set forth in Section A4. of the General Subscriber Service Tariff, will also be assessed to Al-Call. These charges will be adjusted to reflect a full credit if Al-Call provides satisfactory proof of authorization. BellSouth will notify Al-Call within five (5) business days that such a request has been processed.
- 6.7 In order to safeguard its interest, BellSouth reserves the right to secure the account with a reasonable and nondiscriminatory form of security deposit unless satisfactory credit has already been established.
- 6.7.1 Such security deposit shall take the form of an irrevocable Letter of Credit or other forms of security acceptable to BellSouth. Any such security deposit may be held during the continuance of the service as security for the payment of any and all amounts accruing for the service.
- 6.7.2 If a security deposit is required, such security deposit shall be made prior to the inauguration of service.
- 6.7.3 Such security deposit may not exceed two months' estimated billing.
- 6.7.4 The fact that a security deposit has been made in no way relieves Al-Call from complying with BellSouth's regulations as to advance payments and the prompt payment of bills on presentation nor does it constitute a waiver or modification of the regular practices of BellSouth providing for the discontinuance of service for non-payment of any sums due BellSouth.
- 6.7.5 BellSouth reserves the right to increase the security deposit requirements when, in its reasonable judgment and on a nondiscriminatory basis, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the security deposit.
- 6.7.6 In the event that Al-Call defaults on its account, service to Al-Call will be terminated and any security deposits held will be applied to its account.
- 6.7.7 Interest on a security deposit shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff.
- 6.8 Orders to switch services "as is" shall be treated as a change of service and shall *not* be treated as a disconnection and subsequent reconnection of service.

7. Payment And Billing Arrangements

- 7.1 To the extent Al-Call has not already done so, prior to submitting orders to BellSouth for local service, a master account must be established for Al-Call. Al-Call is required to provide the following before a master account is established: proof of PSC/PUC certification, the Application for Master Account, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable. BellSouth shall bill Al-Call on a current basis all applicable charges and credits.
- 7.2 Payment of all charges will be the responsibility of Al-Call. Al-Call shall make payment to BellSouth for all services billed. BellSouth is not responsible for payments not received by Al-Call from Al-Call's end user. BellSouth will not become involved in billing disputes that may

arise between Al-Call and its end user, except as provided herein. Payments made to BellSouth as payment on account will be credited to an accounts receivable master account and not to an end user's account.

- 7.3 BellSouth will render bills each month on established bill days for each of Al-Call's accounts
- 7.4 BellSouth will bill Al-Call in advance charges for all services to be provided during the ensuing billing period except charges associated with service usage, which will be billed in arrears. Charges will be calculated on an individual end user account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill Al-Call, and Al-Call will be responsible for and remit to BellSouth, all charges applicable to resold services including but not limited to 911 and E911 charges, telecommunications relay charges (TRS), and franchise fees
- 7.5 The payment will be due by the next bill date, (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.
- 7.6 If the payment due date falls on a Sunday or on a Holiday which is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment penalty, as set forth in section 7.8 following, shall apply.
 - 7.6.1 If Al-Call requests multiple billing media or additional copies of bills, BellSouth will provide these at an appropriate charge to Al-Call.
- 7.7 Billing Disputes
 - 7.7.1 Each Party agrees to notify the other Party upon the discovery of a billing dispute. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the Bill Date on which such disputed charges appear, provided however that failure to raise a billing dispute within 60 days of the bill date shall not operate to waive such dispute. Resolution of the dispute is expected to occur at the first level of management resulting in a recommendation for settlement of the dispute and closure of a specific billing period. If the issues are not resolved within the allotted time frame, the following resolution procedure will begin:
 - 7.7.2 If the dispute is not resolved within sixty (60) days of the Bill Date, the dispute will be escalated to the second level of management for each of the respective Parties for resolution.
 - 7.7.3 If the dispute is not resolved within ninety (90) days of the Bill Date, the dispute will be escalated to the third level of management for each of the respective Parties for resolution.
 - 7.7.4 If the dispute is not resolved within one hundred and twenty (120) days of the Bill Date, or within such other time as the parties may agree, either Party may file a complaint with the Commission or with a court of competent jurisdiction. The parties will comply with decisions of the court of Commission, subject to the appropriate rights to appeal.
 - 7.7.5 If a Party disputes a charge and does not pay such charge by the payment due date, such charges shall be subject to late payment charges as set forth in the Late Payment Charges provision of this Attachment. If a Party disputes a charge and does pay such charge by the payment due date, that Party will be entitled to a credit with interest if the dispute is

resolved in favor of that Party. If a Party disputes charges and the dispute is resolved in favor of such Party, the other Party shall credit the bill of the disputing Party for the amount of the disputed charges along with any late payment charges assessed no later than the second Bill Date after the resolution of the dispute. Accordingly, if a Party disputes charges and the dispute is resolved in favor of the other Party, the disputing Party shall pay the other Party the amount of the disputed charges and any associated late payment charges assessed no later than the second bill payment due date after the resolution of the dispute. BellSouth shall only assess interest on previously assessed late payment charges in a state where it has authority pursuant to its tariffs.

- 7.8 Upon proof of tax exempt certification from AI-Call, the total amount billed to AI-Call will not include any taxes due from the end user to reflect the tax exempt certification and local tax laws. AI-Call will be solely responsible for the computation, tracking, reporting, and payment of taxes applicable to AI-Call's end user.
- 7.9 If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment penalty shall be due to BellSouth. The late payment penalty shall be the portion of the payment not received by the payment due date times a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff and Section B2 of the Private Line Service Tariff.
- 7.10 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to, BellSouth. No additional charges are to be assessed to AI-Call.
- 7.11 BellSouth will not perform billing and collection services for AI-Call as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.
- 7.12 Pursuant to 47 CFR Section 51.617, BellSouth will bill AI-Call end user common line charges identical to the end user common line charges BellSouth bills its end users.
- 7.13 In general, BellSouth will not become involved in disputes between AI-Call and AI-Call's end user customers over resold services. If a dispute does arise that cannot be settled without the involvement of BellSouth, AI-Call shall contact the designated Service Center for resolution. BellSouth will make every effort to assist in the resolution of the dispute and will work with AI-Call to resolve the matter in as timely a manner as possible. AI-Call may be required to submit documentation to substantiate the claim.

8. **Discontinuance of Service**

- 8.1 The procedures for discontinuing service to an end user are as follows:
 - 8.1.1 Where possible, BellSouth will deny service to AI-Call's end user on behalf of, and at the request of, AI-Call. Upon restoration of the end user's service, restoral charges will apply and will be the responsibility of AI-Call.
 - 8.1.2 At the request of AI-Call, BellSouth will disconnect a AI-Call end user customer.
 - 8.1.3 All requests by AI-Call for denial or disconnection of an end user for nonpayment must be in writing.

- 8.1.4 AI-Call will be made solely responsible for notifying the end user of the proposed disconnection of the service.
- 8.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise AI-Call when it is determined that annoyance calls are originated from one of their end user's locations. BellSouth shall be indemnified, defended and held harmless by AI-Call and/or the end user against any claim, loss or damage arising from providing this information to AI-Call. It is the responsibility of AI-Call to take the corrective action necessary with its end users who make annoying calls. Failure to do so will result in BellSouth's disconnecting the end user's service.
- 8.1.6 BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received an order to establish new service or transfer of service from an end user or an end user's CLEC at the same address served by the denied facility.
- 8.2 The procedures for discontinuing service to AI-Call are as follows:
 - 8.2.1 BellSouth reserves the right to suspend or terminate service. BellSouth will provide notice and an opportunity to cure, not to exceed five business days, in the event of prohibited, unlawful or improper use of the facilities or service, abuse of the facilities, or any other violation or noncompliance by AI-Call of the rules and regulations of BellSouth's Tariffs
 - 8.2.2 BellSouth reserves the right to suspend or terminate service for nonpayment. If payment of account is not received by the bill day in the month after the original bill day, BellSouth may provide written notice to AI-Call that additional applications for service will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, give thirty days notice to the person designated by AI-Call to receive notices of noncompliance, and discontinue the provision of existing services to AI-Call at any time thereafter.
 - 8.2.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
 - 8.2.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and AI-Call's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to AI-Call without further notice.
 - 8.2.5 If payment is not received or arrangements made for payment by the date given in the written notification, AI-Call's services will be discontinued. Upon discontinuance of service on a AI-Call's account, service to AI-Call's end users will be denied. BellSouth will also reestablish service at the request of the end user or AI-Call upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. AI-Call is solely responsible for notifying the end user of the proposed disconnection of the service.
 - 8.2.6 If within fifteen days after an end user's service has been denied no contact has been made in reference to restoring service, the end user's service will be disconnected.

9. **Resale of Customer Specific Arrangements**

- 9.1 CSAs shall be available for resale at the wholesale discount set forth in Exhibit A of this Attachment; provided, however, that in the event the Commission establishes a specific discount

for CSAs such discount shall apply thereafter. AI-Call may resell a CSA to the end user for whom the CSA was constructed or to end users similarly situated to the specific end user for whom the CSA was constructed. Customers shall be deemed to be similarly situated when the quantity of use; time of use; manner of service; and costs of rendering the service are the same. In cases where AI-Call resells an existing CSA, no termination or rollover charges shall apply to the assignment of the CSA to AI-Call provided that AI-Call assumes the obligations set forth within the CSA. Notwithstanding the foregoing, BellSouth may impose a single service order charge (not to exceed the level of tariffed service order charges for comparable services) to recover the cost of changing the billing name on the account.

10. **Line Information Database (LIDB)**

- 10.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit C.
- 10.2 BellSouth will provide LIDB Storage upon written request to AI-Call Account Manager stating requested activation date.

11. **RAO Hosting**

- 11.1 The RAO Hosting Agreement is included in this Attachment as Exhibit D. Rates for BellSouth's Centralized Message Distribution System (CMDs) are as set forth in Exhibit H of this Attachment.
- 11.2 BellSouth will provide RAO Hosting upon written request to its Account Manager stating requested activation date.

12. **Optional Daily Usage File (ODUF)**

- 12.1 The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as Exhibit E. Rates for ODUF are as set forth in Exhibit H of this Attachment.
- 12.2 BellSouth will provide Optional Daily Usage File (ODUF) service upon written request to its Account Manager stating requested activation date.

13. **Enhanced Optional Daily Usage File (EODUF)**

- 13.1 The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit F. Rates for EODUF are as set forth in Exhibit H of this Attachment.
- 13.2 BellSouth will provide Enhanced Optional Daily Usage File (EODUF) service upon written request to its Account Manager stating requested activation date.

14. **Calling Name Delivery (CNAM) Database Service**

- 14.1 Calling Name Delivery (CNAM) Database Service Agreement is included in this Attachment as Exhibit G. Rates for CNAM are as set forth in Exhibit H of this Attachment.
- 14.2 BellSouth will provide Calling Name Delivery (CNAM) Database service upon written request to its Account Manager stating requested activation date.

EXHIBIT A
Page 1

APPLICABLE DISCOUNTS

The telecommunications services available for purchase by Al-Call for the purposes of resale to Al-Call end users shall be available at the following discount off of the retail rate.

DISCOUNT*

| <u>STATE</u> | <u>RESIDENCE</u> | <u>BUSINESS</u> | <u>CSAs***</u> |
|---------------------|-------------------------|------------------------|-----------------------|
| ALABAMA | 16.3% | 16.3% | |
| FLORIDA | 21.83% | 16.81% | |
| GEORGIA | 20.3% | 17.3% | |
| KENTUCKY | 16.79% | 15.54% | |
| LOUISIANA | 20.72% | 20.72% | 9.05% |
| MISSISSIPPI | 15.75% | 15.75% | |
| NORTH CAROLINA | 21.5% | 17.6% | |
| SOUTH CAROLINA | 14.8% | 14.8% | 8.98% |
| TENNESSEE** | 16% | 16% | |

* When a CLEC provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.

** In Tennessee, if CLEC provides its own operator services and directory services, the discount shall be 21.56%. CLEC must provide written notification to BellSouth within 30 days prior to providing its own operator services and directory services to qualify for the higher discount rate of 21.56%.

*** Unless noted in this column, the discount for Business will be the applicable discount rate for CSAs.

EXHIBIT A
Page 2

OPERATIONAL SUPPORT SYSTEMS (OSS) RATES

BellSouth has developed and made available the following mechanized systems by which AI-Call may submit LSRs electronically.

| | |
|--------|---|
| LENS | Local Exchange Navigation System |
| EDI | Electronic Data Interface |
| EDI-PC | Electronic Data Interface – Personal Computer |
| TAG | Telecommunications Access Gateway |

LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic ordering charge as specified in the Table below. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below.

| OPERATIONAL SUPPORT SYSTEMS (OSS) RATES | <u>Electronic</u> Per LSR received from the CLEC by one of the OSS interactive interfaces | <u>Manual</u> Per LSR received from the CLEC by means other than one of the OSS interactive interfaces |
|--|--|---|
| OSS LSR Charge | \$3.50 | \$19.99 |
| USOC | SOMECS | SOMAN |

Note: The OSS charges shall be paid in addition to and not in lieu of recurring and non-recurring charges applicable to the services ordered.

DENIAL/RESTORAL SERVICE CHARGE

In the event AI-Call provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

CANCELLATION OSS CHARGE

AI-Call will incur an OSS charge for an accepted LSR that is later canceled by AI-Call.

Note: Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

THRESHOLD BILLING PLAN

The Parties agree that AI-Call will incur the mechanized rate for all LSRs, both **mechanized (LENS, EDI, EDI-PC, and TAG)** and manual, if the percentage of mechanized LSRs to total LSRs **meets or** exceeds the threshold percentages shown below

| Year | Ratio: Mechanized/Total LSRs |
|------|------------------------------|
| 2000 | 80% |
| 2001 | 90% |

The threshold plan will be discontinued in 2002.

EXHIBIT A
Page 3

In calculating the percentages above, all orders submitted via BellSouth's mechanized LSR systems (LENS, EDI, EDI-PC, and TAG) will count as mechanized LSRs, regardless of whether an order falls out of the mechanized process or requires manual intervention in order to be properly completed and processed.

BellSouth will track the total LSR volume for each CLEC for each quarter. At the end of that time period, a Percent Electronic LSR calculation will be made for that quarter based on the LSR data tracked in the LCSC. If this percentage exceeds the threshold volume, all of that CLECs' future manual LSRs will be billed at the mechanized LSR rate. To allow time for obtaining and analyzing the data and updating the billing system, this billing change will take place on the first day of the second month following the end of the quarter (e.g., May 1 for 1Q, Aug 1 for 2Q, etc.). There will be no adjustments to the amount billed for previously billed LSRs.

Exhibit B
Page 1 of 2

**EXCLUSIONS AND LIMITATIONS
ON SERVICES AVAILABLE FOR RESALE**

| Type of Service | | AL | | FL | | GA | | KY | | LA | |
|-----------------|---|---------|-----------|---------|-----------|---------|-----------|---------|-----------|---------|-----------|
| | | Resale? | Discount? | Resale? | Discount? | Resale? | Discount? | Resale? | Discount? | Resale? | Discount? |
| 1 | Grandfathered Services (Note 1) | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| 2 | Contract Service Arrangements | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| 3 | Promotions - > 90 Days(Note 2) | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| 4 | Promotions - < 90 Days (Note 2) | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| 5 | Lifeline/Link Up Services | Yes | Yes | Yes | Yes | Yes | Yes | Note 4 | Note 4 | Yes | Yes |
| 6 | 911/E911 Services | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No | No |
| 7 | N11 Services | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No | No |
| 8 | AdWatch SM Svc (See Note 6) | Yes | yes | Yes | yes | Yes | yes | Yes | yes | Yes | Yes |
| 9 | MemoryCall [®] Service | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| 10 | Mobile Services | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| 11 | Federal Subscriber Line Charges | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| 12 | Non-Recurring Charges | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| 13 | End User Line Charge – Number Portability | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |

| Type of Service | | MS | | NC | | SC | | TN | |
|-----------------|---|---------|-----------|---------|-----------|---------|-----------|---------|-----------|
| | | Resale? | Discount? | Resale? | Discount? | Resale? | Discount? | Resale? | Discount? |
| 1 | Grandfathered Services (Note 1) | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| 2 | Contract Service Arrangements | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| 3 | Promotions - > 90 Days(Note 2) | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Note 3 |
| 4 | Promotions - < 90 Days (Note 2) | Yes | No | Yes | No | Yes | No | Yes | No |
| 5 | Lifeline/Link Up Services | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Note 4 |
| 6 | 911/E911 Services | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| 7 | N11 Services | No | No | No | No | Yes | Yes | Yes | Yes |
| 8 | AdWatch SM Svc (See Note 6) | Yes | yes | Yes | yes | Yes | yes | Yes | yes |
| 9 | MemoryCall [®] Service | Yes | No | Yes | No | Yes | No | Yes | No |
| 10 | Mobile Services | Yes | No | Yes | No | Yes | No | Yes | No |
| 11 | Federal Subscriber Line Charges | Yes | No | Yes | No | Yes | No | Yes | No |
| 12 | Non-Recurring Charges | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No |
| 13 | End User Line Charge – Number Portability | Yes | No | Yes | No | Yes | No | Yes | No |

Applicable Notes:

- 1 **Grandfathered services** can be resold only to existing subscribers of the grandfathered service.
- 2 Where available for resale, **promotions** will be made available only to end users who would have qualified for the promotion had it been provided by BellSouth directly.
- 3 In Tennessee, long-term promotions (offered for more than ninety (90) days) may be obtained at one of the following rates:
 - (a) the stated tariff rate, less the wholesale discount;
 - (b) the promotional rate (the promotional rate offered by BellSouth will not be discounted further by the wholesale discount rate)

EXHIBIT B
Page 2 of 2

- 4 **Lifeline/Link Up** services may be offered only to those subscribers who meet the criteria that BellSouth currently applies to subscribers of these services. In Kentucky, the Al-Call is responsible for funding its own Lifeline and Link Up benefit. In Tennessee, Al-Call shall purchase BellSouth's Message Rate Service at the stated tariff rate, less the wholesale discount. Al-Call must further discount the wholesale Message Rate Service to Lifeline customers with a discount which is no less than the minimum discount that BellSouth now provides. Al-Call is responsible for recovering the Subscriber Line Charge from the National Exchange Carriers Association interstate toll settlement pool just as BellSouth does today. The maximum rate that Al-Call may charge for Lifeline Service shall be capped at the flat retail rate offered by BellSouth.
- 5 Some of BellSouth's local exchange and toll telecommunications services are not available in certain central offices and areas.
- 6 AdWatchSM Service is tariffed as BellSouth[®] AIN Virtual Number Call Detail Service.

EXHIBIT C

**LINE INFORMATION DATA BASE (LIDB)
STORAGE AGREEMENT**

I. SCOPE

A. This Agreement sets forth the terms and conditions pursuant to which BST agrees to store in its LIDB certain information at the request of the Local Exchange Company and pursuant to which BST, its LIDB customers and Local Exchange Carrier shall have access to such information. Local Exchange Carrier understands that BST provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Local Exchange Carrier, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained in the attached Addendum(s) are hereby made a part of this Agreement as if fully incorporated herein.

B. LIDB is accessed for the following purposes:

1. Billed Number Screening
2. Calling Card Validation
3. Fraud Control

C. BST will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BST's LIDB, provided that such information is included in the LIDB query. BST will establish fraud alert thresholds and will notify the Local Exchange Company of fraud alerts so that the Local Exchange Company may take action it deems appropriate. Local Exchange Company understands and agrees BST will administer all data stored in the LIDB, including the data provided by Local Exchange Company pursuant to this Agreement, in the same manner as BST's data for BST's end user customers. BST will suspend or restore individual LIDB accounts of AI-Call customers as instructed by AI-Call. BST shall not be responsible to Local Exchange Company for any lost revenue which may result from BST's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BST in its sole discretion from time to time.

Local Exchange Company understands that BST currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses. Local Exchange Company further

EXHIBIT C

understands that these billing and collection customers of BST query BST's LIDB to determine whether to accept various billing options from end users. Additionally, Local Exchange Company understands that presently BST has no method to differentiate between BST's own billing and line data in the LIDB and such data which it includes in the LIDB on Local Exchange Company's behalf pursuant to this Agreement. Therefore, until such time as BST can and does implement in its LIDB and its supporting systems the means to differentiate Local Exchange Company's data from BST's data and the parties to this Agreement execute appropriate amendments hereto, the following terms and conditions shall apply:

(a) The Local Exchange Company agrees that it will accept responsibility for telecommunications services billed by BST for its billing and collection customers for Local Exchange Customer's end user accounts which are resident in LIDB pursuant to this Agreement. Local Exchange Company authorizes BST to place such charges on Local Exchange Company's bill from BST and agrees that it shall pay all such charges. Charges for which Local Exchange Company hereby takes responsibility include, but are not limited to, collect and third number calls.

(b) Charges for such services shall appear on a separate BST bill page identified with the name of the entity for which BST is billing the charge.

(c) Local Exchange Company shall have the responsibility to render a billing statement to its end users for these charges, but Local Exchange Company's obligation to pay BST for the charges billed shall be independent of whether Local Exchange Company is able or not to collect from the Local Exchange Company's end users.

(d) BST shall not become involved in any disputes between Local Exchange Company and the entities for which BST performs billing and collection. BellSouth will not issue adjustments for charges billed on behalf of an entity to Local Exchange Company. It shall be the responsibility of the Local Exchange Company and the other entity to negotiate and arrange for any appropriate adjustments.

II. TERM

This Agreement will be effective as of June 26, 2000, and will continue in effect for one year, and thereafter may be continued until terminated by either party upon thirty (30) days written notice to the other party.

EXHIBIT C

III. FEES FOR SERVICE AND TAXES

A. The Local Exchange Company will not be charged a fee for storage services provided by BST to the Local Exchange Company, as described in Section I of this Agreement.

B. Sales, use and all other taxes (excluding taxes on BST's income) determined by BST or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by the Local Exchange Company. The Local Exchange Company shall have the right to have BST contest with the imposing jurisdiction, at the Local Exchange Company's expense, any such taxes that the Local Exchange Company deems are improperly levied.

IV. INDEMNIFICATION

To the extent not prohibited by law, each party will indemnify the other and hold the other harmless against any loss, cost, claim, injury, or liability relating to or arising out of negligence or willful misconduct by the indemnifying party or its agents or contractors in connection with the indemnifying party's provision of services, provided, however, that any indemnity for any loss, cost, claim, injury or liability arising out of or relating to errors or omissions in the provision of services under this Agreement shall be limited as otherwise specified in this Agreement. The indemnifying party under this Section agrees to defend any suit brought against the other party for any such loss, cost, claim, injury or liability. The indemnified party agrees to notify the other party promptly, in writing, of any written claims, lawsuits, or demands for which the other party is responsible under this Section and to cooperate in every reasonable way to facilitate defense or settlement of claims. The indemnifying party shall not be liable under this Section for settlement by the indemnified party of any claim, lawsuit, or demand unless the defense of the claim, lawsuit, or demand has been tendered to it in writing and the indemnifying party has unreasonably failed to assume such defense.

V. LIMITATION OF LIABILITY

In the absence of gross negligence or willful misconduct, neither party shall be liable to the other party for any lost profits or revenues or for any indirect, incidental or consequential damages incurred by the other party arising from this Agreement or the services performed or not performed hereunder, regardless of the cause of such loss or damage

EXHIBIT C

VI. MISCELLANEOUS

A. It is understood and agreed to by the parties that BST may provide similar services to other companies.

B. All terms, conditions and operations under this Agreement shall be performed in accordance with, and subject to, all applicable local, state or federal legal and regulatory tariffs, rulings, and other requirements of the federal courts, the U. S. Department of Justice and state and federal regulatory agencies. Nothing in this Agreement shall be construed to cause either party to violate any such legal or regulatory requirement and either party's obligation to perform shall be subject to all such requirements.

C. The Local Exchange Company agrees to submit to BST all advertising, sales promotion, press releases, and other publicity matters relating to this Agreement wherein BST's corporate or trade names, logos, trademarks or service marks or those of BST's affiliated companies are mentioned or language from which the connection of said names or trademarks therewith may be inferred or implied; and the Local Exchange Company further agrees not to publish or use advertising, sales promotions, press releases, or publicity matters without BST's prior written approval.

D. This Agreement constitutes the entire agreement between the Local Exchange Company and BST which supersedes all prior agreements or contracts, oral or written representations, statements, negotiations, understandings, proposals and undertakings with respect to the subject matter hereof.

E. Except as expressly provided in this Agreement, if any part of this Agreement is held or construed to be invalid or unenforceable, the validity of any other Section of this Agreement shall remain in full force and effect to the extent permissible or appropriate in furtherance of the intent of this Agreement.

F. Neither party shall be held liable for any delay or failure in performance of any part of this Agreement for any cause beyond its control and without its fault or negligence, such as acts of God, acts of civil or military authority, government regulations, embargoes, epidemics, war, terrorist acts, riots, insurrections, fires, explosions, earthquakes, nuclear accidents, floods, strikes, power blackouts, volcanic action, other major environmental disturbances, unusually severe weather conditions, inability to secure products or services of other persons or transportation facilities, or acts or omissions of transportation common carriers.

G. This Agreement shall be deemed to be a contract made under the laws of the State of Georgia, and

EXHIBIT C

the construction, interpretation and performance of this Agreement and all transactions hereunder shall be governed by the domestic law of such State.

**RESALE ADDENDUM
TO LINE INFORMATION DATA BASE (LIDB)
STORAGE AGREEMENT**

This is a Resale Addendum to the Line Information Data Base Storage Agreement dated June 26, 2000, between BellSouth Telecommunications, Inc. ("BST"), and Local Exchange Company ("Local Exchange Company"), effective the 26th day of June, 2000.

I. GENERAL

This Addendum sets forth the terms and conditions for Local Exchange Company's provision of billing number information to BST for inclusion in BST's LIDB. BST will store in its LIDB the billing number information provided by Local Exchange Company, and BST will provide responses to on-line, call-by-call queries to this information for purposes specified in Section I.B. of the Agreement.

II. DEFINITIONS

- A. Billing number - a number used by BST for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number - a ten digit number assigned by BST that identifies a telephone line associated with a resold local exchange service, or with a SPNP arrangement.
- C. Special billing number - a ten digit number that identifies a billing account established by BST in connection with a resold local exchange service or with a SPNP arrangement.
- D. Calling Card number - a billing number plus PIN number assigned by BST.
- E. PIN number - a four digit security code assigned by BST which is added to a billing number to compose a fourteen digit calling card number.
- F. Toll billing exception indicator - associated with a billing number to indicate that it is considered

EXHIBIT C

invalid for billing of collect calls or third number calls or both, by the Local Exchange Company.

G. Billed Number Screening – refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.

H. Calling Card Validation - refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.

I. Billing number information – information about billing number or Calling Card number as assigned by BST and toll billing exception indicator provided to BST by the Local Exchange Company.

III. RESPONSIBILITIES OF PARTIES

A. BST will include billing number information associated with resold exchange lines or SPNP arrangements in its LIDB. The Local Exchange Company will request any toll billing exceptions via the Local Service Request (LSR) form used to order resold exchange lines, or the SPNP service request form used to order SPNP arrangements.

B. Under normal operating conditions, BST shall include the billing number information in its LIDB upon completion of the service order establishing either the resold local exchange service or the SPNP arrangement, provided that BST shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BST's reasonable control. BST will store in its LIDB an unlimited volume of the working telephone numbers associated with either the resold local exchange lines or the SPNP arrangements. For resold local exchange lines or for SPNP arrangements, BST will issue line-based calling cards only in the name of Local Exchange Company. BST will not issue line-based calling cards in the name of Local Exchange Company's individual end users. In the event that Local Exchange Company wants to include calling card numbers assigned by the Local Exchange Company in the BST LIDB, a separate agreement is required.

C. BST will provide responses to on-line, call-by-call queries to the stored information for the specific purposes listed in the next paragraph.

D. BST is authorized to use the billing number information to perform the following functions for authorized users on an on-line basis:

1. Validate a 14 digit Calling Card number where the first 10 digits are a line number or

EXHIBIT C

special billing number assigned by BST, and where the last four digits (PIN) are a security code assigned by BST.

2. Determine whether the Local Exchange Company has identified the billing number as one which should not be billed for collect or third number calls, or both.

EXHIBIT D

CMDS/RAO Hosting

- 1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to AI-Call by BellSouth will be in accordance with the methods and practices conforming to accepted industry standards during the term of this Agreement, including such revisions as may be made from time to time by BellSouth and agreed to by AI-Call.
2. To the extent not already provided, AI-Call shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
3. Applicable compensation amounts will be billed by BellSouth to AI-Call on a monthly basis in arrears. Amounts due from one Party to the other (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement
- 4 AI-Call must have its own unique RAO code. Requests for establishment of RAO status where BellSouth is the selected Centralized Message Distribution System (CMDS) interfacing host, require written notification from AI-Call to the BellSouth RAO Hosting coordinator at least eight (8) weeks prior to the proposed effective date. The proposed effective date will be mutually agreed upon between the Parties with consideration given to time necessary for the completion of required Telcordia (formerly BellCore) functions. BellSouth will request the assignment of an RAO code from its connecting contractor, currently Telcordia (formerly BellCore), on behalf of AI-Call and will coordinate all associated conversion activities.
- 5 BellSouth will receive messages from AI-Call that are to be processed by BellSouth, another LEC or CLEC in the BellSouth region or a LEC outside the BellSouth region.
- 6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from AI-Call.
- 7 All data received from AI-Call that is to be processed or billed by another LEC or CLEC within the BellSouth region will be distributed to that LEC or CLEC in accordance with the agreement(s) which may be in effect between BellSouth and the involved LEC or CLEC.
- 8 All data received from AI-Call that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) which may be in effect between BellSouth and its connecting contractor (currently Telcordia (formerly BellCore)).
- 9 BellSouth will receive messages from the CMDS network that are destined to be processed by AI-Call and will forward them to AI-Call on a daily basis.
- 10 Transmission of message data between BellSouth and AI-Call will be via CONNECT:Direct.
- 11 All messages and related data exchanged between BellSouth and AI-Call will be formatted in accordance with accepted industry standards for EMI formatted records and packed between appropriate EMI header and trailer records, also in accordance with accepted industry standards.
- 12 AI-Call will ensure that the recorded message detail necessary to recreate files provided to BellSouth will be maintained for back-up purposes for a period of three (3) calendar months beyond the related message dates.
- 13 Should it become necessary for AI-Call to send data to BellSouth more than sixty (60) days past the message date(s), AI-Call will notify BellSouth in advance of the transmission of the data. If there will be

EXHIBIT D

impacts outside the BellSouth region, BellSouth will work with its connecting contractor and Al-Call to notify all affected Parties.

- 14 In the event that data to be exchanged between the two Parties should become lost or destroyed, both Parties will work together to determine the source of the problem. Once the cause of the problem has been jointly determined and the responsible Party (BellSouth or Al-Call) identified and agreed to, the company responsible for creating the data (BellSouth or Al-Call) will make every effort to have the affected data restored and retransmitted. If the data cannot be retrieved, the responsible Party will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the date of problem resolution, or as mutually agreed upon by the Parties.
- 15 Should an error be detected by the EMI format edits performed by BellSouth on data received from Al-Call, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify Al-Call of the error condition. Al-Call will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, Al-Call will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 16 In association with message distribution service, BellSouth will provide Al-Call with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 17 In no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this agreement.
- 18 RAO Compensation
- 18.1 Rates for message distribution service provided by BellSouth for Al-Call are as set forth in Exhibit A to this Attachment.
- 18.2 Rates for data transmission associated with message distribution service are as set forth in Exhibit A to this Attachment .
- 18.3 Data circuits (private line or dial-up) will be required between BellSouth and Al-Call for the purpose of data transmission. Where a dedicated line is required, Al-Call will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Al-Call will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Al-Call. Additionally, all message toll charges associated with the use of the dial circuit by Al-Call will be the responsibility of Al-Call. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties.
- 18.4 All equipment, including modems and software, that is required on the Al-Call end for the purpose of data transmission will be the responsibility of Al-Call.
- 19 Intercompany Settlements Messages
- 19.1 This Section addresses the settlement of revenues associated with traffic originated from or billed by Al-Call as a facilities based provider of local exchange telecommunications services outside the BellSouth

EXHIBIT D

region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between Al-Call and the involved company(ies), unless that company is participating in NICS.

- 19.2 Both traffic that originates outside the BellSouth region by Al-Call and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by Al-Call, is covered by this Agreement (CATS). Also covered is traffic that either is originated by or billed by Al-Call, involves a company other than Al-Call, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- 19.3 Once Al-Call is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via Telcordia (formerly BellCore)'s, its successor or assign, NICS system.
- 19.4 BellSouth will receive the monthly NICS reports from Telcordia (formerly BellCore), its successor or assign, on behalf of Al-Call. BellSouth will distribute copies of these reports to Al-Call on a monthly basis.
- 19.5 BellSouth will receive the monthly Calling Card and Third Number Settlement System (CATS) reports from Telcordia (formerly BellCore), its successor or assign, on behalf of Al-Call. BellSouth will distribute copies of these reports to Al-Call on a monthly basis.
- 19.6 BellSouth will collect the revenue earned by Al-Call from the Bell operating company in whose territory the messages are billed (CATS), less a per message billing and collection fee of five cents (\$0.05), on behalf of Al-Call. BellSouth will remit the revenue billed by Al-Call to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf of Al-Call. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Al-Call via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- 19.7 BellSouth will collect the revenue earned by Al-Call within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of Al-Call. BellSouth will remit the revenue billed by Al-Call within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Al-Call via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

BellSouth and Al-Call agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

EXHIBIT E

Optional Daily Usage File (ODUF)

- 1 Upon written request from AI-Call, BellSouth will provide the Optional Daily Usage File (ODUF) service to AI-Call pursuant to the terms and conditions currently in place between BellSouth and AI-Call.
- 2 AI-Call shall furnish, to the extent not already furnished, the following information required by BellSouth for the provision of the Optional Daily Usage File:
 - 3 The Optional Daily Usage Feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a AI-Call customer.

Charges for delivery of the Optional Daily Usage File will appear on the AI-Call's monthly bills. The charges are as set forth in Exhibit A to this Attachment.
 - 4 The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
 - 5 Messages that error in the billing system of the AI-Call will be the responsibility of the AI-Call. If, however, the AI-Call should encounter significant volumes of errored messages that prevent processing by the AI-Call within its systems, BellSouth will work with the AI-Call to determine the source of the errors and the appropriate resolution.
6. The following specifications shall apply to the Optional Daily Usage Feed.
 - 6.1 Usage To Be Transmitted
 - 6.1.1 The following messages recorded by BellSouth will be transmitted to AI-Call:
 - message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, ETC.)
 - measured billable Local
 - Directory Assistance messages
 - intraLATA Toll
 - WATS & 8XX Service
 - N11
 - Information Service Provider Messages
 - Operator Services Messages
 - Operator Services Message Attempted Calls (UNE only)
 - Credit/Cancel Records
 - Usage for Voice Mail Message Service
 - 9XX Service
 - 6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on Optional Daily Usage File. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.

EXHIBIT E

- 6.1.3 BellSouth will perform duplicate record checks on records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Al-Call.
- 6.1.4 In the event that Al-Call detects a duplicate on Optional Daily Usage File they receive from BellSouth, Al-Call will drop the duplicate message (Al-Call will not return the duplicate to BellSouth).

6.2 Physical File Characteristics

- 6.2.1 The Optional Daily Usage File will be distributed to Al-Call via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Al-Call for the purpose of data transmission. Where a dedicated line is required, Al-Call will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Al-Call will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Al-Call. Additionally, all message toll charges associated with the use of the dial circuit by Al-Call will be the responsibility of Al-Call. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the parties. All equipment, including modems and software, that is required on Al-Call end for the purpose of data transmission will be the responsibility of Al-Call.

6.3 Packing Specifications

- 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Al-Call which BellSouth RAO that is sending the message. BellSouth and Al-Call will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Al-Call and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

6.4 Pack Rejection

- 6.4.1 Al-Call will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Al-Call will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Al-Call by BellSouth.

6.5 Control Data

Al-Call will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Al-Call received the pack and the acceptance or rejection of the pack. Pack Status

EXHIBIT E

Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Al-Call for reasons stated in the above section.

6.6 Testing

- 6.6.1 Upon request from Al-Call, BellSouth shall send test files to Al-Call for the Optional Daily Usage File. The parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that Al-Call set up a production (LIVE) file. The live test may consist of Al-Call's employees making test calls for the types of services Al-Call requests on the Optional Daily Usage File. These test calls are logged by Al-Call, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent. Al-Call shall not be required to repeat testing completed during the deployment of its facilities and electronic interfaces.

EXHIBIT F

Enhanced Optional Daily Usage File (EODUF)

1 Upon written request from AI-Call, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to AI-Call pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.

2 To the extent not already provided, AI-Call shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File³. The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.

Charges for delivery of the Enhanced Optional Daily Usage File will appear on AI-Call's monthly bills. The charges are as set forth in Exhibit A to this Attachment.

4 All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.

5 Messages that error in the billing system of AI-Call will be the responsibility of AI-Call. If, however, AI-Call should encounter significant volumes of errored messages that prevent processing by AI-Call within its systems, BellSouth will work with AI-Call to determine the source of the errors and the appropriate resolution.

6. The following specifications shall apply to the Optional Daily Usage Feed.

6.1 Usage To Be Transmitted

6.1.1 The following messages recorded by BellSouth will be transmitted to AI-Call:

Customer usage data for flat rated local call originating from CLEC end user lines (1FB or 1FR).
The EODUF record for flat rate messages will include:

Date of Call
From Number
To Number
Connect Time
Conversation Time
Method of Recording
From RAO
Rate Class
Message Type
Billing Indicators
Bill to Number

6.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to AI-Call.

6.1.3 In the event that AI-Call detects a duplicate on Enhanced Optional Daily Usage File that it receives from BellSouth, AI-Call will drop the duplicate message (AI-Call will not return the duplicate to BellSouth).

6.2 Physical File Characteristics

EXHIBIT F

- 6.2.1 The Enhanced Optional Daily Usage Feed will be distributed to Al-Call over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among Al-Call's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).
- 6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Al-Call for the purpose of data transmission. Where a dedicated line is required, Al-Call will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Al-Call will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Al-Call. Additionally, all message toll charges associated with the use of the dial circuit by Al-Call will be the responsibility of Al-Call. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the parties. All equipment, including modems and software, that is required on Al-Call end for the purpose of data transmission will be the responsibility of Al-Call.
- 6.3 Packing Specifications
 - 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
 - 6.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Al-Call which BellSouth RAO that is sending the message. BellSouth and Al-Call will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Al-Call and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

BELLSOUTH/AI-Call RATES
ODUF/EDOUF/CMD5

| RATES BY STATE | | | | | | | | | | |
|--|------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| ODUF/EDOUF/CMD5 | | | | | | | | | | |
| ODUF: Recording, per message | N/A | \$0.0002 | \$0.008 | \$0.008 | \$0.0008611 | \$0.00019 | \$0.0001179 | \$0.008 | \$0.0002862 | \$0.008 |
| ODUF: Message Processing, per message | N/A | \$0.0033 | \$0.004 | \$0.004 | \$0.0032357 | \$0.0024 | \$0.0032089 | \$0.004 | \$0.0032344 | \$0.004 |
| EODUF: Message Processing, per message | N/A | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 |
| CMD5: Message Processing, per message | N/A | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 |
| ODUF: Message Processing, per magnetic tape provisioned | N/A | \$55.19 | \$54.95 | \$54.95 | \$55.68 | \$47.30 | \$54.62 | \$54.95 | \$54.72 | \$54.95 |
| EODUF: Message Processing, per magnetic tape provisioned | N/A | \$47.30 | \$47.30 | \$47.30 | \$47.30 | \$47.30 | \$47.30 | \$47.30 | \$47.30 | \$47.30 |
| ODUF: Data Transmission (CONNECT:DIRECT), per message | N/A | \$0.00004 | \$0.001 | \$0.001 | \$0.0000365 | \$0.00003 | \$0.0000354 | \$0.001 | \$0.0000357 | \$0.001 |
| EODUF: Data Transmission (CONNECT:DIRECT), per message | N/A | \$0.0000364 | \$0.0000364 | \$0.0000364 | \$0.0000364 | \$0.0000364 | \$0.0000364 | \$0.0000364 | \$0.0000364 | \$0.0000364 |
| CMD5: Data Transmission (CONNECT:DIRECT), per message | N/A | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 |
| * Volume and term arrangements are also available. | | | | | | | | | | |
| NOTES: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the parties upon request by either party. | | | | | | | | | | |

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

| | | |
|--|---|-----------|
| 1. | <u>Introduction</u> | 3 |
| 2. | <u>Unbundled Loops</u> | 4 |
| 3. | <u>Integrated Digital Loop Carriers</u> | 10 |
| 4. | <u>Network Interface Device</u> | 11 |
| 5. | <u>Unbundled Loop Concentration (ULC) System</u> | 12 |
| 6. | <u>Sub-Loop Elements</u> | 13 |
| 7. | <u>Local Switching</u> | 17 |
| 8. | <u>Interoffice Transmission Facilities</u> | 23 |
| 9. | <u>Tandem Switching</u> | 29 |
| 10. | <u>Combinations</u> | 32 |
| 11. | <u>Operator Systems</u> | 37 |
| 12. | <u>Signaling</u> | 43 |
| 13. | <u>Signaling Transfer Points (STPs)</u> | 44 |
| 14. | <u>Service Control Points/DataBases</u> | 48 |
| 15. | <u>Dark Fiber</u> | 56 |
| 16. | <u>SS7 Network Interconnection</u> | 57 |
| 17. | <u>Basic 911 and E911</u> | 61 |
| 18. | <u>Rates</u> | 62 |
| 1.00 | DEFINITIONS | 74 |
| 2.0 | ATTACHMENT | 74 |
| 3.00 | PHYSICAL CONNECTION AND COMPENSATION | 75 |
| 4.00 | CNAM RECORD INITIAL LOAD AND UPDATES | 75 |
| EXHIBIT A – LIDB STORAGE AGREEMENT | | EXHIBIT A |
| EXHIBIT B – CNAM DATABASE SERVICES | | EXHIBIT B |
| EXHIBIT C – RATES | | EXHIBIT C |

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES**1. Introduction**

- 1.1 Network Element is defined to mean a facility or equipment used in the provision of a munications service. Such term may include, but is not limited to, features, functions, and capabilities that are provided by means of such facility or equipment, including but not limited to, subscriber numbers, databases, signaling systems, and information sufficient for billing and collection or used in the transmission, routing, or other provision of a munications service. BellSouth offers access to the Network Elements, unbundled loops; network interface device; sub-loop elements; local switching; transport; tandem switching; operator systems; signaling; access to call-related databases; dark fiber as set forth in this Attachment.
- 1.2 BellSouth shall, upon request of Al-Call , and to the extent technically feasible, provide to Al-Call access to its network elements for the provision of Al-Call 's munications service. If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.3 Al-Call may purchase network elements and other services from BellSouth for the purpose of combining such network elements in any manner Al-Call chooses to provide munication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop elements which are located outside of the central office, BellSouth shall deliver the network elements purchased by Al-Call for combining to the designated Al-Call collocation space. The network elements shall be provided as set forth in this Attachment.
- 1.4 BellSouth will provide the following combined network elements for purchase by Al-Call . The rate of the following combined network elements is the sum of the individual element prices as set forth in this Attachment. Order Coordination as defined in Section 2 of Attachment 2 of this Agreement is available for each of these combinations:
- SL1 or SL2 loop and cross connect
 - Port and cross connect
 - Port and cross connect and common (shared) transport
 - Port and vertical features
 - SL2 Loop with loop concentration
 - Port and common (shared) transport
 - SL1 or SL2 Loop and LNP

- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within Attachment 2 to the extent that they are consistent with the greater of BellSouth's actual performance or applicable industry standards.
- 1.6 AI-Call will adopt and adhere to the standards contained in the applicable CLEC Work Center Operational Understanding Agreement regarding maintenance and installation of service, provided however that nothing required in this Work Center Operational Understanding Agreement shall override AI-Call's rights or BellSouth's obligations under this Agreement.

2. Unbundled Loops

- 2.1 BellSouth agrees to offer access to loops pursuant to the following terms and conditions and at the rates set forth in this Attachment.
- 2.2 Definition
 - 2.2.1 The loop is the physical medium or functional path on which a subscriber's traffic is carried from the MDF or similar terminating device in a central office up to the termination at the NID at the customer's premise. Each loop will be provisioned with a NID.
 - 2.2.2 The provisioning of service to a CLEC will require cross-office cabling and cross-connections within the central office to connect the loop to a local switch or to other transmission equipment in collocation space. These cross-connects are a separate element and are not considered a part of the loop.
 - 2.2.3 BellSouth Order Coordination referenced in Attachment 2 includes two types: "Order Coordination" and "Order Coordination - Time Specific."
 - 2.2.4 "Order Coordination" refers to standard BellSouth service order coordination involving SL2 voice loops and all digital loops. Order coordination for physical cut-overs will be scheduled as follows:
 - 2.2.4.1 For a coordinated conversion i.e. stand alone INP, INP and LNP with loop or stand alone loop where order coordination is provided for in this agreement, BellSouth shall verbally coordinate the disconnect with AI-Call and perform any switch translations so as to limit end user service outage. BellSouth and AI-Call will mutually agree upon a cut-over time 24 to 48 hours prior to the actual conversion. AI-Call may designate the conversion time when the conversion involves a loop with ILNP or LNP by ordering time specific conversion at rates designated in this agreement. For time specific conversions, BellSouth will verify the cut-over time designated by AI-Call 24 to 48 hours in advance to ensure that

the conversion is to be completed as ordered. Both parties will use best efforts to ensure mutually agreed to conversion times, as identified in this paragraph, will commence within 15 minutes of the agreed time. For coordinated conversions, BellSouth's target intervals for service disruption to the end-user is 15 minutes or less for each loop.

- 2.2.4.2 Order coordination is not provided for in the provisioning of an SL1 loop. BellSouth will however, provide a notifier to the Al-Call when the physical wirework is completed for an SL1 loop with LNP. This notification will allow the Al-Call to ensure minimal end user loss of service, provided that Al-Call promptly sends the activate message to NPAC to port the number. BellSouth will use best efforts to notify Al-Call within thirty (30) minutes of the completion of the physical wire work.
- 2.2.4.3 BellSouth normal hours of operation are defined in Attachment 6. Provisioning outside of these hours will be billed at overtime rates for the number of employees supporting the after hours conversion.
- 2.2.4.4 Testing
 - 2.2.4.4.1 BellSouth will perform the appropriate pre-service tests to ensure Al-Call dial tone is delivered to the appropriate connecting point. The timing of the test is based on the overall interval and type of the service being provisioned. Under normal intervals, testing for designed services are normally completed 24 hours in advance of the conversion. For non-designed services, dial tone is verified in time frames consistent with the same time frames that BellSouth uses to activate POTS services for it's own end users. In any event, BellSouth will advise Al-Call whenever connectivity cannot be verified with Al-Call and will work cooperatively with Al-Call to correct the problem. BellSouth will advise Al-Call at completion of the conversion or turn up of new services in order for Al-Call to accept or reject the services being provisioned. BellSouth will work cooperatively with Al-Call to ensure end user service outage is minimal.
 - 2.2.4.4.2 Where a field visit is required to provision the loop, BellSouth will test the loop ordered by Al-Call to the NID. Testing requested by Al-Call to points beyond the NID will be billed a time and material charge at the same increments BellSouth charges it's own end users. Requests for field-testing where a dispatch is not required may be made by Al-Call and where mutually agreed to, BellSouth will dispatch to perform additional field testing at rates billed on a time and material basis as mentioned in the previous paragraph.

BellSouth will place a tag on all unbundled loops that require a technician to be dispatched to the end user's premises during the provisioning process. The loop tag will include the CLEC's name and the circuit ID number. Otherwise, the loop will be tagged by BellSouth during the next scheduled maintenance or repair visit

to the customer's location for that loop; or the loop may be tagged by the CLEC during their dispatch to that customer's location.

- 2.2.4.4.3 Cut-over intervals for ILNP, ILNP with loop and LNP with loop will be at parity with the intervals experienced by BellSouth end users, BellSouth itself or any other Al-Call as indicated in the results of the Service Quality Measurements published by BellSouth. In any event, BellSouth will use best efforts to convert each loop within fifteen (15) minutes.
- 2.2.4.4.4 BellSouth and Al-Call will jointly develop additional processes or procedures as the need arises to improve service delivery during the life of the agreement.
- 2.2.5 “Order Coordination – Time Specific” refers to service order coordination in which Al-Call requests a specific time for a service order conversion to take place. Loops on a single service order of 14 or more loops will be provisioned on a project basis. This is a chargeable option for any coordinated order and is billed in addition to the OC charge. Al-Call may specify a time between 8:00 a.m. and 5:00 p.m. (location time) Monday through Friday (excluding holidays). If Al-Call specifies a time outside this window, or selects a time or quantity of loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied according to actual costs based on type of force group required to perform the work, overtime hours worked and any special circumstances.
- 2.2.6 Where facilities are available, BellSouth will install unbundled loops at the same intervals that it does for itself, its end-users, and other CLECs at parity as described above. Where BellSouth does not provide intervals based on the above, BellSouth will be subject to the terms and conditions of the performance measures in accordance with Attachment 9. Some loops require a Service Inquiry (SI) to determine if facilities are available prior to issuing the order. The interval for the SI process is separate from the installation interval. For expedite requests by Al-Call, expedite charges will apply for intervals less than 5 days. The charges outlined in BST’s FCC # 1 Tariff, Section 5.1.1, will apply. BellSouth will bill expedite charges the same as BellSouth bills its wholesale customers and other CLECs. If Al-Call cancels an order for network elements and other services, any costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with FCC #1 Tariff, Section 5.4.
- 2.2.7 If Al-Call modifies an order after being sent a Firm Order Confirmation (FOC) from BellSouth, reasonable costs incurred by BellSouth to accommodate the modification will be reimbursed by Al-Call. Upon request BellSouth will provide Al-Call an invoice detailing such charges.
- 2.2.8 BellSouth will offer Unbundled Voice Loops (UVL) in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.8.1 SL1 loops will be non-designed, will not have test points, and will not come with any Order Coordination (OC) or engineering information/circuit make-up data. Upon issuance of an order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its customers. If AI-Call requests work to be done for SL1s that requires BellSouth technicians to work outside normal work hours, overtime charges will be applied according to actual costs based on type of force group required to perform the work, overtime hours worked and any special circumstances, such charges will be consistent with BellSouth's applicable tariffs.
- 2.2.8.2 SL2 loops have test points, will be designed with a Design Layout Record provided to AI-Call, and will be provided with Order Coordination. The OC feature will allow AI-Call to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at the mutually agreed upon time during normal working hours.
- 2.2.9 BellSouth will also offer Unbundled Digital Loops (UDL). They will be designed, will be provisioned with test points (where appropriate), and will come standard with Order Coordination and a Designed Layout Record (DLR).
- 2.2.10 In addition to the UVLs and UDLs, BellSouth shall make available an Unbundled Copper Loop (UCL). The UCL will be a copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL will be offered in two versions - Short and Long. A short UCL (18 kft or less) will be provisioned according to Resistance Design parameters. The long UCL (beyond 18kft) will be used when a CLEC wants to condition copper loops longer than 18kft by removing load coils and other intervening equipment. BST will only ensure electrical continuity and balance relative to tip and ring on UCLs.
- 2.2.10.1 The UCL will be a designed circuit, with or without conditioning, provisioned with a test point and come standard with a DLR. OC will be offered as a chargeable option on all UCL loops. Order Coordination - Time Specific (OC-TS) will not be offered on UCLs.
- 2.2.11 As a chargeable option on all loops except UVL-SL1, BellSouth will offer Order Coordination - Time Specific (OC-TS). This will allow AI-Call the ability to specify the time that the coordinated conversion takes place. The OC-TS charge for orders due on the same day at the same location will be applied on a per Local Service Request (LSR) basis. AI-Call will be responsible for testing and isolating troubles on the loops. Once AI-Call has isolated a trouble to the BellSouth provided loop, AI-Call will issue a trouble to BellSouth on the loop. BellSouth will take the actions necessary to repair the loop if a trouble actually exists.

BellSouth will repair these loops in the same time frames that BellSouth repairs similarly situated loops to its customers.

- 2.2.12 If Al-Call reports a trouble on loops and no trouble actually exists, BellSouth will charge Al-Call for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the loop's working status. Failure of BellSouth personnel to find trouble in BellSouth facilities will result in no charge if trouble is actually in those facilities but not discovered at the time.

2.3 Technical Requirements

- 2.3.1 To the extent available within BST's Network at a particular location, BellSouth will offer loops capable of supporting munications services such as: Voice Grade (designed and non-designed), basic rate ISDN (even if the loop uses digital loop carrier), ADSL, HDSL (2 and 4 wire), DS1, digital data (up to 64 kbps), primary rate ISDN, and copper loops that are capable of supporting xDSL services. If a requested loop type is not available, Al-Call can use the Special Construction process to request that BellSouth place facilities or otherwise modify facilities in order to meet Al-Call 's request.

- 2.3.1.1 These loop types may also support other munications services that the CLEC may offer, including, but not limited to, Centrex, PBX (analog and data), and N x 64 kbps.

The loop will support the transmission, signaling, performance and interface requirements of the services described in 2.3.1 above. It is recognized that the requirements of different services are different, and that a number of types or grades of loops are required to support these services. Services provided over the loop by Al-Call will be consistent with industry standards and BellSouth TR73600.

- 2.3.1.2 Al-Call may utilize the unbundled loops to provide any munication service it wishes. However, BellSouth will only provision, maintain and repair the loops to the standards that are consistent with the type of loop ordered provided, however BellSouth will condition the loops consistent with Al-Call 's request. For example, if Al-Call orders an ISDN-capable loop but wants to use the loop for a service other than ISDN, BellSouth will only support that the loop is capable of providing ISDN service. For non-service specific loops (e.g. UCL, loops modified by Al-Call using the Special Construction process), BellSouth will only support that the loop has electrical continuity and balanced tip-and-ring.

- 2.3.1.3 In those cases where Al-Call has requested that BellSouth modify a loop so that it no longer meets the technical parameters for a specific loop (e.g., voice grade, ISDN, ADSL, etc.), the resulting modified loop will be ordered and maintained as a Unbundled Cooper Loop.

- 2.3.2 The loop shall be provided to AI-Call in accordance with the following Technical References:

BellSouth's TR73600, Unbundled Local Loop Technical Specification

- 2.3.2.1 Telcordia (formerly BellCore) TR-NWT-000057, Functional Criteria for Digital Loop Carrier Systems, Issue 2, January 1993.
- 2.3.2.2 Telcordia (formerly BellCore) TR-NWT-000393, Generic Requirements for ISDN Basic Access Digital Subscriber Lines.
- 2.3.2.3 ANSI T1.102 - 1993, American National Standard for munications - Digital Hierarchy - Electrical Interfaces.
- 2.3.2.4 ANSI T1.403 - 1989, American National Standard for munications - Carrier to Customer Installation, DS1 Metallic Interface Specification.

2.3.3 Universal Digital Channel (UDC) Loop

- 2.3.3.1 Due to technical limitations associated with certain DLC systems, some ISDN-capable loops that are provisioned using DLC systems may not support IDSL service. Effective with this agreement, BellSouth will no longer reconfigure its ISDN-capable loop to support IDSL service.
- 2.3.3.2 Instead, BellSouth agrees to offer the Universal Digital Channel (UDC) loop as a part of their Unbundled Digital Loop offerings. The UDC loop is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable loop. These specifications are listed in BellSouth's TR73600.
- 2.3.3.3 Like the ISDN-capable loop, the UDC loop may be provisioned on copper or through a DLC system. However, when UDC loops are provisioned using a DLC system, BellSouth will ensure that they are only provisioned on time slots that are compatible with data-only services such as IDSL.

2.4 Loop Make-Up Service Inquiry

- 2.4.1 As an interim process until electronic access to loop make-up information is available, BellSouth shall make available to AI-Call a Loop Make-Up Service Inquiry process that will provide a description of the loop facility for a specific telephone number or the loop facility(ies) (DLC and/or copper) serving a specific address. This information will allow AI-Call to make a determination of what

type of loop to order and what loop conditioning activities (using BellSouth's Unbundled Loop Modification product), if any, are desired by Al-Call .

- 2.4.2 The information provided via this process includes 1) the portion of the loop serviced by Digital Loop Carrier (if applicable), 2) cable lengths and gauges, 3) the presence and location of load coils, 4) the presence, location and length of bridged taps.

2.5 Unbundled Loop Modifications (Loop Conditioning)

- 2.5.1 Subject to applicable and effective FCC rules and orders, BellSouth shall condition loops, as requested by Al-Call , whether or not BellSouth offers advanced services to the End User on that loop.

- 2.5.2 Loop conditioning is defined as the removal from the loop of any devices that may diminish the capability of the loop to deliver high-speed switched wireline munications capability, including xDSL service. Such devices include, but are not limited to, bridge taps, load coils, low pass filters, and range extenders, and repeaters

- 2.5.3 BellSouth shall recover the cost of line conditioning requested by Al-Call through a recurring charge and/or nonrecurring charge(s) in accordance with the FCC's forward-looking pricing principles promulgated pursuant to section 252 (d) (1) of the Act and in compliance with FCC Rule 51.507 (e). Until such time as charges for loop conditioning have been approved by the Commission, Al-Call shall pay to BellSouth interim cost-based charges as set forth in this Attachment. Such charges shall be subject to true up, in accordance with Section 18.3 of this Attachment.

3. Integrated Digital Loop Carriers

The feeder portion of some loops may be provide by means of Integrated Digital Loop Carrier (IDLC). IDLC provides a fiber optic cable transmission path that travels directly into BellSouth's central office local switch. Where BellSouth uses IDLC ,if technically feasible and capacity does exist, BST will provide Al-Call with a Designed DS0 UVL by using alternative provisioning techniques including but not limited to such as "hairpinning" and DAC grooming. Alternative provisioning techniques will be provided at no additional cost to Al-Call . Hairpinning involves providing a DS0 signal from an IDLC-served loop to Al-Call 's collocation equipment by using a dedicated pathway that traverses BellSouth's central office switch. BellSouth will provide such DS0 signal to Al-Call by establishing a copper cross connect between the BellSouth switch and Al-Call 's collocation equipment.

4. Network Interface Device

4.1 The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's on-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

4.1.1 BellSouth shall permit Al-Call to connect Al-Call's loop facilities to on-premises wiring through the BellSouth NID or at any other technically feasible point.

4.2 Access to Network Interface Device (NID)

4.2.1 Due to the wide variety of NIDs utilized by BellSouth (based on subscriber size and environmental considerations), Al-Call may access the on-premises wiring by any of the following means: BellSouth shall allow Al-Call to connect its loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other munications carriers to provide service to the premise. Al-Call agrees to install compatible protectors and test jacks and to maintain the protection system and equipment and to indemnify BellSouth pursuant to Section 9.4 of the General Terms and Conditions of this Agreement.

4.2.2 Where an adequate length of on-premises wiring is present and environmental conditions permit, either Party may remove the on-premises wiring from the other Party's NID and connect that wire to that Party's own NID; or

4.2.3 Enter the subscriber access chamber or "side" of "dual chamber" NID enclosures for the purpose of extending a connecterized or spliced jumper wire from the on-premises wiring through a suitable "punch-out" hole of such NID enclosures; or

4.2.4 Request BellSouth to make other rearrangements to the on-premises wiring terminations or terminal enclosure on a time and materials cost basis to be charged to the requesting Party (i.e., Al-Call, its agent, the building owner or the subscriber). Such charges will be billed to the requesting Party.

4.2.5 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors, without state regulatory requirement, without providing prior notice to the other Party, and without appropriately re-grounding the other Party's loop. In such cases, it shall be the

responsibility of the disconnecting party to properly ground the other party's loop, maintain the NID, and assume full liability for its action and any adverse consequences.

4.2.6 In no case shall either Party remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.

4.2.7 In no case shall either Party remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.

4.2.8 Due to the wide variety of NID enclosures and outside plant environments BellSouth will work with Al-Call to develop specific procedures to establish the most effective means of implementing this Section .

4.3 Technical Requirements

4.3.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.

4.3.2 The NID shall be capable of transferring electrical analog or digital signals between the subscriber's inside wiring and the Distribution Media and/or cross connect to Al-Call 's NID, consistent with the NID's function at the Effective Date of this Agreement.

4.3.3 Where a BellSouth NID exists, it is provided in its "as is" condition. If such NID is not functioning properly, BellSouth will repair or replace it at BellSouth's expense.

4.3.4 When Al-Call deploys its own local loops with respect to multiple-line termination devices, Al-Call shall Order the quantity of NIDs connections that it requires within such device.

4.4 Interface Requirements

4.4.1 The NID shall be equal to or better than all of the requirements for NIDs set forth in the applicable industry standard technical references.

5. Unbundled Loop Concentration (ULC) System

5.1 BellSouth will provide to Al-Call loop concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.

- 5.2 ULC will be offered in two sizes. System A will allow up to 96 BellSouth loops to be concentrated onto multiple DS1s. The high speed connection from the concentrator will be at the electrical DS1 level and may connect to AI-Call at AI-Call's collocation site. System B will allow up to 192 BellSouth loops to be concentrated onto multiple DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). All DS1 interfaces will terminate to the CLEC's collocation space. ULC service is offered with or without concentration and with or without protection. A Line Interface element will be required for each loop that is terminated onto the ULC system. Rates for ULC are as set forth in this Attachment.

6. **Sub-Loop Elements**

- 6.1 Where facilities permit and subject to applicable and effective FCC rules and orders, BellSouth shall offer access to its Unbundled Sub-Loop (USL), Unbundled Sub-Loop Concentration (USLC) System and Unbundled Network Terminating Wire (UNTW) elements. BellSouth shall provide non-discriminatory access, in accordance with 51.311 and section 251 (c)(3) of the Act, to the Sub-Loop. On an unbundled basis and pursuant to the following terms and conditions and the rates approved by the Commission and set forth in this Attachment. Until such time as rates for Sub Loop elements have been approved by the Commission, AI-Call shall pay to BellSouth interim cost-based rates as set forth in this Attachment, such rates to be subject to true-up in accordance with Section 18.3 of this Attachment.
- 6.2 Sub-Loop components include but are not limited to the following:
- 6.2.1 Unbundled Sub-Loop Distribution;
 - 6.2.2 Unbundled Sub-Loop Concentration/Multiplexing Functionality; and
 - 6.2.3 Feeder, Unbundled Network Terminating Wire; and
 - 6.2.4 Unbundled Sub-Loop Feeder.
- 6.3 **Unbundled Sub-Loop (distribution facilities)**
- 6.3.1 Definition
 - 6.3.2 Subject to applicable and effective FCC rules and orders, the unbundled sub-loop distribution facility is dedicated transmission facility that BellSouth provides from a customer's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a

stand-alone cross-box in the field or in the equipment room of a building. There are two offerings available for Unbundled Sub-Loops (USL):

- 6.3.3 Unbundled Sub-Loop Distribution (USL-D) will include the sub-loop facility from the cross-box in the field up to and including the point of demarcation.
- 6.3.4 BellSouth will also provide sub-loop interconnection to the intrabuilding network cable (INC) (riser cable). INC is the distribution facility inside a subscriber's building or between buildings on one customer's same premises (continuous property not separated by a public street or road). USL-INC (riser cable) will include the facility from the cross-connect device in the building equipment room up to and including the point of demarcation.
- 6.3.5 Requirements for Unbundled Sub-Loops Distribution Facilities
 - 6.3.5.1 Unbundled Sub-Loop distribution facilities were originally built as part of the entire voice grade loop from the BellSouth central office to the customer network interface. Therefore, the Unbundled Sub-Loop may have load coils, which are necessary for transmission of voice grade services. The Unbundled Sub-Loops will be provided in accordance with technical reference TR73600. AI-Call may request that the sub-loop be conditioned in accordance with section 2.4.
 - 6.3.5.2 USL distribution facilities shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. In a scenario that involves connection at a BellSouth cross-box located in the field, AI-Call would be required to deliver a cable to the BellSouth remote terminal or cross-box to provide continuity to AI-Call's feeder facilities. This cable would be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box. AI-Call's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician. In a scenario that requires connection in a building equipment room, BellSouth will install a cross connect panel on which access to the requested sub-loops will be connected. The CLEC's cable pairs can then be connected to the Unbundled Sub-Loop pairs on this cross-connect panel by the BellSouth technician.
- 6.4 BellSouth will provide Unbundled Sub-Loops where possible. Through the Service Inquiry (SI) process, BellSouth will determine if it is feasible to place the required facilities where AI-Call has requested access to Unbundled Sub-Loops. If existing capacity is sufficient to meet the CLEC demand, then BellSouth will perform the set-up work as described in the next section. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room as noted in 6.5) to accommodate AI-Call's request for Unbundled Sub-Loops, BellSouth will use its Special Construction (SC) process to determine the additional costs required to

provision the Unbundled Sub-Loops. Al-Call will then have the option of paying the one-time SC charge to modify the facilities to meet Al-Call's request. In the event that Al-Call invokes the dispute resolution process in connection with a request from Al-Call for Sub-Loops as described in this section, BellSouth shall have the burden of demonstrating that facilities are not available as requested by Al-Call.

- 6.5 During the initial set-up in a BellSouth cross-connect box in the field, the BellSouth technician will perform the necessary work to splice the CLEC's cable into the cross connect box. For the set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel that will be used to provide access to the requested USLs. Once the set-up is complete, the CLEC requested sub-loop pairs would be provisioned through the service order process based on the submission of a LSR to the LCSC.

6.6 Interface Requirements

- 6.6.1 Unbundled Sub-Loop shall be equal to or better than each of the applicable requirements set forth in the applicable industry standard technical references.

6.7 Unbundled Sub-Loop Concentration System (USLC)

- 6.7.1 Where facilities permit, BellSouth will provide to Al-Call with the ability to concentrate its sub-loops onto one or more DS1s back to the BellSouth Central Office. The DS1s will then be terminated into Al-Call's collocation space. TR-008 and TR303 interface standards are available.
- 6.7.2 USLC, using the Lucent Series 5 equipment, will be offered in two different systems. System A will allow up to 96 of Al-Call's sub-loops to be concentrated onto multiple DS1s. System B will allow an additional 96 of Al-Call's sub-loops to be concentrated onto multiple DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the RT site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to the CLEC's collocation space within the SWC that serves the RT where the CLEC's sub-loops are connected. USLC service is offered with or without concentration and with or without a protection DS1.
- 6.7.3 In these scenarios Al-Call would be required to place a cross-box, remote terminal (RT), or other similar device and deliver a cable to the BellSouth remote terminal. This cable would be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box and would allow Al-Call's sub-loops to then be placed on the ULSC and transported to their collocation space at a DS1 level.

6.8 Unbundled Network Terminating Wire (UNTW)

6.8.1 BellSouth agrees to offer its Unbundled Network Terminating Wire (UNTW) to Al-Call pursuant to the following terms and conditions at rates as set forth in this Attachment.

6.8.2 Definition

6.8.2.1 Subject to applicable and effective FCC rules and orders, UNTW is a dedicated transmission facility that BellSouth provides from the Wiring Closet /Garden Terminal (or other type of cross-connect point) at the point of termination of BellSouth's loop distribution facilities to the end user's point of demarcation.

6.8.3 Requirements

6.8.3.1 BellSouth will offer spare pairs that are available to an end user's premises to Al-Call . Available spare pairs are defined as pairs that are not being utilized by BellSouth or by a third party to provide an end user with working service at the time of Al-Call 's request for UNTW. If no spare pairs are available and the end user is no longer using BellSouth's local service, BellSouth will relinquish the first pair to Al-Call . If after BellSouth has relinquished the first pair to Al-Call and the end user decides to change from Al-Call to another carrier, Al-Call will relinquish the first pair back to BellSouth.

6.8.3.2. Notwithstanding the foregoing, should BellSouth subsequently require the use of additional pair(s) to provide for the activation of additional lines in an end users premises in response to a request from such end user, Al-Call agrees to surrender it available spare pair(s) upon request by BellSouth.

6.8.3.3 If an end user of Al-Call desires to receive local exchange service from a service provider who is not a Party to this Agreement, and such third party service provider needs access to the BellSouth UNTW to provide local exchange service to the end user, then Al-Call agrees to surrender the requisite number of its inactive spare pair(s) if no other spare pair is available and upon request by BellSouth.

6.8.3.4 If Al-Call has placed NTW at a location and an end user desires to receive local exchange service from BellSouth and BellSouth needs access to Al-Call 's NTW to provide local exchange service to the end user, then Al-Call agrees to make available to BellSouth the requisite number of its spare pair(s), upon request by BellSouth, at rates determined by Al-Call .

6.8.3.5 In new construction, where possible, both Parties may at their option and with the property owner's agreement install their own NTW. In existing construction, BellSouth shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Al-Call .

6.9 Technical Requirements

- 6.9.1 In these scenarios, BellSouth will connect the requested UNTW pairs to a single point of interconnection (SPOI) designed for AI-Call access to BellSouth's NTW. The SPOI will be installed either near BellSouth's garden terminal or wiring closet. AI-Call will be required to place a cross-box, terminal or other similar device and deliver a cable to this SPOI. AI-Call will then connect their cable to the cross-connect panel to access the requested UNTW pairs.

7. Local Switching

- 7.1 BellSouth shall provide non-discriminatory access to local circuit switching capability, and local tandem switching capability, on an unbundled basis, except as set forth below in Section 7.1.2 to AI-Call for the provision of a munications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to AI-Call for the provision of a munications service only in the limited circumstance described below in Section 7.1.2.

- 7.1.1 Except as otherwise provided herein, BellSouth shall not impose any restrictions on AI-Call regarding the use of Switching Capabilities purchased from BellSouth provided such use does not result in demonstrable harm to either the BellSouth network or personnel or the use of the BellSouth network by BellSouth or any other munication carrier.

- 7.1.2 Local Circuit Switching Capability, including Tandem Switching Capability

7.1.2.1 Definition

Local Circuit Switching Capability is defined as: (A) line-side facilities, which include, but are not limited to, the connection between a loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include, but are not limited to, the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; and (C) All features, functions, and capabilities of the switch, which include, but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch; (D) switching provided by remote switching modules.

- 7.1.3 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Al-Call when Al-Call serves end-users with four (4) or more voice-grade (DS-0) equivalents or lines in locations served by BellSouth's local circuit switches, which are in the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.
- 7.1.4 In the event that Al-Call orders local circuit switching for a single end user account name at a single physical end user location with four (4) or more two (2) wire voice-grade loops from a BellSouth central office located in Density Zone 1, as determined by NECA Tariff No. 4 as in effect on January 1, 1999, of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA MSAs, BellSouth's sole recourse shall be to charge Al-Call a rate to be negotiated for use of the local circuit switching functionality for the affected facilities, or in the alternative, to charge Al-Call the local services resale rate for use of all Combinations used to provide the affected facilities to Al-Call .
- 7.1.5 A featureless port is one that has a line port, switching facilities, and an interoffice port. A featured port is a port that includes all features then capable or a number of then capable features specifically requested by Al-Call . Any features that are not currently then capable at the time of the request, but are technically feasible through the switch can be requested through the BFR process.
- 7.1.6 BellSouth will provide to Al-Call customized routing of calls: (i) to a requested directory assistance services platform; (ii) to an operator services platform pursuant to Section 11 of Attachment 2; (iii) for Al-Call 's PIC'ed toll traffic in a two (2) PIC environment to an alternative OS/DA platform designated by Al-Call . Al-Call customers may use the same dialing arrangements as BellSouth customers.
- 7.1.7 Remote Switching Module functionality is included in Switching Capability. The switching capabilities used will be based on the line side features they support.
- 7.1.8 Switching Capability will also be capable of routing (1)local, intraLATA, interLATA, and calls to international customer's preferred carrier; (2)call features (e.g., call forwarding) and (3) Centrex capabilities.
- 7.1.9 Where required to do so in order to comply with an effective Commission order, BellSouth will provide to Al-Call purchasing local BellSouth switching and reselling BellSouth local exchange service under Attachment 1, selective routing of

calls to a requested directory assistance services platform or operator services platform. Al-Call customers may use the same dialing arrangements as BellSouth customers, but obtain a Al-Call branded service.

7.2 Technical Requirements

- 7.2.1 The requirements set forth in this Section apply to Local Switching, but not to the Data Switching function of Local Switching.
- 7.2.1.1 Local Switching shall be equal to or better than the requirements for Local Switching set forth in Telcordia (formerly BellCore)'s Local Switching Systems General Requirements (FR-NWT-000064).
- 7.2.1.2 When applicable, BellSouth shall route calls to the appropriate trunk or lines for call origination or termination.
- 7.2.1.3 Subject to this section, BellSouth shall route calls on a per line or per screening class basis to (1) BellSouth platforms providing Network Elements or additional requirements (2) Operator Services platforms, (3) Directory Assistance platforms, and (4) Repair Centers. Any other routing requests by Al-Call will be made pursuant to the Bona Fide Request/ New Business Request Process as set forth in General Terms and Conditions.
- 7.2.1.4 BellSouth shall provide unbranded recorded announcements and call progress tones to alert callers of call progress and disposition.
- 7.2.1.5 BellSouth shall activate service for a Al-Call customer or network interconnection on any of the Local Switching interfaces. This includes provisioning changes to change a customer from BellSouth's services to Al-Call's services without loss of switch feature functionality as defined in this Agreement.
- 7.2.1.6 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 7.2.1.7 BellSouth shall repair and restore any equipment or any other maintainable component that may adversely impact Local Switching.
- 7.2.1.8 BellSouth shall control congestion points such as those caused by radio station call-ins, and network routing abnormalities. All traffic shall be restricted in a non discriminatory manner.
- 7.2.1.9 BellSouth shall perform manual call trace and permit customer originated call trace.
- 7.2.1.10 Special Services provided by BellSouth will include the following:

- 7.2.1.10.1 Telephone Service Prioritization;
- 7.2.1.10.2 Related services for handicapped;
- 7.2.1.10.3 Soft dial tone where required by law;
- 7.2.1.10.4 Any other service required by law; and
- 7.2.1.11 BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STP). These capabilities shall adhere to Telcordia (formerly BellCore) specifications - TCAP (GR-1432-CORE), ISUP (GR-905-CORE), Call Management (GR-1429-CORE), Switched Fractional DS1 (GR-1357-CORE), Toll Free Service (GR-1428-CORE), Calling Name (GR-1597-CORE), Line Information Database (GR-954-CORE), and Advanced Intelligent Network (GR-2863-CORE).
- 7.2.1.12 BellSouth shall provide interfaces to adjuncts through Telcordia (formerly BellCore) standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors.
- 7.2.1.13 BellSouth shall provide performance data regarding a customer line, traffic characteristics or other measurable elements to AI-Call, upon a reasonable request from AI-Call. CLEC will pay BellSouth for all costs incurred to provide such performance data through the Business Opportunity Request process.
- 7.2.1.14 BellSouth shall offer Local Switching that provides feature offerings at parity to those provided by BellSouth to itself or any other Party. Such feature offerings shall include but are not limited to:
 - 7.2.1.14.1 Basic and primary rate ISDN;
 - 7.2.1.14.2 Residential features;
 - 7.2.1.14.3 Customer Local Area Signaling Services (CLASS/LASS);
 - 7.2.1.14.4 CENTREX (including equivalent administrative capabilities, such as customer accessible reconfiguration and detailed message recording); and
 - 7.2.1.14.5 Advanced intelligent network triggers supporting AI-Call and BellSouth service applications.

BellSouth shall offer to AI-Call all AIN triggers in connection with its SMS/SCE offering which are supported by BellSouth for offering AIN-based services. Triggers that are currently available are:
 - 7.2.1.14.5.1 Off-Hook Immediate

- 7.2.1.14.5.2 Off-Hook Delay
- 7.2.1.14.5.3 Termination Attempt
- 7.2.1.14.5.4 6/10 Public Office Dialing Plan
- 7.2.1.14.5.5 Feature Code Dialing
- 7.2.1.14.5.6 Customer Dialing Plan
- 7.2.1.14.6 When the following triggers are supported by BellSouth, BellSouth will make these triggers available to AI-Call :
- 7.2.1.14.6.1 Private EAMF Trunk
- 7.2.1.14.6.2 Shared Interoffice Trunk (EAMF, SS7)
- 7.2.1.14.6.3 N11
- 7.2.1.14.6.4 Automatic Route Selection
- 7.2.1.14.6.5 9XX Blocking and toll blocking
- 7.2.1.15 Where capacity exists, BellSouth shall assign each AI-Call customer line the class of service designated by AI-Call (e.g., using line class codes or other switch specific provisioning methods), and shall route directory assistance calls from AI-Call customers to AI-Call directory assistance operators at AI-Call 's option.
- 7.2.1.16 Where capacity exists, BellSouth shall assign each AI-Call customer line the class of services designated by AI-Call (e.g., using line class codes or other switch specific provisioning methods) and shall route operator calls from AI-Call customers to AI-Call operators at AI-Call 's option. For example, BellSouth may translate 0- and 0+ intraLATA traffic, and route the call through appropriate trunks to an AI-Call Operator Services Position System (OSPS). Calls from Local Switching must pass the ANI-II digits unchanged.
- 7.2.1.17 Local Switching shall be offered in accordance with the requirements of the following technical references:
- 7.2.1.17.1 Telcordia (formerly BellCore) GR-1298-CORE, AIN Switching System Generic Requirements, as implemented in BellSouth's switching equipment;
- 7.2.1.17.2 Telcordia (formerly BellCore) GR-1299-CORE, AIN Switch-Service Control Point (SCP)/Adjunct Interface Generic Requirements;
- 7.2.1.17.3 Telcordia (formerly BellCore) TR-NWT-001284, AIN 0.1 Switching System Generic Requirements;

- 7.2.1.17.4 Telcordia (formerly BellCore) SR-NWT-002247, AIN Release 1 Update.
- 7.2.2 Interface Requirements
 - 7.2.2.1 BellSouth shall provide the following interfaces to loops:
 - 7.2.2.2 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
 - 7.2.2.3 Coin phone signaling;
 - 7.2.2.4 Basic Rate Interface ISDN adhering to appropriate Telcordia (formerly BellCore) Technical Requirements;
 - 7.2.2.5 Two-wire analog interface to PBX;
 - 7.2.2.5.1 Four-wire analog interface to PBX;
 - 7.2.2.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
 - 7.2.2.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia (formerly BellCore) Technical Requirements;
 - 7.2.2.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
 - 7.2.2.9 Loops adhering to Telcordia (formerly BellCore) TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
 - 7.2.2.10 BellSouth shall provide access to the following but not limited to:
 - 7.2.2.11 SS7 Signaling Network or Multi-Frequency trunking if requested by AI-Call ;
 - 7.2.2.12 Interface to AI-Call operator services systems or Operator Services through appropriate trunk interconnections for the system; and
 - 7.2.2.13 Interface to AI-Call directory assistance services through the AI-Call switched network or to Directory Assistance Services through the appropriate trunk interconnections for the system; and 950 access or other AI-Call required access to interexchange carriers as requested through appropriate trunk interfaces.
 - 7.2.2.14. Packet Switching Capability
 - 7.2.2.14.1 Definition

Packet Switching Capability. The packet switching capability network element is defined as the basic packet switching function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units, and the functions that are performed by Digital Subscriber Line Access Multiplexers, including but not limited to:

- 7.2.2.14.1.1 The ability to terminate copper customer loops (which includes both a low band voice channel and a high-band data channel, or solely a data channel);
- 7.2.2.14.1.2 The ability to forward the voice channels, if present, to a circuit switch or multiple circuit switches;
- 7.2.2.14.3 The ability to extract data units from the data channels on the loops, and
- 7.2.2.14.4 The ability to combine data units from multiple loops onto one or more trunks connecting to a packet switch or packet switches.
- 7.2.2.14.5 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
 - 7.2.2.14.5.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the distribution section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
 - 7.2.2.14.5.2 There are no spare copper loops capable of supporting the xDSL services AI-Call seeks to offer;
 - 7.2.2.14.5.3 BellSouth has not permitted AI-Call to deploy a Digital Subscriber Line Access Multiplexer at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has the AI-Call obtained a virtual collocation arrangement at these Sub-Loop interconnection points as defined by 47 C.F.R. § 51.319 (b); and
 - 7.2.2.14.5.4 BellSouth has deployed packet switching capability for its own use.
 - 7.2.2.14.5.5 If there is a dispute as to whether BellSouth must provide Packet Switching , such dispute will be resolved according to the dispute resolution process set forth in Section 15 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.

8. Interoffice Transmission Facilities

BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to AI-Call for the provision of a munications service.

8.1 Interoffice transmission facility network elements include:

1. Dedicated transport, defined as BellSouth's transmission facilities, including all technically feasible capacity-related services including, but not limited to, DS1, DS3 and OCn levels, dedicated to a particular customer or carrier, that provide munications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and AI-Call ;
2. Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached multiplexing, aggregation or other electronics;
3. Shared transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network.

8.1.1 BellSouth shall:

1. Provide AI-Call exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
2. Provide all technically feasible transmission facilities, features, functions, and capabilities that AI-Call could use to provide munications services;
3. Permit, to the extent technically feasible, AI-Call to connect such interoffice facilities to equipment designated by AI-Call , including but not limited to, AI-Call 's collocated facilities; and
4. Permit, to the extent technically feasible, AI-Call to obtain the functionality provided by BellSouth's digital cross-connect systems in the same manner that BellSouth provides such functionality to interexchange carriers.

8.1.2 Provided that the facility is used to transport a significant amount of local exchange services, AI-Call shall be entitled to convert existing interoffice transmission facilities (i.e., special access) to the corresponding interoffice transport network element option.

8.2 Technical Requirements of Common (Shared) Transport

- 8.2.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (“CO to CO”) connections in the appropriate industry standards.
- 8.2.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the appropriate industry standards.
- 8.2.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 8.2.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the following technical references (as applicable for the transport technology being used):
 - 8.2.4.1 ANSI T1.101-1994, American National Standard for munications - Synchronization Interface Standard Performance and Availability;
 - 8.2.4.2 ANSI T1.102-1993, American National Standard for munications - Digital Hierarchy - Electrical Interfaces;
 - 8.2.4.3 ANSI T1.102.01-199x, American National Standard for munications - Digital Hierarchy - VT1.5;
 - 8.2.4.4 ANSI T1.105-1995, American National Standard for munications - Synchronous Optical Network (SONET) - Basic Description including Multiplex Structure, Rates and Formats;
 - 8.2.4.5 ANSI T1.105.01-1995, American National Standard for munications - Synchronous Optical Network (SONET) - Automatic Protection Switching;
 - 8.2.4.6 ANSI T1.105.02-1995, American National Standard for munications - Synchronous Optical Network (SONET) - Payload Mappings;
 - 8.2.4.7 ANSI T1.105.03-1994, American National Standard for munications - Synchronous Optical Network (SONET) - Jitter at Network Interfaces;
 - 8.2.4.8 ANSI T1.105.03a-1995, American National Standard for munications - Synchronous Optical Network (SONET): Jitter at Network Interfaces - DS1 Supplement;

- 8.2.4.9 ANSI T1.105.05-1994, American National Standard for munications - Synchronous Optical Network (SONET) - Tandem Connection;
- 8.2.4.10 ANSI T1.105.06-199x, American National Standard for munications - Synchronous Optical Network (SONET) - Physical Layer Specifications;
- 8.2.4.11 ANSI T1.105.07-199x, American National Standard for munications - Synchronous Optical Network (SONET) - Sub STS-1 Interface Rates and Formats;
- 8.2.4.12 ANSI T1.105.09-199x, American National Standard for munications - Synchronous Optical Network (SONET) - Network Element Timing and Synchronization;
- 8.2.4.13 ANSI T1.106-1988, American National Standard for munications - Digital Hierarchy - Optical Interface Specifications (Single Mode);
- 8.2.4.14 ANSI T1.107-1988, American National Standard for munications - Digital Hierarchy - Formats Specifications;
- 8.2.4.15 ANSI T1.107a-1990 - American National Standard for munications - Digital Hierarchy - Supplement to Formats Specifications (DS3 Format Applications);
- 8.2.4.16 ANSI T1.107b-1991 - American National Standard for munications - Digital Hierarchy - Supplement to Formats Specifications;
- 8.2.4.17 ANSI T1.117-1991, American National Standard for munications - Digital Hierarchy - Optical Interface Specifications (SONET) (Single Mode - Short Reach);
- 8.2.4.18 ANSI T1.403-1989, Carrier to Customer Installation, DS1 Metallic Interface Specification;
- 8.2.4.19 ANSI T1.404-1994, Network-to-Customer Installation - DS3 Metallic Interface Specification;
- 8.2.4.20 ITU Recommendation G.707, Network node interface for the synchronous digital hierarchy (SDH);
- 8.2.4.21 ITU Recommendation G.704, Synchronous frame structures used at 1544, 6312, 2048, 8488 and 44736 kbps hierarchical levels;
- 8.2.4.22 Telcordia (formerly BellCore) FR-440 and TR-NWT-000499, Transport Systems Generic Requirements (TSGR): Common Requirements;
- 8.2.4.23 Telcordia (formerly BellCore) GR-820-CORE, Generic Transmission Surveillance: DS1 & DS3 Performance;

- 8.2.4.24 Telcordia (formerly BellCore) GR-253-CORE, Synchronous Optical Network Systems (SONET); Common Generic Criteria;
- 8.2.4.25 Telcordia (formerly BellCore) TR-NWT 000507, Transmission, Section 7, Issue 5 (Telcordia (formerly BellCore), December 1993). (A module of LSSGR, FR-NWT-000064.);
- 8.2.4.26 Telcordia (formerly BellCore) TR-NWT-000776, Network Interface Description for ISDN Customer Access;
- 8.2.4.27 Telcordia (formerly BellCore) TR-INS-000342, High-Capacity Digital Special Access Service-Transmission Parameter Limits and Interface Combinations, Issue 1 February 1991;
- 8.2.4.28 Telcordia (formerly BellCore) ST-TEC 000052, munications Transmission Engineering Textbook, Volume 2: Facilities, Third Edition, Issue I May 1989;
- 8.2.4.29 Telcordia (formerly BellCore) ST-TEC-000051, munications Transmission Engineering Textbook Volume 1: Principles, Third Edition. Issue 1 August 1987.

8.3 Dedicated Transport

- 8.3.1. BellSouth shall offer Dedicated Transport in each of the following ways:
 - 8.3.1.1 As capacity on a shared facility.
 - 8.3.1.2 As a circuit (e.g., DS0, DS1 or DS3) dedicated to AI-Call .
- 8.3.2 When Dedicated Transport is provided as a system it shall include:
 - 8.3.2.1 Transmission equipment such as multiplexers, line terminating equipment, amplifiers, and regenerators;
 - 8.3.2.2 Inter-office transmission facilities such as optical fiber, copper twisted pair, and coaxial cable.
- 8.3.3 Unbundled Local Channel
 - 8.3.3.1 The Unbundled Local Channel is the dedicated transmission path between AI-Call 's Point of Presence and the BellSouth Serving Wire Center.
 - 8.3.3.2 BellSouth currently offers Unbundled Local Channels for switched traffic. Rates for these elements are listed in this Attachment. For those states that do not contain rates in this Attachment for DS1 and DS3 switched Local Channels, the rates in the applicable State Access Tariff will apply as interim rates. When final rates are developed, these interim rates will be subject to true-up, and the Parties will amend the Agreement to reflect the new rates.

8.3.3.3 BellSouth currently offers Unbundled Local Channels for non-switched traffic at DS1 and DS3 levels at rates as set forth in Exhibit C to this Attachment.

8.3.4 Technical Requirements

This Section sets forth technical requirements for all Dedicated Transport.

8.3.4.1 When BellSouth provides Dedicated Transport as a circuit or a system, the entire designated transmission circuit or system (*e.g.*, DS0, DS1,DS3) shall be dedicated to AI-Call designated traffic.

8.3.4.2 BellSouth shall offer Dedicated Transport in all technologies that become available including, but not limited to, DS1 and DS3 transport systems, SONET (or SDH) Bi-directional Line Switched Rings, SONET (or SDH) Unidirectional Path Switched Rings, and SONET (or SDH) point-to-point transport systems (including linear add-drop systems), at all available transmission bit rates. While SONET Ring facilities are not available in every application, they are typically available in the major metropolitan areas.

8.3.4.3 For DS1 or VT1.5 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (“CI to CO”) connections in the appropriate industry standards.

8.3.4.4 Where applicable, for DS3 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the appropriate industry standards.

8.3.4.5 BellSouth shall offer the following interface transmission rates for Dedicated Transport:

8.3.4.5.1 DS0 Equivalent;

8.3.4.5.2 DS1 (Extended SuperFrame - ESF and D4 channel bank shall be provided);

8.3.4.5.3 DS3 where applicable (M13 multiplexer shall be provided);

8.3.4.5.4 SDH Standard interface rates in accordance with International munications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.

8.3.4.6 When Dedicated Transport is provided as a system, BellSouth shall design the system according to our network infrastructure to allow for the termination points specified by AI-Call .

- 8.3.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the following technical references:
- 8.3.5.1 ANSI T1.231-1993 -American National Standard for munications - Digital Hierarchy - Layer 1 In-Service Digital Transmission performance monitoring.
 - 8.3.5.1.1 ANSI T1.102-1993, American National Standard for munications - Digital Hierarchy - Electrical Interfaces;
 - 8.3.5.1.2 ANSI T1.106-1988, American National Standard for munications - Digital Hierarchy - Optical Interface Specifications (Single Mode);
 - 8.3.5.1.3 ANSI T1.107-1988, American National Standard for munications - Digital Hierarchy - Formats Specifications;
 - 8.3.5.1.4 ANSI T1.107a-1990 - American National Standard for munications - Digital Hierarchy - Supplement to Formats Specifications (DS3 Format Applications);
 - 8.3.5.1.5 ANSI T1.107b-1991 - American National Standard for munications - Digital Hierarchy - Supplement to Formats Specifications;
 - 8.3.5.1.6 Telcordia (formerly BellCore) FR-440 and TR-NWT-000499, Transport Systems Generic Requirements (TSGR): Common Requirements;
 - 8.3.5.1.7 Telcordia (formerly BellCore) GR-820-CORE, Generic Transmission Surveillance: DS1 & DS3 Performance;
 - 8.3.5.1.8 Telcordia (formerly BellCore) TR-NWT 000507, Transmission, Section 7, Issue 5 (Telcordia (formerly BellCore), December 1993). (A module of LSSGR, FR-NWT-000064.);
 - 8.3.5.1.9 Telcordia (formerly BellCore) TR-INS-000342, High-Capacity Digital Special Access Service-Transmission Parameter Limits and Interface Combinations, Issue 1 February 1991;
 - 8.3.5.1.10 Telcordia (formerly BellCore) ST-TEC 000052, munications Transmission Engineering Textbook, Volume 2: Facilities, Third Edition, Issue I May 1989;
 - 8.3.5.1.11 Telcordia (formerly BellCore) ST-TEC-000051, munications Transmission Engineering Textbook Volume 1: Principles, Third Edition. Issue 1 August 1987.

9. Tandem Switching

9.1 Definition

Tandem Switching is the function that establishes a communications path between two switching offices through a third switching office (the Tandem switch).

9.2 Technical Requirements

- 9.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Bell Communications Research TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include, but are not limited to the following:
- 9.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 9.2.1.2 Tandem Switching will provide screening as jointly agreed to by Al-Call and BellSouth;
- 9.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 9.2.1.4 Tandem Switching shall provide access to Toll Free number portability database as designated by Al-Call ;
- 9.2.1.5 Tandem Switching shall provide all trunk interconnections discussed under the “Network Interconnection” section (e.g., SS7, MF, DTMF, DialPulse, PRI-ISDN, DID, and CAMA-ANI (if appropriate for 911));
- 9.2.1.6 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 9.2.1.7 Where appropriate, Tandem Switching shall provide connectivity to transit traffic to and from other carriers.
- 9.2.2 Tandem Switching shall accept connections (including the necessary signaling and trunking interconnections) between end offices, other tandems, IXCs, ICOs, CAPs and CLEC switches.
- 9.2.3 Tandem Switching shall provide local tandem functionality between two end offices including two offices belonging to different CLEC's (e.g., between a CLEC end office and the end office of another CLEC).
- 9.2.4 Tandem Switching shall preserve CLASS/LASS features and Caller ID as traffic is processed.
- 9.2.5 Tandem Switching shall record billable events and send them to the area billing centers designated by Al-Call . Tandem Switching will provide recording of all billable events as jointly agreed to by Al-Call and BellSouth.
- 9.2.6 Upon a reasonable request from Al-Call , BellSouth shall perform routine testing and fault isolation on the underlying switch that is providing Tandem Switching

and all its interconnections. The results and reports of the testing shall be made immediately available to Al-Call .

- 9.2.7 BellSouth shall maintain Al-Call 's trunks and interconnections associated with Tandem Switching at least at parity to its own trunks and interconnections.
- 9.2.8 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non discriminatory manner.
- 9.2.9 Selective Call Routing through the use of line class codes is not available through the use of tandem switching. Selective Call Routing through the use of line class codes is an end office capability only. Detailed primary and overflow routing plans for all interfaces available within BellSouth switching network shall be mutually agreed to by Al-Call and BellSouth.
- 9.2.10 Tandem Switching shall process originating toll-free traffic received from Al-Call local switch.
- 9.2.11 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element, to the extent such Tandem Switch has such capability.

9.3 Interface Requirements

- 9.3.1 Tandem Switching shall provide interconnection to the E911 PSAP where the underlying Tandem is acting as the E911 Tandem.
- 9.3.2 Tandem Switching shall interconnect, with direct trunks, to all carriers with which BellSouth interconnects.
- 9.3.3 BellSouth shall provide all signaling necessary to provide Tandem Switching with no loss of feature functionality.
- 9.3.4 Tandem Switching shall interconnect with Al-Call 's switch, using two-way trunks, for traffic that is transiting via BellSouth network to interLATA or intraLATA carriers. At Al-Call 's request, Tandem Switching shall record and keep records of traffic for billing.
- 9.3.5 Tandem Switching shall provide an alternate final routing pattern for Al-Call traffic overflowing from direct end office high usage trunk groups.
- 9.4 Tandem Switching shall meet or exceed (i.e., be more favorable to Al-Call) each of the requirements for Tandem Switching set forth in the following technical references:
 - 9.4.1 Bell Communications Research TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90;

- 9.4.2 GR-905-CORE covering CCSNIS;
- 9.4.3 GR-1429-CORE for call management features; and
- 9.4.4 GR-2863-CORE and Telcordia (formerly BellCore) GR-2902-CORE covering CCS AIN interconnection

10. Combinations

- 10.1 For purposes of this Section, references to “Existing Combinations” of network elements shall mean that such network elements are in fact already combined by BellSouth in the BellSouth network to provide service to a particular end user at a particular location.

10.2 EELs

- 10.2.1 Where facilities permit and where necessary to comply with an effective FCC and/or State Commission order, BellSouth shall offer access to loop and transport combinations, also known as the Enhanced Extended Link (“EEL”) as defined in Section 10.3 below.
- 10.2.2 Subject to Section 10.2.3 below, BellSouth will provide access to the EEL in the combinations set forth in 10.3 following. This offering is intended to provide connectivity from an end user’s location through that end user’s SWC to Al-Call’s POP serving wire center. The circuit must be connected to Al-Call’s switch for the purpose of provisioning munications services, including but not limited to telephone exchange services, to Al-Call’s end-user customers. Except as provided for in paragraph 22 of the FCC’s Supplemental Order Clarification, released June 2, 2000, in CC Docket No. 96-98 (“June 2, 2000 Order”), the EEL will be connected to Al-Call’s facilities in Al-Call’s collocation space at the POP SWC. Al-Call may purchase BellSouth’s access facilities between Al-Call’s POP and Al-Call’s collocation space at the POP SWC.
- 10.2.3 BellSouth shall provide EEL combinations to Al-Call in the state of Georgia regardless of whether or not such EELs constitute Existing Combinations so long as such combinations are ordinarily combined in BellSouth’s network. In all other states, BellSouth shall make available to Al-Call those EEL combinations described in Section 10.3 below only to the extent such combinations are Existing Combinations.
- 10.2.4 BellSouth will make available EEL combinations to Al-Call in density Zone 1, as defined in 47 C.F.R. 69.123 as of January 1, 1999, of the Miami, Orlando, Fort Lauderdale, Charlotte, New Orleans, Greensboro and Nashville MSAs, regardless of whether or not such EELs constitute Existing Combinations.

10.2.5 Additionally, BellSouth shall make available to AI-Call a combination of an unbundled loop and special access interoffice facilities. To the extent AI-Call will require multiplexing functionality in connection with such combination, BellSouth will provide access to multiplexing within the central office pursuant to the terms, conditions and rates set forth in its Access Services Tariffs. Where multiplexing functionality is required in connection with loop and transport combinations, such multiplexing will be provided at the rates and on the terms set forth in this Agreement.

10.3 EEL Combinations

10.3.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop

10.3.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop

10.3.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop

10.3.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop

10.3.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop

10.3.6 DS1 Interoffice Channel + DS1 Local Loop

10.3.7 DS3 Interoffice Channel + DS3 Local Loop

10.3.8 STS-1 Interoffice Channel + STS-1 Local Loop

10.3.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop

10.3.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop

10.3.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop

10.3.12 4wire VG Interoffice Channel + 4-wire VG Local Loop

10.3.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop

10.3.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop

10.4 Other Network Element Combinations

In the state of Georgia, BellSouth shall make available to AI-Call , at the rates set forth in Section 10.6 below: (1) Existing Combinations of network elements other than EELs; and (2) combinations of network elements other than EELs that are not Existing Combinations but that BellSouth ordinarily combines in its network. In all other states, BellSouth shall make available to AI-Call , at the rates set forth in Section 10.6 below, combinations of network elements other than EELs only to the extent such combinations are Existing Combinations.

10.5 Special Access Service Conversions

10.5.1 AI-Call may not convert special access services to combinations of loop and transport network elements, whether or not AI-Call self-provides its entrance facilities (or obtains entrance facilities from a third party), unless AI-Call uses the combination to provide a “significant amount of local exchange service” (as described in Section 10.5.2 below), in addition to exchange access service, to a particular customer.

10.5.2 For the purpose of special access conversions, a “significant amount of local exchange service” is as defined in the FCC’s Supplemental Order Clarification, released June 2, 2000, in CC Docket No. 96-98 (“June 2, 2000 Order”). The Parties agree to incorporate by reference paragraph 22 of the June 2, 2000 Order. When AI-Call requests conversion of special access circuits, AI-Call will self-certify to BellSouth in the manner specified in paragraph 29 of the June 2, 2000 Order that the circuits to be converted qualify for conversion. In addition there may be extraordinary circumstances where AI-Call is providing a significant amount of local exchange service, but does not qualify under any of the three options set forth in paragraph 22 of June 2, 2000 Order. In such case, AI-Call may petition the FCC for a waiver of the local usage options set forth in the June 2, 2000 Order. If a waiver is granted, then upon AI-Call’s request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.

10.5.3 Upon request for conversions of up to 15 circuits from special access to EELs, BellSouth shall perform such conversions within seven (7) days from BellSouth’s receipt of a valid, error free service order from AI-Call . Requests for conversions of fifteen (15) or more circuits from special access to EELs will be provisioned on a project basis. Conversions should not require the special access circuit to be disconnected and reconnected because only the billing information or other administrative information associated with the circuit will change when AI-Call requests a conversion. The Access Service Request process will be used for conversion requests.

10.5.4 BellSouth may, at its sole expense, and upon thirty (30) days notice to AI-Call ,

audit Al-Call s records not more than one in any twelve month period, unless an audit finds non-compliance with the local usage options referenced in the June 2, 2000 Order, in order to verify the type of traffic being transmitted over combinations of loop and transport network elements. If, based on its audits, BellSouth concludes that Al-Call is not providing a significant amount of local exchange traffic over the combinations of loop and transport network elements, BellSouth may file a complaint with the appropriate Commission, pursuant to the dispute resolution process as set forth in this Agreement. In the event that BellSouth prevails, BellSouth may convert such combinations of loop and transport network elements to special access services and may seek appropriate retroactive reimbursement from Al-Call .

10.6 Rates

10.6.1 Georgia

10.6.1.1 The non-recurring and recurring rates for the EEL combinations set forth in 10.3, whether or not such EELs are Existing Combinations, are as set forth in Exhibit A of this Attachment.

10.6.1.2 On an interim basis, for combinations of loop and transport network elements not set forth in Section 10.3, where the elements are not Existing Combinations but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements which make up the combination. These interim rates shall be subject to true-up based on the Commission's review of BellSouth's cost studies.

10.6.1.3 To the extent that Al-Call seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, Al-Call , at its option, can request that such rates be determined pursuant to the Bona Fide Request/New Business Request (NBR) process set forth in this Agreement.

10.6.2 All Other States

10.6.2.1 Subject to Section 10.2.3 and 10.4 preceding, for all other states, the non-recurring and recurring rates for the Existing Combinations of EELs set forth in Section 10.3 and other Existing Combinations of network elements will be the sum of the recurring rates for the individual network elements plus an appropriate cost-based records change charge unless otherwise negotiated by the parties.

10.6.2.2 The non-recurring and recurring rates for EELs made available pursuant to Section 10.2.4 above will be the sum of the nonrecurring and recurring rates for the individual network elements, unless otherwise established by the Commission.

10.7 Port/Loop Combinations

10.7.1 Except as specified in Sections 10.7.1.1 and 10.7.1.2 below, at Al-Call 's request, BellSouth shall provide access to Existing Combinations of port and loop network elements, as set forth in Section 10.7.4 below. Such port and loop combinations will provide local exchange service for the origination and termination of calls.

10.7.1.1 BellSouth shall not provide access to combinations of port and loop network elements in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.

10.7.1.2 In accordance with effective and applicable FCC rules, BellSouth shall not provide unbundled access to circuit switching in density Zone 1, as defined in 47 C.F.R. 69.123 as of January 1, 1999, of the Atlanta, Miami, Orlando, Fort Lauderdale, Charlotte, New Orleans, Greensboro and Nashville MSAs to Al-Call if Al-Call 's customer has 4 or more DS0 equivalent lines.

10.7.2 In Georgia, BellSouth shall provide combinations of port and loop network elements to Al-Call to the extent such elements are ordinarily combined in BellSouth's network, regardless of whether or not such combinations are Existing Combinations, except in those locations where BellSouth is not required to provide circuit switching, as set forth in Section 10.7.1.2 above. In all other states, and subject to Sections 10.7.1.1 and 10.7.1.2 above, BellSouth shall provide combinations of port and loop network elements to Al-Call only to the extent such elements constitute Existing Combinations.

10.7.3 Rates for Combinations of Loop and Port Network Elements

10.7.3.1 Rates for combinations of loop and port network elements, as set forth in Section 10.7.4, are provided in Exhibit A of this Attachment. Subject to Sections 10.7.1.1 and 10.7.1.2 above, to the extent Al-Call seeks to obtain other Existing Combinations of ports and loops that are not listed in Section 10.7.4, or in the state of Georgia, to the extent Al-Call seeks to obtain other port and loop combinations that are not Existing Combinations but that are ordinarily combined in BellSouth's network, the rate for such combinations shall be the sum of the recurring rates for the individual network elements plus an appropriate cost-based records change charge.

10.7.3.2 Rates for Circuit Switching

10.7.3.2.1 Rates for circuit switching, where BellSouth is not required, pursuant to Sections 10.7.1.1 and 10.7.1.2, to provide unbundled access to circuit switching, are as set forth in Exhibit A of this Attachment.

10.7.4 Port/Loop Combination Offerings

- 10.7.4.1 2-wire voice grade port, voice grade loop, virtual cross connect, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 10.7.4.2 2-wire voice grade DID port, voice grade loop, virtual cross connect, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 10.7.4.3 2-wire CENTREX port, voice grade loop virtual cross connect, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 10.7.4.4. 2-wire ISDN Basic Rate Interface, voice grade loop virtual cross connect, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 10.7.4.5 2-wire ISDN Primary Rate Interface, DS1 loop virtual cross connect, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 10.7.4.6 4-wire DS1 Trunk port, DS1 Loop virtual cross connect, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

11. Operator Systems

BellSouth agrees to offer access to operator systems pursuant to the terms and conditions following and at the rates set forth in this Attachment.

11.1 Definition

Operator Systems is the Network Element that provides operator and automated call handling and billing, special services, end user telephone listings and optional call completion services. The Operator Systems, Network Element provides two types of functions: Operator Service functions and Directory Assistance Service functions, each of which are described in detail below.

11.2 Operator Service

11.2.1 Definition

Operator Service provides: (1) operator handling for call completion (for example, collect, third number billing, and manual credit card calls), (2) operator or automated assistance for billing after the end user has dialed the called number (for example, credit card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, Operator-assisted Directory Assistance, and Rate Quotes.

11.2.2 Requirements

- 11.2.2.1 When Al-Call requests BellSouth to provide Operator Services, the following requirements apply:
 - 11.2.2.1.1 BellSouth shall complete 0+ and 0- dialed local calls.
 - 11.2.2.1.2 BellSouth shall complete 0+ intraLATA toll calls.
 - 11.2.2.1.3 BellSouth shall complete calls that are billed to Al-Call end user's calling card that can be validated by BellSouth.
 - 11.2.2.1.4 BellSouth shall complete person-to-person calls.
 - 11.2.2.1.5 BellSouth shall complete collect calls.
 - 11.2.2.1.6 BellSouth shall provide the capability for callers to bill to a third party and complete such calls.
 - 11.2.2.1.7 BellSouth shall complete station-to-station calls.
 - 11.2.2.1.8 BellSouth shall process emergency calls.
 - 11.2.2.1.9 BellSouth shall process Busy Line Verify and Emergency Line Interrupt requests.
 - 11.2.2.1.10 BellSouth shall process emergency call trace, as they do for their End users prior to the Effective Date. Call must originate from a 911 provider.
 - 11.2.2.1.11 BellSouth shall process operator-assisted directory assistance calls.
- 11.2.2.2 BellSouth shall adhere to equal access requirements, providing Al-Call local end users the same IXC access as provided to BellSouth end users.
- 11.2.2.3 BellSouth shall exercise at least the same level of fraud control in providing Operator Service to Al-Call that BellSouth provides for its own operator service.
- 11.2.2.4 BellSouth shall perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls.
- 11.2.2.5 BellSouth shall direct customer account and other similar inquiries to the customer service center designated by Al-Call .

10.2.2.6 BellSouth shall provide a feed of customer call records in “EMI” format to Al-Call in accordance with CLECODUF standards specified in Attachment 7.

11.2.3 Interface Requirements

With respect to Operator Services for calls that originate on local switching capability provided by or on behalf of Al-Call , the interface requirements shall conform to the then current established system interface specifications for the platform used to provide Operator Service and the interface shall conform to industry standards.

11.3 Directory Assistance Service

11.3.1 Definition

Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the callers direction separate and distinct from local switching.

11.3.2 Requirements

11.3.2.1 Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by Al-Call ’s end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings, equal to that which BellSouth provides its end users. In providing call completion service, and at such time as functionality is available in the BellSouth network, BellSouth shall route the call to Al-Call ’s network for call completion. Rates for such functionality shall be established at the time such functionality becomes available. If not available, Al-Call may request such requirement pursuant to the Bona Fide Request/New Business Process as set forth in General Terms and Conditions.

11.3.2.2 Directory Assistance Service Updates

11.3.2.2.1 BellSouth shall update end user listings changes daily. These changes include:

11.3.2.2.1.1 New end user connections: BellSouth will provide service to Al-Call that is equal to the service it provides to itself and its end users;

11.3.2.2.1.2 End user disconnections: BellSouth will provide service to Al-Call that is equal to the service it provides to itself and its end users; and

11.3.2.2.1.3 End user address changes: BellSouth will provide service to Al-Call that is equal to the service it provides to itself and its end users;

11.3.2.3 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.

- 11.4 Branding for Operator Call Processing and Directory Assistance
- 11.4.1 The BellSouth Operator Systems Branding Feature provides a definable announcement to AI-Call end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing them in queue or connecting them to an available operator or automated operator system. This feature allows AI-Call to have its calls custom branded with AI-Call name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for Custom Branding, Operator Call Process and Directory Assistance are set forth in this Attachment.
- 11.4.2 BellSouth offers four service levels of branding to AI-Call when ordering Directory Assistance and/or Operator Call Processing.
- 11.4.2.1 Service Level 1 - BellSouth Branding
- 11.4.2.2 Service Level 2 - Unbranded
- 11.4.2.3 Service Level 3 - Custom Branding
- 11.4.2.4 Service Level 4 - Self Branding (applicable only to AI-Call for Resale or use with an Unbundled Port when routing to an operator service provider other than BellSouth).
- 11.4.3 For Resellers and Use with an Unbundled Port
- 11.4.3.1 BellSouth Branding is the Default Service Level.
- 11.4.3.2 Unbranding, Custom Branding, and Self Branding require AI-Call to order selective routing for each originating BellSouth end office identified by AI-Call . Rates for Selective Routing are set forth in this Attachment.
- 11.4.3.3 Customer Branding and Self Branding require AI-Call to order dedicated trunking from each BellSouth end office identified by AI-Call , to either the BellSouth Traffic Operator Position System (TOPS) or AI-Call Operator Service Provider. Rates for trunks are set forth in applicable BellSouth tariffs.
- 11.4.3.4 Unbranding - Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by AI-Call to the BellSouth TOPS. These calls are routed to “No Announcement.”
- 11.4.4 For Facilities Based Carriers
- 11.4.4.1 All Service Levels require AI-Call to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.

- 11.4.4.2 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch, IVS and NAV equipment for which AI-Call requires service

Directory Assistance customized branding uses:

- the recording of the name;
- the front-end loading of the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.

Operator Call Processing customized branding uses:

- the recording of the name;
- the front-end loading of the DRAM in the TOPS Switch;
- the back-end loading in the audio units in the Automated Alternate Billing System (AABS) in the Interactive Voice Subsystem (IVS);
- the 0- automation loading for the audio units in the Enhanced Billing and Access Service (EBAS) in the Network Applications Vehicle (NAV).

- 11.4.4.3 BellSouth will provide to AI-Call purchasing local BellSouth switching and reselling BellSouth local exchange service, selective routing of calls to a requested directory assistance services platform or operator services platform. AI-Call end users may use the same dialing arrangements as BellSouth end users, but obtain a AI-Call branded service.

11.5 Directory Assistance Database Service (DADS)

- 11.5.1 BellSouth shall make its Directory Assistance Database Service (DADS) available solely for the expressed purpose of providing Directory Assistance type services to AI-Call end users. The term “end user” denotes any entity which obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted and Electronic Directory Assistance (Data System assisted)). AI-Call agrees that Directory Assistance Database Service (DADS) will not be used for any purpose which violates federal or state laws, statutes, regulatory orders or tariffs. Except for the permitted users, AI-Call agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS. Further, AI-Call authorizes the inclusion of AI-Call Subscriber listings in the BellSouth Directory Assistance products.
- 11.5.2 BellSouth shall provide AI-Call initially with a base file of subscriber listings which reflect all listing change activity occurring since AI-Call’s most recent update via magnetic tape, and subsequently using electronic connectivity such as Network Data Mover to be developed mutually by AI-Call and BellSouth. AI-Call agrees

to assume the costs associated with CONNECT: Direct™ connectivity, which will vary depending upon volume and mileage.

- 11.5.3 BellSouth will require approximately one month after receiving an order to prepare the Base File. BellSouth will provide daily updates which will reflect all listing change activity occurring since CLEC's most recent update. BellSouth shall provide updates to Al-Call on a Business, Residence, or combined Business and Residence basis. Al-Call agrees that the updates shall be used solely to keep the information current. Delivery of Daily Updates will commence the day after Al-Call receives the Base File.
- 11.5.4 BellSouth is authorized to include Al-Call Subscriber List Information in its Directory Assistance Database Service (DADS) and its Directory Publishers Database Service (DPDS). Any other use by BellSouth of Al-Call Subscriber List Information is not authorized and with the exception of a request for DADS or DPDS, BellSouth shall refer any request for such information to Al-Call .
- 11.5.5 Rates for DADS are as set forth in this Attachment.
- 11.6 Direct Access to Directory Assistance Service
- 11.6.1 Direct Access to Directory Assistance Service (DADAS) will provide Al-Call 's directory assistance operators with the ability to search all available BellSouth's subscriber listings using the Directory Assistance search format. Subscription to DADAS will allow Al-Call to utilize its own switch, operator workstations and optional audio subsystems.
- 11.6.2 BellSouth will provide DADAS from its DA location. Al-Call will access the DADAS system via a telephone company provided point of availability. Al-Call has the responsibility of providing the physical links required to connect to the point of availability. These facilities may be purchased from the telephone company as rates and charges billed separately from the charges associated with this offering.
- 11.6.3 A specified interface to each Al-Call subsystem will be provided by BellSouth. Interconnection between Al-Call system and a specified BellSouth location will be pursuant to the use of Al-Call owned or Al-Call leased facilities and shall be appropriate sized based upon the volume of queries being generated by Al-Call .
- 11.6.4 The specifications for the three interfaces necessary for interconnection are available in the following documents:
 - 11.6.4.1 DADAS to Subscriber Operator Position System—Northern Document CSI-2300-07; Universal Gateway/ Position Message Interface Format Specification

- 11.6.4.2 DADAS to Subscriber Switch—Northern Document Q210-1 Version A107; NTDMS/CCIDAS System Application Protocol; and AT&T Document 250-900-535 Operator Services Position System Listing Service and Application Call Processing Data Link Interface Specification
- 11.6.4.3 DADAS to Audio Subsystem (Optional)—Directory One Call Control to Audio Response Unit system interface specifications are available through Northern as a licensed access protocol—Northern Document 355-004424 and Gateway/Interactive Voice subsystem Protocol Specification
- 11.6.5 Rates for DADAS are as set forth in this Attachment.

12. **Signaling**

BellSouth agrees to offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

12.1 **Definition of Signaling Link Transport**

Signaling Link Transport is a set of two or four dedicated 56 Kbps. transmission paths between CLEC-designated Signaling Points of Interconnection (SPOI) that provides appropriate physical diversity.

12.2 **Technical Requirements**

- 12.2.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths.
- 12.2.2 Of the various options available, Signaling Link Transport shall perform in the following two ways:
 - 12.2.2.1 As an "A-link" which is a connection between a switch or SCP and a home Signaling Transfer Point Switch (STP) pair; and
 - 12.2.2.2 As a "B-link" which is a connection between two STP pairs in different company networks (e.g., between two STP pairs for two Competitive Local Exchange Carriers (CLECs)).
- 12.2.3 Signaling Link Transport shall consist of two or more signaling link layers as follows:
 - 12.2.3.1 An A-link layer shall consist of two links.

- 12.2.3.2 A B-link layer shall consist of four links.
- 12.2.4 A signaling link layer shall satisfy a performance objective such that:
 - 12.2.4.1 There shall be no more than two minutes down time per year for an A-link layer; and
 - 12.2.4.2 There shall be negligible (less than 2 seconds) down time per year for a B-link layer.
- 12.2.5 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
 - 12.2.5.1 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
 - 12.2.5.2 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 12.3 Interface Requirements
- 12.3.1 There shall be a DS1 (1.544 Mbps) interface at the AI-Call -designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 13. Signaling Transfer Points (STPs)**
- 13.1 Definition - Signaling Transfer Points is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links which enable the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches
- 13.2 Technical Requirements
- 13.2.1 STPs shall provide access to Network Elements connected to BellSouth SS7 network. These include:
 - 13.2.1.1 BellSouth Local Switching or Tandem Switching;
 - 13.2.1.2 BellSouth Service Control Points/DataBases;
 - 13.2.1.3 Third-party local or tandem switching;
 - 13.2.1.4 Third-party-provided STPs.

- 13.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to BellSouth SS7 network. This explicitly includes the use of BellSouth SS7 network to convey messages which neither originate nor terminate at a signaling end point directly connected to BellSouth SS7 network (*i.e.*, transient messages). When BellSouth SS7 network is used to convey transient messages, there shall be no alteration of the Integrated Services Digital Network User Part (ISDNUP) or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 13.2.3 If a BellSouth tandem switch routes calling traffic, based on dialed or translated digits, on SS7 trunks between an AI-Call local switch and third party local switch, BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between AI-Call local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 13.2.4 STPs shall provide all functions of the MTP as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements. This includes:
- 13.2.4.1 Signaling Data Link functions, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements,
- 13.2.4.2 Signaling Link functions, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements, and
- 13.2.4.3 Signaling Network Management functions, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements.
- 13.2.5 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements. In particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1.112.4. In cases where the destination signaling point is a AI-Call or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network, and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a AI-Call database, then AI-Call agrees to provide BellSouth with the Destination Point Code for the AI-Call database.
- 13.2.6 STPs shall provide on a non-discriminatory basis all functions of the OMAP commonly provided by STPs, as specified in the reference in Section 12.4.5 of this

Attachment. All OMAP functions will be on a "where available" basis and can include:

- 13.2.6.1 MTP Routing Verification Test (MRVT) and
- 13.2.6.2 SCCP Routing Verification Test (SRVT).
- 13.2.7 In cases where the destination signaling point is a BellSouth local or tandem switching system or database, or is a AI-Call or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement shall be superseded by the specifications for Internetwork MRVT and SRVT if and when these become approved ANSI standards and available capabilities of BellSouth STPs, and if mutually agreed upon by AI-Call and BellSouth.
- 13.2.8 STPs shall be on parity with BellSouth.
- 13.2.9 SS7 Advanced Intelligent Network (AIN) Access
- 13.2.9.1 When technically feasible and upon request by AI-Call, SS7 Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with the AI-Call SS7 network to exchange TCAP queries and responses with a AI-Call SCP.
- 13.2.9.2 SS7 AIN Access shall provide AI-Call SCP access to BellSouth local switch in association with switching via interconnection of BellSouth SS7 and AI-Call SS7 Networks. BellSouth shall offer SS7 access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the AI-Call SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 13.3 Interface Requirements
- 13.3.1 BellSouth shall provide the following STPs options to connect AI-Call or AI-Call - designated local switching systems or STPs to BellSouth SS7 network:
 - 13.3.1.1 An A-link interface from AI-Call local switching systems; and,
 - 13.3.1.2 A B-link interface from AI-Call local STPs.
- 13.3.2 Each type of interface shall be provided by one or more sets (layers) of signaling links.

- 13.3.3 The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling for interconnecting AI-Call local switching systems or STPs with BellSouth STPs as soon as these become approved ANSI standards and available capabilities of BellSouth STPs. BellSouth and AI-Call will work jointly to establish mutually acceptable SPOIs.
- 13.3.4 BellSouth CO shall provide intraoffice diversity between the SPOIs and BellSouth STPs, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP. BellSouth and AI-Call will work jointly to establish mutually acceptable SPOIs.
- 13.3.5 BellSouth shall provide MTP and SCCP protocol interfaces that shall conform to all sections relevant to the MTP or SCCP in the following specifications:
- 13.3.5.1 Telcordia (formerly BellCore) GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP);
- 13.3.5.2 Telcordia (formerly BellCore) GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).
- 13.3.6 Message Screening
- 13.3.6.1 BellSouth shall set message screening parameters so as to accept valid messages from AI-Call local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the AI-Call switching system has a legitimate signaling relation.
- 13.3.6.2 BellSouth shall set message screening parameters so as to pass valid messages from AI-Call local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the AI-Call switching system has a legitimate signaling relation.
- 13.3.6.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from AI-Call from any signaling point or network interconnected through BellSouth's SS7 network where the AI-Call SCP has a legitimate signaling relation.
- 13.4 STPs shall be equal to or better than all of the requirements for STPs set forth in the following technical references:

- 13.4.1 ANSI T1.111-1992 American National Standard for munications - Signaling System Number 7 (SS7) - Message Transfer Part (MTP);
- 13.4.2 ANSI T1.111A-1994 American National Standard for munications - Signaling System Number 7 (SS7) - Message Transfer Part (MTP) Supplement;
- 13.4.3 ANSI T1.112-1992 American National Standard for munications - Signaling System Number 7 (SS7) - Signaling Connection Control Part (SCCP);
- 13.4.4 ANSI T1.115-1990 American National Standard for munications - Signaling System Number 7 (SS7) - Monitoring and Measurements for Networks;
- 13.4.5 ANSI T1.116-1990 American National Standard for munications - Signaling System Number 7 (SS7) - Operations, Maintenance and Administration Part (OMAP);
- 13.4.6 ANSI T1.118-1992 American National Standard for munications - Signaling System Number 7 (SS7) - Intermediate Signaling Network Identification (ISNI);
- 13.4.7 Telcordia (formerly BellCore) GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP); and
- 13.4.8 Telcordia (formerly BellCore) GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).

14. Service Control Points/DataBases

14.1 Definition

- 14.1.1 Databases are the Network Elements that provide the functionality for storage of, access to, and manipulation of information required to offer a particular service and/or capability. Databases include, but are not limited to: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, Calling Name Database, access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 14.1.2 A Service Control Point (SCP) is a specific type of Database functionality deployed in a Signaling System 7 (SS7) network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

14.2 Technical Requirements for SCPs/Databases

Requirements for SCPs/Databases within this section address storage of information, access to information (e.g. signaling protocols, response times), and administration of information (e.g., provisioning, administration, and maintenance). All SCPs/Databases shall be provided to AI-Call in accordance with the following requirements.

14.2.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.

14.2.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).

14.2.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

14.2.4 Database Availability

Call processing databases shall have a maximum unscheduled availability of 30 minutes per year. Unavailability due to software and hardware upgrades shall be scheduled during minimal usage periods and only be undertaken upon proper notification to providers which might be impacted. Any downtime associated with the provision of call processing related databases will impact all service providers, including BellSouth, equally.

14.2.5 The operational interface provided by BellSouth shall complete Database transactions (i.e., add, modify, delete) for AI-Call customer records stored in BellSouth databases within 3 days, or sooner where BellSouth provisions its own customer records within a shorter interval.

14.3 Local Number Portability Database

14.3.1 Definition

The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. PNP is currently being worked in industry forums. The results of these forums will dictate the industry direction of PNP. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

14.4 Line Information Database (LIDB)

BellSouth will store in its LIDB only records relating to service in the BellSouth region. The LIDB Storage Agreement is included in this Attachment.

14.4.1 Definition

The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. It contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth CCS network and other CCS networks. LIDB also interfaces to administrative systems.

14.4.2 Technical Requirements

BellSouth will offer to Al-Call any additional capabilities that are developed for LIDB during the life of this Agreement.

- 14.4.2.1 BellSouth shall process Al-Call 's Customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Al-Call what additional functions (if any) are performed by LIDB in the BellSouth network.
- 14.4.2.2 Within two (2) weeks after a request by Al-Call , BellSouth shall provide Al-Call with a list of the customer data items which Al-Call would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function, and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 14.4.2.3 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.
- 14.4.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.
- 14.4.2.5 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 14.4.2.6 All additions, updates and deletions of Al-Call data to the LIDB shall be solely at the direction of Al-Call . Such direction from Al-Call will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 14.4.2.7 BellSouth shall provide priority updates to LIDB for Al-Call data upon Al-Call 's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.

- 14.4.2.8 BellSouth shall provide LIDB systems such that no more than 0.01% of Al-Call customer records will be missing from LIDB, as measured by Al-Call audits. BellSouth will audit Al-Call records in LIDB against DBAS to identify record mismatches and provide this data to a designated Al-Call contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to Al-Call within one business day of audit. Once reconciled records are received back from Al-Call, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Al-Call to negotiate a time frame for the updates, not to exceed three business days.
- 14.4.2.9 BellSouth shall perform backup and recovery of all of Al-Call's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 14.4.2.10 BellSouth shall provide Al-Call with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Al-Call and BellSouth.
- 14.4.2.11 BellSouth shall prevent any access to or use of Al-Call data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Al-Call in writing.
- 14.4.2.12 BellSouth shall provide Al-Call performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Al-Call at least at parity with BellSouth Customer Data. BellSouth shall obtain from Al-Call the screening information associated with LIDB Data Screening of Al-Call data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Al-Call under the Bona Fide Request/New Business Process as set forth in General Terms and Conditions.
- 14.4.2.13 BellSouth shall accept queries to LIDB associated with Al-Call customer records, and shall return responses in accordance with industry standards.
- 14.4.2.14 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 14.4.2.15 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.

14.4.3 Interface Requirements

BellSouth shall offer LIDB in accordance with the requirements of this subsection.

14.4.3.1 The interface to LIDB shall be in accordance with the technical references contained within.

14.4.3.2 The CCS interface to LIDB shall be the standard interface described herein.

14.4.3.3 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.

14.5 Toll Free Number Database

The Toll Free Number Database is a SCP that provides functionality necessary for toll free (e.g., 800 and 888) number services by providing routing information and additional so-called vertical features during call set-up in response to queries from SSPs. BellSouth shall provide the Toll Free Number Database in accordance with the following:

14.5.1 Technical Requirements

14.5.1.1 BellSouth shall make BellSouth Toll Free Number Database available for AI-Call to query with a toll-free number and originating information.

14.5.1.2 The Toll Free Number Database shall return carrier identification and, where applicable, the queried toll free number, translated numbers and instructions as it would in response to a query from a BellSouth switch.

14.5.1.3 The SCP shall also provide, at AI-Call's option, such additional feature as described in SR-TSV-002275 (BOC Notes on BellSouth Networks, SR-TSV-002275, Issue 2, (Telcordia (formerly BellCore), April 1994)) as are available to BellSouth. These may include but are not limited to:

14.5.1.3.1 Network Management;

14.5.1.3.2 Customer Sample Collection; and

14.5.1.3.3 Service Maintenance

14.6 Automatic Location Identification/Data Management System (ALI/DMS)

The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide more routing flexibility for E911 calls than Basic 911. BellSouth shall provide the Emergency Services Database in accordance with the following:

14.6.1 Technical Requirements

14.6.1.1 BellSouth shall offer Al-Call a data link to the ALI/DMS database or permit Al-Call to provide its own data link to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Al-Call immediately after Al-Call inputs information into the ALI/DMS database. Alternately, Al-Call may utilize BellSouth, to enter end user information into the data base on a demand basis, and validate end user information on a demand basis.

14.6.1.2 The ALI/DMS database shall contain the following end user information:

14.6.1.2.1 Name;

14.6.1.2.2 Address;

14.6.1.2.3 Telephone number; and

14.6.1.2.4 Other information as appropriate (e.g., whether a end user is blind or deaf or has another disability).

14.6.1.3 When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless Al-Call requests otherwise and shall be updated if Al-Call requests, provided Al-Call supplies BellSouth with the updates.

14.6.1.4 When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or “forwarded-to” number and an indication that the number is ported shall be added to the customer record.

14.6.1.5 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.

14.6.2 Interface Requirements

The interface between the E911 Switch or Tandem and the ALI/DMS database for Al-Call end users shall meet industry standards.

14.7 Directory Assistance Database

BellSouth shall make its directory assistance database available to Al-Call in order to allow Al-Call to provide its end users with the same directory assistance munications services BellSouth provides to BellSouth end users. BellSouth shall provide Al-Call with an initial feed via magnetic tape and daily update initially via

magnetic tape and subsequently via an electronic gateway to be developed mutually by AI-Call and BellSouth of end user address and number changes. Directory Assistance Services must provide both the ported and AI-Call telephone numbers to the extent available in BellSouth's database assigned to a end user. Privacy indicators must be properly identified to assure the non-published numbers are accurately identified.

14.8 Calling Name (CNAM) Database Service

The Agreement for Calling Name (CNAM) with standard pricing is included as Exhibit B to this Attachment. Al-Call must provide to its account manager a written request with a requested activation date to activate this service. If Al-Call is interested in requesting CNAM with volume and term pricing, Al-Call must contact its account manager to request a separate CNAM volume and term Agreement.

14.9 SCPs/Databases shall be equal to or better than all of the requirements for SCPs/Databases set forth in the following technical references:

14.9.1 GR-246-CORE, Bell Communications Research Specification of Signaling System Number 7, ISSUE 1 (Telcordia (formerly BellCore), December 1999);

14.9.2 GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP). (Telcordia (formerly BellCore), March 1994);

14.9.3 GR-954-CORE, CCS Network Interface Specification (CCSNIS) Supporting Line Information Database (LIDB) Service 6, Issue 1, Rev. 1 (Telcordia (formerly BellCore), October 1995);

14.9.4 GR-1149-CORE, OSSGR Section 10: System Interfaces, Issue 1 (Telcordia (formerly BellCore), October 1995) (Replaces TR-NWT-001149);

14.9.5 Telcordia (formerly BellCore) GR-1158-CORE, OSSGR Section 22.3: Line Information Database 6, Issue (Telcordia (formerly BellCore), October 1995);

14.9.6 Telcordia (formerly BellCore) GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service (Telcordia (formerly BellCore), May 1995); and

14.9.7 BOC Notes on BellSouth Networks, SR-TSV-002275, ISSUE 2, (Telcordia (formerly BellCore), April 1994).

14.10 Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access.

14.10.1 BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide Al-Call the capability that will allow Al-Call and other third parties to create service applications in a BellSouth Service Creation Environment and deploy those applications in a BellSouth SMS to a BellSouth SCP. The third party service applications interact with AIN triggers provisioned on a BellSouth SSP.

- 14.10.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (*e.g.*, help desk, system administrator) resources available to AI-Call . Scheduling procedures shall provide AI-Call equivalent priority to these resources
- 14.10.3 BellSouth SCP shall partition and protect AI-Call service logic and data from unauthorized access, execution or other types of compromise.
- 14.10.4 When AI-Call selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable AI-Call to use BellSouth's SCE/SMS AIN Access to create and administer applications. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions, but will not include support for the creation of a specific service application.
- 14.10.5 When AI-Call selects SCE/SMS AIN Access, BellSouth shall provide for a secure, controlled access environment in association with its internal use of AIN components. AI-Call access will be provided via remote data connection (*e.g.*, dial-in, ISDN).
- 14.10.6 When AI-Call selects SCE/SMS AIN Access, BellSouth shall allow AI-Call to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth (*e.g.*, service customization and end user subscription).

15. Dark Fiber

15.1 Definition

Dark Fiber is optical transmission facilities without attached multiplexing, aggregation or other electronics that connects two points within BellSouth's network. Dark Fiber also includes strands of optical fiber existing in aerial or underground cable which may have lightwave repeater (regenerator or optical amplifier) equipment interspliced to it at appropriate distances, but which has no line terminating elements terminated to such strands to operationalize its transmission capabilities.

15.2 Requirements

- 15.2.1 BellSouth shall make available Dark Fiber where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. If BellSouth has plans to use the fiber within a two-year planning period, there is no requirement to provide said fiber to AI-Call .

- 15.2.2 If the requested dark fiber has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at Al-Call 's request subject to time and materials charges.

BellSouth shall use its best efforts to provide to Al-Call information regarding the location, availability and performance parameters of Dark Fiber within ten (10) business days, after receiving a request from Al-Call ("Request"). Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber ("Confirmation").

- 15.2.4 BellSouth shall use its best efforts to make Dark Fiber available to Al-Call within thirty (30) business days after it receives written confirmation from Al-Call that the Dark Fiber previously deemed available by BellSouth is wanted for use by Al-Call. This includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX) or splice points) to enable Al-Call to connect or splice Al-Call provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber.

16. SS7 Network Interconnection

16.1 Definition

SS7 Network Interconnection is the interconnection of Al-Call local Signaling Transfer Point Switches (STP) and Al-Call local or tandem switching systems with BellSouth STPs. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases (DBs), Al-Call local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

16.2 Technical Requirements

- 16.2.1 SS7 Network Interconnection shall provide connectivity to all components of the BellSouth SS7 network. These include:

- 16.2.1.1 BellSouth local or tandem switching systems;
- 16.2.1.2 BellSouth DBs; and
- 16.2.1.3 Other third-party local or tandem switching systems.

- 16.2.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and DBs and Al-Call or other third-party switching systems with A-link access to the BellSouth SS7 network.

If traffic is routed based on dialed or translated digits between an Al-Call local switching system and a BellSouth or other third-party local switching system,

either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the AI-Call local STPs and BellSouth or other third-party local switch.

- 16.2.3 When the capability to route messages based on Intermediate Signaling Network Identifier (ISNI) is generally available on BellSouth STPs, the BellSouth SS7 Network shall also convey TCAP messages using SS7 Network Interconnection in similar circumstances where the BellSouth switch routes traffic based on a Carrier Identification Code (CIC).
- 16.2.4 SS7 Network Interconnection shall provide all functions of the MTP as specified in ANSI T1.111. This includes:
 - 16.2.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
 - 16.2.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
 - 16.2.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 16.2.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. In particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a AI-Call local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of AI-Call local STPs, and shall not include SCCP Subsystem Management of the destination.
- 16.2.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part (ISDNUP), as specified in ANSI T1.113.
- 16.2.7 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.
- 16.2.8 If and when Internetwork MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT) become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection shall provide these functions of the OMAP.
- 16.2.9 SS7 Network Interconnection shall be equal to or better than the following performance requirements:

- 16.2.9.1 MTP Performance, as specified in ANSI T1.111.6;
- 16.2.9.2 SCCP Performance, as specified in ANSI T1.112.5; and
- 16.2.9.3 ISDNUP Performance, as specified in ANSI T1.113.5.
- 16.3 Interface Requirements
 - 16.3.1 BellSouth shall offer the following SS7 Network Interconnection options to connect Al-Call or Al-Call -designated local or tandem switching systems or STPs to the BellSouth SS7 network:
 - 16.3.1.1 A-link interface from Al-Call local or tandem switching systems; and
 - 16.3.1.2 B-link interface from Al-Call STPs.
 - 16.3.2 The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling links for interconnecting Al-Call local switching systems or STPs with BellSouth STPs as soon as these become approved ANSI standards and available capabilities of BellSouth STPs. BellSouth and Al-Call will work jointly to establish mutually acceptable SPOI.
 - 16.3.3 BellSouth CO shall provide intraoffice diversity between the SPOIs and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP. BellSouth and Al-Call will work jointly to establish mutually acceptable SPOI.
 - 16.3.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the following specifications:
 - 16.3.4.1 Telcordia (formerly BellCore) GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP);
 - 16.3.4.2 Telcordia (formerly BellCore) GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service;
 - 16.3.4.3 Telcordia (formerly BellCore) GR-1429-CORE, CCS Network Interface Specification (CCSNIS) Supporting Call Management Services; and

- 16.3.4.4 Telcordia (formerly BellCore) GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).
- 16.3.5 BellSouth shall set message screening parameters to block accept messages from AI-Call local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the AI-Call switching system has a legitimate signaling relation.
- 16.4 SS7 Network Interconnection shall be equal to or better than all of the requirements for SS7 Network Interconnection set forth in the following technical references:
 - 16.4.1 ANSI T1.110-1992 American National Standard for communications - Signaling System Number 7 (SS7) - General Information;
 - 16.4.2 ANSI T1.111-1992 American National Standard for communications - Signaling System Number 7 (SS7) - Message Transfer Part (MTP);
 - 16.4.3 ANSI T1.111A-1994 American National Standard for communications - Signaling System Number 7 (SS7) - Message Transfer Part (MTP) Supplement;
 - 16.4.4 ANSI T1.112-1992 American National Standard for communications - Signaling System Number 7 (SS7) - Signaling Connection Control Part (SCCP);
 - 16.4.5 ANSI T1.113-1995 American National Standard for communications - Signaling System Number 7 (SS7) - Integrated Services Digital Network (ISDN) User Part;
 - 16.4.6 ANSI T1.114-1992 American National Standard for communications - Signaling System Number 7 (SS7) - Transaction Capabilities Application Part (TCAP);
 - 16.4.7 ANSI T1.115-1990 American National Standard for communications - Signaling System Number 7 (SS7) - Monitoring and Measurements for Networks;
 - 16.4.8 ANSI T1.116-1990 American National Standard for communications - Signaling System Number 7 (SS7) - Operations, Maintenance and Administration Part (OMAP);
 - 16.4.9 ANSI T1.118-1992 American National Standard for communications - Signaling System Number 7 (SS7) - Intermediate Signaling Network Identification (ISNI);
 - 16.4.10 Telcordia (formerly BellCore) GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP);

- 16.4.11 Telcordia (formerly BellCore) GR-954-CORE, CCS Network Interface Specification (CCSNIS) Supporting Line Information Database (LIDB) Service;
- 16.4.12 Telcordia (formerly BellCore) GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service;
- 16.4.13 Telcordia (formerly BellCore) GR-1429-CORE, CCS Network Interface Specification (CCSNIS) Supporting Call Management Services; and,
- 16.4.14 Telcordia (formerly BellCore) GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).

17. **Basic 911 and E911**

If Al-Call orders network elements and other services, then Al-Call is also responsible for providing E911 to its end users. BellSouth agrees to offer access to the 911/E911 network pursuant to the following terms and conditions set forth in this Attachment.

17.1 **Definition**

Basic 911 and E911 is an additional requirement that provides a caller access to the applicable emergency service bureau by dialing a 3-digit universal telephone number (911).

17.2 **Requirements**

- 17.2.1 **Basic 911 Service Provisioning.** For Basic 911 service, BellSouth will provide to Al-Call a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Al-Call will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. Al-Call will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, Al-Call will be required to discontinue the Basic 911 procedures and being using E911 procedures.

- 17.2.2 **E911 Service Provisioning.** For E911 service, Al-Call will be required to install a minimum of two dedicated trunks originating from the Al-Call serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type

signaling with multifrequency (“MF”) pulsing that will deliver automatic number identification (“ANI”) with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. Al-Call will be required to provide BellSouth daily updates to the E911 database. Al-Call will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Al-Call will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point (“PSAP”). This call will be transported over BellSouth’s interoffice network and will not carry the ANI of the calling party. Al-Call shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.

17.2.3 Rates. Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on Al-Call beyond applicable charges for BellSouth trunking arrangements.

17.2.4 Basic 911 and E911 functions provided to Al-Call shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.

Detailed Practices and Procedures. The detailed practices and procedures contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement will determine the appropriate practices and procedures for BellSouth and Al-Call to follow in providing 911/E911 services.

18. Rates

18.1. General

The prices that Al-Call shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment. It is the intent of the parties that where applicable state commissions have approved rates for network elements and other services set forth in this Agreement as of the date hereof, such rates have been included in Exhibit C.

18.2. Operational Support Systems (OSS)

BellSouth has developed and made available the following mechanized systems by which Al-Call may submit LSRs electronically.

| | |
|--------|---|
| LENS | Local Exchange Navigation System |
| EDI | Electronic Data Interface |
| EDI-PC | Electronic Data Interface – Personal Computer |

TAG munications Access Gateway

LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic ordering charge, as specified in the table below. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below:

| OPERATIONAL SUPPORT SYSTEMS | AL, GA, LA, MS, SC | FL, KY, NC, TN |
|---|--------------------------------|------------------|
| OSS LSR charge, per LSR received from the CLEC by one of the OSS interactive interfaces | \$3.50 SOMECH | \$3.50 SOMECH |
| Incremental charge per LSR received from the CLEC by means other than one of the OSS interactive interfaces | See applicable rate element | \$19.99 SOMAN |

Note: In addition to the OSS charges, applicable discounted service order and related discounted charges apply per the tariff.

Denial/Restoral OSS Charge

In the event Al-Call provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

Cancellation OSS Charge

Al-Call will incur an OSS charge for an accepted LSR that is later canceled by Al-Call.

Note: Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

Network Elements and Other Services Manual Additive

The Commissions in Alabama, Georgia, Louisiana, Mississippi and South Carolina have ordered incremental manual non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR.

18.3 True-up

This section applies only to Tennessee and other interim rates listed in this attachment.

The interim prices for Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:

1. The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 16 of the General Terms and Conditions and Attachment 1 of the Agreement.
2. The Parties may continue to negotiate toward final prices, but in the event that no such Agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in Section 16 of the General Terms and Conditions and Attachment 1 of the Agreement, so long as they file the resulting Agreement with the Commission as a “negotiated Agreement” under Section 252(e) of the Act.
3. A final order of this Commission that forms the basis of a true-up shall be the final order as to prices based on appropriate cost studies, or potentially may be a final order in any other Commission proceeding which meets the following criteria:
 - (a) BellSouth and CLEC is entitled to be a full Party to the proceeding;
 - (b) It shall apply the provisions of the federal munications Act of 1996, including but not limited to Section 252(d)(1) (which contains pricing standards) and all then-effective implementing rules and regulations; and,
 - (c) It shall include as an issue the geographic deaveraging of network element and other services prices, which deaveraged prices, if any are required by said final order, shall form the basis of any true-up.

EXHIBIT A**LINE INFORMATION DATA BASE (LIDB)
STORAGE AGREEMENT****I. SCOPE**

A. This Agreement sets forth the terms and conditions pursuant to which BST agrees to store in its LIDB certain information at the request of the Local Exchange Company and pursuant to which BST, its LIDB customers and Local Exchange Carrier shall have access to such information. Local Exchange Carrier understands that BST provides access to information in its LIDB to various munications service providers pursuant to applicable tariffs and agrees that information stored at the request of Local Exchange Carrier, pursuant to this Agreement, shall be available to those munications service providers. The terms and conditions contained in the attached Addendum(s) are hereby made a part of this Agreement as if fully incorporated herein.

B. LIDB is accessed for the following purposes:

1. Billed Number Screening
2. Calling Card Validation
3. Fraud Control

C. BST will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BST's LIDB, provided that such information is included in the LIDB query. BST will establish fraud alert thresholds and will notify the Local Exchange Company of fraud alerts so that the Local Exchange Company may take action it deems appropriate. Local Exchange Company understands and agrees BST will administer all data stored in the LIDB, including the data provided by Local Exchange Company

pursuant to this Agreement, in the same manner as BST's data for BST's end user customers.

BST shall not be responsible to Local Exchange Company for any lost revenue which may result from BST's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BST in its sole discretion from time to time.

Local Exchange Company understands that BST currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses. Local Exchange Company further understands that these billing and collection customers of BST query BST's LIDB to determine whether to accept various billing options from end users. Additionally, Local Exchange Company understands that presently BST has no method to differentiate between BST's own billing and line data in the LIDB and such data which it includes in the LIDB on Local Exchange Company's behalf pursuant to this Agreement. Therefore, until such time as BST can and does implement in its LIDB and its supporting systems the means to differentiate Local Exchange Company's data from BST's data and the Parties to this Agreement execute appropriate amendments hereto, the following terms and conditions shall apply:

(a) The Local Exchange Company agrees that it will accept responsibility for communications services billed by BST for its billing and collection customers for Local Exchange Customer's end user accounts which are resident in LIDB pursuant to this Agreement. Local Exchange Company authorizes BST to place such charges on Local Exchange Company's bill from BST and agrees that it shall pay all such charges. Charges for which Local Exchange Company hereby takes responsibility include, but are not limited to, collect and third number calls.

(b) Charges for such services shall appear on a separate BST bill page identified with the name of the entity for which BST is billing the charge.

(c) Local Exchange Company shall have the responsibility to render a billing statement to its end users for these charges, but Local Exchange Company's obligation to pay BST for the charges billed shall be independent of whether Local Exchange Company is able or not to collect from the Local Exchange Company's end users.

(d) BST shall not become involved in any disputes between Local Exchange

Company and the entities for which BST performs billing and collection.

BellSouth will not issue adjustments for charges billed on behalf of an entity to Local Exchange Company. It shall be the responsibility of the Local Exchange Company and the other entity to negotiate and arrange for any appropriate adjustments.

II. TERM

This Agreement will be effective as of June 30, 2000 and will continue in effect for one year, and thereafter may be continued until terminated by either Party upon thirty (30) days written notice to the other Party.

III. FEES FOR SERVICE AND TAXES

A. The Local Exchange Company will not be charged a fee for storage services provided by BST to the Local Exchange Company, as described in Section I of this Agreement.

B. Sales, use and all other taxes (excluding taxes on BST's income) determined by BST or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by the Local Exchange Company. The Local Exchange Company shall have the right to have BST contest with the imposing jurisdiction,

at the Local Exchange Company's expense, any such taxes that the Local Exchange Company deems are improperly levied.

IV. INDEMNIFICATION

To the extent not prohibited by law, each Party will indemnify the other and hold the other harmless against any loss, cost, claim, injury, or liability relating to or arising out of negligence or willful misconduct by the indemnifying Party or its agents or contractors in connection with the indemnifying Party's provision of services, provided, however, that any indemnity for any loss, cost, claim, injury or liability arising out of or relating to errors or omissions in the provision of services under this Agreement shall be limited as otherwise specified in this Agreement. The indemnifying Party under this Section agrees to defend any suit brought against the other Party for any such loss, cost, claim, injury or liability. The indemnified Party agrees to notify the other Party promptly, in writing, of any written claims, lawsuits, or demands for which the other Party is responsible under this Section and to cooperate in every reasonable way to facilitate defense or settlement of claims. The indemnifying Party shall not be liable under this Section for settlement by the indemnified Party of any claim, lawsuit, or demand unless the defense of the claim, lawsuit, or demand has been tendered to it in writing and the indemnifying Party has unreasonably failed to assume such defense.

V. LIMITATION OF LIABILITY

In the absence of gross negligence or willful misconduct, neither Party shall be liable to the other Party for any lost profits or revenues or for any indirect, incidental or consequential damages incurred by the other Party arising from this Agreement or the services performed or not performed hereunder, regardless of the cause of such loss or damage.

VI. MISCELLANEOUS

A. It is understood and agreed to by the Parties that BST may provide similar services to other companies.

B. All terms, conditions and operations under this Agreement shall be performed in accordance with, and subject to, all applicable local, state or federal legal and regulatory tariffs, rulings, and other requirements of the federal courts, the U. S. Department of Justice and state and federal regulatory agencies. Nothing in this Agreement shall be construed to cause either Party to violate any such legal or regulatory requirement and either Party's obligation to perform shall be subject to all such requirements.

C. The Local Exchange Company agrees to submit to BST all advertising, sales promotion, press releases, and other publicity matters relating to this Agreement wherein BST's corporate or trade names, logos, trademarks or service marks or those of BST's affiliated companies are mentioned or language from which the connection of said names or trademarks therewith may be inferred or implied; and the Local Exchange Company further agrees not to publish or use advertising, sales promotions, press releases, or publicity matters without BST's prior written approval.

D. This Agreement constitutes the entire Agreement between the Local Exchange Company and BST which supersedes all prior Agreements or contracts, oral or written representations, statements, negotiations, understandings, proposals and undertakings with respect to the subject matter hereof.

E. Except as expressly provided in this Agreement, if any part of this Agreement is held or construed to be invalid or unenforceable, the validity of any other Section of this Agreement shall remain in full force and effect to the extent permissible or appropriate in furtherance of the intent of this Agreement.

F. Neither Party shall be held liable for any delay or failure in performance of any part of this Agreement for any cause beyond its control and without its fault or negligence, such as acts of God, acts of civil or military authority, government regulations, embargoes, epidemics, war, terrorist acts, riots, insurrections, fires, explosions, earthquakes, nuclear accidents, floods, strikes, power blackouts, volcanic action, other major environmental disturbances, unusually severe weather conditions, inability to secure products or services of other persons or transportation facilities, or acts or omissions of transportation common carriers.

G. This Agreement shall be deemed to be a contract made under the laws of the Al-Call of Georgia, and the construction, interpretation and performance of this Agreement and all transactions hereunder shall be governed by the domestic law of such Al-Call .

***FACILITIES BASED ADDENDUM
TO LINE INFORMATION DATA BASE (LIDB)
STORAGE AGREEMENT***

This is a Facilities Based Addendum to the Line Information Data Base Storage Agreement dated June 30, 2000, between BellSouth munications, Inc. ("BST"), and TriVergent Communications, Inc. ("Local Exchange Company"), effective the 30th day of June, 2000.

I. GENERAL

This Addendum sets forth the terms and conditions for Local Exchange Company's provision of billing number information to BST for inclusion in BST's LIDB. BST will store in its LIDB the billing number information provided by Local Exchange Company, and BST will provide responses to on-line, call-by-call queries to this information for purposes specified in Section I.B. of the Agreement.

II. DEFINITIONS

A. Billing number - a number that the Local Exchange Company creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.

B. Line number - a ten digit number that identifies a telephone line administered by the Local Exchange Company.

C. Special billing number - a ten digit number that identifies a billing account established by the Local Exchange Company.

D. Calling Card number - a billing number plus PIN number.

E. PIN number - a four digit security code assigned by the Local Exchange Company which is added to a billing number to compose a fourteen digit calling card number.

F. Toll billing exception indicator - associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by the Local Exchange Company.

G. Billed Number Screening - refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.

H. Calling Card Validation - refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.

I. Billing number information - information about billing number, Calling Card number and toll billing exception indicator provided to BST by the Local Exchange Company.

III. RESPONSIBILITIES OF PARTIES

A. The Local Exchange Company will provide its billing number information to BST's LIDB each business day by a method that has been mutually agreed upon by both Parties.

B. BST will store in its LIDB the billing number information provided by the Local Exchange Company. Under normal operating conditions, BST shall include the Local Exchange Company's billing number information in its LIDB no later than two business days following BST's receipt of such billing number information, provided that BST shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BST's reasonable control. BST will store in its LIDB an unlimited volume of the Local Exchange Company's working telephone numbers.

C. BST will provide responses to on-line, call-by-call queries to the stored information for the specific purposes listed in the next paragraph.

D. BST is authorized to use the billing number information provided by the Local Exchange Company to perform the following functions for authorized users on an on-line basis:

1. Validate a 14 digit Calling Card number where the first 10 digits are a line number or special billing number assigned by the Local Exchange Company, and where the last four digits (PIN) are a security code assigned by the Local Exchange Company.

2. Determine whether the Local Exchange Company or the subscriber has identified the billing number as one which should not be billed for collect or third number calls, or both.

E. The Local Exchange Company will provide its own billing number information to BST for storage and to be used for Billed Number Screening and Calling Card Validation. The Local Exchange Company will arrange and pay for transport of updates to BST.

IV. COMPLIANCE

Unless expressly authorized in writing by the Local Exchange Company, all billing number information provided pursuant to this Addendum shall be used for no purposes other than those set forth in this Addendum.

EXHIBIT B**CALLING NAME DELIVERY (CNAM) DATABASE SERVICES****1.00 DEFINITIONS**

For the purpose of this Attachment, the following terms shall be defined as:

CALLING NAME DELIVERY DATABASE SERVICE (CNAM) - The ability to associate a name with the calling party number, allowing the end user subscriber (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides AI-Call the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

CALLING PARTY NUMBER (CPN) - The number of the calling party that is delivered to the terminating switch using common channel signaling system 7 (CCS7) technology, and that is contained in the Initial Address Message (IAM) portion of the CCS7 call setup.

COMMON CHANNEL SIGNALING SYSTEM 7 (CCS7) - A network signaling technology in which all signaling information between two or more nodes is transmitted over high-speed data links, rather than over voice circuits.

SERVICE CONTROL POINTs (SCPs) - The real-time data base systems that contain the names to be provided in response to queries received from CNAM SSPs.

SERVICE MANAGEMENT SYSTEM (SMS) - The main operations support system of CNAM DATABASE SERVICE. CNAM records are loaded into the SMS, which in turn downloads into the CNAM SCP.

SERVICE SWITCHING POINTs (SSPs) - Features of computerized switches in the telephone network that determine that a terminating line has subscribed to CNAM service, and then communicate with CNAM SCPs in order to provide the name associated with the calling party number.

SUBSYSTEM NUMBER (SSN) - The address used in the Signaling Connection Control Part (SCCP) layer of the SS7 protocol to designate an application at an end signaling point. A SSN for CNAM at the end office designates the CNAM application within the end office. BellSouth uses the CNAM SSN of 232.

2.0 ATTACHMENT

- 2.01 This Attachment contains the terms and conditions where BellSouth will provide to the AI-Call access to the BellSouth CNAM SCP for query or record storage purposes.
- 2.02 AI-Call shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services pursuant to the terms and conditions of this Attachment. Said notice shall be in writing, no less than 60 days prior to AI-Call's access to BellSouth's CNAM Database Services and shall be addressed to AI-Call's Account Manager.

3.00 PHYSICAL CONNECTION AND COMPENSATION

- 3.01 BellSouth's provision of CNAM Database Services to AI-Call requires interconnection from AI-Call to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement. The appropriate charge for access to and use of the BellSouth CNAM Database service shall be as set forth in this Attachment.
- 3.02 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, AI-Call shall provide its own CNAM SSP. AI-Call's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 3.03 If AI-Call elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia (formerly BellCore)'s CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that AI-Call desires to query.
- 3.04 Out-Of-Region Customers
If the customer queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's (formerly BellCore's) CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties in writing and shall, by this reference become an integral part of this Agreement.

4.00 CNAM RECORD INITIAL LOAD AND UPDATES

- 4.01 The mechanism to be used by AI-Call for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by

AI-Call in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of AI-Call to provide accurate information to BellSouth on a current basis.

- 4.02 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 4.03 AI-Call CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES

| DESCRIPTION | | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|---|--|--|-------|---------|---------|---------|--------|---------|---------|---------|---------|--------|
| NIDs | | | | | | | | | | | | |
| NID (all types), per month | | | UNDAX | NA | \$1.08 | NA | \$1.80 | NA | NA | \$0.52 | NA | \$0.56 |
| Installation of 2-Wire/4Wire CLEC NID | | | UNDAX | | | | | | | | | |
| | | NRC - 1st | UNDAX | NA | \$70.32 | NA | NA | NA | NA | NA | NA | NA |
| | | NRC - Add'l | UNDAX | NA | \$54.35 | NA | NA | NA | NA | NA | NA | NA |
| NID to NID Cross Connect, 2-Wire or 4-Wire, NRC | | | UNDC2 | NA | \$6.15 | NA | NA | NA | NA | NA | NA | NA |
| NID per 2-Wire Analog VG Loop, Per Month | | | UNDAX | \$1.18 | NA | \$1.10 | NA | \$1.09 | \$1.22 | \$1.01 | \$1.13 | NA |
| | | NRC - 1st | UNDAX | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$1.42 | \$1.36 | NA |
| | | NRC - Add'l | UNDAX | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$1.42 | \$1.36 | NA |
| | | NRC - Disconnect Charge - 1st | UNDAX | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | NA | NA |
| | | NRC - Disconnect Charge - Add'l | UNDAX | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | NA | NA |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.42 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA |
| NID per 4-Wire Analog VG Loop, Per Month | | | UNDAX | \$1.30 | NA | \$1.21 | NA | \$1.22 | \$1.34 | \$1.14 | \$1.25 | NA |
| | | NRC - 1st | UNDAX | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$1.42 | \$1.35 | NA |
| | | NRC - Add'l | UNDAX | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$1.42 | \$1.35 | NA |
| | | NRC - Disconnect Charge - 1st | UNDAX | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | NA | NA |
| | | NRC - Disconnect Charge - Add'l | UNDAX | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | NA | NA |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.06 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA |
| NID per 2-Wire ISDN Digital VG Loop, Per Month | | | UNDAX | \$1.18 | NA | \$1.10 | NA | \$1.08 | \$1.22 | \$1.01 | \$1.13 | NA |
| | | NRC - 1st | UNDAX | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$1.42 | \$1.36 | NA |
| | | NRC - Add'l | UNDAX | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$1.42 | \$1.36 | NA |
| | | NRC - Disconnect Charge - 1st | UNDAX | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | NA | NA |
| | | NRC - Disconnect Charge - Add'l | UNDAX | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | NA | NA |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.42 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA |
| NID per 2-Wire Asymmetrical Dig Subscriber Line (ADSL) Loop, Per Mo. | | | UNDAX | \$1.18 | NA | \$1.10 | NA | \$1.09 | \$1.22 | \$1.01 | \$1.13 | NA |
| | | NRC - 1st | UNDAX | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$1.42 | \$1.36 | NA |
| | | NRC - Add'l | UNDAX | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$1.42 | \$1.36 | NA |
| | | NRC - Disconnect Charge - 1st | UNDAX | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | NA | NA |
| | | NRC - Disconnect Charge - Add'l | UNDAX | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | NA | NA |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.42 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Disconnect -1st | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA |
| NID per 2-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop | | | UNDAX | \$1.18 | NA | \$1.10 | NA | \$1.09 | \$1.22 | \$1.01 | \$1.13 | NA |
| | | NRC - 1st | UNDAX | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$1.42 | \$1.36 | NA |
| | | NRC - Add'l | UNDAX | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$1.42 | \$1.36 | NA |
| | | NRC - Disconnect Charge - 1st | UNDAX | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | NA | NA |
| | | NRC - Disconnect Charge - Add'l | UNDAX | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | NA | NA |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.42 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Disconnect -1st | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA |
| NID per 4-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop | | | UNDAX | \$1.30 | NA | \$1.21 | NA | \$1.21 | \$1.34 | \$1.14 | \$1.25 | NA |
| | | NRC - 1st | UNDAX | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$1.42 | \$1.35 | NA |
| | | NRC - Add'l | UNDAX | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$1.42 | \$1.35 | NA |
| | | NRC - Disconnect Charge - 1st | UNDAX | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | NA | NA |
| | | NRC - Disconnect Charge - Add'l | UNDAX | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | NA | NA |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.06 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN | | |
|--|-------|---------|---------|---------|----------|---------|---------|---------|---------|---------|--|--|
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA | | |
| NID per 4-Wire 56 Kbps Dig Grade Loop | UNDAX | \$1.30 | NA | \$1.21 | NA | \$1.21 | \$1.34 | \$1.14 | \$1.25 | NA | | |
| NRC - 1st | UNDAX | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$1.42 | \$1.35 | NA | | |
| NRC - Add'l | UNDAX | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$1.42 | \$1.35 | NA | | |
| NRC - Disconnect Charge - 1st | UNDAX | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | NA | NA | | |
| NRC - Disconnect Charge - Add'l | UNDAX | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | NA | NA | | |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.06 | NA | | |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA | | |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA | | |
| NID per 4-Wire 64 Kbps Dig Grade Loop | UNDAX | \$1.30 | NA | \$1.21 | NA | \$1.21 | \$1.34 | \$1.14 | \$1.25 | NA | | |
| NRC - 1st | UNDAX | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$1.42 | \$1.35 | NA | | |
| NRC - Add'l | UNDAX | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$1.42 | \$1.35 | NA | | |
| NRC - Disconnect Charge - 1st | UNDAX | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | NA | NA | | |
| NRC - Disconnect Charge - Add'l | UNDAX | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | NA | NA | | |
| NRC - Incremental Charge - Manual Svc Ord - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.06 | NA | | |
| NRC - Incremental Charge - Manual Svc Ord - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA | | |
| NRC - Incremental Charge - Manual Svc Ord - Disconnect - 1st | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA | | |
| NID per 2-Wire Unbundled Copper Loop, per month | UNDAX | \$1.55 | \$1.55 | \$1.55 | \$1.55 | \$1.55 | \$1.55 | \$1.55 | \$1.55 | \$1.55 | | |
| NRC - 1st | UNDAX | \$5.60 | \$5.60 | \$5.60 | \$5.60 | \$5.60 | \$5.60 | \$5.60 | \$5.60 | \$5.60 | | |
| NRC - Add'l | UNDAX | \$5.60 | \$5.60 | \$5.60 | \$5.60 | \$5.60 | \$5.60 | \$5.60 | \$5.60 | \$5.60 | | |
| NRC - Disconnect Charge - 1st | UNDAX | NA | NA | NA | NA | NA | NA | NA | NA | NA | | |
| NRC - Disconnect Charge - Add'l | UNDAX | NA | NA | NA | NA | NA | NA | NA | NA | NA | | |
| NRC - Incremental Charge - Manual Svc. Ord - 1st | SOMAN | \$47.00 | \$47.00 | \$47.00 | \$47.00 | \$47.00 | \$47.00 | \$47.00 | \$47.00 | \$47.00 | | |
| NRC - Incremental Charge - Manual Svc. Ord - Add'l | SOMAN | \$21.00 | \$21.00 | \$21.00 | \$21.00 | \$21.00 | \$21.00 | \$21.00 | \$21.00 | \$21.00 | | |
| NRC - Incremental Charge - Manual Svc. Ord. - Disconnect | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA | | |
| Nonrecurring Charge - customer transfer, feature additions, changes (1) | | \$5.00 | NA | NA | NA | NA | \$5.00 | NA | NA | NA | | |
| LOOP, EXCLUDING NID | | | | | | | | | | | | |
| 2-Wire Analog VG Loop (Standard), per month | TBD | NA | NA | NA | \$18.20 | NA | NA | NA | NA | NA | | |
| NRC - 1st | | NA | NA | NA | \$86.08 | NA | NA | NA | NA | NA | | |
| NRC - Add'l | | NA | NA | NA | \$58.57 | NA | NA | NA | NA | NA | | |
| 2-Wire Analog VG Loop (Customized), per month | TBD | NA | NA | NA | \$21.41 | NA | NA | NA | NA | NA | | |
| NRC - 1st | | NA | NA | NA | \$236.75 | NA | NA | NA | NA | NA | | |
| NRC - Add'l | | NA | NA | NA | \$177.10 | NA | NA | NA | NA | NA | | |
| 4-Wire Analog VG Loop (Standard), per month | TBD | NA | NA | NA | \$26.38 | NA | NA | NA | NA | NA | | |
| NRC - 1st | | NA | NA | NA | \$457.14 | NA | NA | NA | NA | NA | | |
| NRC - Add'l | | NA | NA | NA | \$348.83 | NA | NA | NA | NA | NA | | |
| 2-Wire ISDN Digital Grade Loop (Standard), per month | TBD | NA | NA | NA | \$29.65 | NA | NA | NA | NA | NA | | |
| NRC - 1st | | NA | NA | NA | \$541.28 | NA | NA | NA | NA | NA | | |
| NRC - Add'l | | NA | NA | NA | \$431.61 | NA | NA | NA | NA | NA | | |
| 2-Wire ADSL Loop (Standard), per month | TBD | NA | NA | NA | \$10.63 | NA | NA | NA | NA | NA | | |
| NRC - 1st | | NA | NA | NA | \$713.50 | NA | NA | NA | NA | NA | | |
| NRC - Add'l | | NA | NA | NA | \$609.44 | NA | NA | NA | NA | NA | | |
| 2-Wire HDSL Loop (Standard), per month | TBD | NA | NA | NA | \$7.40 | NA | NA | NA | NA | NA | | |
| NRC - 1st | | NA | NA | NA | \$713.50 | NA | NA | NA | NA | NA | | |
| NRC - Add'l | | NA | NA | NA | \$609.44 | NA | NA | NA | NA | NA | | |
| 4-Wire HDSL Loop (Standard), per month | TBD | NA | NA | NA | \$9.70 | NA | NA | NA | NA | NA | | |
| NRC - 1st | | NA | NA | NA | \$748.93 | NA | NA | NA | NA | NA | | |
| NRC - Add'l | | NA | NA | NA | \$646.17 | NA | NA | NA | NA | NA | | |
| LOOP, INCLUDING NID | | | | | | | | | | | | |
| 2-Wire Analog VG Loop | | | | | | | | | | | | |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES

| DESCRIPTION | | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|---|--|---|-------|----------|----------|----------|---------|---------|----------|----------|----------|----------|
| | | RC - Statewide, per month | UEAL2 | NA | NA | NA | NA | NA | NA | \$16.71 | NA | \$18.00 |
| | | RC - Zone 1, per month (Note 2) | TBD | NA | \$13.75 | NA | NA | NA | NA | TBD | NA | \$15.54 |
| | | RC - Zone 2, per month (Note 2) | TBD | NA | \$20.13 | NA | NA | NA | NA | TBD | NA | \$19.55 |
| | | RC - Zone 3, per month (Note 2) | TBD | NA | \$44.40 | NA | NA | NA | NA | TBD | NA | \$28.02 |
| | | RC - Zone 4, per month (Note 2) | TBD | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | NRC - 1st | UEAL2 | NA | \$140.00 | NA | NA | NA | NA | \$86.50 | NA | \$58.50 |
| | | NRC - Add'l | UEAL2 | NA | \$42.00 | NA | NA | NA | NA | \$27.80 | NA | \$31.00 |
| | | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | NA | \$55.00 | NA | NA | NA | NA | \$55.00 | NA | \$55.00 |
| 2-Wire Analog VG Loop-SL1 | | | | | | | | | | | | |
| | | RC - Statewide, per month | UEAL2 | NA | NA | NA | NA | NA | NA | \$15.88 | NA | NA |
| | | RC - Zone 1, per month (Note 2) | TBD | \$15.24 | \$13.75 | \$14.21 | \$14.79 | \$14.96 | \$15.58 | TBD | \$18.48 | \$15.92 |
| | | RC - Zone 2, per month (Note 2) | TBD | \$24.75 | \$20.13 | \$16.41 | \$27.68 | \$25.69 | \$20.65 | TBD | \$27.87 | \$20.79 |
| | | RC - Zone 3, per month (Note 2) | TBD | \$44.85 | \$44.40 | \$26.08 | \$47.78 | \$52.47 | \$29.51 | TBD | \$36.91 | \$27.18 |
| | | RC - Zone 4, per month (Note 2) | TBD | NA | NA | NA | NA | NA | \$38.94 | NA | NA | NA |
| | | NRC - 1st | UEAL2 | \$59.03 | \$80.00 | \$42.54 | NA | \$40.69 | \$59.25 | \$57.99 | \$70.44 | \$78.93 |
| | | NRC - Add'l | UEAL2 | \$43.14 | \$55.00 | \$31.33 | NA | \$29.96 | \$43.67 | \$42.37 | \$44.05 | \$50.98 |
| | | NRC - Disconnect Charge - 1st | UEAL2 | \$15.21 | NA | NA | NA | \$16.48 | \$16.35 | NA | NA | NA |
| | | NRC - Disconnect Charge - Add'l | UEAL2 | \$3.22 | NA | NA | NA | \$3.36 | \$4.06 | NA | NA | NA |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.22 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA |
| | | NRC - Manual Order Coordination - 1st | TBD | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | NRC - Manual Order Coordination - add'l | TBD | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | TBD | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | NRC - Loop Make-Up | UEANM | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| 2-Wire Analog VG Loop-SL2 w/loop or ground start signaling | | | | | | | | | | | | |
| | | RC - Statewide, per month | UEAL2 | NA | NA | NA | NA | NA | NA | \$19.50 | NA | NA |
| | | RC - Zone 1, per month (Note 2) | TBD | \$17.95 | \$13.75 | \$16.84 | \$17.27 | \$17.65 | \$18.35 | TBD | \$21.57 | \$15.92 |
| | | RC - Zone 2, per month (Note 2) | TBD | \$29.16 | \$20.13 | \$19.45 | \$32.32 | \$30.32 | \$24.33 | TBD | \$32.53 | \$20.79 |
| | | RC - Zone 3, per month (Note 2) | TBD | \$52.84 | \$44.40 | \$30.92 | \$55.78 | \$61.93 | \$34.77 | TBD | \$43.08 | \$27.18 |
| | | RC - Zone 4, per month (Note 2) | TBD | NA | NA | NA | NA | NA | \$45.88 | NA | NA | NA |
| | | NRC - 1st | UEAL2 | \$145.46 | \$140.00 | \$104.17 | NA | \$99.69 | \$144.01 | \$142.97 | \$178.12 | \$192.97 |
| | | NRC - Add'l | UEAL2 | \$108.40 | \$42.00 | \$78.10 | NA | \$74.73 | \$107.70 | \$106.56 | \$128.80 | \$140.72 |
| | | NRC - Disconnect Charge - 1st | UEAL2 | \$40.31 | NA | NA | NA | \$28.73 | \$40.98 | NA | NA | NA |
| | | NRC - Disconnect Charge - Add'l | UEAL2 | \$26.01 | NA | NA | NA | \$18.87 | \$26.95 | NA | NA | NA |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.42 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$26.95 | NA | NA | NA |
| | | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | \$45.99 | \$55.00 | \$34.22 | NA | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$55.00 |
| 2-Wire Analog VG Loop-SL2 w/ reverse battery signaling | | | | | | | | | | | | |
| | | RC - Statewide, per month | UEAR2 | NA | NA | NA | NA | NA | NA | \$19.50 | NA | NA |
| | | RC - Zone 1, per month (Note 2) | TBD | \$17.95 | \$13.75 | \$16.84 | \$17.27 | \$17.65 | \$18.35 | TBD | \$21.57 | \$15.92 |
| | | RC - Zone 2, per month (Note 2) | TBD | \$29.16 | \$20.13 | \$19.45 | \$32.32 | \$30.32 | \$24.33 | TBD | \$32.53 | \$20.79 |
| | | RC - Zone 3, per month (Note 2) | TBD | \$52.84 | \$44.40 | \$30.92 | \$55.78 | \$61.93 | \$34.77 | TBD | \$43.08 | \$27.18 |
| | | RC - Zone 4, per month (Note 2) | TBD | NA | NA | NA | NA | NA | \$45.88 | NA | NA | NA |
| | | NRC - 1st | UEAR2 | \$145.46 | \$140.00 | \$104.17 | NA | \$99.69 | \$144.01 | \$142.97 | \$178.12 | \$192.97 |
| | | NRC - Add'l | UEAR2 | \$108.40 | \$42.00 | \$78.10 | NA | \$74.73 | \$107.70 | \$106.56 | \$128.80 | \$140.72 |
| | | NRC - Disconnect Charge - 1st | UEAR2 | \$40.31 | NA | NA | NA | \$28.73 | \$40.98 | NA | NA | NA |
| | | NRC - Disconnect Charge - Add'l | UEAR2 | \$26.01 | NA | NA | NA | \$18.87 | \$26.95 | NA | NA | NA |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$29.64 | \$44.42 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$26.95 | NA | NA | NA |
| | | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOCL | \$45.99 | \$55.00 | \$34.22 | NA | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$55.00 |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|-------|----------|----------|----------|----------|----------|----------|----------|----------|---------|
| 2-Wire Analog VG Loop (Standard) | | | | | | | | | | |
| RC - Statewide, per month | UEAL2 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| RC - Zone 1, per month (Note 2) | TBD | NA | NA | NA | \$14.79 | NA | NA | NA | NA | NA |
| RC - Zone 2, per month (Note 2) | TBD | NA | NA | NA | \$27.68 | NA | NA | NA | NA | NA |
| RC - Zone 3, per month (Note 2) | TBD | NA | NA | NA | \$47.78 | NA | NA | NA | NA | NA |
| RC - Zone 4, per month (Note 2) | TBD | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| NRC - 1st | UEAL2 | NA | NA | NA | \$86.08 | NA | NA | NA | NA | NA |
| NRC - Add'l | UEAL2 | NA | NA | NA | \$58.57 | NA | NA | NA | NA | NA |
| NRC - Loop Make-up | UEANM | NA | NA | NA | TBD | NA | NA | NA | NA | NA |
| NRC - Manual Order Coordination | UEAMC | NA | NA | NA | TBD | NA | NA | NA | NA | NA |
| NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | NA | NA | NA | \$55.00 | NA | NA | NA | NA | NA |
| 2-Wire Analog VG Loop (Customized), w/ loop or ground start signaling | | | | | | | | | | |
| RC - Statewide, per month | UEAL2 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| RC - Zone 1, per month (Note 2) | TBD | NA | NA | NA | \$17.27 | NA | NA | NA | NA | NA |
| RC - Zone 2, per month (Note 2) | TBD | NA | NA | NA | \$32.32 | NA | NA | NA | NA | NA |
| RC - Zone 3, per month (Note 2) | TBD | NA | NA | NA | \$55.78 | NA | NA | NA | NA | NA |
| RC - Zone 4, per month (Note 2) | TBD | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| NRC - 1st | UEAL2 | NA | NA | NA | \$236.75 | NA | NA | NA | NA | NA |
| NRC - Add'l | UEAL2 | NA | NA | NA | \$177.10 | NA | NA | NA | NA | NA |
| NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | NA | NA | NA | \$55.00 | NA | NA | NA | NA | NA |
| 2-Wire Analog VG Loop (Customized), w/ reverse battery signaling | | | | | | | | | | |
| RC - Statewide, per month | UEAR2 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| RC - Zone 1, per month (Note 2) | TBD | NA | NA | NA | \$17.27 | NA | NA | NA | NA | NA |
| RC - Zone 2, per month (Note 2) | TBD | NA | NA | NA | \$32.32 | NA | NA | NA | NA | NA |
| RC - Zone 3, per month (Note 2) | TBD | NA | NA | NA | \$55.78 | NA | NA | NA | NA | NA |
| RC - Zone 4, per month (Note 2) | TBD | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| NRC - 1st | UEAR2 | NA | NA | NA | \$236.75 | NA | NA | NA | NA | NA |
| NRC - Add'l | UEAR2 | NA | NA | NA | \$177.10 | NA | NA | NA | NA | NA |
| NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | NA | NA | NA | \$55.00 | NA | NA | NA | NA | NA |
| 4-Wire Analog VG Loop | | | | | | | | | | |
| RC - Statewide, per month | UEAL4 | NA | NA | NA | NA | NA | NA | \$27.49 | NA | NA |
| RC - Zone 1, per month (Note 2) | TBD | \$24.01 | \$24.26 | \$22.26 | NA | \$24.36 | \$22.38 | TBD | \$29.47 | \$15.92 |
| RC - Zone 2, per month (Note 2) | TBD | \$39.00 | \$35.51 | \$25.70 | NA | \$41.85 | \$29.67 | TBD | \$44.44 | \$20.79 |
| RC - Zone 3, per month (Note 2) | TBD | \$70.67 | \$78.35 | \$40.85 | NA | \$85.47 | \$42.40 | TBD | \$58.85 | \$27.18 |
| RC - Zone 4, per month (Note 2) | TBD | NA | NA | NA | NA | NA | \$55.96 | NA | NA | NA |
| NRC - 1st | UEAL4 | \$293.70 | \$141.00 | \$206.95 | NA | \$198.10 | \$289.06 | \$288.47 | \$383.39 | \$58.50 |
| NRC - Add'l | UEAL4 | \$241.76 | \$43.00 | \$170.57 | NA | \$163.26 | \$238.19 | \$237.45 | \$286.77 | \$31.00 |
| NRC - Disconnect Charge - 1st | UEAL4 | \$108.96 | NA | NA | NA | \$74.27 | \$108.14 | NA | NA | NA |
| NRC - Disconnect Charge - Add'l | UEAL4 | \$57.01 | NA | NA | NA | \$39.44 | \$57.28 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.06 | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA |
| NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | \$45.99 | \$55.00 | \$34.22 | NA | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$55.00 |
| 4-Wire Analog VG Loop (Standard) | | | | | | | | | | |
| RC - Statewide, per month | UEAL4 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| RC - Zone 1, per month (Note 2) | TBD | NA | NA | NA | \$20.92 | NA | NA | NA | NA | NA |
| RC - Zone 2, per month (Note 2) | TBD | NA | NA | NA | \$39.14 | NA | NA | NA | NA | NA |
| RC - Zone 3, per month (Note 2) | TBD | NA | NA | NA | \$67.56 | NA | NA | NA | NA | NA |
| RC - Zone 4, per month (Note 2) | TBD | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| NRC - 1st | UEAL4 | NA | NA | NA | \$457.14 | NA | NA | NA | NA | NA |
| NRC - Add'l | UEAL4 | NA | NA | NA | \$348.83 | NA | NA | NA | NA | NA |
| NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | NA | NA | NA | \$55.00 | NA | NA | NA | NA | NA |
| 2-Wire ISDN Digital Grade Loop | | | | | | | | | | |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES

| | | DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|--|---|-------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | RC - Statewide, per month | U1L2X | NA | NA | NA | NA | NA | NA | \$24.98 | NA | NA |
| | | RC - Zone 1, per month (Note 2) | TBD | \$23.23 | \$32.34 | \$21.89 | \$23.66 | \$21.15 | \$21.86 | TBD | \$26.68 | \$15.92 |
| | | RC - Zone 2, per month (Note 2) | TBD | \$37.74 | \$47.35 | \$25.27 | \$44.28 | \$36.22 | \$28.97 | TBD | \$40.24 | \$20.79 |
| | | RC - Zone 3, per month (Note 2) | TBD | \$68.38 | \$104.47 | \$40.17 | \$76.42 | \$74.19 | \$41.40 | TBD | \$53.29 | \$27.18 |
| | | RC - Zone 4, per month (Note 2) | TBD | NA | NA | NA | NA | NA | \$54.64 | NA | NA | NA |
| | | NRC - 1st | U1L2X | \$331.85 | \$306.00 | \$233.38 | NA | \$223.27 | \$326.38 | \$325.91 | \$423.04 | \$58.50 |
| | | NRC - Add'l | U1L2X | \$255.87 | \$283.00 | \$180.35 | NA | \$172.63 | \$252.00 | \$251.31 | \$301.75 | \$31.00 |
| | | NRC - Disconnect Charge - 1st | U1L2X | \$108.95 | NA | NA | NA | \$74.27 | \$108.14 | NA | NA | NA |
| | | NRC - Disconnect Charge - Add'l | U1L2X | \$57.01 | NA | NA | NA | \$39.44 | \$57.27 | NA | NA | NA |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.42 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA |
| | | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | \$45.99 | \$55.00 | \$34.22 | \$55.00 | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$55.00 |
| | | 2-Wire ISDN Digital Grade Loop (Standard) | | | | | | | | | | |
| | | RC - Statewide, per month | U1L2X | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | RC - Zone 1, per month (Note 2) | TBD | NA | NA | NA | \$23.66 | NA | NA | NA | NA | NA |
| | | RC - Zone 2, per month (Note 2) | TBD | NA | NA | NA | \$44.28 | NA | NA | NA | NA | NA |
| | | RC - Zone 3, per month (Note 2) | TBD | NA | NA | NA | \$76.42 | NA | NA | NA | NA | NA |
| | | RC - Zone 4, per month (Note 2) | TBD | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | NRC - 1st | U1L2X | NA | NA | NA | \$541.28 | NA | NA | NA | NA | NA |
| | | NRC - Add'l | U1L2X | NA | NA | NA | \$431.61 | NA | NA | NA | NA | NA |
| | | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | NA | NA | NA | \$55.00 | NA | NA | NA | NA | NA |
| | | 2-Wire Asymmetrical Dig Subscriber Line (ADSL) Compatible Loop | | | | | | | | | | |
| | | RC - Statewide, per month | UAL2X | NA | NA | NA | NA | NA | NA | \$14.60 | NA | \$18.46 |
| | | RC - Zone 1, per month (Note 2) | TBD | \$12.09 | \$12.78 | \$11.23 | NA | \$11.90 | \$10.87 | TBD | \$17.10 | \$15.93 |
| | | RC - Zone 2, per month (Note 2) | TBD | \$19.64 | \$18.72 | \$12.97 | NA | \$20.43 | \$14.40 | TBD | \$25.79 | \$20.05 |
| | | RC - Zone 3, per month (Note 2) | TBD | \$35.59 | \$41.29 | \$20.62 | NA | \$41.73 | \$20.58 | TBD | \$34.15 | \$28.74 |
| | | RC - Zone 4, per month (Note 2) | TBD | NA | NA | NA | NA | NA | \$27.16 | NA | NA | NA |
| | | NRC - 1st | UAL2X | \$514.21 | \$113.85 | \$359.73 | NA | \$343.13 | \$504.82 | \$504.90 | \$600.61 | \$640.79 |
| | | NRC - Add'l | UAL2X | \$464.58 | \$99.61 | \$325.15 | NA | \$310.03 | \$456.24 | \$456.17 | \$507.33 | \$541.94 |
| | | NRC - Disconnect Charge - 1st | UAL2X | \$106.65 | NA | NA | NA | \$72.54 | \$105.86 | NA | NA | NA |
| | | NRC - Disconnect Charge - Add'l | SOMAN | \$56.98 | NA | NA | NA | \$39.42 | \$57.25 | NA | NA | NA |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.42 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA |
| | | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | \$45.99 | \$55.00 | \$34.22 | NA | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$55.00 |
| | | 2-Wire ADSL Loop (Standard) | | | | | | | | | | |
| | | RC - Statewide, per month | UAL2X | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | RC - Zone 1, per month (Note 2) | TBD | NA | NA | NA | \$8.79 | NA | NA | NA | NA | NA |
| | | RC - Zone 2, per month (Note 2) | TBD | NA | NA | NA | \$16.46 | NA | NA | NA | NA | NA |
| | | RC - Zone 3, per month (Note 2) | TBD | NA | NA | NA | \$28.40 | NA | NA | NA | NA | NA |
| | | RC - Zone 4, per month (Note 2) | TBD | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | NRC - 1st | UAL2X | NA | NA | NA | \$713.50 | NA | NA | NA | NA | NA |
| | | NRC - Add'l | UAL2X | NA | NA | NA | \$609.44 | NA | NA | NA | NA | NA |
| | | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | NA | NA | NA | \$55.00 | NA | NA | NA | NA | NA |
| | | 2-Wire High Bit Rate Dig Subscriber Line (HDSL) Compatible Loop | | | | | | | | | | |
| | | RC - Statewide, per month | UHL2X | NA | NA | NA | NA | NA | NA | \$11.98 | NA | \$13.46 |
| | | RC - Zone 1, per month (Note 2) | TBD | \$9.41 | \$9.80 | \$7.88 | \$6.29 | \$8.97 | \$8.50 | TBD | \$12.21 | \$11.62 |
| | | RC - Zone 2, per month (Note 2) | TBD | \$15.29 | \$14.35 | \$9.09 | \$11.78 | \$15.41 | \$11.26 | TBD | \$18.41 | \$14.62 |
| | | RC - Zone 3, per month (Note 2) | TBD | \$27.70 | \$31.65 | \$14.46 | \$20.33 | \$31.48 | \$16.10 | TBD | \$24.39 | \$20.96 |
| | | RC - Zone 4, per month (Note 2) | TBD | NA | NA | NA | NA | NA | \$21.25 | NA | NA | NA |
| | | NRC - 1st | UHL2X | \$514.21 | \$113.85 | \$359.73 | NA | \$343.13 | \$504.82 | \$504.90 | \$600.61 | \$640.79 |
| | | NRC - Add'l | UHL2X | \$464.58 | \$99.61 | \$325.15 | NA | \$310.03 | \$456.24 | \$456.17 | \$507.33 | \$541.94 |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES

| DESCRIPTION | | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|--|---|-------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | NRC - Disconnect Charge - 1st | UHL2X | \$106.65 | NA | NA | NA | \$72.54 | \$105.86 | NA | NA | NA |
| | | NRC - Disconnect Charge - Add'l | UHL2X | \$56.98 | NA | NA | NA | \$39.42 | \$57.25 | NA | NA | NA |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.42 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA |
| | | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | \$45.99 | \$55.00 | \$34.22 | NA | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$55.00 |
| 2-Wire HDSL Loop (Standard) | | | | | | | | | | | | |
| | | RC - Statewide, per month | UHL2X | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | RC - Zone 1, per month (Note 2) | TBD | NA | NA | NA | \$6.29 | NA | NA | NA | NA | NA |
| | | RC - Zone 2, per month (Note 2) | TBD | NA | NA | NA | \$11.78 | NA | NA | NA | NA | NA |
| | | RC - Zone 3, per month (Note 2) | TBD | NA | NA | NA | \$20.33 | NA | NA | NA | NA | NA |
| | | RC - Zone 4, per month (Note 2) | TBD | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | NRC - 1st | UHL2X | NA | NA | NA | \$713.50 | NA | NA | NA | NA | NA |
| | | NRC - Add'l | UHL2X | NA | NA | NA | \$609.44 | NA | NA | NA | NA | NA |
| | | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | NA | NA | NA | \$55.00 | NA | NA | NA | NA | NA |
| 4-Wire High Bit Rate Dig Subscriber Line (HDSL) Compatible Loop | | | | | | | | | | | | |
| | | RC - Statewide, per month | UHL4X | NA | NA | NA | NA | NA | NA | \$13.97 | NA | \$17.91 |
| | | RC - Zone 1, per month (Note 2) | TBD | \$11.52 | \$14.75 | \$10.39 | NA | \$12.97 | \$10.36 | TBD | \$16.21 | \$15.46 |
| | | RC - Zone 2, per month (Note 2) | TBD | \$18.71 | \$21.59 | \$12.00 | NA | \$21.76 | \$13.73 | TBD | \$24.45 | \$19.46 |
| | | RC - Zone 3, per month (Note 2) | TBD | \$33.90 | \$47.64 | \$19.07 | NA | \$44.44 | \$19.62 | TBD | \$32.38 | \$27.88 |
| | | RC - Zone 4, per month (Note 2) | TBD | NA | NA | NA | NA | NA | \$25.90 | NA | NA | NA |
| | | NRC - 1st | UHL4X | \$541.13 | \$116.91 | \$378.86 | NA | \$361.45 | \$531.21 | \$531.35 | \$625.11 | \$666.70 |
| | | NRC - Add'l | UHL4X | \$491.50 | \$101.71 | \$344.28 | NA | \$328.35 | \$482.63 | \$482.62 | \$532.78 | \$568.86 |
| | | NRC - Disconnect Charge - 1st | UHL4X | \$106.65 | NA | NA | NA | \$72.54 | \$105.86 | NA | NA | NA |
| | | NRC - Disconnect Charge - Add'l | UHL4X | \$56.98 | NA | NA | NA | \$39.42 | \$57.25 | NA | NA | NA |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.06 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Disconnect -1st | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA |
| | | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | \$45.99 | \$55.00 | \$34.22 | NA | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$55.00 |
| 4-Wire HDSL Loop (Standard) | | | | | | | | | | | | |
| | | RC - Statewide, per month | UHL4X | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | RC - Zone 1, per month (Note 2) | TBD | NA | NA | NA | \$7.68 | NA | NA | NA | NA | NA |
| | | RC - Zone 2, per month (Note 2) | TBD | NA | NA | NA | \$14.38 | NA | NA | NA | NA | NA |
| | | RC - Zone 3, per month (Note 2) | TBD | NA | NA | NA | \$24.82 | NA | NA | NA | NA | NA |
| | | RC - Zone 4, per month (Note 2) | TBD | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | NRC - 1st | UHL4X | NA | NA | NA | \$748.93 | NA | NA | NA | NA | NA |
| | | NRC - Add'l | UHL4X | NA | NA | NA | \$646.17 | NA | NA | NA | NA | NA |
| | | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | NA | NA | NA | \$55.00 | NA | NA | NA | NA | NA |
| 4-Wire DS1 Digital Loop | | | | | | | | | | | | |
| | | RC - Statewide, per month | USLXX | NA | NA | NA | NA | NA | NA | \$62.78 | NA | NA |
| | | RC - Zone 1, per month (Note 2) | TBD | \$51.74 | \$64.69 | \$55.53 | \$50.26 | \$56.32 | \$50.99 | TBD | \$59.61 | \$57.73 |
| | | RC - Zone 2, per month (Note 2) | TBD | \$84.05 | \$94.71 | \$64.13 | \$94.06 | \$96.73 | \$67.58 | TBD | \$89.90 | \$75.40 |
| | | RC - Zone 3, per month (Note 2) | TBD | \$152.29 | \$208.93 | \$101.93 | \$162.34 | \$197.57 | \$96.58 | TBD | \$119.06 | \$98.59 |
| | | RC - Zone 4, per month (Note 2) | TBD | NA | NA | NA | NA | NA | \$127.47 | NA | NA | NA |
| | | NRC - 1st | USLXX | \$610.13 | \$540.00 | \$429.98 | \$849.80 | \$410.38 | \$599.09 | \$714.84 | \$715.77 | \$313.08 |
| | | NRC - Add'l | USLXX | \$380.26 | \$465.00 | \$268.18 | \$523.27 | \$255.48 | \$373.90 | \$421.47 | \$421.50 | \$219.72 |
| | | NRC - Disconnect Charge - 1st | USLXX | \$134.77 | NA | NA | NA | \$92.35 | \$133.53 | NA | NA | \$96.86 |
| | | NRC - Disconnect Charge - Add'l | USLXX | \$55.97 | NA | NA | NA | \$38.44 | \$56.25 | NA | NA | \$40.45 |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$42.19 | \$43.77 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA |
| | | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | \$49.18 | \$55.00 | \$34.52 | \$55.00 | \$33.05 | \$48.17 | \$48.31 | \$48.47 | \$34.59 |
| 4-Wire 56 Kbps Dig Grade Loop | | | | | | | | | | | | |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES

| DESCRIPTION | | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|--|---|-------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | RC - Statewide, per month | UDL56 | NA | NA | NA | NA | NA | NA | \$32.67 | NA | \$42.23 |
| | | RC - Zone 1, per month (Note 2) | TBD | \$27.33 | \$39.08 | \$25.75 | NA | \$27.50 | \$25.61 | TBD | \$34.26 | \$36.45 |
| | | RC - Zone 2, per month (Note 2) | TBD | \$44.40 | \$57.21 | \$29.74 | NA | \$47.24 | \$33.94 | TBD | \$51.67 | \$45.87 |
| | | RC - Zone 3, per month (Note 2) | TBD | \$80.45 | \$126.22 | \$47.27 | NA | \$96.48 | \$48.51 | TBD | \$68.43 | \$65.75 |
| | | RC - Zone 4, per month (Note 2) | TBD | NA | NA | NA | NA | NA | \$64.02 | NA | NA | NA |
| | | NRC - 1st | UDL56 | \$498.05 | \$654.72 | \$348.55 | NA | \$333.28 | \$489.00 | \$489.04 | \$602.73 | \$643.00 |
| | | NRC - Add'l | UDL56 | \$343.70 | \$428.45 | \$241.20 | NA | \$230.50 | \$337.93 | \$337.51 | \$393.50 | \$421.26 |
| | | NRC - Disconnect Charge - 1st | UDL56 | \$129.62 | NA | NA | NA | \$87.99 | \$128.36 | NA | \$44.06 | NA |
| | | NRC - Disconnect Charge - Add'l | UDL56 | \$64.25 | NA | NA | NA | \$44.24 | \$64.35 | NA | \$13.55 | NA |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | NA | NA |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | NA | NA |
| | | NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA |
| | | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | \$45.99 | \$55.00 | \$34.22 | NA | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$55.00 |
| 4-Wire 64 Kbps Dig Grade Loop | | | | | | | | | | | | |
| | | RC - Statewide, per month | UDL64 | NA | NA | NA | NA | NA | NA | \$32.67 | \$41.70 | \$42.23 |
| | | RC - Zone 1, per month (Note 2) | TBD | \$27.33 | \$39.08 | \$25.75 | NA | \$27.50 | \$25.61 | TBD | \$34.26 | \$36.45 |
| | | RC - Zone 2, per month (Note 2) | TBD | \$44.40 | \$57.21 | \$29.74 | NA | \$47.24 | \$33.94 | TBD | \$51.67 | \$45.87 |
| | | RC - Zone 3, per month (Note 2) | TBD | \$80.45 | \$126.22 | \$47.27 | NA | \$96.48 | \$48.51 | TBD | \$68.43 | \$65.75 |
| | | RC - Zone 4, per month (Note 2) | TBD | NA | NA | NA | NA | NA | \$64.02 | NA | NA | NA |
| | | NRC - 1st | UDL64 | \$498.05 | \$654.72 | \$348.55 | NA | \$333.28 | \$489.00 | \$489.04 | \$602.73 | \$643.00 |
| | | NRC - Add'l | UDL64 | \$343.70 | \$428.45 | \$241.20 | NA | \$230.50 | \$337.93 | \$337.51 | \$393.50 | \$421.26 |
| | | NRC - Disconnect Charge - 1st | UDL64 | \$129.62 | NA | NA | NA | \$87.99 | \$128.36 | NA | \$44.06 | NA |
| | | NRC - Disconnect Charge - Add'l | UDL64 | \$64.25 | NA | NA | NA | \$44.24 | \$64.35 | NA | \$13.55 | NA |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | NA | NA |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | NA | NA |
| | | NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA |
| | | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | \$45.99 | \$55.00 | \$34.22 | NA | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$55.00 |
| 2-Wire Unbundled Copper Loop (18kft or less) Note 3 | | | | | | | | | | | | |
| | | RC - Statewide, per month | UCLPB | \$15.11 | \$18.00 | \$13.97 | \$11.89 | \$21.00 | NA | \$19.00 | \$20.81 | \$12.16 |
| | | RC - Zone 1, per month (Note 2) | TBD | TBD | \$18.60 | \$19.80 | TBN | \$18.80 | \$16.85 | TBD | \$18.90 | \$19.85 |
| | | RC - Zone 2, per month (Note 2) | TBD | TBD | \$27.23 | \$22.86 | TBN | \$25.85 | \$22.34 | TBD | \$28.50 | \$24.98 |
| | | RC - Zone 3, per month (Note 2) | TBD | TBD | \$60.07 | \$36.34 | TBN | \$39.14 | \$31.92 | TBD | \$37.75 | \$35.81 |
| | | RC - Zone 4, per month (Note 2) | TBD | NA | NA | NA | NA | NA | \$42.13 | NA | NA | NA |
| | | NRC - 1st | UCLPB | \$514.21 | \$340.00 | \$395.16 | \$713.50 | \$340.00 | \$504.82 | \$504.90 | \$600.61 | \$270.01 |
| | | NRC - Add'l | UCLPB | \$464.58 | \$300.00 | \$217.39 | \$609.44 | \$300.00 | \$456.24 | \$456.17 | \$507.33 | \$234.63 |
| | | NRC - Disconnect Charge - 1st | UCLPB | NA | NA | NA | NA | \$72.54 | \$105.86 | NA | NA | \$74.54 |
| | | NRC - Disconnect Charge - Add'l | UCLPB | NA | NA | NA | NA | \$39.42 | \$57.25 | NA | NA | \$39.14 |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$47.00 | \$47.00 | \$18.94 | \$47.00 | \$18.14 | \$25.52 | \$26.94 | \$25.52 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$21.00 | \$21.00 | \$8.42 | \$21.00 | \$8.06 | \$11.34 | \$12.76 | \$47.00 | NA |
| | | NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | NA | NA | \$142.27 | NA | NA | NA | NA | NA | NA |
| | | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$17.77 | NA | \$37.86 | \$17.77 | \$11.41 | \$16.06 | NA | \$21.00 | NA |
| | | NRC - Incremental Charge - Manual Order Coordination - per loop | UCLMC | \$16.00 | \$16.00 | \$36.46 | NA | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$34.29 |
| 2-Wire Unbundled Copper Loop (>18kft) Note 3 | | | | | | | | | | | | |
| | | RC - Statewide, per month | UCL2L | \$40.00 | \$35.00 | \$41.61 | \$40.00 | \$37.00 | \$45.00 | \$35.00 | \$40.00 | \$35.00 |
| | | RC - Zone 1, per month (Note 2) | TBD | TBD | \$18.60 | \$19.80 | TBN | \$18.80 | \$16.85 | TBD | \$18.90 | \$19.85 |
| | | RC - Zone 2, per month (Note 2) | TBD | TBD | \$27.23 | \$22.86 | TBN | \$25.85 | \$22.34 | TBD | \$28.50 | \$24.98 |
| | | RC - Zone 3, per month (Note 2) | TBD | TBD | \$60.07 | \$36.34 | TBN | \$39.14 | \$31.92 | TBD | \$37.75 | \$35.81 |
| | | RC - Zone 4, per month (Note 2) | TBD | NA | NA | NA | NA | NA | \$42.13 | NA | NA | NA |
| | | NRC - 1st | UCL2L | \$514.21 | \$340.00 | \$395.16 | \$713.50 | \$340.00 | \$504.82 | \$504.90 | \$600.61 | \$270.01 |
| | | NRC - Add'l | UCL2L | \$464.58 | \$300.00 | \$217.39 | \$609.44 | \$300.00 | \$456.24 | \$456.17 | \$507.33 | \$234.63 |
| | | NRC - Disconnect Charge - 1st | UCL2L | NA | NA | NA | NA | \$72.54 | \$105.86 | NA | NA | \$74.54 |
| | | NRC - Disconnect Charge - Add'l | UCL2L | NA | NA | NA | NA | \$39.42 | \$57.25 | NA | NA | \$39.14 |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$47.00 | \$47.00 | \$18.94 | \$47.00 | \$18.14 | \$25.52 | \$26.94 | \$25.52 | NA |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN | | |
|---|-------|----------|----------|----------|------------|----------|----------|----------|------------|----------|--|--|
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$21.00 | \$21.00 | \$8.42 | \$21.00 | \$8.06 | \$11.34 | \$12.76 | \$47.00 | NA | | |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | NA | NA | \$142.27 | NA | NA | NA | NA | NA | NA | | |
| NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$17.77 | NA | \$37.86 | \$17.77 | \$11.41 | \$16.06 | NA | \$21.00 | NA | | |
| NRC - Incremental Charge - Manual Order Coordination - per loop | UCLMC | \$16.00 | \$16.00 | \$36.46 | NA | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$34.29 | | |
| DS3 Unbundled Local Loop | | | | | | | | | | | | |
| DS3 Unbundled Local Loop - per mile | 1L5ND | \$43.96 | \$40.01 | \$29.96 | \$43.69 | \$38.98 | \$54.39 | \$32.53 | \$56.71 | \$30.53 | | |
| DS3 Unbundled Local Loop- per Facility Termination | UE3PX | \$456.18 | \$470.83 | \$392.61 | \$436.95 | \$497.08 | \$427.81 | \$387.01 | \$510.30 | \$400.21 | | |
| NRC - Facility Termination - 1st | UE3PX | \$973.58 | \$770.47 | \$770.96 | \$1,091.00 | \$709.14 | \$975.22 | \$964.04 | \$1,091.00 | \$726.16 | | |
| NRC - Facility Termination - Add'l | UE3PX | \$547.59 | \$436.40 | \$437.71 | \$661.23 | \$402.63 | \$549.17 | \$542.73 | \$654.13 | \$411.64 | | |
| NRC - Facility Termination - Disconnect - 1st | UE3PX | \$132.56 | \$108.95 | \$111.07 | NA | \$102.16 | \$134.07 | NA | NA | \$103.36 | | |
| NRC - Facility Termination - Disconnect - Add'l | UE3PX | \$129.07 | \$106.01 | \$108.14 | NA | \$99.46 | \$130.59 | NA | NA | \$100.59 | | |
| NRC - Incremental Charge-Manual Svc Order - 1st | SOMAC | \$70.10 | NA | \$54.64 | \$93.12 | \$50.25 | \$68.62 | \$69.34 | \$92.52 | \$53.03 | | |
| NRC - Incremental Charge-Manual Svc Order - Add'l | SOMAC | \$70.10 | NA | \$54.64 | \$93.12 | \$50.25 | \$68.62 | \$69.34 | \$92.52 | \$53.03 | | |
| NRC - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st | SOMAC | \$30.09 | NA | \$22.77 | NA | \$20.94 | \$28.59 | \$29.76 | NA | \$22.95 | | |
| NRC - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add'l | SOMAC | \$30.09 | NA | \$22.77 | NA | \$20.94 | \$28.59 | \$29.76 | NA | \$22.95 | | |
| STS-1 Unbundled Local Loop | | | | | | | | | | | | |
| STS-1 Unbundled Local Loop - per mile | 1L5ND | \$43.96 | \$40.01 | \$29.96 | \$43.69 | \$38.98 | \$54.39 | \$32.53 | \$56.71 | \$30.53 | | |
| STS-1 Unbundled Local Loop- per Facility Termination | UDLS1 | \$456.18 | \$470.83 | \$392.61 | \$436.95 | \$497.08 | \$427.81 | \$387.01 | \$510.30 | \$400.21 | | |
| NRC - STS-1 - Facility Termination - 1st | UDLS1 | \$973.58 | \$770.47 | \$770.96 | \$1,091 | \$709.14 | \$975.22 | \$964.04 | \$1,091 | \$726.16 | | |
| NRC - STS-1 - Facility Termination - Add'l | UDLS1 | \$547.59 | \$436.40 | \$437.71 | \$661.23 | \$402.63 | \$549.17 | \$542.73 | \$654.13 | \$411.64 | | |
| NRC - STS-1 - Facility Termination - Disconnect - 1st | UDLS1 | \$132.56 | \$108.95 | \$111.07 | NA | \$102.16 | \$134.07 | NA | NA | \$103.36 | | |
| NRC - STS-1 - Facility Termination - Disconnect - Add'l | UDLS1 | \$129.07 | \$106.01 | \$108.14 | NA | \$99.46 | \$130.59 | NA | NA | \$100.59 | | |
| NRC - STS-1 - Incremental Charge-Manual Svc Order - 1st | SOMAC | \$70.10 | NA | \$54.64 | \$93.12 | \$50.25 | \$68.62 | \$69.34 | \$92.52 | \$53.03 | | |
| NRC - STS-1 - Incremental Charge-Manual Svc Order - Add'l | SOMAC | \$70.10 | NA | \$54.64 | \$93.12 | \$50.25 | \$68.62 | \$69.34 | \$92.52 | \$53.03 | | |
| NRC - STS-1 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st | SOMAC | \$30.09 | NA | \$22.77 | NA | \$20.94 | \$28.59 | \$29.76 | NA | \$22.95 | | |
| NRC - STS-1 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add'l | SOMAC | \$30.09 | NA | \$22.77 | NA | \$20.94 | \$28.59 | \$29.76 | NA | \$22.95 | | |
| Universal Digital Channel (UDC) Loops- Note 3 | | | | | | | | | | | | |
| Recurring | TBD | \$29.03 | \$28.07 | \$25.43 | \$31.99 | \$27.36 | \$29.83 | \$24.98 | \$32.47 | \$21.64 | | |
| NRC-1st per circuit | TBD | \$406.85 | \$295.42 | \$308.38 | \$616.28 | \$298.27 | \$401.38 | \$400.91 | \$498.04 | \$217.76 | | |
| NRC-Add'l - per circuit | TBD | \$330.87 | \$198.02 | \$255.35 | \$506.61 | \$247.63 | \$327.00 | \$326.31 | \$376.75 | \$163.88 | | |
| NRC- Disconnect Charge -1st | TBD | \$108.95 | | | | \$74.27 | \$108.14 | | | \$74.54 | | |
| NRC- Disconnect Charge -Add'l | TBD | \$57.01 | | | | \$39.44 | \$57.27 | | | \$39.14 | | |
| NRC- Incremental Manual Service Order charge-1st | SOMAN | \$27.37 | | \$18.94 | | \$18.14 | \$25.52 | \$26.94 | \$44.42 | | | |
| NRC- Incremental Manual Service Order charge- Add'l | SOMAN | \$12.97 | | \$8.42 | | \$8.06 | \$11.32 | \$12.76 | \$13.55 | | | |
| NRC- Incremental Manual Service Order-Disconnect - 1st | SOMAN | \$17.77 | | | | \$11.41 | \$16.06 | | | | | |
| NRC- Incremental Manual Service Order charge-Disconnect-Add'l | SOMAN | | | | | | | | | | | |
| Unbundled Loop Modification - Note 3 | | | | | | | | | | | | |
| Load Coil/Equipment Removal per pair - Loops up to 18kft | ULM2L | \$80.55 | \$80.55 | \$69.28 | \$80.55 | \$80.55 | \$80.55 | \$80.55 | \$80.55 | \$80.55 | | |
| Load Coil/Equipment Removal per pair - Loops > 18kft - 1st | ULM2G | \$880.08 | \$880.08 | \$757.04 | \$880.08 | \$880.08 | \$880.08 | \$880.08 | \$880.08 | \$880.08 | | |
| Load Coil/Equipment Removal per pair - Loops > 18kft - Add'l | ULM2G | \$27.30 | \$27.30 | \$23.49 | \$27.30 | \$27.30 | \$27.30 | \$27.30 | \$27.30 | \$27.30 | | |
| Bridged Tap Removal per pair unloaded | ULMBT | \$121.14 | \$121.14 | \$79.99 | \$121.14 | \$121.14 | \$121.14 | \$121.14 | \$121.14 | \$121.14 | | |
| Loop Make-Up Service Inquiry - Note 3 | | | | | | | | | | | | |
| Per Service Inquiry | UMKLP | \$233.75 | \$233.75 | \$233.75 | \$233.75 | \$233.75 | \$233.75 | \$233.75 | \$233.75 | \$233.75 | | |
| Unbundled Sub-Loops | | | | | | | | | | | | |
| Sub-Loop Analog | | | | | | | | | | | | |
| Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month | USBN2 | NA | \$8.57 | \$9.12 | \$10.83 | BFR | NA | NA | NA | \$9.79 | | |
| NRC - Set-Up per Cross Box location - CLEC Feeder Facility set-up | USBSA | TBN | TBD | TBD | TBD | TBN | TBN | TBN | TBN | TBD | | |
| NRC - Set-Up per Cross Box location - per 25 pair panel set-up | USBSB | TBN | TBD | TBD | TBD | TBN | TBN | TBN | TBN | TBD | | |
| NRC - 1st | USBN2 | TBN | \$78.28 | \$207.01 | \$459.85 | TBN | TBN | TBN | TBN | \$586.00 | | |
| NRC - Add'l | USBN2 | TBN | \$58.33 | \$171.32 | \$352.89 | TBN | TBN | TBN | TBN | \$255.00 | | |
| NRC - Disconnect Charge - 1st | USBN2 | TBN | NA | NA | NA | TBN | TBN | TBN | TBN | NA | | |
| NRC - Disconnect Charge - Add'l | USBN2 | TBN | NA | NA | NA | TBN | TBN | TBN | TBN | NA | | |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBN | NA | \$18.94 | NA | TBN | TBN | TBN | TBN | NA | | |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN | | |
|---|--------|---------|----------|----------|----------|-----|-----|-----|-----|----------|--|--|
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBN | NA | \$8.42 | NA | TBN | TBN | TBN | TBN | NA | | |
| NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBN | NA | NA | NA | TBN | TBN | TBN | TBN | NA | | |
| NRC - Incremental Charge - Manual Order Coordination - per loop | USBMC | TBN | TBD | TBD | TBD | TBN | TBN | TBN | TBN | TBD | | |
| Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month | TBD | NA | NA | NA | \$9.95 | NA | NA | NA | NA | \$9.23 | | |
| NRC - Set-Up per Cross Box location - CLEC Feeder Facility set-up | USBSA | NA | NA | NA | \$9.95 | NA | NA | NA | NA | TBD | | |
| NRC - Set-Up per Cross Box location - per 25 pair panel set-up | USBSB | NA | NA | NA | \$9.95 | NA | NA | NA | NA | TBD | | |
| NRC - 1st | TBD | NA | NA | NA | \$459.85 | NA | NA | NA | NA | \$587.00 | | |
| NRC - Add'l | TBD | NA | NA | NA | \$352.89 | NA | NA | NA | NA | \$255.00 | | |
| NRC - Incremental Charge - Manual Order Coordination - per loop | USBMC | TBN | TBD | TBN | TBN | TBN | TBN | TBN | TBN | TBD | | |
| Loop Distribution per 4-Wire Analog VG Loop (Incl NID), per month | USBN4 | TBN | \$11.29 | TBN | TBN | TBN | TBN | TBN | TBN | TBD | | |
| NRC - Set-Up per Cross Box location - CLEC Feeder Facility set-up | USBSA | TBN | TBD | TBN | TBN | TBN | TBN | TBN | TBN | TBD | | |
| NRC - Set-Up per Cross Box location - per 25 pair panel set-up | USBSB | TBN | TBD | TBN | TBN | TBN | TBN | TBN | TBN | TBD | | |
| NRC - 1st | USBN4 | TBN | \$112.07 | TBN | TBN | TBN | TBN | TBN | TBN | TBD | | |
| NRC - Add'l | USBN4 | TBN | \$92.11 | TBN | TBN | TBN | TBN | TBN | TBN | TBD | | |
| NRC - Incremental Charge - Manual Order Coordination - per loop | USBMC | TBN | TBD | TBN | TBN | TBN | TBN | TBN | TBN | TBD | | |
| Sub-Loop-Intrabuilding Network Cable (INC) (riser cable), 2W analog, per month | USBR2 | | | | | | | | | | | |
| NRC - Set-Up per Building Equipment Room - CLEC Feeder Facility set-up | USBSC | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | | |
| NRC - Set-Up per Building Equipment Room - per 25 pair panel set-up | USBSD | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | | |
| NRC - 1st | USBR2 | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | | |
| NRC - Add'l | USBR2 | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | | |
| NRC - Disconnect Charge - 1st | USBR2 | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | | |
| NRC - Disconnect Charge - Add'l | USBR2 | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | | |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | | |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | | |
| NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | | |
| NRC - Incremental Charge - Manual Order Coordination - per loop | USBMC | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | | |
| Sub-Loop-Intrabuilding Network Cable (INC) (riser cable), 4W analog, per month | USBR4 | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | | |
| NRC - Set-Up per Building Equipment Room - CLEC Feeder Facility set-up | USBSC | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | | |
| NRC - Set-Up per Building Equipment Room - per 25 pair panel set-up | USBSD | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | | |
| NRC - 1st | USBR4 | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | | |
| NRC - Add'l | USBR4 | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | | |
| NRC - Disconnect Charge - 1st | USBR4 | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | | |
| NRC - Disconnect Charge - Add'l | USBR4 | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | | |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | | |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | | |
| NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | | |
| NRC - Incremental Charge - Manual Order Coordination - per loop | USBMC | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | | |
| Unbundled Network Terminating Wire | | | | | | | | | | | | |
| UNTW Pair, per pair, per month | UENPP | TBN | \$0.67 | \$1.56 | \$1.24 | NA | NA | NA | NA | \$1.31 | | |
| Site Visit Survey, per MDU/MTU Complex, NRC | UENVIS | TBN | \$225.00 | \$225.00 | \$225.00 | NA | NA | NA | NA | \$225.00 | | |
| Site Visit Set-Up - Terminal Preparation, per terminal | | | | | | | | | | | | |
| NRC - 1st terminal | UENSS | TBN | \$98.00 | \$98.00 | \$98.00 | TBN | TBN | TBN | TBN | \$98.00 | | |
| NRC - Add'l terminal | UENSS | TBN | \$65.00 | \$65.00 | \$65.00 | TBN | TBN | TBN | TBN | \$65.00 | | |
| Access Terminal Provisioning & 1st 25 pair panel (SPOI), per terminal, NRC | UEN1T | TBN | \$110.00 | \$110.00 | \$110.00 | TBN | TBN | TBN | TBN | \$110.00 | | |
| Existing Access Terminal Provisioning, 2nd 25 pair panel, per terminal, NRC | UEN2T | TBN | \$35.00 | \$35.00 | \$35.00 | TBN | TBN | TBN | TBN | \$35.00 | | |
| UNTW Pair Provisioning, per pair, NRC | UENPP | TBN | \$9.00 | \$9.00 | \$9.00 | TBN | TBN | TBN | TBN | \$9.00 | | |
| Service Visit for Provisioning, per request, per premises, NRC | UENSV | TBN | \$55.00 | \$55.00 | \$55.00 | TBN | TBN | TBN | TBN | \$55.00 | | |
| Manual Service Order, NRC | MOCLA | TBN | \$45.00 | \$45.00 | \$45.00 | TBN | TBN | TBN | TBN | \$45.00 | | |
| Sub-Loop Concentration - Channelization Sys (Outside CO) | | | | | | | | | | | | |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | TBD | \$18.94 | TBD | BFR | BFR | BFR | BFR | TBD | | |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | TBD | \$8.42 | TBD | BFR | BFR | BFR | BFR | TBD | | |
| TR008 - System A (96 channel capacity - channels 1-96), per month | UCT8A | NA | \$792.49 | \$724.79 | \$757.00 | NA | NA | NA | NA | \$683.78 | | |
| NRC - 1st | UCT8A | NA | \$640.93 | \$632.36 | \$633.94 | NA | NA | NA | NA | \$634.31 | | |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES

| DESCRIPTION | | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|---|---|-------|------------|------------|------------|------------|------------|------------|------------|------------|----------|------------|
| | NRC - Add'l | UCT8A | NA | \$315.03 | \$310.82 | \$311.60 | NA | NA | NA | NA | NA | \$311.78 |
| TR008 - System B (96 channel capacity - channels 97-192), per month | | | | \$155.32 | \$92.91 | \$95.60 | NA | NA | NA | NA | NA | \$102.12 |
| | NRC - 1st | UCT8B | NA | \$640.93 | \$632.36 | \$633.94 | NA | NA | NA | NA | NA | \$634.31 |
| | NRC - Add'l | UCT8B | NA | \$315.03 | \$310.82 | \$311.60 | NA | NA | NA | NA | NA | \$311.78 |
| TR303 - System A (96 channel capacity - channels 1-96), per month | | | | \$835.72 | \$764.42 | \$799.95 | NA | NA | NA | NA | NA | \$726.87 |
| | NRC - 1st | UCT3A | NA | \$640.93 | \$632.36 | \$633.94 | NA | NA | NA | NA | NA | \$634.31 |
| | NRC - Add'l | UCT3A | NA | \$315.03 | \$310.82 | \$311.60 | NA | NA | NA | NA | NA | \$311.78 |
| TR303 - System B (96 channel capacity - channels 97-192), per month | | | UCT3B | NA | \$198.55 | \$132.54 | \$138.55 | NA | NA | NA | NA | \$145.21 |
| | NRC - 1st | UCT3B | NA | \$640.93 | \$632.36 | \$633.94 | NA | NA | NA | NA | NA | \$634.31 |
| | NRC - Add'l | UCT3B | NA | \$315.03 | \$310.82 | \$311.60 | NA | NA | NA | NA | NA | \$311.78 |
| DS1 Feeder Interface, per month | | | UCTFS | NA | \$78.43 | \$72.12 | \$77.02 | NA | NA | NA | NA | \$76.73 |
| | NRC 1st | UCTFS | NA | \$422.74 | \$425.74 | \$418.13 | NA | NA | NA | NA | NA | \$418.37 |
| | NRC Add'l | UCTFS | NA | \$200.74 | \$198.06 | \$198.56 | NA | NA | NA | NA | NA | \$198.67 |
| Channel Interface - 2 Wire Voice - Loop Start , per month | | | TBD | NA | \$2.62 | \$2.38 | \$2.68 | NA | NA | NA | NA | \$2.61 |
| | NRC 1st | TBD | NA | \$42.39 | \$41.82 | \$41.92 | NA | NA | NA | NA | NA | \$41.95 |
| | NRC Add'l | TBD | NA | \$42.15 | \$41.58 | \$41.69 | NA | NA | NA | NA | NA | \$41.71 |
| Channel Interface - 2 Wire ISDN, per month | | | ULCC1 | NA | \$10.49 | \$9.53 | \$10.72 | NA | NA | NA | NA | \$10.43 |
| | NRC 1st | ULCC1 | NA | \$42.39 | \$41.82 | \$41.92 | NA | NA | NA | NA | NA | \$41.95 |
| | NRC Add'l | ULCC1 | NA | \$42.15 | \$41.58 | \$41.69 | NA | NA | NA | NA | NA | \$41.71 |
| Channel Interface - 2 Wire Voice - Ground Start or Reverse Battery, per month | | | TBD | NA | \$15.59 | \$14.17 | \$15.94 | NA | NA | NA | NA | \$15.51 |
| | NRC 1st | TBD | NA | \$42.39 | \$41.82 | \$41.92 | NA | NA | NA | NA | NA | \$41.95 |
| | NRC Add'l | TBD | NA | \$42.15 | \$41.58 | \$41.69 | NA | NA | NA | NA | NA | \$41.71 |
| Channel Interface - 4 Wire Voice, per month | | | ULCC4 | NA | \$9.30 | \$8.45 | \$9.50 | NA | NA | NA | NA | \$9.26 |
| | NRC 1st | ULCC4 | NA | \$42.39 | \$41.82 | \$41.92 | NA | NA | NA | NA | NA | \$41.95 |
| | NRC Add'l | ULCC4 | NA | \$42.15 | \$41.58 | \$41.69 | NA | NA | NA | NA | NA | \$41.71 |
| Test Circuit, per month | | | | NA | \$45.46 | \$41.30 | \$46.44 | NA | NA | NA | NA | \$45.22 |
| | NRC 1st | UCTTC | NA | \$42.39 | \$41.82 | \$41.92 | NA | NA | NA | NA | NA | \$41.95 |
| | NRC Add'l | UCTTC | NA | \$42.15 | \$41.58 | \$41.69 | NA | NA | NA | NA | NA | \$41.71 |
| Channel Interface - Digital 56Kbps, per month | | | ULCC5 | NA | \$13.78 | \$12.51 | \$14.08 | NA | NA | NA | NA | \$13.71 |
| | NRC 1st | ULCC5 | NA | \$42.39 | \$41.82 | \$41.92 | NA | NA | NA | NA | NA | \$41.95 |
| | NRC Add'l | ULCC5 | NA | \$42.15 | \$41.58 | \$41.69 | NA | NA | NA | NA | NA | \$41.71 |
| Channel Interface - Digital 64Kbps, per month | | | ULCC6 | NA | \$13.78 | \$12.51 | \$14.08 | NA | NA | NA | NA | \$13.71 |
| | NRC 1st | ULCC6 | NA | \$42.39 | \$41.82 | \$41.92 | NA | NA | NA | NA | NA | \$41.95 |
| | NRC Add'l | ULCC6 | NA | \$42.15 | \$41.58 | \$41.69 | NA | NA | NA | NA | NA | \$41.71 |
| Loop Concentration System (Inside C.O.) | | | | | | | | | | | | |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | TBD | \$18.94 | TBD | \$18.14 | \$25.52 | TBD | \$44.06 | | TBD |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | TBD | \$8.42 | TBD | \$8.06 | \$11.34 | TBD | \$13.55 | | TBD |
| Loop Channelization System - Digital Loop Carrier | | | TBD | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | RC - Loop Channelization System - Digital Loop Carrier | TBD | NA | NA | NA | NA | NA | NA | | \$315.61 | NA | NA |
| | NRC- 1st | TBD | NA | NA | NA | NA | NA | NA | NA | \$426.48 | NA | NA |
| | NRC- Add'l | TBD | NA | NA | NA | NA | NA | NA | NA | \$103.42 | NA | NA |
| | NRC- Incremental Cost - Manual Service Order- 1st | TBD | NA | NA | NA | NA | NA | NA | NA | \$42.19 | NA | NA |
| | NRC- Incremental Cost - Manual Service Order- Add'l | TBD | NA | NA | NA | NA | NA | NA | NA | \$12.76 | NA | NA |
| TR008 -System A (96 channel capacity - channels 1-96), per month | | | UCT8A | \$327.44 | \$400.33 | \$316.63 | \$394.00 | \$308.74 | \$454.79 | \$375.96 | \$399.21 | \$380.06 |
| | NRC - 1st | UCT8A | \$1,115.10 | \$1,128.75 | \$1,111.95 | \$1,116.15 | \$1,117.20 | \$1,115.10 | \$1,113.00 | \$1,119.30 | | \$1,114.05 |
| | NRC - Add'l | UCT8A | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| TR008 -System B (96 channel capacity - channels 97-192), per month | | | UCT8B | \$67.41 | \$70.48 | \$65.27 | \$72.21 | \$76.58 | \$73.30 | \$65.98 | \$71.91 | \$68.71 |
| | NRC - 1st | UCT8B | \$464.57 | \$470.41 | \$463.37 | \$465.11 | \$465.64 | \$464.71 | \$463.74 | \$466.38 | | \$464.21 |
| | NRC - Add'l | UCT8B | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| TR303 - System A (96 channel capacity - channels 1-96), per month | | | UCT3A | \$375.18 | \$450.24 | \$362.87 | \$445.14 | \$385.97 | \$506.70 | \$422.68 | \$450.13 | \$428.73 |
| | NRC - 1st | UCT3A | \$1,115.10 | \$1,128.75 | \$1,111.95 | \$1,116.15 | \$1,117.20 | \$1,115.10 | \$1,113.00 | \$1,119.30 | | \$1,114.05 |
| | NRC - Add'l | UCT3A | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| TR303 - System B (96 channel capacity - channels 97-192), per month | | | UCT3B | \$111.30 | \$118.76 | \$110.02 | \$121.45 | \$129.05 | \$123.52 | \$111.17 | \$121.16 | \$115.79 |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES

| | | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|---|--|-------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| | | DESCRIPTION | | | | | | | | | | |
| | | NRC - 1st | UCT3B | \$464.57 | \$470.41 | \$463.37 | \$465.11 | \$465.64 | \$464.71 | \$463.74 | \$466.38 | \$464.21 |
| | | NRC - Add'l | UCT3B | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | DS1 Interface, per month | UCTCO | \$6.42 | \$6.47 | \$6.15 | \$403.20 | \$7.35 | \$6.99 | \$6.27 | \$6.79 | \$6.49 |
| | | NRC 1st | UCTCO | \$367.70 | \$372.32 | \$366.72 | \$132.18 | \$368.54 | \$367.80 | \$367.04 | \$369.13 | \$367.41 |
| | | NRC Add'l | UCTCO | \$132.03 | \$133.69 | \$130.63 | \$132.18 | \$132.33 | \$132.07 | \$131.79 | \$132.54 | \$131.92 |
| | | Channel Interface - 2 Wire Voice - Loop Start , per month | TBD | \$2.55 | \$2.66 | \$2.44 | \$2.79 | \$2.91 | \$2.77 | \$0.89 | \$2.69 | \$2.58 |
| | | NRC 1st | TBD | \$35.77 | \$36.23 | \$35.68 | \$35.82 | \$35.86 | \$35.78 | \$35.73 | \$35.91 | \$35.74 |
| | | NRC Add'l | TBD | \$35.55 | \$36.02 | \$35.48 | \$35.62 | \$35.66 | \$35.37 | \$35.49 | \$35.71 | \$35.54 |
| | | Channel Interface - 2 Wire ISDN, per month | ULCC1 | \$10.19 | \$10.67 | \$9.76 | \$11.18 | \$11.66 | \$11.10 | \$9.95 | \$10.76 | \$10.30 |
| | | NRC 1st | ULCC1 | \$35.77 | \$36.23 | \$35.68 | \$35.82 | \$35.86 | \$35.78 | \$35.71 | \$35.91 | \$35.74 |
| | | NRC Add'l | ULCC1 | \$35.55 | \$36.02 | \$35.48 | \$35.62 | \$35.66 | \$35.37 | \$35.51 | \$35.71 | \$35.54 |
| | | Channel Interface - 2 Wire Voice - Ground Start or Reverse Battery, per month | TBD | \$15.15 | \$15.85 | \$14.51 | \$16.62 | \$17.33 | \$16.46 | \$14.80 | \$16.01 | \$15.32 |
| | | NRC 1st | TBD | \$35.77 | \$36.23 | \$35.68 | \$35.82 | \$35.86 | \$35.78 | \$35.71 | \$35.91 | \$35.74 |
| | | NRC Add'l | TBD | \$35.55 | \$36.02 | \$35.48 | \$35.62 | \$35.66 | \$35.37 | \$35.51 | \$35.71 | \$35.54 |
| | | Channel Interface - 4 Wire Voice, per month | ULCC4 | \$9.04 | \$9.44 | \$8.65 | \$9.91 | \$10.34 | \$9.83 | \$8.82 | \$9.55 | \$9.13 |
| | | NRC 1st | ULCC4 | \$35.77 | \$36.23 | \$35.68 | \$35.82 | \$35.86 | \$35.78 | \$35.71 | \$35.91 | \$35.74 |
| | | NRC Add'l | ULCC4 | \$35.55 | \$36.02 | \$35.48 | \$35.62 | \$35.66 | \$35.37 | \$35.51 | \$35.71 | \$35.54 |
| | | Test Circuit, per month | UCTTC | \$44.16 | \$46.14 | \$42.30 | \$48.43 | \$50.53 | \$47.85 | \$43.13 | \$46.66 | \$44.65 |
| | | NRC 1st | UCTTC | \$35.77 | \$36.23 | \$35.68 | \$35.82 | \$35.86 | \$35.78 | \$35.71 | \$35.91 | \$35.74 |
| | | NRC Add'l | UCTTC | \$35.55 | \$36.02 | \$35.48 | \$35.62 | \$35.66 | \$35.37 | \$35.51 | \$35.71 | \$35.54 |
| | | Channel Interface - Digital 56Kbps, per month | ULCC5 | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| | | NRC 1st | ULCC5 | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| | | NRC Add'l | ULCC5 | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| | | Channel Interface - Digital 64Kbps, per month | ULCC6 | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| | | NRC 1st | ULCC6 | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| | | NRC Add'l | ULCC6 | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| | | DARK FIBER | | | | | | | | | | |
| | | Per four fiber strands, per route mile or fraction thereof, per month | 1L5DF | \$59.84 | \$55.35 | \$44.22 | \$64.64 | \$65.29 | \$70.35 | \$49.88 | \$72.45 | \$52.67 |
| | | NRC - Per each four-fiber dark fiber arrangement - 1st | 1L5DF | \$2,518.66 | \$1,715.61 | \$1,355.29 | \$2,304.00 | \$1,685.19 | \$2,389.99 | \$2,277.00 | \$2,406.00 | \$1,672.44 |
| | | NRC - Per each four-fiber dark fiber arrangement - Add'l | 1L5DF | \$835.08 | \$622.68 | \$273.69 | \$740.93 | \$580.11 | \$804.32 | \$733.08 | \$765.30 | \$509.09 |
| | | | | | | | | | | | | |
| | | NOTES: | | | | | | | | | | |
| | 1 | In states where a specific NRC for customer transfer, feature additions and changes is not stated, the applicable NRC from the appropriate tariff applies. | | | | | | | | | | |
| | 2 | Effective May 1, 2000 statewide rates will be replaced by Deaveraged Loop Rates by Zone where available. Until approximately December 31, 2000 or until such time that BellSouth billing systems have been developed to handle the new zone rate structure, BellSouth will bill at the Zone 1 Deaveraged Loop rate level only. After December 31, 2000 or such time that the billing systems have been developed to handle the new zone rate structure, BellSouth will begin billing pursuant to CLEC- | | | | | | | | | | |
| | 3 | All rates are interim and subject to true-up. | | | | | | | | | | |

BELLSOUTH/AT&T RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Attachment 2
Exhibit C
Rates - Page 12

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|-------|---------|---------------|---------------|---------------|---------|---------|---------|---------|-----------------|
| LOCAL EXCHANGE SWITCHING (PORTS) | | | | | | | | | | |
| 2-Wire Analog Line Port (Res., Bus.), per month | | | | | | | | | | |
| 2- wire voice unbundled port - residence | UEPRL | \$2.07 | 2.00 - Note 1 | 1.85 - Note 1 | 2.61 - Note 1 | \$2.20 | \$2.11 | \$2.19 | \$2.35 | 1.90 - Note 1 |
| 2-wire voice unbundled port with caller ID - residence | UEPRC | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| 2-wire voice unbundled port outgoing only - residence | UEPRO | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| 2-wire voice unbundled area plus port with caller ID - residence | UEPRM | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| 2-wire voice unbundled Florida area calling with caller ID - residence | UEPAF | NA | \$2.00 | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) | UEPAG | NA | NA | NA | NA | \$2.20 | NA | NA | NA | NA |
| 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7) | UEPAH | NA | NA | NA | NA | \$2.20 | NA | NA | NA | NA |
| 2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8) | UEPAJ | NA | NA | NA | NA | NA | NA | NA | \$2.35 | NA |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R) | UEPAK | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER) | UEPAL | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR) | UEPAM | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X) | UEPAN | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR) | UEPAO | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| 2-wire voice unbundled res, low usage line port with Caller ID (LUM) | UEPAP | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| | | | | | | | | | | |
| LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT) | LNPCX | | | | | | | | | |
| | | | | | | | | | | |
| 2-wire voice unbundled port without Caller ID | UEPBL | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| 2-wire voice unbundled port with unbundled port with Caller+E484 ID | UEPBC | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| 2-wire voice unbundled outgoing only port | UEPBO | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| 2-wire voice unbundled area plus port with Caller ID | UEPBM | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| 2-wire voice unbundled incoming only port with Caller ID | UEPB1 | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| 2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC) | UEPAA | NA | NA | NA | NA | \$2.20 | NA | NA | NA | NA |
| 2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB) | UEPAB | NA | NA | NA | NA | NA | NA | NA | \$2.35 | NA |
| 2-wire voice unbundled TN Bus 2-Way Area Calling Port Economy Option (TACC1) | UEPAC | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| 2-wire voice unbundled TN Bus 2-Way Area Calling Port Standard Option (TACC2) | UEPAD | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| 2-wire voice unbundled TN Bus 2-WAY Collierville and Memphis Local Calling Port (B2F) | UEPAE | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| | | | | | | | | | | |
| LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT) | LNPCX | | | | | | | | | |
| | | | | | | | | | | |
| Non-Recurring Charges (NRC) - 1st (Residence) | | | | | | | | | | |
| 2- wire voice unbundled port - residence | UEPRL | \$21.93 | \$38.00 | \$17.16 | \$37.78 | \$16.43 | \$22.98 | \$21.60 | \$24.98 | BST GSST A4.3.1 |
| 2-wire voice unbundled port with caller ID - residence | UEPRC | \$21.93 | \$38.00 | \$17.16 | \$37.78 | \$16.43 | \$22.98 | \$24.04 | \$24.98 | BST GSST A4.3.1 |
| 2-wire voice unbundled port outgoing only - residence | UEPRO | \$21.93 | \$38.00 | \$17.16 | \$37.78 | \$16.43 | \$22.98 | \$24.04 | \$24.98 | BST GSST A4.3.1 |
| 2-wire voice unbundled area plus port with caller ID - residence | UEPRM | \$21.93 | \$38.00 | \$17.16 | \$37.78 | \$16.43 | \$22.98 | \$24.04 | \$24.98 | BST GSST A4.3.1 |
| 2-wire voice unbundled Florida area calling with caller ID - residence | UEPAF | NA | \$38.00 | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) | UEPAG | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7) | UEPAH | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| 2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8) | UEPAJ | NA | NA | NA | NA | NA | NA | NA | \$24.98 | NA |

BELLSOUTH/AI-Call RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Attachment 2
Exhibit C
Rates - Page 13

| DESCRIPTION | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|-------------|--|-------|---------|---------|---------|---------|---------|---------|---------|---------|--------------------|
| | 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R) | UEPAK | NA | NA | NA | NA | NA | NA | NA | NA | BST GSST A4.3.1 |
| | 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER) | UEPAL | NA | NA | NA | NA | NA | NA | NA | NA | BST GSST A4.3.1 |
| | 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR) | UEPAM | NA | NA | NA | NA | NA | NA | NA | NA | BST GSST A4.3.1 |
| | 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X) | UEPAN | NA | NA | NA | NA | NA | NA | NA | NA | BST GSST A4.3.1 |
| | 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR) | UEPAO | NA | NA | NA | NA | NA | NA | NA | NA | BST GSST A4.3.1 |
| | 2-wire voice unbundled Res Low Usage Line Port with Caller+E563 ID (LUM) | UEPAP | \$21.93 | \$38.00 | \$17.16 | \$37.78 | \$16.43 | \$22.98 | \$24.04 | \$24.98 | BST GSST A4.3.1 |
| | | | | | | | | | | | |
| | NRC - Add'l (Residence) | | | | | | | | | | |
| | 2- wire voice unbundled port - residence - | UEPRL | \$21.93 | \$15.00 | \$17.16 | \$37.78 | \$16.43 | \$22.98 | \$21.60 | \$24.98 | BST GSST A4.3.1 |
| | 2-wire voice unbundled port with caller ID - residence | UEPRC | \$21.93 | \$15.00 | \$17.16 | \$37.78 | \$16.43 | \$22.98 | \$9.08 | \$24.98 | BST GSST A4.3.1 |
| | 2-wire voice unbundled port outgoing only - residence | UEPRO | \$21.93 | \$15.00 | \$17.16 | \$37.78 | \$16.43 | \$22.98 | \$9.08 | \$24.98 | BST GSST A4.3.1 |
| | 2-wire voice unbundled area plus port with caller ID - residence | UEPRM | \$21.93 | \$15.00 | \$17.16 | \$37.78 | \$16.43 | \$22.98 | \$9.08 | \$24.98 | BST GSST A4.3.1 |
| | 2-wire voice unbundled Florida area calling with caller ID - residence | UEPAF | NA | \$15.00 | NA | NA | NA | NA | NA | NA | NA |
| | 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) | UEPAG | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| | 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7) | UEPAH | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| | 2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8) | UEPAJ | NA | NA | NA | NA | NA | NA | NA | \$24.98 | NA |
| | 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R) | UEPAK | NA | NA | NA | NA | NA | NA | NA | NA | BST GSST A4.3.1 |
| | 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER) | UEPAL | NA | NA | NA | NA | NA | NA | NA | NA | BST GSST A4.3.1 |
| | 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR) | UEPAM | NA | NA | NA | NA | NA | NA | NA | NA | BST GSST A4.3.1 |
| | 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X) | UEPAN | NA | NA | NA | NA | NA | NA | NA | NA | BST GSST A4.3.1 |
| | 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR) | UEPAO | NA | NA | NA | NA | NA | NA | NA | NA | BST GSST A4.3.1 |
| | 2-wire voice unbundled Res Low Usage Line Port with Caller ID (LUM) | UEPAP | \$21.93 | \$15.00 | \$17.16 | \$37.78 | \$16.43 | \$22.98 | \$9.08 | \$24.98 | BST GSST A4.3.1 |
| | | | | | | | | | | | |
| | NRC - 1st (Business) | | | | | | | | | | |
| | 2-wire Voice Unbundled Port without Caller ID | UEPBL | \$21.93 | \$38.00 | \$17.16 | \$37.55 | \$16.43 | \$22.98 | \$21.60 | \$24.98 | BST GSST A4.3.1 |
| | 2-wire voice unbundled port with Caller ID | UEPBC | \$21.93 | \$38.00 | \$17.16 | \$37.55 | \$16.43 | \$22.98 | \$24.04 | \$24.98 | BST GSST A4.3.1 |
| | 2-wire voice unbundled outgoing only port | UEPBO | \$21.93 | \$38.00 | \$17.16 | \$37.55 | \$16.43 | \$22.98 | \$24.04 | \$24.98 | BST GSST A4.3.1 |
| | 2-wire voice unbundled Area Plus Port with Caller ID | UEPBM | \$21.93 | \$38.00 | \$17.16 | \$37.55 | \$16.43 | \$22.98 | \$24.04 | \$24.98 | BST GSST A4.3.1 |
| | 2-wire voice unbundled Incoming only Port with Caller ID | UEPB1 | \$21.93 | \$38.00 | \$17.16 | \$37.55 | \$16.43 | \$22.98 | \$24.04 | \$24.98 | BST GSST A4.3.1 |
| | 2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC) | UEPAA | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| | 2-wire voice unbundled SC Bus Area Calling Port with Caller ID+E587 (LMB) | UEPAB | NA | NA | NA | NA | NA | NA | NA | \$24.98 | NA |

BELLSOUTH/AT&T RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Attachment 2
Exhibit C
Rates - Page 14

| DESCRIPTION | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|-------------|--|-------|---------|---------|---------|---------|---------|---------|---------|---------|-----------------|
| | 2-wire voice unbundled TN Bus 2-way Area Calling Port Economy Option (TACC1) | UEPAC | NA | NA | NA | NA | NA | NA | NA | NA | BST GSST A4.3.1 |
| | 2-wire voice unbundled TN Bus 2-way Area Calling Port Standard Option (TACC2) | UEPAD | NA | NA | NA | NA | NA | NA | NA | NA | BST GSST A4.3.1 |
| | 2-wire voice unbundled TN Bus 2-way Collierville and Memphis Local Calling Port (B2F) | UEPAE | NA | NA | NA | NA | NA | NA | NA | NA | BST GSST A4.3.1 |
| | | | | | | | | | | | BST GSST A4.3.1 |
| | NRC - Add'l (Business) | UEPBL | \$21.93 | \$15.00 | \$17.16 | \$37.55 | \$16.43 | \$22.98 | \$9.08 | \$24.98 | BST GSST A4.3.1 |
| | 2-wire voice unbundled port without Caller ID | UEPBL | \$21.93 | \$15.00 | \$17.16 | \$37.55 | \$16.43 | \$22.98 | \$21.60 | \$24.98 | BST GSST A4.3.1 |
| | 2-wire voice unbundled port with Caller ID | UEPBC | \$21.93 | \$15.00 | \$17.16 | \$37.55 | \$16.43 | \$22.98 | \$9.08 | \$24.98 | BST GSST A4.3.1 |
| | 2-wire voice unbundled outgoing only port | UEPBO | \$21.93 | \$15.00 | \$17.16 | \$37.55 | \$16.43 | \$22.98 | \$9.08 | \$24.98 | BST GSST A4.3.1 |
| | 2-wire voice unbundled Area Plus Port with Caller ID | UEPBM | \$21.93 | \$15.00 | \$17.16 | \$37.55 | \$16.43 | \$22.98 | \$9.08 | \$24.98 | BST GSST A4.3.1 |
| | 2-wire voice unbundled incoming only port with Caller ID | UEPB1 | \$21.93 | \$15.00 | \$17.16 | \$37.55 | \$16.43 | \$22.98 | \$9.08 | \$24.98 | BST GSST A4.3.1 |
| | 2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC) | UEPAA | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| | 2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB) | UEPAB | NA | NA | NA | NA | NA | NA | NA | \$24.98 | NA |
| | 2-wire voice unbundled TN Bus 2-way Area Calling Port Economy Option (TACC1) | UEPAC | NA | NA | NA | NA | NA | NA | NA | NA | BST GSST A4.3.1 |
| | 2-wire voice unbundled TN Bus 2-way Area Calling Port Standard Option (TACC2) | UEPAD | NA | NA | NA | NA | NA | NA | NA | NA | BST GSST A4.3.1 |
| | 2-wire voice unbundled TN Bus 2-way Collierville and Memphis Local Calling Port (B2F) | UEPAE | NA | NA | NA | NA | NA | NA | NA | NA | BST GSST A4.3.1 |
| | | | | | | | | | | | |
| | NRC - Disconnect Charge - 1st | | | | | | | | | | |
| | 2-wire voice unbundled port - residence | | \$6.21 | NA | NA | NA | \$4.38 | \$6.56 | NA | NA | NA |
| | 2-wire voice unbundled port with caller ID - residence | | \$6.21 | NA | NA | NA | \$4.38 | \$6.56 | NA | NA | NA |
| | 2-wire voice unbundled port outgoing only - residence | | \$6.21 | NA | NA | NA | \$4.38 | \$6.56 | NA | NA | NA |
| | 2-wire voice unbundled area plus port with caller ID - residence | | \$6.21 | NA | NA | NA | \$4.38 | \$6.56 | NA | NA | NA |
| | 2-wire voice unbundled Florida area calling with caller ID - residence | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) | | NA | NA | NA | NA | \$4.38 | NA | NA | NA | NA |
| | 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7) | | NA | NA | NA | NA | \$4.38 | NA | NA | NA | NA |
| | 2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8) | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R) | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER) | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR) | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X) | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR) | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-wire voice unbundled Res Low Usage Line Port with Caller ID (LUM) | | \$6.21 | NA | NA | NA | \$4.38 | \$6.56 | NA | NA | NA |
| | | | | | | | | | | | |
| | 2-wire voice unbundled port without Caller ID | | \$6.21 | NA | NA | NA | \$4.38 | \$6.56 | NA | NA | NA |
| | 2-wire voice unbundled port with Caller ID | | \$6.21 | NA | NA | NA | \$4.38 | \$6.56 | NA | NA | NA |
| | 2-wire voice unbundled outgoing only Port | | \$6.21 | NA | NA | NA | \$4.38 | \$6.56 | NA | NA | NA |
| | 2-wire voice unbundled Area Plus Port with Caller ID | | \$6.21 | NA | NA | NA | \$4.38 | \$6.56 | NA | NA | NA |

BELLSOUTH/Alt-Call RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Attachment 2
Exhibit C
Rates - Page 15

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|-------|---------|----|---------|----|---------|---------|---------|---------|----|
| 2-wire voice unbundled Incoming only Port with Caller ID | | \$6.21 | NA | NA | NA | \$4.38 | \$6.56 | NA | NA | NA |
| 2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC) | | NA | NA | NA | NA | \$4.38 | NA | NA | NA | NA |
| 2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB) | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled TN Bus 2-way Area Calling Port Economy Option (TACC1) | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled TN Bus 2-way Area Calling Port Standard Option (TACC2) | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled TN Bus 2-Way Collierville and Memphis Local Calling Port (B2F) | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| NRC - Disconnect Charge - Add'l | | | | | | | | | | |
| 2- wire voice unbundled port - residence | | \$6.21 | NA | NA | NA | \$4.38 | \$6.56 | NA | NA | NA |
| 2-wire voice unbundled port with caller ID - residence | | \$6.21 | NA | NA | NA | \$4.38 | \$6.56 | NA | NA | NA |
| 2-wire voice unbundled port outgoing only - residence | | \$6.21 | NA | NA | NA | \$4.38 | \$6.56 | NA | NA | NA |
| 2-wire voice unbundled area plus port with caller ID - residence | | \$6.21 | NA | NA | NA | \$4.38 | \$6.56 | NA | NA | NA |
| 2-wire voice unbundled Florida area calling with caller ID - residence | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) | | NA | NA | NA | NA | \$4.38 | NA | NA | NA | NA |
| 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7) | | NA | NA | NA | NA | \$4.38 | NA | NA | NA | NA |
| 2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8) | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R) | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER) | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR) | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X) | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR) | | NA | NA | NA | NA | \$4.38 | \$6.56 | NA | NA | NA |
| 2-wire voice unbundled Res Low Usage Line Port with Caller ID (LUM) | | \$6.21 | NA | NA | NA | \$4.38 | \$6.56 | NA | NA | NA |
| | | | | | | | | NA | | |
| 2-wire voice unbundled port without Caller ID | | \$6.21 | NA | NA | NA | \$4.38 | \$6.56 | NA | NA | NA |
| 2-wire voice unbundled port with Caler ID | | \$6.21 | NA | NA | NA | \$4.38 | \$6.56 | NA | NA | NA |
| 2-wire voice unbundled outgoing only port | | \$6.21 | NA | NA | NA | \$4.38 | \$6.56 | NA | NA | NA |
| 2-wire voice unbundled Area Plus Port with Caller ID | | \$6.21 | NA | NA | NA | \$4.38 | \$6.56 | NA | NA | NA |
| 2-wire voice unbundled incoming only port with Caller ID | | \$6.21 | NA | NA | NA | \$4.38 | \$6.56 | NA | NA | NA |
| 2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC) | | NA | NA | NA | NA | \$4.38 | NA | NA | NA | NA |
| 2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB) | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled TN Bus 2-way Area Calling Port Economy Option (TACC1) | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled TN Bus 2-way Area Calling Port Standard Option (TACC2) | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled TN Bus 2-way Collierville and Memphis Local Calling Port (B2F) | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | | | | | | | | | |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.42 | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$14.63 | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA | NA | NA | \$10.39 | \$16.06 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | \$1.44 | NA | NA | NA | NA | NA | NA | NA | NA |
| | | | | | | | | | | |
| All available features, per month | UEPVF | \$5.55 | NA | NA | NA | \$8.28 | \$6.75 | NA | \$6.29 | NA |
| NRC - 1st (all types) | | \$24.72 | NA | NA | NA | NA | \$21.42 | NA | \$36.24 | NA |
| NRC - Add'l (all types) | | \$24.72 | NA | NA | NA | NA | \$21.42 | NA | \$36.24 | NA |
| NRC - Disconnect Charge - 1st | | \$18.41 | NA | NA | NA | NA | \$19.68 | NA | NA | NA |

BELLSOUTH/AT&T RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Attachment 2
Exhibit C
Rates - Page 16

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|-------|----------|----------|----------|---------|----------|----------|----------|----------|---------------------|
| NRC - Disconnect Charge - Add'l | | \$18.41 | NA | NA | NA | NA | \$19.68 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | NA | NA | NA | \$25.52 | NA | \$44.42 | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | NA | NA | NA | \$11.34 | NA | \$14.63 | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA | NA | NA | NA | \$16.06 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | \$1.44 | NA | NA | NA | NA | NA | NA | NA | NA |
| Three available feature, per month | UEPVF | NA | NA | NA | NA | \$8.28 | \$3.31 | NA | \$3.03 | NA |
| NRC - 1st (all types) | | NA | NA | NA | NA | NA | \$3.06 | NA | \$4.53 | NA |
| NRC - Add'l (all types) | | NA | NA | NA | NA | NA | \$3.06 | NA | \$4.53 | NA |
| NRC - Disconnect Charge - 1st | | NA | NA | NA | NA | NA | \$8.20 | NA | NA | NA |
| NRC - Disconnect Charge - Add'l | | NA | NA | NA | NA | NA | \$8.20 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | NA | NA | NA | \$25.52 | NA | \$44.42 | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | NA | NA | NA | \$11.34 | NA | \$14.63 | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | NA | NA | NA | NA | NA | \$16.06 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 4-Wire Analog VG Port, per month | UEP4A | NA | \$9.14 | \$8.47 | NA | \$10.13 | \$9.60 | \$8.69 | \$2.28 | NA |
| NRC - 1st | UEP4A | NA | \$5.86 | \$17.16 | NA | \$16.43 | \$22.98 | \$21.69 | \$3.50 | NA |
| NRC - Add'l | UEP4A | NA | \$5.86 | \$17.16 | NA | \$16.43 | \$22.98 | \$21.69 | \$3.50 | NA |
| NRC - Disconnect Charge - 1st | BFR | NA | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| NRC - Disconnect Charge - Add'l | BFR | NA | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.85 | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.67 | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | NA | NA | NA | NA | \$8.94 | \$16.06 | NA | NA | NA |
| 2-Wire DID Port, per month | UEPP2 | \$12.08 | TBD | \$11.35 | NA | \$13.12 | \$14.63 | \$12.36 | \$12.08 | \$12.68 |
| NRC - 1st | UEPP2 | \$50.00 | TBD | \$61.91 | NA | \$59.28 | \$83.09 | \$81.84 | \$50.00 | BST GSST A4.3.1 |
| NRC - Add'l | UEPP2 | \$18.00 | TBD | \$61.91 | NA | \$59.28 | \$83.09 | \$81.84 | \$50.00 | BST GSST A4.3.1 |
| NRC - Disconnect Charge - 1st | UEPP2 | NA | NA | NA | NA | \$9.20 | \$13.48 | NA | NA | NA |
| NRC - Disconnect Charge - Add'l | UEPP2 | NA | NA | NA | NA | \$9.20 | \$13.48 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | NA | NA | NA | NA | \$10.39 | \$16.07 | NA | NA | NA |
| 4-Wire DS1 Port w/DID capability, per month | UEPDD | \$130.23 | \$125.00 | \$120.80 | NA | \$149.27 | \$146.46 | \$123.65 | \$130.23 | \$120.00 |
| NRC - 1st | UEPDD | \$50.00 | \$112.00 | \$89.44 | NA | \$85.63 | \$117.81 | \$116.59 | \$60.00 | To be negotiated |
| NRC - Add'l | UEPDD | \$18.00 | \$91.00 | \$52.46 | NA | \$50.23 | \$71.18 | \$69.92 | \$60.00 | To be negotiated |
| NRC - Disconnect Charge - 1st | UEPDD | NA | NA | NA | NA | \$8.82 | \$12.94 | NA | NA | NA |
| NRC - Disconnect Charge - Add'l | UEPDD | NA | NA | NA | NA | \$8.82 | \$12.94 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | NA | NA | NA | NA | \$10.39 | \$16.06 | NA | NA | NA |
| 2-Wire ISDN Port(2) (3), per month | U1PMA | \$16.42 | \$13.00 | \$13.47 | \$12.33 | \$23.33 | \$51.91 | \$24.50 | \$33.74 | \$1.90 |
| NRC - 1st | U1PMA | \$63.24 | \$88.00 | \$47.37 | \$90.48 | \$45.35 | \$63.59 | \$62.29 | \$65.79 | BST GSST A4.3.1 |
| NRC - Add'l | U1PMA | \$63.24 | \$66.00 | \$47.37 | \$84.53 | \$45.35 | \$63.59 | \$62.29 | \$65.79 | BST GSST A4.3.1 |
| NRC - Disconnect Charge - 1st | U1PMA | \$5.69 | NA | NA | NA | \$4.31 | \$7.04 | NA | NA | NA |
| NRC - Disconnect Charge - Add'l | U1PMA | \$5.69 | NA | NA | NA | \$4.31 | \$7.04 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$56.19 | NA | \$39.98 | NA | \$38.29 | \$53.87 | \$55.30 | \$67.52 | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$56.19 | NA | \$39.98 | NA | \$38.29 | \$53.87 | \$55.30 | \$67.52 | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$12.97 | NA | NA | NA | \$6.65 | \$11.34 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | \$12.97 | NA | NA | NA | \$6.65 | \$11.34 | NA | NA | NA |
| NRC - User Profile per B Channel (4) | U1UMA | NA | NA | NA | \$5.61 | NA | NA | NA | NA | NA |

BELLSOUTH/AT&T RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Attachment 2
Exhibit C
Rates - Page 17

| DESCRIPTION | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|--|-------|----------|--------|----------|----------|----------|----------|----------|----------|------------------|
| 2-Wire ISDN Port(2) (3) including all available features, per month | | U1PMA | NA | NA | NA | NA | NA | NA | NA | \$38.68 | NA |
| | NRC - 1st | U1PMA | NA | NA | NA | NA | NA | NA | NA | \$106.40 | NA |
| | NRC - Add'l | U1PMA | NA | NA | NA | NA | NA | NA | NA | \$106.40 | NA |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | NA | NA | NA | NA | NA | \$67.52 | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | \$67.52 | NA |
| 2-Wire ISDN Port(2) (3) including three available features, per month | | U1PMA | NA | NA | NA | NA | NA | NA | NA | \$36.01 | NA |
| | NRC - 1st | U1PMA | NA | NA | NA | NA | NA | NA | NA | \$70.32 | NA |
| | NRC - Add'l | U1PMA | NA | NA | NA | NA | NA | NA | NA | \$70.32 | NA |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | NA | NA | NA | NA | NA | \$67.52 | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | \$67.52 | NA |
| 4-Wire ISDN DS1 Port, per month | | UEPEX | \$186.02 | NA | \$163.16 | NA | \$194.72 | \$213.21 | \$179.75 | \$214.79 | \$308.00 |
| | NRC - 1st | UEPEX | \$244.85 | NA | \$186.80 | NA | \$181.89 | \$244.12 | \$241.63 | \$278.37 | To be negotiated |
| | NRC - Add'l | UEPEX | \$244.85 | NA | \$186.80 | NA | \$181.89 | \$244.12 | \$241.63 | \$278.37 | To be negotiated |
| | NRC - Disconnect Charge - 1st | UEPEX | \$51.19 | NA | NA | NA | \$27.11 | \$53.32 | NA | NA | NA |
| | NRC - Disconnect Charge - Add'l | UEPEX | \$51.19 | NA | NA | NA | \$27.11 | \$53.32 | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$54.75 | NA | \$37.88 | NA | \$33.18 | \$51.03 | \$53.89 | \$65.48 | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$54.75 | NA | \$37.88 | NA | \$33.18 | \$51.03 | \$53.89 | \$65.48 | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$11.53 | NA | NA | NA | \$7.73 | \$8.51 | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | \$11.53 | NA | NA | NA | \$7.73 | \$8.51 | NA | NA | NA |
| 4-Wire ISDN DS1 Port including all available features, per month | | UEPEX | NA | NA | NA | \$275.48 | NA | NA | NA | \$251.00 | NA |
| | NRC - 1st | UEPEX | NA | NA | NA | \$181.27 | NA | NA | NA | \$311.73 | NA |
| | NRC - Add'l | UEPEX | NA | NA | NA | \$116.42 | NA | NA | NA | \$311.73 | NA |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | NA | NA | NA | NA | NA | \$65.48 | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | \$65.48 | NA |
| 2-Wire Analog Line Port (PBX), per month | | | | | | | | | | | |
| | 2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence | UEPRD | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.18 | \$2.35 | \$1.90 |
| | LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS | UEPPC | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| | LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS | UEPPO | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| | LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS | UEPP1 | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| | LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS | UEPLD | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| | TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS | UEPT2 | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| | TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS | UEPTO | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| | 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING PORT | UEPA2 | \$2.07 | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA CALLING PORT | UEPL2 | NA | NA | NA | NA | \$2.20 | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS | UEPLD | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| | 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE CALLING PORT | UEPT2 | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| | 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING PORT | UEPTO | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| | 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT | UEPXA | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| | 2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS | UEPXB | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| | 2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT | UEPXC | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| | 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT | UEPXD | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| | 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD CAPABLE PORT | UEPXE | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| | 2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING PORT WITHOUT LUD | UEPXF | NA | NA | NA | \$2.61 | NA | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT | UEPXG | NA | NA | NA | \$2.61 | NA | NA | NA | NA | NA |

BELLSOUTH/AI-Call RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Attachment 2
Exhibit C
Rates - Page 18

| DESCRIPTION | | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|-------------|--|--|-------|---------|---------|---------|---------|---------|---------|---------|---------|--------|
| | | 2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT | UEPXH | NA | NA | NA | \$2.61 | NA | NA | NA | NA | NA |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT WITHOUT LUD | UEPXJ | NA | NA | NA | \$2.61 | NA | NA | NA | NA | NA |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING PORT | UEPXK | NA | NA | NA | NA | \$2.20 | NA | NA | NA | NA |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORT | UEPXL | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM CALLING PORT | URPXM | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| | | 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT | UEPXN | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| | | 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL DIACOUNT ROOM CALLING PORT | UEPXO | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| | | 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL DISCOUNT CALLING PORT | UEPXP | NA | NA | NA | NA | \$2.20 | NA | NA | NA | NA |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY CALLING PORT | UEPXQ | NA | NA | NA | NA | NA | \$2.11 | NA | NA | NA |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL CALLING PORT | UEPXR | NA | NA | NA | NA | NA | \$2.11 | NA | NA | NA |
| | | 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT | UEPXS | \$2.07 | \$2.00 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$1.90 |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS CALLING PORT | UEPXT | NA | NA | NA | NA | NA | NA | NA | \$2.35 | NA |
| | | 2-WIRE VOICE UNBUNDLED PBX COLLIERVERVILLE & MEMPHIS CALLING PORT | UEPXU | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING PORT | UEPXV | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| | | UNBUNDLED LOOP BILLING USOC (REQUIRES ONE PER PORT) | UEPLX | | | | | | | | | |
| | | LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT) | LNPCP | | | | | | | | | |
| | | | | | | | | | | | | |
| | | NRC - 1st | UEPPC | \$21.93 | \$38.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | NA |
| | | 2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence | UEPRD | \$21.93 | \$38.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$21.60 | \$24.36 | NA |
| | | LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS | UEPPC | \$21.93 | \$38.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | NA |
| | | LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS | UEPPO | \$21.93 | \$38.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | NA |
| | | LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS | UEPP1 | \$21.93 | \$38.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | NA |
| | | LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS | UEPLD | \$21.93 | \$38.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | NA |
| | | TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS | UEPT2 | \$21.93 | \$38.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | NA |
| | | TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS | UEPTO | \$21.93 | \$38.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | NA |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING PORT | UEPA2 | \$21.93 | NA | NA | NA | NA | NA | NA | NA | NA |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA CALLING PORT | UEPL2 | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| | | 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS | UEPLD | \$21.93 | \$38.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | NA |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE CALLING PORT | UEPT2 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING PORT | UEPTO | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT | UEPXA | \$21.93 | \$38.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | NA |
| | | 2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS | UEPXB | \$21.93 | \$38.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | NA |
| | | 2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT | UEPXC | \$21.93 | \$38.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | NA |

BELLSOUTH/AT&T RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Attachment 2
Exhibit C
Rates - Page 19

| DESCRIPTION | | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|-------------|--|--|-------|---------|---------|---------|---------|---------|---------|---------|---------|----|
| | | 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT | UEPXD | \$21.93 | \$38.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | NA |
| | | 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD CAPABLE PORT | UEPXE | \$21.93 | \$38.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | NA |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING PORT WITHOUT LUD | UEPXF | NA | NA | NA | \$36.47 | NA | NA | NA | NA | NA |
| | | 2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT | UEPXG | NA | NA | NA | \$36.47 | NA | NA | NA | NA | NA |
| | | 2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT | UEPXH | NA | NA | NA | \$36.47 | NA | NA | NA | NA | NA |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT WITHOUT LUD | UEPXJ | NA | NA | NA | \$36.47 | NA | NA | NA | NA | NA |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING PORT | UEPXK | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORT | UEPXL | \$21.93 | \$38.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | NA |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM CALLING PORT | URPXM | \$21.93 | \$38.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | NA |
| | | 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT | UEPXN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL DIACOUNT ROOM CALLING PORT | UEPXO | \$21.93 | \$38.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | NA |
| | | 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL DISCOUNT CALLING PORT | UEPXP | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY CALLING PORT | UEPXQ | NA | NA | NA | NA | NA | \$22.98 | NA | NA | NA |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL CALLING PORT | UEPXR | NA | NA | NA | NA | NA | \$22.98 | NA | NA | NA |
| | | 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT | UEPXS | \$21.93 | \$38.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | NA |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS CALLING PORT | UEPXT | NA | NA | NA | NA | NA | NA | NA | \$24.36 | NA |
| | | 2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT | UEPXU | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING PORT | UEPXV | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | NRC - Add'l | | | | | | | | | | |
| | | 2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence | UEPRD | \$21.93 | \$15.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$21.60 | \$24.36 | NA |
| | | LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS | UEPPC | \$21.93 | \$15.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | NA |
| | | LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS | UEPPO | \$21.93 | \$15.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | NA |
| | | LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS | UEPP1 | \$21.93 | \$15.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | NA |
| | | LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS | UEPLD | \$21.93 | \$15.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | NA |
| | | TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS | UEPT2 | \$21.93 | \$15.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | NA |
| | | TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS | UEPTO | \$21.93 | \$15.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | NA |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING PORT | UEPA2 | \$21.93 | NA | NA | NA | NA | NA | NA | NA | NA |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA CALLING PORT | UEPL2 | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| | | 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS | UEPLD | \$21.93 | \$15.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | NA |
| | | 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE CALLING PORT | UEPT2 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING PORT | UEPTO | NA | NA | NA | NA | NA | NA | NA | NA | NA |

BELLSOUTH/AT&T RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Attachment 2
Exhibit C
Rates - Page 20

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|-------|---------|---------|---------|---------|---------|---------|--------|---------|----|
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT | UEPXA | \$21.93 | \$15.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | NA |
| 2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS | UEPXB | \$21.93 | \$15.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | NA |
| 2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT | UEPXC | \$21.93 | \$15.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | NA |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT | UEPXD | \$21.93 | \$15.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | NA |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD CAPABLE PORT | UEPXE | \$21.93 | \$15.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING PORT WITHOUT LUD | UEPXF | NA | NA | NA | \$36.47 | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT | UEPXG | NA | NA | NA | \$37.47 | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT | UEPXH | NA | NA | NA | \$38.47 | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT WITHOUT LUD | UEPXJ | NA | NA | NA | \$39.47 | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING PORT | UEPXK | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORT | UEPXL | \$21.93 | \$15.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM CALLING PORT | URPXM | \$21.93 | \$15.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | NA |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT | UEPXN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL DIACOUNT ROOM CALLING PORT | UEPXO | \$21.93 | \$15.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | NA |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL DISCOUNT CALLING PORT | UEPXP | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY CALLING PORT | UEPXQ | NA | NA | NA | NA | NA | \$22.98 | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL CALLING PORT | UEPXR | NA | NA | NA | NA | NA | \$22.98 | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT | UEPXS | \$21.93 | \$15.00 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS CALLING PORT | UEPXT | NA | NA | NA | NA | NA | NA | NA | \$24.36 | NA |
| 2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT | UEPXU | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING PORT | UEPXV | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| NRC - Disconnect Charge - 1st | | | | | | | | | | |
| 2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING PORT | | \$6.21 | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA CALLING PORT | | NA | NA | NA | NA | \$3.77 | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |

BELLSOUTH/AT&T RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Attachment 2
Exhibit C
Rates - Page 21

| DESCRIPTION | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|-------------|--|------|--------|----|----|----|--------|--------|----|----|----|
| | 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE CALLING PORT | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING PORT | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD CAPABLE PORT | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING PORT WITHOUT LUD | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT WITHOUT LUD | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING PORT | | NA | NA | NA | NA | \$3.77 | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORT | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM CALLING PORT | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORTTENNESSEE CALLING PORT | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL DISCOUNT ROOM CALLING PORT | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL DISCOUNT CALLING PORT | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY CALLING PORT | | NA | NA | NA | NA | NA | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL CALLING PORT | | NA | NA | NA | NA | NA | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS CALLING PORT | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED PBX COLLIERVERVILLE & MEMPHIS CALLING PORT | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING PORT | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Disconnect Charge - Add'l | | | | | | | | | | |
| | 2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING PORT | | \$6.21 | NA | NA | NA | NA | NA | NA | NA | NA |

BELLSOUTH/AI-Call RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Attachment 2
Exhibit C
Rates - Page 22

| DESCRIPTION | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|-------------|--|-------|--------|----|----|----|--------|--------|----|---------|----|
| | 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA CALLING PORT | | NA | NA | NA | NA | \$3.77 | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE CALLING PORT | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING PORT | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD CAPABLE PORT | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING PORT WITHOUT LUD | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT WITHOUT LUD | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING PORT | | NA | NA | NA | NA | \$3.77 | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORT | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM CALLING PORT | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL DIACOUNT ROOM CALLING PORT | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL DISCOUNT CALLING PORT | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY CALLING PORT | | NA | NA | NA | NA | NA | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL CALLING PORT | | NA | NA | NA | NA | NA | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS CALLING PORT | | | | | | | | | | |
| | 2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT | | | | | | | | | | |
| | 2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING PORT | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - 1st | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | | | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | NA | NA | NA | NA | NA | \$41.86 | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | \$14.46 | NA |

BELLSOUTH/AT&T RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Attachment 2
Exhibit C
Rates - Page 23

| DESCRIPTION | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|--|-------|--------------|--------------------|---------|--------------------|---------|--------------|---------|--------------|--------------------|
| 2-Wire Analog Line Port (PBX) including three available features, per month | | UEPPC | NA | NA | NA | NA | NA | NA | NA | \$5.38 | NA |
| | NRC - 1st | UEPPC | NA | NA | NA | NA | NA | NA | NA | \$28.89 | NA |
| | NRC - Add'l | UEPPC | NA | NA | NA | NA | NA | NA | NA | \$28.89 | NA |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | NA | NA | NA | NA | NA | \$41.86 | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | \$14.46 | NA |
| 2-Wire Analog Hunting, per line per month | | HTGUX | See features | NA | NA | \$0.29 | NA | See features | NA | See features | NA |
| | NRC - 1st | HTGUX | See features | NA | NA | \$2.14 | NA | See features | NA | See features | NA |
| | NRC - Add'l | HTGUX | See features | NA | NA | \$2.14 | NA | See features | NA | See features | NA |
| Coin Port, per month | | | \$2.34 | NA | \$2.05 | \$3.04 | \$2.50 | \$2.32 | NA | \$2.77 | \$1.90 |
| | NRC - 1st | | \$21.93 | NA | \$17.16 | \$40.71 | \$16.43 | \$22.98 | NA | \$24.75 | BST GSST A4.3.1 |
| | NRC - Add'l | | \$21.93 | NA | \$17.16 | \$40.71 | \$16.43 | \$22.98 | NA | \$24.75 | BST GSST A4.3.1 |
| | NRC - Disconnect Charge - 1st | | \$5.21 | NA | NA | NA | \$4.15 | \$6.56 | NA | NA | NA |
| | NRC - Disconnect Charge - Add'l | | \$5.21 | NA | NA | NA | \$4.15 | \$6.56 | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$25.93 | NA | \$18.94 | NA | \$18.14 | \$25.52 | NA | \$43.48 | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | NA | \$14.57 | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$16.33 | NA | NA | NA | \$9.86 | \$16.06 | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | \$0.48 | NA | NA | NA | NA | NA | NA | NA | NA |
| 4-Wire Coin Port, per month | | | NA | NA | NA | NA | NA | NA | \$2.59 | NA | NA |
| | NRC - 1st | | NA | NA | NA | NA | NA | NA | \$21.60 | NA | NA |
| | NRC - Add'l | | NA | NA | NA | NA | NA | NA | \$21.60 | NA | NA |
| | NRC - Disconnect Charge - 1st | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Disconnect Charge - Add'l | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - 1st | | NA | NA | NA | NA | NA | NA | \$26.94 | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | | NA | NA | NA | NA | NA | NA | \$12.76 | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| VERTICAL FEATURES | | | | | | | | | | | |
| Local Switching Features offered with Port, Per month | | N/A | NA | No add'l charge | NA | No add'l charge | \$8.28 | NA | NA | See above | NA |
| Three-Way Calling, per month | | | \$1.12 | NA | NA | NA | NA | \$1.32 | \$0.89 | \$1.10 | NA |
| | NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| | NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Customer Changeable Speed Calling, per month | | | \$0.08 | NA | NA | NA | NA | \$0.0755 | \$0.17 | \$0.1247 | NA |
| | NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| | NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Call Waiting | | | \$0.03 | NA | NA | NA | NA | \$0.033 | \$0.09 | \$0.0665 | NA |
| | NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| | NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Remote Activation of Call Forwarding, per month | | | \$0.18 | NA | NA | NA | NA | \$0.4859 | \$0.85 | \$0.3743 | NA |
| | NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| | NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Cancel Call Waiting, per month | | | \$0.01 | NA | NA | NA | NA | \$0.0082 | \$0.01 | \$0.0099 | NA |
| | NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| | NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Automatic Callback, per month | | | \$0.29 | NA | NA | NA | NA | \$0.9977 | \$0.66 | \$0.8015 | NA |
| | NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| | NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Automatic Recall, per month | | | \$0.28 | NA | NA | NA | NA | \$0.3164 | \$0.29 | \$0.3102 | NA |
| | NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| | NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |

BELLSOUTH/Al-Call RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Attachment 2
Exhibit C
Rates - Page 24

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|---|------|--------|----|----|----|----|----------|--------|----------|----|
| Calling Number Delivery, per month | | \$0.22 | NA | NA | NA | NA | \$0.1817 | \$0.33 | \$0.3272 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Calling Number Delivery Blocking, per month | | \$1.17 | NA | NA | NA | NA | \$0.9913 | \$0.02 | \$0.3684 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Customer Originated Trace, per month | | \$0.14 | NA | NA | NA | NA | \$0.1918 | \$0.14 | \$0.1402 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Selective Call Rejection, per month | | \$0.13 | NA | NA | NA | NA | \$0.1721 | \$0.13 | \$0.1528 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Selective Call Forwarding, per month | | \$0.05 | NA | NA | NA | NA | \$0.1050 | \$0.28 | \$0.1287 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Selective Call Acceptance, per month | | \$0.29 | NA | NA | NA | NA | \$0.4010 | \$0.33 | \$0.3283 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Multiline Hunt Service (Rotary) | | | | | | | | | | |
| Service per line, (in addition to port) , per month | | \$0.11 | NA | NA | NA | NA | \$0.1271 | \$0.14 | \$0.1301 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Call Forwarding Variable, per month | | \$0.05 | NA | NA | NA | NA | \$0.0474 | \$0.10 | \$0.0768 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Call Forwarding Busy Line, per month | | \$0.03 | NA | NA | NA | NA | \$0.0279 | \$0.08 | \$0.0603 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Call Forwarding Don't Answer All Calls, per month | | \$0.03 | NA | NA | NA | NA | \$0.0308 | \$0.09 | \$0.0655 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Remote Call Forwarding, per month | | \$1.36 | NA | NA | NA | NA | \$1.47 | \$0.95 | \$1.41 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Call Transfer, per month | | \$0.12 | NA | NA | NA | NA | \$0.1404 | \$0.14 | \$0.1392 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Call Hold, per month | | \$0.03 | NA | NA | NA | NA | \$0.0190 | \$0.15 | \$0.0677 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Toll Restricted Service, per month | | \$0.04 | NA | NA | NA | NA | \$0.0387 | \$0.10 | \$0.0743 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Message Waiting Indicator – Stutter Dial Tone, per month | | \$0.03 | NA | NA | NA | NA | \$0.0356 | \$0.03 | \$0.0318 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Anonymous Call Rejection, per month | | \$0.93 | NA | NA | NA | NA | \$0.9519 | \$1.29 | \$1.13 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Shared Call Appearances of a DN, per month | | \$0.41 | NA | NA | NA | NA | \$0.5015 | \$0.29 | \$0.3513 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.47 | \$1.47 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Multiple Call Appearances, per month | | \$0.09 | NA | NA | NA | NA | \$0.0932 | \$0.07 | \$0.0891 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.47 | \$1.47 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |

BELLSOUTH/AT&T RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Attachment 2
Exhibit C
Rates - Page 25

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|-------|---------|-----|-----|-----|-----|----------|----------|----------|-----|
| ISDN Bridged Call Exclusion, per month | | \$0.00 | NA | NA | NA | NA | \$0.0013 | \$0.0011 | \$0.0013 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.47 | \$1.47 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Call by Call Access, per month | | \$28.29 | NA | NA | NA | NA | \$50.89 | \$19.83 | \$0.3621 | NA |
| NRC | | \$28.94 | NA | NA | NA | NA | \$28.61 | \$33.33 | \$33.36 | NA |
| NRC - Disconnect | | \$5.22 | NA | NA | NA | NA | \$5.16 | NA | NA | NA |
| Privacy Release, per month | | \$0.01 | NA | NA | NA | NA | \$0.0030 | \$0.0041 | \$0.0116 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Multi Appearance Directory Number Calls, per month | | \$0.10 | NA | NA | NA | NA | \$0.1115 | \$0.13 | \$0.1048 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Make Set Busy, per month | | \$0.01 | NA | NA | NA | NA | \$0.0013 | \$0.0020 | \$0.0101 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Teen Service (Res. Dist. Alerting Service), per month | | \$0.15 | NA | NA | NA | NA | \$0.1071 | \$0.26 | \$0.2149 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Code Restriction and Diversion, per month | | \$0.04 | NA | NA | NA | NA | \$0.0464 | \$0.09 | \$0.0708 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Call Park, per month | | \$0.04 | NA | NA | NA | NA | \$0.0443 | \$0.09 | \$0.0694 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Automatic Line, per month | | \$0.09 | NA | NA | NA | NA | \$0.1111 | \$0.14 | \$0.1179 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| 2-WIRE ISDN BRI FEATURES | | | | | | | | | | |
| Shared Primary Number-First Appr On Each Add'l Terminal | DS1FJ | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Secondary Only Dn (Shared/Non-Shared) First Appearance | LLDSF | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Shared Secondary Only Dn-First Appr On Each Add'l Term | DS1F1 | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Shared Non-ISDN DN | DOE | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Privacy Release | DS1FU | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Manual Exclusion | DS1FM | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Call Forwarding Variable-Voice Or Voice/Data | LLNCV | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Call Forwarding Variable - Data | LLOCV | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Call Forwarding Variable - Feature Button - Voice | GJXCF | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Call Forwarding Variable - Feature Button - Data | LLPCD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Call Forwarding Busy Line - Voice Or Voice/Data | LLQCV | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Call Forwarding Busy Line - Data | LLRCD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Call Frwdng Busy Line-Prgrmmbl-Voice Or Voice/Data | M6AVA | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Call Forwarding Busy Line - Programmable - Data | M6ADF | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Call Forwarding Don't Answer - Voice Or Voice/Data | LLSCV | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Call Forwarding Don't Answer - Data | LLUCD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Call Frwdng Don't Answer-Prgrmmble Voice Or Voice/Data | M6BVA | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Call Forwarding Don't Answer - Programmable - Data | M6BDF | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Call Frwdng Multiple Simultaneous - Voice Or Voice/Data | M6CV5 | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Call Forwarding Multiple Simultaneous - Data | M6CD5 | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Conference, Drop, Hold And Transfer | DS1FN | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Six-Way Conference, Drop, Hold And Transfer | LLY6P | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Multi-Line Hunt Group - Voice Or Voice/Data | HTG | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Multi-Line Hunt Group - Data | HTGSD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Speed Calling | LLZSU | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Visual Message Waiting Indicator | LLAVP | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Audible Message Waiting Indicator | MWW | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |

BELLSOUTH/AT&T RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Attachment 2
Exhibit C
Rates - Page 26

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN | |
|--|---|-----|-----------|-----------|-------------|------------|----------|-------------|-------------|-------------|------------|
| Additional Call Appearance, PDN Or DN | DS1FG | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Call Tracing | NST | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Call Return | NSS | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Preferred Call Forwarding | NCE | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Call Block | NSY | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Repeat Dialing | NSQ | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Per Line Blocking For Agencies/Law Enforcement | NOB | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Per Line Blocking For Non-Pub Customers | NOBNN | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Per Line Blocking For General Public | NOBPC | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Per Line Blocking For Non-Pub, And Non-Listed Customer | NOBPP | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Per Line Blocking For Non-Pub Customers | NOBNP | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Per Line Blocking For Non-Pub Customers | NOBNR | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Call Return Denial Of, Per Activation | BCR | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Repeat Dialing, Denial Of, Per Activation | BRD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Automatic Line/Direct Connect | M6GN9 | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Make Set Busy | M6MPD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Selective Call Acceptance | M6K16 | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Call Park/Call Retrieve | M6HP6 | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Call Transfer System Exception | M6QTD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Make Set Busy – Intragroup | M6MGD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| All Customized Code Restrictions | CREX+ | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Additional Listings | CLT | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Additional Listing No Rate | FLT | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Cross Reference Listing | LLT | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Non-Pub Listing No Rate | NP3 | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Non-List Listing | NLT | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Non-List Listing No Rate | NLE | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Alternate Call Listing | FNA | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| Manual Service Order Charge | SOMAN | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| All Selective Class Of Call Screening | SRG++ | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | |
| | | | | | | | | | | | |
| ISDN Message Waiting Indication-Lamp, per month | | | \$0.01 | NA | NA | NA | \$0.0105 | \$0.0107 | \$0.0138 | NA | |
| | NRC | | \$1.03 | NA | NA | NA | \$1.02 | \$1.47 | \$1.47 | NA | |
| | NRC - Disconnect | | \$0.55 | NA | NA | NA | \$0.5466 | NA | NA | NA | |
| ISDN Feature Function Buttons | | | NA | NA | NA | NA | NA | NA | | | |
| | NRC | | \$1.03 | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA | |
| | NRC - Disconnect | | \$0.55 | NA | NA | NA | \$0.5466 | NA | NA | NA | |
| Subsequent Ordering Charge – (per order, per line) | | | NA | NA | NA | NA | NA | NA | | | |
| | NRC - Electronic - 1st | | \$2.88 | NA | NA | NA | \$2.84 | \$5.42 | \$1.36 | NA | |
| | NRC - Electronic - Add'l | | \$0.96 | NA | NA | NA | \$0.95 | \$0.95 | \$0.71 | NA | |
| | NRC - Manual - 1st | | \$4.80 | NA | NA | NA | \$4.73 | \$1.89 | \$7.35 | NA | |
| | NRC - Manual - Add'l | | \$0.96 | NA | NA | NA | \$0.95 | NA | \$0.95 | NA | |
| | NRC - Disconnect | | \$2.88 | NA | NA | NA | \$2.84 | NA | NA | NA | |
| | | | | | | | | | | | |
| End Office Switching (Port Usage) | | | | | | | | | | | |
| | End Office Switching Function, per mou | N/A | \$0.0018 | \$0.0175 | \$0.0016333 | \$0.002562 | \$0.0021 | \$0.0023771 | \$0.0017000 | \$0.0019295 | \$0.0019 |
| | End Office Switching Function, add'l mou (5) | N/A | NA | \$0.005 | NA | NA | NA | NA | NA | NA | NA |
| | End Office Interoffice Trunk Port—Shared, per mou | N/A | \$0.0002 | NA | \$0.0001564 | NA | \$0.0002 | \$0.0001927 | NA | \$0.0002581 | NA |
| | | | | | | | | | | | |
| Tandem Switching (Port Usage) (Local or Access Tandem) | | | | | | | | | | | |
| | Tandem Switching Function per mou | N/A | \$0.00063 | \$0.00029 | \$0.0006757 | \$0.001096 | \$0.0008 | \$0.0007834 | \$0.0009 | \$0.0006843 | \$0.000676 |
| | Tandem Interoffice Trunk Port - Shared per mou | | | NA | \$0.0002126 | NA | \$0.0003 | \$0.0002834 | NA | \$0.0004034 | NA |
| | | | | | | | | | | | |
| NOTES: | | | | | | | | | | | |
| | 1 Port rate includes all available features. | | | | | | | | | | |

BELLSOUTH/AI-Call RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Attachment 2
Exhibit C
Rates - Page 27

| DESCRIPTION | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|-------------|--|------|----|----|----|----|----|----|----|----|----|
| 2 | Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. | | | | | | | | | | |
| 3 | Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. | | | | | | | | | | |
| 4 | This rate element is for those states which have a specific rate for User Profile per B Channel. | | | | | | | | | | |
| 5 | This rate element is for use in those states with a different rate for additional minutes of use. | | | | | | | | | | |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
TRANSPORT

Attachment 2
Exhibit C
Rates - Page 28

| | DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|---|--------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | UNBUNDLED DEDICATED TRANSPORT - Local Channel | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire VG | | | | | | | | | | |
| | Monthly Recurring per month | ULDV2 | \$14.61 | \$26.31 | \$13.91 | \$22.26 | \$14.94 | \$17.83 | \$14.83 | \$16.83 | \$19.02 |
| | NRC - 2-wire VG - 1st | ULDV2 | \$494.65 | \$389.37 | \$382.95 | \$585.15 | \$347.49 | \$487.62 | \$553.80 | \$554.00 | \$199.33 |
| | NRC - 2-wire VG -Add'l | ULDV2 | \$88.44 | \$66.88 | \$62.40 | \$98.53 | \$59.75 | \$84.35 | \$89.69 | \$88.58 | \$24.16 |
| | NRC - 2-Wire VG - Disconnect Chg - 1st | ULDV2 | \$77.81 | \$68.45 | NA | NA | \$53.68 | \$77.69 | NA | NA | \$54.81 |
| | NRC - 2-Wire VG - Disconnect Chg - Add'l | ULDV2 | \$7.63 | \$5.97 | NA | NA | \$6.60 | \$8.95 | NA | NA | \$4.80 |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.73 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.87 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECE | \$3.50 | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMECE | NA | \$0.43 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire VG - Incremental Charge--Manual Svc Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | \$41.46 | \$18.14 | \$25.50 | \$42.17 | \$43.75 | NA |
| | NRC - 2-Wire VG - Incremental Charge--Manual Svc Order - Add'l | SOMAN | \$18.37 | NA | \$8.42 | \$11.99 | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA |
| | NRC - 2-Wire VG - Incremental Charge--Manual Svc Order-Disconnect | SOMAN | \$17.75 | NA | NA | NA | \$11.40 | \$16.05 | NA | NA | NA |
| | Local Channel - Dedicated - 4-Wire VG | | | | | | | | | | |
| | Monthly Recurring per month | ULDV4 | \$15.77 | \$27.48 | \$14.99 | \$23.38 | \$16.21 | \$19.03 | \$15.87 | \$18.05 | \$20.14 |
| | NRC - 4-Wire VG - 1st | ULDV4 | \$502.43 | \$390.25 | \$368.44 | \$585.15 | \$352.75 | \$495.25 | \$562.23 | \$562.46 | \$201.53 |
| | NRC - 4-Wire VG - Add'l | ULDV4 | \$86.68 | \$67.75 | \$64.05 | \$98.53 | \$61.33 | \$86.56 | \$92.67 | \$91.57 | \$24.83 |
| | NRC - 4-Wire VG - Disconnect Chg - 1st | ULDV4 | \$78.71 | \$69.32 | NA | NA | \$54.36 | \$78.58 | NA | NA | \$55.52 |
| | NRC - 4-Wire VG - Disconnect Chg - Add'l | ULDV4 | \$8.53 | \$6.85 | NA | NA | \$7.28 | \$9.84 | NA | NA | \$5.51 |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.73 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.87 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECE | NA | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMECE | \$3.50 | \$0.43 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - 4-Wire VG - Incremental Charge--Manual Svc Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | \$41.46 | \$18.14 | \$25.52 | \$42.17 | \$43.64 | NA |
| | NRC - 4-Wire VG - Incremental Charge--Manual Svc Order - Add'l | SOMAN | \$18.73 | NA | \$8.42 | \$11.99 | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA |
| | NRC - 4-Wire VG - Incremental Charge--Manual Svc Order-Disconnect | SOMAN | \$17.75 | NA | NA | NA | \$11.40 | \$17.25 | NA | NA | NA |
| | Local Channel - Dedicated - DS1 | | | | | | | | | | |
| | DS1 per month | ULDF1 | \$35.52 | \$42.98 | \$38.36 | \$43.80 | \$43.80 | \$38.91 | \$35.68 | \$37.20 | \$40.27 |
| | NRC - DS1 - 1st | ULDF1 | \$503.57 | \$357.86 | \$356.15 | \$538.95 | \$348.56 | \$494.83 | \$534.48 | \$534.81 | \$277.35 |
| | NRC - DS1 - Add'l | ULDF1 | \$442.84 | \$309.95 | \$312.89 | \$464.94 | \$300.30 | \$435.28 | \$462.69 | \$462.81 | \$233.26 |
| | NRC - DS1 - Disconnect Chg - 1st | ULDF1 | \$46.28 | \$41.46 | NA | NA | \$24.15 | \$46.85 | NA | NA | \$33.18 |
| | NRC - DS1 - Disconnect Chg - Add'l | ULDF1 | \$32.18 | \$28.51 | NA | NA | \$21.31 | \$33.02 | NA | NA | \$22.30 |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.73 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.87 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECE | \$3.50 | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMECE | NA | \$0.43 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - DS1 - Incremental Charge--Manual Svc Order - 1st | SOMAN | \$61.95 | NA | \$44.22 | \$87.71 | \$42.34 | \$59.58 | \$86.15 | \$87.99 | NA |
| | NRC - DS1 - Incremental Charge--Manual Svc Order - Add'l | SOMAN | \$0.00 | NA | NA | NA | NA | NA | \$1.77 | \$3.11 | NA |
| | NRC - DS1 - Incremental Charge--Manual Svc Order-Disconnect | SOMAN | \$29.27 | NA | NA | NA | \$19.48 | \$27.40 | NA | NA | NA |
| | Local Channel - Dedicated - DS3 | | | | | | | | | | |
| | DS3 - per mile per month | 1L5NC | \$8.44 | \$9.32 | \$7.00 | \$34.00 | \$30.34 | NA | NA | \$12.08 | \$23.76 |
| | DS3 - Facility Termination per month | ULDF3 | \$535.92 | \$560.39 | \$521.54 | \$635.09 | \$669.01 | \$533.33 | \$498.87 | \$493.31 | \$607.28 |
| | NRC - DS3 - Facility Termination - 1st | ULDF3 | \$640.54 | \$910.45 | \$646.47 | \$1,091 | \$709.14 | \$526.67 | \$562.25 | \$735.42 | \$726.16 |
| | NRC - DS3 - Facility Termination - Add'l | ULDF3 | \$426.28 | \$532.19 | \$431.05 | \$661.23 | \$402.63 | \$493.71 | \$527.88 | \$519.31 | \$411.64 |
| | NRC - DS3 - Facility Termination - Disconnect - 1st | ULDF3 | \$121.72 | \$223.20 | \$123.65 | NA | \$102.16 | \$42.41 | NA | NA | \$103.36 |
| | NRC - DS3 - Facility Termination - Disconnect - Add'l | ULDF3 | \$118.54 | \$156.12 | \$120.44 | NA | \$99.46 | \$40.87 | NA | NA | \$100.59 |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.73 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.87 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECE | \$3.50 | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMECE | NA | \$0.43 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - DS3 -Incremental Charge--Manual Svc Order - 1st | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$50.25 | \$31.49 | \$56.25 | \$54.26 | NA |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
TRANSPORT

Attachment 2
Exhibit C
Rates - Page 29

| | DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|---|--------|----------|----------|----------|----------|----------|------------|----------|----------|------------|
| | NRC - DS3 - Incremental Charge--Manual Svc Order - Add'l | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$50.25 | \$31.49 | \$56.25 | \$54.26 | NA |
| | NRC - DS3 - Incremental Charge--Manual Svc Order-Disconnect -1st | SOMAN | \$19.03 | NA | \$18.23 | NA | \$20.94 | \$25.35 | NA | NA | NA |
| | NRC - DS3 - Incremental Charge--Manual Svc Order-Disconnect-Add'l | SOMAN | \$19.03 | NA | \$18.23 | NA | \$20.94 | \$25.35 | NA | NA | NA |
| | Local Channel - Dedicated - STS-1 | | | | | | | | | | |
| | STS-1 - per mile per month | 1L5NC | \$8.44 | \$9.32 | \$7.00 | \$34.00 | \$8.77 | \$38.98 | NA | \$12.08 | \$25.11 |
| | STS-1 - Facility Termination per month | ULDFS | \$525.40 | \$569.67 | \$523.20 | \$635.09 | \$558.00 | \$531.39 | \$512.00 | \$481.14 | \$615.65 |
| | NRC - STS-1 - Facility Termination - 1st | ULDFS | \$640.54 | \$910.45 | \$646.47 | \$1,091 | \$594.71 | \$1,084.33 | \$757.25 | \$735.42 | \$1,085.73 |
| | NRC - STS-1 - Facility Termination - Add'l | ULDFS | \$426.82 | \$532.19 | \$431.05 | \$661.23 | \$396.54 | \$682.13 | \$534.95 | \$519.31 | \$683.01 |
| | NRC - STS-1 - Facility Termination - Disconnect - 1st | ULDFS | \$121.72 | \$223.20 | \$123.65 | NA | \$113.75 | \$42.41 | NA | NA | \$103.36 |
| | NRC - STS-1 - Facility Termination - Disconnect - Add'l | ULDFS | \$118.54 | \$156.12 | \$120.44 | NA | \$110.80 | \$40.87 | NA | NA | \$100.59 |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.73 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.87 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECE | \$3.50 | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMECE | NA | \$0.43 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 - Incremental Charge--Manual Svc Order - 1st | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$34.92 | \$96.10 | \$55.00 | \$54.26 | NA |
| | NRC - STS-1 - Incremental Charge--Manual Svc Order - Add'l | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$34.92 | \$96.10 | \$55.00 | \$54.26 | NA |
| | NRC - STS-1 - Incremental Charge--Manual Svc Order-Disconnect -1st | SOMAN | \$19.03 | NA | \$18.23 | NA | \$16.77 | \$25.35 | NA | NA | NA |
| | NRC - STS-1 - Incremental Charge--Manual Svc Order-Disconnect-Add'l | SOMAN | \$19.03 | NA | \$18.23 | NA | \$16.77 | \$25.35 | NA | NA | NA |
| | Local Channel - Dedicated - OC3 | | | | | | | | | | |
| | OC3 per mile per month | TBD | \$7.09 | \$9.08 | \$5.88 | \$28.56 | \$25.48 | \$35.55 | \$21.27 | \$10.15 | \$19.95 |
| | OC3 Facility Termination per month | TBD | \$1,123 | \$651.40 | \$924.18 | \$1,493 | \$1,179 | \$873.23 | \$914.18 | \$493.31 | \$1,263 |
| | NRC - OC3 - Facility Termination - 1st | TBD | \$949.63 | \$974.02 | \$958.02 | \$1,543 | \$1,025 | \$1,427.00 | \$1,543 | \$735.42 | \$1,050 |
| | NRC - OC3 - Facility Termination - Add'l | TBD | \$413.38 | \$412.05 | \$417.50 | \$661.23 | \$402.63 | \$549.17 | \$670.92 | \$519.31 | \$411.64 |
| | NRC - OC3 - Facility Termination - Disconnect Chg - 1st | TBD | \$121.72 | \$112.44 | \$123.65 | NA | \$102.16 | \$134.07 | NA | NA | \$103.36 |
| | NRC - OC3 - Facility Termination - Disconnect Chg - Add'l | TBD | \$118.54 | \$109.19 | \$120.44 | NA | \$99.46 | \$130.59 | NA | NA | \$100.59 |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.73 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.87 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECE | \$3.50 | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMECE | NA | \$0.43 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Incremental Charge--Manual Svc Order - 1st | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$50.25 | \$68.62 | \$99.10 | \$54.26 | NA |
| | NRC - OC3 - Incremental Charge--Manual Svc Order - Add'l | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$50.25 | \$68.62 | \$99.10 | \$54.26 | NA |
| | NRC - OC3 - Incremental Charge--Manual Svc Order-Disconnect-1st | SOMAN | \$19.03 | NA | \$18.23 | NA | \$20.94 | \$28.59 | NA | NA | NA |
| | NRC - OC3 - Incremental Charge--Manual Svc Order-Disconnect-Add'l | SOMAN | \$19.03 | NA | \$18.23 | NA | \$20.94 | \$28.59 | NA | NA | NA |
| | Local Channel - Dedicated - OC12 | | | | | | | | | | |
| | OC12 per mile per month | TBD | \$10.13 | \$11.18 | \$8.40 | \$40.80 | \$36.40 | \$50.79 | \$30.38 | \$14.50 | \$28.51 |
| | OC12 Facility Termination per month | TBD | \$5,630 | \$2,068 | \$3,220 | \$4,492 | \$3,895 | \$3,414.00 | \$3,316 | \$4,414 | \$7,158 |
| | NRC - OC12 - Facility Termination - 1st | TBD | \$1,165 | \$1,193 | \$1,175 | \$1,858 | \$1,245 | \$1,742.00 | \$1,853 | \$1,259 | \$1,276 |
| | NRC - OC12 - Facility Termination - Add'l | TBD | \$413.38 | \$412.05 | \$417.50 | \$661.23 | \$402.63 | \$549.17 | \$670.92 | \$505.88 | \$411.64 |
| | NRC - OC12 - Facility Termination - Disconnect Chg - 1st | TBD | \$121.72 | \$112.44 | \$123.65 | NA | \$102.16 | \$134.07 | NA | NA | \$103.36 |
| | NRC - OC12 - Facility Termination - Disconnect Chg - Add'l | TBD | \$118.54 | \$109.19 | \$120.44 | NA | \$99.46 | \$130.59 | NA | NA | \$100.59 |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.73 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.87 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECE | \$3.50 | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMECE | NA | \$0.43 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - OC12 - Incremental Charge--Manual Svc Order - 1st | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$50.25 | \$68.62 | \$99.10 | \$54.26 | NA |
| | NRC - OC12 - Incremental Charge--Manual Svc Order - Add'l | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$50.25 | \$68.62 | \$99.10 | \$54.26 | NA |
| | NRC - OC12 - Incremental Charge--Manual Svc Order-Disconnect-1st | SOMAN | \$19.03 | NA | \$18.23 | NA | \$20.94 | \$28.59 | NA | NA | NA |
| | NRC - OC12 - Incremental Charge--Manual Svc Order-Disconnect-Add'l | SOMAN | \$19.03 | NA | \$18.23 | NA | \$20.94 | \$28.59 | NA | NA | NA |
| | Local Channel - Dedicated - OC48 | | | | | | | | | | |
| | OC48 per mile per month | TBD | \$33.22 | \$36.67 | \$27.55 | \$133.84 | \$119.40 | \$166.59 | \$99.66 | \$47.57 | \$93.50 |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
TRANSPORT

Attachment 2
Exhibit C
Rates - Page 30

| | DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|--|--------|----------|----------|----------|----------|----------|------------|----------|----------|----------|
| | OC48 Facility Termination per month | TBD | \$1,947 | \$1,699 | \$1,689 | \$2,156 | \$2,311 | \$1,768.00 | \$1,837 | \$1,842 | \$1,853 |
| | OC48 - Interface OC12 on OC48 per month | TBD | \$699.62 | \$592.09 | \$564.15 | \$728.81 | \$706.85 | \$668.36 | \$584.78 | \$773.40 | \$572.61 |
| | NRC - OC48 - Facility Termination - 1st | TBD | \$1,165 | \$1,193 | \$1,175 | \$1,858 | \$1,245 | \$1,742.00 | \$1,853 | \$1,259 | \$1,276 |
| | NRC - OC48 - Facility Termination - Add'l | TBD | \$413.38 | \$412.05 | \$417.50 | \$661.23 | \$402.63 | \$549.17 | \$670.92 | \$505.88 | \$411.64 |
| | NRC - OC48 - Interface OC12 on OC48 - 1st | TBD | \$540.10 | \$547.98 | \$545.24 | \$844.21 | \$532.13 | \$729.04 | \$852.47 | \$635.04 | \$544.55 |
| | NRC -OC48 - Interface OC12 on OC48 -Add'l | TBD | \$317.48 | \$314.49 | \$320.83 | \$516.89 | \$304.90 | \$404.94 | \$528.57 | \$410.02 | \$311.39 |
| | NRC - OC48 - Facility Termination - Disconnect Chg - 1st | TBD | \$121.72 | \$112.44 | \$123.65 | NA | \$102.16 | \$134.07 | NA | NA | \$103.36 |
| | NRC - OC48 - Facility Termination - Disconnect Chg - Add'l | TBD | \$118.54 | \$109.19 | \$120.44 | NA | \$99.46 | \$130.59 | NA | NA | \$100.59 |
| | NRC - OC48 - Interface OC12 on OC48 - Disconnect Chg - 1st | TBD | \$121.72 | \$112.44 | \$123.65 | NA | \$102.16 | \$134.07 | NA | NA | \$103.36 |
| | NRC - OC48 - Interface OC12 on OC48 - Disconnect Chg - Add'l | TBD | \$118.54 | \$109.19 | \$120.44 | NA | \$99.46 | \$130.59 | NA | NA | \$100.59 |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.73 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.87 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECE | \$3.50 | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMECE | NA | \$0.43 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Incremental Charge--Manual Svc Order - 1st | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$50.25 | \$68.62 | \$99.10 | \$54.26 | NA |
| | NRC - OC48 - Incremental Charge--Manual Svc Order - Add'l | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$50.25 | \$68.62 | \$99.10 | \$54.26 | NA |
| | NRC - OC48 -Interface-Incremental Cost-Manual Svc. Order vs. Electronic- | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$50.25 | \$68.62 | \$99.10 | \$54.26 | NA |
| | NRC - OC48 -Interface-Incremental Cost-Manual Svc. Order vs. Electronic- | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$50.25 | \$68.62 | \$99.10 | \$54.26 | NA |
| | NRC - OC48 - Incremental Charge--Manual Svc Order-Disconnect-1st | SOMAN | \$19.03 | NA | \$18.23 | NA | \$20.94 | \$28.59 | NA | NA | NA |
| | NRC - OC48 - Incremental Charge--Manual Svc Order-Disconnect-Add'l | SOMAN | \$19.03 | NA | \$18.23 | NA | \$20.94 | \$28.59 | NA | NA | NA |
| | NRC - OC48 -Interface-Incremental Cost-Manual Svc. Order vs. Electronic- | SOMAN | \$19.03 | NA | \$18.23 | NA | \$20.94 | \$28.59 | NA | NA | NA |
| | NRC - OC48 -Interface-Incremental Cost-Manual Svc. Order vs. Electronic- | SOMAN | \$19.03 | NA | \$18.23 | NA | \$20.94 | \$28.59 | NA | NA | NA |
| | UNBUNDLED DEDICATED TRANSPORT - Interoffice Channel | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2-wire VG | | | | | | | | | | |
| | 2-Wire VG - per mile per month | 1L5XX | \$0.0339 | \$0.0100 | \$0.0222 | \$0.0301 | \$0.0384 | \$0.0323 | \$0.0282 | \$0.0373 | \$0.0173 |
| | 2-Wire VG - Facility Termination per month | U1TV2 | \$18.49 | \$26.72 | \$17.07 | \$27.66 | \$19.10 | \$21.33 | \$18.01 | \$21.42 | \$18.33 |
| | NRC - 2-wire VG - Facility Termination -1st | U1TV2 | \$107.11 | \$81.73 | \$79.61 | \$142.31 | \$76.20 | \$106.72 | \$137.48 | \$136.44 | \$55.39 |
| | NRC - 2-wire VG - Facility Termination - Add'l | U1TV2 | \$48.27 | \$55.26 | \$36.08 | \$56.21 | \$34.54 | \$48.83 | \$52.58 | \$51.37 | \$17.37 |
| | NRC - 2-wire VG -Facility Termination - Disconnect Charge -1st | U1TV2 | \$37.16 | \$31.26 | NA | NA | \$28.03 | \$38.05 | NA | NA | \$27.96 |
| | NRC - 2-wire VG - Facility Termination - Disconnect Charge -Add'l | U1TV2 | \$5.88 | \$12.88 | NA | NA | \$5.37 | \$7.23 | NA | NA | \$3.51 |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.73 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.87 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECE | \$3.50 | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMECE | NA | \$0.43 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - 2-wire VG - Incremental Charge--Manual Svc Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | \$37.21 | \$18.14 | \$25.52 | \$38.07 | \$39.63 | NA |
| | NRC - 2-wire VG - Incremental Charge--Manual Svc Order - Add'l | SOMAN | \$27.57 | NA | \$18.94 | \$37.21 | \$18.14 | \$25.52 | \$38.07 | \$39.63 | NA |
| | NRC - 2-wire VG - Incremental Charge--Manual Svc Order-Disconnect--1st | SOMAN | \$12.97 | NA | NA | NA | \$8.06 | \$11.34 | NA | NA | NA |
| | NRC - 2-wire VG - Incremental Charge--Manual Svc Order-Disconnect--Add'l | SOMAN | \$12.97 | NA | NA | NA | \$8.06 | \$11.34 | NA | NA | NA |
| | Interoffice Transport - Dedicated - 4-wire VG | | | | | | | | | | |
| | 4-Wire VG - per mile per month | 1L5XX | NA | \$0.0100 | NA | NA | NA | NA | NA | NA | NA |
| | 4-Wire VG - Facility Termination per month | U1TV4 | NA | \$23.82 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire VG - Facility Termination -1st | U1TV4 | NA | \$81.73 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire VG - Facility Termination - Add'l | U1TV4 | NA | \$55.26 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire VG -Facility Termination - Disconnect Charge -1st | U1TV4 | NA | \$31.26 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire VG - Facility Termination - Disconnect Charge -Add'l | U1TV4 | NA | \$12.88 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.73 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.87 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECE | NA | \$2.77 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMECE | NA | \$0.43 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire VG - Incremental Charge--Manual Svc Order - 1st | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire VG - Incremental Charge--Manual Svc Order - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire VG - Incremental Charge--Manual Svc Order-Disconnect--1st | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |

BELLSOUTH/Al-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
TRANSPORT

Attachment 2
Exhibit C
Rates - Page 31

| | DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|--|--------|----------|----------|----------|----------|------------|----------|----------|----------|----------|
| | NRC - 4-wire VG - Incremental Charge--Manual Svc Order-Disconnect--Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | Interoffice Transport - Dedicated - DS0 - 56 | | | | | | | | | | |
| | DS0 - per mile per month | 1L5XX | \$0.0339 | \$0.0100 | \$0.0222 | \$0.0301 | \$0.0384 | \$0.0323 | \$0.0282 | \$0.0373 | \$0.1730 |
| | DS0 - Facility Termination per month | U1TD5 | \$17.81 | \$19.46 | \$16.45 | \$26.95 | \$18.37 | \$20.64 | \$17.40 | \$20.71 | \$17.74 |
| | NRC - DS0 - Facility Termination - 1st | U1TD5 | \$107.11 | \$81.74 | \$79.61 | \$142.31 | \$76.20 | \$106.72 | \$137.48 | \$136.44 | \$55.39 |
| | NRC - DS0 - Facility Termination - Add'l | U1TD5 | \$48.27 | \$55.26 | \$36.08 | \$56.21 | \$34.54 | \$48.83 | \$52.58 | \$51.37 | \$17.37 |
| | NRC - DS0 - Facility Termination - Disconnect Charge - 1st | U1TD5 | \$37.16 | \$31.26 | NA | NA | \$28.03 | \$38.05 | NA | NA | \$27.96 |
| | NRC - DS0 - Facility Termination - Disconnect Charge - Add'l | U1TD5 | \$5.88 | \$12.88 | NA | NA | \$5.37 | \$7.23 | NA | NA | \$3.51 |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.73 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.87 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECE | \$3.50 | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMECE | NA | \$0.43 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - DS0 - Incremental Charge--Manual Svc Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | \$37.21 | \$18.14 | \$25.52 | \$38.07 | \$39.63 | NA |
| | NRC - DS0 - Incremental Charge--Manual Svc Order - Add'l | SOMAN | \$27.37 | NA | \$18.94 | \$37.21 | \$18.14 | \$25.52 | \$38.07 | \$39.63 | NA |
| | NRC - DS0 - Incremental Charge--Manual Svc Order-Disconnect--1st | SOMAN | \$12.97 | NA | NA | NA | \$8.06 | \$11.34 | NA | NA | NA |
| | NRC - DS0 - Incremental Charge--Manual Svc Order-Disconnect--Add'l | SOMAN | \$12.97 | NA | NA | NA | \$8.06 | \$11.34 | NA | NA | NA |
| | Interoffice Transport - Dedicated - 64 KBPS | | | | | | | | | | |
| | DS0 - per mile per month | 1L5XX | \$0.0339 | \$0.0100 | \$0.0222 | \$0.0301 | \$0.0384 | \$0.0323 | \$0.0282 | \$0.0373 | \$0.1730 |
| | DS0 - Facility Termination per month | U1TD6 | \$17.81 | \$19.46 | \$16.45 | \$26.95 | \$18.37 | \$20.64 | \$17.40 | \$20.71 | \$17.74 |
| | NRC - DS0 - Facility Termination - 1st | U1TD6 | \$107.11 | \$81.74 | \$79.61 | \$142.31 | \$76.20 | \$106.72 | \$137.48 | \$136.44 | \$55.39 |
| | NRC - DS0 - Facility Termination - Add'l | U1TD6 | \$48.27 | \$55.26 | \$36.08 | \$56.21 | \$34.54 | \$48.83 | \$52.58 | \$51.37 | \$17.37 |
| | NRC - DS0 - Facility Termination - Disconnect Charge - 1st | U1TD6 | \$37.16 | \$31.26 | NA | NA | \$28.03 | \$38.05 | NA | NA | \$27.96 |
| | NRC - DS0 - Facility Termination - Disconnect Charge - Add'l | U1TD6 | \$5.88 | \$12.88 | NA | NA | \$5.37 | \$7.23 | NA | NA | \$3.51 |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.73 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.87 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECE | \$3.50 | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMECE | NA | \$0.43 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - DS0 - Incremental Charge--Manual Svc Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | \$37.21 | \$18.14 | \$25.52 | \$38.07 | \$39.63 | NA |
| | NRC - DS0 - Incremental Charge--Manual Svc Order - Add'l | SOMAN | \$27.37 | NA | \$18.94 | \$37.21 | \$18.14 | \$25.52 | \$38.07 | \$39.63 | NA |
| | NRC - DS0 - Incremental Charge--Manual Svc Order-Disconnect--1st | SOMAN | \$12.97 | NA | NA | NA | \$8.06 | \$11.34 | NA | NA | NA |
| | NRC - DS0 - Incremental Charge--Manual Svc Order-Disconnect--Add'l | SOMAN | \$12.97 | NA | NA | NA | \$8.06 | \$11.34 | NA | NA | NA |
| | Interoffice Transport - Dedicated - DS1 | | | | | | | | | | |
| | DS1 - per mile per month | 1L5XX | \$0.6920 | \$0.2035 | \$0.3068 | \$0.4500 | \$0.7831 | \$0.6598 | \$0.0783 | \$0.7598 | \$0.3525 |
| | DS1 - Facility Termination per month | U1TF1 | \$79.69 | \$93.31 | \$63.39 | \$55.05 | \$93.40 | \$74.40 | \$71.29 | \$94.98 | \$75.83 |
| | NRC - DS1 - Facility Termination - 1st | U1TF1 | \$198.15 | \$179.99 | \$147.07 | \$298.18 | \$140.49 | \$196.28 | \$217.17 | \$216.27 | \$145.98 |
| | NRC - DS1 - Facility Termination - Add'l | U1TF1 | \$148.18 | \$164.95 | \$111.75 | \$231.23 | \$106.69 | \$147.31 | \$163.75 | \$162.70 | \$109.85 |
| | NRC - DS1 - Facility Termination - Disconnect Charge - 1st | U1TF1 | \$25.44 | \$30.54 | NA | NA | \$20.00 | \$26.56 | NA | NA | \$19.55 |
| | NRC - DS1 - Facility Termination - Disconnect Charge - Add'l | U1TF1 | \$20.42 | \$26.97 | NA | NA | \$16.34 | \$21.61 | NA | NA | \$14.99 |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.73 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.87 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECE | \$3.50 | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMECE | NA | \$0.43 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - DS1 - Incremental Charge--Manual Svc Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$38.07 | \$39.63 | NA |
| | NRC - DS1 - Incremental Charge--Manual Svc Order - Add'l | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$38.07 | \$39.63 | NA |
| | NRC - DS1 - Incremental Charge--Manual Svc Order-Disconnect--1st | SOMAN | \$12.97 | NA | NA | NA | \$8.06 | \$11.31 | NA | NA | NA |
| | NRC - DS1 - Incremental Charge--Manual Svc Order-Disconnect--Add'l | SOMAN | \$12.97 | NA | NA | NA | \$8.06 | \$11.34 | NA | NA | NA |
| | Interoffice Transport - Dedicated - DS3 | | | | | | | | | | |
| | DS3 - per mile per month | 1L5XX | \$4.98 | \$4.25 | \$2.75 | \$12.62 | \$6.78 | \$15.02 | \$12.98 | \$8.13 | \$5.89 |
| | DS3 - Facility Termination per month | U1TF3 | \$898.15 | \$1,130 | \$796.59 | \$1,204 | \$1,025.00 | \$744.38 | \$720.38 | \$967.70 | \$760.20 |
| | NRC - DS3 - Facility Termination - 1st | U1TF3 | \$511.77 | \$562.06 | \$516.67 | \$946.23 | \$475.31 | \$686.74 | \$794.94 | \$606.72 | \$625.91 |

BELLSOUTH/Al-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
TRANSPORT

Attachment 2
Exhibit C
Rates - Page 32

| | DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|---|-------|----------|----------|----------|------------|------------|------------|----------|----------|----------|
| | NRC - DS3 - Facility Termination - Add'l | U1TF3 | \$330.92 | \$328.16 | \$334.38 | \$516.89 | \$307.62 | \$477.76 | \$579.55 | \$423.45 | \$311.39 |
| | NRC - DS3 - Facility Termination - Disconnect Charge - 1st | U1TF3 | \$121.72 | \$112.44 | \$123.65 | NA | \$113.75 | \$125.56 | NA | NA | \$103.36 |
| | NRC - DS3 - Facility Termination - Disconnect Charge - Add'l | U1TF3 | \$118.54 | \$109.19 | \$120.44 | NA | \$110.80 | \$118.79 | NA | NA | \$100.59 |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.73 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.87 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | \$0.43 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - DS3 - Incremental Charge--Manual Svc Order - 1st | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$50.25 | \$64.97 | \$91.26 | \$54.26 | NA |
| | NRC - DS3 - Incremental Charge--Manual Svc Order - Add'l | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$50.25 | \$64.97 | \$91.26 | \$54.26 | NA |
| | NRC - DS3 - Incremental Charge--Manual Svc Order-Disconnect--1st | SOMAN | \$19.03 | NA | \$18.23 | NA | \$20.94 | \$27.08 | NA | NA | NA |
| | NRC - DS3 - Incremental Charge--Manual Svc Order-Disconnect--Add'l | SOMAN | \$19.03 | NA | \$18.23 | NA | \$20.94 | \$27.08 | NA | NA | NA |
| | Interoffice Transport - Dedicated - STS-1 | | | | | | | | | | |
| | STS-1 - per mile per month | 1L5XX | \$4.98 | \$4.25 | \$2.75 | \$12.62 | \$6.78 | \$13.48 | \$6.29 | \$8.13 | \$6.88 |
| | STS-1 -Facility Termination per month | U1TFS | \$895.41 | \$1,114 | \$792.17 | \$1,204 | \$1,000.00 | \$692.52 | \$800.94 | \$967.58 | \$838.65 |
| | NRC - STS-1 - Facility Termination -1st | U1TFS | \$511.77 | \$562.06 | \$516.67 | \$946.23 | \$475.31 | \$858.15 | \$624.86 | \$606.72 | \$858.26 |
| | NRC - STS-1 - Facility Termination - Add'l | U1TFS | \$330.92 | \$328.16 | \$454.82 | \$516.89 | \$307.62 | \$524.58 | \$436.36 | \$423.45 | \$525.25 |
| | NRC - STS-1 - Facility Termination - Disconnect Charge - 1st | U1TFS | \$121.72 | \$112.44 | \$123.65 | NA | \$113.75 | \$125.56 | NA | NA | \$103.36 |
| | NRC - STS-1 - Facility Termination - Disconnect Charge - Add'l | U1TFS | \$118.54 | \$109.19 | \$120.44 | NA | \$110.80 | \$118.79 | NA | NA | \$100.59 |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.73 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.87 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | \$0.43 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 - Incremental Charge--Manual Svc Order - 1st | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$50.25 | \$94.50 | \$55.00 | \$54.26 | NA |
| | NRC - STS-1 - Incremental Charge--Manual Svc Order - Add'l | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$50.25 | \$94.50 | \$55.00 | \$54.26 | NA |
| | NRC - DS3 - Incremental Charge--Manual Svc Order-Disconnect--1st | SOMAN | \$19.03 | NA | \$18.23 | NA | \$20.94 | \$27.08 | NA | NA | NA |
| | NRC - DS3 - Incremental Charge--Manual Svc Order-Disconnect--Add'l | SOMAN | \$19.03 | NA | \$18.23 | NA | \$20.94 | \$27.08 | NA | NA | NA |
| | Interoffice Transport - Dedicated - OC3 | | | | | | | | | | |
| | OC3 -per mile per month | 1L5XX | \$7.35 | \$8.38 | \$4.42 | \$28.56 | \$23.89 | \$18.35 | \$14.10 | \$9.75 | \$13.45 |
| | OC3 -Facility Termination per month | TBD | \$2,475 | \$3,043 | \$2,211 | \$1,493.00 | \$2,990 | \$1,892.00 | \$2,071 | \$2,802 | \$2,124 |
| | NRC - OC-3 - Facility Termination - 1st | TBD | \$820.85 | \$876.46 | \$828.22 | \$1,543.00 | \$927.35 | \$1,283.00 | \$1,381 | \$915.64 | \$950.10 |
| | NRC - OC-3 - Facility Termination - Add'l | TBD | \$317.48 | \$314.49 | \$320.83 | \$661.23 | \$304.90 | \$404.94 | \$509.93 | \$410.02 | \$311.39 |
| | NRC - OC-3 - Facility Termination - Disconnect Charge - 1st | TBD | \$121.72 | \$112.44 | \$123.65 | NA | \$102.16 | \$134.07 | NA | NA | \$103.36 |
| | NRC - OC-3 - Facility Termination - Disconnect Charge - Add'l | TBD | \$118.54 | \$109.19 | \$120.44 | NA | \$99.46 | \$130.59 | NA | NA | \$100.59 |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.73 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.87 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | \$0.43 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Incremental Cost - Manual Svc Order vs. Electronic-1st | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$50.25 | \$68.62 | \$94.77 | \$54.26 | NA |
| | NRC - OC3 - Incremental Cost - Manual Svc Order vs. Electronic-Add'l | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$50.25 | \$68.62 | \$94.77 | \$54.26 | NA |
| | NRC - OC3 - Incremental Cost - Manual Svc Order vs. Electronic-Disconnect | SOMAN | \$19.03 | NA | \$18.23 | NA | \$20.94 | \$28.59 | NA | NA | NA |
| | NRC - OC3 - Incremental Cost - Manual Svc Order vs. Electronic-Disconnect | SOMAN | \$19.03 | NA | \$18.23 | NA | \$20.94 | \$28.59 | NA | NA | NA |
| | Interoffice Transport - Dedicated - OC12 | | | | | | | | | | |
| | OC12 -per mile per month | 1L5XX | \$19.26 | \$26.91 | \$15.21 | \$84.88 | \$74.44 | \$60.42 | \$30.38 | \$32.52 | \$49.80 |
| | OC12 -Facility Termination | TBD | \$9,763 | \$11,685 | \$8,291 | \$12,344 | \$11,517 | \$7,182.00 | \$2,122 | \$11,132 | \$8,015 |
| | NRC - OC12- Facility Termination - 1st | TBD | \$1,036 | \$1,095 | \$1,045 | \$1,713 | \$1,147 | \$1,598.00 | \$1,722 | \$1,131 | \$1,176 |
| | NRC - OC12- Facility Termination - Add'l | TBD | \$317.48 | \$314.49 | \$320.83 | \$516.89 | \$304.90 | \$404.94 | \$542.73 | \$410.02 | \$311.39 |
| | NRC - OC12 - Facility Termination - Disconnect Chg - 1st | TBD | \$121.72 | \$112.44 | \$123.65 | NA | \$102.16 | \$134.07 | \$131.65 | NA | \$103.36 |
| | NRC - OC12 - Facility Termination - Disconnect Chg - Add'l | TBD | \$118.54 | \$109.19 | \$120.44 | NA | \$99.46 | \$130.59 | \$128.19 | NA | \$100.59 |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.73 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.87 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
TRANSPORT

Attachment 2
Exhibit C
Rates - Page 33

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|---|-------|----------|----------|----------|----------|----------|-------------|----------|----------|----------|
| NRC - Electronic Svc Order, per LSR disconnect | SOME | NA | \$0.43 | NA | NA | NA | NA | NA | NA | NA |
| NRC - OC12 - Incremental Cost - Manual Svc Order vs. Electronic-1st | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$50.25 | \$68.62 | \$69.34 | \$54.26 | NA |
| NRC - OC12 - Incremental Cost - Manual Svc Order vs. Electronic-Add'l | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$50.25 | \$68.62 | \$69.34 | \$54.26 | NA |
| NRC - OC12 - Incremental Cost - Manual Svc Order vs. Elect-Disconnect-1st | SOMAN | \$19.03 | NA | \$18.23 | NA | \$20.94 | \$28.59 | \$29.76 | NA | NA |
| NRC - OC12 - Incremental Cost - Manual Svc Order vs. Elect-Disconnect-Add'l | SOMAN | \$19.03 | NA | \$18.23 | NA | \$20.94 | \$28.59 | \$29.76 | NA | NA |
| Interoffice Transport - Dedicated - OC48 | | | | | | | | | | |
| OC48 -per mile per month | 1L5XX | \$30.65 | \$34.66 | \$25.98 | \$138.02 | \$128.59 | \$102.43 | \$120.02 | \$45.92 | \$106.55 |
| OC48 -Facility Termination per month | TBD | \$11,691 | \$12,554 | \$11,255 | \$16,017 | \$14,950 | \$11,480.00 | \$1,677 | \$967.58 | \$11,632 |
| OC48 -per Interface OC12 on OC48 per month | TBD | \$1,424 | \$1,208 | \$1,149 | \$1,497 | \$1,451 | \$1,351.00 | \$582.66 | \$1,561 | \$1,170 |
| NRC - OC48 - Facility Termination - 1st | TBD | \$1,036 | \$1,095 | \$1,045 | \$1,713 | \$1,147 | \$1,598.00 | \$1,722 | \$1,131 | \$1,176 |
| NRC - OC48 - Facility Termination - Add'l | TBD | \$317.48 | \$314.49 | \$320.83 | \$516.89 | \$304.90 | \$404.94 | \$542.73 | \$410.02 | \$311.39 |
| NRC - OC48 - Interface OC12 on OC48 - 1st | TBD | \$540.10 | \$547.98 | \$545.24 | \$844.21 | \$532.13 | \$729.04 | \$720.81 | \$635.04 | \$544.55 |
| NRC - OC48 - Interface OC12 on OC48 - Add'l | TBD | \$317.48 | \$314.49 | \$320.83 | \$516.89 | \$304.90 | \$404.94 | \$400.38 | \$410.02 | \$311.39 |
| NRC - OC48 - Facility Termination - Disconnect Chg - 1st | TBD | \$121.72 | \$112.44 | \$123.65 | NA | \$102.16 | \$134.07 | \$131.65 | NA | \$103.36 |
| NRC - OC48 - Facility Termination - Disconnect Chg - Add'l | TBD | \$118.54 | \$109.19 | \$120.44 | NA | \$99.46 | \$130.59 | \$128.19 | NA | \$100.59 |
| NRC - OC48 - Interface OC12 on OC48 - Disconnect - 1st | TBD | \$121.72 | \$112.44 | \$123.65 | NA | \$102.16 | \$134.07 | \$131.65 | NA | \$103.36 |
| NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'l | TBD | \$118.54 | \$109.19 | \$120.44 | NA | \$99.46 | \$130.59 | \$128.19 | NA | \$100.59 |
| NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.73 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.87 | NA | NA | NA | NA | NA | NA | NA |
| NRC - Electronic Svc Order, per LSR | SOME | \$3.50 | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| NRC - Electronic Svc Order, per LSR disconnect | SOME | NA | \$0.43 | NA | NA | NA | NA | NA | NA | NA |
| NRC - OC48 - Incremental Cost - Manual Svc. Order vs. Electronic-1st | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$50.25 | \$68.62 | \$69.34 | \$54.26 | NA |
| NRC - OC48 - Incremental Cost - Manual Svc. Order vs. Electronic-Add'l | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$50.25 | \$68.62 | \$69.34 | \$54.26 | NA |
| NRC - OC48 - Interface- Incremental Cost - Manual Svc. Order vs. Electronic-1st | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$50.25 | \$68.62 | \$69.34 | \$54.26 | NA |
| NRC - OC48 - Interface- Incremental Cost - Manual Svc. Order vs. Electronic-Add'l | SOMAN | \$38.48 | NA | \$37.96 | \$93.12 | \$50.25 | \$68.62 | \$69.34 | \$54.26 | NA |
| NRC - OC48 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st | SOMAN | \$19.03 | NA | \$18.23 | NA | \$20.94 | \$28.59 | \$29.76 | NA | NA |
| NRC - OC48 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add'l | SOMAN | \$19.03 | NA | \$18.23 | NA | \$20.94 | \$28.59 | \$29.76 | NA | NA |
| NRC - OC48-Interface-Incremental Cost-Manual Svc. Order vs. Elec-Disconnect-1st | SOMAN | \$19.03 | NA | \$18.23 | NA | \$20.94 | \$28.59 | \$29.76 | NA | NA |
| NRC - OC48-Interface-Incremental Cost-Manual Svc. Order vs. Elec-Disconnect-Add'l | SOMAN | \$19.03 | NA | \$18.23 | NA | \$20.94 | \$28.59 | \$29.76 | NA | NA |
| UNBUNDLED CHANNELIZATION | | | | | | | | | | |
| DS3 Channelization (DS3 to DS1) | | | | | | | | | | |
| per Channelized System (28 DS1) per month | MQ3 | \$225.36 | \$222.61 | \$184.02 | \$236.32 | \$245.84 | \$229.30 | \$226.81 | \$200.01 | \$222.98 |
| NRC - 1st | MQ3 | \$265.87 | \$359.20 | \$268.81 | \$425.41 | \$259.76 | \$356.80 | \$351.95 | \$321.54 | \$265.08 |
| NRC - Add'l | MQ3 | \$188.51 | \$299.24 | \$190.84 | \$303.33 | \$182.64 | \$247.40 | \$243.76 | \$234.30 | \$185.94 |
| NRC -1st - Disconnect | MQ3 | \$71.76 | \$189.04 | \$73.29 | NA | \$60.96 | \$79.94 | \$77.90 | NA | \$61.09 |
| NRC -Add'l - Disconnect | MQ3 | \$52.03 | \$186.37 | \$60.61 | NA | \$50.46 | \$65.20 | \$63.32 | NA | \$50.31 |
| per Interface per month (COCI) | UC1D1 | \$17.22 | \$14.51 | \$11.14 | \$8.52 | \$7.55 | \$5.58 | \$4.61 | \$11.99 | \$3.91 |
| NRC - 1st | UC1D1 | \$12.05 | \$13.26 | \$12.15 | \$15.86 | \$12.29 | \$15.85 | \$15.76 | \$12.05 | \$12.61 |
| NRC - Add'l | UC1D1 | \$8.69 | \$9.50 | \$8.76 | \$11.36 | \$8.80 | \$11.35 | \$11.28 | \$8.68 | \$9.03 |
| NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.73 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.87 | NA | NA | NA | NA | NA | NA | NA |
| NRC - Electronic Svc Order, per LSR | SOME | \$3.50 | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| NRC - Electronic Svc Order, per LSR disconnect | SOME | NA | \$0.43 | NA | NA | NA | NA | NA | NA | NA |
| Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -1st | SOMAN | \$15.61 | NA | \$14.91 | \$41.47 | \$19.74 | \$26.95 | \$28.13 | \$25.59 | \$21.71 |
| Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -Add'l | SOMAN | \$7.39 | NA | \$6.63 | \$11.99 | \$8.77 | \$11.98 | \$13.33 | \$8.92 | \$10.46 |
| Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - 1st | SOMAN | \$11.67 | NA | \$10.82 | NA | \$12.43 | \$16.97 | \$18.26 | NA | \$14.21 |
| Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - Add'l | SOMAN | \$0.9469 | NA | NA | NA | NA | NA | \$1.48 | NA | \$1.46 |
| DS1 Channelization (DS1 to DS0) | | | | | | | | | | |
| per Channelized System (24 DS0) per month | MQ1 | \$136.82 | \$154.74 | \$127.60 | \$200.01 | \$209.87 | \$146.87 | \$177.72 | \$147.51 | \$165.21 |
| NRC - 1st | MQ1 | \$197.98 | \$183.57 | \$200.38 | \$302.82 | \$193.63 | \$271.52 | \$267.19 | \$220.89 | \$197.21 |
| NRC - Add'l | MQ1 | \$123.12 | \$126.16 | \$124.93 | \$184.20 | \$118.37 | \$164.56 | \$161.43 | \$137.15 | \$119.99 |
| NRC -1st - Disconnect | MQ1 | \$30.18 | \$19.68 | \$31.37 | NA | \$26.44 | \$36.38 | \$34.55 | NA | \$25.66 |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
TRANSPORT

Attachment 2
Exhibit C
Rates - Page 34

| | DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|--|--------|------------|----------|------------|------------|------------|------------|------------|------------|------------|
| | NRC -Add'l - Disconnect | MQ1 | \$18.86 | \$18.29 | \$19.97 | NA | \$16.83 | \$11.98 | \$21.14 | NA | \$15.81 |
| | - Interface (COCI) | | | | | | | | | | |
| | per OCU-DP(data) card per month (2.4-64kbs) | 1D1DD | \$1.66 | \$2.22 | \$1.88 | \$2.94 | \$3.12 | \$2.86 | \$2.88 | \$2.34 | \$2.46 |
| | NRC - 1st | 1D1DD | \$12.05 | \$13.26 | \$12.15 | \$15.86 | \$12.29 | \$15.85 | \$15.76 | \$12.05 | \$12.61 |
| | NRC - Add'l | 1D1DD | \$8.69 | \$9.50 | \$8.76 | \$11.36 | \$8.80 | \$11.35 | \$11.28 | \$8.68 | \$9.03 |
| | per BRITE card per month | UC1CA | \$3.41 | \$3.86 | \$3.41 | \$4.04 | \$4.18 | \$3.88 | \$3.76 | \$4.21 | \$3.33 |
| | | | | | | | | | | | |
| | NRC - 1st | UC1CA | \$12.05 | \$13.26 | \$12.15 | \$15.86 | \$12.29 | \$15.85 | \$15.76 | \$12.05 | \$12.61 |
| | NRC - Add'l | UC1CA | \$8.69 | \$9.50 | \$8.76 | \$11.36 | \$8.80 | \$11.35 | \$11.28 | \$8.68 | \$9.03 |
| | per VG card per month (DS0) | 1D1VG | \$0.8586 | \$1.46 | \$1.18 | \$1.40 | \$1.62 | \$1.45 | \$1.64 | \$1.47 | \$1.25 |
| | NRC - 1st | 1D1VG | \$12.05 | \$13.26 | \$12.15 | \$15.86 | \$12.29 | \$15.85 | \$15.76 | \$12.05 | \$12.61 |
| | NRC - Add'l | 1D1VG | \$8.69 | \$9.50 | \$8.76 | \$11.36 | \$8.80 | \$11.35 | \$11.28 | \$8.68 | \$9.03 |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.73 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.87 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECE | \$3.50 | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMAN | NA | \$0.43 | NA | NA | NA | NA | NA | NA | NA |
| | Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -1st | SOMAN | \$15.61 | NA | \$14.91 | \$41.47 | \$19.74 | \$26.95 | \$28.13 | \$25.59 | \$25.66 |
| | Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -Add'l | SOMAN | \$7.39 | NA | \$6.63 | \$11.99 | \$8.77 | \$11.98 | \$13.33 | \$8.92 | \$15.81 |
| | Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - 1st | SOMAN | \$11.67 | NA | \$10.82 | NA | \$12.43 | \$16.97 | \$18.26 | NA | \$14.21 |
| | Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - Add'l | SOMAN | \$0.9469 | NA | NA | NA | NA | NA | \$1.48 | NA | \$1.46 |
| | | | | | | | | | | | |
| | UNBUNDLED DARK FIBER | | | | | | | | | | |
| | Dark Fiber - Interoffice (four fiber strands) per route mile or fraction thereof, per month | 1L5DF | \$25.80 | \$29.28 | \$24.96 | \$31.95 | \$32.28 | \$33.93 | \$29.86 | \$36.75 | \$28.60 |
| | NRC - Per each four-fiber dark fiber arrangement - 1st | UDF14 | \$1,739.00 | \$1,289 | \$1,737.00 | \$1,741.00 | \$1,746.00 | \$1,741.00 | \$1,738.00 | \$1,747.00 | \$1,742.00 |
| | NRC - Per each four-fiber dark fiber arrangement - Add'l | UDF14 | \$563.09 | \$277.98 | \$562.39 | \$563.75 | \$565.20 | \$563.79 | \$562.82 | \$565.53 | \$564.08 |
| | NRC -Disconnect--1st | UDF14 | NA | \$592.25 | NA | NA | NA | NA | NA | NA | NA |
| | NRC -Disconnect--Add'l | UDF14 | NA | \$369.22 | NA | NA | NA | NA | NA | NA | NA |
| | | | | | | | | | | | |
| | Dark Fiber - Local Channel(four fiber strands) per route mile or fraction thereof, per month | 1L5DC | \$70.82 | \$59.03 | \$54.63 | \$49.07 | \$64.72 | \$71.55 | \$56.47 | \$100.37 | \$60.06 |
| | NRC - Per each four-fiber dark fiber arrangement - 1st | UDFC4 | \$1,739.00 | \$1,289 | \$1,737.00 | \$1,741.00 | \$1,746.00 | \$1,741.00 | \$1,738.00 | \$1,747.00 | \$1,742.00 |
| | NRC - Per each four-fiber dark fiber arrangement - Add'l | UDFC4 | \$563.09 | \$277.98 | \$562.39 | \$563.75 | \$565.20 | \$563.79 | \$562.82 | \$565.53 | \$564.08 |
| | NRC -Disconnect--1st | UDFC4 | NA | \$592.25 | NA | NA | NA | NA | NA | NA | NA |
| | NRC -Disconnect--Add'l | UDFC4 | NA | \$369.22 | NA | NA | NA | NA | NA | NA | NA |
| | | | | | | | | | | | |
| | Dark Fiber - Local Loop (four fiber strands) per route mile or fraction thereof, per month | 1L5DL | \$70.82 | \$59.03 | \$54.63 | \$49.07 | \$64.72 | \$71.55 | \$56.47 | \$100.37 | \$60.06 |
| | NRC - Per each four-fiber dark fiber arrangement - 1st | UDFL4 | \$1,739.00 | \$1,289 | \$1,737.00 | \$1,741.00 | \$1,746.00 | \$1,741.00 | \$1,738.00 | \$1,747.00 | \$1,742.00 |
| | NRC - Per each four-fiber dark fiber arrangement - Add'l | UDFL4 | \$563.09 | \$277.98 | \$562.39 | \$563.75 | \$565.20 | \$563.79 | \$562.82 | \$565.53 | \$564.08 |
| | NRC -Disconnect--1st | UDFL4 | NA | \$592.25 | NA | NA | NA | NA | NA | NA | NA |
| | NRC -Disconnect--Add'l | UDFL4 | NA | \$369.22 | NA | NA | NA | NA | NA | NA | NA |
| | | | | | | | | | | | |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
LOOP/PORT COMBINATIONS

Attachment 2
Exhibit C
Rates - Page 35

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|--------|----|---------|---------|----|---------|----|---------|----|---------|
| UNBUNDLED LOOP COMBINATIONS | | | | | | | | | | |
| | | | | | | | | | | |
| Unbundled Loop/Port Combinations (Note 4) | | | | | | | | | | |
| MARKET RATES (INCLUDING ALL VERTICAL FEATURES) (Note 1) | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| Density Zone 1 / Top 8 MSAs in BellSouth Region | | | | | | | | | | |
| Customers with 4 or more DS0 Equivalent | | | | | | | | | | |
| Currently Combined (Note2) | | | | | | | | | | |
| | | | | | | | | | | |
| 2-Wire Voice Grade Loop with 2-Wire Line Port (Res. and Bus.) | | | | | | | | | | |
| | | | | | | | | | | |
| 2-Wire Voice Grade Line Port (Res.), per month | | | | | | | | | | |
| 2-wire voice unbundled port - residence | UEPRL | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-wire voice unbundled port with caller ID - residence | UEPRC | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-wire voice unbundled port outgoing only - residence | UEPRO | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-wire voice unbundled area plus port with caller ID - residence | UEPRM | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-wire voice unbundled Florida area calling with caller ID - residence | UEPAF | NA | \$14.00 | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) | UEPAG | NA | NA | NA | NA | \$14.00 | NA | NA | NA | NA |
| 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7) | UEPAH | NA | NA | NA | NA | \$14.00 | NA | NA | NA | NA |
| 2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8) | UEPAJ | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R) | UEPAK | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER) | UEPAL | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR) | UEPAM | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X) | UEPAN | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR) | UEPAO | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| 2-wire voice unbundled res, low usage line port with Caller ID (LUM) | UEPAP | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-Wire Voice Grade Line Port (Bus.), per month | | | | | | | | | | |
| 2-wire voice unbundled port without Caller ID | UEPBL | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-wire voice unbundled port with unbundled port with Caller+E484 ID | UEPBC | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-wire voice unbundled outgoing only port | UEPBO | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-wire voice unbundled area plus port with Caller ID | UEPBM | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-wire voice unbundled incoming only port with Caller ID | UEPB1 | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC) | UEPAA | NA | NA | NA | NA | \$14.00 | NA | NA | NA | NA |
| 2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB) | UEPAB | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled TN Bus 2-Way Area Calling Port Economy Option (TACC1) | UEPAC | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| 2-wire voice unbundled TN Bus 2-Way Area Calling Port Standard Option (TACC2) | UEPAD | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| 2-wire voice unbundled TN Bus 2-WAY Collierville and Memphis Local Calling Port (B2F) | UEPAE | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| 2-Wire Voice Grade Loop (SL1) (Res. and Bus.) | | | | | | | | | | |
| RC - 2-Wire Voice Grade Loop - Statewide | UEPLX | NA | NA | NA | NA | NA | NA | \$14.18 | NA | NA |
| RC - 2-Wire Voice Grade Loop Zone 1 | UEPLX | NA | \$13.75 | \$10.80 | NA | \$14.05 | NA | NA | NA | \$15.92 |
| RC - 2-Wire Voice Grade Loop Zone 2 | UEPLX | NA | \$20.13 | \$12.47 | NA | \$24.14 | NA | NA | NA | \$20.79 |
| RC - 2-Wire Voice Grade Loop Zone 3 | UEPLX | NA | \$44.40 | \$19.83 | NA | \$49.30 | NA | NA | NA | \$27.18 |
| Combination Rates | | | | | | | | | | |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Statewide | Note 8 | NA | NA | NA | NA | NA | NA | \$28.18 | NA | NA |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 1 (Note 6) | Note 8 | NA | \$27.75 | \$24.80 | NA | \$28.05 | NA | NA | NA | \$29.92 |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 2 (Note 6) | Note 8 | NA | \$34.13 | \$26.47 | NA | \$38.14 | NA | NA | NA | \$34.79 |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 3 (Note 6) | Note 8 | NA | \$58.40 | \$33.83 | NA | \$63.30 | NA | NA | NA | \$41.18 |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
LOOP/PORT COMBINATIONS

Attachment 2
Exhibit C
Rates - Page 36

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|--------|----|----------|---------|----|---------|----|---------|----|---------|
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch as is | TBD | NA | \$41.50 | \$41.50 | NA | \$41.50 | NA | \$41.50 | NA | \$41.50 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, Switch as is | TBD | NA | \$41.50 | \$41.50 | NA | \$41.50 | NA | \$41.50 | NA | \$41.50 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch with change | TBD | NA | \$41.50 | \$41.50 | NA | \$41.50 | NA | \$41.50 | NA | \$41.50 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, Switch with change | TBD | NA | \$41.50 | \$41.50 | NA | \$41.50 | NA | \$41.50 | NA | \$41.50 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | TBD | NA | \$10.00 | \$10.00 | NA | \$10.00 | NA | \$10.00 | NA | \$10.00 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces | SOME C | NA | \$3.50 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3.50 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Svc.Order vs. Electronic - 1st | SOMAN | NA | \$19.99 | \$33.76 | NA | \$31.92 | NA | \$40.18 | NA | \$30.89 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Svc.Order vs. Electronic - Add'l | SOMAN | NA | \$19.99 | \$7.86 | NA | \$7.32 | NA | \$9.45 | NA | \$7.03 |
| NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Electronic | TBD | NA | TBD | TBD | NA | \$2.11 | NA | \$1.42 | NA | TBD |
| NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Manual Service Order | TBD | NA | TBD | TBD | NA | \$5.12 | NA | \$10.27 | NA | TBD |
| NRC - Incremental Manual Service Order Disconnect | TBD | NA | \$20.00 | \$20.00 | NA | \$20.00 | NA | \$20.00 | NA | \$20.00 |
| 2- Wire Voice Grade Loop - Bus Only with 2-Wire DID Trunk Port | | | | | | | | | | |
| 2 - Wire Line Port - DID Trunk Port, per month | UEPD1 | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| 2-Wire Voice Grade Loop (SL2) | | | | | | | | | | |
| RC - 2-Wire Voice Grade Loop - Statewide | UECD1 | NA | NA | NA | NA | NA | NA | \$11.76 | NA | NA |
| RC - 2-Wire Voice Grade Loop Zone 1 | UECD1 | NA | \$18.28 | \$16.84 | NA | \$17.65 | NA | NA | NA | \$15.92 |
| RC - 2-Wire Voice Grade Loop Zone 2 | UECD1 | NA | \$22.34 | \$19.45 | NA | \$30.32 | NA | NA | NA | \$20.79 |
| RC - 2-Wire Voice Grade Loop Zone 3 | UECD1 | NA | \$27.97 | \$30.92 | NA | \$61.93 | NA | NA | NA | \$27.18 |
| Combination Rates | | | | | | | | | | |
| RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Statewide | Note 8 | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Zone 1 (Note 6) | Note 8 | NA | TBD | TBD | NA | TBD | NA | NA | NA | TBD |
| RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Zone 2 (Note 6) | Note 8 | NA | TBD | TBD | NA | TBD | NA | NA | NA | TBD |
| RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Zone 3 (Note 6) | Note 8 | NA | TBD | TBD | NA | TBD | NA | NA | NA | TBD |
| NRC- 2- Wire Voice Grade Loop with 2- Wire Line Port - 1st | TBD | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| NRC- 2- Wire Voice Grade Loop with 2- Wire Line Port - Add'l | TBD | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7) | SOME C | NA | \$3.50 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3.50 |
| NRC- 2- Wire Voice Grade Loop with 2- Wire Line Port - Incremental Cost- Manual Service Order - 1st | TBD | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| NRC- 2- Wire Voice Grade Loop with 2- Wire Line Port - Incremental Cost- Manual Service Order - Add'l | TBD | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port | | | | | | | | | | |
| 2-wire ISDN Digital Port, per month | UEPPB | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| 2-Wire ISDN Digital Grade Loop | | | | | | | | | | |
| RC - 2-Wire ISDN Digital Grade Loop - Statewide | USL2X | NA | NA | NA | NA | NA | NA | \$19.08 | NA | NA |
| RC - 2-Wire ISDN Digital Grade Loop - Zone 1 | USL2X | NA | \$32.34 | \$21.89 | NA | \$21.15 | NA | NA | NA | \$15.92 |
| RC - 2-Wire ISDN Digital Grade Loop - Zone 2 | USL2X | NA | \$47.35 | \$25.27 | NA | \$36.32 | NA | NA | NA | \$20.79 |
| RC - 2-Wire ISDN Digital Grade Loop - Zone 3 | USL2X | NA | \$104.47 | \$40.17 | NA | \$74.19 | NA | NA | NA | \$27.18 |
| Combination Rates | | | | | | | | | | |
| RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Statewide | Note 8 | NA | NA | NA | NA | NA | NA | | NA | NA |
| RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 1 | Note 8 | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 2 | Note 8 | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 3 | Note 8 | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - 1st conversion | USACB | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
LOOP/PORT COMBINATIONS

Attachment 2
Exhibit C
Rates - Page 37

| DESCRIPTION | | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|-------------|--|--|--------|----|----------|----------|--------|----------|--------|---------|--------|---------|
| | | NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Add'l conversion | USACB | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| | | NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Non Feature Subsequent Activity | USASB | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| | | NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7) | SOME C | NA | \$3.50 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3.50 |
| | | | | | | | | | | | | |
| | | 4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port | | | | | NA | | NA | | NA | |
| | | 4 - Wire ISDN DS1 Digital Trunk Port | UEPPP | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| | | 4 - Wire DS1 Digital Loop | | NA | | | | | | | | |
| | | RC - 4- Wire DS1 Digital Loop- Statewide | USL4P | NA | NA | NA | NA | NA | NA | \$62.71 | NA | NA |
| | | RC - 4- Wire DS1 Digital Loop- Zone 1 | USL4P | NA | \$64.69 | \$55.53 | NA | \$56.32 | NA | NA | NA | \$57.73 |
| | | RC - 4- Wire DS1 Digital Loop- Zone 2 | USL4P | NA | \$94.71 | \$64.13 | NA | \$96.73 | NA | NA | NA | \$75.40 |
| | | RC - 4- Wire DS1 Digital Loop- Zone 3 | USL4P | NA | \$208.93 | \$101.93 | NA | \$197.57 | NA | NA | NA | \$98.59 |
| | | Combination Rates | | | | | | | | | | |
| | | RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Statewide | Note 8 | NA | NA | NA | NA | NA | NA | TBD | NA | NA |
| | | RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 1 | Note 8 | NA | TBD | TBD | NA | TBD | NA | NA | NA | TBD |
| | | RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 2 | Note 8 | NA | TBD | TBD | NA | TBD | NA | NA | NA | TBD |
| | | RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 3 | Note 8 | NA | TBD | TBD | NA | TBD | NA | NA | NA | TBD |
| | | NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - 1st conversion | TBD | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| | | NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - Add'l conversion | TBD | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| | | NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - Subsequent Channel Activation - Per Channel | TBD | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| | | NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2way Telephone Numbers | TBD | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| | | NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - Subsequent Outward Telephone Numbers | TBD | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| | | NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - Subsequent Inward Telephone Numbers | TBD | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| | | NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - Subsequent Service Order Per Order | TBD | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| | | NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7) | SOME C | NA | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | | 4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port | | | | | | | NA | | | |
| | | 4 - Wire DID Trunk Port | TBD | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| | | 4 - Wire DS1 Digital Loop | | | | | | | | | | |
| | | RC - 4- Wire DS1 Digital Loop- Statewide | TBD | NA | NA | NA | NA | NA | NA | \$62.71 | NA | NA |
| | | RC - 4- Wire DS1 Digital Loop- Zone 1 | TBD | NA | \$64.69 | \$55.53 | NA | \$56.32 | NA | NA | NA | \$57.73 |
| | | RC - 4- Wire DS1 Digital Loop- Zone 2 | TBD | NA | \$94.71 | \$64.13 | NA | \$96.73 | NA | NA | NA | \$75.40 |
| | | RC - 4- Wire DS1 Digital Loop- Zone 3 | TBD | NA | \$208.93 | \$101.93 | NA | \$197.57 | NA | NA | NA | \$98.59 |
| | | RC - 4-Wire DS1 Digital Loop with 4-wire DID Trunk Port - Statewide | Note 8 | NA | NA | NA | NA | NA | NA | TBD | NA | NA |
| | | RC - 4-Wire DS1 Digital Loop with 4-wire DID Trunk Port - Zone 1 | Note 8 | NA | TBD | TBD | NA | TBD | NA | NA | NA | TBD |
| | | RC - 4-Wire DS1 Digital Loop with 4-wire DID Trunk Port - Zone 2 | Note 8 | NA | TBD | TBD | NA | TBD | NA | NA | NA | TBD |
| | | RC - 4-Wire DS1 Digital Loop with 4-wire DID Trunk Port - Zone 3 | Note 8 | NA | TBD | TBD | NA | TBD | NA | NA | NA | TBD |
| | | NRC -4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - 1st | TBD | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| | | NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - Add'l | TBD | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| | | NRC -4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Subsequent Channel Activation - Per Channel | TBD | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| | | NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - Subsequent Telephone Numbers | TBD | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| | | NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - Subsequent Signaling Changes | TBD | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
LOOP/PORT COMBINATIONS

Attachment 2
Exhibit C
Rates - Page 38

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|-------|----|---------|---------|--------|---------|--------|---------|--------|---------|
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - Subsequent Service Order Per Order | TBD | NA | TBD | TBD | NA | TBD | NA | TBD | NA | TBD |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7) | SOME | NA | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| 2-Wire Voice Grade Loop with 2-Wire Line Port PBX | | | | | | | | | | |
| 2-Wire Analog Line Port (PBX), per month | | | | | | | | | | |
| 2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence | UEPRD | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS | UEPPC | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS | UEPPO | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS | UEPP1 | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING PORT | UEPA2 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA CALLING PORT | UEPL2 | NA | NA | NA | NA | \$14.00 | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS | UEPLD | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE CALLING PORT | UEPT2 | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING PORT | UEPTO | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT | UEPXA | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS | UEPXB | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT | UEPXC | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT | UEPXD | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD CAPABLE PORT | UEPXE | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING PORT WITHOUT LUD | UEPXF | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT | UEPXG | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT | UEPXH | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT WITHOUT LUD | UEPXJ | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING PORT | UEPXK | NA | NA | NA | NA | \$14.00 | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORT | UEPXL | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM CALLING PORT | UEPXM | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORTTENNESSEE CALLING PORT | UEPXN | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL DISCOUNT ROOM CALLING PORT | UEPXO | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL DISCOUNT CALLING PORT | UEPXP | NA | NA | NA | NA | \$14.00 | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY CALLING PORT | UEPXQ | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL CALLING PORT | UEPXR | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT | UEPXS | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS CALLING PORT | UEPXT | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT | UEPXU | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING PORT | UEPXV | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| | | | | | | | | | | |
| LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT) | LNPCP | | | | | | | | | |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
LOOP/PORT COMBINATIONS

Attachment 2
Exhibit C
Rates - Page 39

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|--------|--------|---------|---------|---------|---------|--------|---------|--------|---------|
| 2-Wire Voice Grade Loop (SL1) | | | | | | | | | | |
| RC - 2- Wire Voice Grade Loop - Statewide | UEPLX | NA | NA | NA | NA | NA | NA | \$14.18 | NA | NA |
| RC - 2- Wire Voice Grade Loop - Zone 1 | UEPLX | NA | \$13.75 | \$10.80 | NA | \$14.05 | NA | NA | NA | \$15.92 |
| RC - 2- Wire Voice Grade Loop - Zone 2 | UEPLX | NA | \$20.13 | \$12.47 | NA | \$24.14 | NA | NA | NA | \$20.79 |
| RC - 2- Wire Voice Grade Loop - Zone 3 | UEPLX | NA | \$44.40 | \$19.83 | NA | \$49.30 | NA | NA | NA | \$27.18 |
| RC - 2- Wire Voice Grade Loop - Zone 4 | UEPLX | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Combination Rates | | | | | | | | | | |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Statewide | Note 8 | NA | NA | NA | NA | NA | NA | \$28.18 | NA | NA |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 1 (Note 6) | Note 8 | NA | \$27.75 | \$24.80 | NA | \$28.05 | NA | NA | NA | \$29.92 |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 2 (Note 6) | Note 8 | NA | \$34.13 | \$26.47 | NA | \$38.14 | NA | NA | NA | \$34.79 |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 3 (Note 6) | Note 8 | NA | \$58.40 | \$33.83 | NA | \$63.30 | NA | NA | NA | \$41.18 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch as is | TBD | NA | \$41.50 | \$41.50 | NA | \$41.50 | NA | \$41.50 | NA | \$41.50 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, Switch as is | TBD | NA | \$41.50 | \$41.50 | NA | \$41.50 | NA | \$41.50 | NA | \$41.50 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch with change | TBD | NA | \$41.50 | \$41.50 | NA | \$41.50 | NA | \$41.50 | NA | \$41.50 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, Switch with change | TBD | NA | \$41.50 | \$41.50 | NA | \$41.50 | NA | \$41.50 | NA | \$41.50 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | TBD | NA | \$10.00 | \$10.00 | \$10.00 | \$10.00 | NA | \$10.00 | NA | \$10.00 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7) | SOME C | NA | \$3.50 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3.50 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Svc.Order vs. Electronic - 1st | SOMAN | NA | \$19.99 | \$33.67 | NA | \$31.92 | NA | \$40.18 | NA | \$30.89 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Svc.Order vs. Electronic - Add'l | SOMAN | NA | \$19.99 | \$7.88 | NA | \$7.32 | NA | \$9.45 | NA | \$7.03 |
| NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Electronic | TBD | NA | TBD | TBD | NA | \$2.11 | NA | \$1.42 | NA | TBD |
| NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Manual Service Order | TBD | NA | TBD | TBD | NA | \$5.12 | NA | \$10.27 | NA | TBD |
| NRC - Incremental Manual Service Order Disconnect | TBD | NA | \$20.00 | \$20.00 | NA | \$20.00 | NA | \$20.00 | NA | \$20.00 |
| NRCs for New (not Currently Combined) in Georgia: | | | | | | | | | | |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st | TBD | NA | NA | \$90.00 | NA | NA | NA | NA | NA | NA |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l | TBD | NA | NA | \$90.00 | NA | NA | NA | NA | NA | NA |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | TBD | NA | NA | \$10.00 | NA | NA | NA | NA | NA | NA |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - 1st | TBD | NA | NA | \$8.45 | NA | NA | NA | NA | NA | NA |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - Add'l | TBD | NA | NA | \$3.91 | NA | NA | NA | NA | NA | NA |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces | SOME C | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs. Electronic - New - 1st | TBD | NA | NA | \$37.06 | NA | NA | NA | NA | NA | NA |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs. Electronic - New - Add'l | TBD | NA | NA | \$8.19 | NA | NA | NA | NA | NA | NA |
| NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Electronic | TBD | NA | NA | TBD | NA | NA | NA | NA | NA | NA |
| NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Manual Service Order | TBD | NA | NA | TBD | NA | NA | NA | NA | NA | NA |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs. Electronic - New - Disconnect | TBD | NA | NA | \$11.17 | NA | NA | NA | NA | NA | NA |
| COST BASED RATES (Notes 2 & 3) | | | | | | | | | | |
| Currently Combined | | | | | | | | | | |
| 2-Wire Voice Grade Loop with 2-Wire Line Port | | | | | | | | | | |
| 2-Wire Voice Grade Line Port (Res.), per month | | | | | | | | | | |
| 2- wire voice unbundled port - residence | UEPRL | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |
| 2-wire voice unbundled port with caller ID - residence | UEPRC | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |
| 2-wire voice unbundled port outgoing only - residence | UEPRO | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
LOOP/PORT COMBINATIONS

Attachment 2
Exhibit C
Rates - Page 40

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|--------|---------|---------|----------|---------|---------|---------|---------|---------|----------|
| 2-wire voice unbundled area plus port with caller ID - residence | UEPRM | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |
| 2-wire voice unbundled Florida area calling with caller ID - residence | UEPAF | NA | \$2.00 | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) | UEPAG | NA | NA | NA | NA | \$2.55 | NA | NA | NA | NA |
| 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7) | UEPAH | NA | NA | NA | NA | \$2.55 | NA | NA | NA | NA |
| 2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8) | UEPAJ | NA | NA | NA | NA | NA | NA | NA | \$3.69 | NA |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R) | UEPAK | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER) | UEPAL | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR) | UEPAM | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X) | UEPAN | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR) | UEPAO | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| 2-wire voice unbundled res, low usage line port with Caller ID (LUM) | UEPAP | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |
| 2-Wire Voice Grade Line Port (Bus.), per month | | | | | | | | | | |
| 2-wire voice unbundled port without Caller ID | UEPBL | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |
| 2-wire voice unbundled port with unbundled port with Caller+E484 ID | UEPBC | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |
| 2-wire voice unbundled outgoing only port | UEPBO | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |
| 2-wire voice unbundled area plus port with Caller ID | UEPBM | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |
| 2-wire voice unbundled incoming only port with Caller ID | UEPB1 | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |
| 2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC) | UEPAA | NA | NA | NA | NA | \$2.55 | NA | NA | NA | NA |
| 2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB) | UEPAB | NA | NA | NA | NA | NA | NA | NA | \$3.69 | NA |
| 2-wire voice unbundled TN Bus 2-Way Area Calling Port Economy Option (TACC1) | UEPAC | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| 2-wire voice unbundled TN Bus 2-Way Area Calling Port Standard Option (TACC2) | UEPAD | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| 2-wire voice unbundled TN Bus 2-WAY Collierville and Memphis Local Calling Port (B2F) | UEPAE | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| 2-Wire Voice Grade Loop (SL1) | | | | | | | | | | |
| RC - 2- Wire Voice Grade Loop - Statewide | UEPLX | NA | NA | NA | NA | NA | NA | \$14.18 | NA | NA |
| RC - 2- Wire Voice Grade Loop - Zone 1 | UEPLX | \$14.35 | \$13.75 | \$10.80 | \$14.79 | \$14.05 | \$14.59 | NA | \$17.02 | \$15.92 |
| RC - 2- Wire Voice Grade Loop - Zone 2 | UEPLX | \$23.31 | \$20.13 | \$12.47 | \$27.68 | \$24.14 | \$19.33 | NA | \$25.66 | \$20.79 |
| RC - 2- Wire Voice Grade Loop - Zone 3 | UEPLX | \$42.24 | \$44.40 | \$19.83 | \$47.78 | \$49.30 | \$27.63 | NA | \$33.99 | \$27.18 |
| RC - 2- Wire Voice Grade Loop - Zone 4 | UEPLX | NA | NA | NA | NA | NA | \$36.47 | NA | NA | NA |
| Combination Rates | | | | | | | | | | |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Statewide | Note 8 | NA | NA | NA | NA | NA | NA | \$16.46 | NA | NA |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 1 (Note 6) | Note 8 | \$16.55 | \$15.75 | \$12.59 | \$17.40 | \$16.60 | \$16.71 | NA | \$20.71 | \$17.84 |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 2 (Note 6) | Note 8 | \$25.51 | \$22.13 | \$14.26 | \$30.29 | \$26.69 | \$21.45 | NA | \$29.35 | \$22.69 |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 3 (Note 6) | Note 8 | \$44.44 | \$46.40 | \$21.62 | \$50.39 | \$51.85 | \$29.75 | NA | \$37.68 | \$29.08 |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 4 (Note 6) | Note 8 | NA | NA | NA | NA | NA | \$38.59 | NA | NA | NA |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch as is | USAC2 | \$2.80 | \$1.46 | \$2.01 | \$10.00 | \$3.80 | \$5.20 | \$2.77 | \$1.59 | \$1.03 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, Switch as is | USAC2 | \$0.41 | \$0.93 | \$0.3108 | \$10.00 | \$0.29 | \$0.41 | \$0.40 | \$0.40 | \$0.2886 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch with change | USACC | \$2.80 | \$1.46 | \$2.01 | \$10.00 | \$3.80 | \$5.20 | \$2.77 | \$1.59 | \$1.03 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, Switch with change | USACC | \$0.41 | \$0.93 | \$0.3108 | \$10.00 | \$0.29 | \$0.41 | \$0.40 | \$0.40 | \$0.2886 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | USAS2 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7) | SOME C | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Svc.Order vs. Electronic - 1st | SOMAN | \$40.71 | \$19.99 | \$33.67 | \$19.99 | \$31.92 | \$43.52 | \$40.18 | \$43.19 | \$30.89 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Svc.Order vs. Electronic - Add'l | SOMAN | \$9.58 | \$19.99 | \$7.88 | \$19.99 | \$7.32 | \$9.99 | \$9.45 | \$9.91 | \$7.03 |
| NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Electronic | TBD | \$1.44 | TBD | TBD | TBD | \$2.11 | \$2.87 | \$1.42 | \$0.71 | \$0.76 |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
LOOP/PORT COMBINATIONS

Attachment 2
Exhibit C
Rates - Page 41

| DESCRIPTION | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|-------------|--|--------|---------|---------|----------|---------|---------|---------|---------|---------|---------|
| | NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Manual Service Order | TBD | \$8.25 | TBD | TBD | TBD | \$5.12 | \$6.88 | \$10.27 | \$8.91 | \$7.97 |
| | NRC - Incremental Manual Service Order Disconnect | TBD | \$20.00 | \$20.00 | \$20.00 | \$20.00 | \$20.00 | \$20.00 | \$20.00 | \$20.00 | \$20.00 |
| | NRCs for New (not Currently Combined) as ordered in Georgia: | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st | TBD | NA | NA | \$22.14 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l | TBD | NA | NA | \$15.25 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | USAS2 | NA | NA | \$10.00 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - 1st | TBD | NA | NA | \$8.45 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - Add'l | TBD | NA | NA | \$3.91 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7) | SOME C | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs. Electronic - New - 1st | TBD | NA | NA | \$37.06 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs. Electronic - New - Add'l | TBD | NA | NA | \$8.19 | NA | NA | NA | NA | NA | NA |
| | NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Electronic | TBD | NA | NA | TBD | NA | NA | NA | NA | NA | NA |
| | NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Manual Service Order | TBD | NA | NA | TBD | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs. Electronic - New - Disconnect | TBD | NA | NA | \$11.17 | NA | NA | NA | NA | NA | NA |
| | | | | | | | | | | | |
| | 2- Wire Voice Grade Loop - Bus Only with 2-Wire DID Trunk Port | | | | | | | | | | |
| | 2 - Wire Line Port - DID Trunk Port, per month | UEPD1 | TBD | \$9.60 | \$11.35 | TBD | \$13.12 | \$14.63 | \$12.12 | TBD | \$8.78 |
| | 2-Wire Voice Grade Loop (SL2) | | | | | | | | | | |
| | RC - 2- Wire Voice Grade Loop - Statewide | UECD1 | NA | NA | NA | NA | NA | NA | \$11.76 | NA | NA |
| | RC - 2- Wire Voice Grade Loop - Zone 1 | UECD1 | \$17.95 | \$18.28 | \$16.84 | \$17.27 | \$17.65 | \$18.35 | NA | \$21.57 | \$15.92 |
| | RC - 2- Wire Voice Grade Loop - Zone 2 | UECD1 | \$29.16 | \$22.34 | \$19.45 | \$32.32 | \$30.32 | \$24.33 | NA | \$32.53 | \$20.79 |
| | RC - 2- Wire Voice Grade Loop - Zone 3 | UECD1 | \$52.84 | \$27.97 | \$30.92 | \$55.78 | \$61.93 | \$34.77 | NA | \$43.08 | \$27.18 |
| | RC - 2- Wire Voice Grade Loop - Zone 4 | UECD1 | NA | NA | NA | NA | NA | \$45.88 | NA | NA | NA |
| | Combination Rates | | | | | | | | | | |
| | RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Statewide | Note 8 | NA | NA | NA | NA | NA | NA | \$23.79 | NA | NA |
| | RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Zone 1 (Note 6) | Note 8 | TBD | \$27.88 | \$28.19 | TBD | \$30.77 | TBD | NA | TBD | \$24.70 |
| | RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Zone 2 (Note 6) | Note 8 | TBD | \$31.94 | \$30.80 | TBD | \$43.44 | TBD | NA | TBD | \$29.57 |
| | RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Zone 3 (Note 6) | Note 8 | TBD | \$37.57 | \$42.27 | TBD | \$75.05 | TBD | NA | TBD | \$35.96 |
| | RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Zone4 (Note 6) | Note 8 | NA | NA | NA | NA | NA | TBD | NA | NA | NA |
| | NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - 1st | TBD | TBD | \$14.73 | \$14.73 | TBD | TBD | TBD | \$13.26 | TBD | \$8.76 |
| | NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - Add'l | TBD | TBD | \$3.76 | \$3.76 | TBD | TBD | TBD | \$8.39 | TBD | \$5.75 |
| | NRC for New (not currently Combined) as ordered in Georgia | | | | | | | | | | |
| | NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - 1st | TBD | NA | NA | \$166.08 | NA | NA | NA | NA | NA | NA |
| | NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - Add'l | TBD | NA | NA | \$140.01 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7) | SOME C | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - Incremental Cost- Manual Service Order - 1st | TBD | TBD | TBD | \$37.88 | TBD | TBD | TBD | \$53.89 | TBD | \$41.43 |
| | NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - Incremental Cost- Manual Service Order - Add'l | TBD | TBD | TBD | \$16.84 | TBD | TBD | TBD | \$11.34 | TBD | \$9.80 |
| | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port | | | | | | | | | | |
| | 2-wire ISDN Digital Port per month | UEPPB | \$16.42 | \$13.00 | \$13.47 | \$12.33 | \$23.33 | \$51.91 | \$24.37 | \$33.74 | \$18.21 |
| | 2-Wire ISDN Digital Grade Loop | | | | | | | | | | |
| | RC - 2-Wire ISDN Digital Grade Loop - Statewide | USL2X | NA | NA | NA | NA | NA | NA | \$19.08 | NA | NA |
| | RC - 2-Wire ISDN Digital Grade Loop - Zone 1 | USL2X | \$23.23 | \$32.34 | \$21.89 | \$23.66 | \$21.15 | \$21.86 | NA | \$26.68 | \$15.92 |
| | RC - 2-Wire ISDN Digital Grade Loop - Zone 2 | USL2X | \$37.74 | \$47.35 | \$25.27 | \$44.28 | \$36.32 | \$28.97 | NA | \$40.24 | \$20.79 |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
LOOP/PORT COMBINATIONS

Attachment 2
Exhibit C
Rates - Page 42

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|--------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| RC - 2-Wire ISDN Digital Grade Loop - Zone 3 | USL2X | \$68.38 | \$104.47 | \$40.17 | \$76.42 | \$74.19 | \$41.40 | NA | \$53.29 | \$27.18 |
| RC - 2-Wire ISDN Digital Grade Loop - Zone 4 | USL2X | NA | NA | NA | NA | NA | \$54.64 | NA | NA | NA |
| Combination Rates | | | | | | | | | | |
| RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Statewide | Note 8 | NA | NA | NA | NA | NA | NA | \$43.45 | NA | NA |
| RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 1 | Note 8 | \$39.65 | \$45.34 | \$35.36 | \$35.99 | \$44.48 | \$73.77 | NA | \$60.42 | \$34.13 |
| RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 2 | Note 8 | \$54.16 | \$60.35 | \$38.74 | \$56.61 | \$59.65 | \$80.78 | NA | \$73.98 | \$39.00 |
| RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 3 | Note 8 | \$84.80 | \$117.47 | \$53.64 | \$88.75 | \$97.52 | \$93.31 | NA | \$87.03 | \$45.39 |
| RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 4 | Note 8 | NA | NA | NA | NA | NA | \$106.55 | NA | NA | NA |
| NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - 1st conversion | USACB | TBD | \$3.02 | TBD | TBD | TBD | TBD | \$174.35 | TBD | \$117.23 |
| NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Add'l conversion | USACB | TBD | \$2.49 | TBD | TBD | TBD | TBD | \$174.35 | TBD | \$117.23 |
| NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Non Feature Subsequent Activity | USASB | TBD | TBD | TBD | TBD | TBD | TBD | \$286.15 | TBD | \$212.88 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7) | SOME C | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | | | | | | | | | | |
| 4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port | | | | | | | | | | |
| 4 - Wire ISDN DS1 Digital Trunk Port | UEPPP | \$186.02 | \$125.00 | \$163.16 | \$275.48 | \$194.72 | \$213.21 | \$179.01 | \$214.79 | \$78.40 |
| 4 - Wire DS1 Digital Loop | | | | | | | | | | |
| RC - 4- Wire DS1 Digital Loop- Statewide | USL4P | NA | NA | NA | NA | NA | NA | \$62.71 | NA | NA |
| RC - 4- Wire DS1 Digital Loop- Zone 1 | USL4P | \$51.74 | \$64.69 | \$55.53 | \$50.26 | \$56.32 | \$50.99 | NA | \$59.61 | \$57.73 |
| RC - 4- Wire DS1 Digital Loop- Zone 2 | USL4P | \$84.05 | \$94.71 | \$64.13 | \$94.06 | \$96.73 | \$67.58 | NA | \$89.90 | \$75.40 |
| RC - 4- Wire DS1 Digital Loop- Zone 3 | USL4P | \$152.29 | \$208.93 | \$101.93 | \$162.34 | \$197.57 | \$96.58 | NA | \$119.06 | \$98.59 |
| RC - 4-Wire DS1 Digital Loop - Zone 4 | USL4P | NA | NA | NA | NA | NA | \$127.47 | NA | NA | NA |
| Combination Rates | | | | | | | | | | |
| RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Statewide | Note 8 | NA | NA | NA | NA | NA | NA | \$241.72 | NA | NA |
| RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 1 | Note 8 | \$237.76 | \$189.69 | \$218.69 | \$325.74 | \$251.04 | \$264.20 | NA | \$274.40 | \$136.13 |
| RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 2 | Note 8 | \$270.07 | \$219.71 | \$227.29 | \$369.54 | \$291.45 | \$280.79 | NA | \$304.69 | \$153.80 |
| RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 3 | Note 8 | \$338.31 | \$333.93 | \$265.09 | \$437.82 | \$392.29 | \$309.79 | NA | \$333.85 | \$176.99 |
| RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 4 | Note 8 | NA | NA | NA | NA | NA | \$340.68 | NA | NA | NA |
| NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - 1st conversion | USACP | TBD | \$2.00 | TBD | TBD | TBD | TBD | \$481.51 | TBD | \$328.53 |
| NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - Add'l conversion | USACP | TBD | \$1.22 | TBD | TBD | TBD | TBD | \$481.51 | TBD | \$328.53 |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - Subsequent Channel Activation - Per Channel | USASP | TBD | \$29.28 | TBD | TBD | TBD | TBD | \$36.92 | TBD | \$28.39 |
| NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - Subsequent Inward/2-way Telephone Numbers | PR7TG | TBD | \$0.99 | TBD | TBD | TBD | TBD | \$1.17 | TBD | \$0.9353 |
| NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - Subsequent Outward Telephone numbers | PR7TP | TBD | \$23.20 | TBD | TBD | TBD | TBD | \$28.17 | TBD | \$22.36 |
| NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - Subsequent Inward Telephone Numbers | PR7ZT | TBD | \$46.41 | TBD | TBD | TBD | TBD | \$56.33 | TBD | \$44.71 |
| NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - Subsequent Service Order Per Order | USASP | TBD | TBD | TBD | TBD | TBD | TBD | \$255.25 | TBD | \$189.76 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7) | SOME C | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | | | | | | | | | | |
| 4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port | | | | | | | | | | |
| 4 - Wire DID Trunk Port | TBD | TBD | \$63.85 | \$120.80 | TBD | \$149.27 | \$146.46 | \$123.52 | TBD | \$35.55 |
| 4 - Wire DS1 Digital Loop | | | | | | | | | | |
| 4 - Wire DS1 Digital Loop - Statewide | TBD | NA | NA | | NA | NA | NA | \$62.71 | NA | NA |
| 4 - Wire DS1 Digital Loop - Zone 1 | TBD | \$51.74 | \$64.69 | \$55.53 | \$50.26 | \$56.32 | \$50.99 | NA | \$59.61 | \$57.73 |
| 4 - Wire DS1 Digital Loop - Zone 2 | TBD | \$84.05 | \$94.71 | \$64.13 | \$94.06 | \$96.73 | \$67.58 | NA | \$89.90 | \$75.40 |
| 4 - Wire DS1 Digital Loop - Zone 3 | TBD | \$152.29 | \$208.93 | \$101.93 | \$162.34 | \$197.57 | \$96.58 | NA | \$119.06 | \$98.59 |

BELLSOUTH/Al-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
LOOP/PORT COMBINATIONS

Attachment 2
Exhibit C
Rates - Page 43

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|--------|--------|----------|----------|--------|----------|----------|----------|--------|----------|
| 4 - Wire DS1 Digital Loop - Zone 4 | TBD | NA | NA | NA | NA | NA | \$127.47 | NA | NA | NA |
| Combination Rates | | | | | | | | | | |
| 4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Statewide | Note 8 | NA | NA | NA | NA | NA | NA | \$186.23 | NA | NA |
| 4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Zone 1 | Note 8 | TBD | \$128.54 | \$176.33 | TBD | \$205.59 | \$197.45 | NA | TBD | \$93.28 |
| 4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Zone 2 | Note 8 | TBD | \$158.56 | \$184.93 | TBD | \$246.00 | \$214.04 | NA | TBD | \$110.95 |
| 4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Zone 3 | Note 8 | TBD | \$272.78 | \$222.73 | TBD | \$346.84 | \$243.04 | NA | TBD | \$134.14 |
| 4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Zone 4 | Note 8 | NA | NA | NA | NA | NA | \$273.93 | NA | NA | NA |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - 1st | TBD | TBD | TBD | \$320.64 | TBD | TBD | TBD | \$490.38 | TBD | \$312.91 |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Addl | TBD | TBD | TBD | \$320.64 | TBD | TBD | TBD | \$490.38 | TBD | \$312.91 |
| NRCs for New(not Currently Combined) as ordered in Georgia | | | | | | | | | | |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - 1st | TBD | NA | NA | \$519.42 | NA | NA | NA | NA | NA | |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Addl | TBD | NA | NA | \$320.64 | NA | NA | NA | NA | NA | |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Subsequent Channel Activation - Per Channel | TBD | TBD | TBD | TBD | TBD | TBD | TBD | \$146.91 | TBD | \$108.67 |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - Subsequent Telephone Numbers | TBD | TBD | TBD | TBD | TBD | TBD | TBD | \$120.96 | TBD | \$88.68 |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - Subsequent Signaling Changes | TBD | TBD | TBD | TBD | TBD | TBD | TBD | \$29.65 | TBD | \$22.92 |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - Subsequent Service Order Per Order | TBD | TBD | TBD | TBD | TBD | TBD | TBD | \$127.63 | TBD | \$94.88 |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7) | SOME C | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| NRC- 4-Wire DS1 Digital Loop with 4-Wire DID Trunk Port - Incremental Cost-Manual Service Order - 1st | TBD | TBD | TBD | \$37.88 | TBD | TBD | TBD | TBD | TBD | TBD |
| NRC- 4-Wire DS1 Digital Loop with 4-Wire DID Trunk Port - Incremental Cost-Manual Service Order - Add'l | TBD | TBD | TBD | \$16.84 | TBD | TBD | TBD | TBD | TBD | TBD |
| 2-Wire Voice Grade Loop with 2-Wire Line Port PBX | | | | | | | | | | |
| 2-Wire Analog Line Port (PBX), per month | | | | | | | | | | |
| 2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence | UEPRD | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |
| LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS | UEPPC | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |
| LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS | UEPPO | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |
| LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS | UEPP1 | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING PORT | UEPA2 | \$2.20 | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA CALLING PORT | UEPL2 | NA | NA | NA | NA | \$2.55 | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS | UEPLD | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE CALLING PORT | UEPT2 | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING PORT | UEPTO | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT | UEPXA | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |
| 2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS | UEPXB | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |
| 2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT | UEPXC | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT | UEPXD | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD CAPABLE PORT | UEPXE | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING PORT WITHOUT LUD | UEPXF | NA | NA | NA | \$2.61 | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT | UEPXG | NA | NA | NA | \$2.61 | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT | UEPXH | NA | NA | NA | \$2.61 | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT WITHOUT LUD | UEPXJ | NA | NA | NA | \$2.61 | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING PORT | UEPXK | NA | NA | NA | NA | \$2.55 | NA | NA | NA | NA |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
LOOP/PORT COMBINATIONS

Attachment 2
Exhibit C
Rates - Page 44

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|--------|---------|---------|----------|---------|---------|---------|---------|---------|----------|
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORT | UEPXL | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM CALLING PORT | UEPXM | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORT TENNESSEE CALLING PORT | UEPXN | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL DIACOUNT ROOM CALLING PORT | UEPXO | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL DISCOUNT CALLING PORT | UEPXP | NA | NA | NA | NA | \$2.55 | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY CALLING PORT | UEPXQ | NA | NA | NA | NA | NA | \$2.12 | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL CALLING PORT | UEPXR | NA | NA | NA | NA | NA | \$2.12 | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX MEASURED PORT | UEPXS | \$2.20 | \$2.00 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$1.90 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS CALLING PORT | UEPXT | NA | NA | NA | NA | NA | NA | NA | \$3.69 | NA |
| 2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT | UEPXU | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING PORT | UEPXV | NA | NA | NA | NA | NA | NA | NA | NA | \$1.90 |
| | | | | | | | | | | |
| LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT) | LNPCP | | | | | | | | | |
| | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL1) | | | | | | | | | | |
| RC - 2- Wire Voice Grade Loop - Statewide | UEPLX | NA | NA | NA | NA | NA | NA | \$14.18 | NA | NA |
| RC - 2- Wire Voice Grade Loop - Zone 1 | UEPLX | \$14.35 | \$13.75 | \$10.80 | \$14.79 | \$14.05 | \$14.59 | NA | \$17.02 | \$15.92 |
| RC - 2- Wire Voice Grade Loop - Zone 2 | UEPLX | \$23.31 | \$20.13 | \$12.47 | \$27.68 | \$24.14 | \$19.33 | NA | \$25.66 | \$20.79 |
| RC - 2- Wire Voice Grade Loop - Zone 3 | UEPLX | \$42.24 | \$44.40 | \$19.83 | \$47.78 | \$49.30 | \$27.63 | NA | \$33.99 | \$27.18 |
| RC - 2- Wire Voice Grade Loop - Zone 4 | UEPLX | NA | NA | NA | NA | NA | \$36.47 | NA | NA | NA |
| Combination Rates | | | | | | | | | | |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Statewide | Note 8 | NA | NA | NA | NA | NA | NA | \$16.46 | NA | NA |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 1 (Note 6) | Note 8 | \$16.55 | \$15.75 | \$12.59 | #VALUE! | \$16.60 | \$16.71 | NA | \$20.71 | \$17.84 |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 2 (Note 6) | Note 8 | \$25.51 | \$22.13 | \$14.26 | #VALUE! | \$26.69 | \$21.45 | NA | \$29.35 | \$22.69 |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 3 (Note 6) | Note 8 | \$44.44 | \$46.40 | \$21.62 | #VALUE! | \$51.85 | \$29.75 | NA | \$37.68 | \$29.08 |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 4 (Note 6) | Note 8 | NA | NA | NA | NA | NA | \$38.59 | NA | NA | NA |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch as is | USAC2 | \$2.80 | \$1.46 | \$2.01 | \$10.00 | \$3.80 | \$5.20 | \$2.77 | \$1.59 | \$1.03 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, Switch as is | USAC2 | \$0.41 | \$0.93 | \$0.3108 | \$10.00 | \$0.29 | \$0.41 | \$0.40 | \$0.40 | \$0.2886 |
| | | | | | | | | | | |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch with change | USACC | \$2.80 | \$1.46 | \$2.01 | \$10.00 | \$3.80 | \$5.20 | \$2.77 | \$1.59 | \$1.03 |
| | | | | | | | | | | |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, Switch with change | USACC | \$0.41 | \$0.93 | \$0.3108 | \$10.00 | \$0.29 | \$0.41 | \$0.40 | \$0.40 | \$0.2886 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | USAS2 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7) | SOME C | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Svc.Order vs. Electronic - 1st | SOMAN | \$40.71 | \$19.99 | \$33.67 | \$19.99 | \$31.92 | \$43.52 | \$40.18 | \$43.19 | \$30.89 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Svc.Order vs. Electronic - Add'l | SOMAN | \$9.58 | \$19.99 | \$7.88 | \$19.99 | \$7.32 | \$0.99 | \$9.45 | \$9.91 | \$7.03 |
| | | | | | | | | | | |
| NRC - 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Electronic | TBD | \$1.44 | TBD | TBD | TBD | \$2.11 | \$2.87 | \$1.42 | \$0.71 | \$0.76 |
| NRC - 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Manual Service Order | TBD | \$8.25 | TBD | TBD | TBD | \$5.12 | \$6.88 | \$10.27 | \$8.91 | \$7.97 |
| NRC - Incremental Manual Service Order Disconnect | TBD | \$20.00 | \$20.00 | \$20.00 | \$20.00 | \$20.00 | \$20.00 | \$20.00 | \$20.00 | \$20.00 |
| NRCs for New (not Currently Combined) as ordered in Georgia: | | | | | | | | | | |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st | TBD | NA | NA | \$22.14 | NA | NA | NA | NA | NA | NA |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l | TBD | NA | NA | \$15.25 | NA | NA | NA | NA | NA | NA |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
LOOP/PORT COMBINATIONS

Attachment 2
Exhibit C
Rates - Page 45

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|--|-----|-----|---------|-----|-----|-----|-----|-----|-----|
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | USAS2 | NA | NA | \$10.00 | NA | NA | NA | NA | NA | NA |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - 1st | TBD | NA | NA | \$8.45 | NA | NA | NA | NA | NA | NA |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - Add'l | TBD | NA | NA | \$3.91 | NA | NA | NA | NA | NA | NA |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7) | SOMEK | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs. Electronic - New - 1st | TBD | NA | NA | \$37.06 | NA | NA | NA | NA | NA | NA |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs. Electronic - New - Add'l | TBD | NA | NA | \$8.19 | NA | NA | NA | NA | NA | NA |
| NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Electronic | TBD | NA | NA | TBD | NA | NA | NA | NA | NA | NA |
| NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Manual Service Order | TBD | NA | NA | TBD | NA | NA | NA | NA | NA | NA |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs. Electronic - New - Disconnect | TBD | NA | NA | \$11.17 | NA | NA | NA | NA | NA | NA |
| All Other Loop/Port Combinations | TBD | TBD | TBD | Note 2 | TBD | TBD | TBD | TBD | TBD | TBD |
| LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT) | LNPCX | | | | | | | | | |
| NOTES: | | | | | | | | | | |
| 1 | Market Rates will apply in those areas where BellSouth is not required to provide circuit switching pursuant to FCC rules. | | | | | | | | | |
| 2 | In Georgia, rates will apply for Currently Combined as well as not Currently Combined loop/port combinations unless otherwise identified. | | | | | | | | | |
| 3 | In the absence of ordered rates by a State Commission, the recurring rates for Currently Combined combinations of loop/port network elements will be the sum of the recurring rates for the UNEs which make up the combinations, and the nonrecurring rates shall be as set forth in this section. | | | | | | | | | |
| 4 | Usage and Common Transport rates associated with the stand-alone UNE port elements will apply to all combinations of loop/port network elements. | | | | | | | | | |
| 5 | Deleted | | | | | | | | | |
| 6 | Effective May 1, 2000 statewide rates will be replaced by Deaveraged Loop Rates by Zone where available. Until approximately December 31, 2000 or until such time that BellSouth billing systems have been developed to handle the new zone rate structure, BellSouth will bill at the Zone 1 Deaveraged Loop rate level only. After December 31, 2000 or such time that the billing systems have been developed to handle the new zone rate structure, BellSouth will begin billing pursuant to CLEC-1's interconnection agreement. | | | | | | | | | |
| 7 | In the absence of ordered OSS rates by a state commission, BellSouth will offer regionwide rates | | | | | | | | | |
| 8 | There is not a unique combination USOC. CLEC should submit the loop and port USOCs. | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
ENHANCED EXTENDED LINKS

Attachment 2
Exhibit C
Rates - Page 46

| ENHANCED EXTENDED LINKS (EELs) | | | | | | | | | | | |
|---|-------|----|----------|----------|----|----------|----|----------|----|----------|--|
| New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable]). | | | | | | | | | | | |
| | | | | | | | | | | | |
| DS1 Interoffice Channel and 2-wire VG Local Loop EEL: | | | | | | | | | | | |
| Recurring Charges | | | | | | | | | | | |
| 2-wire VG Loop per month, statewide | UEAL2 | NA | \$17.00 | \$16.51 | NA | \$19.35 | NA | \$19.50 | NA | \$18.00 | |
| 2-wire VG Loop per month, Zone 1 (Note 1) | TBD | NA | \$13.75 | \$16.84 | NA | \$17.65 | NA | TBD | NA | \$15.92 | |
| 2-wire VG Loop per month, Zone 2 (Note 1) | TBD | NA | \$20.13 | \$19.45 | NA | \$30.32 | NA | TBD | NA | \$20.79 | |
| 2-wire VG Loop per month, Zone 3 (Note 1) | NA | NA | \$44.40 | \$30.92 | NA | \$61.93 | NA | TBD | NA | \$27.18 | |
| 2-wire VG Loop per month, Zone 4 (Note 1) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | |
| Interoffice Channel - Dedicated - DS1 - per mile per month | 1L5XX | NA | \$0.2035 | \$0.31 | NA | \$0.78 | NA | \$0.78 | NA | \$0.35 | |
| Interoffice Channel - Dedicated - DS1 - Facility Termination per month | U1TF1 | NA | \$93.31 | \$63.39 | NA | \$93.40 | NA | \$93.40 | NA | \$75.83 | |
| DS1 Channelized System per month | MQ1 | NA | \$154.74 | \$127.60 | NA | \$209.87 | NA | \$209.87 | NA | \$165.21 | |
| VG (COCI) interface card per month | 1D1VG | NA | \$1.46 | \$1.18 | NA | \$1.62 | NA | \$1.62 | NA | \$1.25 | |
| Non-Recurring Charges - New EEL (Note 2)(Note 3) | | | | | | | | | | | |
| NRC- DS1 interoffice Facility Termination - 1st | U1TF1 | NA | \$370.81 | \$169.57 | NA | \$160.49 | NA | \$217.17 | NA | \$165.53 | |
| NRC-DS1 interoffice Facility Termination - Add'l | U1TF1 | NA | \$247.73 | \$112.77 | NA | \$123.03 | NA | \$163.75 | NA | \$124.84 | |
| NRC-2-wire VG Local Loop - 1st | UEAL2 | NA | \$271.29 | \$122.51 | NA | \$128.42 | NA | \$142.97 | NA | \$103.76 | |
| NRC-2-wire VG Local Loop - Add'l | UEAL2 | NA | \$104.90 | \$81.48 | NA | \$93.60 | NA | \$106.56 | NA | \$65.84 | |
| NRC-DS1 Channelization System -1st | MQ1 | NA | \$127.67 | \$138.85 | NA | \$220.07 | NA | \$193.63 | NA | \$222.87 | |
| NRC-DS1 Channelization System - Add'l | MQ1 | NA | \$29.75 | \$92.34 | NA | \$135.20 | NA | \$118.37 | NA | \$135.80 | |
| NRC-VG(COCI)interface card -1st | 1D1VG | NA | \$12.26 | \$12.15 | NA | \$12.29 | NA | \$15.76 | NA | \$12.61 | |
| NRC-VG(COCI)interface card - Add'l | 1D1VG | NA | \$8.84 | \$8.76 | NA | \$8.80 | NA | \$11.28 | NA | \$9.03 | |
| NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination - E | SOMEC | NA | \$3.20 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3.50 | |
| NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination - M | SOMAN | NA | \$25.60 | NA | NA | NA | NA | NA | NA | \$19.99 | |
| NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination - M | SOMAN | NA | NA | \$34.00 | NA | \$242.20 | NA | \$66.20 | NA | NA | |
| NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination - M | SOMAN | NA | NA | \$27.79 | NA | \$153.37 | NA | \$51.40 | NA | NA | |
| NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination - M | SOMAN | NA | NA | \$20.10 | NA | \$45.91 | NA | NA | NA | NA | |
| NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination - M | SOMAN | NA | NA | \$11.98 | NA | \$8.06 | NA | NA | NA | NA | |
| | | | | | | | | | | | |
| DS1 Interoffice Channel and 4-wire VG Local Loop EEL: | | | | | | | | | | | |
| Recurring Charges | | | | | | | | | | | |
| 4-wire VG Loop per month, statewide | UEAL4 | NA | \$30.00 | \$25.86 | NA | \$31.52 | NA | \$27.49 | NA | \$18.00 | |
| 4-wire VG Loop per month, Zone 1 (Note 1) | TBD | NA | \$24.26 | \$22.26 | NA | \$24.36 | NA | NA | NA | \$15.92 | |
| 4-wire VG Loop per month, Zone 2 (Note 1) | TBD | NA | \$35.51 | \$78.35 | NA | \$41.85 | NA | NA | NA | \$20.79 | |
| 4-wire VG Loop per month, Zone 3 (Note 1) | TBD | NA | \$78.35 | \$0.00 | NA | \$86.47 | NA | NA | NA | \$27.18 | |
| 4-wire VG Loop per month, Zone 4 (Note 1) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | |
| Interoffice Channel - Dedicated - DS1 - per mile per month | 1L5XX | NA | \$0.2035 | \$0.31 | NA | \$0.78 | NA | \$0.08 | NA | \$0.35 | |
| Interoffice Channel - Dedicated - DS1 - Facility Termination per month | U1TF1 | NA | \$93.31 | \$63.39 | NA | \$93.40 | NA | \$71.29 | NA | \$75.83 | |
| DS1 Channelized System per month | MQ1 | NA | \$154.74 | \$18.23 | NA | \$209.87 | NA | \$177.72 | NA | \$165.21 | |
| VG (COCI) interface card per month | 1D1VG | NA | \$1.46 | \$2.67 | NA | \$1.62 | NA | \$1.64 | NA | \$1.25 | |
| Non-Recurring Charges - New EEL (Note 2) (Note 3) | | | | | | | | | | | |
| NRC- DS1 interoffice Facility Termination - 1st | U1TF1 | NA | \$370.81 | \$169.57 | NA | \$160.49 | NA | \$534.48 | NA | \$165.53 | |
| NRC-DS1 interoffice Facility Termination - Add'l | U1TF1 | NA | \$247.73 | \$112.77 | NA | \$123.03 | NA | \$462.69 | NA | \$124.84 | |
| NRC-4-wire VG Local Loop - 1st | UEAL4 | NA | \$271.29 | \$275.61 | NA | \$128.42 | NA | \$288.47 | NA | \$103.76 | |
| NRC-4-wire VG Local Loop - Add'l | UEAL4 | NA | \$104.90 | \$225.76 | NA | \$93.60 | NA | \$237.45 | NA | \$65.84 | |
| NRC-DS1 Channelization System -1st | MQ1 | NA | \$127.67 | \$138.85 | NA | \$220.07 | NA | \$301.74 | NA | \$222.87 | |
| NRC-DS1 Channelization System - Add'l | MQ1 | NA | \$29.75 | \$92.34 | NA | \$135.20 | NA | \$182.57 | NA | \$135.80 | |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
ENHANCED EXTENDED LINKS

Attachment 2
Exhibit C
Rates - Page 47

| | | | | | | | | | | | |
|--|--|-------|----|----------|----------|----|----------|----|----------|----|----------|
| | ENHANCED EXTENDED LINKS (EELs) | | | | | | | | | | |
| | NRC-VG(COCI)interface card -1st | 1D1VG | NA | \$12.26 | \$12.15 | NA | \$12.29 | NA | \$15.76 | NA | \$12.61 |
| | NRC-VG(COCI)interface card - Add' | 1D1VG | NA | \$8.84 | \$8.78 | NA | \$8.80 | NA | \$11.28 | NA | \$9.03 |
| | NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Electro | SOME | NA | \$3.20 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3.50 |
| | NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manua | SOMAN | NA | \$25.60 | NA | NA | NA | NA | NA | NA | \$19.99 |
| | NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manua | SOMAN | NA | NA | \$30.42 | NA | \$242.20 | NA | \$66.20 | NA | NA |
| | NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manua | SOMAN | NA | NA | \$18.76 | NA | \$153.37 | NA | \$51.40 | NA | NA |
| | NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manua | SOMAN | NA | NA | \$12.15 | NA | \$45.91 | NA | NA | NA | NA |
| | NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manua | SOMAN | NA | NA | \$8.76 | NA | \$8.06 | NA | NA | NA | NA |
| | | | | | | | | | | | |
| | DS1 Interoffice Channel and 2-wire ISDN Local Loop: | | | | | | | | | | |
| | Recurring Charges | | | | | | | | | | |
| | 2-wire ISDN Loop per month, statewide | U1L2X | NA | \$40.00 | \$25.43 | NA | \$27.36 | NA | \$24.98 | NA | \$18.00 |
| | 2-wire ISDN Loop per month, Zone 1 (Note 1) | TBD | NA | \$32.34 | \$21.89 | NA | \$21.15 | NA | TBD | NA | \$15.54 |
| | 2-wire ISDN Loop per month, Zone 2 (Note 1) | TBD | NA | \$47.35 | \$25.27 | NA | \$36.22 | NA | TBD | NA | \$19.55 |
| | 2-wire ISDN Loop per month, Zone 3 (Note 1) | TBD | NA | \$104.47 | \$40.17 | NA | \$74.19 | NA | TBD | NA | \$28.02 |
| | 2-wire ISDN Loop per month, Zone 4 (Note 1) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | Interoffice Channel - Dedicated - DS1 - per mile per month | 1L5XX | NA | \$0.2035 | \$0.31 | NA | \$0.78 | NA | \$0.08 | NA | \$0.35 |
| | Interoffice Channel - Dedicated - DS1 - Facility Termination per month | U1TF1 | NA | \$93.31 | \$63.39 | NA | \$93.40 | NA | \$71.29 | NA | \$75.83 |
| | DS1 Channelized System per month | MQ1 | NA | \$154.74 | \$127.60 | NA | \$209.87 | NA | \$177.72 | NA | \$165.21 |
| | 2-wire ISDN(BRITE COCI) per month | UC1CA | NA | \$3.86 | \$3.41 | NA | \$4.18 | NA | \$3.76 | NA | \$3.33 |
| | Non-Recurring Charges - New EEL (Note 2)(Note 3) | | | | | | | | | | |
| | NRC- DS1 interoffice Facility Termination - 1st | U1TF1 | NA | \$370.81 | \$169.57 | NA | \$160.49 | NA | \$217.17 | NA | \$165.53 |
| | NRC-DS1 interoffice Facility Termination - Add'l | U1TF1 | NA | \$247.73 | \$112.77 | NA | \$123.03 | NA | \$163.75 | NA | \$124.84 |
| | NRC- 2-wire ISDN Local Loop - 1st | U1L2X | NA | \$271.29 | \$122.51 | NA | \$223.27 | NA | \$325.91 | NA | \$58.50 |
| | NRC- 2-wire ISDN Local Loop - Add'l | U1L2X | NA | \$104.90 | \$81.48 | NA | \$172.63 | NA | \$251.31 | NA | \$31.00 |
| | NRC-DS1 Channelization System -1st | MQ1 | NA | \$127.67 | \$138.85 | NA | \$220.07 | NA | \$301.74 | NA | \$222.87 |
| | NRC-DS1 Channelization System - Add'l | MQ1 | NA | \$29.75 | \$92.34 | NA | \$135.20 | NA | \$182.57 | NA | \$135.80 |
| | NRC-2-wire BRITE(COCI)interface card -1st | UC1CA | NA | \$12.26 | \$12.15 | NA | \$12.29 | NA | \$15.76 | NA | \$12.61 |
| | NRC-2-wire BRITE(COCI)interface card -Add'l | UC1CA | NA | \$8.84 | \$8.76 | NA | \$8.80 | NA | \$11.28 | NA | \$9.03 |
| | NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Elec | SOME | NA | \$3.20 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3.50 |
| | NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Mar | SOMAN | NA | \$25.60 | NA | NA | NA | NA | NA | NA | \$19.99 |
| | NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Mar | SOMAN | NA | NA | \$34.00 | NA | \$57.58 | NA | \$38.07 | NA | NA |
| | NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Mar | SOMAN | NA | NA | \$27.79 | NA | \$36.31 | NA | \$38.07 | NA | NA |
| | NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Mar | SOMAN | NA | NA | \$20.10 | NA | \$16.12 | NA | NA | NA | NA |
| | NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Mar | SOMAN | NA | NA | \$11.98 | NA | \$8.06 | NA | NA | NA | NA |
| | | | | | | | | | | | |
| | DS1 Interoffice Channel and 4-wire 56 kbps Local Loop: | | | | | | | | | | |
| | Recurring Charges | | | | | | | | | | |
| | 4-wire 56kbps Loop per month, statewide | UDL56 | NA | \$48.33 | \$29.92 | NA | \$35.58 | NA | \$32.67 | NA | \$42.23 |
| | 4-wire 56kbps Loop per month, Zone 1 (Note 1) | TBD | NA | \$39.08 | \$25.75 | NA | \$27.50 | NA | TBD | NA | \$36.45 |
| | 4-wire 56kbps Loop per month, Zone 2 (Note 1) | TBD | NA | \$57.21 | \$29.74 | NA | \$47.24 | NA | TBD | NA | \$45.87 |
| | 4-wire 56kbps Loop per month, Zone 3 (Note 1) | TBD | NA | \$126.22 | \$47.27 | NA | \$96.48 | NA | TBD | NA | \$65.75 |
| | 4-wire 56kbps Loop per month, Zone 4 (Note 1) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | Interoffice Channel - Dedicated - DS1 - per mile per month | 1L5XX | NA | \$0.2035 | \$0.31 | NA | \$0.78 | NA | \$0.08 | NA | \$0.35 |
| | Interoffice Channel - Dedicated - DS1 - Facility Termination per month | U1TF1 | NA | \$93.31 | \$63.39 | NA | \$93.40 | NA | \$71.29 | NA | \$75.83 |
| | DS1 Channelized System per month | MQ1 | NA | \$154.74 | \$18.23 | NA | \$209.87 | NA | \$177.72 | NA | \$165.21 |
| | 4-wire 56kbps card COCI per month | 1D1DD | NA | \$2.22 | \$1.06 | NA | \$3.12 | NA | \$2.88 | NA | \$2.46 |
| | Non-Recurring Charges - New EEL (Note 2) (Note 3) | | | | | | | | | | |
| | NRC- DS1 interoffice Facility Termination - 1st | U1TF1 | NA | \$370.81 | \$169.57 | NA | \$160.49 | NA | \$217.17 | NA | \$165.53 |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
ENHANCED EXTENDED LINKS

Attachment 2
Exhibit C
Rates - Page 48

| | | | | | | | | | | | |
|--|--|--------|----|----------|----------|----|----------|----|----------|----|----------|
| | ENHANCED EXTENDED LINKS (EELs) | | | | | | | | | | |
| | NRC-DS1 interoffice Facility Termination - Add'l | U1TF1 | NA | \$247.73 | \$112.77 | NA | \$123.03 | NA | \$163.75 | NA | \$124.84 |
| | NRC-4-wire 56kbps Local Loop - 1st | UDL56 | NA | \$271.29 | \$443.56 | NA | \$333.28 | NA | \$489.04 | NA | \$643.00 |
| | NRC-4-wire 56kbps Local Loop - Add'l | UDL56 | NA | \$104.90 | \$269.01 | NA | \$230.50 | NA | \$337.51 | NA | \$421.26 |
| | NRC-DS1 Channelization System -1st | MQ1 | NA | \$127.67 | \$138.85 | NA | \$220.07 | NA | \$301.74 | NA | \$222.87 |
| | NRC-DS1 Channelization System - Add'l | MQ1 | NA | \$29.75 | \$92.34 | NA | \$135.20 | NA | \$182.57 | NA | \$135.80 |
| | NRC-4-wire 56kbps(COCL)interface card -1st | 1D1DD | NA | \$12.26 | \$12.15 | NA | \$12.29 | NA | \$15.76 | NA | \$12.61 |
| | NRC-4-wire 56kbps(COCL)interface card -Add'l | 1D1DD | NA | \$8.84 | \$8.76 | NA | \$8.80 | NA | \$11.28 | NA | \$9.03 |
| | NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - E | SOMECE | NA | \$3.20 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3.50 |
| | NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - M | SOMAN | NA | \$25.60 | NA | NA | NA | NA | NA | NA | \$19.99 |
| | NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - M | SOMAN | NA | NA | \$34.00 | NA | \$242.20 | NA | \$38.07 | NA | NA |
| | NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - M | SOMAN | NA | NA | \$27.79 | NA | \$153.37 | NA | \$38.07 | NA | NA |
| | NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - M | SOMAN | NA | NA | \$20.10 | NA | \$45.91 | NA | NA | NA | NA |
| | NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - M | SOMAN | NA | NA | \$11.98 | NA | \$8.06 | NA | NA | NA | NA |
| | | | | | | | | | | | |
| | DS1 Interoffice Channel and 4-wire 64 kbps Local Loop: | | | | | | | | | | |
| | Recurring Charges | | | | | | | | | | |
| | 4-wire 64kbps Loop per month, statewide | UDL64 | NA | \$48.33 | \$29.92 | NA | NA | NA | \$32.67 | NA | \$42.23 |
| | 4-wire 64kbps Loop per month, Zone 1 (Note 1) | TBD | NA | \$39.08 | \$25.75 | NA | \$27.50 | NA | TBD | NA | \$36.45 |
| | 4-wire 64kbps Loop per month, Zone 2 (Note 1) | TBD | NA | \$57.21 | \$29.74 | NA | \$47.24 | NA | TBD | NA | \$45.87 |
| | 4-wire 64kbps Loop per month, Zone 3 (Note 1) | TBD | NA | \$126.22 | \$47.27 | NA | \$96.48 | NA | TBD | NA | \$65.75 |
| | 4-wire 64kbps Loop per month, Zone 4 (Note 1) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | Interoffice Channel - Dedicated - DS1 - per mile per month | 1L5XX | NA | \$0.2035 | \$0.31 | NA | \$0.78 | NA | \$0.08 | NA | \$0.35 |
| | Interoffice Channel - Dedicated - DS1 - Facility Termination per month | U1TF1 | NA | \$93.31 | \$63.39 | NA | \$93.40 | NA | \$71.29 | NA | \$75.83 |
| | DS1 Channelized System per month | MQ1 | NA | \$154.74 | \$18.23 | NA | \$209.87 | NA | \$177.72 | NA | \$165.21 |
| | 4-wire 64kbps card COCL per month | 1D1DD | NA | \$1.06 | \$1.06 | NA | \$3.12 | NA | \$2.88 | NA | \$2.46 |
| | Non-Recurring Charges - New EEL (Note 2) (Note 3) | | | | | | | | | | |
| | NRC- DS1 interoffice - 1st | U1TF1 | NA | \$370.81 | \$169.57 | NA | \$160.49 | NA | \$217.17 | NA | \$165.53 |
| | NRC- DS1 interoffice - Add'l | U1TF1 | NA | \$247.73 | \$112.77 | NA | \$123.03 | NA | \$163.75 | NA | \$124.84 |
| | NRC-4-wire 64kbps Local Loop - 1st | UDL64 | NA | \$271.29 | \$443.56 | NA | \$333.28 | NA | \$489.04 | NA | \$103.76 |
| | NRC-4-wire 64kbps Local Loop - Add'l | UDL64 | NA | \$104.90 | \$269.01 | NA | \$230.50 | NA | \$337.51 | NA | \$65.84 |
| | NRC-DS1 Channelization System -1st | MQ1 | NA | \$127.67 | \$138.85 | NA | \$220.07 | NA | \$301.74 | NA | \$222.87 |
| | NRC-DS1 Channelization System - Add'l | MQ1 | NA | \$29.75 | \$92.34 | NA | \$135.20 | NA | \$288.33 | NA | \$135.80 |
| | NRC-4-wire 64kbps(COCL)interface card -1st | 1D1DD | NA | \$12.26 | \$12.15 | NA | \$12.29 | NA | \$15.76 | NA | \$12.61 |
| | NRC-4-wire 64kbps(COCL)interface card -Add'l | 1D1DD | NA | \$8.84 | \$8.76 | NA | \$8.80 | NA | \$11.28 | NA | \$9.03 |
| | NRC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - E | SOMECE | NA | \$3.20 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3.50 |
| | NRC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - M | SOMAN | NA | \$25.60 | NA | NA | NA | NA | NA | NA | \$19.99 |
| | NRC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - M | SOMAN | NA | NA | \$34.00 | NA | \$242.20 | NA | \$38.07 | NA | NA |
| | NRC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - M | SOMAN | NA | NA | \$27.79 | NA | \$153.37 | NA | \$38.07 | NA | NA |
| | NRC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - M | SOMAN | NA | NA | \$20.10 | NA | \$45.91 | NA | NA | NA | NA |
| | NRC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - M | SOMAN | NA | NA | \$11.98 | NA | \$8.06 | NA | NA | NA | NA |
| | | | | | | | | | | | |
| | DS1 Interoffice Channel and DS1 Interoffice Local Loop: | | | | | | | | | | |
| | Recurring Charges | | | | | | | | | | |
| | DS1 Loop per month,State wide | USLXX | NA | \$80.00 | \$64.52 | NA | \$72.86 | NA | \$62.78 | NA | NA |
| | DS1 Loop per month, Zone 1 (Note 1) | TBD | NA | \$64.69 | \$55.53 | NA | \$56.32 | NA | TBD | NA | NA |
| | DS1 Loop per month, Zone 2 (Note 1) | TBD | NA | \$94.71 | \$64.13 | NA | \$96.73 | NA | TBD | NA | NA |
| | DS1 Loop per month, Zone 3 (Note 1) | TBD | NA | \$208.93 | \$101.93 | NA | \$197.57 | NA | TBD | NA | NA |
| | DS1 Loop per month, Zone 4 (Note 1) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | Interoffice Channel - Dedicated - DS1 - per mile per month | 1L5XX | NA | \$0.2035 | \$0.31 | NA | \$0.78 | NA | \$0.08 | NA | NA |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
ENHANCED EXTENDED LINKS

Attachment 2
Exhibit C
Rates - Page 49

| | | | | | | | | | | | |
|---------------------------------------|---|-------|----|----------|----------|----|----------|----|----------|----|----------|
| ENHANCED EXTENDED LINKS (EELs) | | | | | | | | | | | |
| | Interoffice Channel - Dedicated - DS1 - Facility Termination per month | U1TF1 | NA | \$93.31 | \$63.39 | NA | \$93.40 | NA | \$71.29 | NA | NA |
| | Non-Recurring Charges - New EEL (Note 2) (Note 3) | | | | | | | | | | |
| | NRC- DS1 interoffice - 1st | U1TF1 | NA | \$370.81 | \$169.57 | NA | \$160.49 | NA | \$217.17 | NA | NA |
| | NRC- DS1 interoffice - Add'l | U1TF1 | NA | \$247.73 | \$112.77 | NA | \$123.03 | NA | \$163.75 | NA | NA |
| | NRC-DS1 Local Loop - 1st | USLXX | NA | \$434.24 | \$535.73 | NA | \$502.73 | NA | \$714.84 | NA | NA |
| | NRC-DS1 Local Loop - Add'l | USLXX | NA | \$235.29 | \$227.04 | NA | \$293.92 | NA | \$421.47 | NA | NA |
| | NRC-DS1 interoffice channel and DS1 Local Loop Combination - Electronic Svc | SOMEC | NA | \$3.20 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3.50 |
| | NRC-DS1 interoffice channel and DS1 Local Loop Combination - Manual Svc | SOMAN | NA | \$25.60 | NA | NA | NA | NA | NA | NA | \$19.99 |
| | NRC-DS1 interoffice channel and DS1 Local Loop Combination - Manual Svc | SOMAN | NA | NA | \$34.00 | NA | \$242.20 | NA | \$38.07 | NA | NA |
| | NRC-DS1 interoffice channel and DS1 Local Loop Combination - Manual Svc | SOMAN | NA | NA | \$27.79 | NA | \$153.37 | NA | \$38.07 | NA | NA |
| | NRC-DS1 interoffice channel and DS1 Local Loop Combination - Manual Svc | SOMAN | NA | NA | \$20.10 | NA | \$45.91 | NA | NA | NA | NA |
| | NRC-DS1 interoffice channel and DS1 Local Loop Combination - Manual Svc | SOMAN | NA | NA | \$11.98 | NA | \$8.06 | NA | NA | NA | NA |
| | | | | | | | | | | | |
| | DS3 Interoffice Channel and DS3 Local Loop: | | | | | | | | | | |
| | Recurring Charges | | | | | | | | | | |
| | DS3 Loop per Facility Termination per month | UE3PX | NA | \$407.58 | \$394.59 | NA | \$669.01 | NA | \$387.01 | NA | \$607.28 |
| | DS3 Loop per mile | 1L5ND | NA | \$11.97 | \$8.99 | NA | \$30.34 | NA | \$32.53 | NA | \$23.76 |
| | Interoffice Channel - Dedicated - DS3 - Facility Termination per month | 1L5XX | NA | \$1,130 | \$717.60 | NA | \$1,101 | NA | \$720.38 | NA | \$760.20 |
| | Interoffice Channel - Dedicated - DS3 - per mile per month | U1TF3 | NA | \$4.25 | \$0.31 | NA | \$14.04 | NA | \$12.98 | NA | \$5.89 |
| | Non-Recurring Charges - New EEL (Note 2)(Note 3) | | | | | | | | | | |
| | NRC- DS3 interoffice - 1st | U1TF3 | NA | \$682.89 | \$456.02 | NA | \$713.57 | NA | \$794.94 | NA | \$729.27 |
| | NRC- DS3 interoffice - Add'l | U1TF3 | NA | \$288.32 | \$255.71 | NA | \$404.36 | NA | \$579.55 | NA | \$411.98 |
| | NRC-DS3 Local Loop - 1st | UE3PX | NA | \$502.08 | \$770.12 | NA | \$811.30 | NA | \$964.04 | NA | \$829.52 |
| | NRC-DS3 Local Loop - Add'l | UE3PX | NA | \$307.56 | \$551.49 | NA | \$502.09 | NA | \$542.73 | NA | \$512.23 |
| | NRC-DS3 interoffice channel and DS3 Local Loop Combination - Electronic Svc | SOMEC | NA | \$3.20 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3.50 |
| | NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Svc | SOMAN | NA | \$25.60 | NA | NA | NA | NA | NA | NA | \$19.99 |
| | NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Svc | SOMAN | NA | NA | \$37.96 | NA | \$100.50 | NA | \$56.25 | NA | NA |
| | NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Svc | SOMAN | NA | NA | \$37.96 | NA | \$100.50 | NA | \$56.25 | NA | NA |
| | NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Svc | SOMAN | NA | NA | \$18.23 | NA | \$41.88 | NA | NA | NA | NA |
| | NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Svc | SOMAN | NA | NA | \$18.23 | NA | \$41.88 | NA | NA | NA | NA |
| | | | | | | | | | | | |
| | STS-1 Interoffice Channel and STS-1 Local Loop: | | | | | | | | | | |
| | Recurring Charges | | | | | | | | | | |
| | STS-1 Loop per Facility Termination per month | UDLS1 | NA | \$449.40 | \$426.19 | NA | \$497.08 | NA | \$387.01 | NA | \$400.21 |
| | STS-1 Loop per mile | 1L5ND | NA | \$11.97 | \$8.99 | NA | \$497.08 | NA | \$32.53 | NA | \$30.53 |
| | Interoffice Channel - Dedicated - STS-1 - Facility Termination per month | U1TFS | NA | \$1,114 | \$792.17 | NA | \$1,101 | NA | \$800.94 | NA | \$838.65 |
| | Interoffice Channel - Dedicated - STS-1 - per mile per month | 1L5XX | NA | \$4.25 | \$2.75 | NA | \$14.04 | NA | \$6.29 | NA | \$6.88 |
| | Non-Recurring Charges - New EEL (Note 2)(Note 3) | | | | | | | | | | |
| | NRC- STS-1 interoffice - 1st | U1TFS | NA | \$682.89 | \$640.32 | NA | \$713.57 | NA | \$624.86 | NA | \$961.62 |
| | NRC- STS-1 interoffice - Add'l | U1TFS | NA | \$288.32 | \$575.26 | NA | \$404.36 | NA | \$436.36 | NA | \$625.84 |
| | NRC-STs-1 Local Loop - 1st | UDLS1 | NA | \$502.08 | \$770.12 | NA | \$811.30 | NA | \$964.04 | NA | \$829.52 |
| | NRC-STs-1 Local Loop - Add'l | UDLS1 | NA | \$307.56 | \$551.49 | NA | \$502.09 | NA | \$542.73 | NA | \$512.23 |
| | NRC-STs-1 interoffice channel and STS-1 Local Loop Combination - Electronic Svc | SOMEC | NA | \$3.20 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3.50 |
| | NRC-STs-1 interoffice channel and STS-1 Local Loop Combination - Manual Svc | SOMAN | NA | \$25.60 | NA | NA | NA | NA | NA | NA | \$19.99 |
| | NRC-STs-1 interoffice channel and STS-1 Local Loop Combination - Manual Svc | SOMAN | NA | NA | \$37.96 | NA | \$100.50 | NA | \$55.00 | NA | NA |
| | NRC-STs-1 interoffice channel and STS-1 Local Loop Combination - Manual Svc | SOMAN | NA | NA | \$37.96 | NA | \$100.50 | NA | \$55.00 | NA | NA |
| | NRC-STs-1 interoffice channel and STS-1 Local Loop Combination - Manual Svc | SOMAN | NA | NA | \$18.23 | NA | \$41.88 | NA | NA | NA | NA |
| | NRC-STs-1 interoffice channel and STS-1 Local Loop Combination - Manual Svc | SOMAN | NA | NA | \$18.23 | NA | \$41.88 | NA | NA | NA | NA |
| | | | | | | | | | | | |

BELLSOUTH/Al-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
ENHANCED EXTENDED LINKS

Attachment 2
Exhibit C
Rates - Page 50

| | | | | | | | | | | | |
|---|--------|----|----------|----------|----|----------|----|----------|----|----|----|
| ENHANCED EXTENDED LINKS (EELs) | | | | | | | | | | | |
| DS3 Interoffice Channel and DS1 Local Loop: | | | | | | | | | | | |
| Recurring Charges | | | | | | | | | | | |
| DS1 Loop per month, State wide | USLXX | NA | \$80.00 | \$60.88 | NA | \$72.86 | NA | \$62.78 | NA | NA | NA |
| DS1 Loop per month, Zone 1 (Note 1) | TBD | NA | \$64.69 | \$55.53 | NA | \$56.32 | NA | TBD | NA | NA | NA |
| DS1 Loop per month, Zone 2 (Note 1) | TBD | NA | \$94.71 | \$64.13 | NA | \$96.73 | NA | TBD | NA | NA | NA |
| DS1 Loop per month, Zone 3 (Note 1) | TBD | NA | \$208.93 | \$101.93 | NA | \$197.57 | NA | TBD | NA | NA | NA |
| DS1 Loop per month, Zone 4 (Note 1) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Interoffice Channel - Dedicated - DS3 - Facility Termination per month | U1TF3 | NA | \$1,130 | \$717.60 | NA | \$1,101 | NA | \$720.38 | NA | NA | NA |
| Interoffice Channel - Dedicated - DS3 - per mile per month | 1L5XX | NA | \$4.25 | \$6.46 | NA | \$14.04 | NA | \$12.98 | NA | NA | NA |
| DS3 Channelized System per month | MQ3 | NA | \$222.61 | \$202.91 | NA | \$245.84 | NA | \$226.81 | NA | NA | NA |
| DS3 Interface per month (DS1 COCI) | UC1D1 | NA | \$14.51 | \$0.67 | NA | \$7.55 | NA | \$4.61 | NA | NA | NA |
| Non-Recurring Charges - New EEL (Note 2)(Note 3) | | | | | | | | | | | |
| NRC- DS3 interoffice - 1st | U1TF3 | NA | \$682.89 | \$456.02 | NA | \$713.57 | NA | \$794.94 | NA | NA | NA |
| NRC- DS3 interoffice - Add'l | U1TF3 | NA | \$288.32 | \$255.71 | NA | \$404.36 | NA | \$579.55 | NA | NA | NA |
| NRC-DS1 Local Loop - 1st | USLXX | NA | \$434.24 | \$343.73 | NA | \$502.73 | NA | \$714.84 | NA | NA | NA |
| NRC-DS1 Local Loop - Add'l | USLXX | NA | \$235.29 | \$192.75 | NA | \$293.92 | NA | \$421.47 | NA | NA | NA |
| NRC-DS3 Channelization System -1st | MQ3 | NA | \$240.04 | \$189.93 | NA | \$320.72 | NA | \$351.95 | NA | NA | NA |
| NRC-DS3 Channelization System - Add'l | MQ3 | NA | \$106.82 | \$106.50 | NA | \$233.10 | NA | \$243.76 | NA | NA | NA |
| NRC-DS1(COCI)interface card -1st | UC1D1 | NA | \$12.26 | \$12.15 | NA | \$12.29 | NA | \$15.76 | NA | NA | NA |
| NRC-DS1(COCI)interface card -Add'l | UC1D1 | NA | \$8.84 | \$8.76 | NA | \$8.80 | NA | \$11.28 | NA | NA | NA |
| NRC-DS3 interoffice channel and DS1 Local Loop Combination - Electronic Svc | SOMECS | NA | \$3.20 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | NA | NA |
| NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manual Svc | SOMAN | NA | \$25.60 | \$34.00 | NA | NA | NA | NA | NA | NA | NA |
| NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manual Svc | SOMAN | NA | NA | \$27.79 | NA | \$36.28 | NA | \$91.26 | NA | NA | NA |
| NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manual Svc | SOMAN | NA | NA | \$20.10 | NA | \$26.20 | NA | \$91.26 | NA | NA | NA |
| NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manual Svc | SOMAN | NA | NA | \$11.98 | NA | \$19.47 | NA | NA | NA | NA | NA |
| NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manual Svc | SOMAN | NA | NA | GA | NA | \$8.06 | NA | NA | NA | NA | NA |
| STS-1 Interoffice Channel and DS1 Local Loop: | | | | | | | | | | | |
| Recurring Charges | | | | | | | | | | | |
| DS1 Loop per month, State wide | USLXX | NA | \$80.00 | \$60.88 | NA | \$72.86 | NA | \$62.78 | NA | NA | NA |
| DS1 Loop per month, Zone 1 (Note 1) | TBD | NA | \$64.69 | \$22.88 | NA | \$56.32 | NA | TBD | NA | NA | NA |
| DS1 Loop per month, Zone 2 (Note 1) | TBD | NA | \$94.71 | \$26.42 | NA | \$96.73 | NA | TBD | NA | NA | NA |
| DS1 Loop per month, Zone 3 (Note 1) | TBD | NA | \$208.93 | \$41.99 | NA | \$197.57 | NA | TBD | NA | NA | NA |
| DS1 Loop per month, Zone 4 (Note 1) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Interoffice Channel - Dedicated - STS-1 - Facility Termination per month | U1TFS | NA | \$1,114 | \$1,114 | NA | \$1,101 | NA | \$387.01 | NA | NA | NA |
| Interoffice Channel - Dedicated - STS-1 - per mile per month | 1L5XX | NA | \$4.25 | \$4.25 | NA | \$14.04 | NA | \$32.53 | NA | NA | NA |
| DS3 Channelized System per month | MQ3 | NA | \$222.61 | \$184.02 | NA | \$245.84 | NA | \$226.81 | NA | NA | NA |
| DS3 Interface per month (DS1 COCI) | UC1D1 | NA | \$14.51 | \$11.14 | NA | \$7.55 | NA | \$4.61 | NA | NA | NA |
| Non-Recurring Charges - New EEL (Note 2)(Note 3) | | | | | | | | | | | |
| NRC-DS1 Local Loop - 1st | USLXX | NA | \$434.24 | \$429.98 | NA | \$502.73 | NA | \$714.84 | NA | NA | NA |
| NRC-DS1 Local Loop - Add'l | USLXX | NA | \$235.29 | \$268.18 | NA | \$293.92 | NA | \$421.47 | NA | NA | NA |
| NRC- STS-1 interoffice - 1st | U1TFS | NA | \$682.89 | \$770.12 | NA | \$713.57 | NA | \$624.86 | NA | NA | NA |
| NRC- STS-1 interoffice - Add'l | U1TFS | NA | \$288.32 | \$551.49 | NA | \$404.36 | NA | \$436.36 | NA | NA | NA |
| NRC-DS3 Channelization System -1st | MQ3 | NA | \$240.04 | \$342.10 | NA | \$320.72 | NA | \$351.95 | NA | NA | NA |
| NRC-DS3 Channelization System - Add'l | MQ3 | NA | \$106.82 | \$251.45 | NA | \$233.10 | NA | \$243.76 | NA | NA | NA |
| NRC-DS1(COCI)interface card -1st | UC1D1 | NA | \$12.26 | \$12.15 | NA | \$12.29 | NA | \$15.76 | NA | NA | NA |
| NRC-DS1(COCI)interface card -Add'l | UC1D1 | NA | \$8.84 | \$8.76 | NA | \$8.80 | NA | \$11.28 | NA | NA | NA |
| NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Electronic Svc | SOMECS | NA | \$3.20 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | NA | NA |
| NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual Svc | SOMAN | NA | \$25.60 | NA | NA | NA | NA | NA | NA | NA | NA |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
ENHANCED EXTENDED LINKS

Attachment 2
Exhibit C
Rates - Page 51

| | | | | | | | | | | | |
|---------------------------------------|---|--------|----|----------|----------|----|----------|----|---------|----|----------|
| ENHANCED EXTENDED LINKS (EELs) | | | | | | | | | | | |
| | NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual S | SOMAN | NA | NA | \$56.90 | NA | \$68.39 | NA | \$55.00 | NA | NA |
| | NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual S | SOMAN | NA | NA | \$46.38 | NA | \$58.31 | NA | \$55.00 | NA | NA |
| | NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual S | SOMAN | NA | NA | \$37.17 | NA | \$50.49 | NA | NA | NA | NA |
| | NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual S | SOMAN | NA | NA | \$26.65 | NA | \$29.00 | NA | NA | NA | NA |
| | | | | | | | | | | | |
| | 2-wire VG Interoffice Channel and 2-wire VG Local Loop: | | | | | | | | | | |
| | Recurring Charges | | | | | | | | | | |
| | 2-wire VG Loop per month, statewide | UEAL2 | NA | \$17.00 | \$16.51 | NA | \$19.35 | NA | NA | NA | \$18.00 |
| | 2-wire VG Loop per month, Zone 1 (Note 1) | TBD | NA | \$13.75 | \$19.45 | NA | \$17.65 | NA | NA | NA | \$15.54 |
| | 2-wire VG Loop per month, Zone 2 (Note 1) | TBD | NA | \$20.13 | \$16.41 | NA | \$30.32 | NA | NA | NA | \$19.55 |
| | 2-wire VG Loop per month, Zone 3 (Note 1) | TBD | NA | \$44.40 | \$30.92 | NA | \$61.93 | NA | NA | NA | \$28.02 |
| | 2-wire VG Loop per month, Zone 4 (Note 1) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | Interoffice Channel - Dedicated - 2-wire VG - FacilityTermination per month | U1TV2 | NA | \$26.72 | \$17.07 | NA | \$19.10 | NA | NA | NA | \$18.33 |
| | Interoffice Channel - Dedicated - 2-wire VG - per mile per month | 1L5XX | NA | \$0.0100 | \$0.02 | NA | \$0.04 | NA | NA | NA | \$0.02 |
| | Non-Recurring Charges - New EEL (Note 2)(Note 3) | | | | | | | | | | |
| | NRC- 2-wire VG interoffice - 1st | U1TV2 | NA | \$222.65 | \$79.61 | NA | \$104.23 | NA | NA | NA | \$83.35 |
| | NRC- 2-wire VG interoffice - Add'l | U1TV2 | NA | \$118.83 | \$36.08 | NA | \$39.91 | NA | NA | NA | \$20.88 |
| | NRC-2-wire VG Local Loop - 1st | UEAL2 | NA | \$271.29 | \$104.17 | NA | \$128.42 | NA | NA | NA | \$192.97 |
| | NRC-2-wire VG Local Loop - Add'l | UEAL2 | NA | \$104.90 | \$78.10 | NA | \$93.60 | NA | NA | NA | \$140.72 |
| | NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination - E | SOMECE | NA | \$3.20 | \$3.50 | NA | \$3.50 | NA | NA | NA | \$3.50 |
| | NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination - M | SOMAN | NA | \$25.60 | NA | NA | NA | NA | NA | NA | \$19.99 |
| | NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination - M | SOMAN | NA | NA | \$37.88 | NA | \$36.28 | NA | NA | NA | NA |
| | NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination - M | SOMAN | NA | NA | \$27.36 | NA | \$26.20 | NA | NA | NA | NA |
| | NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination - M | SOMAN | NA | NA | NA | NA | \$19.47 | NA | NA | NA | NA |
| | NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination - M | SOMAN | NA | NA | NA | NA | \$8.06 | NA | NA | NA | NA |
| | | | | | | | | | | | |
| | 4-wire VG Interoffice Channel and 4-wire VG Local Loop: | | | | | | | | | | |
| | Recurring Charges | | | | | | | | | | |
| | 4-wire VG Loop per month, statewide | UEAL4 | NA | \$30.00 | NA | NA | NA | NA | NA | NA | NA |
| | 4-wire VG Loop per month, Zone 1 (Note 1) | TBD | NA | \$24.26 | NA | NA | NA | NA | NA | NA | NA |
| | 4-wire VG Loop per month, Zone 2 (Note 1) | TBD | NA | \$35.51 | NA | NA | NA | NA | NA | NA | NA |
| | 4-wire VG Loop per month, Zone 3 (Note 1) | TBD | NA | \$78.35 | NA | NA | NA | NA | NA | NA | NA |
| | 4-wire VG Loop per month, Zone 4 (Note 1) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | Interoffice Channel - Dedicated - 4-wire VG - FacilityTermination per month | U1TV4 | NA | \$23.82 | NA | NA | NA | NA | NA | NA | NA |
| | Interoffice Channel - Dedicated - 4-wire VG - per mile per month | 1L5XX | NA | \$0.0100 | NA | NA | NA | NA | NA | NA | NA |
| | Non-Recurring Charges - New EEL (Note 2)(Note 3) | | | | | | | | | | |
| | NRC- 4-wire VG interoffice - 1st | U1TV4 | NA | \$222.65 | NA | NA | NA | NA | NA | NA | NA |
| | NRC- 4-wire VG interoffice - Add'l | U1TV4 | NA | \$118.83 | NA | NA | NA | NA | NA | NA | NA |
| | NRC-4-wire VG Local Loop - 1st | UEAL4 | NA | \$271.29 | NA | NA | NA | NA | NA | NA | NA |
| | NRC-4-wire VG Local Loop - Add'l | UEAL4 | NA | \$104.90 | NA | NA | NA | NA | NA | NA | NA |
| | NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination - E | SOMECE | NA | \$3.20 | NA | NA | NA | NA | NA | NA | NA |
| | NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination - M | SOMAN | NA | \$25.60 | NA | NA | NA | NA | NA | NA | NA |
| | NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination - M | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination - M | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination - M | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination - M | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | | | | | | | | | | |
| | 4-wire 56 kbps Interoffice Channel and 4-wire 56kbps Local Loop: | | | | | | | | | | |
| | Recurring Charges | | | | | | | | | | |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
ENHANCED EXTENDED LINKS

Attachment 2
Exhibit C
Rates - Page 52

| | | | | | | | | | | | |
|--|--|--------|---------|----------|----------|---------|----------|---------|----------|---------|----------|
| ENHANCED EXTENDED LINKS (EELs) | | | | | | | | | | | |
| | 4-wire 56kbps Loop per month, statewide | UDL56 | NA | \$48.33 | NA | NA | \$35.58 | NA | \$32.67 | NA | \$42.23 |
| | 4-wire 56kbps Loop per month, Zone 1 (Note 1) | TBD | NA | \$24.26 | TBD | NA | \$24.36 | NA | TBD | NA | \$15.92 |
| | 4-wire 56kbps Loop per month, Zone 2 (Note 1) | TBD | NA | \$35.51 | TBD | NA | \$41.85 | NA | TBD | NA | \$20.79 |
| | 4-wire 56kbps Loop per month, Zone 3 (Note 1) | TBD | NA | \$78.35 | TBD | NA | \$86.47 | NA | TBD | NA | \$27.18 |
| | 4-wire 56kbps Loop per month, Zone 4 (Note 1) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | Interoffice Channel - Dedicated - 4-wire 56kbps - Facility Termination per month | U1TD5 | NA | \$23.82 | \$16.45 | NA | \$18.37 | NA | \$17.40 | NA | \$17.74 |
| | Interoffice Channel - Dedicated - 4-wire 56kbps - per mile per month | 1L5XX | NA | \$0.0100 | \$0.02 | NA | \$0.04 | NA | \$0.03 | NA | \$0.17 |
| Non-Recurring Charges - New EEL (Note 2)(Note 3) | | | | | | | | | | | |
| | NRC- 4-wire 56kbps interoffice - 1st | U1TD6 | NA | \$222.65 | \$79.61 | NA | \$104.23 | NA | \$137.48 | NA | \$83.35 |
| | NRC- 4-wire 56kbps interoffice - Add'l | U1TD6 | NA | \$118.83 | \$36.08 | NA | \$39.91 | NA | \$52.58 | NA | \$20.88 |
| | NRC-4-wire 56kbps Local Loop - 1st | U1TD5 | NA | \$271.29 | \$348.55 | NA | \$421.27 | NA | \$489.04 | NA | \$643.00 |
| | NRC-4-wire 56kbps Local Loop - Add'l | U1TD5 | NA | \$104.90 | \$241.20 | NA | \$274.74 | NA | \$337.51 | NA | \$421.28 |
| | NRC-4-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Combination | SOMECS | NA | \$3.20 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3.50 |
| | NRC-4-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Combination | SOMAN | NA | \$25.60 | NA | NA | NA | NA | NA | NA | \$19.99 |
| | NRC-4-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Combination | SOMAN | NA | NA | \$37.88 | NA | \$36.28 | NA | \$38.07 | NA | NA |
| | NRC-4-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Combination | SOMAN | NA | NA | \$27.36 | NA | \$26.20 | NA | \$38.07 | NA | NA |
| | NRC-4-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Combination | SOMAN | NA | NA | NA | NA | \$11.41 | NA | NA | NA | NA |
| | NRC-4-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Combination | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | | | | | | | | | | |
| 4-wire 64 kbps Interoffice Channel and 4-wire 64 kbps Local Loop: | | | | | | | | | | | |
| Recurring Charges | | | | | | | | | | | |
| | 4-wire 64kbps Loop per month, statewide | UDL64 | NA | \$48.33 | \$30.72 | NA | \$35.58 | NA | \$32.67 | NA | \$42.23 |
| | 4-wire 64kbps Loop per month, Zone 1 (Note 1) | TBD | NA | \$39.08 | TBD | NA | \$27.50 | NA | TBD | NA | \$36.45 |
| | 4-wire 64kbps Loop per month, Zone 2 (Note 1) | TBD | NA | \$57.21 | TBD | NA | \$47.24 | NA | TBD | NA | \$45.87 |
| | 4-wire 64kbps Loop per month, Zone 3 (Note 1) | TBD | NA | \$126.22 | TBD | NA | \$96.48 | NA | TBD | NA | \$65.75 |
| | 4-wire 64kbps Loop per month, Zone 4 (Note 1) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | Interoffice Channel - Dedicated - 4-wire 64kbps - Facility Termination per month | U1TD6 | NA | \$19.46 | \$16.45 | NA | \$18.37 | NA | \$17.40 | NA | \$17.74 |
| | Interoffice Channel - Dedicated - 4-wire 64kbps - per mile per month | 1L5XX | NA | \$0.0100 | \$0.02 | NA | \$0.04 | NA | \$0.03 | NA | \$0.17 |
| Non-Recurring Charges - New EEL (Note 2)(Note 3) | | | | | | | | | | | |
| | NRC- 4-wire 64kbps interoffice - 1st | U1TD6 | NA | \$222.65 | \$79.61 | NA | \$713.57 | NA | \$137.48 | NA | \$729.27 |
| | NRC- 4-wire 64kbps interoffice - Add'l | U1TD6 | NA | \$118.83 | \$36.08 | NA | \$404.36 | NA | \$52.58 | NA | \$411.98 |
| | NRC-4-wire 64kbps Local Loop - 1st | UDL64 | NA | \$271.29 | \$348.55 | NA | \$811.30 | NA | \$489.04 | NA | \$829.52 |
| | NRC-4-wire 64kbps Local Loop - Add'l | UDL64 | NA | \$104.90 | \$241.20 | NA | \$502.09 | NA | \$337.51 | NA | \$512.23 |
| | NRC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combination | SOMECS | NA | \$3.20 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3.50 |
| | NRC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combination | SOMAN | NA | \$25.60 | NA | NA | NA | NA | NA | NA | \$19.99 |
| | NRC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combination | SOMAN | NA | NA | \$37.96 | NA | \$100.50 | NA | \$38.07 | NA | NA |
| | NRC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combination | SOMAN | NA | NA | \$37.96 | NA | \$100.50 | NA | \$38.07 | NA | NA |
| | NRC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combination | SOMAN | NA | NA | \$18.23 | NA | \$41.88 | NA | NA | NA | NA |
| | NRC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combination | SOMAN | NA | NA | \$18.23 | NA | \$41.88 | NA | NA | NA | NA |
| | | | | | | | | | | | |
| Existing Combinations/Ordinarily Combined in GA | | | | | | | | | | | |
| Local Loop: | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1 | UEAL2 | \$19.04 | \$17.00 | \$16.51 | \$20.00 | \$19.35 | \$21.26 | \$19.50 | \$22.49 | \$18.00 |
| | Zone 1 | TBD | \$15.24 | \$13.75 | \$19.45 | \$14.79 | \$14.98 | \$15.56 | TBD | \$18.48 | \$15.54 |
| | Zone 2 | TBD | \$24.75 | \$20.13 | \$16.41 | \$27.68 | \$25.69 | \$20.65 | TBD | \$27.87 | \$19.55 |
| | Zone 3 | TBD | \$44.85 | \$44.40 | \$30.92 | \$47.78 | \$52.47 | \$29.51 | TBD | \$36.91 | \$28.02 |
| | Zone 4 | TBD | NA | NA | NA | NA | NA | \$38.94 | NA | NA | NA |
| NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | | |
| | NRC - 1st | UEAL2 | NA | NA | \$104.17 | NA | NA | NA | NA | NA | NA |

BELLSOUTH/Al-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
ENHANCED EXTENDED LINKS

Attachment 2
Exhibit C
Rates - Page 53

| | | | | | | | | | | | |
|--|--|--------|---------|----------|----------|---------|---------|---------|---------|---------|---------|
| | ENHANCED EXTENDED LINKS (EELs) | | | | | | | | | | |
| | NRC - Add'l | UEAL2 | NA | NA | \$78.10 | NA | NA | NA | NA | NA | NA |
| | NRC - Disconnect Charge - 1st | UEAL2 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Disconnect Charge - Add'l | UEAL2 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECE | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | \$18.94 | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | \$8.42 | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop | UEAL4 | \$30.00 | \$30.00 | \$25.86 | \$28.28 | \$31.52 | \$30.55 | \$27.49 | \$35.86 | \$18.00 |
| | Zone 1 | TBD | \$24.01 | \$24.26 | \$22.26 | \$20.92 | \$24.36 | \$22.38 | TBD | \$49.47 | \$15.54 |
| | Zone 2 | TBD | \$39.00 | \$35.51 | \$25.70 | \$39.14 | \$41.85 | \$29.67 | TBD | \$44.44 | \$19.55 |
| | Zone 3 | TBD | \$70.67 | \$78.35 | \$40.85 | \$67.56 | \$85.47 | \$42.40 | TBD | \$58.85 | \$28.02 |
| | Zone 4 | TBD | NA | NA | NA | NA | NA | \$55.96 | NA | NA | NA |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - 1st | UEAL4 | NA | NA | \$206.95 | NA | NA | NA | NA | NA | NA |
| | NRC - Add'l | UEAL4 | NA | NA | \$170.57 | NA | NA | NA | NA | NA | NA |
| | NRC - Disconnect Charge - 1st | UEAL4 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Disconnect Charge - Add'l | UEAL4 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECE | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | \$8.42 | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop | U1L2X | \$29.03 | \$40.00 | \$25.43 | \$31.99 | \$27.36 | \$29.83 | \$24.98 | \$32.47 | \$18.00 |
| | Zone 1 | TBD | \$23.23 | \$32.34 | \$21.89 | \$23.66 | \$21.15 | \$21.86 | TBD | \$26.68 | \$15.54 |
| | Zone 2 | TBD | \$37.74 | \$47.35 | \$25.27 | \$44.28 | \$36.32 | \$28.97 | TBD | \$40.24 | \$19.55 |
| | Zone 3 | TBD | \$68.38 | \$104.47 | \$40.17 | \$76.42 | \$74.19 | \$41.40 | TBD | \$53.29 | \$28.02 |
| | Zone 4 | TBD | NA | NA | NA | NA | NA | \$54.64 | NA | NA | NA |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - 1st | U1L2X | NA | NA | \$233.38 | NA | NA | NA | NA | NA | NA |
| | NRC - Add'l | U1L2X | NA | NA | \$180.35 | NA | NA | NA | NA | NA | NA |
| | NRC - Disconnect Charge - 1st | U1L2X | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Disconnect Charge - Add'l | U1L2X | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECE | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | \$18.94 | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | \$8.42 | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
ENHANCED EXTENDED LINKS

Attachment 2
Exhibit C
Rates - Page 54

| | | | | | | | | | | | |
|--|--|--------|----------|----------|----------|----------|----------|----------|---------|----------|---------|
| | ENHANCED EXTENDED LINKS (EELs) | | | | | | | | | | |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | |
| | 4-Wire 56 kbps Digital Grade Loop | UDL56 | \$34.15 | \$48.33 | \$29.92 | NA | \$35.58 | \$34.95 | \$32.67 | \$41.70 | \$42.23 |
| | Zone 1 | TBD | \$27.33 | \$39.08 | \$25.75 | NA | \$27.50 | \$25.61 | TBD | \$34.26 | \$36.45 |
| | Zone 2 | TBD | \$44.40 | \$57.21 | \$29.74 | NA | \$47.25 | \$33.94 | TBD | \$51.67 | \$45.87 |
| | Zone 3 | TBD | \$80.45 | \$126.22 | \$47.27 | NA | \$96.48 | \$48.51 | TBD | \$68.43 | \$65.75 |
| | Zone 4 | TBD | NA | NA | NA | NA | NA | \$64.02 | NA | NA | NA |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - 1st | UDL56 | NA | NA | \$348.55 | NA | NA | NA | NA | NA | NA |
| | NRC - Add'l | UDL56 | NA | NA | \$241.20 | NA | NA | NA | NA | NA | NA |
| | NRC - Disconnect Dcharge - 1st | UDL56 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Disconnect Charge - Add'l | UDL56 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECH | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | \$18.94 | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | \$8.42 | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | |
| | 4-Wire 64 kbps Digital Grade Loop | UDL64 | \$34.15 | \$48.33 | \$29.92 | NA | \$35.58 | \$34.95 | \$32.67 | \$41.70 | \$42.23 |
| | Zone 1 | TBD | \$27.33 | \$39.08 | \$25.75 | NA | \$27.50 | \$25.61 | TBD | \$34.26 | \$36.45 |
| | Zone 2 | TBD | \$44.40 | \$57.21 | \$29.74 | NA | \$47.25 | \$33.94 | TBD | \$51.67 | \$45.87 |
| | Zone 3 | TBD | \$80.45 | \$126.22 | \$47.27 | NA | \$96.48 | \$48.51 | TBD | \$68.43 | \$65.75 |
| | Zone 4 | TBD | NA | NA | NA | NA | NA | \$64.02 | NA | NA | NA |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - 1st | UDL64 | NA | NA | \$348.55 | NA | NA | NA | NA | NA | NA |
| | NRC - Add'l | UDL64 | NA | NA | \$241.20 | NA | NA | NA | NA | NA | NA |
| | NRC - Disconnect Dcharge - 1st | UDL64 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Disconnect Charge - Add'l | UDL64 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECH | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | \$18.94 | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | \$8.42 | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop | USLXX | \$64.65 | \$80.00 | \$64.52 | \$67.96 | \$72.86 | \$69.59 | \$62.78 | \$72.55 | NA |
| | Zone 1 | TBD | \$51.74 | \$64.69 | \$55.53 | \$50.28 | \$56.32 | \$50.99 | TBD | \$59.61 | NA |
| | Zone 2 | TBD | \$84.05 | \$94.71 | \$64.13 | \$94.06 | \$96.73 | \$67.58 | TBD | \$89.90 | NA |
| | Zone 3 | TBD | \$152.29 | \$208.93 | \$101.93 | \$162.34 | \$197.57 | \$96.58 | TBD | \$119.06 | NA |
| | Zone 4 | TBD | NA | NA | NA | NA | NA | \$127.47 | NA | NA | NA |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
ENHANCED EXTENDED LINKS

Attachment 2
Exhibit C
Rates - Page 55

| | | | | | | | | | | | |
|--|--|-------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | ENHANCED EXTENDED LINKS (EELs) | | | | | | | | | | |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - 1st | USLXX | NA | NA | \$429.98 | NA | NA | NA | NA | NA | NA |
| | NRC - Add'l | USLXX | NA | NA | \$268.18 | NA | NA | NA | NA | NA | NA |
| | NRC - Disconnect Charge - 1st | USLXX | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Disconnect Charge - Add'l | USLXX | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMEK | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | \$18.94 | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | \$8.42 | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add'l | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | |
| | DS3 Loop | | | | | | | | | | |
| | per mile per month | 1L5ND | \$10.85 | \$11.97 | \$8.90 | \$43.69 | \$38.98 | \$54.39 | \$32.53 | \$15.53 | \$30.53 |
| | facility termination per month | UE3PX | \$419.65 | \$419.65 | \$390.34 | \$436.95 | \$497.08 | \$427.81 | \$387.01 | \$421.60 | \$400.21 |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - Facility Termination - 1st | UE3PX | NA | NA | \$639.50 | NA | NA | NA | NA | NA | NA |
| | NRC - Facility Termination - Add'l | UE3PX | NA | NA | \$426.40 | NA | NA | NA | NA | NA | NA |
| | NRC - Facility Termination - Disconnect - 1st | UE3PX | NA | NA | \$122.31 | NA | NA | NA | NA | NA | NA |
| | NRC - Facility Termination - Disconnect - Add'l | UE3PX | NA | NA | \$119.14 | NA | NA | NA | NA | NA | NA |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMEK | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMEK | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge-Manual Svc Order - 1st | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge-Manual Svc Order - Add'l | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add'l | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add'l | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | |
| | STS-1 Loop | | | | | | | | | | |
| | per mile per month | 1L5ND | \$10.85 | \$11.97 | \$8.90 | \$43.69 | \$38.98 | \$54.39 | \$32.53 | \$15.53 | \$30.53 |
| | facility termination per month | UDLS1 | \$434.31 | \$449.40 | \$421.59 | \$436.95 | \$497.08 | \$427.81 | \$387.01 | \$431.32 | \$400.21 |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - STS-1 - Facility Termination - 1st | UDLS1 | NA | NA | \$639.50 | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 - Facility Termination - Add'l | UDLS1 | NA | NA | \$426.40 | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 - Facility Termination - Disconnect - 1st | UDLS1 | NA | NA | \$122.31 | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 - Facility Termination - Disconnect - Add'l | UDLS1 | NA | NA | \$119.14 | NA | NA | NA | NA | NA | NA |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMEK | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMEK | NA | NA | NA | NA | NA | NA | NA | NA | NA |

BELLSOUTH/Alt-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
ENHANCED EXTENDED LINKS

Attachment 2
Exhibit C
Rates - Page 56

| | | | | | | | | | | | |
|---------------------------------------|--|--------|---------|----------|------------|----------|----------|----------|----------|----------|----------|
| ENHANCED EXTENDED LINKS (EELs) | | | | | | | | | | | |
| | NRC - STS-1 - Incremental Charge-Manual Svc Order - 1st | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 - Incremental Charge-Manual Svc Order - Add'l | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 - Incremental Cost - Manual Svc. Order vs. Elect-Discon | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 - Incremental Cost - Manual Svc. Order vs. Elect-Discon | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | |
| | OC-3 Loop | 1L5ND | \$1,123 | \$9.08 | \$6.75 | \$33.15 | \$29.58 | \$41.27 | \$24.69 | \$11.78 | \$23.16 |
| | per mile per month | TBD | \$7.09 | \$651.40 | \$630.21 | \$436.95 | \$753.65 | \$689.68 | \$611.36 | \$701.71 | \$620.20 |
| | facility termination per month | | | | | | | | | | |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - OC3 - Facility Termination - 1st | TBD | NA | NA | \$6.75 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Facility Termination - Add'l | TBD | NA | NA | \$630.21 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Facility Termination - Disconnect - 1st | TBD | NA | NA | \$947.69 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Facility Termination - Disconnect - Add'l | TBD | NA | NA | \$413.00 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECE | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Incremental Charge-Manual Svc Order - 1st | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Incremental Charge-Manual Svc Order - Add'l | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Incremental Cost - Manual Svc. Order vs. Elect-Disconec | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Incremental Cost - Manual Svc. Order vs. Elect-Disconec | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | |
| | OC-12 Loop | | | | | | | | | | |
| | per mile per month | 1L5ND | \$10.13 | \$11.18 | \$8.31 | \$40.80 | \$36.40 | \$50.79 | \$30.38 | \$14.50 | \$28.51 |
| | facility termination per month | TBD | \$5,630 | \$2,068 | \$2,109.00 | \$2,457 | \$2,571 | \$2,371 | \$2,122 | \$2,663 | \$2,079 |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - OC12 - Facility Termination - 1st | TBD | NA | NA | \$1,162.00 | NA | NA | NA | NA | NA | NA |
| | NRC - OC12 - Facility Termination - Add'l | TBD | NA | NA | \$413.00 | NA | NA | NA | NA | NA | NA |
| | NRC - OC12 - Facility Termination - Disconnect - 1st | TBD | NA | NA | \$122.31 | NA | NA | NA | NA | NA | NA |
| | NRC - OC12 - Facility Termination - Disconnect - Add'l | TBD | NA | NA | \$119.14 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECE | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC -OC12 - Incremental Charge - Manual Svc Order - 1st | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - OC12 - Incremental Charge - Manual Svc Order - Add'l | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconec | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconec | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | |
| | OC-48 Loop | | | | | | | | | | |

BELLSOUTH/Al-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
ENHANCED EXTENDED LINKS

Attachment 2
Exhibit C
Rates - Page 57

| | | | | | | | | | | | |
|--|---|--------|----------|----------|------------|----------|----------|----------|----------|----------|----------|
| ENHANCED EXTENDED LINKS (EELs) | | | | | | | | | | | |
| | per mile per month | 1L5ND | \$33.22 | \$36.67 | \$27.25 | \$166.59 | \$119.40 | \$166.59 | \$120.02 | \$47.57 | \$93.50 |
| | facility termination per month | TBD | \$1.947 | \$1.699 | \$1,598.00 | \$2,129 | \$2,268 | \$1,753 | \$1,677 | \$1,733 | \$1.832 |
| | OC-12 Interface on OC-48 Loop per month | TBD | \$699.62 | \$592.09 | \$594.80 | \$725.77 | \$723.29 | \$667.00 | \$582.66 | \$773.40 | \$570.54 |
| NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | | |
| | NRC - OC48 - Facility Termination - 1st | TBD | NA | NA | \$1,162.00 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Facility Termination - Add'l | TBD | NA | NA | \$413.00 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Interface OC12 on OC48 - 1st | TBD | NA | NA | \$539.36 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Interface OC12 on OC48 - Add'l | TBD | NA | NA | \$317.38 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Facility Termination - Disconnect - 1st | TBD | NA | NA | \$122.31 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Facility Termination - Disconnect - Add'l | TBD | NA | NA | \$119.14 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Interface OC12 on OC48 - Disconnect - 1st | TBD | NA | NA | \$122.31 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'l | TBD | NA | NA | \$119.14 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECS | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disc | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disc | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-1 | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-A | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - OC-48 - Incremental Charge--Manual Svc Order-1st | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC - OC-48 - Incremental Charge--Manual Svc Order-Add'l | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Interface OC12 on OC48 - Incremental Charge--Manual | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Interface OC12 on OC48 - Incremental Charge--Manual | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | | |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| Local Channels: | | | | | | | | | | | |
| Local Channel - Dedicated - 2-Wire VG | | | | | | | | | | | |
| | Monthly Recurring per month | ULDV2 | \$14.61 | \$26.31 | \$18.28 | \$22.26 | \$14.94 | \$17.83 | \$14.83 | \$16.83 | \$19.02 |
| NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | | |
| | NRC - 2-wire VG Local Channel - 1st | ULDV2 | NA | NA | \$292.24 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-wire VG Local Channel -Add'l | ULDV2 | NA | NA | \$63.61 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECS | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire VG - Incremental Charge--Manual Svc Order - 1st | SOMAN | NA | NA | \$34.00 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire VG - Incremental Charge--Manual Svc Order - Add'l | SOMAN | NA | NA | \$21.58 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire VG - Incremental Charge--Manual Svc Order - Disconnect - 1st | SOMAN | NA | NA | \$22.48 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire VG - Incremental Charge--Manual Svc Order - Disconnect - Ad | SOMAN | NA | NA | \$8.17 | NA | NA | NA | NA | NA | NA |
| NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | | |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| Local Channel - Dedicated - 4-Wire VG | | | | | | | | | | | |
| | Monthly Recurring per month | ULDV4 | \$15.77 | \$27.48 | \$17.18 | \$23.38 | \$16.21 | \$19.03 | \$15.87 | \$18.05 | \$20.14 |
| NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | | |
| | NRC-4-wire VG Local Channel - 1st | ULDV4 | NA | NA | \$292.24 | NA | NA | NA | NA | NA | NA |
| | NRC-4-wire VG Local Channel - Add'l | ULDV4 | NA | NA | \$63.61 | NA | NA | NA | NA | NA | NA |

BELLSOUTH/Al-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
ENHANCED EXTENDED LINKS

Attachment 2
Exhibit C
Rates - Page 58

| | | | | | | | | | | | | |
|--|--|--|-------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | ENHANCED EXTENDED LINKS (EELs) | | | | | | | | | | |
| | | NRC - Electronic Svc Order, per LSR | SOME | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | | NRC - 4-Wire VG Local Channel - Incremental Charge--Manual Svc Order - 1 | SOMAN | NA | NA | \$34.00 | NA | NA | NA | NA | NA | NA |
| | | NRC - 4-Wire VG Local Channel - Incremental Charge--Manual Svc Order - A | SOMAN | NA | NA | \$21.58 | NA | NA | NA | NA | NA | NA |
| | | NRC - 4-Wire VG Local Channel - Incremental Charge--Manual Svc Order - D | SOMAN | NA | NA | \$22.48 | NA | NA | NA | NA | NA | NA |
| | | NRC - 4-Wire VG Local Channel - Incremental Charge--Manual Svc Order - D | SOMAN | NA | NA | \$8.17 | NA | NA | NA | NA | NA | NA |
| | | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | | |
| | | Local Channel - Dedicated - DS1 | | | | | | | | | | |
| | | DS1 Monthly Recurring per month | ULDF1 | \$35.52 | \$42.98 | \$38.57 | \$43.80 | \$43.80 | \$38.91 | \$35.68 | \$37.20 | \$40.27 |
| | | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | | NRC - DS1 Local Channel - 1st | ULDF1 | NA | NA | \$169.57 | NA | NA | NA | NA | NA | NA |
| | | NRC - DS1 Local Channel - Add'l | ULDF1 | NA | NA | \$112.77 | NA | NA | NA | NA | NA | NA |
| | | NRC - Electronic Svc Order, per LSR | SOME | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | | NRC - DS1 Local Channel - Incremental Charge--Manual Svc Order - 1st | SOMAN | NA | NA | \$34.00 | NA | NA | NA | NA | NA | NA |
| | | NRC - DS1 Local Channel - Incremental Charge--Manual Svc Order - Add'l | SOMAN | NA | NA | \$21.58 | NA | NA | NA | NA | NA | NA |
| | | NRC - DS1 Local Channel - Incremental Charge--Manual Svc Order - Disconnect | SOMAN | NA | NA | \$22.48 | NA | NA | NA | NA | NA | NA |
| | | NRC - DS1 Local Channel - Incremental Charge--Manual Svc Order - Disconnect | SOMAN | NA | NA | \$8.17 | NA | NA | NA | NA | NA | NA |
| | | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | | NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | | NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | | NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| | | DS3 Local Channel - per mile per month | 1L5NC | \$8.44 | \$9.32 | \$7.00 | \$34.00 | \$30.34 | NA | NA | \$12.08 | \$23.76 |
| | | DS3 Local Channel - Facility Termination per month | ULDF3 | \$525.40 | \$560.39 | \$523.20 | \$635.09 | \$558.00 | \$531.39 | \$512.00 | \$481.14 | \$615.65 |
| | | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | | NRC - DS3 Local Channel Facility Termination - 1st | ULDF3 | NA | NA | \$770.12 | NA | NA | NA | NA | NA | NA |
| | | NRC - DS3 Local Channel - Facility Termination - Add'l | ULDF3 | NA | NA | \$551.49 | NA | NA | NA | NA | NA | NA |
| | | NRC - Electronic Svc Order, per LSR | SOME | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | | NRC - DS3 Local Channel - Incremental Charge--Manual Svc Order - 1st | SOMAN | NA | NA | \$66.21 | NA | NA | NA | NA | NA | NA |
| | | NRC - DS3 Local Channel - Incremental Charge--Manual Svc Order - Add'l | SOMAN | NA | NA | \$33.90 | NA | NA | NA | NA | NA | NA |
| | | NRC - DS3 Local Channel - Incremental Charge--Manual Svc Order - Disconnect | SOMAN | NA | NA | \$36.15 | NA | NA | NA | NA | NA | NA |
| | | NRC - DS3 Local Channel - Incremental Charge--Manual Svc Order - Disconnect | SOMAN | NA | NA | \$14.20 | NA | NA | NA | NA | NA | NA |
| | | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | | NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$71.04 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | | NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$39.60 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | | NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1 | | | | | | | | | | |
| | | STS-1 Local Channel - per mile per month | 1L5NC | \$8.44 | \$9.32 | \$7.00 | \$34.00 | \$8.77 | \$38.98 | NA | \$12.08 | \$25.11 |
| | | STS-1 Local Channel - Facility Termination per month | ULDFS | \$525.40 | \$569.67 | \$523.20 | \$635.09 | \$558.00 | \$531.39 | \$512.00 | \$481.14 | \$615.65 |
| | | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | | NRC - STS-1 Local Channel Facility Termination - 1st | ULDFS | NA | NA | \$770.12 | NA | NA | NA | NA | NA | NA |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
ENHANCED EXTENDED LINKS

Attachment 2
Exhibit C
Rates - Page 59

| | | | | | | | | | | | |
|--|---|--------|----------|----------|------------|----------|----------|----------|----------|----------|----------|
| | ENHANCED EXTENDED LINKS (EELs) | | | | | | | | | | |
| | NRC - STS-1 Local Channel - Facility Termination - Add'l | ULDFS | NA | NA | \$551.49 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECE | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 Local Channel - Incremental Charge--Manual Svc Order - 1st | SOMAN | NA | NA | \$37.96 | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 Local Channel - Incremental Charge--Manual Svc Order - Add'l | SOMAN | NA | NA | \$37.96 | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 Local Channel - Incremental Charge--Manual Svc Order - Disconnect | SOMAN | NA | NA | \$18.23 | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 Local Channel - Incremental Charge--Manual Svc Order - Disconnect | SOMAN | NA | NA | \$18.23 | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-STIS-1 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-STIS-1 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | |
| | Local Channel - OC3 | | | | | | | | | | |
| | Local Channel - OC3 - per Mile | TBA | \$8.23 | \$7.83 | \$6.75 | \$33.15 | \$29.58 | \$41.27 | \$24.69 | \$11.78 | \$23.16 |
| | Local Channel - OC3 - per Facility Termination | TBA | \$691.33 | \$940.35 | \$630.21 | \$713.29 | \$753.65 | \$689.68 | \$611.36 | \$701.71 | \$620.20 |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - OC3 - Facility Termination - 1st | TBA | NA | NA | \$947.69 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Facility Termination - Add'l | TBA | NA | NA | \$413.00 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Facility Termination - Disconnect - 1st | TBA | NA | NA | \$122.31 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Facility Termination - Disconnect - Add'l | TBA | NA | NA | \$119.14 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECE | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Incremental Charge--Manual Svc Order - 1st | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Incremental Charge--Manual Svc Order - Add'l | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add'l | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-OC-3 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-OC-3 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- OC-3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- OC-3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | |
| | Local Channel - OC12 | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| | Local Channel - OC12 - per Mile | TBA | \$10.13 | \$11.18 | \$8.31 | \$40.80 | \$36.40 | \$50.79 | \$30.38 | \$14.50 | \$28.51 |
| | Local Channel - OC12 - per Facility Termination | TBA | \$2,557 | \$2,753 | \$2,109.00 | \$2,457 | \$2,571 | \$2,371 | \$2,122 | \$2,663 | \$2,079 |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - OC12 - Facility Termination - 1st | TBA | NA | NA | \$1,162.00 | NA | NA | NA | NA | NA | NA |
| | NRC - OC12 - Facility Termination - Add'l | TBA | NA | NA | \$413.00 | NA | NA | NA | NA | NA | NA |
| | NRC - OC12 - Facility Termination - Disconnect - 1st | TBA | NA | NA | \$122.31 | NA | NA | NA | NA | NA | NA |
| | NRC - OC12 - Facility Termination - Disconnect - Add'l | TBA | NA | NA | \$119.14 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECE | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC -OC12 - Incremental Charge - Manual Svc Order - 1st | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - OC12 - Incremental Charge - Manual Svc Order - Add'l | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-1st | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-Add'l | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-OC-12 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-OC-12 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- OC-12 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- OC-12 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |

BELLSOUTH/AT&T RATES
NETWORK ELEMENTS
AND OTHER SERVICES
ENHANCED EXTENDED LINKS

Attachment 2
Exhibit C
Rates - Page 60

| ENHANCED EXTENDED LINKS (EELs) | | | | | | | | | | | |
|--------------------------------|--|--------|----------|----------|------------|----------|----------|----------|----------|----------|----------|
| | | | | | | | | | | | |
| | Local Channel - OC48 | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| | Local Channel - OC48 - per Mile | TBA | \$33.22 | \$36.67 | \$27.25 | \$133.84 | \$119.40 | \$166.59 | \$120.02 | \$47.57 | \$93.50 |
| | Local Channel - OC48 - per Facility Termination | TBA | \$1,713 | \$1,944 | \$1,598.00 | \$2,129 | \$2,268 | \$1,753 | \$1,677 | \$1,733 | \$1,832 |
| | Local Channel - OC12 interface on OC48 Facility | TBA | \$736.71 | \$586.28 | \$594.80 | \$725.77 | \$723.29 | \$667.00 | \$582.66 | \$773.40 | \$570.54 |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - OC48 - Facility Termination - 1st | TBA | NA | NA | \$1,175 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Facility Termination - Add'l | TBA | NA | NA | \$417.50 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Interface OC12 on OC48 - 1st | TBA | NA | NA | \$545.24 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Interface OC12 on OC48 - Add'l | TBA | NA | NA | \$320.83 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Facility Termination - Disconnect - 1st | TBA | NA | NA | \$123.65 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Facility Termination - Disconnect - Add'l | TBA | NA | NA | \$120.44 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48- Interface OC12 on OC48 - Disconnect - 1st | TBA | NA | NA | \$123.65 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'l | TBA | NA | NA | \$120.44 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECS | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconnect | SOMAN | NA | NA | \$18.23 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconnect-Add'l | SOMAN | NA | NA | \$18.23 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-1st | SOMAN | NA | NA | \$18.23 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-Add'l | SOMAN | NA | NA | \$18.23 | NA | NA | NA | NA | NA | NA |
| | NRC - OC-48 - Incremental Charge-Manual Svc Order-1st | SOMAN | NA | NA | \$37.96 | NA | NA | NA | NA | NA | NA |
| | NRC - OC-48 - Incremental Charge-Manual Svc Order-Add'l | SOMAN | NA | NA | \$37.96 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Interface OC12 on OC48 - Incremental Charge-Manual Svc Order | SOMAN | NA | NA | \$37.96 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Interface OC12 on OC48 - Incremental Charge-Manual Svc Order-Add'l | SOMAN | NA | NA | \$37.96 | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-OC-48 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-OC-48 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- OC-48 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- OC-48 COMBINATION - "Switch As Is" Conversion Charge - Disconnect-Add'l | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | Interoffice Channels: | | | | | | | | | | |
| | Interoffice Channel - Dedicated - 2-wire VG | | | | | | | | | | |
| | Interoffice Channel - Dedicated 2-wire VG - per mile per month | 1L5XX | \$0.03 | \$0.0100 | \$0.02 | \$0.03 | \$0.04 | \$0.03 | \$0.03 | \$0.04 | \$0.02 |
| | Interoffice Channel - Dedicated 2-wire VG - Facility Termination per month | U1TV2 | \$18.49 | \$26.72 | \$17.07 | \$27.66 | \$19.10 | \$21.33 | \$18.01 | \$21.42 | \$18.33 |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - 2-wire VG Interoffice Channel - Facility Termination - 1st | U1TV2 | NA | NA | \$79.61 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-wire VG Interoffice Channel - Facility Termination - Add'l | U1TV2 | NA | NA | \$36.08 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECS | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-wire VG Interoffice Channel - Incremental Charge-Manual Svc Order | SOMAN | NA | NA | \$18.94 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-wire VG Interoffice Channel - Incremental Charge-Manual Svc Order-Add'l | SOMAN | NA | NA | \$18.94 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-wire VG Interoffice Channel - Incremental Charge-Manual Svc Order | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - 2-wire VG Interoffice Channel - Incremental Charge-Manual Svc Order-Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect-Add'l | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | Interoffice Channel - Dedicated - 4-wire VG | | | | | | | | | | |
| | Interoffice Channel - Dedicated 4-wire VG - per mile per month | 1L5XX | NA | \$0.0100 | NA | NA | NA | NA | NA | NA | NA |

BELLSOUTH/Al-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
ENHANCED EXTENDED LINKS

Attachment 2
Exhibit C
Rates - Page 61

| | | | | | | | | | | | |
|---------------------------------------|--|--------|---------|----------|---------|----------|---------|---------|---------|---------|---------|
| ENHANCED EXTENDED LINKS (EELs) | | | | | | | | | | | |
| | Interoffice Channel - Dedicated 4-wire VG - Facility Termination per month | U1TV4 | NA | \$23.82 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - 4-wire VG Interoffice Channel - Facility Termination - 1st | U1TV4 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire VG Interoffice Channel - Facility Termination - Add'l | U1TV4 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECS | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire VG Interoffice Channel - Incremental Charge--Manual Svc Order | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire VG Interoffice Channel - Incremental Charge--Manual Svc Order | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire VG Interoffice Channel - Incremental Charge--Manual Svc Order | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire VG Interoffice Channel - Incremental Charge--Manual Svc Order | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - DI | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - DI | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | |
| | Interoffice Channel - Dedicated - DS0 - 56kbps | | | | | | | | | | |
| | Interoffice Channel - Dedicated - DS0 - 56kbps - per mile per month | 1L5XX | \$0.03 | \$0.0100 | \$0.02 | \$0.0301 | \$0.04 | \$0.03 | \$0.03 | \$0.04 | \$0.17 |
| | Interoffice Channel - Dedicated - DS0 - 56 kbps - Facility Termination per month | U1TD5 | \$17.81 | \$19.46 | \$16.45 | \$26.95 | \$18.37 | \$20.64 | \$17.40 | \$20.71 | \$17.74 |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - 4-wire 56kbps Interoffice Channel - Facility Termination - 1st | U1TD5 | NA | NA | \$79.61 | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire 56 kbps Interoffice Channel - Facility Termination - Add'l | U1TD5 | NA | NA | \$36.08 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECS | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire 56 kbps Interoffice Channel - Incremental Charge--Manual Svc Order | SOMAN | NA | NA | \$18.94 | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire 56 kbps Interoffice Channel - Incremental Charge--Manual Svc Order | SOMAN | NA | NA | \$18.94 | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire 56 kbps Interoffice Channel - Incremental Charge--Manual Svc Order | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire 56 kbps Interoffice Channel - Incremental Charge--Manual Svc Order | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - DI | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - DI | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | |
| | Interoffice Channel - Dedicated - DS0 - 64kbps | | | | | | | | | | |
| | Interoffice Channel - Dedicated - DS0 - 64kbps - per mile per month | 1L5XX | \$0.03 | \$0.0100 | \$0.02 | \$0.0301 | \$0.04 | \$0.03 | \$0.03 | \$0.04 | \$0.17 |
| | Interoffice Channel - Dedicated - DS0 - 64 kbps - Facility Termination per month | U1TD6 | \$17.81 | \$19.46 | \$16.45 | \$26.95 | \$18.37 | \$20.64 | \$17.40 | \$20.71 | \$17.74 |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - 4-wire 64kbps Interoffice Channel - Facility Termination - 1st | U1TD6 | NA | NA | \$79.61 | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire 64 kbps Interoffice Channel - Facility Termination - Add'l | U1TD6 | NA | NA | \$36.08 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECS | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire 64 kbps Interoffice Channel - Incremental Charge--Manual Svc Order | SOMAN | NA | NA | \$18.94 | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire 64 kbps Interoffice Channel - Incremental Charge--Manual Svc Order | SOMAN | NA | NA | \$18.94 | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire 64 kbps Interoffice Channel - Incremental Charge--Manual Svc Order | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire 64 kbps Interoffice Channel - Incremental Charge--Manual Svc Order | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - DI | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - DI | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
ENHANCED EXTENDED LINKS

Attachment 2
Exhibit C
Rates - Page 62

| | | | | | | | | | | | |
|---|--|--------|----------|----------|----------|------------|------------|----------|----------|----------|----------|
| ENHANCED EXTENDED LINKS (EELs) | | | | | | | | | | | |
| Interoffice Channel - Dedicated - DS1 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated - DS1 - per mile per month | 1L5XX | \$0.69 | \$0.2035 | \$0.31 | \$0.45 | \$0.78 | \$0.66 | \$0.08 | \$0.76 | \$0.35 |
| | Interoffice Channel - Dedicated - DS1 - Facility Termination per month | U1TF1 | \$79.69 | \$93.31 | \$63.39 | \$55.05 | \$93.40 | \$74.40 | \$71.29 | \$94.98 | \$75.83 |
| NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | | |
| | NRC - DS1 Interoffice Channel - Facility Termination - 1st | U1TF1 | NA | NA | \$169.57 | NA | NA | NA | NA | NA | NA |
| | NRC - DS1 Interoffice Channel - Facility Termination - Add'l | U1TF1 | NA | NA | \$112.77 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECS | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - DS1 Interoffice Channel - Incremental Charge--Manual Svc Order - 1st | SOMAN | NA | NA | \$23.98 | NA | NA | NA | NA | NA | NA |
| | NRC - DS1 Interoffice Channel - Incremental Charge--Manual Svc Order - Add'l | SOMAN | NA | NA | \$17.77 | NA | NA | NA | NA | NA | NA |
| | NRC - DS1 Interoffice Channel - Incremental Charge--Manual Svc Order - Disconnect | SOMAN | NA | NA | \$15.13 | NA | NA | NA | NA | NA | NA |
| | NRC - DS1 Interoffice Channel - Incremental Charge--Manual Svc Order - Discontinue | SOMAN | NA | NA | \$7.02 | NA | NA | NA | NA | NA | NA |
| NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | | |
| | NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Discontinue | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| Interoffice Channel - Dedicated - DS3 - per mile per month | | | | | | | | | | | |
| | Interoffice Channel - Dedicated - DS3 - per mile per month | 1L5XX | \$4.98 | \$4.25 | \$6.46 | \$12.06 | \$16.15 | \$13.48 | \$12.98 | \$19.14 | \$6.88 |
| | Interoffice Channel - Dedicated - DS3 - Facility Termination per month | U1TF3 | \$898.15 | \$1,130 | \$717.60 | \$1,112.02 | \$1,131.09 | \$686.84 | \$720.38 | \$904.49 | \$840.61 |
| NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | | |
| | NRC - DS3 Interoffice Channel - Facility Termination - 1st | U1TF3 | NA | NA | \$578.97 | NA | NA | NA | NA | NA | NA |
| | NRC - DS3 Interoffice Channel - Facility Termination - Add'l | U1TF3 | NA | NA | \$312.17 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECS | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - DS3 Interoffice Channel - Incremental Charge--Manual Svc Order - 1st | SOMAN | NA | NA | \$51.27 | NA | NA | NA | NA | NA | NA |
| | NRC - DS3 Interoffice Channel - Incremental Charge--Manual Svc Order - Add'l | SOMAN | NA | NA | \$38.87 | NA | NA | NA | NA | NA | NA |
| | NRC - DS3 Interoffice Channel - Incremental Charge--Manual Svc Order - Disconnect | SOMAN | NA | NA | \$30.42 | NA | NA | NA | NA | NA | NA |
| | NRC - DS3 Interoffice Channel - Incremental Charge--Manual Svc Order - Discontinue | SOMAN | NA | NA | \$18.76 | NA | NA | NA | NA | NA | NA |
| NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | | |
| | NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Discontinue | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| Interoffice Channel - Dedicated - STS-1 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated - STS-1 - per mile per month | 1L5XX | \$4.98 | \$9.32 | \$2.75 | \$12.62 | \$14.04 | \$15.02 | \$12.98 | \$8.13 | \$5.89 |
| | Interoffice Channel - Dedicated - STS-1 - Facility Termination per month | U1TFS | \$898.15 | \$569.67 | \$796.59 | \$1,204 | \$1,101 | \$744.38 | \$720.38 | \$967.70 | \$760.20 |
| NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | | |
| | NRC - STS-1 Interoffice Channel - Facility Termination - 1st | U1TFS | NA | NA | \$640.32 | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 Interoffice Channel - Facility Termination - Add'l | U1TFS | NA | NA | \$575.26 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECS | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 Interoffice Channel - Incremental Charge--Manual Svc Order - 1st | SOMAN | NA | NA | \$37.96 | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 Interoffice Channel - Incremental Charge--Manual Svc Order - Add'l | SOMAN | NA | NA | \$37.96 | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 Interoffice Channel - Incremental Charge--Manual Svc Order - Disconnect | SOMAN | NA | NA | \$18.23 | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 Interoffice Channel - Incremental Charge--Manual Svc Order - Discontinue | SOMAN | NA | NA | \$18.23 | NA | NA | NA | NA | NA | NA |
| NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | | |
| | NRC-STs-1 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-STs-1 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |

BELLSOUTH/Al-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
ENHANCED EXTENDED LINKS

Attachment 2
Exhibit C
Rates - Page 63

| | | | | | | | | | | | |
|--|---|--------|----------|----------|-------------|----------|----------|-------------|----------|----------|----------|
| | ENHANCED EXTENDED LINKS (EELs) | | | | | | | | | | |
| | NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | Interoffice Channel - OC3 | | | | | | | | | | |
| | Interoffice Channel - OC3 - per Mile | 1L5XX | \$7.35 | \$8.38 | \$4.37 | \$27.97 | \$23.89 | \$18.35 | \$14.10 | \$9.75 | \$13.45 |
| | Interoffice Channel - OC3 - per Facility Termination | TBA | \$2,475 | \$3,043 | \$2,187.00 | \$3,390 | \$2,990 | \$1,892.00 | \$2,071 | \$2,802 | \$2,124 |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - OC3 - Facility Termination - 1st | TBA | NA | NA | \$947.69 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Facility Termination - Add'l | TBA | NA | NA | \$413.00 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Facility Termination - Disconnect - 1st | TBA | NA | NA | \$122.31 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Facility Termination - Disconnect - Add'l | TBA | NA | NA | \$119.14 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECS | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Incremental Charge--Manual Svc Order - 1st | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Incremental Charge--Manual Svc Order - Add'l | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add'l | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-OC-3 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-OC-3 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- OC-3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- OC-3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | Interoffice Channel - OC12 | | | | | | | | | | |
| | Interoffice Channel - OC12 - per Mile | TBA | \$19.26 | \$26.91 | \$15.05 | \$84.88 | \$74.44 | \$60.42 | \$30.38 | \$32.52 | \$49.80 |
| | Interoffice Channel - OC12 - per Facility Termination | TBA | \$9,763 | \$11,685 | \$8,202.00 | \$12,344 | \$11,517 | \$7,182.00 | \$2,122 | \$11,132 | \$8,015 |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - OC12 - Facility Termination - 1st | TBA | NA | NA | \$1,034.00 | NA | NA | NA | NA | NA | NA |
| | NRC - OC12 - Facility Termination - Add'l | TBA | NA | NA | \$317.38 | NA | NA | NA | NA | NA | NA |
| | NRC - OC12 - Facility Termination - Disconnect - 1st | TBA | NA | NA | \$122.31 | NA | NA | NA | NA | NA | NA |
| | NRC - OC12 - Facility Termination - Disconnect - Add'l | TBA | NA | NA | \$119.14 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMECS | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC -OC12 - Incremental Charge - Manual Svc Order - 1st | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - OC12 - Incremental Charge - Manual Svc Order - Add'l | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-1st | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-Add'l | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-OC-12 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-OC-12 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- OC-12 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- OC-12 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | Interoffice Channel - OC48 | | | | | | | | | | |
| | Interoffice Channel - OC48 - per Mile | TBA | \$30.65 | \$34.66 | \$25.70 | \$138.02 | \$128.59 | \$102.43 | \$120.02 | \$45.92 | \$106.55 |
| | Interoffice Channel - OC48 - per Facility Termination | TBA | \$11,691 | \$12,554 | \$11,134.00 | \$16,017 | \$14,950 | \$11,480.00 | \$1,677 | \$967.58 | \$11,632 |
| | Interoffice Channel - OC12 interface on OC48 Facility | TBA | \$1,424 | \$1,208 | \$1,137.00 | \$1,497 | \$1,451 | \$1,351.00 | \$582.66 | \$1,561 | \$1,170 |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - OC48 - Facility Termination - 1st | TBA | NA | NA | \$1,034.00 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Facility Termination - Add'l | TBA | NA | NA | \$317.38 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Interface OC12 on OC48 - 1st | TBA | NA | NA | \$539.36 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Interface OC12 on OC48 - Add'l | TBA | NA | NA | \$317.38 | NA | NA | NA | NA | NA | NA |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
ENHANCED EXTENDED LINKS

Attachment 2
Exhibit C
Rates - Page 64

| ENHANCED EXTENDED LINKS (EELs) | | | | | | | | | | | |
|--------------------------------|---|-------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | NRC - OC48 - Facility Termination - Disconnect - 1st | TBA | NA | NA | \$122.31 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Facility Termination - Disconnect - Add'l | TBA | NA | NA | \$119.14 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48- Interface OC12 on OC48 - Disconnect - 1st | TBA | NA | NA | \$122.31 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'l | TBA | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOME | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconne | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconne | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-1st | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-Add'l | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC - OC-48 - Incremental Charge--Manual Svc Order-1st | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC - OC-48 - Incremental Charge--Manual Svc Order-Add'l | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Interface OC12 on OC48 - Incremental Charge--Manual Svc O | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Interface OC12 on OC48 - Incremental Charge--Manual Svc O | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-OC-48 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-OC-48 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- OC-48 COMBINATION - "Switch As Is" Conversion Charge - Disconne | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- OC-48 COMBINATION - "Switch As Is" Conversion Charge - Disconne | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | Channelization: | | | | | | | | | | |
| | DS3 Channelization | | | | | | | | | | |
| | DS3 Channelized System per month | MQ3 | \$225.36 | \$222.61 | \$202.91 | \$236.32 | \$245.84 | \$229.30 | \$226.81 | \$200.01 | \$222.98 |
| | DS3 Interface per month (DS1 COCI) | UC1D1 | \$17.22 | \$14.51 | \$0.67 | \$8.52 | \$7.55 | \$5.58 | \$4.61 | \$11.99 | \$3.91 |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - DS3 Channelization - 1st | MQ3 | NA | NA | \$241.14 | NA | NA | NA | NA | NA | NA |
| | NRC - DS3 Channelization - Add'l | MQ3 | NA | NA | \$130.02 | NA | NA | NA | NA | NA | NA |
| | NRC - Channel Activation - 1st | UC1D1 | NA | NA | \$12.15 | NA | NA | NA | NA | NA | NA |
| | NRC - Channel Activation - Add'l | UC1D1 | NA | NA | \$8.76 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOME | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - DS3 Channelization - Incremental Charge--Manual Svc Order - 1st | SOMAN | NA | NA | \$14.91 | NA | NA | NA | NA | NA | NA |
| | NRC - DS3 Channelization - Incremental Charge--Manual Svc Order - Add'l | SOMAN | NA | NA | \$6.63 | NA | NA | NA | NA | NA | NA |
| | NRC - DS3 Channelization - Incremental Charge--Manual Svc Order - Discor | SOMAN | NA | NA | \$10.88 | NA | NA | NA | NA | NA | NA |
| | NRC - DS3 Channelization - Incremental Charge--Manual Svc Order - Discor | SOMAN | NA | NA | \$0.00 | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-STS-1 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-STS-1 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconne | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconne | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | OR | | | | | | | | | | |
| | NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | DS1 Channelization | | | | | | | | | | |
| | DS1 Channelized System per month | MQ1 | \$136.82 | \$154.74 | \$18.23 | \$200.01 | \$209.87 | \$146.87 | \$177.72 | \$147.51 | \$165.21 |
| | OCU-DP(data) interface card per month (2.4-64kbs) | 1D1DD | \$1.66 | \$2.22 | \$1.06 | \$2.94 | \$3.12 | \$2.86 | \$2.88 | \$2.34 | \$2.46 |
| | VG interface card per month | 1D1VG | \$0.8586 | \$1.46 | \$2.67 | \$1.40 | \$1.62 | \$1.45 | \$1.64 | \$1.47 | \$1.25 |
| | 2-wire ISDN(BRITE card) per month | UC1CA | \$3.41 | \$3.86 | \$3.41 | \$4.04 | \$4.18 | \$3.88 | \$3.76 | \$4.21 | \$3.33 |

BELLSOUTH/Al-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
ENHANCED EXTENDED LINKS

Attachment 2
Exhibit C
Rates - Page 65

| | | | | | | | | | | | |
|---|--|-------|---------|----------|----------|---------|---------|---------|---------|---------|---------|
| | ENHANCED EXTENDED LINKS (EELs) | | | | | | | | | | |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - DS1 Channelization - 1st | MQ1 | NA | NA | \$138.85 | NA | NA | NA | NA | NA | NA |
| | NRC - DS1 Channelization - Add'l | MQ1 | NA | NA | \$92.34 | NA | NA | NA | NA | NA | NA |
| | NRC - Channel Activation VG - 1st | 1D1VG | NA | NA | \$12.15 | NA | NA | NA | NA | NA | NA |
| | NRC - Channel Activation VG - Add'l | 1D1VG | NA | NA | \$8.76 | NA | NA | NA | NA | NA | NA |
| | NRC - Channel Activation OCU-DP- 1st | 1D1DD | NA | NA | \$12.15 | NA | NA | NA | NA | NA | NA |
| | NRC - Channel Activation OCU-DP- Add'l | 1D1DD | NA | NA | \$8.76 | NA | NA | NA | NA | NA | NA |
| | NRC - Channel Activation BRITE - 1st | UCICA | NA | NA | \$12.15 | NA | NA | NA | NA | NA | NA |
| | NRC - Channel Activation BRITE - Add'l | UCICA | NA | NA | \$8.76 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMEK | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - DS1 Channelization - Incremental Charge--Manual Svc Order - 1st | SOMAN | NA | NA | \$34.00 | NA | NA | NA | NA | NA | NA |
| | NRC - DS1 Channelization - Incremental Charge--Manual Svc Order - Add'l | SOMAN | NA | NA | \$27.79 | NA | NA | NA | NA | NA | NA |
| | NRC - DS1 Channelization - Incremental Charge--Manual Svc Order - Disconnect | SOMAN | NA | NA | \$20.10 | NA | NA | NA | NA | NA | NA |
| | NRC - DS1 Channelization - Incremental Charge--Manual Svc Order - Disconnect | SOMAN | NA | NA | \$11.98 | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | Access to DCS - Customer Reconfiguration (FlexServ) | | | | | | | | | | |
| | DS1 DSC Termination with DS0 Switching | TBD | TBD | \$28.72 | \$22.86 | TBD | TBD | TBD | TBD | TBD | TBD |
| | DS1 DSC Termination with DS1 Switching | TBD | TBD | \$12.23 | \$8.64 | TBD | TBD | TBD | TBD | TBD | TBD |
| | DS3 DSC Termination with DS1 Switching | TBD | TBD | \$154.31 | \$151.85 | TBD | TBD | TBD | TBD | TBD | TBD |
| | NRC - Ordinarily Combined in GA: | | | | | | | | | | |
| | NRC - Customer Configuration Establishment | TBD | TBD | \$2.97 | \$2.91 | TBD | TBD | TBD | TBD | TBD | TBD |
| | NRC - Customer Configuration Establishment - Disconnect | TBD | TBD | \$3.44 | \$3.36 | TBD | TBD | TBD | TBD | TBD | TBD |
| | NRC- DS1 DSC Termination with DS0 Switching - 1st | TBD | TBD | \$51.50 | \$32.07 | TBD | TBD | TBD | TBD | TBD | TBD |
| | NRC- DS1 DSC Termination with DS0 Switching - Add'l | TBD | TBD | \$39.64 | \$31.49 | TBD | TBD | TBD | TBD | TBD | TBD |
| | NRC- DS1 DSC Termination with DS0 Switching - Disconnect - 1st | TBD | TBD | \$31.06 | \$20.16 | TBD | TBD | TBD | TBD | TBD | TBD |
| | NRC- DS1 DSC Termination with DS0 Switching - Disconnect - Add'l | TBD | TBD | \$24.98 | \$20.16 | TBD | TBD | TBD | TBD | TBD | TBD |
| | NRC- DS1 DSC Termination with NRC- DS1 Switching - 1st | TBD | TBD | \$37.23 | \$18.07 | TBD | TBD | TBD | TBD | TBD | TBD |
| | NRC- DS1 DSC Termination with NRC- DS1 Switching - Add'l | TBD | TBD | \$25.36 | \$17.49 | TBD | TBD | TBD | TBD | TBD | TBD |
| | NRC- DS1 DSC Termination with NRC- DS1 Switching - Disconnect - 1st | TBD | TBD | \$22.81 | \$12.10 | TBD | TBD | TBD | TBD | TBD | TBD |
| | NRC- DS1 DSC Termination with NRC- DS1 Switching - Disconnect - Add'l | TBD | TBD | \$16.73 | \$12.10 | TBD | TBD | TBD | TBD | TBD | TBD |
| | NRC- DS3 DSC Termination with DS1 Switching - 1st | TBD | TBD | \$51.50 | \$32.07 | TBD | TBD | TBD | TBD | TBD | TBD |
| | NRC- DS3 DSC Termination with DS1 Switching - Add'l | TBD | TBD | \$39.64 | \$31.49 | TBD | TBD | TBD | TBD | TBD | TBD |
| | NRC- DS3 DSC Termination with DS1 Switching - Disconnect - 1st | TBD | TBD | \$31.06 | \$20.16 | TBD | TBD | TBD | TBD | TBD | TBD |
| | NRC- DS3 DSC Termination with DS1 Switching - Disconnect - Add'l | TBD | TBD | \$24.98 | \$20.16 | TBD | TBD | TBD | TBD | TBD | TBD |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$11.27 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$11.27 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | UNCCC | \$0.00 | \$13.03 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | Notes | | | | | | | | | | |
| 1 | Deaveraged Rates will be effective May 1, 2000 | | | | | | | | | | |
| 2 | New EELs will only be available in the State of Georgia and in density Zone 1 of the following MSAs in the BellSouth Region: | | | | | | | | | | |

BELLSOUTH/Al-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
ENHANCED EXTENDED LINKS

Attachment 2
Exhibit C
Rates - Page 66

| | | | | | | | | | | | | |
|--|--|---|--|--|--|--|--|--|--|--|--|--|
| | | ENHANCED EXTENDED LINKS (EELs) | | | | | | | | | | |
| | | Florida - Miami, Orlando, Ft. Lauderdale | | | | | | | | | | |
| | | Louisiana - New Orleans | | | | | | | | | | |
| | | N. Carolina - Greensboro, Charlotte | | | | | | | | | | |
| | | Tennessee - Nashville | | | | | | | | | | |
| | | 3 Unapproved rates are subject to true up. | | | | | | | | | | |
| | | 4 Add together the recurring rates of all the applicable network elements in order to obtain total monthly recurring rate. | | | | | | | | | | |
| | | * Examples: | | | | | | | | | | |
| | | - 2-wire VG Loop + Voice Grade Interface Card + DS1 Channelization System + DS1 Interoffice Channel | | | | | | | | | | |
| | | - DS1 Loop + DS1 Interface Card + DS3 Channelization System + DS3 Interoffice Channel | | | | | | | | | | |
| | | - DS3 Local Channel + DS3 Interoffice Channel + DS3 Channelization System + DS1 Interface Card | | | | | | | | | | |
| | | 5 The Ordinarily Combined in GA NRC applies to new combinations within the State of Georgia. | | | | | | | | | | |
| | | 6 The "Switch As Is" NRC is a conversion charge. One SAI charge is applicable per circuit. | | | | | | | | | | |
| | | | | | | | | | | | | |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
OSS/SWA 8XX/DATABASES

Attachment 2
Exhibit C
Rates - Page 67

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|---|-------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Operational Support Systems | | | | | | | | | | |
| Recovery of incremental OSS costs, per CLP, per month | TBD | NA | NA | NA | NA | NA | NA | \$305.00 | NA | NA |
| RC - OSS OLEC Daily Usage File: Recording, Per Message | TBD | \$0.0002 | \$0.008 | \$0.0001275 | \$0.0008611 | \$0.00019 | \$0.0001179 | \$0.0003 | \$0.0002862 | \$0.008 |
| RC - OSS OLEC Daily Usage File: Message Processing, Per Message | TBD | \$0.0033 | \$0.004 | \$0.0062548 | \$0.0032357 | \$0.0024 | \$0.0032089 | \$0.0032 | \$0.0032344 | \$0.004 |
| RC - OSS OLEC Daily Usage File: Message Distribution, Per Magnetic Tape | TBD | \$55.19 | \$54.95 | \$28.25 | \$55.68 | \$47.3000 | \$54.62 | \$54.61 | \$54.72 | \$54.95 |
| RC - OSS OLEC Daily Usage File: Data Transmission (CONNECT:DIRECT), Per | TBD | \$0.00004 | \$0.001 | \$0.0000434 | \$0.0000365 | \$0.0000300 | \$0.0000354 | \$0.00004 | \$0.0000357 | \$0.001 |
| Access Daily Usage File (ADUF) | | | | | | | | | | |
| RC - ADUF, Message Processing, per message | TBD | \$0.004 | \$0.004 | \$0.0136327 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 |
| RC - ADUF, Message Distribution, per Magnetic Tape provisioned | TBD | \$54.95 | \$54.95 | \$28.85 | \$54.95 | \$54.95 | \$54.95 | \$54.95 | \$54.95 | \$54.95 |
| RC - ADUF, Data Transmission (CONNECT:DIRECT), per message | TBD | \$0.001 | \$0.001 | \$0.0000434 | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 |
| Enhanced Optional Daily Usage File (EODUF) | | | | | | | | | | |
| Enhanced Optional Daily Usage File: Message Processing , Per Message | TBD | \$0.004 | \$0.004 | \$0.0034555 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 |
| Enhanced Optional Daily Usage File: Message Processing, per magnetic tape | TBD | \$47.30 | \$47.30 | \$47.30 | \$47.30 | \$47.30 | \$47.30 | \$47.30 | \$47.30 | \$47.30 |
| Enhanced Optional Daily Usage File: Data Transmission (CONNECT:DIRECT), | TBD | \$0.0000364 | \$0.0000364 | NA | \$0.0000364 | \$0.0000364 | \$0.0000364 | \$0.0000364 | \$0.0000364 | \$0.0000364 |
| SWA 8XX Toll Free Dialing Ten Digit Screening Service (Note 1) | | | | | | | | | | |
| 8XX Access Ten Digit Screening (all types), per call (Note 2) | N/A | \$0.0005 | NA | \$0.0004868 | NA | \$0.0005305 | \$0.0005321 | \$0.00050 | \$0.0005227 | NA |
| 8XX Access Ten Digit Screening Svc. W/8XX No. Delivery | | | | | | | | | | |
| per query | N/A | NA | NA | NA | \$0.0010 | NA | NA | \$0.00365 | NA | \$0.004 |
| for 8XX Numbers, with Optional Complex Features, per query | N/A | NA | NA | NA | \$0.0011 | NA | NA | \$0.00431 | NA | \$0.004 |
| 8XX Access Ten Digit Screening Svc. W/POTS No. Delivery | | | | | | | | | | |
| per query | N/A | NA | NA | NA | \$0.0010 | NA | NA | \$0.00383 | NA | \$0.004 |
| with Optional Complex Features, per query | N/A | NA | NA | NA | \$0.0011 | NA | NA | \$0.00431 | NA | \$0.004 |
| 8XX Access Ten Digit Screening Svc. W/800 No. Delivery | | | | | | | | | | |
| per message | N/A | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| for 8XX Numbers, w/Optional Complex Features, per message | N/A | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 8XX Access Ten Digit Screening Svc. W/POTS No. Delivery | | | | | | | | | | |
| per message | N/A | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| with Optional Complex Features, per message | N/A | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Reservation Charge per 8XX number reserved | | | | | | | | | | |
| NRC - 1st | N8R1X | \$7.13 | NA | \$6.57 | \$10.05 | \$6.29 | \$8.46 | \$7.05 | \$6.38 | \$30.00 |
| NRC - Add'l | N8R1X | \$0.97 | NA | \$0.76 | \$1.19 | \$0.73 | \$0.96 | \$0.96 | \$0.9583 | \$0.50 |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$27.84 | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Per 8XX # Established w/o POTS (w/8XX No.) Translations | | | | | | | | | | |
| NRC - 1st | N/A | \$15.88 | NA | \$12.81 | \$30.59 | \$12.27 | \$17.04 | \$23.82 | \$22.63 | \$67.50 |
| NRC - Add'l | N/A | \$1.97 | NA | \$1.45 | \$3.22 | \$1.39 | \$1.93 | \$2.73 | \$2.73 | \$1.50 |
| NRC - Disconnect Charge - 1st | N/A | \$10.04 | NA | NA | NA | \$8.30 | \$11.32 | NA | \$42.95 | NA |
| NRC - Disconnect Charge - Add'l | N/A | \$0.97 | NA | NA | NA | \$0.73 | \$0.96 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$41.35 | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$17.75 | NA | NA | NA | \$11.40 | \$16.05 | NA | NA | NA |
| Per 8XX # Established with POTS Translations | | | | | | | | | | |
| NRC - 1st | N8FTX | \$15.88 | NA | \$12.81 | \$30.59 | \$12.27 | \$17.04 | \$23.82 | \$22.63 | \$67.50 |
| NRC - Add'l | N8FTX | \$1.97 | NA | \$1.45 | \$3.22 | \$1.39 | \$1.93 | \$2.73 | \$2.73 | \$1.50 |
| NRC - Disconnect Charge - 1st | N8FTX | \$10.04 | NA | NA | NA | \$8.30 | \$11.32 | NA | \$42.95 | NA |
| NRC - Disconnect Charge - Add'l | N8FTX | \$0.97 | NA | NA | NA | \$0.73 | \$0.96 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$41.35 | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$17.75 | NA | NA | NA | \$11.40 | \$16.05 | NA | NA | NA |
| Customized Area of Service per 8XX Number | | | | | | | | | | |
| NRC - 1st | N8FCX | \$5.69 | NA | \$4.46 | \$6.97 | \$4.27 | \$5.63 | \$5.63 | \$5.64 | \$3.00 |
| NRC - Add'l | N8FCX | \$2.85 | NA | \$2.23 | \$3.49 | \$2.14 | \$2.81 | \$2.82 | \$2.82 | \$1.50 |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|-------|------------|------------|-------------|---------------|-------------|-------------|------------|-------------|---------------|
| Multiple Inter LATA Carrier Routing per Carrier Requested per 8XX # | | | | | | | | | | |
| NRC - 1st | N8FMX | \$6.66 | NA | \$5.22 | \$8.16 | \$5.00 | \$6.59 | \$6.59 | \$6.60 | \$3.50 |
| NRC - Add'l | N8FMX | \$3.81 | NA | \$2.99 | \$4.67 | \$2.86 | \$3.77 | \$3.77 | \$3.78 | \$2.00 |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Change Charge per request | | | | | | | | | | |
| NRC - 1st | N8FAX | \$8.10 | NA | \$7.33 | \$11.24 | \$7.01 | \$9.42 | \$8.01 | \$7.34 | \$48.50 |
| NRC - Add'l | N8FAX | \$0.97 | NA | \$0.76 | \$1.19 | \$0.73 | \$0.96 | \$0.96 | \$0.9583 | \$0.50 |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$27.84 | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Call Handling and Destination Features | | | | | | | | | | |
| NRC - 1st | N8FDX | \$5.69 | NA | \$4.72 | \$6.97 | \$4.27 | \$5.63 | \$5.63 | \$5.64 | \$3.00 |
| NRC - Add'l | N8FDX | NA | NA | \$4.46 | \$6.97 | \$4.27 | \$5.63 | NA | \$5.64 | \$3.00 |
| LINE INFORMATION DATABASE ACCESS (LIDB) | | | | | | | | | | |
| LIDB Common Transport per query | OQT | \$0.00004 | \$0.0003 | \$0.0000338 | \$0.00006 | \$0.0000418 | \$0.0000446 | \$0.0003 | \$0.0000442 | \$0.0003 |
| LIDB Validation per query | OQU | \$0.041003 | \$0.041003 | \$0.0105974 | \$0.00938 | \$0.0103774 | \$0.0142132 | \$0.013400 | \$0.0141003 | \$0.041003 |
| LIDB Originating Point Code Establishment or Change - NRC | | | | | | | | | | |
| NRC - Incremental Charge - Electronic Service Order | TBD | NA | NA | NA | NA | NA | NA | \$62.26 | NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$25.93 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$27.84 | \$91.00 |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | \$27.84 | NA |
| CCS7 SIGNALING TRANSPORT SERVICE | | | | | | | | | | |
| CCS7 Signaling Connection, per link (A link) per month | | | | | | | | | | |
| NRC | | \$18.79 | \$5.00 | \$17.05 | \$16.31 | \$19.48 | \$21.58 | \$155.00 | \$21.79 | \$155.00 |
| NRC - Disconnect | | \$171.98 | \$400.00 | \$131.96 | \$354.95 | \$126.34 | \$169.72 | \$510.00 | \$277.07 | \$510.00 |
| NRC - Incremental Charge - Manual Service Order | SOMAN | \$135.70 | NA | NA | NA | \$101.10 | \$134.08 | NA | \$42.95 | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$25.93 | NA | \$18.94 | NA | \$18.14 | \$25.52 | NA | NA | NA |
| | | \$16.31 | NA | NA | NA | \$11.40 | \$16.05 | NA | NA | NA |
| CCS7 Signaling Connection, per link (B link) (also known as D link) per month | | | | | | | | | | |
| NRC | | \$18.79 | \$5.00 | \$17.05 | \$16.31 | \$19.48 | \$21.58 | \$155.00 | \$21.79 | Not available |
| NRC - Disconnect | | \$171.98 | \$400.00 | \$131.96 | \$354.95 | \$126.34 | \$169.72 | \$510.00 | \$277.07 | \$510.00 |
| NRC - Incremental Charge - Manual Service Order | SOMAN | \$135.70 | NA | NA | NA | \$101.10 | \$134.08 | NA | \$42.95 | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$25.93 | NA | \$18.94 | NA | \$18.14 | \$25.52 | NA | NA | NA |
| | | \$16.31 | NA | NA | NA | \$11.40 | \$16.05 | NA | NA | NA |
| CCS7 Signaling Termination, per STP port per month | | | | | | | | | | |
| | | \$148.72 | \$113.00 | \$133.99 | \$174.08 | \$161.99 | \$161.12 | \$132.88 | \$156.33 | \$355.00 |
| CCS7 Signaling Usage, per ISUP message | | | | | | | | | | |
| (applicable when measurement and billing capability exists.) | | \$0.00004 | \$0.00001 | \$0.0000354 | \$0.000037893 | \$0.0000430 | \$0.0000456 | \$0.00004 | \$0.0000452 | \$0.000023 |
| CCS7 Signaling Usage, per TCAP message | | | | | | | | | | |
| (applicable when measurement and billing capability exists.) | | \$0.0001 | \$0.00004 | \$0.0000870 | \$0.000102042 | \$0.0001052 | \$0.0001115 | \$0.00009 | \$0.0001108 | \$0.00005 |
| CCS7 Signaling Usage Surrogate, per link per LATA per mo (9) | | | | | | | | | | |
| | | \$376.12 | \$64.00 | \$340.67 | \$329.98 | \$406.71 | \$406.53 | \$338.98 | \$396.55 | \$395.00 |
| CCS7 Signaling Point Code, Establishment or Change, per STP affected | | | | | | | | | | |
| NRC | | \$62.00 | \$62.00 | \$62.00 | \$62.00 | \$62.00 | \$62.00 | \$62.00 | \$62.00 | \$62.00 |
| OPERATOR CALL PROCESSING | | | | | | | | | | |
| Operator Provided Call Handling per min - Using BST LIDB | | | | | | | | | | |
| Call Completion Access Termination Charge per call attempt | N/A | \$1.21 | \$1.00 | \$0.9680296 | \$1.6016 | \$0.91 | \$1.19 | \$1.20 | \$1.21 | NA |
| | | \$0.08 | NA | NA | NA | NA | NA | NA | \$0.08 | NA |
| Operator Provided Call Handling per min - Using Foreign LIDB | | | | | | | | | | |
| Call Completion Access Termination Charge per call attempt | N/A | \$1.25 | \$1.00 | \$1.02 | \$1.6249 | \$0.96 | \$1.24 | \$1.24 | \$1.25 | NA |
| | | \$0.08 | NA | NA | NA | NA | NA | NA | \$0.08 | NA |
| Operator Provided Call Handling, per call | | | | | | | | | | |
| Fully Automated Call Handling per call - Using BST LIDB | N/A | NA | NA | NA | NA | NA | NA | NA | NA | \$0.30 |
| Fully Automated Call Handling per call - Using Foreign LIDB | N/A | \$0.11 | \$0.10 | \$0.0776409 | \$0.0856 | \$0.10 | \$0.1072884 | \$0.11 | \$0.1115808 | \$0.15 |
| | | \$0.13 | \$0.10 | \$0.0976984 | \$0.1071 | \$0.12 | \$0.1253666 | \$0.12 | \$0.1293459 | \$0.15 |
| Professional recording of name (OCP alone) | | | | | | | | | | |
| Professional recording of name (DA and OCP alone) | USOD1 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 |
| DRAM or front-end loading, per TOPS switch | | | | | | | | | | |
| AABS or back-end loading, per IVS | USOD2 | \$250.00 | \$250.00 | \$250.00 | \$250.00 | \$250.00 | \$250.00 | \$250.00 | \$250.00 | \$250.00 |
| EBAS or 0- automation loading, per NAV shelf | | | | | | | | | | |
| Recording Charge per Branded Announcement - Disconnect - Initial | USOD2 | \$225.00 | \$225.00 | \$225.00 | \$225.00 | \$225.00 | \$225.00 | \$225.00 | \$225.00 | \$225.00 |
| | | \$270.00 | \$270.00 | \$270.00 | \$270.00 | \$270.00 | \$270.00 | \$270.00 | \$270.00 | \$270.00 |
| | | \$9.61 | NA | NA | NA | NA | NA | NA | NA | NA |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
OSS/SWA 8XX/DATABASES

Attachment 2
Exhibit C
Rates - Page 69

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|-------|------------|------------|-------------|------------|-------------|-------------|------------|-------------|------------|
| Recording Charge per Branded Announcement – Disconnect – Subsequent | N/A | \$9.61 | NA | NA | NA | NA | NA | NA | NA | NA |
| INWARD OPERATOR SERVICES | | | | | | | | | | |
| Verification, per minute | N/A | \$1.16 | NA | \$0.921083 | NA | \$0.86 | \$1.14 | \$1.15 | \$1.15 | NA |
| Verification and Emergency Interrupt, per minute | N/A | \$1.16 | NA | \$0.921083 | NA | \$0.86 | \$1.14 | \$1.15 | \$1.15 | NA |
| Verification, per call | VIL | NA | \$0.80 | NA | \$1.00 | NA | NA | \$0.54 | NA | \$0.90 |
| Verification and Emergency Interrupt, per call | N/A | NA | \$1.00 | NA | \$1.111 | NA | NA | \$0.65 | NA | \$1.95 |
| DIRECTORY ASSISTANCE SERVICES | | | | | | | | | | |
| Directory Assist Call Completion Access Svc (DACC), per call attempt | N/A | \$0.10 | \$0.10 | \$0.10 | \$0.10 | \$0.10 | \$0.10 | \$0.062 | \$0.10 | \$0.10 |
| Call Completion Access Term charge per completed call | N/A | NA | NA | NA | NA | NA | NA | NA | \$0.08 | NA |
| Number Services Intercept per query | N/A | \$0.0235 | \$0.01 | \$0.0097497 | \$0.0086 | \$0.02 | \$0.0188268 | \$0.0110 | \$0.0124036 | \$0.15 |
| Number Services Intercept per Intercept Query Update | N/A | NA | NA | NA | \$0.0055 | NA | NA | NA | NA | NA |
| Directory Assistance Access Service Calls, per call | | \$0.275 | \$0.275 | \$0.275 | \$0.275 | \$0.275 | \$0.275 | \$0.260000 | \$0.275 | \$0.275 |
| Professional recording of name (DA alone) | | \$3,000.00 | \$3,000.00 | \$3,000.00 | \$3,000.00 | \$3,000.00 | \$3,000.00 | \$3,000.00 | \$3,000.00 | \$3,000.00 |
| Professional recording of name (DA and OCP alone) | | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 |
| DRAM or front-end loading, per TOPS switch | | \$250.00 | \$250.00 | \$250.00 | \$250.00 | \$250.00 | \$250.00 | \$250.00 | \$250.00 | \$250.00 |
| AABS or back-end loading, per IVS | | \$225.00 | \$225.00 | \$225.00 | \$225.00 | \$225.00 | \$225.00 | NA | \$225.00 | \$225.00 |
| EBAS or 0- automation loading, per NAV shelf | | \$270.00 | \$270.00 | \$270.00 | \$270.00 | \$270.00 | \$270.00 | NA | \$270.00 | \$270.00 |
| Recording Charge per Branded Announcement – Disconnect – Initial | N/A | \$9.61 | NA | NA | NA | NA | NA | NA | NA | NA |
| Recording Charge per Branded Announcement – Disconnect – Subsequent | N/A | \$9.61 | NA | NA | NA | NA | NA | NA | NA | NA |
| Directory Transport | | | | | | | | | | |
| Directory Transport - Local Channel DS1, per month | N/A | \$35.52 | \$43.64 | \$38.36 | \$36.32 | \$43.83 | \$38.91 | \$35.68 | \$37.20 | \$133.81 |
| NRC - 1st | N/A | \$503.57 | \$242.45 | \$356.15 | \$637.46 | \$339.69 | \$494.83 | \$534.48 | \$534.81 | \$868.97 |
| NRC - Add'l | N/A | \$442.84 | \$226.44 | \$312.89 | \$546.94 | \$298.29 | \$435.28 | \$462.69 | \$462.81 | \$486.83 |
| NRC - Disconnect Charge - 1st | N/A | \$46.28 | NA | NA | NA | \$33.02 | \$46.85 | NA | NA | NA |
| NRC - Disconnect Charge - Add'l | N/A | \$32.18 | NA | NA | NA | \$23.32 | \$33.02 | NA | NA | NA |
| NRC - Incremental Charge-Manual Svc Order - NRC - 1st | SOMAN | \$61.99 | NA | \$44.22 | NA | \$42.34 | \$59.58 | \$86.15 | \$87.99 | NA |
| NRC - Incremental Charge-Manual Svc Order - NRC - add'l | TBD | NA | NA | NA | NA | NA | NA | \$1.77 | NA | NA |
| NRC - Incremental Charge-Manual Svc Order - NRC-Disconnect | SOMAN | \$29.27 | NA | NA | NA | \$19.48 | \$27.41 | NA | \$3.11 | NA |
| Directory Transport - Dedicated DS1 Level Interoffice per mile per mo | N/A | \$0.6923 | \$0.6013 | \$0.4523 | \$0.45 | \$0.78 | \$0.6598 | \$0.5753 | \$0.7598 | \$23.00 |
| Directory Transport - Dedicated DS1 Level Interoffice per facility termination per m | N/A | \$79.69 | \$99.79 | \$78.47 | \$55.05 | \$93.40 | \$74.40 | \$71.29 | \$94.98 | \$90.00 |
| NRC - 1st | N/A | \$198.15 | \$45.91 | \$147.07 | \$298.18 | \$140.49 | \$196.28 | \$217.17 | \$216.27 | \$100.49 |
| NRC - Add'l | N/A | \$148.18 | \$44.18 | \$111.75 | \$231.18 | \$106.69 | \$147.31 | \$163.75 | \$162.70 | \$100.49 |
| NRC - Disconnect Charge - 1st | N/A | \$25.44 | NA | NA | NA | \$20.00 | \$26.56 | NA | NA | NA |
| NRC - Disconnect Charge - Add'l | N/A | \$20.42 | NA | NA | NA | \$16.34 | \$21.61 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$38.07 | \$39.63 | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$27.37 | NA | NA | NA | \$18.14 | \$25.52 | \$38.07 | \$39.63 | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$12.97 | NA | NA | NA | \$8.06 | \$11.34 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | \$12.97 | NA | NA | NA | \$8.06 | \$11.34 | NA | NA | NA |
| Switched Common Transport per DA Access Service per call | N/A | \$0.0003 | \$0.0003 | \$0.0002906 | \$0.000175 | \$0.0003274 | \$0.0002997 | \$0.00020 | \$0.000327 | NA |
| Switched Common Transport per DA Access Service per call per mile | N/A | \$0.00003 | \$0.00001 | \$0.0000186 | \$0.000004 | \$0.0000175 | \$0.0000202 | \$0.00003 | \$0.0000303 | NA |
| Access Tandem Switching per DA Access Service per call | N/A | \$0.0023 | \$0.00055 | \$0.0019152 | \$0.000783 | \$0.0025257 | \$0.0023713 | \$0.0021 | \$0.0024809 | NA |
| DA Interconnection, per DA Access Service Call | N/A | \$0.00269 | NA | \$0.00269 | NA | NA | NA | \$0.00 | \$0.000269 | NA |
| Directory Transport-Installation NRC, per trunk or signaling connection | N/A | | | | | | | | | |
| NRC - 1st | N/A | \$260.69 | \$206.06 | \$204.23 | \$501.98 | \$195.54 | \$257.73 | NA | \$407.81 | NA |
| NRC - Add'l | N/A | \$5.95 | \$4.71 | \$4.42 | \$13.32 | \$4.23 | \$5.85 | NA | \$11.00 | NA |
| NRC - Disconnect Charge - 1st | N/A | \$173.46 | NA | NA | NA | NA | NA | NA | NA | NA |
| NRC - Disconnect Charge - Add'l | N/A | \$5.95 | NA | NA | NA | NA | NA | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | \$44.22 | NA | \$130.05 | \$171.49 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | NA | NA | \$4.23 | \$5.85 | NA | NA | NA |
| NRC - Manual Service Order - 1st | TBD | NA | NA | NA | NA | NA | NA | \$407.53 | NA | NA |
| NRC - Manual Service Order - Add'l | TBD | NA | NA | NA | NA | NA | NA | \$10.98 | NA | NA |
| Directory Assistance Database Service (DADS) | | | | | | | | | | |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
OSS/SWA 8XX/DATABASES

Attachment 2
Exhibit C
Rates - Page 70

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|---|-------|-------------|------------|-------------|------------|------------|-------------|------------|-------------|-----|
| Directory Assistance Database Service charge per listing | N/A | \$0.0446 | \$0.001 | \$0.0445 | \$0.0193 | \$0.0443 | \$0.0447 | \$0.04460 | \$0.0444 | NA |
| Directory Assistance Database Service, per month | DBSOF | \$128.55 | \$100.00 | \$95.50 | \$120.76 | \$90.54 | \$126.17 | \$126.26 | \$127.23 | NA |
| | | | | | | | | | | |
| Direct Access to Directory Assistance Service (DADAS) | | | | | | | | | | |
| Direct Access to Directory Assistance Service, per month | DBSDS | \$7,055.00 | \$5,000.00 | \$5,254.00 | \$7,235.01 | \$4,982.00 | \$6,926.00 | \$6,930.00 | \$6,983.00 | NA |
| Direct Access to Directory Assistance Service, per query | DBSDA | \$0.0472685 | \$0.01 | \$0.0469016 | \$0.0052 | \$0.0460 | \$0.0461336 | \$0.0456 | \$0.0468212 | NA |
| Direct Access to Directory Assistance Service, svc estab charge | DBSDE | | | | | | | | | |
| NRC | DBSDE | \$1,118.00 | \$820.00 | \$788.24 | \$1,186.94 | \$786.82 | \$1,097.00 | \$1,164.00 | \$1,173.00 | NA |
| NRC - Disconnect | DBSDE | \$81.83 | NA | NA | NA | NA | NA | NA | NA | NA |
| NRC - Incremental Charge Manual Service Order - 1st | SOMAN | NA | NA | NA | NA | \$57.23 | \$80.52 | NA | NA | NA |
| | | | | | | | | | | |
| AIN (Note 4) | | | | | | | | | | TBD |
| AIN, per message | CAM | NA | \$0.00004 | NA | NA | NA | NA | NA | NA | NA |
| AIN - BellSouth AIN SMS Access Service | CAM | | | | | | | | NA | NA |
| Service Establishment Charge, per state, initial set-up | | | | | | | | | | |
| NRC | CAMSE | \$197.49 | NA | \$90.25 | NA | \$153.31 | \$174.03 | \$294.77 | \$296.16 | NA |
| NRC - Disconnect | CAMSE | \$114.22 | NA | NA | NA | \$78.06 | \$135.96 | NA | NA | NA |
| Port Connection - Dial/Shared Access | | | | | | | | | | |
| NRC | CAMDP | \$64.05 | NA | \$29.66 | NA | \$50.07 | \$53.47 | \$86.94 | \$87.29 | NA |
| NRC - Disconnect | CAMDP | \$27.04 | NA | NA | NA | \$18.61 | \$37.70 | NA | NA | NA |
| Port Connection - ISDN Access | | | | | | | | | | |
| NRC | CAM1P | \$64.05 | NA | \$29.66 | NA | \$50.07 | \$53.47 | \$86.94 | \$87.29 | NA |
| NRC - Disconnect | CAM1P | \$27.04 | NA | NA | NA | \$18.61 | \$37.70 | NA | NA | NA |
| User ID Codes - per User ID Code | | | | | | | | | | |
| NRC | CAMAU | \$141.84 | NA | \$84.43 | NA | \$104.95 | \$129.83 | \$200.83 | \$202.08 | NA |
| NRC - Disconnect | CAMAU | \$70.05 | NA | NA | NA | \$48.95 | \$79.91 | NA | NA | NA |
| Security Card per User ID Code, initial or replacement | | | | | | | | | | |
| NRC | CAMRC | \$142.13 | NA | \$35.44 | NA | \$125.33 | \$131.54 | \$172.05 | \$172.26 | NA |
| NRC - Disconnect | CAMRC | \$35.26 | NA | NA | NA | \$24.40 | \$45.77 | NA | NA | NA |
| Storage, per unit (100Kb) | N/A | \$0.0026 | NA | \$0.0023 | NA | \$0.0029 | \$0.0029 | \$0.0023 | \$0.0028 | NA |
| Session per minute | N/A | \$0.0892 | NA | \$0.0795604 | NA | \$0.10 | \$0.0975650 | \$0.0791 | \$0.0942966 | NA |
| C0. Performed Session, per minute | | | | | NA | \$1.97 | \$2.09 | \$2.08 | \$2.07 | NA |
| AIN - BellSouth AIN Toolkit Service | | | | | | | | | | |
| AIN, Service Creation Tools | CAMB | NA | TBD | NA | NA | NA | NA | NA | NA | NA |
| Service Establishment Charge, per state, initial set-up | | | | | | | | | | |
| NRC | BAPSC | \$192.69 | NA | \$86.74 | NA | \$153.25 | \$169.31 | \$290.05 | \$291.41 | NA |
| NRC - Disconnect | BAPSC | \$114.22 | NA | NA | NA | \$78.05 | \$135.96 | NA | NA | NA |
| Training Session, per customer | | | | | | | | | | |
| NRC | BAPVX | \$8,363.00 | NA | \$8,348.00 | NA | \$8,315.00 | \$8,379.00 | \$8,363.00 | \$8,333.00 | NA |
| NRC - Disconnect | BAPVX | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Trigger Access Charge, per trigger, per DN, Term. Attempt | | | | | | | | | | |
| NRC | BAPTT | \$49.64 | NA | \$19.13 | NA | \$41.08 | \$39.30 | \$72.76 | \$73.02 | NA |
| NRC - Disconnect | BAPTT | \$27.04 | NA | NA | NA | \$18.60 | \$37.70 | NA | NA | NA |
| Trigger Access Charge, per trigger per DN, Off-Hook Delay | | | | | | | | | | |
| NRC | BAPTD | \$49.64 | NA | \$114.80 | NA | \$41.08 | \$39.30 | \$72.76 | \$73.02 | NA |
| NRC - Disconnect | BAPTD | \$27.04 | NA | NA | NA | \$18.60 | \$37.70 | NA | NA | NA |
| Trigger Access Charge, per trigger, per DN, Off-Hook Immediate | | | | | | | | | | |
| NRC | BAPTM | \$49.64 | NA | \$19.13 | NA | \$41.08 | \$39.30 | \$72.76 | \$73.02 | NA |
| NRC - Disconnect | BAPTM | \$27.04 | NA | NA | NA | \$18.60 | \$37.70 | NA | NA | NA |
| Trigger Access Charge, per trigger, per DN, 10-Digit PODP | | | | | | | | | | |
| NRC | BAPTO | \$117.98 | NA | \$70.06 | NA | \$92.99 | \$106.90 | \$149.95 | \$150.25 | NA |
| NRC - Disconnect | BAPTO | \$37.90 | NA | NA | NA | \$26.73 | \$48.44 | NA | NA | NA |
| Trigger Access Charge, per trigger, per DN, CDP | | | | | | | | | | |
| NRC | BAPTC | \$117.98 | NA | \$70.06 | NA | \$92.99 | \$106.90 | \$149.95 | \$150.25 | NA |
| NRC - Disconnect | BAPTC | \$37.90 | NA | NA | NA | \$26.73 | \$48.44 | NA | NA | NA |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
OSS/SWA 8XX/DATABASES

Attachment 2
Exhibit C
Rates - Page 71

| DESCRIPTION | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|---|--|-------|----------|----------|-------------|-------------------|----------|-------------|------------|-------------|----------|
| | Trigger Access Charge, per trigger, per DN, Feature Code | | | | | | | | | | |
| | NRC | BAPTF | \$117.98 | NA | \$70.06 | NA | \$92.99 | \$106.90 | \$149.95 | \$150.25 | NA |
| | NRC - Disconnect | BAPTF | \$37.90 | NA | NA | NA | \$26.73 | \$48.44 | NA | NA | NA |
| | Query Charge, per query | | \$0.024 | NA | \$0.0209223 | NA | \$0.03 | \$0.0256138 | \$0.02 | \$0.0250662 | NA |
| | Type 1 Node Charge, per AIN Toolkit Subscription, per node, per query | | \$0.006 | NA | \$0.0053137 | NA | \$0.0065 | \$0.0065161 | \$0.005 | \$0.0062979 | NA |
| SCP Storage Charge, per SMS Access Acct, per 100 Kb | | N/A | \$1.63 | NA | \$1.46 | NA | \$1.79 | \$1.79 | \$1.45 | \$1.73 | NA |
| Monthly Report - per AIN Toolkit Service Subscription | | BAPMS | \$16.00 | NA | \$15.96 | NA | \$15.89 | \$16.01 | \$15.98 | \$15.93 | NA |
| | NRC | BAPMS | \$44.56 | NA | \$22.64 | NA | \$34.61 | \$44.02 | \$71.80 | \$72.15 | NA |
| | NRC - Disconnect | BAPMS | \$31.84 | NA | NA | NA | \$21.97 | \$31.28 | NA | NA | NA |
| Special Study - per AIN Toolkit Service Subscription | | BAPLS | \$0.10 | NA | \$0.0861109 | NA | \$0.08 | \$0.0810536 | \$0.08 | \$0.0872769 | NA |
| | NRC | BAPLS | \$47.74 | NA | \$22.64 | NA | \$37.77 | \$47.21 | \$47.20 | \$47.35 | NA |
| | NRC - Disconnect | BAPLS | \$15.90 | NA | NA | NA | NA | NA | NA | NA | NA |
| Call Event Report - per AIN Toolkit Service Subscription | | BAPDS | \$15.90 | NA | \$15.87 | NA | \$15.81 | \$15.93 | \$15.90 | \$15.84 | NA |
| | NRC | BAPDS | \$44.56 | NA | \$22.64 | NA | \$34.61 | \$44.02 | \$71.80 | \$72.15 | NA |
| | NRC - Disconnect | BAPDS | \$31.84 | NA | NA | NA | \$21.97 | \$31.28 | NA | NA | NA |
| Call Event special Study - per AIN Toolkit Service Subscription | | BAPES | \$0.003 | NA | \$0.0028704 | NA | \$0.0026 | \$0.0027018 | \$0.003 | \$0.0029092 | NA |
| | NRC | BAPES | \$47.74 | NA | \$22.64 | NA | \$37.77 | \$47.21 | \$47.20 | \$47.35 | NA |
| | NRC - Disconnect | BAPES | \$15.90 | NA | NA | NA | \$37.77 | NA | NA | NA | NA |
| CALLING NAME (CNAM) QUERY SERVICE | | | | | | | | | | | |
| CNAM (Database Owner), Per Query | | N/A | \$0.016 | \$0.016 | \$0.016 | \$0.016 | \$0.016 | \$0.016 | \$0.016 | \$0.016 | \$0.016 |
| CNAM (Non-Database Owner), Per Query * | | N/A | \$0.01 | \$0.01 | \$0.01 | \$0.01 | \$0.01 | \$0.01 | \$0.01 | \$0.01 | \$0.01 |
| | NRC, applicable when CLEC-1 uses the Character Based User Interface (CHUI) | N/A | \$595.00 | \$595.00 | \$595.00 | \$595.00 | \$595.00 | \$595.00 | \$595.00 | \$595.00 | \$595.00 |
| * Volume and term arrangements are also available. | | | | | | | | | | | |
| SELECTIVE ROUTING (Note 5) | | | | | | | | | | | |
| Per Line or PBX Trunk, each | | | NA | NA | NA | \$10.00 (Interim) | NA | NA | NA | NA | TBD |
| | NRC | | NA | NA | NA | NA | NA | NA | NA | NA | TBD |
| Customized routing per unique line class code, per request, per switch | | | | | | | NA | NA | NA | NA | NA |
| | NRC | USRCR | \$230.60 | \$229.65 | \$180.62 | \$229.65 | \$229.65 | \$227.99 | \$229.65 | \$226.22 | \$229.65 |
| | NRC - Incremental Charge - Manual Service Order | | \$25.93 | NA | \$18.94 | NA | NA | \$253.51 | NA | \$27.84 | NA |
| VIRTUAL COLLOCATION | | | | | | | | | | | |
| | NRC - Virtual Collocation - Application Cost - Manual | TBD | NA | NA | NA | NA | NA | NA | \$3,622.00 | NA | NA |
| | NRC - Virtual Collocation - Cable Installation Cost per Cable - Manual | TBD | NA | NA | NA | NA | NA | NA | \$2,305.00 | NA | NA |
| | RC - Virtual Collocation - Floor space per square feet | TBD | NA | NA | NA | NA | NA | NA | \$3.45 | NA | NA |
| | RC - Virtual Collocation - Floor space power, per ampere | TBD | NA | NA | NA | NA | NA | NA | \$6.65 | NA | NA |
| | RC - Virtual Collocation - Cable support structure, per entrance cable | TBD | NA | NA | NA | NA | NA | NA | \$18.66 | NA | NA |
| 2-wire Cross-Connect | | | | | | | | | | | |
| | RC | UEAC2 | \$0.28 | \$0.524 | \$0.30 | \$0.31 | \$0.26 | \$0.3996 | \$0.09 | \$0.3648 | \$0.30 |
| | NRC - 1st | UEAC2 | \$30.76 | \$11.57 | \$12.60 | \$54.21 | \$23.04 | \$30.93 | \$41.78 | \$41.50 | \$19.20 |
| | NRC - Add'l | UEAC2 | \$29.40 | \$11.57 | \$12.60 | \$51.07 | \$22.11 | \$29.59 | \$39.23 | \$38.94 | \$19.20 |
| | NRC - 1st - Manual Service Order | TBD | NA | NA | NA | NA | NA | NA | \$4.75 | NA | NA |
| | NRC - Add'l - Manual Service Order | TBD | NA | NA | NA | NA | NA | NA | \$4.75 | NA | NA |
| | NRC - Disconnect - 1st | UEAC2 | \$12.75 | NA | NA | NA | \$9.48 | \$12.76 | NA | NA | NA |
| | NRC - Disconnect - Add'l | UEAC2 | \$11.38 | NA | NA | NA | \$8.54 | \$11.43 | NA | NA | NA |
| 4-wire Cross-Connect | | | | | | | | | | | |
| | RC | UEAC4 | \$0.56 | \$0.524 | \$0.50 | \$0.62 | \$0.52 | \$0.7992 | \$0.18 | \$0.7297 | \$0.50 |
| | NRC - 1st | UEAC4 | \$66.71 | \$11.57 | \$12.60 | \$54.23 | \$23.23 | \$31.17 | \$41.91 | \$41.56 | \$19.20 |
| | NRC - Add'l | UEAC4 | \$50.43 | \$11.57 | \$12.60 | \$50.96 | \$22.24 | \$29.77 | \$39.25 | \$38.90 | \$19.20 |
| | NRC - 1st - Manual Service Order | TBD | NA | NA | NA | NA | NA | NA | \$4.73 | NA | NA |
| | NRC - Add'l - Manual Service Order | TBD | NA | NA | NA | NA | NA | NA | \$4.73 | NA | NA |
| | NRC - Disconnect - 1st | UEAC4 | \$12.82 | NA | NA | NA | \$9.53 | \$12.83 | NA | NA | NA |
| | NRC - Disconnect - Add'l | UEAC4 | \$11.39 | NA | NA | NA | \$8.55 | \$11.43 | NA | NA | NA |
| 2-fiber Cross-Connect | | | | | | | | | | | |

BELLSOUTH/AI-Call RATES
NETWORK ELEMENTS
AND OTHER SERVICES
OSS/SWA 8XX/DATABASES

Attachment 2
Exhibit C
Rates - Page 72

| DESCRIPTION | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|---|------------------------------------|--|---------|----|---------|---------|---------|---------|---------|---------|---------|
| | RC | CNC2F | \$12.10 | NA | \$15.64 | \$15.64 | \$19.13 | \$15.64 | \$15.99 | \$15.06 | \$15.64 |
| | NRC - 1st | CNC2F | \$55.46 | NA | \$41.56 | \$41.56 | \$41.07 | \$41.56 | \$67.34 | \$69.28 | \$41.56 |
| | NRC - Add'l | CNC2F | \$39.18 | NA | \$29.82 | \$29.82 | \$29.63 | \$29.82 | \$48.55 | \$48.89 | \$29.82 |
| | NRC - Disconnect - 1st | CNC2F | \$16.83 | NA | NA | NA | \$12.84 | \$12.96 | NA | NA | NA |
| | NRC - Disconnect - Add'l | CNC2F | \$13.27 | NA | NA | NA | \$10.29 | \$10.34 | NA | NA | NA |
| 4-fiber Cross-Connect | | | | | | | | | | | |
| | RC | CNC4F | \$21.75 | NA | \$28.11 | \$28.11 | \$34.38 | \$28.11 | \$28.74 | \$27.08 | \$28.11 |
| | NRC - 1st | CNC4F | \$66.71 | NA | \$50.53 | \$50.53 | \$49.81 | \$50.53 | \$82.35 | \$84.07 | \$50.53 |
| | NRC - Add'l | CNC4F | \$50.43 | NA | \$38.78 | \$38.78 | \$38.37 | \$38.78 | \$63.56 | \$63.68 | \$38.78 |
| | NRC - Disconnect - 1st | CNC4F | \$21.86 | NA | NA | NA | \$16.75 | \$16.97 | NA | NA | NA |
| | NRC - Disconnect - Add'l | CNC4F | \$18.31 | NA | NA | NA | \$14.20 | \$14.35 | NA | NA | NA |
| DS1 Cross-Connects | | | | | | | | | | | |
| | RC | TBD | NA | NA | NA | NA | NA | NA | \$0.97 | NA | NA |
| | NRC - 1st | TBD | NA | NA | NA | NA | NA | NA | \$71.02 | NA | NA |
| | NRC - Add'l | TBD | NA | NA | NA | NA | NA | NA | \$51.08 | NA | NA |
| | NRC - Manual Service Order - 1st | TBD | NA | NA | NA | NA | NA | NA | \$4.70 | NA | NA |
| | NRC - Manual Service Order - Add'l | TBD | NA | NA | NA | NA | NA | NA | \$4.70 | NA | NA |
| DS3 Cross-Connects | | | | | | | | | | | |
| | RC | TBD | NA | NA | NA | NA | NA | NA | \$12.33 | NA | NA |
| | NRC - 1st | TBD | NA | NA | NA | NA | NA | NA | \$69.84 | NA | NA |
| | NRC - Add'l | TBD | NA | NA | NA | NA | NA | NA | \$49.43 | NA | NA |
| | NRC - Manual Service Order - 1st | TBD | NA | NA | NA | NA | NA | NA | \$4.70 | NA | NA |
| | NRC - Manual Service Order - Add'l | TBD | NA | NA | NA | NA | NA | NA | \$4.70 | NA | NA |
| If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the parties upon request by either party. | | | | | | | | | | | |
| | 1 | BellSouth and CLEC shall negotiate rates for this offering. If agreement is not reached within sixty (60) days of the Effective Date, either party may petition the Florida PSC to settle the disputed charge or charges. (FL) | | | | | | | | | |
| | 2 | This rate element is for those states w/o separate rates for 800 calls with 800 No. Delivery vs. POTS No. Delivery and calls with Optional Complex Features vs. w/o Optional Complex Features. | | | | | | | | | |
| | 3 | This charge is only applicable where signaling usage measurement or billing capability does not exist. | | | | | | | | | |
| | 4 | Prices for AIN to be determined upon development of mediation device. (TN) | | | | | | | | | |
| | 5 | Price for Line Class Codes for Selective Routing shall be determined by the TRA. (TN) | | | | | | | | | |

Attachment 3

Local Interconnection

TABLE OF CONTENTS

| | | |
|----|--|-----------|
| 1. | Network Interconnection..... | 3 |
| 2. | Interconnection Trunking and Routing..... | 8 |
| 3. | Network Design and Management for Interconnection..... | 12 |
| 4. | Parity in Ordering and Provisioning | 14 |
| 5. | Local Dialing Parity..... | 15 |
| 6. | Interconnection Compensation | 15 |
| 7. | Frame Relay Service..... | 22 |
| 8. | Operational Support Systems (OSS) Rates | 22 |
| | Rates | Exhibit A |
| | Basic Architecture..... | Exhibit B |
| | One-Way Trunking Architecture | Exhibit C |
| | Two-Way Trunking Architecture..... | Exhibit D |
| | Supergroup Architecture | Exhibit E |

Local Interconnection: Call Transport and Termination

The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (local) and exchange access (intraLATA toll and switched access) on the following terms:

1. Network Interconnection

- 1.1 Interconnection is available to both Parties through: (1) delivery of a Party's facilities to a collocation arrangement or Fiber Meet arrangement as defined in this Agreement; or (2) interconnection via purchase of facilities from the other Party. Interconnection may be provided by the Parties at any other technically feasible point. Requests to BellSouth for interconnection at other points may be made through the Bona Fide Request/New Business Request process set out in General Terms and Conditions.
- 1.2 Al-Call must establish, at a minimum, a single Point of Presence, Interface, and Interconnection with BellSouth within the LATA for the delivery of Al-Call originated local, intraLATA toll and transit traffic. If Al-Call chooses to interconnect at a single Point of Interconnection within a LATA, the interconnection must be at a BellSouth Access Tandem. Furthermore, Al-Call must establish Points of Interconnection at all BellSouth access and local tandems where Al-Call NXXs are "homed." A "Homing" arrangement is defined by a "Final" Trunk Group between the BellSouth Tandem and Al-Call End Office switch. A "Final" Trunk Group is the last choice telecommunications path between the Tandem and End Office switch. It is Al-Call's responsibility to enter its own NPA/NXX access and/or local tandem "homing" arrangements into the national Local Exchange Routing Guide (LERG).
- 1.2.1 In order for Al-Call to home its NPA/NXX(s) on a BellSouth Tandem, Al-Call's NPA/NXX(s) must be assigned to an Exchange Rate Center Area served by that BellSouth Tandem and as specified by BellSouth. The specified association between BellSouth Tandems and Exchange Rate Center Areas is defined in the Local Exchange Routing Guide (LERG) as it is revised from time to time.
- 1.3 A **Point of Presence (POP)** is the physical location (a structure where the environmental, power, air conditioning, etc. specifications for a Party's terminating equipment can be met) at which a Party establishes itself for obtaining access to the other Party's network. The POP is the physical location within which the Point of Interfaces occur.

- 1.4 A **Point of Interface** is the physical telecommunications interface between BellSouth and Al-Call's interconnection functions. It establishes the technical interface and point of operational responsibility. The primary function of the Point of Interface is to serve as the terminus for the interconnection service. The Point of Interface has the following main characteristics:
1. It is a cross-connect point to allow connection, disconnection, transfer or restoration of service.
 2. It is a point where BellSouth and Al-Call can verify and maintain specific performance objectives.
 3. It is specified according to the interface offered in the applicable tariff or local interconnection agreement (for example: for DS1 service the FCC # 1 tariff specifies that the interface meets the technical specifications detailed in Generic Requirements GR-342-CORE, Issue 1, December 1995.)
 4. The Parties provide their own equipment (CPE) to interface with the DS0, DS1, DS3, STS1 and/or OCn circuits on the customer premises.
- 1.5 The **Point of Interconnection** is the point at which the originating Party delivers its originated traffic to the terminating Party's first point of switching on the terminating Party's common (shared) network for call transport and termination. Points of Interconnection are available at either Access Tandems, Local Tandems, or End Offices as described in this Agreement. Al-Call's requested Point of Interconnection will also be used for the receipt and delivery of transit traffic at BellSouth Access and Local Tandems. Points of Interconnection established at the BellSouth Local Tandem shall not be used to interconnect for the exchange of Switched Access Traffic or intraLATA toll.
- 1.6 Al-Call, at its option, shall establish Points of Presence and Points of Interface for the delivery of its originated local and intraLATA toll traffic to BellSouth. The Point of Interface may not necessarily be established at the Point of Interconnection. BellSouth shall designate the Points of Presence and Points of Interface for the delivery of traffic originated by BellSouth to Al-Call for call transport and termination by Al-Call.
- 1.7 The Parties shall institute a bill and keep compensation plan under which neither Party will charge the other Party recurring and nonrecurring charges associated with trunks and facilities for the exchange of traffic other than Transit Traffic. Both Parties, as appropriate, shall be compensated for the ordering of trunks and facilities transporting Transit Traffic.
- 1.8 **Interconnection via Purchase of Facilities**
- 1.8.1 Either Party may purchase Local Channel facilities from the Party's specified Point of Interface to its designated serving wire center. The Parties agree that charges for such Local Channel facilities are as set forth in Exhibit A to this

Attachment. If a nonrecurring or recurring rate is not identified in Exhibit A for a Local Channel, the rate shall be as set forth in the appropriate Party's intrastate or interstate tariff for switched access services as filed and effective with the appropriate Commission.

Additionally, either Party may purchase Dedicated Transport facilities from its designated serving wire center to the other Party's first point of switching. The Parties agree that charges for such Dedicated Transport facilities are as set forth in Exhibit A to this Attachment. If a nonrecurring or recurring rate is not identified in Exhibit A for Dedicated Transport, the rate shall be as set forth in the appropriate Party's intrastate or interstate tariff for switched access services as filed and effective with the appropriate Commission.

- 1.8.2 For the purposes of this Attachment, Local Channel is defined as a switch transport facility between a Party's Point of Presence and its designated serving wire center.
- 1.8.3 For the purposes of this Attachment, Serving Wire Center is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its Point of Presence.
- 1.8.4 For the purposes of this Attachment, Dedicated Transport is defined as a switch transport facility between a Party's designated serving wire center and the first point of switching on the other Party's common (shared) network.
- 1.9 BellSouth **Multiple Tandem Access (MTA)** provides for LATA wide BellSouth transport and termination of AI-Call-originated local and intraLATA toll traffic transported by BellSouth by establishing a Point of Interconnection at a BellSouth access tandem with routing through multiple BellSouth access tandems as required. However, AI-Call must still establish Points of Interconnection at all BellSouth access tandems where AI-Call NXXs are "homed". If AI-Call does not have NXXs homed at a BellSouth access tandem within a LATA and elects not to establish Points of Interconnection at such BellSouth access tandem, AI-Call can order MTA in each BellSouth access tandem within the LATA where it does have a Point of Interconnection and BellSouth will terminate traffic to end-users served through those BellSouth access tandems where AI-Call does not have a Point of Interconnection. MTA shall be provisioned in accordance with BellSouth's reasonable and nondiscriminatory Ordering Guidelines.
- 1.9.1 MTA does not include switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched Access traffic will be delivered to and by IXCs based on AI-Call's NXX Access Tandem homing arrangement as specified by AI-Call in the national Local Exchange Routing Guide (LERG).

- 1.9.2 For Al-Call -originated local and intraLATA toll traffic that BellSouth transports but is destined for termination by a third Party network (transit traffic), BellSouth MTA is required if multiple BellSouth access tandems are necessary to deliver the call to the third Party network.
- 1.9.3 With MTA, for the delivery of Al-Call's local and ISP bound traffic, Al-Call will be assessed charges as specified in Exhibit A to this Attachment for the additional transport and tandem switching required as a result of MTA on an elemental basis in addition to the reciprocal compensation rate to which the Parties have agreed in Section 6.1.2. In the situation of tandem exhaust at any particular tandem, where the Parties choose MTA as an alternative routing plan, the Parties will negotiate appropriate rates, terms and conditions.
- 1.9.4 To the extent Al-Call does not purchase MTA in a calling area that has multiple access tandems serving the calling area as defined by BellSouth, Al-Call must establish Points of Interconnection to every access tandem in the calling area in order to serve the entire calling area. To the extent Al-Call does not purchase MTA and provides intraLATA toll service to its customers, it may be necessary for it to establish a Point of Interconnection to additional BellSouth access tandems that serve end offices outside the local calling area.
- 1.10 **Local Tandem Interconnection.** This interconnection arrangement allows Al-Call to establish a Point of Interconnection at BellSouth local tandems for: (1) the delivery of Al-Call-originated local traffic transported and terminated by BellSouth to BellSouth end offices within the local calling area as defined in BellSouth's GSST, section A3 served by those BellSouth local tandems, and (2) for local transit traffic transported by BellSouth for third party network providers who have also established Points of Interconnection at those BellSouth local tandems.
- 1.10.1 When a specified local calling area is served by more than one BellSouth local tandem, Al-Call must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, Al-Call may choose to establish a Point of Interconnection at the BellSouth local tandems where it has no codes homing but is not required to do so. Al-Call may deliver local traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where Al-Call does not choose to establish a Point of Interconnection. It is Al-Call's responsibility to enter its own NPA/NXX local tandem homing arrangements into the Local Exchange Routing Guide (LERG) either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to Al-Call's codes. Likewise, Al-Call shall obtain its routing information from the LERG.

- 1.10.2 Notwithstanding establishing Points of Interconnection to BellSouth's local tandems, Al-Call must also establish Points of Interconnection to BellSouth access tandems within the LATA on which Al-Call has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth cannot switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff.)
- 1.10.3 BellSouth's provisioning of local tandem interconnection assumes that Al-Call has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.
- 1.11 **Fiber Meet**
- 1.11.1 "Fiber-Meet" is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface (as opposed to an electrical interface) at a mutually agreed upon location, at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends (i.e. Point Of Interface).
- 1.11.2 If Al-Call elects to establish a Point of Interconnection with BellSouth pursuant to a Fiber Meet, Al-Call and BellSouth shall jointly engineer and operate a Synchronous Optical Network ("SONET") transmission system by which they shall interconnect their transmission and routing of local traffic via a Local Channel facility at either the DS0, DS1, or DS3 level and shall be ordered via an Access Services Request ("ASR") in the initial phase of this offering. The Parties shall work jointly to determine the specific transmission system. However, Al-Call's SONET transmission must be compatible with BellSouth's equipment in the serving wire center. The same vendor's equipment and software version must be used, and the Data Communications Channel (DCC) must be turned off.
- 1.11.3 BellSouth shall, wholly at its own expense, procure, install and maintain the agreed upon SONET equipment in the BellSouth Interconnection Wire Center ("BIWC").
- 1.11.4 Al-Call shall, wholly at its own expense, procure, install and maintain the agreed upon SONET equipment in the Al-Call Interconnection Wire Center ("Al-Call Wire Center").
- 1.11.5 BellSouth shall designate a Point of Interface outside the BIWC as a Fiber Meet point, and shall make all necessary preparations to receive, and to allow and enable Al-Call to deliver, fiber optic facilities into the Point of Interface with

sufficient spare length to reach the fusion splice point at the Point of Interface. BellSouth shall, wholly at its own expense, procure, install, and maintain the fusion splicing point in the Point of Interface. A Common Language Location Identification ("CLLI") code will be established for each Point of Interface. The code established must be a building type code. All orders shall originate from the Point of Interface (i.e., Point of Interface to Al-Call, Point of Interface to BellSouth).

- 1.11.6 Al-Call shall deliver and maintain such strands wholly at its own expense. Upon verbal request by Al-Call, BellSouth shall allow Al-Call access to the Fiber Meet entry point for maintenance purposes as promptly as possible.
- 1.11.7 The Parties shall jointly coordinate and undertake maintenance of the SONET transmission system. Each Party shall be responsible for maintaining the components of their own SONET transmission system.
- 1.11.8 Each Party will be responsible for (i) providing its own transport facilities to the Fiber Meet, and (ii) the cost to build-out its facilities to such Fiber Meet.
- 1.11.9 Neither Party shall charge the other for its portion of the Fiber Meet facility used exclusively for non-transit local traffic (i.e., the Local Channel). Charges incurred for other services including dedicated transport facilities to the Point of Interconnection if applicable will apply. Charges for Switched and Special Access Services shall be billed in accordance with the Parties' applicable Access Service tariffs (e.g., the BellSouth Interstate or Intrastate Access Services Tariff).
- 1.11.10 The term "Special Access Service" means the offering of dedicated facilities for the purpose of the origination or termination of telecommunications traffic to or from an interexchange carrier to or from each Parties' telephone exchange service customers in a given area.

2. Interconnection Trunking and Routing

- 2.1 BellSouth and Al-Call shall establish interconnecting trunk groups and trunking configurations between networks including the establishment of one-way or two-way trunks in accordance with Sections 2.4 and 2.5 of this attachment.

- 2.2 Any Al-Call interconnection request that deviates from the standard trunking configurations as described in the *BellSouth Call Transport & Termination Service For Facility Based CLECs section of the Facility Based CLEC Activation Requirements Customer Guide* that affects traffic delivered to Al-Call from a BellSouth switch that requires special BellSouth switch translations and other network modifications will require Al-Call to submit a Bona Fide Request/New Business Request via the Bona Fide Request/New Business Request Process set forth in General Terms and Conditions.
- 2.3 All terms and conditions, as well as charges, both non-recurring and recurring, associated with interconnecting trunk groups between BellSouth and Al-Call not addressed in Exhibit A shall be as set forth in the appropriate intrastate or interstate tariff for switched access services of the Parties. For two-way trunking that carries the Parties' local and intraLATA toll traffic, excluding transit traffic, the Parties shall be compensated for the nonrecurring and recurring charges for trunks and DS1 facilities at 50% of the applicable contractual or tariff rates for the services provided by each Party. Al-Call shall be responsible for ordering and paying for any two-way trunks carrying transit traffic.
- 2.4 Two-Way Trunking Requirements:
- The following requirements apply to two-way trunking that carries the Parties local and intraLATA toll.
1. If a Party chooses to interconnect using two-way trunking, that Party shall initiate such two-way trunking request. The quantity of two way trunking shall be mutually agreed upon and shall be jointly provisioned.
 2. The Point of Interface will be located at a mutually agreed upon location.
 3. BellSouth and Al-Call will jointly review the trunk forecast, as needed, on a periodic basis, or at least every six (6) months.
 4. Al-Call will order trunks using access service request (ASR) process in place for Local Interconnection after the joint planning meeting takes place between BellSouth and Al-Call.
 5. BellSouth and Al-Call will agree on traffic engineering parameters that will be used in the engineering of the trunk groups. BellSouth will provide the same quality of service that it provides to itself.
 6. BellSouth and Al-Call agree to meet and resolve service-affecting situations in a timely manner. This contact will normally be made through the Account Team and Al-Call's Vice President of Engineering .

7. Establishing a two-way trunk group does not preclude BellSouth or Al-Call from adding one-way trunk groups within the same Local Calling Area.
8. For technical reasons, two-way trunk groups may not be ordered to a BellSouth DMS100 Local Tandem or DMS100 End Office.
9. BellSouth will be responsible for the installation and maintenance of its trunks and facilities to the mutually agreed Point of Interface, and Al-Call will be responsible for the installation and maintenance of its trunks and facilities to the mutually agreed to Point of Interface.

2.5 **BellSouth Access Tandem Interconnection Architectures**

- 2.5.1 BellSouth Access Tandem Interconnection provides intra-tandem access to subtending end offices. BellSouth Multiple Tandem Access (MTA), described later in this Agreement, may be ordered using any of the following access tandem architectures.

2.5.2 Basic Architecture

- 2.5.2.1 In this architecture, Al-Call's originating Local and IntraLATA Toll and originating and terminating Transit Traffic is transported on a single two-way trunk group between Al-Call and BellSouth access tandem(s) within a LATA. This group carries intra-tandem Transit Traffic between Al-Call and Independent Companies, Interexchange Carriers, other CLECs and other network providers with which Al-Call desires interconnection and has the proper contractual arrangements. This group also carries Al-Call originated inter-tandem traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local and intraLATA Toll traffic is transported on a single one-way trunk group terminating to Al-Call. Other trunk groups for operator services, directory assistance, emergency services and intercept may be established if required. The LERG should be referenced for current routing and tandem serving arrangements. The Basic Architecture is illustrated in Exhibit B.

2.5.3 One-Way Trunking Architecture

- 2.5.3.1 In this architecture, the Parties interconnect using two one-way trunk groups. One one-way trunk group carries Al-Call-originated local and intraLATA toll traffic destined for BellSouth end-users. The other one-way trunk group carries BellSouth-originated local and intraLATA toll traffic destined for Al-Call end-users. A third two-way trunk group is established for Al-Call's originating and terminating Transit Traffic. This group carries intra-tandem Transit Traffic between Al-Call and Independent Companies, Interexchange Carriers, other CLECs and other network providers with which Al-Call desires interconnection

and has the proper contractual arrangements. This group also carries Al-Call originated inter-tandem traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. Other trunk groups for operator services, directory assistance, emergency services and intercept may be established if required. The LERG should be referenced for current routing and tandem serving arrangements. The One-Way Trunking Architecture is illustrated in Exhibit C.

2.5.4 Two-Way Trunking Architecture

2.5.4.1 The Two-Way Trunking Architecture establishes one two-way trunk group to carry local and intraLATA toll traffic between Al-Call and BellSouth. To establish this architecture, Al-Call and BellSouth must meet the Two-way Trunking Requirements described in this Attachment. In addition, a two-way transit trunk group must be established for Al-Call's originating and terminating Transit Traffic. This group carries intra-tandem Transit Traffic between Al-Call and Independent Companies, Interexchange Carriers, other CLECs and other network providers with which Al-Call desires interconnection and has the proper contractual arrangements. This group also carries Al-Call originated inter-tandem traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. Other trunk groups for operator services, directory assistance, emergency services and intercept may be established if required. The LERG should be referenced for current routing and tandem serving arrangements. The Two-Way Trunking Architecture is illustrated in Exhibit D.

2.5.5 Supergroup Architecture

2.5.5.1 In the Supergroup Architecture, the Parties Local and IntraLATA Toll and Al-Call's Transit Traffic is exchanged on a single two-way trunk group between Al-Call and BellSouth. To establish this architecture, Al-Call and BellSouth must meet the Two-way Trunking Requirements described in this Attachment. This group carries intra-tandem Transit Traffic between Al-Call and Independent Companies, Interexchange Carriers, other CLECs and other network providers with which Al-Call desires interconnection and has the proper contractual arrangements. This group also carries Al-Call originated inter-tandem traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. Other trunk groups for operator services, directory assistance, emergency services and intercept may be established if required. The LERG should be referenced for current routing and tandem serving arrangements. The Supergroup Architecture is illustrated in Exhibit E.

2.6 Al-Call may establish interconnection at BellSouth end offices for the delivery of Al-Call originated local and intraLATA toll traffic destined for BellSouth end-users served by that end-office.

- 2.6.1 When end office trunking is ordered by BellSouth to deliver BellSouth originated traffic to Al-Call, BellSouth will provide overflow routing through BellSouth tandems consistent with how BellSouth overflows its traffic. The overflow will be based on the homing arrangements Al-Call displays in the LERG. Likewise, if Al-Call interconnects to a BellSouth end office for delivery of Al-Call originated traffic, Al-Call will overflow the traffic through the BellSouth tandems based on the BellSouth homing arrangements shown in the LERG.
- 2.6.2 The Parties shall utilize direct end office trunking under the following conditions:
- (1) Tandem Exhaust - If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan or an alternative routing plan that will alleviate the tandem capacity shortage and ensure completion of traffic between Al-Call and BellSouth's subscribers.
- (2) Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between a Al-Call switching center and a BellSouth end office, that Party shall install and retain direct end office trunking sufficient to handle actual or reasonably forecasted traffic volumes, whichever is greater, between a Al-Call switching center and a BellSouth end office where the traffic exceeds or is forecasted to exceed two DS1s of local traffic per month. Either Party will install additional capacity between such points when overflow traffic between Al-Call's switching center and BellSouth's end office exceeds or is forecasted to exceed two DS1s of local traffic per month. In the case of one way trunking from Al-Call, additional trunking shall be required when its traffic volume has achieved the preceding threshold. Additionally, in the case of one-way trunks from BellSouth, additional trunking may be requested by either party when its traffic volume has achieved a single DS1 of local traffic per month.
- (3) Mutual Agreement - The Parties may install direct end office trunking upon mutual agreement in the absence of the conditions (1) or (2) above.
- 2.7 Switched Access traffic will be delivered to and by IXC's based on Al-Call's NXX Access Tandem homing arrangement as specified by Al-Call in the national Local Exchange Routing Guide (LERG).
- 2.8 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible.

3. Network Design and Management for Interconnection

- 3.1 Network Management and Changes. Both Parties will work cooperatively with each other to install and maintain the most effective and reliable interconnected

telecommunications networks, including but not limited to, the exchange of toll-free maintenance contact numbers and escalation procedures. Both Parties agree to provide public notice of changes in the information necessary for the transmission and routing of services using its local exchange facilities or networks, as well as of any other changes that would affect the interoperability of those facilities and networks.

- 3.2 Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Telcordia Standard No. TR-NWT-00499. Signal transfer point, Signaling System 7 (“SS7”) connectivity is required at each interconnection point. BellSouth will provide out-of-band signaling using Common Channel Signaling Access Capability where technically feasible, in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall hand off calling number ID (Calling Party Number) when technically feasible.
- 3.3 Quality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection. BellSouth shall provide interconnection facilities that meet the same technical criteria and service standards used in BellSouth’s own network including the probability of blocking in peak hours and transmission standards.
- 3.4 Network Management Controls. Both Parties will work cooperatively with each other to apply sound network management principles by invoking appropriate network management controls, *e.g.*, call gapping, to alleviate or prevent network congestion.
- 3.5 Common Channel Signaling. Both Parties will provide LEC-to-LEC Common Channel Signaling (“CCS”) to each other, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All CCS signaling parameters will be provided, including automatic number identification (“ANI”), originating line information (“OLI”) calling company category, charge number, etc. All privacy indicators will be honored, and each Party will cooperate with each other on the exchange of Transactional Capabilities Application Part (“TCAP”) messages to facilitate full interoperability of CCS-based features between the respective networks.
- 3.6 **Forecasting Requirements**

- 3.6.1 The Parties shall exchange technical descriptions and forecasts of their interconnection and traffic requirements in sufficient detail necessary to establish the interconnections required to assure traffic completion to and from all customers in their respective designated service areas. In order for BellSouth to provide as accurate reciprocal trunking forecasts as possible to Al-Call, Al-Call must inform BellSouth of any known or anticipated events that may affect BellSouth reciprocal trunking requirements. If State refuses to provide such information, BellSouth shall provide reciprocal trunking forecasts based only on existing trunk group growth and BellSouth annual estimated percentage of BellSouth's subscriber line growth.
- 3.6.2 Both Parties shall meet every six months or at otherwise mutually agreeable intervals for the purpose of exchanging non-binding forecast of its traffic and volume requirements for the interconnection and network elements provided under this Agreement, in the form and in such detail as agreed by the Parties. The Parties agree that each forecast provided under this Section shall be deemed "Confidential Information" in the General Terms and Conditions – Part A of this Agreement.
- 3.6.3 The trunk forecast should include trunk requirements for all of the interconnecting trunk groups for the current year plus the next two future years. The forecast meeting between the two companies may be a face-to-face meeting, video conference or audio conference. It may be held regionally or geographically. Ideally, these forecast meetings should be held at least semi-annually, or more often if the forecast is no longer usable. Updates to a forecast or portions thereof should be made whenever the Party providing the forecast deems that the latest trunk requirements exceed the original quantities by 48 trunks or 10%, whichever is greater. Either Party should notify the other Party if they have measurements indicating that a trunk group is exceeding its designed call carrying capacity and is impacting other trunk groups in the network. Also, either Party should notify the other Party if they know of situations in which the traffic load is expected to increase significantly and thus affect the interconnecting trunk requirements as well as the trunk requirements within the other Party's network. The Parties agree that the forecast information provided under this Section shall be deemed "Confidential Information" as set forth in the General Terms and Conditions of this Agreement.
- 3.6.4 For a non-binding trunk forecast, agreement between the two Parties on the trunk quantities and the timeframe of those trunks does not imply any liability for failure to perform if the trunks are not available for use at the required time ordered. However, if one Party cannot meet an order at the time ordered, it will use its best efforts to meet such order within 180 days of the requested time.
- 3.7 Signaling Call Information. BellSouth and Al-Call will send and receive 10 digits for local traffic. Additionally, BellSouth and Al-Call will exchange the proper call information, i.e., originated call company number and destination call

company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

4. Parity in Ordering and Provisioning

Each Party shall provide interconnection ordering and provisioning services to the other Party that are Equal in Quality to the ordering and provisioning services the Parties provide themselves. "Equal in Quality" shall have the meaning accorded in Section 51.305(a)(3) of the FCC's Rules, 47 C.F.R. § 51.305(a)(3). Reasonable and nondiscriminatory procedures for ordering and provisioning BellSouth interconnection services are set forth in the *BellSouth Call Transport & Termination Service For Facility Based CLECs section of the Facility Based CLEC Activation Requirements Customer Guide*.

5. Local Dialing Parity

Each Party shall provide local dialing parity, meaning that each Party's customers will not have to dial any greater number of digits than the other Party's customers to complete the same call. In addition, under equivalent interconnection arrangements, AI-Call local service customers will experience at least the same quality as BellSouth local service customers regarding post-dial delay, call completion rate and transmission quality.

6. Interconnection Compensation

6.1 Compensation for Call Transportation and Termination for Local Traffic and ISP-Bound Traffic, excluding access traffic.

6.1.1 Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or a corresponding Extended Area Service ("EAS") exchange.

6.1.2 The Parties will compensate each other on a mutual and reciprocal basis for the transport and termination of Local Traffic and ISP-bound traffic at the following rates:

| | |
|--------------------------|---------------------------------------|
| Effective date - 3/31/01 | \$.00200 per MOU |
| 4/1/01 - 3/31/02 | \$.00175 per MOU |
| 4/1/02 - 3/31/03 | \$.00150 per MOU |
| 4/1/03 – 10/5/03 | The Parties will negotiate a rate for |

the exchange of traffic. If the parties fail to negotiate a rate by 4/1/03, the applicable FCC or State Commission approved rates for local and isp bound traffic will apply.

The Parties recognize and agree that they negotiated these annual rates together as a complete rate structure to apply over the full three-year term of this

Agreement and that the parties would not have mutually agreed to accept a single annual rate in any single year. Nothing in this Paragraph shall limit Al-Call's rights pursuant to Paragraph 6.1.3.3.

- 6.1.3 The Parties have been unable to agree upon whether dial up calls to Information Service Providers ("ISPs") should be considered Local Traffic for purposes of this Agreement. Dial-up Calls are defined as calls to an ISP that are dialed by using a local dialing pattern (7 or 10 digits) by the calling party (hereinafter referred to as "ISP-bound traffic"). However, without prejudice to either Party's position concerning the nature of ISP-bound traffic, the Parties agree for purposes of this Agreement only, to compensate each other for ISP-bound traffic at the same per minute of use rates set forth in Paragraph 6.1.2. It is expressly understood and agreed that this inter-carrier compensation mechanism for ISP-bound traffic is being established: (1) in consideration for a waiver and release by each party for any and all claims for reciprocal compensation for ISP-bound traffic exchanged between the parties prior to April 1, 2000, which is hereby acknowledged; and (2) subject to the terms and conditions in section 6.1.4.
- 6.1.3.1 The Parties recognize and agree that the FCC, courts of competent jurisdiction, or state commissions with jurisdiction over the Parties will issue subsequent decisions on ISP-bound traffic ("Subsequent Decisions"). Notwithstanding any provision in this Agreement to the contrary, the inter-carrier compensation mechanism established in section 6.1.3 shall continue at the rates set forth in section 6.1.2 for the full term of this Agreement without regard to such Subsequent Decisions, except as provided for in section 6.1.3.2 and 6.1.3.3.
- 6.1.3.2 To the extent such Subsequent Decisions render the inter-carrier compensation mechanism for ISP-bound traffic set forth in section 6.1.3 in violation of applicable federal or state law, the Parties agree to amend this Agreement within thirty (30) days of the effective date of any such Subsequent Decision to conform the inter-carrier compensation mechanism set forth in section 6.1.3 with such Subsequent Decision. In the event of such an amendment, there will be no true-up for compensation paid prior to the amendment. In the event of such an amendment, there will be no true-up for compensation paid prior to the amendment, except to the extent expressly required by law.
- 6.1.3.3 Nothing herein shall preclude Al-Call from exercising its rights under this Agreement or Section 252(i) of the 1996 Act and applicable FCC regulations to elect rates, terms, and conditions with respect to the payment of reciprocal compensation from any other approved interconnection agreement executed by BellSouth under which BellSouth is paying reciprocal compensation for ISP-bound traffic other than on an interim basis. The Parties recognize and agree that this provision is intended to ensure that Al-Call is treated in the same manner with respect to the payment of reciprocal compensation for ISP-bound traffic as the competing local exchange carrier from whose interconnection agreement Al-Call seeks to elect rates, terms, and conditions. Accordingly, Al-

Call agrees that it will not seek to elect reciprocal compensation rates, terms, or conditions from another interconnection agreement unless those rates, terms, and conditions apply to ISP-bound traffic (other than on an interim basis), either by the express terms of that agreement, by voluntary action by BellSouth, or pursuant to an effective state Commission or court order.

- 6.1.4 The Parties recognize and agree that the compensation for the transport and termination of Local Traffic set forth in section 6.1.2 and the inter-carrier compensation mechanism for ISP-bound traffic set forth in section 6.1.3 are intended to allow each Party to recover costs associated with such traffic. Accordingly, the Parties recognize and agree that such compensation will not be billed and shall not be paid for a call placed from a local exchange service provided by a Party, to establish or maintain a network connection if: (1) such call is not recognized by current industry practice to constitute traffic (voice or data) which results from a telephone call; (2) the end user customer does not control the dialed number destination and content of that call; or (3) a primary purpose of that call is to generate the payment of reciprocal compensation as a result of establishing or maintaining the network connection.
- 6.1.5 Neither Party shall represent switched access services traffic as Local Traffic for purposes of payment of reciprocal compensation.
- 6.2 Unidentifiable traffic. Unidentifiable traffic. AI-Call shall utilize its NPA/NXXs in such a way and will provide the necessary information so that BellSouth shall be able to distinguish Local from IntraLATA Toll traffic for BellSouth originated traffic. AI-Call end users' assigned NPA/NXX line numbers shall be physically located in the BellSouth rate center with which the NPA/NXX has been associated. Whenever BellSouth delivers traffic to AI-Call for termination on the AI-Call's network, if BellSouth cannot determine, because of the manner in which AI-Call has utilized its NXX codes whether the traffic is local or toll, BellSouth will charge the applicable rates for originating intrastate network access service as reflected in BellSouth's Intrastate Access Service Tariff. BellSouth will make appropriate billing adjustments if AI-Call can provide sufficient information for BellSouth to determine whether said traffic is local or toll.
- 6.3 Percent Local Use. Each Party will report to the other a Percentage Local Usage ("PLU"). The application of the PLU will determine the amount of local minutes to be billed to the other Party. For purposes of developing the PLU, each Party shall consider every local call and every long distance call, excluding intermediary traffic. By the first of January, April, July and October of each year, BellSouth and AI-Call shall provide a positive report updating the PLU. Notwithstanding the foregoing, where the terminating company has message recording technology that identifies the traffic terminated, such information, in

lieu of the PLU factor, shall at the company's option be utilized to determine the appropriate local usage compensation to be paid.

6.4 Percentage Interstate Usage. For combined interstate and intrastate AI-Call traffic terminated by BellSouth over the same facilities, AI-Call will be required to provide a projected Percentage Interstate Usage ("PIU") to BellSouth. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to AI-Call. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU factor will be used for application and billing of local interconnection. Notwithstanding the foregoing, where the terminating company has message recording technology that identifies the traffic terminated, such information, in lieu of the PLU factor, shall at the company's option be utilized to determine the appropriate local usage compensation to be paid.

6.5 Audits. On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and AI-Call shall retain records of call detail for a minimum of nine months from which a PLU and/or PIU can be ascertained. The audit shall be accomplished during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditors paid for by the Party requesting the audit. The PLU and/or PIU shall be adjusted based upon the audit results and shall apply to the usage for the quarter the audit was completed, to the usage for the quarter prior to the completion of the audit, and to the usage for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

6.6 Rate True-up

This section applies only to Tennessee.

6.6.1 The interim prices for Unbundled Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:

6.6.2 The interim prices shall be true-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one

Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 12 of the General Terms and Conditions and Attachment 1 of the Agreement.

6.6.3 The Parties may continue to negotiate toward final prices, but in the event that no such agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in the General Terms and Conditions of the Agreement, so long as they file the resulting Agreement with the Commission as a “negotiated agreement” under Section 252(e) of the Act.

6.6.4 A final order of this Commission that forms the basis of a true-up shall be the final order as to prices based on appropriate cost studies, or potentially may be a final order in any other Commission proceeding which meets the following criteria:

- (a) BellSouth and CLEC is entitled to be a full Party to the proceeding;
- (b) It shall apply the provisions of the federal Telecommunications Act of 1996, including but not limited to Section 252(d)(1) (which contains pricing standards) and all then-effective implementing rules and regulations; and,
- (c) It shall include as an issue the geographic deaveraging of unbundled element prices, which deaveraged prices, if any are required by said final order, shall form the basis of any true-up.

6.7 Compensation for IntraLATA Toll Traffic

6.7.1 IntraLATA Toll Traffic. IntraLATA Toll Traffic is defined as all traffic that originates and terminates within a single LATA, but is not treated as local or EAS traffic under this Attachment.

6.7.2 Compensation for intraLATA toll traffic. For terminating its intraLATA toll traffic on the other company’s network, the originating Party will pay the terminating Party’s current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in the terminating Party’s Intrastate or Interstate Access Services Tariff as filed and in effect with the FCC or state Commission. The appropriate charges will be determined by the routing of the call. If one Party is the other Party’s end user’s presubscribed interexchange carrier or if one Party’s end user uses the other Party as an

interexchange carrier on a 101XXXX basis, the originating Party will charge the other Party the appropriate originating switched access tariff rates as set forth in the originating Party's Intrastate or Interstate Access Services Tariff as filed and in effect with the FCC or appropriate state Commission.

6.7.3 Compensation for 800 Traffic. Each Party shall compensate the other pursuant to the appropriate switched access charges, including the database query charge as set forth in the providing Party's tariff, as filed and effective with the FCC or appropriate State Commission.

6.7.4 Records for 800 Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 800 customers. The records provided will be in a standard EMI format for a fee of \$0.013 per record.

6.7.5 800 Access Screening. Should Al-Call require 800 Access Ten Digit Screening Service from BellSouth, it shall have signaling transfer points connecting directly to BellSouth's local or regional signaling transfer point for service control point database query information. Al-Call shall utilize SS7 signaling links, ports and usage as set forth in Attachment 2. Al-Call will not utilize switched access FGD service. 800 Access Ten Digit Screening Service is an originating service that is provided via 800 Switched Access Service trunk groups from BellSouth's SS7 equipped end office or access tandem providing an IXC identification function and delivery of a call to the IXC based on the dialed ten digit number. The terms and conditions for this service are set out in BellSouth's Intrastate Access Services Tariff as amended.

6.8 Mutual Provision of Switched Access Service

6.8.1 The term "Switched Access Service" means the offering of switched facilities for the purpose of the origination or termination of telecommunications traffic to or from an interexchange carrier to or from each Parties' telephone exchange service customers in a given area. Switched Access Services include the following traffic types: Feature Group A, Feature Group B, Feature Group D, 800 access and 900 access services.

6.8.2 When BellSouth and Al-Call provide an access service connection between an interexchange carrier ("IXC") and each other, each Party will provide its own access services to the IXC on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by the Party providing the end office function. The Parties will use the Multiple Exchange Carrier Access Billing (MECAB) system to establish meet point billing for all applicable traffic, including traffic terminated to ported numbers via INP and non-geographic NPAs. Thirty (30)-day billing periods will be employed for these arrangements. The recording Party agrees to provide to the initial billing

company, at no charge, the switched access detailed usage data within no more than sixty (60) days after the recording date. The initial billing company will provide the switched access summary usage data to all subsequent billing companies within 10 days of rendering the initial bill to the IXC. Each company will notify the other when it is not feasible to meet these requirements so that the customers may be notified for any necessary revenue accrual associated with the significantly delayed recording or billing. As business requirements change data reporting requirements may be modified as necessary, by mutual agreement of the Parties.

- 6.8.3 In the event that either Party fails to provide switched access detailed usage data to the other Party within 90 days after the recording date and the receiving Party is unable to bill and/or collect access revenues due to the sending Party's failure to provide such data within said time period, then the Party failing to send the data as specified herein shall be liable to the other Party in an amount equal to the unbillable or uncollectible revenues. Each company will provide complete documentation to the other to substantiate any claim of unbillable access revenues. A negotiated settlement will be agreed upon between the companies.
- 6.8.4 Each company will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data which is lost or damaged by their company or any third party involved in processing or transporting data.
- 6.8.5 Each company agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- 6.8.6 Each company also agrees to process the recreated data within forty-eight (48) hours of receipt at its data processing center.
- 6.8.7 All claims should be filed with the other company within 120 days of the receipt of the date of the unbillable usage.
- 6.8.8 The Initial Billing Company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Company to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial billing Company. Each company agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.
- 6.9 **Transit Traffic Service.** Each Party shall provide tandem switching and transport services for the other's transit traffic. Transit traffic is traffic originating on one carrier's network that is switched and transported by the other Party and terminates on a third carrier's network. Rates for local transit traffic

shall be the applicable call transport and termination charges as set forth in Exhibit A to this Attachment. Rates for intraLATA toll and Switched Access transit traffic shall be the applicable call transport and termination rates as set forth in the providing Party's Interstate or Intrastate Switched Access tariffs. Billing associated with all transit traffic shall be pursuant to MECAB procedures. Wireless Type 1 traffic shall not be treated as transit traffic from a routing or billing perspective. Wireless Type 2A traffic shall not be treated as transit traffic from a routing or billing perspective until BellSouth and the Wireless carrier have the capability to properly meet-point-bill in accordance with MECAB guidelines.

- 6.9.1 The delivery of traffic which transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees and will be delivered at the rates as set forth in Exhibit A to this Attachment. Al-Call is responsible for and shall negotiate the necessary agreements or the placement of valid orders with the terminating carrier for the receipt of this traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier as a result of providing the transit function. Further, Al-Call agrees to compensate BellSouth for any charges or costs for the delivery of transit traffic to a connecting carrier on behalf of Al-Call for which a valid contract or order has not been established. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.
- 6.9.2 Except for as provided in 6.9.3, transit charges shall only be assessed on the originating carrier and shall not be assessed on the terminating carrier.
- 6.9.3 Transit charges associated with the provisioning of toll free services (e.g., 800/888/877) shall be assessed upon the terminating carrier and shall not be imposed on the originating carrier.

7. Frame Relay Service

- 7.1 Al-Call and BellSouth agree that, at the request of either Party, they will negotiate an amendment to this Agreement that provides rates, terms and conditions for frame relay service.

8. Operational Support Systems (OSS) Rates

BellSouth has developed and made available the following mechanized systems by which Al-Call may submit LSRs electronically.

| | |
|--------|---|
| LENS | Local Exchange Navigation System |
| EDI | Electronic Data Interface |
| EDI-PC | Electronic Data Interface – Personal Computer |
| TAG | Telecommunications Access Gateway |

LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic ordering charge as specified in the table below. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below:

| OPERATIONAL SUPPORT SYSTEMS | AL, GA, LA, MS, SC | FL, KY, NC, TN |
|---|-----------------------------|-----------------------|
| OSS LSR charge, per LSR received from the CLEC by one of the OSS interactive interfaces | \$3.50 | \$3.50 |
| | SOMECH | SOMECH |
| Incremental charge per LSR received from the CLEC by means other than one of the OSS interactive interfaces | See applicable rate element | \$19.99 |
| | | SOMAN |

Note: In addition to the OSS charges, applicable discounted service order and related discounted charges apply per the tariff.

Denial/Restoral OSS Charge

In the event Al-Call provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

Cancellation OSS Charge

Al-Call will incur an OSS charge for an accepted LSR that is later canceled by Al-Call.

Note: Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

Network Elements and Other Services Manual Additive

The Commissions in Alabama, Georgia, Louisiana, Mississippi and South Carolina have ordered incremental manual non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR.

Threshold Billing Plan

The Parties agree that Al-Call will incur the mechanized rate for all LSRs, both mechanized and manual, if the percentage of mechanized LSRs to total LSRs **meets or** exceeds the threshold percentages shown below:

| Year | Ratio: Mechanized/Total LSRs |
|------|------------------------------|
| 2000 | 80% |
| 2001 | 90% |

The threshold plan will be discontinued in 2002.

In calculating the percentages above, all orders submitted via BellSouth's mechanized LSR systems (LENS, EDI, EDI-PC, and TAG) will count as mechanized LSRs, regardless of whether an order falls out of the mechanized process or requires manual intervention in order to be properly completed and processed.

BellSouth will track the total LSR volume for each CLEC for each quarter. At the end of that time period, a Percent Electronic LSR calculation will be made for that quarter based on the LSR data tracked in the LCSC. If this percentage exceeds the threshold volume, all of that CLEC's future manual LSRs will be billed at the mechanized LSR rate. To allow time for obtaining and analyzing the data and updating the billing system, this billing change will take place on the first day of the second month following the end of the quarter (e.g. May 1 for 1Q, Aug 1 for 2Q, etc.). There will be no adjustments to the amount billed for previously billed LSRs.

Basic Architecture




Exhibit B

One-Way Trunking Architecture




Exhibit C

Two-Way Trunking Architecture




Exhibit D

SuperGroup Architecture




Exhibit E

BELLSOUTH/AI-Call RATES
LOCAL INTERCONNECTION

| | | | RATES BY STATE | | | | | | | | |
|--|--|--------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| DESCRIPTION | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| COMPENSATION | | | | | | | | | | | |
| | Year 2000 Per Mou Rate for Local Interconnection and ISP-Bound Traffic | N/A | \$0.0020 | \$0.0020 | \$0.0020 | \$0.0020 | \$0.0020 | \$0.0020 | \$0.0020 | \$0.0020 | \$0.0020 |
| | Year 2001 Per Mou Rate for Local Interconnection and ISP-Bound Traffic | N/A | \$0.00175 | \$0.00175 | \$0.00175 | \$0.00175 | \$0.00175 | \$0.00175 | \$0.00175 | \$0.00175 | \$0.00175 |
| | Year 2002 Per Mou Rate for Local Interconnection and ISP-Bound Traffic | N/A | \$0.0015 | \$0.0015 | \$0.0015 | \$0.0015 | \$0.0015 | \$0.0015 | \$0.0015 | \$0.0015 | \$0.0015 |
| LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION) FOR TRANSIT TRAFFIC AND MTA | | | | | | | | | | | |
| | End Office Switching, per mou | N/A | \$0.0018 | NA | \$0.0016333 | \$0.002562 | NA | \$0.0023771 | \$0.0017 | \$0.0019295 | \$0.0019 |
| | Direct Local Interconnection, per mou (same as End Office Switching in FL & LA) | | NA | \$0.002 | NA | NA | \$0.00209 | NA | NA | NA | NA |
| | Tandem Switching, per mou | N/A | \$0.00063 | \$0.00029 | \$0.0006757 | \$0.001096 | NA | \$0.0007834 | \$0.0009 | \$0.0006843 | \$0.000676 |
| | Tandem Switching (assumes 5 miles of transport per mou) | N/A | NA | NA | NA | NA | \$0.00430 | NA | NA | NA | NA |
| | Tandem Local Interconnection, per mou (includes end office switching element) | | NA | \$0.00325 | NA | NA | \$0.00639 | NA | NA | NA | NA |
| | Multiple Tandem Switching, per mou (applies to initial tandem only), effective 10/99 | | NA | \$0.00125 | NA | NA | \$0.00430 | NA | NA | NA | NA |
| | Local Intermediary, per mou (applies to transit traffic only) | | NA | \$0.00125 | NA | NA | \$0.00430 | NA | NA | NA | NA |
| | Tandem Intermediary Charge, per mou* | N/A | \$0.0015 | NA | NA | \$0.001096 | NA | NA | NA | NA | NA |
| | *(This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.) | | | | | | | | | | |
| TRUNK PORT CHARGE | | | | | | | | | | | |
| | All terms and conditions, as well as charges, both non-recurring and recurring, associated with interconnecting trunk groups between BellSouth and CLEC-1 shall be as set forth in Section E.6 of the appropriate BellSouth intrastate access tariff. At such time as BellSouth develops a cost based rate for such interconnecting trunk groups, the Parties shall amend this agreement to include such cost based rates and shall true up such charges in accordance with this Attachment. | | BST State Access Tariff Rates | BST State Access Tariff Rates | BST State Access Tariff Rates | BST State Access Tariff Rates | BST State Access Tariff Rates | BST State Access Tariff Rates | BST State Access Tariff Rates | BST State Access Tariff Rates | BST State Access Tariff Rates |
| INTEROFFICE TRANSPORT | | | | | | | | | | | |
| Common (Shared) Transport | | | | | | | | | | | |
| | Common (Shared) Transport per mile per mou | N/A | \$0.00001 | \$0.000012 | \$0.000008 | \$0.0000049 | \$0.0000083 | \$0.0000091 | \$0.00001 | \$0.0000121 | \$0.00004 |
| | Common (Shared) Transport Facilities Termination per mou | N/A | \$0.00045 | \$0.0005 | \$0.0004152 | \$0.000426 | \$0.00047 | \$0.0004281 | \$0.00034 | \$0.0004672 | \$0.00036 |
| Interoffice Channel Transport - Dedicated - VG | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2-Wire VG - per mile | 1L;5XF | \$0.03390 | NA | \$0.0222 | NA | \$0.0384 | NA | \$0.0282 | \$0.0373 | \$0.0173 |
| | Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month | 1L;5XF | \$18.49 | NA | \$17.07 | NA | \$19.10 | NA | \$18.00 | \$21.42 | \$18.33 |
| | NRC - 1st | 1L;5XF | \$144.27 | NA | \$79.61 | NA | \$104.23 | NA | \$137.48 | \$136.44 | \$83.35 |
| | NRC - Add'l | 1L;5XF | \$54.15 | NA | \$36.08 | NA | \$39.91 | NA | \$52.58 | \$51.37 | \$20.88 |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAC | \$40.34 | NA | \$18.94 | NA | \$26.20 | NA | \$38.07 | \$39.63 | \$30.15 |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAC | \$40.54 | NA | \$18.94 | NA | \$26.20 | NA | \$38.07 | \$39.63 | \$31.63 |
| Interoffice Channel Transport - Dedicated - VG - Kentucky & Mississippi | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2-Wire VG - per mile | 1L5NF | NA | NA | NA | \$0.03 | NA | \$0.0323 | NA | NA | NA |
| | Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month | 1L5NF | NA | NA | NA | \$27.66 | NA | \$21.33 | NA | NA | NA |
| | NRC - Facility Termination -1st | 1L5NF | NA | NA | NA | \$142.31 | NA | \$144.77 | NA | NA | NA |
| | NRC - Facility Termination - Add'l | 1L5NF | NA | NA | NA | \$56.21 | NA | \$56.06 | NA | NA | NA |
| | NRC - Incremental Charge--Manual Svc Order - 1st | SOMAC | NA | NA | NA | \$37.21 | NA | \$36.86 | NA | NA | NA |
| | NRC - Incremental Charge--Manual Svc Order - Add'l | SOMAC | NA | NA | NA | \$37.21 | NA | \$36.86 | NA | NA | NA |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| Interoffice Channel Transport - Dedicated - DS0 - 56/64 KBPS | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS0 - per mile per month | 1L5XK | \$0.0339 | \$0.0252 | \$0.0222 | NA | \$0.0384 | NA | \$0.0282 | \$0.0373 | \$0.17 |

BELLSOUTH/AI-Call RATES
LOCAL INTERCONNECTION

| | | | RATES BY STATE | | | | | | | | | |
|---|--|--|----------------|----------|----------|----------|------------|------------|----------|----------|----------|----------|
| DESCRIPTION | | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| | | Interoffice Transport - Dedicated - DS0 - facility termination per month | 1L5XK | \$17.81 | \$21.33 | \$16.45 | NA | \$18.37 | NA | \$17.40 | \$20.71 | \$17.74 |
| | | NRC - 1st | 1L5XK | \$144.27 | \$137.15 | \$79.61 | NA | \$104.23 | NA | \$137.48 | \$136.44 | \$83.35 |
| | | NRC - Add'l | 1L5XK | \$54.15 | \$64.45 | \$36.08 | NA | \$39.91 | NA | \$52.58 | \$51.37 | \$20.88 |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAC | \$40.34 | NA | \$18.94 | NA | \$26.20 | NA | \$38.07 | \$39.63 | \$30.15 |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAC | \$40.34 | NA | \$18.94 | NA | \$26.20 | NA | \$38.07 | \$39.63 | \$31.63 |
| Interoffice Transport - Dedicated - DS0 - 56/64 KBPS - Kentucky & Mississippi | | | | | | | | | | | | |
| | | DS0 - per mile | 1L5NK | NA | NA | NA | \$0.03 | NA | \$0.0323 | NA | NA | NA |
| | | DS0 - Facility Termination | 1L5NK | NA | NA | NA | \$26.95 | NA | \$20.64 | NA | NA | NA |
| | | NRC - Facility Termination - 1st | 1L5NK | NA | NA | NA | \$142.31 | NA | \$144.77 | NA | NA | NA |
| | | NRC - Facility Termination - Add'l | 1L5NK | NA | NA | NA | \$56.21 | NA | \$56.06 | NA | NA | NA |
| | | NRC - Incremental Charge--Manual Svc Order - 1st | SOMAC | NA | NA | NA | \$37.21 | NA | \$36.86 | NA | NA | NA |
| | | NRC - Incremental Charge--Manual Svc Order - Add'l | SOMAC | NA | NA | NA | \$37.21 | NA | \$36.86 | NA | NA | NA |
| Interoffice Channel Transport - Dedicated - DS1 | | | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 - per mile per month | 1L5XL | \$0.69 | \$0.6013 | \$0.4523 | NA | \$0.7831 | NA | \$0.5753 | \$0.7598 | \$0.3525 |
| | | Interoffice Transport - Dedicated - DS1 - facility termination per month | 1L5XL | \$79.69 | \$99.79 | \$78.47 | NA | \$93.40 | NA | \$71.29 | \$94.98 | \$75.83 |
| | | NRC - 1st | 1L5XL | \$223.59 | \$45.91 | \$147.07 | NA | \$160.49 | NA | \$217.17 | \$216.27 | \$166.53 |
| | | NRC - Add'l | 1L5XL | \$168.60 | \$44.18 | \$111.75 | NA | \$123.03 | NA | \$163.75 | \$162.70 | \$124.84 |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAC | \$40.34 | NA | \$18.94 | NA | \$26.20 | NA | \$38.07 | \$39.63 | \$30.15 |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAC | \$40.34 | NA | \$18.94 | NA | \$26.20 | NA | \$38.07 | \$39.63 | \$31.63 |
| Interoffice Channel Transport - Dedicated - DS1 - Kentucky & Mississippi | | | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 - per mile per month | 1L5NL | NA | NA | NA | \$0.45 | NA | \$0.6598 | NA | NA | NA |
| | | Interoffice Transport - Dedicated - DS1 - facilities termination per month | 1L5NL | NA | NA | NA | \$55.05 | NA | \$74.40 | NA | NA | NA |
| | | NRC - Facility Termination - 1st | 1L5NL | NA | NA | NA | \$298.18 | NA | \$222.81 | NA | NA | NA |
| | | NRC - Facility Termination - Add'l | 1L5NL | NA | NA | NA | \$231.23 | NA | \$168.92 | NA | NA | NA |
| | | NRC - Incremental Charge--Manual Svc Order - 1st | SOMAC | NA | NA | NA | NA | NA | \$36.83 | NA | NA | NA |
| | | NRC - Incremental Charge--Manual Svc Order - Add'l | SOMAC | NA | NA | NA | NA | NA | \$36.86 | NA | NA | NA |
| Interoffice Channel Transport - Dedicated - DS3 | | | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 - per mile per month | 1L5XM | \$12.56 | \$10.22 | \$6.53 | NA | \$14.04 | NA | \$12.98 | \$19.08 | \$5.89 |
| | | Interoffice Transport - Dedicated - DS3 - facility termination per month | 1L5XM | \$771.60 | \$984.55 | \$725.53 | NA | \$1,101.00 | NA | \$720.38 | \$960.82 | \$760.20 |
| | | NRC - 1st | 1L5XM | \$961.93 | \$772.93 | \$778.80 | NA | \$713.57 | NA | \$794.94 | \$941.07 | \$729.27 |
| | | NRC - Add'l | 1L5XM | \$532.45 | \$435.92 | \$439.62 | NA | \$404.36 | NA | \$579.55 | \$503.72 | \$411.98 |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAC | \$100.19 | NA | \$77.41 | NA | \$71.19 | NA | \$91.26 | \$92.52 | \$75.98 |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAC | \$100.19 | NA | \$77.41 | NA | \$71.19 | NA | \$91.26 | \$92.52 | \$75.98 |
| Interoffice Channel Transport - Dedicated - DS3 - Kentucky & Mississippi | | | | | | | | | | | | |
| | | Interoffice Channel Transport - Dedicated - DS3 - per mile | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 - facility termination per month | 1L5NM | NA | NA | NA | \$12.62 | NA | \$15.02 | NA | NA | NA |
| | | NRC - DS3 - Facility Termination -1st | 1L5NM | NA | NA | NA | \$1,204.00 | NA | \$744.38 | NA | NA | NA |
| | | NRC - DS3 - Facility Termination - Add'l | 1L5NM | NA | NA | NA | \$946.23 | NA | \$812.30 | NA | NA | NA |
| | | NRC - Incremental Charge--Manual Svc Order - 1st | SOMAC | NA | NA | NA | \$516.89 | NA | \$596.55 | NA | NA | NA |
| | | NRC - Incremental Charge--Manual Svc Order - Add'l | SOMAC | NA | NA | NA | \$93.12 | NA | \$64.97 | NA | NA | NA |
| | | | | | | | | | | | | |
| Local Channel - Dedicated | | | | | | | | | | | | |
| Local Channel - Dedicated - 2-Wire VG | | | | | | | | | | | | |
| | | Monthly Recurring | TEFV2 | \$14.61 | \$18.02 | \$13.91 | \$22.26 | \$14.94 | \$17.83 | \$14.82 | \$16.83 | \$19.02 |
| | | NRC - 1st | TEFV2 | \$572.46 | \$477.33 | \$382.95 | \$597.14 | \$401.17 | \$565.31 | \$553.80 | \$554.00 | \$254.14 |
| | | NRC - Add'l | TEFV2 | \$92.07 | \$124.32 | \$62.40 | \$110.52 | \$66.35 | \$93.30 | \$86.69 | \$88.58 | \$28.96 |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAC | \$45.12 | NA | \$18.94 | \$41.46 | \$29.54 | \$41.57 | \$42.17 | \$43.75 | \$33.65 |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAC | \$18.73 | NA | \$8.42 | NA | \$19.46 | \$27.39 | \$12.76 | \$13.55 | \$23.84 |

BELLSOUTH/AI-Call RATES
LOCAL INTERCONNECTION

| | | | RATES BY STATE | | | | | | | | |
|---------------------------------------|--|-------|----------------|----------|----------|------------|----------|----------|----------|------------|----------|
| DESCRIPTION | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| Local Channel - Dedicated - 4-Wire VG | | | | | | | | | | | |
| | Monthly Recurring | TEFV4 | \$15.77 | \$19.01 | \$14.99 | \$23.38 | \$16.21 | \$19.03 | \$15.87 | \$18.05 | \$20.14 |
| | NRC - 1st | TEFV4 | \$581.14 | \$477.33 | \$368.44 | \$585.15 | \$407.11 | \$573.83 | \$562.23 | \$562.46 | \$257.05 |
| | NRC - Add'l | TEFV4 | \$95.21 | \$124.32 | \$64.05 | \$98.53 | \$68.61 | \$96.40 | \$92.67 | \$91.57 | \$30.34 |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAC | \$45.12 | NA | \$18.94 | \$98.53 | \$29.54 | \$41.57 | \$42.17 | \$43.64 | \$33.65 |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAC | \$18.73 | NA | \$8.42 | \$11.99 | \$19.46 | \$27.39 | \$12.76 | \$13.55 | \$23.84 |
| Local Channel - Dedicated - DS1 | | | | | | | | | | | |
| | Monthly Recurring | TEFHG | \$35.52 | \$44.35 | \$38.36 | \$43.80 | \$43.80 | \$38.91 | \$35.68 | \$37.20 | \$40.27 |
| | NRC - 1st | TEFHG | \$549.85 | \$246.50 | \$356.15 | \$538.95 | \$396.86 | \$588.53 | \$534.48 | \$534.81 | \$343.71 |
| | NRC - Add'l | TEFHG | \$475.02 | \$230.49 | \$312.89 | \$464.94 | \$342.92 | \$501.32 | \$462.69 | \$462.81 | \$277.86 |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAC | \$91.22 | NA | \$44.22 | \$87.71 | \$61.82 | \$81.30 | \$86.15 | \$87.99 | \$23.51 |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAC | NA | NA | NA | NA | NA | NA | \$1.77 | \$3.11 | \$21.75 |
| Local Channel - Dedicated - DS3 | | | | | | | | | | | |
| | Monthly Recurring | TEFHJ | \$559.98 | \$630.65 | \$558.51 | \$697.89 | \$696.07 | \$533.33 | \$498.87 | \$602.18 | \$633.15 |
| | NRC - 1st | TEFHJ | \$1,106.14 | \$879.42 | \$882.03 | \$1,091.00 | \$811.30 | \$569.08 | \$562.25 | \$1,091.00 | \$829.52 |
| | NRC - Add'l | TEFHJ | \$676.66 | \$542.41 | \$545.85 | \$661.23 | \$502.09 | \$534.58 | \$527.88 | \$654.13 | \$512.23 |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAC | \$100.19 | NA | \$77.41 | \$93.12 | \$71.19 | \$56.84 | \$56.25 | \$92.52 | \$75.98 |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAC | \$100.19 | NA | \$77.41 | \$93.12 | \$71.19 | \$56.84 | \$56.25 | \$92.52 | \$53.03 |
| CHANNELIZATION | | | | | | | | | | | |
| DS3 Channelization (DS3 to DS1) | | | | | | | | | | | |
| | per Channelized System per month | SATCS | \$210.87 | \$213.22 | \$173.51 | \$236.32 | \$245.84 | \$229.30 | \$226.81 | \$204.07 | \$225.59 |
| | NRC - 1st | SATCS | \$355.25 | \$280.12 | \$284.43 | \$425.41 | \$259.76 | \$356.80 | \$351.95 | \$423.77 | \$265.08 |
| | NRC - Add'l | SATCS | \$245.86 | \$196.07 | \$199.98 | \$303.33 | \$182.64 | \$247.40 | \$243.76 | \$295.21 | \$185.94 |
| | NRC -1sr - Disconnect | SATCS | \$78.43 | \$64.06 | \$66.76 | NA | \$60.96 | \$79.94 | \$77.90 | NA | \$61.09 |
| | NRC -Add'l - Disconnect | SATCS | \$63.70 | \$52.60 | \$55.25 | NA | \$50.46 | \$65.20 | \$63.32 | NA | \$50.31 |
| | NRC - Channel System - Incremental Cost - Manual Svc. Order -1st | SOMAC | \$28.44 | NA | \$21.61 | \$41.47 | \$19.74 | \$26.95 | \$28.13 | \$43.41 | \$21.71 |
| | NRC - Channel System - Incremental Cost - Manual Svc. Order - Add'l | SOMAC | \$13.47 | NA | \$9.61 | NA | \$8.77 | \$11.98 | \$13.33 | \$15.36 | \$10.46 |
| | NRC - Channel System - Incremental Cost - Manual Svc. Order - Disconnect - 1st | SOMAC | \$18.46 | NA | \$13.61 | NA | \$12.43 | \$16.97 | \$18.26 | NA | \$14.21 |
| | NRC - Channel System - Incremental Cost - Manual Svc. Order - Disconnect - Add'l | SOMAC | \$1.50 | NA | NA | NA | NA | NA | \$1.48 | NA | \$1.46 |
| | per Interface per month | SATCO | \$4.53 | \$6.31 | \$7.13 | \$8.52 | \$7.55 | \$5.58 | \$4.61 | \$9.69 | \$3.91 |
| | NRC - 1st | SATCO | \$15.85 | \$13.39 | \$13.45 | \$15.86 | \$12.29 | \$15.85 | \$15.76 | \$15.54 | \$12.61 |
| | NRC - Add'l | SATCO | \$11.35 | \$9.59 | \$9.63 | \$11.36 | \$8.80 | \$11.35 | \$11.28 | \$11.13 | \$9.03 |
| DS1 Channelization (DS1 to DS0) | | | | | | | | | | | |
| | per Channelized System per month | SATC1 | \$139.58 | \$163.88 | \$137.97 | \$200.01 | \$209.87 | \$146.87 | \$177.72 | \$179.81 | \$165.21 |
| | NRC - 1st | SATC1 | \$269.98 | \$208.64 | \$212.01 | \$302.82 | \$193.63 | \$271.52 | \$267.19 | \$304.00 | \$197.21 |
| | NRC - Add'l | SATC1 | \$163.04 | \$126.61 | \$129.60 | \$184.20 | \$118.37 | \$164.56 | \$161.43 | \$178.92 | \$119.99 |
| | NRC -1sr - Disconnect | SATC1 | \$34.88 | \$26.42 | \$28.95 | NA | \$26.44 | \$36.38 | \$34.55 | NA | \$25.66 |
| | NRC -Add'l - Disconnect | SATC1 | \$21.32 | \$15.95 | \$18.43 | NA | \$16.83 | \$22.82 | \$21.14 | NA | \$15.81 |
| | NRC - Channel System - Incremental Cost - Manual Svc. Order -1st | SOMAC | \$28.44 | NA | \$21.61 | \$41.47 | \$19.74 | \$26.95 | \$28.13 | \$43.41 | \$21.71 |
| | NRC - Channel System - Incremental Cost - Manual Svc. Order -Add'l | SOMAC | \$13.47 | NA | \$9.61 | \$11.99 | \$8.77 | \$11.98 | \$13.33 | \$15.36 | \$10.46 |
| | NRC - Channel System - Incremental Cost - Manual Svc. Order - Disconnect - 1st | SOMAC | \$18.46 | NA | \$13.61 | NA | \$12.43 | \$16.97 | \$18.26 | NA | \$14.21 |
| | NRC - Channel System - Incremental Cost - Manual Svc. Order - Disconnect - Add'l | SOMAC | \$1.50 | NA | NA | NA | NA | NA | \$1.48 | NA | \$1.46 |
| DS1 Channization Interfaces | | | | | | | | | | | |
| | per OCU-DP(data) card per month(2.4-64kbps) | SATSA | \$2.61 | \$3.13 | \$2.65 | \$2.94 | \$3.12 | \$2.86 | \$2.88 | \$3.36 | \$2.46 |
| | NRC - 1st | SATSA | \$15.85 | \$13.39 | \$13.45 | \$15.86 | \$12.29 | \$15.85 | \$15.76 | \$15.54 | \$12.61 |
| | NRC - Add'l | SATSA | \$11.35 | \$9.59 | \$9.63 | \$11.36 | \$8.80 | \$11.35 | \$11.28 | \$11.13 | \$9.03 |
| | per VG card per month | SATSA | \$1.26 | \$1.78 | \$1.48 | \$1.40 | \$1.62 | \$1.45 | \$1.64 | \$1.93 | \$1.25 |
| | NRC - 1st | SATSA | \$15.85 | \$13.39 | \$13.45 | \$15.86 | \$12.29 | \$15.85 | \$15.76 | \$15.54 | \$12.61 |

BELLSOUTH/AI-Call RATES
LOCAL INTERCONNECTION

| | | | RATES BY STATE | | | | | | | | | |
|---|--|---|----------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| DESCRIPTION | | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| | | NRC - Add'l | SATSA | \$11.35 | \$9.59 | \$9.63 | \$11.36 | \$8.80 | \$11.35 | \$11.28 | \$11.13 | \$9.03 |
| Local Interconnection Mid-Span Meet | | | | | | | | | | | | |
| Local Channel - Dedicated - DS1 | | | | | | | | | | | | |
| | | DS1 Monthly Recurring per month | TEFHG | \$17.76 | \$22.18 | \$19.18 | \$21.90 | \$21.90 | \$19.46 | \$17.85 | \$18.60 | \$20.14 |
| | | NRC - DS1 - 1st | TEFHG | \$251.79 | \$123.25 | \$178.08 | \$269.48 | \$174.28 | \$247.42 | \$268.83 | \$267.41 | \$138.68 |
| | | NRC - DS1 - Add'l | TEFHG | \$221.42 | \$115.25 | \$156.45 | \$232.47 | \$150.15 | \$217.64 | \$232.73 | \$231.41 | \$116.63 |
| | | NRC - DS1 - Disconnect Chg - 1st | TEFHG | \$23.14 | NA | NA | NA | \$12.08 | \$23.43 | NA | NA | \$16.59 |
| | | NRC - DS1 - Disconnect Chg - Add'l | TEFHG | \$16.09 | NA | NA | NA | \$10.66 | \$16.51 | NA | NA | \$11.15 |
| | | NRC - DS1 - Incremental Charge--Manual Svc Order - 1st | SOMAC | \$61.95 | NA | \$44.22 | \$87.71 | \$42.34 | \$59.58 | \$623.92 | \$87.99 | \$45.68 |
| | | NRC - DS1 - Incremental Charge--Manual Svc Order - Add'l | SOMAC | \$0.00 | NA | NA | NA | NA | NA | \$467.22 | \$3.11 | \$1.76 |
| | | NRC - DS1 - Incremental Charge--Manual Svc Order-Disconnect | SOMAC | \$29.27 | NA | NA | NA | \$19.48 | \$27.51 | NA | NA | \$21.75 |
| Rates For CLEC-1 Remote Access Concentrator (RAS) Interconnection | | | | | | | | | | | | |
| Port Termination charges apply in all cases | | | | | | | | | | | | |
| Per DS1 Port Termination: | | | | | | | | | | | | |
| | | Monthly Recurring Per DS1: | TBD | \$133.89 | \$151.62 | \$133.14 | \$150.86 | \$150.11 | \$162.95 | \$133.22 | \$147.71 | \$146.06 |
| | | Non-recurring per DS1: | | | | | | | | | | |
| | | Non-recurring initial DS1 | TBD | \$223.59 | \$45.91 | \$147.07 | \$298.18 | \$160.49 | \$222.81 | \$218.28 | \$216.27 | \$166.53 |
| | | Non-recurring per additional DS1 | TBD | \$168.60 | \$44.18 | \$111.75 | \$231.23 | \$123.03 | \$168.92 | \$164.55 | \$162.70 | \$124.84 |
| | | NRC - Incremental Charge - Manual Service Order - 1st | TBD | \$40.34 | NA | \$18.94 | NA | \$26.20 | \$36.83 | \$38.12 | \$39.63 | \$30.15 |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | TBD | \$40.34 | NA | \$18.94 | NA | \$26.20 | \$36.86 | \$38.12 | \$39.63 | \$31.63 |
| Per DS3 Port Termination: | | | | | | | | | | | | |
| | | Total Monthly Recurring per DS3: | TBD | \$4,130.93 | \$4,755.41 | \$4,178.21 | \$4,687.59 | \$4,794.16 | \$5,105.69 | \$4,237.73 | \$4,666.49 | \$4,611.99 |
| | | Total Non-recurring per DS3: | | | | | | | | | | |
| | | Non-recurring initial DS3 | TBD | \$961.93 | \$772.93 | \$778.80 | \$946.23 | \$713.57 | \$812.30 | \$798.95 | \$941.07 | \$729.27 |
| | | Non-recurring per additional DS3 | TBD | \$532.45 | \$435.92 | \$439.62 | \$516.89 | \$404.36 | \$596.55 | \$582.33 | \$503.72 | \$411.98 |
| | | NRC - Incremental Charge - Manual Service Order - 1st | TBD | \$100.19 | NA | \$77.41 | \$93.12 | \$71.19 | \$64.97 | \$91.37 | \$92.52 | \$75.98 |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | TBD | \$100.19 | NA | \$77.41 | \$93.12 | \$71.19 | \$64.97 | \$91.37 | \$92.52 | \$75.98 |
| See Channelization rates in this Exhibit. | | | | | | | | | | | | |
| Switching and Transport: | | | | | | | | | | | | |
| | | In addition to Port Termination charges, these charges apply to BellSouth calls originating from BellSouth rate centers that are "intraLATA toll" to the rate center where CLEC-1's RAS is located. | | | | | | | | | | |
| | | Interoffice Transport - Dedicated Per DS1 | | | | | | | | | | |
| | | Per Mile per month | TBD | \$0.69200 | \$0.60130 | \$0.45230 | \$0.45000 | \$0.78310 | \$0.65980 | \$0.57590 | \$0.75980 | \$0.35250 |
| | | Facility Termination per Month | TBD | \$79.69 | \$99.79 | \$78.47 | \$55.05 | \$93.40 | \$74.40 | \$71.32 | \$94.98 | \$75.83 |
| | | Non-recurring initial DS1 | TBD | \$223.59 | \$45.91 | \$147.07 | \$298.18 | \$160.49 | \$222.81 | \$218.28 | \$216.27 | \$166.53 |
| | | Non-recurring per additional DS1 | TBD | \$168.60 | \$44.18 | \$111.75 | \$231.23 | \$123.03 | \$168.92 | \$164.55 | \$162.70 | \$124.84 |
| | | NRC - Incremental Charge - Manual Service Order - 1st | TBD | \$40.34 | NA | \$18.94 | NA | \$26.20 | \$36.83 | \$38.12 | \$39.63 | \$30.15 |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | TBD | \$40.34 | NA | \$18.94 | NA | \$26.20 | \$36.86 | \$38.12 | \$39.63 | \$31.63 |
| Interoffice Transport - Dedicated Per DS3 | | | | | | | | | | | | |
| | | Per Mile per month | TBD | \$12.56 | \$10.22 | \$6.53 | \$12.62 | \$14.04 | \$15.02 | \$13.00 | \$19.08 | \$5.89 |
| | | Facility Termination per Month | TBD | \$771.60 | \$984.55 | \$725.53 | \$1,204.00 | \$1,101.00 | \$744.38 | \$720.65 | \$960.82 | \$760.20 |

BELLSOUTH/AI-Call RATES
LOCAL INTERCONNECTION

| | | | | RATES BY STATE | | | | | | | | |
|---|--|---|------|----------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| DESCRIPTION | | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| | | Non-recurring initial DS3 | TBD | \$961.93 | \$772.93 | \$778.80 | \$946.23 | \$713.57 | \$812.30 | \$798.95 | \$941.07 | \$729.27 |
| | | Non-recurring per additional DS3 | TBD | \$532.45 | \$435.92 | \$439.62 | \$516.89 | \$404.36 | \$596.55 | \$582.33 | \$503.72 | \$411.98 |
| | | NRC - Incremental Charge - Manual Service Order - 1st | TBD | \$100.19 | NA | \$77.41 | \$93.12 | \$71.19 | \$64.97 | \$91.37 | \$92.52 | \$75.98 |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | TBD | \$100.19 | NA | \$77.41 | \$93.12 | \$71.19 | \$64.97 | \$91.37 | \$92.52 | \$75.98 |
| | | | | | | | | | | | | |
| | | Common Transport: | | | | | | | | | | |
| | | Per Mile per MOU | TBD | \$0.0000100 | \$0.0000120 | \$0.0000080 | \$0.0000049 | \$0.0000083 | \$0.0000091 | \$0.0000400 | \$0.0000121 | \$0.0000400 |
| | | Facility Termination - Per MOU | TBD | \$0.0004500 | \$0.0005000 | \$0.0004152 | \$0.0004260 | \$0.0004700 | \$0.0004281 | \$0.0003600 | \$0.0004672 | \$0.0003600 |
| | | | | | | | | | | | | |
| | | Tandem Switching: | | | | | | | | | | |
| | | Per MOU | TBD | \$0.0006300 | \$0.0002900 | \$0.0006757 | \$0.0010960 | \$0.0043000 | \$0.0007834 | \$0.0015000 | \$0.0006843 | \$0.0006760 |
| | | Shared trunk port per port per MOU (EO side) | TBD | \$0.0003300 | \$0.0003986 | \$0.0002126 | \$0.0003796 | \$0.0003000 | \$0.0002834 | \$0.0003693 | \$0.0004034 | \$0.0003904 |
| | | Total: | TBD | \$0.0009600 | \$0.0006886 | \$0.0008883 | \$0.0014756 | \$0.0046000 | \$0.0010668 | \$0.0018693 | \$0.0010877 | \$0.0010664 |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| NOTES: | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the parties upon request by either party. | | | | | | | | | | | | |

Attachment 4

Physical Collocation

BELLSOUTH PHYSICAL COLLOCATION

1. Scope of Attachment

1.1 Scope of Attachment. The rates, terms, and conditions contained within this Attachment shall only apply when Al-Call is occupying the Collocation Space as a sole occupant or as a Host within a Premises location pursuant to Section 4. This Attachment is applicable to Premises owned or leased by BellSouth. However, if the Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions of this Attachment.

All the negotiated rates, terms and conditions set forth in this Attachment pertain to collocation and the provisioning of Collocation Space.

1.2 Right to Occupy. BellSouth shall offer to Al-Call collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to Section 4 of this Attachment, BellSouth allows Al-Call to occupy that certain area designated by BellSouth within a BellSouth Premises, or on BellSouth property upon which the BellSouth Premises is located, of a size which is specified by Al-Call and agreed to by BellSouth (hereinafter "Collocation Space"). BellSouth Premises include BellSouth Central Offices and Serving Wire Centers. The necessary rates, terms and conditions for BellSouth locations other than BellSouth Premises shall be negotiated upon request for collocation at such location(s). Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.

1.2.1 In all states other than Florida, the size specified by Al-Call may contemplate a request for space sufficient to accommodate Al-Call's growth within a two-year period.

1.2.2 In the state of Florida, the size specified by Al-Call may contemplate a request for space sufficient to accommodate Al-Call's growth within an eighteen (18) month period.

1.3 Space Reclamation. In the event of space exhaust within a Central Office Premises, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Central Office Premises. Al-Call will be responsible for any justification of unutilized space within its space, if such justification is required by the appropriate state commission.

1.4 Use of Space. Al-Call shall use the Collocation Space for the purposes of installing, maintaining and operating Al-Call's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities, including access to unbundled network elements, for the provision of

telecommunications services. Pursuant to Section 5 following, Al-Call may, at its option, place Al-Call-owned fiber entrance facilities to the Collocation Space. The Collocation Space may be used for no other purposes except as specifically described herein or authorized in writing by BellSouth.

1.5 Rates and Charges. Al-Call agrees to pay the rates and charges identified in Exhibit A attached hereto.

1.6 Due Dates. In all states other than Georgia, if any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter.

1.7 The parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Notification

2.1 Availability of Space. Upon submission of an Application pursuant to Section 6, BellSouth will permit Al-Call to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Premises, unless BellSouth has determined that there is no space available due to space limitations or that physical collocation is not practical for technical reasons.

2.1.1 Availability Notification. Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Premises. This interval excludes National Holidays. If the amount of space requested is not available, BellSouth will notify Al-Call of the amount of space that is available.

2.1.2 BellSouth will respond to a Florida Application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Premises. If the amount of space requested is not available, BellSouth will notify Al-Call of the amount of space that is available.

2.1.3 BellSouth will respond to a Louisiana Application within ten (10) calendar days for space availability for one (1) to ten (10) Applications; fifteen (15) calendar days for eleven (11) to twenty (20) Applications; and for more than twenty (20) Applications, it is increased by five (5) calendar days for every five additional Applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Al-Call of the amount of space that is available.

2.1.4 BellSouth will respond to a Mississippi Application within ten (10) business days as to whether space is available or not available within a BellSouth Premises. If the amount of space requested is not available, BellSouth will notify Al-Call of the amount of space that is available.

- 2.2 **Reporting.** Upon request from Al-Call, BellSouth will provide a written report (“Space Availability Report”) specifying the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements.
- 2.2.1 The request from Al-Call for a Space Availability Report must be written and must include the Premises and Common Language Location Identification (“CLLI”) code of the Premises. Such information regarding Premises and CLLI code is located in the National Exchange Carriers Association (NECA) Tariff FCC No. 4.
- 2.2.2 BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Premises within the same state. The response time for requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten calendar day response time, BellSouth shall notify Al-Call and inform Al-Call of the time frame under which it can respond.
- 2.2.2.1 In Mississippi, BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) business days of receipt of such request. BellSouth will make best efforts to respond in ten (10) business days to such a request when the request includes from two (2) to five (5) Premises within the same state. The response time for requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten business day response time, BellSouth shall notify Al-Call and inform Al-Call of the time frame under which it can respond.
- 2.3 **Denial of Application.** After notifying Al-Call that BellSouth has no available space in the requested Premises (“Denial of Application”), BellSouth will allow Al-Call, upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Premises must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 2.3.1 **Denial of Application.** In Mississippi, after notifying Al-Call that BellSouth has no available space in the requested Premises (“Denial of Application”), BellSouth will allow Al-Call, upon request, to tour the entire Premises within ten (10) business days of such Denial of Application. In order to schedule said tour within ten (10) business days, the request for a tour of the Premises must be received by BellSouth within five (5) business days of the Denial of Application.
- 2.4 **Filing of Petition for Waiver.** Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such

information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit AI-Call to inspect any floor plans or diagrams that BellSouth provides to the Commission.

2.5 Waiting List. Unless otherwise specified, on a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list when space becomes available according to how much space becomes available and the position of telecommunications carrier on said waiting list. AI-Call must submit an updated, complete, and correct Application to BellSouth within 30 calendar days (in Mississippi, 30 business days) of such notification or notify BellSouth in writing within that time that AI-Call wants to maintain its place on the waiting list either without accepting such space or accepting an amount of space less than its original request. If AI-Call does not submit such an Application or notify BellSouth in writing as described above, BellSouth will offer such space to the next CLEC on the waiting list and remove AI-Call from the waiting list. Upon request, BellSouth will advise AI-Call as to its position on the list.

2.5.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. Sixty (60) days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of telecommunications carrier on said waiting list. If not known sixty (60) days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two days of the determination that space is available.

2.6 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Central Offices that are without available space. BellSouth shall update such document within ten (10) calendar days (in Mississippi, 10 business days) of the Denial of Application due to Space Exhaust. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Central Office previously on the space exhaust list. BellSouth shall allocate said available space pursuant to the waiting list referenced in Section 2.5.

2.7 Regulatory Agency Procedures. Notwithstanding the foregoing, should any state or federal regulatory agency impose procedures or intervals applicable to AI-Call that are different from procedures or intervals set forth in this section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals

shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof.

3. Collocation Options

3.1 Cageless. BellSouth shall allow Al-Call to collocate Al-Call's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Al-Call to have direct access to its equipment and facilities. BellSouth shall make cageless collocation available in single bay increments pursuant to Section 7. Except where Al-Call's equipment requires special technical considerations (e.g., special cable racking, isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Al-Call must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in BellCore (Telcordia) GR-63-Core and shall be responsible for constructing all special technical requirements associated with such equipment pursuant to Section 6 following.

3.2 Cages. BellSouth shall construct enclosures in compliance with Al-Call's collocation request. At Al-Call's request, BellSouth shall permit Al-Call to subcontract the construction of physical collocation arrangements with a contractor certified by BellSouth ("BellSouth Certified Contractor"), provided however, that BellSouth shall not unreasonably withhold approval of contractors.

3.3 When Al-Call subcontracts the construction, Al-Call must arrange with a BellSouth Certified Contractor to construct a collocation arrangement enclosure in accordance with BellSouth's guidelines and specifications prior to starting equipment installation and at Al-Call's sole expense. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard enclosure specification, Al-Call and Al-Call's BellSouth Certified Contractor must comply with the more stringent local building code requirements. Al-Call's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Al-Call and provide, at Al-Call's expense, the documentation, including architectural drawings, necessary for Al-Call to obtain the zoning, permits and/or other licenses. BellSouth shall pass on to Al-Call the costs of providing the documentation. The BellSouth Certified Contractor shall bill Al-Call directly for all work performed for Al-Call pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Contractor. Al-Call must provide the local BellSouth building contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access Al-Call's locked enclosure prior to notifying Al-Call.

- 3.3.1 BellSouth may elect to review Al-Call's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's guidelines and specifications. BellSouth shall complete its review within fifteen (15) calendar days. Al-Call shall be able to design caged enclosures in amounts as small as sufficient to house and maintain a single rack or bay of equipment. If BellSouth reviews Al-Call's plans and specifications prior to construction, then BellSouth will have the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications. If BellSouth elects not to review Al-Call's plans and specifications prior to construction, Al-Call will be entitled to request BellSouth to review; and in the event Al-Call does not request a BellSouth review, BellSouth shall have the right to inspect the enclosure after construction to make sure it is constructed according to BellSouth's guidelines and specifications. BellSouth may require Al-Call to remove or correct within seven (7) calendar days at Al-Call's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth guidelines and specifications.
- 3.4 Shared (Subleased) Caged Collocation. Al-Call may allow other telecommunications carriers to share Al-Call's caged collocation arrangement pursuant to terms and conditions agreed to by Al-Call ("Host") and other telecommunications carriers ("Guests") and pursuant to this section, except where the BellSouth Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option. Al-Call shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days (in Mississippi, ten (10) business days) of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Al-Call that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and Al-Call.
- 3.4.1 Al-Call, as the host CLEC shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment; and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall prorate the costs of the collocation space based on the number of collocators and the space used by each. In all states other than Florida, and in addition to the foregoing, Al-Call shall be the responsible party to BellSouth for the purpose of submitting Applications for initial and additional equipment placement of Guest. In the event the Host and Guest jointly submit an initial Application, only one Application Fee will be assessed. A separate initial Guest application shall require the assessment of a Subsequent Application Fee, as set forth in Exhibit A, if this Application is not the initial Application made for the arrangement. Notwithstanding the foregoing, Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and Guest and for the provision of the services and access to unbundled network elements.

- 3.4.2 Al-Call shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Al-Call's Guests in the Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.5 Adjacent Collocation. BellSouth will permit adjacent collocation arrangements ("Adjacent Arrangement") on the Premises' property where physical collocation space within the Premises is legitimately exhausted, subject to technical feasibility, where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises property and where permitted by zoning and other applicable state and local regulations. The Adjacent Arrangement shall be constructed or procured by Al-Call and in conformance with BellSouth's design and construction specifications. Further, Al-Call shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the request for the Adjacent Arrangement.
- 3.5.1 Should Al-Call elect such option, Al-Call must arrange with a BellSouth Certified Contractor to construct an Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, Al-Call and Al-Call's BellSouth Certified Contractor must comply with the more stringent local building code requirements. Al-Call's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Al-Call's BellSouth Certified Contractor shall bill Al-Call directly for all work performed for Al-Call pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Contractor. Al-Call must provide the local BellSouth building contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Al-Call's locked enclosure prior to notifying Al-Call.
- 3.5.2 Al-Call must submit its plans and specifications to BellSouth with its Firm Order. BellSouth may elect to review Al-Call's plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure compliance with BellSouth's guidelines and specifications. BellSouth shall complete its review within fifteen (15) calendar days. If BellSouth reviews Al-Call's plans and specifications prior to construction, then BellSouth will have the right to inspect the Adjacent Arrangement after construction to make sure it is constructed according to the submitted plans and specifications. If BellSouth elects not to review Al-Call's plans and specifications prior to construction, Al-Call will be entitled to request BellSouth to review; and in the event Al-Call does not request a BellSouth review, BellSouth shall have the right to inspect the Adjacent Arrangement after construction to make sure it is constructed according to BellSouth's guidelines and specifications. BellSouth may require Al-Call to remove or correct within seven (7) calendar days at Al-Call's expense any structure that does not

meet these plans and specifications or, where applicable, BellSouth's guidelines and specifications

- 3.5.3 Al-Call shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Al-Call's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. Al-Call's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement.
- 3.5.4 BellSouth shall allow Shared (Subleased) Caged Collocation within an Adjacent Arrangement pursuant to the terms and conditions set forth in Section 3.4 preceding.

4. Occupancy

- 4.1 Commencement Date. The "Commencement Date" shall be the day Al-Call's equipment becomes operational as described in Article 4.2, following.
- 4.2 Occupancy. BellSouth will notify Al-Call in writing that the Collocation Space is ready for occupancy. Al-Call must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for interconnected service until receipt of such notice. For purposes of this paragraph, Al-Call's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.
- 4.3 Termination of Occupancy. In addition to any other provisions addressing Termination of Occupancy in this Attachment, Termination of Occupancy may occur in the following circumstances:
- 4.3.1 Al-Call may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy.
- 4.3.2 Upon termination of such occupancy, Al-Call at its expense shall remove its equipment and other property from the Collocation Space. Al-Call shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of Al-Call's Guests, unless CLEC's guest has assumed responsibility for the collocation space housing the guest equipment and executed the documentation required by BellSouth prior to such removal date. Al-Call shall continue payment of monthly fees to BellSouth until such date as Al-Call has fully vacated the Collocation Space. Should Al-Call or Al-Call's Guest fail to vacate the Collocation Space within thirty (30) calendar days from the termination date, BellSouth shall have the right to remove the equipment and other property of Al-Call

or Al-Call's Guest at Al-Call's expense and with no liability for damage or injury to Al-Call or Al-Call's Guest's property unless caused by the gross negligence or intentional misconduct of BellSouth. Upon termination of Al-Call's right to occupy Collocation Space, Al-Call shall surrender such Collocation Space to BellSouth in the same condition as when first occupied by Al-Call except for ordinary wear and tear, unless otherwise agreed to by the Parties. Al-Call shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits), at the termination of occupancy and restoring the grounds to their original condition.

5. Use of Collocation Space

- 5.1 Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to unbundled network elements in the provision of telecommunications services.
- 5.1.1 Such equipment must at a minimum meet the following BellCore (Telcordia) Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in the BellCore (Telcordia) Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Al-Call's failure to comply with this section.
- 5.1.2 Al-Call shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the transmission equipment physically installed in the arrangement. The total capacity of the transmission equipment collocated in the arrangement will include equipment contained in the application in question as well as equipment already placed in the arrangement. Collocated cross-connect devices are not considered transmission equipment. If full network termination capacity of the transmission equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event that Al-Call submits an application for terminations that exceed the total capacity of the collocated equipment, Al-Call will be informed of the discrepancy and will be required to submit a revision to the application.
- 5.1.3 Al-Call shall not use the Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Collocation Space or on the grounds of the Premises.
- 5.1.4 Al-Call shall place a plaque or other identification affixed to Al-Call's equipment necessary to identify Al-Call's equipment, including a list of emergency contacts with telephone numbers.

- 5.2 Entrance Facilities. Al-Call may elect to place Al-Call-owned or Al-Call-leased fiber entrance facilities into the Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as an entrance manhole or a cable vault which are physically accessible by both Parties. Al-Call will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. Al-Call will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced, which will extend from the splice location to Al-Call's equipment in the Collocation Space. In the event Al-Call utilizes a non-metallic, riser-type entrance facility, a splice will not be required. Al-Call must contact BellSouth for instructions prior to placing the entrance facility cable in the manhole. Al-Call is responsible for maintenance of the entrance facilities. At Al-Call's option BellSouth will accommodate where technically feasible a microwave entrance facility pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, unless BellSouth determines that limited space is available for the entrance facilities, copper facilities may be used between the adjacent collocation arrangement and the central office termination point.
- 5.2.1 Dual Entrance. BellSouth will provide at least two interconnection points at each Premises where there are at least two such interconnection points available and where capacity exists. Upon receipt of a request for physical collocation under this Attachment, BellSouth shall provide Al-Call with information regarding BellSouth's capacity to accommodate dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose for utilization within 12 months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to Al-Call's arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance is not available due to lack of capacity, BellSouth will so state in the Application Response.
- 5.2.2 Shared Use. Al-Call may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to another Al-Call collocation arrangement within the same BellSouth Premises. Al-Call must arrange with BellSouth for BellSouth to splice the utilized entrance facility capacity to Al-Call-provided riser cable.
- 5.3 Demarcation Point. BellSouth will designate the point(s) of demarcation between Al-Call's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame. Al-Call shall be responsible for providing, and a supplier certified by BellSouth ("Al-Call's BellSouth Certified Supplier") shall be responsible for installing and properly labeling/stenciling, the common block, and necessary cabling pursuant to Section 6.5. For all other terminations BellSouth shall designate a demarcation point on a per arrangement basis. Al-Call or its agent must perform all

- required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.4, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. At Al-Call's option and expense, a Point of Termination ("POT") bay or frame may be placed in the Collocation Space, but will not serve as the demarcation point. Al-Call must make arrangements with a BellSouth Certified Supplier for such placement.
- 5.4 Al-Call's Equipment and Facilities. Al-Call, or if required by this Attachment, Al-Call's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Al-Call which must be performed in compliance with all applicable BellSouth policies and guidelines. Such equipment and facilities may include but are not limited to cable(s); equipment; and point of termination connections. Al-Call and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- 5.5 BellSouth's Access to Collocation Space. From time to time BellSouth may require access to the Collocation Space. BellSouth retains the right to access such space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cables). BellSouth will give notice to Al-Call at least 48 hours before access to the Collocation Space is required. Al-Call may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Al-Call will not bear any of the expense associated with this work.
- 5.6 Access. Pursuant to Section 11, Al-Call shall have access to the Collocation Space twenty-four (24) hours a day, seven (7) days a week. Al-Call agrees to provide the name and social security number or date of birth or driver's license number of each employee, contractor, or agents of Al-Call or Al-Call's Guests provided with access keys or devices ("Access Keys") prior to the issuance of said Access Keys. Key acknowledgement forms must be signed by Al-Call and returned to BellSouth Access Management within 15 calendar days of Al-Call's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Al-Call agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Al-Call employees, contractors, Guests, or agents after termination of the employment relationship, contractual obligation with Al-Call or upon the termination of this Attachment or the termination of occupancy of an individual collocation arrangement.
- 5.6.1 Lost or Stolen Access Keys. Al-Call shall notify BellSouth in writing within 24 hours of becoming aware in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Al-Call shall pay for all reasonable costs associated with the re-keying or deactivating the card.

- 5.7 Interference or Impairment. Notwithstanding any other provisions of this Attachment, Al-Call shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Al-Call violates the provisions of this paragraph, BellSouth shall give written notice to Al-Call, which notice shall direct Al-Call to cure the violation within forty-eight (48) hours of Al-Call's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.
- 5.7.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Al-Call fails to take curative action within 48 hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Al-Call's equipment. BellSouth will endeavor, but is not required, to provide notice to Al-Call prior to taking such action and shall have no liability to Al-Call for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.7.2 For purposes of this Section 5.7, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Al-Call fails to take curative action within 48 hours then BellSouth will establish before the relevant Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Al-Call or, if subsequently necessary, the relevant Commission, must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, Al-Call shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.

- 5.8 **Personalty and its Removal.** Facilities and equipment placed by Al-Call in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Al-Call at any time. Any damage caused to the Collocation Space by Al-Call's employees, agents or representatives during the removal of such property shall be promptly repaired by Al-Call at its expense.
- 5.9 **Alterations.** In no case shall Al-Call or any person acting on behalf of Al-Call make any rearrangement, modification, improvement, addition, repair, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by Al-Call. Any material rearrangement, modification, improvement, addition, repair, or other alteration shall require a Subsequent Application and Subsequent Application Fee, pursuant to sub-section 6.2.2.
- 5.10 **Janitorial Service.** Al-Call shall be responsible for the general upkeep of the Collocation Space. Al-Call shall arrange directly with a BellSouth Certified Contractor for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such contractors on a site-specific basis upon request.

6. Ordering and Preparation of Collocation Space

- 6.1 Should any state or federal regulatory agency impose procedures or intervals applicable to Al-Call that are different from procedures or intervals set forth in this section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof.
- 6.2 Application for Space. Al-Call shall submit an application document when Al-Call or Al-Call's Guest(s), as defined in Section 3.4, desires to request or modify the use of the Collocation Space.
- 6.2.1 Initial Application. For Al-Call or Al-Call's Guest(s) initial equipment placement, Al-Call shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Application"). The Application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. The Bona Fide Application shall contain a detailed description and schematic drawing of the equipment to be placed in Al-Call's Collocation Space(s) and an estimate of the amount of square footage required.
- 6.2.2 Subsequent Application. In the event Al-Call or Al-Call's Guest(s) desires to modify the use of the Collocation Space ("Augmentation"), Al-Call shall complete an

Application detailing all information regarding the modification to the Collocation Space (“Subsequent Application”). The minimum Subsequent Application Fee shall be considered a partial payment of the applicable Subsequent Application Fee which shall be calculated as set forth below. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by Al-Call in the Application. Such necessary modifications to the Premises may include but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc. The fee paid by Al-Call for its request to modify the use of the Collocation Space shall be dependent upon the level of assessment needed for the modification requested. Where the Subsequent Application does not require assessment for provisioning or construction work by BellSouth, no Subsequent Application Fee will be required and the pre-paid fee shall be refunded to Al-Call. The fee for an Application where the modification requested has limited effect (e.g., does not require assessment related to capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit A. If the modification requires capital expenditure assessment, a full Application Fee shall apply. In the event such modifications require the assessment of a full Application Fee as set forth in Exhibit A, the outstanding balance shall be due by Al-Call within 30 calendar days following Al-Call’s receipt of a bill or invoice from BellSouth. The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Application are completed with the appropriate type of information.

6.3 Application Response. In Alabama, North Carolina, and Tennessee, in addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. Sufficient detail will be provided to permit Al-Call a reasonable opportunity to correct each deficiency. Al-Call must correct any deficiencies in its Application and resubmit a Bona Fide Application within ten (10) calendar days of being notified of the deficiencies in the original Application. If Al-Call fails to resubmit its Application as Bona Fide within this ten (10) day period, Al-Call will lose its place in the collocation queue. When space has been determined to be available, BellSouth will provide a written response (“Application Response”), which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7.

6.3.1 Application Response. Except as otherwise provided, for all States that have ordered provisioning intervals but not application response intervals, the following will apply. In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available, BellSouth will provide a written response (“Application Response”) within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as

- described in Section 7. When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) calendar days for Bona Fide Applications 1-5; within thirty-six (36) calendar days for Bona Fide Applications 6-10; within forty-two (42) calendar days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.
- 6.3.2 Application Response (Florida). Within fifteen (15) calendar days of receipt of a Bona Fide Application, BellSouth will respond as to whether space is available or not available within a particular Premises. Additionally, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide a written response (“Application Response”) including sufficient information to enable AI-Call to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7. When AI-Call submits ten (10) or more Applications within ten (10) calendar days, the initial fifteen (15) day response period will increase by ten (10) days for every additional ten (10) Applications or fraction thereof.
- 6.3.3 Application Response (Georgia) In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available for caged or cageless arrangements, BellSouth will provide a written response (“Application Response”) within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7.
- 6.3.4 Application Response (Kentucky) In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available, BellSouth will provide a written response (“Application Response”) within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7. When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) calendar days for Bona Fide Applications 1-5; within thirty-six (36) calendar days for Bona Fide Applications 6-10; within forty-two (42) calendar days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15

must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.

- 6.3.5 Application Response (Louisiana). In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. BellSouth will respond as to whether space is available or not available within a particular Premises in accordance with Section 2. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7. BellSouth will respond with a full Application Response within 30 calendar days for one to ten Applications; 35 calendar days for eleven to twenty Applications; and for requests of more than twenty Application it is increased by five calendar days for every five Applications received within five business days.
- 6.3.6 Application Response (Mississippi). In addition to the notice of space availability pursuant to Section 2. BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available, BellSouth will provide a written response (“Application Response”) within thirty (30) business days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7. When multiple applications are submitted in a state within a fifteen (15) business day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) business days for Bona Fide Applications 1-5; within thirty-six (36) business days for Bona Fide Applications 6-10; within forty-two (42) business days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.
- 6.4 Application Modifications. In Alabama, North Carolina, and Tennessee, if a modification or revision is made to any information in the Bona Fide Application for Physical Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of AI-Call or necessitated by technical considerations, said Application shall be considered a new Application and shall be handled as a new Application for purposes of the provisioning interval and BellSouth shall charge AI-Call a Subsequent Application Fee. Major changes such as requesting additional space or adding equipment may require AI-Call to submit the Application with an Application Fee.
- 6.4.1 Application Modifications. For all States that have ordered provisioning intervals but not application response intervals, and except as otherwise specified, the following will apply: If a modification or revision is made to any information in the Bona Fide

Application for Physical Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Al-Call or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) calendar days after BellSouth receives such revised application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate Al-Call's Bona Fide Application as a result of changes requested by Al-Call to Al-Call's original application, then BellSouth will charge Al-Call a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require Al-Call to resubmit the Application with an Application Fee.

- 6.4.2 Application Modifications (Florida). If a modification or revision is made to any information in the Bona Fide Application for Physical Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Al-Call or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within fifteen (15) calendar days after BellSouth receives such revised Application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate Al-Call's Bona Fide Application as a result of changes requested by Al-Call to Al-Call's original Application, then BellSouth will charge Al-Call a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require Al-Call to resubmit the Application with an Application Fee.
- 6.4.3 Application Modifications (Kentucky & Georgia). If a modification or revision is made to any information in the Bona Fide Application for Physical Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Al-Call or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) calendar days after BellSouth receives such revised Application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate Al-Call's Bona Fide Application as a result of changes requested by Al-Call to CLEC's original Application, then BellSouth will charge Al-Call a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require Al-Call to resubmit the Application with an Application Fee.
- 6.4.4 Application Modifications (Mississippi). If a modification or revision is made to any information in the Bona Fide Application for Physical Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Al-Call or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) business days after BellSouth receives such revised Application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate Al-Call's Bona Fide Application as a result of changes

- requested by Al-Call to CLEC's original Application, then BellSouth will charge Al-Call a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require Al-Call to resubmit the Application with an Application Fee.
- 6.4.5 Application Modifications (Louisiana). If a modification or revision is made to any information in the Bona Fide Application for Physical Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Al-Call or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) calendar days after BellSouth receives such revised application or at such other date as the Parties agree. BellSouth will respond to such modifications or revisions within 30 calendar days for one to ten revised Applications; 35 calendar days for eleven to twenty revised Applications; and for requests of more than twenty revised Applications it is increased by five calendar days for every five revised Applications received within five business days. If, at any time, BellSouth needs to reevaluate Al-Call's Bona Fide Application as a result of changes requested by Al-Call to CLEC's original application, then BellSouth will charge Al-Call a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require Al-Call to resubmit the application with an Application Fee.
- 6.5 Bona Fide Firm Order. In Alabama, North Carolina, and Tennessee, Al-Call shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Al-Call has completed the Application/Inquiry process described in Section 6.2, preceding, and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than seven (7) calendar days after BellSouth's Application Response to Al-Call's Bona Fide Application, unless BellSouth provides an Application Response on or before the ten-day response interval set forth in section 2.1, in which case Al-Call must submit its Bona Fide Firm Order to BellSouth within seventeen (17) calendar days of BellSouth's receipt of the Bona Fide Application. If Al-Call fails to submit its Bona Fide Firm Order to BellSouth within the time frames set forth above, the provisioning intervals set forth in section 6.6 shall apply from the date of receipt of the Bona Fide Firm Order and not from the date of the Bona Fide Application. If Al-Call fails to submit a Bona Fide Firm Order within fifteen (15) days of receipt of An Application Response, the Application will expire.
- 6.5.1 Bona Fide Firm Order. Except as otherwise provided, in all States that have ordered provisioning intervals but not addressed Firm Order intervals, the following shall apply. Al-Call shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Al-Call has completed the Application/Inquiry process described in Section 6.2,

- preceding and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Al-Call's Bona Fide Application or the Application will expire.
- 6.5.2 Bona Fide Firm Order (Kentucky & Mississippi). Al-Call shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Al-Call has completed the Application/Inquiry process described in Section 6.2, preceding and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days (in Mississippi 30 business days) after BellSouth's Application Response to Al-Call's Bona Fide Application or the Application will expire.
- 6.5.3 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a Bona Fide Firm Order. BellSouth will acknowledge the receipt of Al-Call's Bona Fide Firm Order within seven (7) calendar days of receipt indicating that the Bona Fide Firm Order has been received. A BellSouth response to a Bona Fide Firm Order will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a Bona Fide Firm Order.
- 6.5.4 BellSouth will permit one accompanied site visit to Al-Call's designated collocation arrangement location after receipt of the Bona Fide Firm Order without charge to Al-Call.
- 6.5.5 Al-Call must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Premises a minimum of 30 calendar days prior to the date Al-Call desires access to the Collocation Space. Al-Call may submit such a request at any time subsequent to BellSouth's receipt of the Bona Fide Firm Order. In the event Al-Call desires access to the Collocation Space after submitting such a request but prior to access being approved, BellSouth shall permit Al-Call to access the Collocation Space, accompanied by a security escort at Al-Call's expense. Al-Call must request escorted access at least three (3) business days prior to the date such access is desired.
- 6.6
- 6.6.1 Construction and Provisioning Interval. In Alabama, North Carolina, and Tennessee, BellSouth will complete construction for collocation arrangements within a maximum of 90 calendar days from receipt of an Application or as agreed to by the Parties. Under extraordinary conditions, BellSouth may elect to renegotiate an alternative provisioning interval with Al-Call or seek a waiver from this interval from the Commission. Examples of extraordinary conditions include, but are not limited to,

extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length.

- 6.6.2 Construction and Provisioning Interval (Florida). BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of 90 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. For changes to collocation space after initial space completion, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of 45 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Al-Call cannot agree upon a completion date, within 45 calendar days of receipt of the Bona Fide Firm Order for an initial request, and within 30 calendar days for Augmentations, BellSouth may seek an extension from the Florida PSC.
- 6.6.3 Construction and Provisioning Interval (Georgia). BellSouth will use best efforts to complete construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of 90 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. BellSouth will use best efforts to complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of 60 calendar days from receipt of a Bona Fide Firm Order and 90 calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth may elect to renegotiate an alternative provisioning interval with Al-Call or seek a waiver from this interval from the Commission.
- 6.6.4 Construction and Provisioning Interval (Louisiana). BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 120 calendar days from receipt of a Bona Fide Firm Order for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within 180 calendar days of the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to,

- extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth may elect to renegotiate an alternative provisioning interval with AI-Call or seek a waiver from this interval from the Commission.
- 6.6.5 Construction and Provisioning Interval (Mississippi). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 120 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within 180 calendar days of the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth may elect to renegotiate an alternative provisioning interval with AI-Call or seek a waiver from this interval from the Commission.
- 6.6.6 Construction and Provisioning Interval (Kentucky). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will use best efforts to complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 90 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will use best efforts to complete construction of all other Collocation Space ("extraordinary conditions") within 130 calendar days of the receipt of a Bona Fide Firm Order. Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth may elect to renegotiate an alternative provisioning interval with AI-Call or seek a waiver from this interval from the Commission.
- 6.6.7 Construction and Provisioning Interval (South Carolina). BellSouth will complete the construction and provisioning activities for cageless and caged collocation arrangements as soon as possible, but no later than 90 calendar days from receipt of a

- bona fide firm order. BellSouth may elect to renegotiate an alternative provisioning interval with Al-Call or seek a waiver from this interval from the Commission.
- 6.7 Joint Planning. Joint planning between BellSouth and Al-Call will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a Bona Fide Firm Order. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide Application and affirmed in the Bona Fide Firm Order. The Collocation Space completion time period will be provided to Al-Call during joint planning.
- 6.8 Permits. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- 6.9 Acceptance Walk Through. Al-Call will contact BellSouth within seven (7) days of collocation space being ready to schedule an acceptance walk through of each Collocation Space requested from BellSouth by Al-Call. BellSouth will correct any deviations to Al-Call's original or jointly amended requirements within seven (7) calendar days after the walk through, unless the Parties jointly agree upon a different time frame.
- 6.10 Use of BellSouth Certified Supplier. Al-Call shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. Al-Call and Al-Call's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Al-Call must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide Al-Call with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Al-Call's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and Al-Call upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill Al-Call directly for all work performed for Al-Call pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall consider certifying Al-Call or any supplier proposed by Al-Call. All work performed by or for Al-Call shall conform to generally accepted industry guidelines and standards.
- 6.11 Alarm and Monitoring. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. Al-Call shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Al-Call's Collocation Space. Upon request, BellSouth will provide Al-Call with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Al-Call. Both Parties shall use best efforts to notify the other of any verified environmental hazard known to that Party.

- 6.12 Basic Telephone Service. Upon request of Al-Call, BellSouth will provide basic telephone service to the Collocation Space under the rates, terms and conditions of the current tariff offering for the service requested.
- 6.13 Virtual to Physical Collocation Relocation. In the event physical Collocation Space was previously denied at a location due to technical reasons or space limitations, and that physical Collocation Space has subsequently become available, Al-Call may relocate its virtual collocation arrangements to physical collocation arrangements and pay the appropriate non-recurring fees for physical collocation and for the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical collocation may become available at the location requested by Al-Call, such information will be provided to Al-Call in BellSouth's written denial of physical collocation. To the extent that (i) physical Collocation Space becomes available to Al-Call within 180 calendar days of BellSouth's written denial of Al-Call's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Al-Call was not informed in the written denial that physical Collocation Space would become available within such 180 calendar days, then Al-Call may transition its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. Al-Call must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.
- 6.14 Cancellation. If, at anytime prior to space acceptance, Al-Call cancels its order for the Collocation Space(s), Al-Call will reimburse BellSouth in the following manner: BellSouth will ascertain how far preparation work has progressed. Al-Call will be billed the applicable non recurring rate for any and all work processes for which work has begun.
- 6.15 Licenses. Al-Call, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Collocation Space.
- 6.16 Environmental Compliance. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified as Exhibit B attached hereto.

7. Rates and Charges

- 7.1 BellSouth shall assess an Application Fee via a service order which shall be issued at the time BellSouth responds that space is available pursuant to section 2.1. Payment of said Application Fee will be due as dictated by Al-Call's current billing cycle and is non-refundable.

- 7.2 Space Preparation. Space preparation fees consist of a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications, assessed per arrangement, per square foot, and Common Systems Modifications, assessed per arrangement, per square foot for cageless and per cage for caged collocation. Al-Call shall remit payment of the nonrecurring Firm Order Processing Fee coincident with submission of a Bona Fide Firm Order. The recurring charges for space preparation apply beginning on the date on which BellSouth releases the Collocation Space for occupancy or on the date Al-Call first occupies the Collocation Space, whichever is sooner. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Al-Call opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to Al-Call as prescribed in Section 7.7.
- 7.3 Space Preparation Fee in Florida. Space preparation fees include a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications, assessed per arrangement, per square foot, and Common Systems Modifications, assessed per arrangement, per square foot for cageless and per cage for caged collocation. Al-Call shall remit payment of the nonrecurring Firm Order Processing Fee coincident with submission of a Bona Fide Firm Order. The recurring charges for space preparation apply beginning on the date on which BellSouth releases the Collocation Space for occupancy or on the date Al-Call first occupies the Collocation Space, whichever is sooner. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Al-Call opts for cageless space, space preparation fees will be assessed based on the total floor space dedicated to Al-Call as prescribed in Section 7.7.
- 7.4 Space Preparation Fee in Georgia. In Georgia, the Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers a portion of costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, power, building and support systems. This is a set fee of \$100 per square foot as established by the Georgia Public Service Commission Order in Docket No. 7061-U. In the event Al-Call opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to Al-Call as prescribed in Section 7.7.
- 7.5 Space Preparation Fee in North Carolina. In North Carolina, space preparation fees consist of monthly recurring charges for Central Office Modifications, assessed per arrangement, per square foot; Common Systems Modifications, assessed per arrangement, per square foot for cageless and per cage for caged collocation; and Power, assessed per the nominal –48V DC ampere requirements specified by Al-Call on the Bona Fide Application. The space preparation charges apply beginning on the date on which BellSouth releases the Collocation Space for occupancy or on the date Al-Call first occupies the Collocation Space, whichever is sooner. The charges

- recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Al-Call opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to Al-Call as described in Section 7.7.
- 7.6 Cable Installation. Cable Installation Fee(s) are assessed per entrance cable placed.
- 7.7 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not recover any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, Al-Call shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, Al-Call shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)] X (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event Al-Call's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, Al-Call shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement. Floor space charges are due beginning with the date on which BellSouth releases the Collocation Space for occupancy or on the date Al-Call first occupies the Collocation Space, whichever is sooner.
- 7.8 Power. BellSouth shall make available -48 Volt (-48V) DC power for Al-Call's Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay ("BDFB") at Al-Call's option within the Premises.
- 7.8.1 Recurring charges for -48V DC power will be assessed per ampere per month based upon the BellSouth Certified Supplier engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable rack to Al-Call's equipment or space enclosure. When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by Al-Call's BellSouth Certified Supplier. When obtaining power from a BellSouth power board, power cables (A&B) must be engineered (sized), and installed by Al-Call's BellSouth Certified power Supplier. Al-Call is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or power board to Al-Call's equipment. Determination of the BellSouth BDFB or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by Al-Call must provide BellSouth a copy of the engineering power specification prior to the day on which Al-Call's equipment becomes operational ("Commencement Date"). BellSouth will provide the common power feeder cable support structure between the BellSouth

- BDFB or power board and Al-Call's arrangement area. Al-Call shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Al-Call's arrangement; power cable feeds; terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified power Supplier. Al-Call shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia (BellCore) and ANSI Standards regarding power cabling.
- 7.8.2 If BellSouth has not previously invested in power plant capacity for collocation at a specific site, Al-Call has the option to add its own dedicated power plant; provided, however, that such work shall be performed by a BellSouth Certified Supplier who shall comply with BellSouth's guidelines and specifications. Where the addition of Al-Call's dedicated power plant results in construction of a new power plant room, upon termination of Al-Call's right to occupy collocation space at such site, Al-Call shall have the right to remove its equipment from the power plant room, but shall otherwise leave the room intact.
- 7.8.3 If Al-Call elects to install its own DC Power Plant, BellSouth shall provide AC power to feed Al-Call's DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Al-Call's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Al-Call's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the Commencement Date. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit A. AC power voltage and phase ratings shall be determined on a per location basis. At Al-Call's option, Al-Call may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 7.9 Security Escort. A security escort will be required whenever Al-Call or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 6.6.2 prior to completing BellSouth's Security Training requirements and/or prior to Space Acceptance. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit A beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Al-Call shall pay for such half-hour charges in the event Al-Call fails to show up.
- 7.10 Cable Record charges. These charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.
- 7.11 Rate "True-Up". The Parties agree that the prices reflected as interim herein shall be "trued-up" (up or down) based on final prices either determined by further agreement or by an effective order, in a proceeding involving BellSouth before the regulatory

authority for the state in which the services are being performed or any other body having jurisdiction over this Agreement (hereinafter "Commission"). Under the "true-up" process, the interim price for each service shall be multiplied by the volume of that service purchased to arrive at the total interim amount paid for that service ("Total Interim Price"). The final price for that service shall be multiplied by the volume purchased to arrive at the total final amount due ("Total Final Price"). The Total Interim Price shall be compared with the Total Final Price. If the Total Final Price is more than the Total Interim Price, Al-Call shall pay the difference to BellSouth. If the Total Final Price is less than the Total Interim Price, BellSouth shall pay the difference to Al-Call. Each Party shall keep its own records upon which a "true-up" can be based and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such "true-up," the Parties agree that the Commission shall be called upon to resolve such differences.

- 7.12 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party. Payment of all other charges under this Attachment shall be due as dictated by Al-Call's current billing cycle. Al-Call will pay a late payment charge as specified in the current State Tariff.

8. Insurance

- 8.1 Al-Call shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section 8 and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.
- 8.2 Al-Call shall maintain the following specific coverage:
- 8.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 8.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 8.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Al-Call's real and personal property situated on or within BellSouth's Central Office location(s).

- 8.2.4 Al-Call may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 8.3 The limits set forth in Section 8.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days notice to Al-Call to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 8.4 All policies purchased by Al-Call shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Attachment or until all Al-Call's property has been removed from BellSouth's Premises, whichever period is longer. If Al-Call fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Al-Call.
- 8.5 Al-Call shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Al-Call shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Al-Call's insurance company. Al-Call shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:
- BellSouth Telecommunications, Inc.
Attn.: Risk Management Coordinator
17H53 BellSouth Center
675 W. Peachtree Street
Atlanta, Georgia 30375
- 8.6 Al-Call must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 8.7 Self-Insurance. If Al-Call's net worth exceeds five hundred million dollars (\$500,000,000), Al-Call may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 8.2.1 and 8.2.2. Al-Call shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Al-Call in the event that self-insurance status is not granted to Al-Call. If BellSouth approves Al-Call for self-insurance, Al-Call shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Al-Call's corporate officers. The ability to self-insure shall continue so long as the Al-Call meets all of the requirements of this Section. If the Al-

Call subsequently no longer satisfies this Section, Al-Call is required to purchase insurance as indicated by Sections 8.2.1 and 8.2.2.

- 8.8 The net worth requirements set forth in Section 8.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days' notice to Al-Call to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 8.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

9. Mechanics Liens

- 9.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Al-Call), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

10. Inspections

- 10.1 BellSouth may conduct an inspection of Al-Call's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between Al-Call's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Al-Call adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Al-Call with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

11. Security and Safety Requirements

- 11.1 The security and safety requirements set forth in this section are as stringent as the security requirements BellSouth maintains at its own premises either for their own employees or for authorized contractors. Only BellSouth employees, BellSouth Certified Contractors and authorized employees, authorized Guests, pursuant to Section 3.4, preceeding, or authorized agents of Al-Call will be permitted in the BellSouth Premises. Al-Call shall provide its employees and agents with picture

identification which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo Identification card shall bear, at a minimum, the employee's name and photo, and the Al-Call name. BellSouth reserves the right to remove from its premises any employee of Al-Call not possessing identification issued by Al-Call or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Al-Call shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises. Al-Call shall be solely responsible for ensuring that any Guest of Al-Call is in compliance with all subsections of this Section 11.

- 11.1.1 Al-Call will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Al-Call employee being considered for work on the BellSouth Premises, for the states/counties where the Al-Call employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Al-Call shall not be required to perform this investigation if an affiliated company of Al-Call has performed an investigation of the Al-Call employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Al-Call has performed a pre-employment statewide investigation of criminal history records, or where state law does not permit an investigation of the applicable counties for the Al-Call employee seeking access, for the states/counties where the Al-Call employee has worked and lived for the past five years.
- 11.1.2 Al-Call will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- 11.1.3 Al-Call shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. Al-Call shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any Al-Call personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Al-Call chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Al-Call may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 11.1.4 Al-Call shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 11.1.5 Al-Call shall not knowingly assign to the BellSouth Premises any individual who was a former contractor of BellSouth and whose access to a BellSouth Premises was

- revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 11.1.6 For each Al-Call employee requiring access to a BellSouth Premises pursuant to this Attachment, Al-Call shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Al-Call will disclose the nature of the convictions to BellSouth at that time. In the alternative, Al-Call may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 11.1.7 At BellSouth's request, Al-Call shall promptly remove from BellSouth's Premises any employee of Al-Call BellSouth does not wish to grant access to its premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation in the event that an employee of Al-Call is found interfering with the property or personnel of BellSouth or another CLEC, provided that an investigation shall promptly be commenced by BellSouth.
- 11.2 Notification to BellSouth. BellSouth reserves the right to interview Al-Call's employees, agents, or contractors in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another CLEC's property or personnel, provided that BellSouth shall provide reasonable notice to Al-Call's Security contact of such interview. Al-Call and its contractors shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Al-Call's employees, agents, or contractors. Additionally, BellSouth reserves the right to bill Al-Call for all reasonable costs associated with investigations involving its employees, agents, or contractors if it is established and mutually agreed in good faith that Al-Call's employees, agents, or contractors are responsible for the alleged act. BellSouth shall bill Al-Call for BellSouth property which is stolen or damaged where an investigation determines the culpability of Al-Call's employees, agents, or contractors and where Al-Call agrees, in good faith, with the results of such investigation. Al-Call shall notify BellSouth in writing immediately in the event that the CLEC discovers one of its employees already working on the BellSouth premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth Premises, any employee found to have violated the security and safety requirements of this section. Al-Call shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises.
- 11.3 Use of Supplies. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with

such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.

- 11.4 Use of Official Lines. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 11.5 Accountability. Full compliance with the Security requirements of this section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

12. Destruction of Collocation Space

- 12.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Al-Call's permitted use hereunder, then either Party may elect within ten (10) business days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Al-Call's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Al-Call, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Al-Call may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Contractor is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If Al-Call's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Al-Call. Where allowed and where practical, Al-Call may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, Al-Call shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Al-Call's permitted use, until such Collocation Space is fully repaired and restored and Al-Call's equipment installed therein (but in no event later than thirty (30) business days after the Collocation Space is fully repaired and restored). Where Al-Call has placed an Adjacent Arrangement pursuant to Section 3.5, Al-Call shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this section, BellSouth will restore the associated services to the Adjacent Arrangement.

13. Eminent Domain

- 13.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and Al-Call shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) business days after such taking.

14. Nonexclusivity

- 14.1 Al-Call understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

EXHIBIT A: BELLSOUTH/AI-Call RATES – ALABAMA
PHYSICAL COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------------|--|-----------------------|----------------------------|---------------------------------|
| PE1BA | Application Fee | Per request | NA | \$3,760.00 |
| PE1CA | Subsequent Application Fee | Per request | NA | \$3,134.00 Minimum |
| PE1SJ | Space Preparation Fees | | | \$1,211.00 |
| PE1SK | Firm Order Processing* | Per sq. ft. | \$2.24 | |
| PE1SL | Central Office Modifications* | Per sq. ft. | \$3.01 | |
| PE1SM | Common Systems Modifications – Cageless* | Per cage | \$102.16 | |
| | Common Systems Modifications – Caged* | | | |
| PE1BW | Space Enclosure (100 sq. ft. minimum) | Per first 100 sq. ft. | \$178.65 | NA |
| PE1C | Welded Wire-mesh | Per add'l 50 sq. ft. | \$17.52 | NA |
| W | | | | |
| PE1PJ | Floor Space | Per sq. ft. | \$3.68 | NA |
| PE1BD | Cable Installation | Per cable | NA | \$1,751.00 |
| PE1PM | Cable Support Structure | Per entrance cable | \$19.67 | NA |
| PE1PL | Power | Per amp | \$9.00 | NA |
| PE1FB | -48V DC Power* | Per breaker amp | \$5.63 | - |
| PE1FD | 120V AC Power single phase* | Per breaker amp | \$11.26 | - |
| PE1FE | 240V AC Power single phase* | Per breaker amp | \$16.89 | - |
| PE1FG | 120V AC Power three phase* | Per breaker amp | \$38.99 | - |
| | 277 AC Power three phase* | | | |
| PE1P2 | Cross Connects | Per cross connect | \$0.031 | First/Add'l \$33.68/\$31.79 |
| PE1P4 | 2-wire | | \$0.062 | \$33.63/\$31.67 |
| PE1P1 | 4-wire | | \$1.28 | \$52.93/\$39.87 |
| PE1P3 | DS-1 | | \$16.27 | \$51.99/\$38.59 |
| PE1F2 | DS-3 | | \$3.23 | \$52.00/\$38.60 |
| PE1F4 | 2-fiber | | \$5.73 | \$64.54/\$51.14 |
| | 4-fiber | | | |

| ALABAMA (continued) | | | | |
|---------------------|--|------------------------|---------------------|--------------------------|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
| PE1AX | Security Access System Security System* | Per central office | \$52.27 | |
| PE1A1 | New Access Card Activation* | Per card | \$.059 | \$55.57 |
| PE1AA | Administrative change, existing card* | Per card | | \$15.58 |
| PE1AR | Replace lost or stolen card* | Per card | | \$45.56 |
| PE1AK | Initial Key | Per key | NA | \$26.19 |
| PE1AL | Replace lost or stolen key | Per key | NA | \$26.19 |
| PE1SR | Space Availability Report* | Per premises requested | | \$2,150.00 |
| PE1PE | POT Bay Arrangements <i>Prior to 6/1/99</i> 2-Wire Cross-Connect | Per cross connect | \$0.08 | NA |
| PE1PF | 4-Wire Cross-Connect | | \$0.17 | NA |
| PE1PG | DS1 Cross-Connect | | \$0.69 | NA |
| PE1PH | DS3 Cross-Connect | | \$4.74 | NA |
| PE1B2 | 2-Fiber Cross-Connect | | \$32.02 | NA |
| PE1B4 | 4-Fiber Cross-Connect | | \$40.48 | NA |
| | Cable Records ¹ | | | Note 2 |
| | | | | Initial/Subsequent |
| PE1CR | Cable Records | Per request | NA | \$1708/\$1166 |
| PE1CD | VG/DS0 Cable | Per cable record | NA | \$923.51/\$923.51 |
| PE1CO | VG/DS0 Cable | Per each 100 pair | NA | \$18.02/\$18.02 |
| PE1C1 | DS1 | Per T1TIE | NA | \$8.44/\$8.44 |
| PE1C3 | DS3 | Per T3TIE | NA | \$29.53/\$29.53 |
| PE1CB | Fiber Cable | Per cable record | NA | \$278.95/\$278.95 |

| ALABAMA (continued) | | | | |
|---------------------|--------------------------|---------------------------|---------------------|--------------------------|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
| | | | | |
| | Security Escort | Per half hr/add'l half hr | | |
| PE1BT | Basic Time | | NA | \$33.85/\$21.45 |
| PE1OT | Overtime | | NA | \$44.09/\$27.71 |
| PE1PT | Premium Time | | NA | \$54.33/\$33.96 |

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

Note1: Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

**EXHIBIT A: BELLSOUTH/AI-Call RATES – FLORIDA
PHYSICAL COLLOCATION**

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|---|--|---|---|--------------------------|
| PE1BA | Application Fee | Per request | | \$3,791.00 |
| PE1CA | Subsequent Application Fee | Per request | NA | \$3,160.00 |
| PE1SJ PE1SK PE1SL PE1SM | Space Preparation Fees Firm Order Processing Central Office Modifications Common Systems Modifications – Cageless Common Systems Modifications – Caged | Per sq. ft. Per sq. ft. Per cage | \$2.58 \$2.96 \$100.66 | \$1,211.00 |
| PE1BW PE1C W | Space Enclosure (100 sq. ft. minimum) Wire Cage Wire Cage | Per first 100 sq. ft. Per add'l 50 sq. ft. | \$205.93 \$20.20 | NA NA |
| PE1PJ | Floor Space | Per sq. ft. | \$6.57 | NA |
| PE1BD | Cable Installation | Per cable | | \$1,826.00 |
| PE1PM | Cable Support Structure | | \$21.66 | NA |
| PE1PL PE1FB PE1FD PE1FE PE1FG | Power -48V DC Power 120V AC Power single phase 240V AC Power single phase 120V AC Power three phase 277 AC Power three phase | Per amp Per breaker amp Per breaker amp Per breaker amp Per breaker amp | \$8.86 \$5.62 \$11.26 \$16.88 \$38.98 | NA - - - - |
| | Cross Connects | | | First/Add'l |
| | 2-wire | Per cross connect | \$0.74 | \$34.53/\$32.51 |
| | 4-wire | Per cross connect | \$1.48 | \$34.54/\$32.53 |
| | DS1 | Per cross connect | \$1.29 | \$54.15/\$40.94 |
| | DS3 | Per cross connect | \$17.48 | \$53.28/\$39.65 |
| | 2-fiber | Per cross connect | \$2.96 | \$53.28/\$39.66 |
| | 4-fiber | Per cross connect | \$5.66 | \$66.08/\$52.47 |

| FLORIDA (continued) | | | | |
|---------------------|--|------------------------|---------------------|-------------------------------------|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
| PE1AX | Security Access System Security System | Per premises | \$89.48 | |
| PE1A1 | New Access Card Activation | Per card | \$.06 | \$56.03 |
| PE1AA | Administrative change, existing card | Per card | | \$15.71 |
| PE1AR | Replace lost or stolen card | Per card | | \$45.93 |
| PE1AK | Initial Key | Per key | NA | \$26.41 |
| PE1AL | Replace lost or stolen key | Per key | NA | \$26.41 |
| PE1SR | Space Availability Report | Per premises requested | | \$2,168.00 |
| | POT Bay (Note 1) | | NA | NA |
| | Cable Records ² | | | Note 3 initial/subsequent |
| PE1CR | Cable Records | Per request | NA | \$1709/\$1166 |
| PE1CD | VG/DS0 Cable | Per cable record | NA | \$923.86/\$923.86 |
| PE1CO | VG/DS0 Cable | Per each 100 pair | NA | \$18.03/\$18.03 |
| PE1C1 | DS1 | Per T1TIE | NA | \$8.44/\$8.44 |
| PE1C3 | DS3 | Per T3TIE | NA | \$29.54/\$29.54 |
| PE1CB | Fiber Cable | Per cable record | NA | \$279.05/\$279.05 |
| PE1BQ | Security Escort Basic Time | Per ¼ hour | NA | \$10.89 |
| PE1OQ | Overtime | | NA | \$13.64 |
| PE1PQ | Premium Time | | NA | \$16.40 |

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

- (1) **POT Bays:** BellSouth's Florida specific rates were established in the Florida Public Service Commission Docket No. 960833. The Commission did not set permanent rates for POT Bays, given the assumption by the Parties to the Proceeding that they will always provide their own POT Bays. It will be necessary for AI-Call to provide its own POT Bays per BellSouth specifications and provide the necessary information from which BellSouth can inventory.
- (2) Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.
- (3) The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

**EXHIBIT A: BELLSouth/AI-Call RATES – GEORGIA
PHYSICAL COLLOCATION**

Rates marked with an asterisk (*) are interim and subject to true-up

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------|---------------------------------------|-----------------------|---------------------|--------------------------------|
| PE1BA | Application Fee | Per request | NA | \$3,755.00 |
| PE1CA | Subsequent Application Fee | Per request | NA | \$3,130.00 Minimum |
| PE1BB | Space Preparation Fee (Note 2) | Per sq. ft. | NA | \$100.00 |
| PE1BW | Space Enclosure (100 sq. ft. minimum) | Per first 100 sq. ft. | \$187.36 | NA |
| PE1C | Welded Wire-mesh | Per add'l 50 sq. ft. | \$18.38 | NA |
| PE1PJ | Floor Space Zone A | Per sq. ft. | \$4.47 | NA |
| PE1PK | Zone B | Per sq. ft. | \$4.47 | NA |
| PE1BD | Cable Installation | Per cable | NA | \$1,693.00 |
| PE1PM | Cable Support Structure | Per entrance cable | \$19.26 | NA |
| PE1PL | Power -48V DC Power | Per amp | \$5.00 | NA |
| PE1FB | 120V AC Power single phase* | Per breaker amp | \$5.52 | - |
| PE1FD | 240V AC Power single phase* | Per breaker amp | \$11.05 | - |
| PE1FE | 120V AC Power three phase* | Per breaker amp | \$16.58 | - |
| PE1FG | 277 AC Power three phase* | Per breaker amp | \$38.27 | - |
| PE1P2 | Cross Connects 2-wire | Per cross connect | \$0.030 | First/Add'l \$33.76/\$31.86 |
| PE1P4 | 4-wire | | \$0.061 | \$33.77/\$31.80 |
| PE1P1 | DS-1 | | \$1.13 | \$53.05/\$39.99 |
| PE1P3 | DS-3 | | \$14.43 | \$52.14/\$38.71 |
| PE1F2 | 2-fiber | | \$2.86 | \$52.14/\$38.72 |
| PE1F4 | 4-fiber | | \$5.08 | \$64.74/\$51.31 |

| GEORGIA (continued) | | | | |
|---------------------|---|-----------------------------|---------------------|-------------------------------------|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
| PE1AX | Security Access System Security System* | Per premises | \$40.00 | |
| PE1A1 | New Access Card Activation* | Per card | \$.058 | \$55.51 |
| PE1AA | Administrative change, existing card* | Per card | | \$15.56 |
| PE1AR | Replace lost or stolen card* | Per card | | \$45.50 |
| PE1AK | Initial Key | Per key | NA | \$26.16 |
| PE1AL | Replace lost or stolen key | Per key | NA | \$26.16 |
| PE1SR | Space Availability Report* | Per premises requested | | \$2,148.00 |
| PE1PE | POT Bay Arrangements Prior to 6/1/99 2-Wire Cross-Connect | Per cross-connect | \$0.40 | NA |
| PE1PF | 4-Wire Cross-Connect | | \$1.20 | NA |
| PE1PG | DS1 Cross-Connect | | \$1.20 | NA |
| PE1PH | DS3 Cross-Connect | | \$8.00 | NA |
| PE1B2 | 2 Fiber Cross-Connect | | \$38.79 | NA |
| PE1B4 | 4 Fiber Cross-Connect | | \$52.31 | NA |
| | Cable Records ¹ | | | Note 2 Initial/subsequent |
| PE1CR | Cable Records | Per request | NA | \$1706/\$1164 |
| PE1CD | VG/DS0 Cable | Per cable record | NA | \$922.38/\$922.38 |
| PE1CO | VG/DS0 Cable | Per each 100 pair | NA | \$18.00/\$18.00 |
| PE1C1 | DS1 | Per T1TIE | NA | \$8.43/\$8.43 |
| PE1C3 | DS3 | Per T3TIE | NA | \$29.49/\$29.49 |
| PE1CB | Fiber Cable | Per cable record | NA | \$278.61/\$278.61 |
| PE1BT | Security Escort Basic Time | Per half hr./Add'l half hr. | NA | \$33.81/\$21.42 |
| PE1OT | Overtime | | NA | \$44.03/\$27.67 |
| PE1PT | Premium Time | | NA | \$54.26/\$33.92 |

N/A refers to rate elements which do not have a negotiated rate.

Note (1) Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

**EXHIBIT A: BELLSOUTH/AI-Call RATES – KENTUCKY
PHYSICAL COLLOCATION**

Rates marked with an asterisk (*) are interim and are subject to true-up.

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------|--|-----------------------|---------------------|--------------------------|
| PE1BA | Application Fee | Per request | NA | \$3,761.00 |
| PE1CA | Subsequent Application Fee | Per request | NA | \$3,135.00 Minimum |
| PE1SJ | Space Preparation Fees | | | \$1,202.00 |
| PE1SK | Firm Order Processing* | Per sq. ft. | \$2.38 | |
| PE1SL | Central Office Modifications* | Per sq. ft. | \$3.30 | |
| PE1SM | Common Systems Modifications – Cageless* | | | |
| | Common Systems Modifications – Caged* | Per cage | \$112.11 | |
| PE1BW | Space Enclosure (100 sq. ft. minimum) | Per first 100 sq. ft. | \$189.85 | NA |
| PE1C | Welded Wire-mesh | Per add'l 50 sq. ft. | \$18.62 | NA |
| W | | | | |
| PE1PJ | Floor Space | Per sq. ft. | \$8.20 | NA |
| PE1BD | Cable Installation | Per cable | NA | \$1,755.00 |
| PE1PM | Cable Support Structure | Per entrance cable | \$20.14 | NA |
| PE1PL | Power | | | |
| | -48V DC Power* | Per amp | \$8.77 | NA |
| PE1FB | 120V AC Power single phase* | Per breaker amp | \$5.58 | - |
| PE1FD | 240V AC Power single phase* | Per breaker amp | \$11.16 | - |
| PE1FE | 120V AC Power three phase* | Per breaker amp | \$16.74 | - |
| PE1FG | 277 AC Power three phase* | Per breaker amp | \$38.65 | - |
| PE1P2 | Cross Connects | Per cross connect | | First/Add'l |
| | 2-wire | | \$0.037 | \$33.67/\$31.78 |
| PE1P4 | 4-wire | | \$0.075 | \$33.66/\$31.70 |
| PE1P1 | DS-1 | | \$1.51 | \$52.97/\$39.90 |
| PE1P3 | DS-3 | | \$19.15 | \$52.04/\$38.62 |
| PE1F2 | 2-fiber | | \$3.80 | \$52.04/\$38.63 |
| PE1F4 | 4-fiber | | \$6.75 | \$64.59/\$51.18 |

| KENTUCKY (continued) | | | | |
|----------------------|--|-----------------------------|---------------------|-----------------------------------|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
| PE1AX | Security Access System Security System* | Per premises | \$78.11 | |
| PE1A1 | New Access Card Activation | Per card | \$.059 | \$55.59 |
| PE1AA | Administrative change, existing card | Per card | | \$15.59 |
| PE1AR | Replace lost or stolen card | Per card | | \$45.58 |
| PE1AK | Initial Key | Per key | NA | \$26.20 |
| PE1AL | Replace lost or stolen key | Per key | NA | \$26.20 |
| PE1SR | Space Availability Report | Per premises requested | | \$2,151 |
| PE1PE | POT Bay Arrangements <i>Prior to 6/1/99</i> 2-Wire Cross-Connect | Per cross-connect | \$0.06 | NA |
| PE1PF | 4-Wire Cross-Connect | | \$0.15 | NA |
| PE1PG | DS1 Cross-Connect | | \$0.58 | NA |
| PE1PH | DS3 Cross-Connect | | \$4.51 | NA |
| PE1B2 | 2 Fiber Cross-Connect | | \$38.79 | NA |
| PE1B4 | 4 Fiber Cross-Connect | | \$52.31 | NA |
| PE1BT | Security Escort Basic Time | Per half hr./Add'l half hr. | NA | \$33.86/\$21.46 |
| PE1OT | Overtime | | NA | \$44.10/\$27.72 |
| PE1PT | Premium Time | | NA | \$54.35/\$33.97 |
| PE1CR | Cable Records ¹ | | | Note 2 |
| PE1CD | Cable Records | Per request | NA | Initial/subsequent \$1709/1166 |
| PE1CO | VG/DS0 Cable | Per cable record | NA | \$923.83/\$923.83 |
| PE1C1 | VG/DS0 Cable | Per each 100 pair | NA | \$18.03/\$18.03 |
| PE1C3 | DS1 | Per T1TIE | NA | \$8.44/\$8.44 |
| PE1CB | DS3 | Per T3TIE | NA | \$29.54/\$29.54 |
| | Fiber Cable | Per cable record | NA | \$279.05/\$279.05 |

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

Note1: Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

**EXHIBIT A: BELLSOUTH/AI-Call RATES – LOUISIANA
PHYSICAL COLLOCATION**

Rates marked with an asterisk (*) are interim and are subject to true-up.

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|---|--|---|---|---|
| PE1BA | Application Fee | Per request | NA | \$3756.00 |
| PE1CA | Subsequent Application Fee | Per request | NA | \$3131.00 Minimum |
| PE1SJ PE1SK PE1SL PE1SM | Space Preparation Fees Firm Order Processing* Central Office Modifications* Common Systems Modifications – Cageless* Common Systems Modifications – Caged* | Per sq. ft. Per sq. ft. Per cage | \$2.60 \$3.15 \$105.87 | \$1,200.00 |
| PE1BW PE1C W | Space Enclosure (100 sq. ft. minimum) Welded Wire-mesh Welded Wire-mesh | Per first 100 sq. ft. Per add'l 50 sq. ft. | \$207.06 \$20.31 | NA NA |
| PE1PJ | Floor Space | Per sq. ft. | \$5.94 | NA |
| PE1BD | Cable Installation | Per cable | NA | \$1,753.00 |
| PE1PM | Cable Support Structure | Per entrance cable | \$21.16 | NA |
| PE1PL PE1FB PE1FD PE1FE PE1FG | Power -48V DC Power* 120V AC Power single phase* 240V AC Power single phase* 120V AC Power three phase* 277 AC Power three phase* | Per amp Per breaker amp Per breaker amp Per breaker amp Per breaker amp | \$9.20 \$5.66 \$11.34 \$17.00 \$39.26 | NA - - - - |
| PE1P2 PE1P4 PE1P1 PE1P3 | Cross Connects 2-wire 4-wire DS-1 DS-3 | Per cross connect | \$0.036 \$0.073 \$1.20 \$15.26 | First/Add'l \$33.61/\$31.76 \$33.53/\$31.58 \$52.80/\$39.76 \$51.86/\$38.49 |

| LOUISIANA (continued) | | | | |
|-----------------------|--|------------------------|---------------------|--------------------------|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
| PE1F2 | Cross Connects (continued) | Per cross connect | | First/Add'l |
| | 2-fiber | | \$3.03 | \$51.86/\$38.49 |
| PE1F4 | 4-fiber | | \$5.38 | \$64.36/\$50.99 |
| PE1AX | Security Access System Security System* | Per premises | \$60.60 | |
| PE1A1 | New Access Card Activation* | Per card | \$0.060 | \$55.51 |
| PE1AA | Administrative change, existing card* | Per card | | \$15.57 |
| PE1AR | Replace lost or stolen card | Per card | | \$45.51 |
| PE1AK | Initial Key | Per key | NA | \$26.16 |
| PE1AL | Replace lost or stolen key | Per key | NA | \$26.16 |
| PE1SR | Space Availability Report* | Per premises requested | | \$2,148 |
| PE1PE | POT Bay Arrangements <i>Prior to 6/1/99</i> | Per cross-connect | | |
| PE1PF | 2-Wire Cross-Connect | | \$0.0776 | NA |
| PE1PG | 4-Wire Cross-Connect | | \$0.1552 | NA |
| PE1PH | DS1 Cross-Connect | | \$0.6406 | NA |
| PE1B2 | DS3 Cross-Connect | | \$4.75 | NA |
| PE1B2 | 2 Fiber Cross-Connect | | \$47.44 | NA |
| PE1B4 | 4 Fiber Cross-Connect | | \$63.97 | NA |
| | Cable Records ¹ | | | Note 2 |
| | | | | Initial/subsequent |
| PE1CR | Cable Records | Per request | NA | \$1706/\$1165 |
| PE1CD | VG/DS0 Cable | Per cable record | NA | \$922.51/\$922.51 |
| PE1CO | VG/DS0 Cable | Per each 100 pair | NA | \$18.00/\$18.00 |
| PE1C1 | DS1 | Per T1TIE | NA | \$8.43/\$8.43 |
| PE1C3 | DS3 | Per T3TIE | NA | \$29.49/\$29.49 |
| PE1CB | Fiber Cable | Per cable record | NA | \$278.65/\$278.65 |

| LOUISIANA (continued) | | | | |
|-----------------------|--------------------------|-----------------------------|---------------------|--------------------------|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
| | Security Escort | Per half hr./Add'l half hr. | | |
| PE1BT | Basic Time | | NA | \$33.97/\$21.53 |
| PE1OT | Overtime | | NA | \$44.25/\$27.81 |
| PE1PT | Premium Time | | NA | \$54.53/\$34.09 |

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

Note1: Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

EXHIBIT A: BELLSOUTH/AI-Call RATES – MISSISSIPPI
PHYSICAL COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up.

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------------|--|-----------------------|----------------------------|---------------------------------|
| PE1BA | Application Fee | Per request | NA | \$3,755.00 |
| PE1CA | Subsequent Application Fee | Per request | NA | \$3,130.00 Minimum |
| PE1SJ | Space Preparation Fees | | | \$1,200.00 |
| PE1SK | Firm Order Processing* | Per sq. ft. | \$2.61 | |
| PE1SL | Central Office Modifications* | Per sq. ft. | \$2.88 | |
| PE1SM | Common Systems Modifications – Cageless* | Per cage | \$97.85 | |
| | Common Systems Modifications – Caged* | | | |
| PE1BW | Space Enclosure(100 sq. ft. minimum) | Per first 100 sq. ft. | \$208.30 | NA |
| PE1C | Welded Wire-mesh | Per add'l 50 sq. ft. | \$20.43 | NA |
| W | | | | |
| PE1PJ | Floor Space | Per sq. ft. | \$6.53 | |
| PE1BD | Cable Installation | Per cable | NA | \$1,871.00 |
| PE1PM | Cable Support Structure | Per entrance cable | \$19.90 | NA |
| PE1PL | Power | Per amp | \$8.96 | NA |
| PE1FB | -48V DC Power* | Per breaker amp | \$5.61 | - |
| PE1FD | 120V AC Power single phase* | Per breaker amp | \$11.23 | - |
| PE1FE | 240V AC Power single phase* | Per breaker amp | \$16.84 | - |
| PE1FG | 120V AC Power three phase* | Per breaker amp | \$38.89 | - |
| | 277 AC Power three phase* | | | |
| PE1P2 | Cross Connects | Per cross connect | | First/Add'l |
| PE1P4 | 2-wire | | \$0.038 | \$33.65/\$31.77 |
| | 4-wire | | \$0.076 | \$33.46/\$31.52 |

| MISSISSIPPI (continued) | | | | |
|-------------------------|---------------------------------------|------------------------|---------------------|--------------------------|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
| PE1P1 | Cross Connects (continued) | Per cross connect | | First/Add'l |
| PE1P3 | DS-1 | | \$1.30 | \$52.73/\$39.70 |
| PE1F2 | DS-3 | | \$16.55 | \$51.78/\$38.43 |
| PE1F4 | 2-fiber | | \$3.28 | \$51.78/\$38.43 |
| | 4-fiber | | \$5.83 | \$64.27/\$50.91 |
| PE1AX | Security Access System | Per premises | \$85.54 | |
| PE1A1 | Security System* | | | |
| PE1AA | New Access Card Activation* | Per card | \$0.061 | \$55.50 |
| PE1AR | Administrative change, existing card* | Per card | | \$15.56 |
| PE1AK | Replace lost or stolen card | Per card | | \$45.50 |
| PE1AL | Initial Key | Per key | NA | \$26.16 |
| | Replace lost or stolen key | Per key | NA | \$26.16 |
| PE1SR | Space Availability Report* | Per premises requested | | \$2,147.00 |
| PE1PE | POT Bay Arrangements | Per cross-connect | | |
| PE1PF | Prior to 6/1/99 | | | |
| PE1PG | 2-Wire Cross-Connect | | \$0.1195 | NA |
| PE1PH | 4-Wire Cross-Connect | | \$0.2389 | NA |
| PE1B2 | DS1 Cross-Connect | | \$0.9862 | NA |
| PE1B4 | DS3 Cross-Connect | | \$5.81 | NA |
| | 2 Fiber Cross-Connect | | \$38.79 | NA |
| | 4 Fiber Cross-Connect | | \$52.31 | NA |
| | Cable Records ¹ | | | Note 2 |
| | | | | Initial/subsequent |
| PE1CR | Cable Records | Per request | NA | \$1706/1164 |
| PE1CD | VG/DS0 Cable | Per cable record | NA | \$922.28/\$922.28 |
| PE1CO | VG/DS0 Cable | Per each 100 pair | NA | \$18.00/\$18.00 |
| PE1C1 | DS1 | Per T1TIE | NA | \$8.42/\$8.42 |
| PE1C3 | DS3 | Per T3TIE | NA | \$29.49/\$29.49 |
| PE1CB | Fiber Cable | Per cable record | NA | \$278.58/\$278.58 |

| MISSISSIPPI (continued) | | | | |
|-------------------------|--------------------------|-----------------------------|---------------------|--------------------------|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
| | Security Escort | Per half hr./Add'l half hr. | | |
| PE1BT | Basic Time | | NA | \$33.80/\$21.42 |
| PE1OT | Overtime | | NA | \$44.03/\$27.67 |
| PE1PT | Premium Time | | NA | \$54.26/\$33.92 |

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

Note1: Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

EXHIBIT A: BELLSOUTH/AI-Call RATES – NORTH CAROLINA
PHYSICAL COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up.

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------|---|-------------------------|---------------------|--------------------------|
| PE1BA | Application Fee* | Per request | NA | \$3,850.00 |
| PE1CA | Subsequent Application Fee | Per request | NA | \$3,119.00 Minimum |
| | Space Preparation Fees | | | |
| | Central Office Modification* | Per sq. ft. | \$1.57 | |
| | Common Systems Modification – Cageless* | Per sq. ft. | \$3.26 | |
| | Common Systems Modification – Caged* | Per cage | \$110.79 | |
| | Power* | Per nominal –48v DC Amp | \$5.76 | |
| PE1BW | Space Enclosure (100 sq. ft. minimum) | | | |
| PE1C | Welded Wire-mesh* | Per first 100 sq. ft. | \$102.76 | NA |
| W | Welded Wire-mesh* | Per add'l 50 sq. ft. | \$10.44 | NA |
| PE1PJ | Floor Space* | Per sq. ft. | \$3.45 | NA |
| PE1BD | Cable Installation* | Per cable | NA | \$2,305.00 |
| PE1PM | Cable Support Structure* | Per entrance cable | \$21.33 | NA |
| PE1PL | Power | | | |
| PE1FB | -48V DC Power* | Per amp | \$6.65 | NA |
| PE1FD | 120V AC Power single phase* | Per breaker amp | \$5.50 | - |
| PE1FE | 240V AC Power single phase* | Per breaker amp | \$11.01 | - |
| PE1FG | 120V AC Power three phase* | Per breaker amp | \$16.51 | - |
| | 277 AC Power three phase* | Per breaker amp | \$38.12 | - |
| PE1P2 | Cross Connects (Note 1) | Per cross connect | | First/Add'l |
| PE1P4 | 2-wire* | | \$0.32 | \$41.78/\$39.23 |
| PE1P1 | 4-wire* | | \$0.64 | \$41.91/\$39.25 |
| PE1P3 | DS-1* | | \$2.34 | \$71.02/\$51.08 |
| PE1F2 | DS-3* | | \$42.84 | \$69.84/\$49.43 |
| PE1F4 | 2-fiber | | \$2.94 | \$51.97/\$38.59 |
| | 4-fiber | | \$5.62 | \$64.53/\$51.15 |

| NORTH CAROLINA (continued) | | | | |
|----------------------------|--|-----------------------------|---------------------|--|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
| PE1AX | Security Access System Security System* | Per premises | \$41.03 | |
| PE1A1 | New Access Card Activation* | Per card | \$0.062 | \$55.30 |
| PE1AA | Administrative change, existing card* | Per card | | \$15.51 |
| PE1AR | Replace lost or stolen card | Per card | | \$45.34 |
| PE1AK | Initial Key | Per key | NA | \$26.18 |
| PE1AL | Replace lost or stolen key | Per key | NA | \$26.18 |
| PE1SR | Space Availability Report* | Per premises requested | | \$2,140.00 |
| PE1PE | POT Bay Arrangements <i>Prior to 6/1/99</i> 2-Wire Cross-Connect | Per cross-connect | \$0.10 | NA |
| PE1PF | 4-Wire Cross-Connect | | \$0.19 | NA |
| PE1PG | DS1 Cross-Connect | | \$0.79 | NA |
| PE1PH | DS3 Cross-Connect | | \$4.85 | NA |
| PE1B2 | 2 Fiber Cross-Connect | | \$45.30 | NA |
| PE1B4 | 4 Fiber Cross-Connect | | \$61.09 | NA |
| PE1BT | Security Escort Basic Time | Per half hr./Add'l half hr. | NA | \$42.92/\$25.56 |
| PE1OT | Overtime | | NA | \$54.51/\$32.44 |
| PE1PT | Premium Time | | NA | \$66.10/\$39.32 |
| PE1CR | Cable Records ¹ Cable Records | Per request | NA | Note 2 Initial/subsequent \$1707/\$1165 |
| PE1CD | VG/DS0 Cable | Per cable record | NA | \$923.08/\$923.08 |
| PE1CO | VG/DS0 Cable | Per each 100 pair | NA | \$18.02/\$18.02 |
| PE1C1 | DS1 | Per T1TIE | NA | \$8.43/\$8.43 |
| PE1C3 | DS3 | Per T3TIE | NA | \$29.51/\$29.51 |
| PE1CB | Fiber Cable | Per cable record | NA | \$278.82/\$278.82 |

**EXHIBIT A: BELLSOUTH/AI-Call RATES – NORTH CAROLINA
PHYSICAL COLLOCATION (continued)**

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

Note1: Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

EXHIBIT A: BELLSOUTH/AI-Call RATES – SOUTH CAROLINA
PHYSICAL COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up.

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------------|--|-----------------------|----------------------------|---------------------------------|
| PE1BA | Application Fee | Per request | NA | \$3768.00 |
| PE1CA | Subsequent Application Fee | Per request | NA | \$3,141.00 Minimum |
| PE1SJ | Space Preparation Fees | | | \$1,204.00 |
| PE1SK | Firm Order Processing* | Per sq. ft. | \$2.75 | |
| PE1SL | Central Office Modifications* | Per sq. ft. | \$3.24 | |
| PE1SM | Common Systems Modifications – Cageless* | Per cage | \$110.17 | |
| | Common Systems Modifications – Caged* | | | |
| PE1BW | Space Enclosure (100 sq. ft. minimum) | Per first 100 sq. ft. | \$219.19 | NA |
| PE1C | Welded Wire-mesh | Per add'l 50 sq. ft. | \$21.50 | NA |
| W | | | | |
| PE1PJ | Floor Space | Per sq. ft. | \$3.95 | NA |
| PE1BD | Cable Installation | Per cable | NA | \$1,621.00 |
| PE1PM | Cable Support Structure | Per entrance cable | \$21.33 | NA |
| PE1PL | Power | Per amp | \$9.19 | NA |
| PE1FB | -48V DC Power* | Per breaker amp | \$5.67 | - |
| PE1FD | 120V AC Power single phase* | Per breaker amp | \$11.36 | - |
| PE1FE | 240V AC Power single phase* | Per breaker amp | \$17.03 | - |
| PE1FG | 120V AC Power three phase* | Per breaker amp | \$39.33 | - |
| | 277 AC Power three phase* | | | |
| PE1P2 | Cross Connects | Per cross connect | \$0.034 | First/Add'l \$33.75/\$31.86 |
| PE1P4 | 2-wire | | \$0.068 | \$33.71/\$31.75 |
| PE1P1 | 4-wire | | \$1.12 | \$53.05/\$39.96 |
| PE1P3 | DS-1 | | \$14.21 | \$52.11/\$38.68 |
| PE1F2 | DS-3 | | \$2.82 | \$52.11/\$38.69 |
| PE1F4 | 2-fiber | | \$5.01 | \$64.69/\$51.26 |
| | 4-fiber | | | |

| SOUTH CAROLINA (continued) | | | | |
|----------------------------|--|-----------------------------|---------------------|--|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
| PE1AX | Security Access System Security System* | Per premises | \$74.12 | |
| PE1A1 | New Access Card Activation* | Per card | \$0.060 | \$55.70 |
| PE1AA | Administrative change, existing card* | Per card | | \$15.62 |
| PE1AR | Replace lost or stolen card | Per card | | \$45.66 |
| PE1AK | Initial Key | Per key | NA | \$26.25 |
| PE1AL | Replace lost or stolen key | Per key | NA | \$26.25 |
| PE1SR | Space Availability Report* | Per premises requested | | \$2,155.00 |
| PE1PE | POT Bay Arrangements <i>Prior to 6/1/99</i> 2-Wire Cross-Connect | Per cross-connect | \$0.1091 | NA |
| PE1PF | 4-Wire Cross-Connect | | \$0.2181 | NA |
| PE1PG | DS1 Cross-Connect | | \$0.9004 | NA |
| PE1PH | DS3 Cross-Connect | | \$5.64 | NA |
| PE1B2 | 2 Fiber Cross-Connect | | \$37.36 | NA |
| PE1B4 | 4 Fiber Cross-Connect | | \$50.38 | NA |
| PE1BT | Security Escort Basic Time | Per half hr./Add'l half hr. | NA | \$33.92/\$21.50 |
| PE1OT | Overtime | | NA | \$44.19/\$27.77 |
| PE1PT | Premium Time | | NA | \$54.45/\$34.04 |
| PE1CR | Cable Records ¹ Cable Records | Per request | NA | Note 2 Initial/subsequent \$1712/\$1168 |
| PE1CD | VG/DS0 Cable | Per cable record | NA | \$925.57/\$925.57 |
| PE1CO | VG/DS0 Cable | Per each 100 pair | NA | \$18.06/\$18.06 |
| PE1C1 | DS1 | Per T1TIE | NA | \$8.45/\$8.45 |
| PE1C3 | DS3 | Per T3TIE | NA | \$29.59/\$29.59 |
| PE1CB | Fiber Cable | Per cable record | NA | \$279.57/\$279.57 |

**EXHIBIT A: BELLSOUTH/AI-Call RATES – SOUTH CAROLINA
PHYSICAL COLLOCATION (continued)**

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

Note1: Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

EXHIBIT A: BELLSOUTH/AI-Call RATES – TENNESSEE
PHYSICAL COLLOCATION

*** Rates are interim and are subject to true-up.**

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|--|--|---|---|---|
| PE1BA | Application Fee | Per request | NA | \$3,767.00 |
| PE1CA | Subsequent Application Fee | Per request | NA | \$3,140.00 Minimum |
| PE1SJ PE1SK PE1SL PE1SM | Space Preparation Fees Firm Order Processing* Central Office Modifications* Common Systems Modifications – Cageless* Common Systems Modifications – Caged* | Per sq. ft. Per sq. ft. Per cage | \$2.74 \$2.95 \$100.14 | \$1,204.00 |
| PE1BW PE1C W | Space Enclosure (100 sq. ft. minimum) Welded Wire-mesh Welded Wire-mesh | Per first 100 sq. ft. Per add'l 50 sq. ft. | \$218.53 \$21.44 | NA NA |
| PE1PJ | Floor Space | Per sq. ft. | \$6.75 | NA |
| PE1BD | Cable Installation | Per cable | NA | \$1,757.00 |
| PE1PM | Cable Support Structure | Per entrance cable | \$19.80 | NA |
| PE1PL PE1FB PE1FD PE1FE PE1FG | Power -48V DC Power* 120V AC Power single phase* 240V AC Power single phase* 120V AC Power three phase* 277 AC Power three phase* | Per amp Per breaker amp Per breaker amp Per breaker amp Per breaker amp | \$8.87 \$5.60 \$11.22 \$16.82 \$38.84 | NA - - - - |
| PE1P2 PE1P4 PE1P1 PE1P3 PE1F2 PE1F4 | Cross Connects 2-wire 4-wire DS-1 DS-3 2-fiber 4-fiber | Per cross connect | \$0.033 \$0.066 \$1.51 \$19.26 \$3.82 \$6.79 | First/Add'l \$33.82/\$31.92 \$33.94/\$31.95 \$53.27/\$40.16 \$52.37/\$38.89 \$52.37/\$38.89 \$65.03/\$51.55 |

| TENNESSEE (continued) | | | | |
|-----------------------|--|-----------------------------|---------------------|--------------------------|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
| PE1AX | Security Access System | Per premises | \$55.99 | |
| PE1A1 | Security System | | | |
| PE1AA | New Access Card Activation | Per card | \$.059 | \$55.67 |
| | Administrative change, existing card | Per card | | \$15.61 |
| PE1AR | Replace lost or stolen card | Per card | | \$45.64 |
| PE1AK | Initial Key | Per key | NA | \$26.24 |
| PE1AL | Replace lost or stolen key | Per key | NA | \$26.24 |
| PE1SR | Space Availability Report* | Per premises requested | | \$2,154.00 |
| PE1PE | POT Bay Arrangements <i>Prior to 6/1/99</i> | Per cross-connect | | |
| PE1PF | 2-Wire Cross-Connect | | \$0.40 | NA |
| PE1PG | 4-Wire Cross-Connect | | \$1.20 | NA |
| PE1PH | DS1 Cross-Connect | | \$1.20 | NA |
| PE1B2 | DS3 Cross-Connect | | \$8.00 | NA |
| PE1B4 | 2 Fiber Cross-Connect | | \$38.79 | NA |
| | 4 Fiber Cross-Connect | | \$52.31 | NA |
| PE1BT | Security Escort | Per half hr./Add'l half hr. | | |
| PE1OT | Basic Time | | NA | \$33.91/\$21.49 |
| PE1PT | Overtime | | NA | \$44.17/\$27.76 |
| | Premium Time | | NA | \$54.42/\$34.02 |
| PE1CR | Cable Records ¹ | | | Note 2 |
| PE1CD | | | | Initial/subsequent |
| PE1CO | Cable Records | Per request | NA | \$1711/\$1168 |
| PE1C1 | VG/DS0 Cable | Per cable record | NA | \$925.06/\$925.06 |
| PE1C3 | VG/DS0 Cable | Per each 100 pair | NA | \$18.05/\$18.05 |
| PE1CB | DS1 | Per T1TIE | NA | \$8.45/\$8.45 |
| | DS3 | Per T3TIE | NA | \$29.57/\$29.57 |
| | Fiber Cable | Per cable record | NA | \$279.42/\$279.42 |

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

Note1: Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

EXHIBIT B

Page 1 of 4

**ENVIRONMENTAL AND SAFETY
PRINCIPLES**

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Al-Call agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- 1.2 Notice. BellSouth and Al-Call shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Al-Call should contact 1-800-743-6737 for BellSouth MSDS sheets.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Al-Call to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. Al-Call will require its contractors, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by CLEC when operating in the BellSouth Premises.
- 1.4 Environmental and Safety Inspections. BellSouth reserves the right to inspect the Al-Call space with proper notification. BellSouth reserves the right to stop any Al-Call work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Facility.
- 1.5 Hazardous Materials Brought On Site. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by Al-Call are owned by Al-Call. Al-Call will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Al-Call or different hazardous

materials used by Al-Call at BellSouth Facility. Al-Call must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.

1.6 Spills and Releases. When contamination is discovered at a BellSouth Premises, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by Al-Call to BellSouth.

1.7 Coordinated Environmental Plans and Permits. BellSouth and Al-Call will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Al-Call will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Al-Call must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.

1.8 Environmental and Safety Indemnification. BellSouth and Al-Call shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, contractors, or employees concerning its operations at the Facility.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Premises, Al-Call agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Al-Call further agrees to cooperate with BellSouth to ensure that Al-Call's employees, agents, and/or subcontractors are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Al-Call, its employees, agents and/or subcontractors.

The most current version of reference documentation must be requested from BellSouth.

| ENVIRONMENTAL CATEGORIES | ENVIRONMENTAL ISSUES | ADDRESSED BY THE FOLLOWING DOCUMENTATION |
|---------------------------------|--------------------------------|---|
| Disposal of hazardous material | Compliance with all applicable | <ul style="list-style-type: none"> Std T&C 450 |

| | | |
|---|--|--|
| or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials) | <p>local, state, & federal laws and regulations</p> <p>Pollution liability insurance</p> <p>EVET approval of contractor</p> | <ul style="list-style-type: none"> • Fact Sheet Series 17000 • Std T&C 660-3 • Approved Environmental Vendor List (Contact E/S Management) |
| Emergency response | Hazmat/waste release/spill firesafety emergency | <ul style="list-style-type: none"> • Fact Sheet Series 1700 • Building Emergency Operations Plan (EOP) (specific to and located on Premises) |
| Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks) | <p>Compliance with all applicable local, state, & federal laws and regulations</p> <p>Performance of services in accordance with BST's environmental M&Ps</p> <p>Insurance</p> | <ul style="list-style-type: none"> • Std T&C 450 • Std T&C 450-B • (Contact E/S for copy of appropriate E/S M&Ps.) • Std T&C 660 |
| Transportation of hazardous material | <p>Compliance with all applicable local, state, & federal laws and regulations</p> <p>Pollution liability insurance</p> <p>EVET approval of contractor</p> | <ul style="list-style-type: none"> • Std T&C 450 • Fact Sheet Series 17000 • Std T&C 660-3 • Approved Environmental Vendor List (Contact E/S Management) |
| <p>Maintenance/operations work which may produce a waste</p> <p>Other maintenance work</p> | <p>Compliance with all application local, state, & federal laws and regulations</p> <p>Protection of BST employees and equipment</p> | <ul style="list-style-type: none"> • Std T&C 450 • 29CFR 1910.147 (OSHA Standard) • 29CFR 1910 Subpart O (OSHA Standard) |
| Janitorial services | <p>All waste removal and disposal must conform to all applicable federal, state and local regulations</p> <p>All Hazardous Material and Waste</p> <p>Asbestos notification and protection of employees and</p> | <ul style="list-style-type: none"> • P&SM Manager - Procurement • Fact Sheet Series 17000 • GU-BTEN-001BT, Chapter 3 |

| | | |
|---|--|---|
| | equipment | <ul style="list-style-type: none"> • BSP 010-170-001BS (Hazcom) |
| Manhole cleaning | <p>Compliance with all applicable local, state, & federal laws and regulations</p> <p>Pollution liability insurance</p> <p>EVET approval of contractor</p> | <ul style="list-style-type: none"> • Std T&C 450 • Fact Sheet 14050 • BSP 620-145-011PR Issue A, August 1996 • Std T&C 660-3 • Approved Environmental Vendor List (Contact E/S Management) |
| Removing or disturbing building materials that may contain asbestos | Asbestos work practices | <ul style="list-style-type: none"> • GU-BTEN-001BT, Chapter 3 |

3. DEFINITIONS

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

Hazardous Chemical. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

Imminent Danger. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

DEC/LDEC - Department Environmental Coordinator/Local Department Environmental Coordinator

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std. T&C - Standard Terms & Conditions

Remote Site Physical Collocation

BELLSOUTH

REMOTE SITE PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 Scope of Attachment. The rates, terms, and conditions contained within this Attachment shall only apply when AI-Call is occupying the Remote Collocation Space as a sole occupant or as a Host within a Remote Site Location pursuant to Section 4.

All the negotiated rates, terms and conditions set forth in this Attachment pertain to Remote Site Collocation and the provisioning of Remote Collocation Space.

- 1.2 Right to occupy. BellSouth shall offer to AI-Call Remote Site Collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms, and conditions of this Attachment, BellSouth hereby grants to AI-Call a right to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, of a size which is specified by AI-Call and agreed to by BellSouth (hereinafter "Remote Collocation Space"). BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for other BellSouth remote locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions at the request for Remote Site collocation at BellSouth remote locations other than those specified above.
- 1.2.1 In all states other than Florida, the size specified by AI-Call may contemplate a request for space sufficient to accommodate AI-Call's growth within a two year period. Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.2.2 In the state of Florida, the size specified by AI-Call may contemplate a request for space sufficient to accommodate AI-Call's growth within an eighteen (18) month period.

- 1.3 Third Party Property. If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special considerations and intervals may apply in addition to the terms and conditions of this Agreement. Additionally, where BellSouth notifies Al-Call that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon Al-Call's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for Al-Call. Al-Call agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for Al-Call. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Agreement and BellSouth, despite its best efforts, is unable to secure such access and use rights for Al-Call as above, Al-Call shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with Al-Call in obtaining such permission.
- 1.4 Space Reclamation. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any vacant space in the Remote Site Location. Al-Call will be responsible for any justification of vacant space within its Remote Collocation Space, if such justification is required by the appropriate state commission.
- 1.5 Use of Space. Al-Call shall use the Remote Collocation Space for the purposes of installing, maintaining and operating Al-Call's equipment (to include testing and monitoring equipment) necessary, for interconnection with BellSouth services and facilities, including access to unbundled network elements, for the provision of telecommunications services. The Remote Collocation Space may be used for no other purposes except as specifically described herein or authorized in writing by BellSouth.
- 1.6 Rates and charges. Al-Call agrees to pay the rates and charges identified in Exhibit A attached hereto.
- 1.7 Due Dates. In all states except Georgia, if any due date contained in this Attachment falls on a weekend or holiday, then the due date will be the next business day thereafter.
- 2. Space Notification**
- 2.1 Availability of Space. Upon submission of an Application pursuant to Section 6, BellSouth will permit Al-Call to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth

- has determined that there is no space available due to space limitations or that Remote Site collocation is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 6.5 shall apply, or BellSouth may elect to deny space in accordance with this section in which case virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify AI-Call of the amount that is available.
- 2.2 Availability Notification. Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. This interval excludes National Holidays. If the amount of space requested is not available, BellSouth will notify AI-Call of the amount of space that is available.
- 2.2.1 BellSouth will respond to a Florida Application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. If the amount of space requested is not available, BellSouth will notify AI-Call of the amount that is available.
- 2.2.2 BellSouth will respond to a Louisiana Application within ten (10) calendar days for space availability for one (1) to ten (10) Applications; fifteen (15) calendar days for eleven (11) to twenty (20) Applications; and for more than twenty (20) Applications, it is increased by five (5) calendar days for every five additional Applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify AI-Call of the amount of space that is available.
- 2.2.3 BellSouth will respond to a Mississippi Application within ten (10) business days as to whether space is available or not available within a BellSouth Premises. If the amount of space requested is not available, BellSouth will notify AI-Call of the amount of space that is available.
- 2.3 Reporting. Upon request from AI-Call, BellSouth will provide a written report ("Space Availability Report") specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to make additional space available for collocation arrangements.
- 2.3.1 The request from AI-Call for a Space Availability Report must be written and must include the Common Language Location Identification ("CLLI") code for

- both the Remote Site Location and the serving central office. Such information regarding the CLLI code for the serving central offices located in the National Exchange Carriers Association (NECA) Tariff FCC No. 4. If AI-Call is unable to obtain the CLLI code, from for example a site visit to the remote site, AI-Call may request the CLLI code from BellSouth. To obtain a CLLI code for a remote site directly from BellSouth, AI-Call should submit to BellSouth a Remote Site Interconnection Request for Remote Site CLLI Code prior to submitting its request for a Space Availability Report. AI-Call should complete all the requested information and submit the Request with the applicable fee to BellSouth.
- 2.3.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) calendar days of receipt of such request. This interval excludes national holidays. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten calendar day response time, BellSouth shall notify AI-Call and inform AI-Call of the time frame under which it can respond.
- 2.3.3 In Mississippi, BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) business days of receipt of such request. BellSouth will make best efforts to respond in ten (10) business days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten business day response time, BellSouth shall notify AI-Call and inform AI-Call of the time frame under which it can respond.
- 2.4 Denial of Application. After notifying AI-Call that BellSouth has no available space in the requested Remote Site Location ("Denial of Application"), BellSouth will allow AI-Call, upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. This interval excludes national holidays. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 2.4.1 Denial of Application. In Mississippi, after notifying AI-Call that BellSouth has no available space in the requested Premises ("Denial of Application"), BellSouth will allow AI-Call, upon request, to tour the Remote Site Location within ten (10) business days of such Denial of Application. In order to

schedule said tour within ten (10) business days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) business days of the Denial of Application.

- 2.5 Filing of Petition for Waiver. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit AI-Call to inspect any plans or diagrams that BellSouth provides to the Commission.
- 2.6 Waiting List. Unless otherwise specified, on a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list when space becomes available according to how much space becomes available and the position of telecommunications carrier on said waiting list. AI-Call must submit an updated, complete, and correct Application to BellSouth within 30 calendar days (in Mississippi, 30 business days) or notify BellSouth in writing that AI-Call wants to maintain its place on the waiting list either without accepting such space or accepting an amount of space less than its original request. If AI-Call does not submit such an Application or notify BellSouth in writing as described above, BellSouth will offer such space to the next CLEC on the waiting list and remove AI-Call from the waiting list. Upon request, BellSouth will advise AI-Call as to its position on the list.
- 2.6.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of telecommunications carrier on said waiting list. If not known sixty (60) days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two days of the determination that space is available.

- 2.7 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days (in Mississippi, 10 business days) of the Denial of Application date. This interval excludes national holidays. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list. BellSouth shall allocate said available space pursuant to the waiting list referenced in Section 2.6.
- 2.8 Regulatory Agency Procedures. Notwithstanding the foregoing, should any state or federal regulatory agency impose procedures or intervals different than procedures or intervals set forth in this section applicable to AI-Call, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for all Applications submitted for the first time after the effective date thereof for that jurisdiction.

3. Collocation Options

- 3.1 Compliance. The parties agree to comply with all applicable federal, state, county, local and administrative laws, orders, rules, ordinances, regulations, and codes in the performance of their obligations hereunder.
- 3.2 Cageless. BellSouth shall allow AI-Call to collocate AI-Call's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow AI-Call to have direct access to its equipment and facilities. BellSouth shall make cageless collocation available in single rack/bay increments pursuant to Section 6. For equipment requiring special technical considerations, AI-Call must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in BellCore (Telcordia) GR-63-Core and shall be responsible for constructing all special technical requirements associated with such equipment pursuant to Section 6.8 following. Subject to space availability and technical feasibility, at AI-Call's option, AI-Call may enclose its equipment.
- 3.3 Shared (Subleased) Collocation. AI-Call may allow other telecommunications carriers to share AI-Call's Remote Site collocation arrangement pursuant to terms and conditions agreed to by AI-Call ("Host") and other telecommunications carriers ("Guests") and pursuant to this section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and

such easement does not permit such an option. Al-Call shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days (in Mississippi, 10 business days) of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Al-Call that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and Al-Call.

- 3.3.1 Al-Call shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment; and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. In all states other than Florida, and in addition to the foregoing, Al-Call shall be the responsible party to BellSouth for the purpose of submitting Applications for initial and additional equipment placement of Guest. In the event the Host and Guest jointly submit an Application, only one Application Fee will be assessed. A separate Guest Application shall require the assessment of an Application Fee, as set forth in Exhibit A. Notwithstanding the foregoing, Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and Guest and for the provision of the services and access to unbundled network elements.
- 3.3.2 Al-Call shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Al-Call's Guests in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 Adjacent Collocation. BellSouth will provide approval for adjacent Remote Site collocation arrangements ("Remote Site Adjacent Arrangement") where space within the Remote Site Location is legitimately exhausted, subject to technical feasibility, where the Remote Site Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property and where permitted by zoning and other applicable state and local regulations. The Remote Site Adjacent Arrangement shall be constructed or procured by Al-Call and in conformance with BellSouth's design and construction specifications. Further, Al-Call shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the request for the Remote Site Adjacent Arrangement.

- 3.4.2 Should Al-Call elect such an option, Al-Call must arrange with a BellSouth Certified Contractor to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, Al-Call and Al-Call's BellSouth Certified Contractor must comply with local building code requirements. Al-Call's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Al-Call's BellSouth Certified Contractor shall bill Al-Call directly for all work performed for Al-Call pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Contractor. Al-Call must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Al-Call's locked enclosure prior to notifying Al-Call.
- 3.4.3 BellSouth maintains the right to review Al-Call's plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s). BellSouth shall complete its review within fifteen (15) calendar days. BellSouth may inspect the Remote Site Adjacent Arrangement(s) following construction and prior to the Commencement Date, as defined in Section 4.1 following, to ensure the design and construction comply with BellSouth's guidelines and specifications. BellSouth may require Al-Call, at Al-Call's sole cost, to correct any deviations from BellSouth's guidelines and specifications found during such inspection(s), up to and including removal of the Remote Site Adjacent Arrangement, within seven (7) calendar days of BellSouth's inspection, unless the Parties mutually agree to an alternative time frame.
- 3.4.4 Al-Call shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Al-Call's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. Al-Call's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement.
- 3.4.5 BellSouth shall allow Shared (Subleased) Caged Collocation within a Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth in Section 3.3 preceding.

4. Occupancy

- 4.1 Commencement Date. The “Commencement Date” shall be the day Al-Call’s equipment becomes operational as described in Article 4.2, following.
- 4.2 Occupancy. BellSouth will notify Al-Call in writing that the Remote Collocation Space is ready for occupancy. Al-Call must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth’s network. BellSouth may, at its option, not accept orders for interconnected service until receipt of such notice. For purposes of this paragraph, Al-Call’s telecommunications equipment will be deemed operational when connected to BellSouth’s network for the purpose of service provision.
- 4.3 Termination. Except where otherwise agreed to by the Parties, Al-Call may terminate occupancy in a particular Remote Collocation Space upon thirty (30) calendar days prior written notice to BellSouth. Upon termination of such occupancy, Al-Call at its expense shall remove its equipment and other property from the Remote Collocation Space. Al-Call shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of Al-Call’s Guests; provided, however, that Al-Call shall continue payment of monthly fees to BellSouth until such date as Al-Call has fully vacated the Remote Collocation Space. Should Al-Call or Al-Call’s Guest fail to vacate the Remote Collocation Space within thirty (30) calendar days from the termination date, BellSouth shall have the right to remove the equipment and other property of Al-Call or Al-Call’s Guest at Al-Call’s expense and with no liability for damage or injury to Al-Call or Al-Call’s Guest’s property unless caused by the gross negligence or intentional misconduct of BellSouth. Upon termination of occupancy with respect to a Remote Collocation Space, Al-Call shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the Al-Call except for ordinary wear and tear unless otherwise agreed to by the Parties. Al-Call shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits), of a Remote Site Adjacent Arrangement at the termination of occupancy and restoring the grounds to their original condition.

5. Use of Remote Collocation Space

- 5.1 Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth’s network or for access to unbundled network elements in the provision of telecommunications services.

- 5.1.1 Such equipment must at a minimum meet the following BellCore (Telcordia) Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in the BellCore (Telcordia) Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards. . Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on AI-Call's failure to comply with this section.
- 5.1.2 AI-Call shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.
- 5.1.3 AI-Call shall place a plaque or other identification affixed to AI-Call's equipment necessary to identify AI-Call's equipment, including a list of emergency contacts with telephone numbers.
- 5.1.4 All AI-Call equipment installation shall comply with BellSouth TR 73503-11, Section 8, "Grounding - Engineering Procedures." Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the remote collocation site. All copper conductor pairs, working and non-working, shall be equipped with a solid state protector unit (over-voltage protection only) which has been listed by a nationally recognized testing laboratory.
- 5.2 Entrance Facilities. AI-Call may elect to place AI-Call-owned or AI-Call-leased entrance facilities into the Remote Collocation Space from AI-Call's point of presence. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space which is physically accessible by both Parties. AI-Call will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder Distribution Interface to the splice location of sufficient length for splicing by BellSouth. AI-Call must contact BellSouth for instructions prior to placing the entrance facility cable . AI-Call is responsible for maintenance of the entrance facilities.
- 5.2.1 Shared Use. AI-Call may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to another AI-Call collocation arrangement within the same BellSouth Remote Site Location.

- 5.3 Demarcation Point. BellSouth will designate the point(s) of demarcation between Al-Call's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. Al-Call or its agent must perform all required maintenance to Al-Call equipment/facilities on its side of the demarcation point, pursuant to Section 5.8, following
- 5.4 Al-Call's Equipment and Facilities. Al-Call, or if required by this Attachment, Al-Call's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Al-Call.
- 5.5 BellSouth's Access to Remote Collocation Space. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications
- 5.6 Access. Pursuant to Section 11, Al-Call shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. Al-Call agrees to provide the name and social security number or date of birth or driver's license number of each employee, contractor, or agents of Al-Call or Al-Call's Guests provided with access keys or devices ("Access Keys") prior to the issuance of said Access Keys. Key acknowledgement forms must be signed by Al-Call and returned to BellSouth Access Management within 15 calendar days of Al-Call's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Al-Call agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Al-Call employees, contractors, Guests, or agents after termination of the employment relationship, contractual obligation with Al-Call or upon the termination of this Attachment or the termination of occupancy of an individual Remote Site collocation arrangement.
- 5.7 Lost or Stolen Access Keys. Al-Call shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations as a result of a lost Access Key(s) or for failure to return an Access Key(s), Al-Call shall pay for all reasonable costs associated with the re-keying.
- 5.8 Interference or Impairment. Notwithstanding any other provisions of this Attachment, equipment and facilities placed in the Remote Collocation Space shall not significantly degrade, interfere with or impair service provided by BellSouth or by any other interconnector located in the Remote Site Location;

shall not endanger or damage the facilities of BellSouth or of any other interconnector, the Remote Collocation Space, or the Remote Site Location; shall not compromise the privacy of any communications carried in, from, or through the Remote Site Location; and shall not create an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of AI-Call violates the provisions of this paragraph, BellSouth shall give written notice to AI-Call, which notice shall direct AI-Call to cure the violation within forty-eight (48) hours of AI-Call's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement. Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if AI-Call fails to take curative action within 48 hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or other interference/impairment of the services provided by BellSouth or any other interconnector, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to AI-Call's equipment. BellSouth will endeavor, but is not required, to provide notice to AI-Call prior to taking such action and shall have no liability to AI-Call for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct. For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and AI-Call fails to take curative action within 48 hours then BellSouth will establish before the relevant Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to AI-Call or, if subsequently necessary, the relevant Commission, must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, AI-Call shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.

- 5.9 Presence of Facilities. Facilities and equipment placed by Al-Call in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain its status as personality and may be removed by Al-Call at any time. Any damage caused to the Remote Collocation Space by Al-Call's employees, agents or representatives shall be promptly repaired by Al-Call at its expense.
- 5.10 Alterations. In no case shall Al-Call or any person acting on behalf of Al-Call make any rearrangement, modification, improvement, addition, repair, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by Al-Call. Any material rearrangement, modification, improvement, addition, repair, or other alteration shall require an Application Fee, pursuant to sub-section 6.2.
- 5.11 Upkeep of Remote Collocation Space. Al-Call shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. Al-Call shall be responsible for removing any Al-Call debris from the Remote Collocation Space and from in and around the Remote Collocation Site on each visit.
- 6. Ordering and Preparation of Remote Collocation Space**
- 6.1 State or Federal Regulatory agency impose procedures or intervals. Should any state or federal regulatory agency impose procedures or intervals different than procedures or intervals set forth in this section applicable to Al-Call, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for all applications submitted for the first time after the effective date thereof for that jurisdiction.
- 6.2 Application for Space. Al-Call shall submit a Remote Site Collocation Application when Al-Call or Al-Call's Guest(s), as defined in Section 3.3, desires to request or modify the use of the Remote Collocation Space.
- 6.3 Initial Application. For Al-Call or Al-Call's Guest(s) equipment placement, Al-Call shall submit to BellSouth an Application. The Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Application are completed with the appropriate type of information. The Bona Fide Application shall contain a detailed description and schematic drawing of the equipment to be placed in Al-Call's Remote Collocation Space(s) in addition to the CLLI code applicable to that location. Prior to submitting the

application, CLLI information can be obtained in the manner set forth in Section 2.3.1.

- 6.4 Application Fee. BellSouth will assess an Application Fee on a service order which shall be issued at the time BellSouth responds that space is available pursuant to Section 2. Payment of the Application Fee will be due as dictated by Al-Call's current billing cycle and is non-refundable.
- 6.5 Application Response. In Alabama, North Carolina, and Tennessee, In addition to the notice of space availability pursuant to Section 2, BellSouth will respond within ten (10) calendar days of receipt of an Application stating whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. Sufficient detail will be provided to permit Al-Call a reasonable opportunity to correct each deficiency. Al-Call must correct any deficiencies in its Application and resubmit a Bona Fide Application within ten (10) calendar days of being notified of the deficiencies in the original Application. If Al-Call fails to resubmit its Application as Bona Fide within this ten (10) day period, Al-Call will lose its place in the collocation queue. This interval excludes national holidays. When space has been determined to be available, BellSouth will provide a written response ("Application Response"), which will include the configuration of the space and an estimate of the interval to provide the Remote Collocation Space.
- 6.5.1 Application Response. Except as otherwise provided, for all States that have ordered provisioning intervals but not application response intervals, the following will apply. In addition to the notice of space availability pursuant to Section 2, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) calendar days for Bona Fide Applications 1-5; within thirty-six (36) calendar days for Bona Fide Applications 6-10; within forty-two (42) calendar days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.
- 6.5.2 Application Response (Florida). Within fifteen (15) calendar days of receipt of a Bona Fide Application, BellSouth will respond as to whether space is

available or not available within a particular Remote Site Location.

Additionally, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide a written response ("Application Response") including sufficient information to enable AI-Call to place a Firm Order. When AI-Call submits ten (10) or more Applications within ten (10) calendar days, the initial fifteen (15) day response period will increase by ten (10) days for every additional ten (10) Applications or fraction thereof.

- 6.5.3 Application Response (Georgia) In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available for caged or cageless arrangements, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7.
- 6.5.4 Application Response (Louisiana). In addition to the notice of space availability pursuant to Section 2, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. BellSouth will respond as to whether space is available or not available within a particular Remote Site Location in accordance with Section 2. BellSouth will respond with a full Application Response within 30 calendar days for one to ten Applications; 35 calendar days for eleven to twenty Applications; and for requests of more than twenty Application it is increased by five calendar days for every five Applications received within five business days.
- 6.5.5 Application Response (Mississippi) In addition to the notice of space availability pursuant to Section 2, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) business days of receipt of a Bona Fide Application. When multiple applications are submitted in a state within a fifteen (15) business day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) business days for Bona Fide Applications 1-5; within thirty-six (36) business days for Bona Fide Applications 6-10; within forty-two (42) business days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in

- excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.
- 6.5.6 Application Response (Kentucky) In addition to the notice of space availability pursuant to Section 2, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) calendar days for Bona Fide Applications 1-5; within thirty-six (36) calendar days for Bona Fide Applications 6-10; within forty-two (42) calendar days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.
- 6.6 Application Modifications. In Alabama, North Carolina, and Tennessee, if a modification or revision is made to any information in the Bona Fide Application for Remote Site Collocation or the Bona Fide Application for Adjacent Remote Site Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of AI-Call or necessitated by technical considerations, said Application shall be considered a new Application and shall be handled as a new Application for purposes of the provisioning interval, and BellSouth shall charge AI-Call a Subsequent Application Fee. Major changes, such as requesting additional space or adding equipment may require AI-Call to submit the Application with an Application Fee.
- 6.6.1 Application Modifications. For all States that have ordered provisioning intervals but not application response intervals, and except as otherwise specified, the following will apply. If a modification or revision is made to any information in the Bona Fide Application for Remote Site Collocation or the Bona Fide Application for Adjacent Remote Site Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of AI-Call or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) calendar days after BellSouth receives such revised application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate AI-Call's Bona Fide Application as a result of changes requested by AI-Call to AI-Call's original application, then BellSouth will charge AI-Call a Subsequent Application Fee. Major changes such as

requesting additional space or adding additional equipment may require AI-Call to resubmit the Application with an Application Fee.

- 6.6.2 Application Modifications (Florida). If a modification or revision is made to any information in the Bona Fide Application for Remote Site Collocation or the Bona Fide Application for Adjacent Remote Site Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of AI-Call or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within fifteen (15) calendar days after BellSouth receives such revised Application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate AI-Call's Bona Fide Application as a result of changes requested by AI-Call to CLEC's original , then BellSouth will charge AI-Call a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require AI-Call to resubmit the Application with an Application Fee.
- 6.6.3 Application Modifications (Mississippi). If a modification or revision is made to any information in the Bona Fide Application for Remote Site Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of AI-Call or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) business days after BellSouth receives such revised Application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate AI-Call's Bona Fide Application as a result of changes requested by AI-Call to CLEC's original Application, then BellSouth will charge AI-Call a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require AI-Call to resubmit the Application with an Application Fee.
- 6.6.4 Application Modifications (Louisiana). If a modification or revision is made to any information in the Bona Fide Application for Remote Site Collocation or the Bona Fide Application for Adjacent Remote Site Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of AI-Call or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) calendar days after BellSouth receives such revised Application or at such other date as the Parties agree. BellSouth will respond to such modifications or revisions within 30 calendar days for one to ten revised Applications; 35 calendar days for eleven to twenty revised Applications; and for requests of more than twenty revised Applications it is increased by five calendar days for every five revised Applications received within five business days. If, at any time, BellSouth needs to reevaluate AI-

Call's Bona Fide Application as a result of changes requested by Al-Call to CLEC's original Application, then BellSouth will charge Al-Call a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require Al-Call to resubmit the Application with an Application Fee.

- 6.6.5 Application Modifications (Kentucky & Georgia). If a modification or revision is made to any information in the Bona Fide Application for Remote Site Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Al-Call or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) calendar days after BellSouth receives such revised Application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate Al-Call's Bona Fide Application as a result of changes requested by Al-Call to Al-Call's original Application, then BellSouth will charge Al-Call a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require Al-Call to resubmit the Application with an Application Fee.
- 6.7 Bona Fide Firm Order. In Alabama, North Carolina, and Tennessee, Al-Call shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Bona Fide Firm Order to BellSouth. A Firm Order shall be considered Bona Fide when Al-Call has completed the Application/Inquiry process described in Section 6.3, preceding, and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than seven (7) calendar days after BellSouth's Application Response to Al-Call's Bona Fide Application, unless BellSouth provides an Application Response on or before the ten-day response interval set forth in section 2, in which case Al-Call must submit its Bona Fide Firm Order to BellSouth within seventeen (17) calendar days of BellSouth's receipt of the Bona Fide Application. If Al-Call fails to submit its Bona Fide Firm Order to BellSouth within the time frames set forth above, the provisioning intervals set forth in section 6.6 shall apply from the date of receipt of the Bona Fide Firm Order and not from the date of the Bona Fide Application. If Al-Call fails to submit a Bona Fide Firm Order within fifteen (15) days of receipt of an Application Response, the Application will expire.
- 6.7.1 Bona Fide Firm Order. Except as otherwise provided, in all States that have ordered provisioning intervals but not addressed Firm Order intervals, the following shall apply. Al-Call shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to

- BellSouth. A Firm Order shall be considered Bona Fide when Al-Call has completed the Application/Inquiry process described in Section 6.3, preceding and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days (in Mississippi 30 business days) after BellSouth's Application Response to Al-Call's Bona Fide Application or the Application will expire.
- 6.7.2 Bona Fide Firm Order (Kentucky & Mississippi). Al-Call shall indicate its intent to proceed with equipment installation in a BellSouth Remote Terminal Location by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Al-Call has completed the Application/Inquiry process described in Section 6.3, preceding and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days (in Mississippi 30 business days) after BellSouth's Application Response to Al-Call's Bona Fide Application or the Application will expire.
- 6.7.3 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a Bona Fide Firm Order. BellSouth will acknowledge the receipt of Al-Call's Bona Fide Firm Order within seven (7) calendar days of receipt indicating that the Bona Fide Firm Order has been received. A BellSouth response to a Bona Fide Firm Order will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a Bona Fide Firm Order.
- 6.8 BellSouth will permit one accompanied site visit to Al-Call's designated Remote Collocation Space after receipt of the Bona Fide Firm Order without charge to Al-Call.
- 6.9 Al-Call must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Remote Site Location a minimum of 30 calendar days prior to the date Al-Call desires access to the Remote Collocation Space. Al-Call may submit such a request at any time subsequent to BellSouth's receipt of the Bona Fide Firm Order. In the event Al-Call desires access to the Collocation Space after submitting such a request but prior to Access being approved, BellSouth shall permit Al-Call to access the Collocation Space, accompanied by a security escort at Al-Call's expense. Al-Call must request escorted access at least three (3) business days prior to the date such access is desired.

- 6.10 Construction and Provisioning Interval. In Alabama, North Carolina, and Tennessee, BellSouth will complete construction for Remote Site collocation arrangements within a maximum of 90 calendar days from receipt of an Application, or as agreed to by both parties. Under extraordinary conditions, BellSouth may elect to renegotiate an alternative provisioning interval with AI-Call or seek a waiver from this interval from the Commission. Examples of extraordinary conditions include, but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length.
- 6.10.1 Construction and Provisioning Interval (Florida). BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of 90 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. For changes to collocation space after initial space completion, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of 45 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and AI-Call cannot agree upon a completion date, within 45 calendar days of receipt of the Bona Fide Firm Order for an initial request, and within 30 calendar days for Augmentations, BellSouth may seek an extension from the Florida PSC.
- 6.10.2 Construction and Provisioning Interval (Georgia). BellSouth will use best efforts to complete construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of 90 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. BellSouth will use best efforts to complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of 60 calendar days from receipt of a Bona Fide Firm Order and 90 calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth may elect to

renegotiate an alternative provisioning interval with AI-Call or seek a waiver from this interval from the Commission.

- 6.10.3 Construction and Provisioning Interval (Louisiana). BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 120 calendar days from receipt of a Bona Fide Firm Order for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within 180 calendar days of the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth may elect to renegotiate an alternative provisioning interval with AI-Call or seek a waiver from this interval from the Commission.
- 6.10.4 Construction and Provisioning Interval (Mississippi). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 120 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within 180 calendar days of the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth may elect to renegotiate an alternative provisioning interval with AI-Call or seek a waiver from this interval from the Commission.
- 6.10.5 Construction and Provisioning Interval (Kentucky). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will use best efforts to complete construction for collocation

- arrangements under ordinary conditions as soon as possible and within a maximum of 90 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will use best efforts to complete construction of all other Collocation Space ("extraordinary conditions") within 130 calendar days of the receipt of a Bona Fide Firm Order. Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth may elect to renegotiate an alternative provisioning interval with AI-Call or seek a waiver from this interval from the Commission.
- 6.10.6 Construction and Provisioning Interval (South Carolina). BellSouth will complete the construction and provisioning activities for cageless and caged collocation arrangements as soon as possible, but no later than 90 calendar days from receipt of a bona fide firm order. BellSouth may elect to renegotiate an alternative provisioning interval with AI-Call or seek a waiver from this interval from the Commission.
- 6.11 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, excluding the time interval required to secure the appropriate government licenses and permits or additional public or private rights of way, BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide AI-Call with the estimated completion date in its Response.
- 6.12 Permits. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- 6.13 Acceptance Walk Through. Upon request, AI-Call will contact BellSouth within seven (7) days of collocation space being ready to schedule an acceptance walk through of each Remote Collocation Space requested from BellSouth by AI-Call. BellSouth will correct any deviations to AI-Call's original or jointly amended requirements within seven (7) calendar days after the walk through, unless the Parties jointly agree upon a different time frame.

- 6.14 Use of BellSouth Certified Supplier. Al-Call shall select a supplier that has been approved as a BellSouth Certified Supplier to perform all engineering and installation work required in the Remote Collocation Space per TR 73503 specifications. BellSouth shall provide Al-Call with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Al-Call's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and Al-Call upon successful completion of installation. The BellSouth Certified Supplier shall bill Al-Call directly for all work performed for Al-Call pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall consider certifying Al-Call or any supplier proposed by Al-Call. All work performed by or for Al-Call shall conform to generally accepted industry guidelines and standards.
- 6.15 Alarm and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. Al-Call shall be responsible for placement, monitoring and removal of alarms used to service Al-Call's Remote Collocation Space and for ordering the necessary services therefor. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.
- 6.16 Basic Telephone Service. Upon request of Al-Call, BellSouth will provide basic telephone service to the Remote Collocation Space under the rates, terms and conditions of the current tariff offering for the service requested.
- 6.17 Virtual Remote Site Collocation Relocation. BellSouth offers Virtual Collocation pursuant to the terms and conditions set forth in its F.C.C. Tariff No. 1 for Remote Site Collocation locations. The rates shall be the same as provided in this Exhibit A of this agreement. For the interconnection to BellSouth's network and access to BellSouth unbundled network elements, Al-Call may purchase 2-wire and 4-wire cross-connects as set forth the service inquiry procedures established for sub loop unbundling as set forth in Attachment 2 of the Interconnection Agreement, and Al-Call may place within its Virtual Collocation arrangements the telecommunications equipment set forth in Section 5.1. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and that physical Remote Collocation Space has subsequently become available, Al-Call may relocate its virtual Remote Site collocation arrangements to physical Remote Site collocation arrangements and pay the appropriate non-recurring fees for physical Remote Site collocation and for the rearrangement or reconfiguration of services

- terminated in the virtual Remote Site collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Site collocation may become available at the location requested by AI-Call, such information will be provided to AI-Call in BellSouth's written denial of physical Remote Site collocation. To the extent that (i) physical Remote Collocation Space becomes available to AI-Call within 180 calendar days of BellSouth's written denial of AI-Call's request for physical collocation, and (ii) AI-Call was not informed in the written denial that physical Remote Collocation Space would become available within such 180 calendar days, then AI-Call may relocate its virtual Remote Site collocation arrangement to a physical Remote Site collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Site collocation. AI-Call must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.
- 6.18 Cancellation. If, at anytime prior to space acceptance, AI-Call cancels its order for the Remote Collocation Space(s), AI-Call will reimburse BellSouth in the following manner: BellSouth will ascertain how far preparation work has progressed. AI-Call will be billed the applicable non recurring rate for any and all work processes for which work has begun.
- 6.19 Licenses. AI-Call, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Remote Collocation Space.
- 6.20 Environmental Hazard Guidelines. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified as Exhibit B attached hereto.
- 7. Rates and Charges**
- 7.1 Recurring Fees. Recurring fees for space occupancy shall be billed upon space completion or space acceptance, whichever occurs first. Other charges shall be billed upon request for the services. All charges shall be due as dictated by AI-Call's current billing cycle.
- 7.2 Rack/Bay Space. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power AI-Call's equipment. AI-Call shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign

Remote Collocation Space in conventional remote site rack/bay lineups where feasible

- 7.3 Power. BellSouth shall make available –48 Volt (-48V) DC power for Al-Call's Remote Collocation Space at a BellSouth Power Board (Fuse and Alarm Panel) or BellSouth Battery Distribution Fuse Bay ("BDFB") at Al-Call's option within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for Al-Call's equipment exceeds the capacity for the rack/bay, then such power requirements shall be assessed on a recurring per amp basis for the individual case.
- 7.3.1 Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Al-Call's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Al-Call's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the Commencement Date. AC power voltage and phase ratings shall be determined on a per location basis. At Al-Call's option, Al-Call may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 7.4 Security Escort. A security escort will be required whenever Al-Call or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed prior to completing BellSouth's Security Training requirements and/or prior to Space Acceptance. The parties agree that a security escort will not be required for remote site collocation. However, if one is needed, the parties will negotiate appropriate security escort rates which will be assessed on a one half (1/2) hour increment basis.
- 7.5 Rate "True-Up". The Parties agree that the prices reflected as interim herein shall be "trued-up" (up or down) based on final prices either determined by further agreement or by final order, including any appeals, in a proceeding involving BellSouth before the regulatory authority for the state in which the services are being performed or any other body having jurisdiction over this Agreement (hereinafter "Commission"). Under the "true-up" process, the interim price for each service shall be multiplied by the volume of that service purchased to arrive at the total interim amount paid for that service ("Total Interim Price"). The final price for that service shall be multiplied by the volume purchased to arrive at the total final amount due ("Total Final Price"). The Total Interim Price shall be compared with the Total Final Price. If the Total Final Price is more than the Total Interim Price, Al-Call shall pay the

difference to BellSouth. If the Total Final Price is less than the Total Interim Price, BellSouth shall pay the difference to Al-Call. Each Party shall keep its own records upon which a "true-up" can be based and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such "true-up," the Parties agree that the Commission shall be called upon to resolve such differences.

- 7.6 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party. Payment of all other charges under this Attachment shall be due as dictated by Al-Call's current billing cycle. Al-Call will pay a late payment charge as specified in the current State Tariff.

8. Insurance

- 8.1 Maintain Insurance. Al-Call shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section 8 and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.

- 8.2 Coverage. Al-Call shall maintain the following specific coverage:

- 8.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 8.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 8.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Al-Call's real and personal property situated on or within BellSouth's Remote Site Location.
- 8.2.4 Al-Call may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 8.3 Limits. The limits set forth in Section 8.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30)

days notice to AI-Call to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.

- 8.4 All policies purchased by AI-Call shall be deemed to be primary. All policies purchased by AI-Call shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all AI-Call's property has been removed from BellSouth's Remote Site Location, whichever period is longer. If AI-Call fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from AI-Call.
- 8.5 Submit certificates of insurance. AI-Call shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. AI-Call shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from AI-Call's insurance company. AI-Call shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:
- BellSouth Telecommunications, Inc.
Attn.: Risk Management Coordinator
675 W. Peachtree Street
Rm. 17H53
Atlanta, Georgia 30375
- 8.6 Conformance to recommendations made by BellSouth's fire insurance company. AI-Call must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 8.7 Self-Insurance. If AI-Call's net worth exceeds five hundred million dollars (\$500,000,000), AI-Call may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 8.2.1 and 8.2.3. AI-Call shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to AI-Call in the event that self-insurance status is not granted to AI-Call. If BellSouth approves AI-Call for self-insurance, AI-Call shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of AI-Call's corporate officers. The ability to self-insure shall continue so long as AI-Call meets all of the requirements of this Section.

If Al-Call subsequently no longer satisfies this Section, Al-Call is required to purchase insurance as indicated by Sections 8.2.1 and 8.2.3.

8.8 Net worth requirements. The net worth requirements set forth in Section 8.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days' notice to Al-Call to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.

8.9 Failure to comply. Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

9. **Mechanics Liens**

9.1 Mechanics Lien or other Liens. If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Al-Call), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

10. **Inspections**

10.1 BellSouth may conduct inspection. BellSouth may conduct an inspection of Al-Call's equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between Al-Call's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Al-Call adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Al-Call with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

11. Security and Safety Requirements

- 11.1 The security and safety requirements. The security and safety requirements set forth in this section are as stringent as the security requirements BellSouth maintains at its own Remote Site Location either for their own employees or for authorized contractors. Only BellSouth employees, BellSouth Certified Contractors and authorized employees, authorized Guests, pursuant to Section 3.3, proceeding, or authorized agents of Al-Call will be permitted in the BellSouth Remote Site Location. Al-Call shall provide its employees and agents with picture identification which must be worn and visible at all times while in the Remote Collocation Space or other areas in or around the Remote Site Location. The photo Identification card shall bear, at a minimum, the employee's name and photo, and the Al-Call name. BellSouth reserves the right to remove from its Remote Site Location any employee of Al-Call not possessing identification issued by Al-Call or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Al-Call shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Remote Site Location. Al-Call shall be solely responsible for ensuring that any Guest of Al-Call is in compliance with all subsections of this Section 11.
- 11.1.1 Al-Call will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Al-Call employee being considered for work on the BellSouth Remote Site Location, for the states/counties where the Al-Call employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable.
- 11.1.2 Al-Call will be required to administer to their personnel assigned to the BellSouth Remote Site Location security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- 11.1.3 Al-Call shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. Al-Call shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any Al-Call personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the even that Al-Call chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Al-Call may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).

- 11.1.4 For each AI-Call employee requiring access to a BellSouth Remote Site Location pursuant to this Attachment, AI-Call shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, AI-Call will disclose the nature of the convictions to BellSouth at that time. In the alternative, AI-Call may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 11.1.5 At BellSouth's request, AI-Call shall promptly remove from the BellSouth's Remote Site Location any employee of AI-Call BellSouth does not wish to grant access to its Remote Site Location 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation in the event that an employee of AI-Call is found interfering with the property or personnel of BellSouth or another CLEC, provided that an investigation shall promptly be commenced by BellSouth.
- 11.2 Notification to BellSouth. BST reserves the right to interview AI-Call's employees, agents, or contractors in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another CLEC's property or personnel, provided that BellSouth shall provide reasonable notice to AI-Call's Security contact of such interview. AI-Call and its contractors shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving AI-Call's employees, agents, or contractors. Additionally, BellSouth reserves the right to bill AI-Call for all reasonable costs associated with investigations involving its employees, agents, or contractors if it is established and mutually agreed in good faith that AI-Call's employees, agents, or contractors are responsible for the alleged act. BellSouth shall bill AI-Call for BellSouth property which is stolen or damaged where an investigation determines the culpability of AI-Call's employees, agents, or contractors and where AI-Call agrees, in good faith, with the results of such investigation. AI-Call shall notify BellSouth in writing immediately in the event that the CLEC discovers one of its employees already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from the BellSouth Remote Site Location, any employee found to have violated the security and safety requirements of this section. AI-Call shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Remote Site Location.

- 11.3 Use of Supplies. Unauthorized use of telecommunications equipment or supplies either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 11.4 Use of Official Lines. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 11.5 Accountability. Full compliance with the Security requirements of this section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

12. Destruction of Remote Collocation Space

- 12.1 Remote Collocation Space is damaged. In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Al-Call's permitted use hereunder, then either Party may elect within ten (10) business days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Al-Call's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Al-Call, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Al-Call may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Contractor is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If Al-Call's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Al-Call. Where allowed and where

practical, Al-Call may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, Al-Call shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for Al-Call's permitted use, until such Remote Collocation Space is fully repaired and restored and Al-Call's equipment installed therein (but in no event later than thirty (30) business days after the Remote Collocation Space is fully repaired and restored). Where Al-Call has placed a Remote Site Adjacent Arrangement pursuant to section 3.4, Al-Call shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

13. Eminent Domain

- 13.1 Power of Eminent Domain. If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and Al-Call shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) business days after such taking.

14. Nonexclusivity

- 14.1 Attachment is not exclusive. Al-Call understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

**EXHIBIT A: BELLSOUTH/AI-Call RATES – ALABAMA
REMOTE SITE COLLOCATION**

Rates marked with an asterisk (*) are interim and are subject to true-up

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------------|---|--|----------------------------|---------------------------------|
| PE1RA | Application Fee* | Per request | N/A | \$869.18 |
| PE1RB | Cabinet Space * | Per Rack/Bay | \$230.19 | N/A |
| PE1RC | Power Upgrade* | Per fused amp | N/A | ICB/TBD |
| PE1RD | Security Access System New Key* | Per Key | N/A | \$26.19 |
| PE1SR | Space Availability Report* | Per premises requested | N/A | \$231.74 |
| PE1RE | Request for CLI* | Per Premises Requested | N/A | \$75.11 |
| AEH | Additional Engineering Fee (Note 1) | Per request, First half hour/add'l half hour | N/A | - |
| PE1BT | Security Escort (Note 1) Basic Time | Per half hr/add'l half hr | NA | - |
| PE1OT | Overtime | | NA | - |
| PE1PT | Premium Time | | NA | - |

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element
ICB/TBD rates will be on an Individual Case Basis .

- (1) Security Escort and Additional Engineering Fees should not be needed for remote site collocation. If they become necessary, the parties will negotiate appropriate rates.

**EXHIBIT A: BELL SOUTH/AI-Call RATES – FLORIDA
REMOTE SITE COLLOCATION**

Rates marked with an asterisk (*) are interim and are subject to true-up

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------------|---|--|----------------------------|---------------------------------|
| PE1RA | Application Fee* | Per request | N/A | \$874.14 |
| PE1RB | Cabinet Space * | Per Rack/Bay | \$232.50 | N/A |
| PE1RC | Power Upgrade* | Per fused amp | N/A | ICB/TBD |
| PE1RD | Security Access System New Key* | Per Key | N/A | \$26.20 |
| PE1SR | Space Availability Report* | Per premises requested | N/A | \$231.45 |
| PE1RE | Request for CLLI* | Per Premises Requested | N/A | \$75.13 |
| AEH | Additional Engineering Fee (Note 1) | Per request, First half hour/add'l half hour | N/A | - |
| PE1BT | Security Escort (Note 1) Basic Time | Per half hr/add'l half hr | NA | - |
| PE1OT | Overtime | | NA | - |
| PE1PT | Premium Time | | NA | - |

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element
ICB/TBD rates will be on an Individual Case Basis.

- (1) Security Escort and Additional Engineering Fees should not be needed for remote site collocation. If they become necessary, the parties will negotiate appropriate rates.

**EXHIBIT A: BELLSOUTH/AI-Call RATES – GEORGIA
REMOTE SITE COLLOCATION**

Rates marked with an asterisk (*) are interim and are subject to true-up

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------------|---|--|----------------------------|---------------------------------|
| PE1RA | Application Fee* | Per request | N/A | \$931.61 |
| PE1RB | Cabinet Space * | Per Rack/Bay | \$224.82 | N/A |
| PE1RC | Power Upgrade* | Per fused amp | N/A | ICB/TBD |
| PE1RD | Security Access System New Key* | Per Key | N/A | \$25.88 |
| PE1SR | Space Availability Report* | Per premises requested | N/A | \$229.02 |
| PE1RE | Request for CLLI* | Per Premises Requested | N/A | \$74.22 |
| AEH | Additional Engineering Fee (Note 1) | Per request, First half hour/add'l half hour | N/A | - |
| PE1BT | Security Escort (Note 1) Basic Time | Per half hr/add'l half hr | NA | - |
| PE1OT | Overtime | | NA | - |
| PE1PT | Premium Time | | NA | - |

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element
ICB/TBD rates will be on an Individual Case Basis.

- (1) Security Escort and Additional Engineering Fees should not be needed for remote site collocation. If they become necessary, the parties will negotiate appropriate rates.

**EXHIBIT A: BELLSOUTH/AI-Call RATES – KENTUCKY
REMOTE SITE COLLOCATION**

Rates marked with an asterisk (*) are interim and are subject to true-up

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------------|---|--|----------------------------|---------------------------------|
| PE1RA | Application Fee* | Per request | N/A | \$868.91 |
| PE1RB | Cabinet Space * | Per Rack/Bay | \$224.41 | N/A |
| PE1RC | Power Upgrade* | Per fused amp | N/A | ICB/TBD |
| PE1RD | Security Access System New Key* | Per Key | N/A | \$26.60 |
| PE1SR | Space Availability Report* | Per premises requested | N/A | \$231.82 |
| PE1RE | Request for CLI* | Per Premises Requested | N/A | \$75.13 |
| AEH | Additional Engineering Fee (Note 1) | Per request, First half hour/add'l half hour | N/A | - |
| PE1BT | Security Escort (Note 1) Basic Time | Per half hr/add'l half hr | NA | - |
| PE1OT | Overtime | | NA | - |
| PE1PT | Premium Time | | NA | - |

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element
ICB/TBD rates will be on an Individual Case Basis.

- (1) Security Escort and Additional Engineering Fees should not be needed for remote site collocation. If they become necessary, the parties will negotiate appropriate rates.

EXHIBIT A: BELLSOUTH/AI-Call RATES – LOUISIANA
REMOTE SITE COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------------|---|--|----------------------------|---------------------------------|
| PE1RA | Application Fee* | Per request | N/A | \$868.25 |
| PE1RB | Cabinet Space * | Per Rack/Bay | \$257.01 | N/A |
| PE1RC | Power Upgrade* | Per fused amp | N/A | ICB/TBD |
| PE1RD | Security Access System New Key* | Per Key | N/A | \$26.16 |
| PE1SR | Space Availability Report* | Per premises requested | N/A | \$231.49 |
| PE1RE | Request for CLI* | Per Premises Requested | N/A | \$75.02 |
| AEH | Additional Engineering Fee (Note 1) | Per request, First half hour/add'l half hour | N/A | - |
| PE1BT | Security Escort (Note 1) Basic Time | Per half hr/add'l half hr | NA | - |
| PE1OT | Overtime | | NA | - |
| PE1PT | Premium Time | | NA | - |

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element
ICB/TBD rates will be on an Individual Case Basis.

- (1) Security Escort and Additional Engineering Fees should not be needed for remote site collocation. If they become necessary, the parties will negotiate appropriate rates.

**EXHIBIT A: BELLSOUTH/AI-Call RATES – MISSISSIPPI
REMOTE SITE COLLOCATION**

Rates marked with an asterisk (*) are interim and are subject to true-up

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------------|---|--|----------------------------|---------------------------------|
| PE1RA | Application Fee* | Per request | N/A | \$868.60 |
| PE1RB | Cabinet Space * | Per Rack/Bay | \$241.11 | N/A |
| PE1RC | Power Upgrade* | Per fused amp | N/A | ICB/TBD |
| PE1RD | Security Access System New Key* | Per Key | N/A | \$26.16 |
| PE1SR | Space Availability Report* | Per premises requested | N/A | \$231.43 |
| PE1RE | Request for CLLI* | Per Premises Requested | N/A | \$75.01 |
| AEH | Additional Engineering Fee (Note 1) | Per request, First half hour/add'l half hour | N/A | - |
| PE1BT | Security Escort (Note 1) Basic Time | Per half hr/add'l half hr | NA | - |
| PE1OT | Overtime | | NA | - |
| PE1PT | Premium Time | | NA | - |

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element
ICB/TBD rates will be on an Individual Case Basis.

- (1) Security Escort and Additional Engineering Fees should not be needed for remote site collocation. If they become necessary, the parties will negotiate appropriate rates.

**EXHIBIT A: BELLSOUTH/AI-Call RATES – NORTH CAROLINA
REMOTE SITE COLLOCATION**

Rates marked with an asterisk (*) are interim and are subject to true-up

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------------|---|--|----------------------------|---------------------------------|
| PE1RA | Application Fee* | Per request | N/A | \$865.34 |
| PE1RB | Cabinet Space * | Per Rack/Bay | \$254.02 | N/A |
| PE1RC | Power Upgrade* | Per fused amp | N/A | ICB/TBD |
| PE1RD | Security Access System New Key* | Per Key | N/A | \$26.06 |
| PE1SR | Space Availability Report* | Per premises requested | N/A | \$230.60 |
| PE1RE | Request for CLLI* | Per Premises Requested | N/A | \$74.74 |
| AEH | Additional Engineering Fee (Note 1) | Per request, First half hour/add'l half hour | N/A | - |
| PE1BT | Security Escort (Note 1) Basic Time | Per half hr/add'l half hr | NA | - |
| PE1OT | Overtime | | NA | - |
| PE1PT | Premium Time | | NA | - |

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element
ICB/TBD rates will be on an Individual Case Basis.

- (1) Security Escort and Additional Engineering Fees should not be needed for remote site collocation. If they become necessary, the parties will negotiate appropriate rates.

**EXHIBIT A: BELLSOUTH/AI-Call RATES – SOUTH CAROLINA
REMOTE SITE COLLOCATION**

Rates marked with an asterisk (*) are interim and are subject to true-up

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------------|---|--|----------------------------|---------------------------------|
| PE1RA | Application Fee* | Per request | N/A | \$871.12 |
| PE1RB | Cabinet Space * | Per Rack/Bay | \$246.44 | N/A |
| PE1RC | Power Upgrade* | Per fused amp | N/A | ICB/TBD |
| PE1RD | Security Access System New Key* | Per Key | N/A | \$26.25 |
| PE1SR | Space Availability Report* | Per premises requested | N/A | \$232.25 |
| PE1RE | Request for CLLI* | Per Premises Requested | N/A | \$75.27 |
| AEH | Additional Engineering Fee (Note 1) | Per request, First half hour/add'l half hour | N/A | - |
| PE1BT | Security Escort (Note 1) Basic Time | Per half hr/add'l half hr | NA | - |
| PE1OT | Overtime | | NA | - |
| PE1PT | Premium Time | | NA | - |

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element
ICB/TBD rates will be on an Individual Case Basis.

- (1) Security Escort and Additional Engineering Fees should not be needed for remote site collocation. If they become necessary, the parties will negotiate appropriate rates.

**EXHIBIT A: BELLSOUTH/AI-Call RATES – TENNESSEE
REMOTE SITE COLLOCATION**

Rates marked with an asterisk (*) are interim and are subject to true-up

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------------|---|--|----------------------------|---------------------------------|
| PE1RA | Application Fee* | Per request | N/A | \$872.95 |
| PE1RB | Cabinet Space * | Per Rack/Bay | \$219.37 | N/A |
| PE1RC | Power Upgrade* | Per fused amp | N/A | ICB/TBD |
| PE1RD | Security Access System New Key* | Per Key | N/A | \$26.23 |
| PE1SR | Space Availability Report* | Per premises requested | N/A | \$232.12 |
| PE1RE | Request for CLLI* | Per Premises Requested | N/A | \$75.23 |
| AEH | Additional Engineering Fee (Note 1) | Per request, First half hour/add'l half hour | N/A | - |
| PE1BT | Security Escort (Note 1) Basic Time | Per half hr/add'l half hr | NA | - |
| PE1OT | Overtime | | NA | - |
| PE1PT | Premium Time | | NA | - |

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element
ICB/TBD rates will be on an Individual Case Basis.

- (1) Security Escort and Additional Engineering Fees should not be needed for remote site collocation. If they become necessary, the parties will negotiate appropriate rates.

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Al-Call agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- 1.2 Notice. BellSouth and Al-Call shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Al-Call should contact 1-800-743-6737 for BellSouth MSDS sheets.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Al-Call to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. Al-Call will require its contractors, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by CLEC when operating in the BellSouth Premises.
- 1.4 Environmental and Safety Inspections. BellSouth reserves the right to inspect the Al-Call space with proper notification. BellSouth reserves the right to stop any Al-Call work operation that imposes Imminent Danger to the

environment, employees or other persons in the area or Facility.

- 1.5 Hazardous Materials Brought On Site. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by Al-Call are owned by Al-Call. Al-Call will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Al-Call or different hazardous materials used by Al-Call at BellSouth Facility. Al-Call must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.
- 1.6 Spills and Releases. When contamination is discovered at a BellSouth Premises, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by Al-Call to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and Al-Call will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Al-Call will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Al-Call must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and Al-Call shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, contractors, or employees concerning its operations at the Facility.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Premises, Al-Call agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this

reference. Al-Call further agrees to cooperate with BellSouth to ensure that Al-Call's employees, agents, and/or subcontractors are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Al-Call, its employees, agents and/or subcontractors.

The most current version of reference documentation must be requested from BellSouth.

| ENVIRONMENTAL CATEGORIES | ENVIRONMENTAL ISSUES | ADDRESSED BY THE FOLLOWING DOCUMENTATION |
|---|---|--|
| Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials) | Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor | <ul style="list-style-type: none"> • Std T&C 450 • Fact Sheet Series 17000 • Std T&C 660-3 • Approved Environmental Vendor List (Contact E/S Management) |
| Emergency response | Hazmat/waste release/spill firesafety emergency | <ul style="list-style-type: none"> • Fact Sheet Series 1700 • Building Emergency Operations Plan (EOP) (specific to and located on Premises) |
| Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks) | Compliance with all applicable local, state, & federal laws and regulations Performance of services in accordance with BST's environmental M&Ps Insurance | <ul style="list-style-type: none"> • Std T&C 450 • Std T&C 450-B • (Contact E/S for copy of appropriate E/S M&Ps.) • Std T&C 660 |
| Transportation of hazardous material | Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor | <ul style="list-style-type: none"> • Std T&C 450 • Fact Sheet Series 17000 • Std T&C 660-3 • Approved Environmental Vendor List (Contact E/S |

| | | Management) |
|---|--|---|
| Maintenance/operations work which may produce a waste | Compliance with all application local, state, & federal laws and regulations | <ul style="list-style-type: none"> • Std T&C 450 |
| Other maintenance work | Protection of BST employees and equipment | <ul style="list-style-type: none"> • 29CFR 1910.147 (OSHA Standard) • 29CFR 1910 Subpart O (OSHA Standard) |
| Janitorial services | <p>All waste removal and disposal must conform to all applicable federal, state and local regulations</p> <p>All Hazardous Material and Waste</p> <p>Asbestos notification and protection of employees and equipment</p> | <ul style="list-style-type: none"> • P&SM Manager - Procurement • Fact Sheet Series 17000 • GU-BTEN-001BT, Chapter 3 • BSP 010-170-001BS (Hazcom) |
| Manhole cleaning | <p>Compliance with all applicable local, state, & federal laws and regulations</p> <p>Pollution liability insurance</p> <p>EVET approval of contractor</p> | <ul style="list-style-type: none"> • Std T&C 450 • Fact Sheet 14050 • BSP 620-145-011PR Issue A, August 1996 • Std T&C 660-3 • Approved Environmental Vendor List (Contact E/S Management) |
| Removing or disturbing building materials that may contain asbestos | Asbestos work practices | <ul style="list-style-type: none"> • GU-BTEN-001BT, Chapter 3 |

3. DEFINITIONS

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

Hazardous Chemical. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health

hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

Imminent Danger. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

DEC/LDEC - Department Environmental Coordinator/Local Department Environmental Coordinator

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std. T&C - Standard Terms & Conditions

Attachment 5

Access to Numbers and Number Portability

TABLE OF CONTENTS

| | |
|--|-----------|
| 1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS | 3 |
| 2. LOCAL NUMBER PORTABILITY | 3 |
| 3. TRANSITION TO PERMANENT NUMBER PORTABILITY | 9 |
| 4. TRUE-UP..... | 9 |
| 5. OPERATIONAL SUPPORT SYSTEM (OSS) RATES | 10 |

ACCESS TO NUMBERS and NUMBER PORTABILITY

1. Non-Discriminatory Access to Telephone Numbers

- 1.1 Nothing in this Agreement shall be construed to limit or otherwise adversely affect in any manner either Party's right to employ, or to request and be assigned, any Central Office (NXX) Codes pursuant to the Central Office Code Assignment Guidelines, as may be amended from time to time, or to establish, by Tariff or otherwise, Rate Center and Rating Points corresponding to such NXX Codes.
- 1.2 During the term of this Agreement, the Parties shall contact the applicable numbering resource administrator as determined by the FCC, for the assignment of numbering resources. In order to be assigned a Central Office Code, Al-Call will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- 1.3 For the purposes of the resale of BellSouth's telecommunications services by Al-Call, BellSouth will provide Al-Call with on line access to telephone numbers for reservation on a first come first served basis. Such reservations of telephone numbers, on a pre-ordering basis shall be for a period of nine (9) days.
- 1.4 Further, upon Al-Call's request and for the purposes of the resale of BellSouth's telecommunications services by Al-Call, BellSouth will reserve up to 100 telephone numbers per Common Language Location Identifier Code (CLLIC), for Al-Call's sole use. Such telephone number reservations shall be transmitted to Al-Call via electronic file transfer. Such reservations shall be valid for ninety (90) days from the reservation date. Al-Call acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and in such instances BellSouth shall use its best efforts to reserve for a ninety (90) day period a sufficient quantity for Al-Call's reasonable need in that particular CLLIC.

2. Local Number Portability

- 2.1 The Parties shall provide local number portability on a reciprocal basis to each other to the extent technically feasible, and in accordance with the applicable rules and regulations as prescribed from time to time by the FCC and/or the Commission.
- 2.2 Permanent Number Portability
 - 2.2.1 Deployment of LNP. Local Number Portability ("LNP") is a permanent number portability solution that allows End Users to keep their existing

Telephone Line Numbers (“TLNs”) when switching LECs. The Parties shall implement and deploy the Location Routing Number (“LRN”) solution for LNP in accordance with orders, rulings and policies regarding LNP issued by the FCC and the applicable State Commissions, including, without limitation, the FCC prescribed permanent LNP geographic deployment schedules.

2.2.2 Description of LNP. LNP uses the industry standard LRN that assigns a unique 10-digit number to each Wire Center. To support LNP, LRN data is stored, and LNP services are provisioned on Advanced Intelligent Network (“AIN”) elements that replace the dialed TLN with the LRN so that LNP calls can be routed to the proper Wire Center for connection to the dialed party. To obtain the LRN data and properly provision LNP services, carriers must be connected to independently operated Regional Number Portability Administration Centers (“NPACs”), which will manage LNP services and provide LNP call routing data to carriers.

2.2.3 Once LNP is implemented, either Party may withdraw its Interim Number Portability (“INP”) offerings (as described in Section 2.8 hereafter), subject to (i) provision of reasonable advance notice to the other Party; and (ii) coordination to allow the seamless and transparent conversion of INP Customers to LNP.

2.2.4 End User Line Charge. Recovery of charges associated with implementing Number Portability through a monthly charge assessed to end users has been authorized by the FCC. This end user line charge will be as filed in the BellSouth FCC No. 1 Tariff and will be billed to Al-Call where Al-Call is a subscriber to local switching or where Al-Call is a reseller of BellSouth telecommunications services. This charge will not be discounted.

2.3 Interim Number Portability

2.3.1 Service Provider Number Portability

2.3.1.1 Until the industry-wide permanent solution is implemented in an end office, BellSouth shall provide Service Provider Number Portability (“SPNP”). SPNP is an interim service arrangement whereby an end user who switches subscription of his local exchange service from BellSouth to a CLEC, or vice versa, is permitted to retain the use of his existing assigned telephone number, provided that the end user remains at the same location for his local exchange service or changes locations and service providers but stays within the same Rate Center for his Local Exchange Service.

2.3.1.2 SPNP is available through either remote call forwarding or direct inward dialing trunks, at the election of Al-Call. Remote

call forwarding (SPNP-RCF) is an existing switch-based BellSouth service that redirects calls within the telephone network. Direct inward dialing trunks (SPNP-DID) allow calls to be routed over a dedicated facility to the AI-Call switch that serves the subscriber. SPNP-DID Service requires ordering consecutive telephone numbers in blocks of twenty. To order non-consecutive telephone numbers or telephone numbers in less than blocks of twenty, the NBR process must be used. SS7 Signaling is required for the provision of either of these services.

- 2.3.1.3 SPNP-DID is available from BellSouth on a per DS0, DS1, or DS3 basis. Where SPNP-DID is technically feasible and is provided on a DS1 or a DS3 basis, the applicable channelization rates are those specified in Section E6 in BellSouth's Intrastate Access Tariffs, incorporated herein by this reference. SPNP is available only for basic Local Exchange Service.
- 2.3.1.4 SPNP is available only where AI-Call or BellSouth is currently providing, or will begin providing concurrent with provision of SPNP, basic Local Exchange Service to the affected End User. SPNP for a particular telephone number is available only from the Central Office originally providing Local Exchange Service to the End User. SPNP for a particular assigned telephone number will be disconnected when any End User, Commission, BellSouth, or AI-Call initiated activity (*e.g.*, a change in exchange boundaries) would normally result in a telephone number change had the End User retained his initial Local Exchange Service.
- 2.3.1.5 SPNP-RCF, as contemplated by this Agreement, is a telecommunications service whereby a call dialed to an SPNP-RCF equipped telephone number is automatically forwarded to an assigned seven- or ten- digit telephone number within the local calling area as defined in the Commission filed AI-Call or BellSouth Local Exchange Tariff(s) of the Party porting the SPNP-RCF telephone number. The forwarded-to number shall be specified by the AI-Call or BellSouth, as appropriate. The forwarding Party will provide identification of the originating telephone number, via SS7 signaling, to the receiving Party. Identification of the originating telephone number to the SPNP-RCF End User cannot be guaranteed, however. SPNP-RCF provides a single call path for the forwarding of no more than one simultaneous call to the receiving Party's specified forwarded-to number. Additional call paths for the forwarding of multiple simultaneous calls are available on a per path basis at separate rates in addition to the rates for SPNP-RCF.

- 2.3.1.6 SPNP-DID service, as contemplated by this Agreement, provides trunk side access to End Office switches for direct inward dialing to the other company's premises equipment from the telecommunications network to lines associated with the other company's switching equipment and must be provided on all trunks in a group arranged for inward service. A SPNP-DID trunk termination charge, provided with SS7 Signaling only, applies for each trunk voice grade equivalent. In addition, direct facilities are required from the end office where a ported number resides to the end office serving the ported end user customer. The rates for a switched local channel and switched dedicated transport apply as contained in Attachment 2. Transport mileage will be calculated as the airline distance between the end office where the number is ported and the Point of Interface ("POI") using the V&H coordinate method. SPNP-DID must be established with a minimum configuration of two channels and one unassigned telephone number per switch, per arrangement for control purposes. Transport facilities arranged for SPNP-DID may not be mixed with any other type of trunk group, with no outgoing calls placed over said facilities. SPNP-DID will be provided only where such facilities are available and where the switching equipment of the ordering company is properly equipped. Where SPNP-DID service is required from more than one wire center or from separate trunk groups within the same wire center, such service provided from each wire center or each trunk group within the same wire center shall be considered a separate service. Only customer-dialed sent-paid calls will be completed to the first number of a SPNP-DID number group; however, there are no restrictions on calls completed to other numbers of a SPNP-DID number group. Interface group arrangements provided for terminating the switched transport at the Party's terminal location are as set forth in of BellSouth's Intrastate Access Services Tariff, § E6.1.3.A, as amended from time to time.
- 2.3.1.7 The calling Party shall be responsible for payment of the applicable charges for sent-paid calls to the SPNP number. For collect, third-Party, or other operator-assisted non-sent paid calls to the ported telephone number, BellSouth or Al-Call shall be responsible for the payment of charges under the same terms and conditions for which the end user would have been liable for those charges. Either company may request that the other block collect and third company non-sent paid calls to the SPNP-assigned telephone number. If a company does not request blocking, the other company will provide itemized local usage data for the billing of non-sent paid calls on the monthly bill of usage charges provided at the individual end user account

level. The detail will include itemization of all billable usage. Each company shall have the option of receiving this usage data on a daily basis via a data file transfer arrangement. This arrangement will utilize the existing industry uniform standard, known as EMR standards, for exchange of billing data. Files of usage data will be created daily for the optional service. Usage originated and recorded in the sending BellSouth RAO will be provided in unrated or rated format, depending on processing system. Al-Call usage originated elsewhere and delivered via CMDS to the sending BellSouth RAO shall be provided in rated format.

- 2.3.1.8 Each Party shall be responsible for obtaining authorization from the End User for the handling of the disconnection of the End User's service, the provision of new local service and the provision of SPNP services. Each Party shall be responsible for coordinating the provision of service with the other to assure that its switch is capable of accepting SPNP ported traffic. Each Party shall be responsible for providing equipment and facilities that are compatible with the other's service parameters, interfaces, equipment and facilities and shall be required to provide sufficient terminating facilities and services at the terminating end of an SPNP call to adequately handle all traffic to that location and shall be solely responsible to ensure that its facilities, equipment and services do not interfere with or impair any facility, equipment, or service of the other Party or any of its end users. In the event that either Party determines in its reasonable judgment that the other company will likely impair or is impairing, or interfering with any equipment, facility or service or any of its end users, that company may either refuse to provide SPNP service or may terminate SPNP service to the other Party after providing appropriate notice.
- 2.3.1.9 Each Party shall be responsible for providing an appropriate intercept announcement service for any telephone numbers subscribed to SPNP services for which it is not presently providing local exchange service or terminating to an end user. Where either Party chooses to disconnect or terminate any SPNP service, that Party shall be responsible for designating the preferred standard type of announcement to be provided.
- 2.3.1.10 Each Party shall be the other Party's single point of contact for all repair calls on behalf of each company's end user. Each Party reserves the right to contact the other company's customers if deemed necessary for maintenance purposes.

- 2.3.1.11 Neither Party shall be responsible for adverse effects on any service, facility or equipment from the use of SPNP services. End-to-end transmission characteristics may vary depending on the distance and routing necessary to complete calls over SPNP facilities and the fact that another carrier is involved in the provisioning of service. Therefore, end-to-end transmission characteristics cannot be specified by either Party for such calls. Neither Party shall be responsible to the other if any necessary change in protection criteria or in any of the facilities, operation, or procedures of either renders any facilities provided by the other company obsolete or renders necessary modification of the other Party's equipment.
- 2.3.1.12 For terminating IXC traffic ported to either Party which requires use of either Party's Tandem switching, the Tandem provider will bill the IXC Tandem switching and a pro rata portion of the transport, and the other Party will bill the IXC local switching, the carrier common line (CCL), the Interconnection Charge and a portion of the transport. If the Tandem provider is unable to provide the necessary access records to permit the other Party to bill the IXC directly for terminating access to ported numbers, then the Tandem provider will bill the IXC full terminating switched access charges at the tandem provider's rate and will compensate the other company at the tandem company's tariffed rates and remit the local switching, the Interconnection Charge, a pro rata portion of transport and CCL revenues to the other Party. If an intraLATA toll call is delivered, the delivering Party will pay terminating access rates to the other Party. This subsection does not apply in cases where SPNP-DID is utilized for number portability. 2.3.1.13 If, through a final and effective order, the Federal Communications Commission ("FCC") issues regulations pursuant to 47 U.S.C. § 251 to require number portability different than that provided pursuant to this section, BellSouth will comply with that order.
- 2.3.1.13 Charges for INP shall be as specified in Exhibit A, provided that interim rates will be replaced or trued-up in accordance with regulatory requirements.

2.4 INP Requirements

- 2.4.1 Either Party will exchange with the other SS7 TCAP messages as required for the implementation of Customer Local Area Signaling Services (CLASS) or other features available. 2.4.2 Either Party shall notify the other of any technical or capacity limitations that would prevent use of a requested INP implementation in a particular End Office or Wire Center.

- 2.4.2 Either Party shall pass all Calling Party Number (“CPN”) or Automatic Number Identification (“ANI”) information to and from the ported number, whenever technically feasible.
- 2.4.3 Unless approved by AI-Call, BellSouth agrees not to issue Telephone Line Number (“TLN”) based calling card numbers to End Users that port their numbers to AI-Call.
- 2.4.4 BellSouth and AI-Call shall cooperate in resolving all service calls involving the other Party’s service, to avoid unnecessary service outages.

2.5 Number Portability Through NXX Migration

- 2.5.1 If the Parties mutually agree to use Local Exchange Routing Guide (“LERG”) reassignment as the method to move an End User’s telephone numbers from one Party’s switch to the other Party’s switch in a particular instance, the Parties shall enter into a separate written agreement that must address terms and conditions of the reassignment, including, but not limited to, ordering processes and specific implementation procedures for the reassignment of the appropriate NXX as shown in the LERG, to the new service providers switch, and any applicable rates.

3. Transition to Permanent Number Portability

Once a long-term database method of providing Local Number Portability (LNP) is implemented in an end office pursuant to Federal Communications Commission or State commission orders, rules or regulations, with advance written notice, both Parties must withdraw its Interim Number Portability (INP) offerings. The transition from existing INP arrangements to LNP shall occur within one hundred twenty (120) days from the date LNP is implemented in the end office serving the telephone number. Neither Party shall charge the other Party for conversion from INP to LNP. The Parties shall comply with any INP/LNP transition processes established by the FCC and State commissions and appropriate industry number portability work groups.

Notwithstanding the foregoing, the Parties acknowledge that the FCC has determined once LNP has been deployed pursuant to the FCC’s orders, rules and regulations, that all local exchange carriers (LECs) have the duty to provide LNP. Therefore, either Party, at any time, may seek appropriate legal or regulatory relief concerning the transition from INP to LNP or other related issues.

4. True-up

This section applies only to Tennessee.

The interim prices for Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:

- 4.1 The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions in the General Terms and Conditions and Attachment 1 of this Agreement.
- 4.2. The Parties may continue to negotiate toward final prices, but in the event that no such agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in the General Terms and Conditions and Attachment 1 of the Agreement, so long as they file the resulting Agreement with the Commission as a “negotiated Agreement” under Section 252(e) of the Act.
- 4.3. A final order of this Commission that forms the basis of a true-up shall be the final order as to prices based on appropriate cost studies, or potentially may be a final order in any other Commission proceeding which meets the following criteria:
- (a) BellSouth and Al-Call is entitled to be a full Party to the proceeding;
 - (b) It shall apply the provisions of the federal Telecommunications Act of 1996, including but not limited to Section 252(d)(1) (which contains pricing standards) and all then-effective implementing rules and regulations; and,
 - (c) It shall include as an issue the geographic deaveraging of network element prices, which deaveraged prices, if any are required by said final order, shall form the basis of any true-up.

5. Operational Support System (OSS) Rates

BellSouth has developed and made available the following mechanized systems by which Al-Call may submit LSRs electronically.

| | |
|--------|---|
| LENS | Local Exchange Navigation System |
| EDI | Electronic Data Interface |
| EDI-PC | Electronic Data Interface – Personal Computer |
| TAG | Telecommunications Access Gateway |

LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic ordering charge as specified in the table below. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below:

| <i>OPERATIONAL SUPPORT SYSTEMS</i> | AL, GA, LA, MS, SC | FL, KY, NC, TN |
|---|-----------------------------|-----------------------|
| OSS LSR charge, per LSR received from the CLEC by one of the OSS interactive interfaces | \$3.50 | \$3.50 |
| | SOMECH | SOMECH |
| Incremental charge per LSR received from the CLEC by means other than one of the OSS interactive interfaces | See applicable rate element | \$19.99 |
| | | SOMAN |

Note: In addition to the OSS charges, applicable discounted service order and related discounted charges apply per the tariff.

Denial/Restoral OSS Charge

In the event Al-Call provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

Cancellation OSS Charge

Al-Call will incur an OSS charge for an accepted LSR that is later canceled by Al-Call.

Note: Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

Network Elements and Other Services Manual Additive

The Commissions in Alabama, Georgia, Louisiana, Mississippi and South Carolina have ordered incremental manual non-recurring charges (NRC) for network elements and other services ordered by means other than one of the interactive interfaces. These ordered network elements and other services manual additive NRCs will apply in these states, rather than the charge per LSR.

Threshold Billing Plan

The Parties agree that Al-Call will incur the mechanized rate for all LSRs, both mechanized and manual, if the percentage of mechanized LSRs to total LSRs **meets or** exceeds the threshold percentages shown below:

| Year | Ratio: Mechanized/Total LSRs |
|------|------------------------------|
| 2000 | 80% |
| 2001 | 90% |

The threshold plan will be discontinued in 2002.

In calculating the percentages above, all orders submitted via BellSouth's mechanized LSR systems (LENS, EDI, EDI-PC, and TAG) will count as mechanized LSRs, regardless of whether

an order falls out of the mechanized process or requires manual intervention in order to be properly completed and processed.

BellSouth will track the total LSR volume for each CLEC for each quarter. At the end of that time period, a Percent Electronic LSR calculation will be made for that quarter based on the LSR data tracked in the LCSC. If this percentage exceeds the threshold volume, all of that CLECs' future manual LSRs will be billed at the mechanized LSR rate. To allow time for obtaining and analyzing the data and updating the billing system, this billing change will take place on the first day of the second month following the end of the quarter (*e.g.*, May 1 for 1Q, Aug 1 for 2Q, etc.). There will be no adjustments to the amount billed for previously billed LSRs.

**BELLSOUTH/AI-Call RATES
SERVICE PROVIDER
NUMBER PORTABILITY**

| | | RATES BY STATE | | | | | | | | |
|---|---------------------------------|----------------|----|----------|----|----------|----------|----------|----------|---------|
| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF (1) (2) | | | | | | | | | | |
| RCF, per number ported (Business Line), 10 paths | TNPBL | NA | NA | NA | NA | NA | NA | \$2.25 | NA | NA |
| RCF, per number ported (Residence Line), 6 paths | TNPRL | NA | NA | NA | NA | NA | NA | \$1.15 | NA | NA |
| RCF, per number ported (Business Line) | TNPBL | \$2.13 | NA | \$2.03 | NA | \$2.29 | \$2.34 | \$1.66 | \$2.17 | \$1.50 |
| NRC - Electronic | TNPBL | \$0.65 | NA | \$0.51 | NA | \$0.49 | \$0.6441 | \$0.71 | \$0.7046 | NA |
| NRC - Disconnect Charge | TNPBL | \$0.07 | NA | NA | NA | \$0.05 | \$0.0644 | \$0.50 | NA | NA |
| RCF, per number ported (Residence Line) | TNPRL | \$2.13 | NA | \$2.03 | NA | \$2.29 | \$2.34 | \$1.66 | \$2.17 | \$1.25 |
| NRC | TNPRL | \$0.65 | NA | \$0.51 | NA | \$0.49 | \$0.6441 | \$0.71 | \$0.7046 | NA |
| NRC - Disconnect Charge | TNPRL | \$0.07 | NA | NA | NA | \$0.05 | \$0.0644 | \$0.50 | NA | NA |
| RCF, add'l capacity for simultaneous call forwarding, per additional path | N/A | \$0.32 | NA | \$0.2836 | NA | \$0.38 | \$0.3838 | \$0.32 | \$0.3854 | \$0.50 |
| RCF, per service order, per location | (++) Bus = TNPBD Res = TNPRD | | | | | | | | | |
| NRC - 1st | TNP++ | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$2.73 | \$1.37 | \$25.00 |
| NRC - Add'l | TNP++ | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$2.73 | \$1.37 | \$25.00 |
| NRC - Disconnect - 1st | TNP++ | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | NA | NA |
| NRC - Disconnect - Add'l | TNP++ | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | NA | NA | \$18.14 | \$25.52 | \$45.80 | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$27.37 | NA | NA | NA | \$18.14 | \$25.52 | \$45.80 | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | \$44.70 | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | \$44.70 | NA |
| INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID | | | | | | | | | | |
| DID per number ported, Residence - NRC | TNPDR | \$1.18 | NA | \$0.93 | NA | \$0.89 | \$1.17 | \$2.25 | \$2.25 | NA |
| DID per number ported, Residence - NRC - Disconnect | TNPDR | \$1.18 | NA | NA | NA | \$0.90 | \$1.17 | NA | NA | NA |
| DID per number ported, Business - NRC | TNPDB | \$1.18 | NA | \$0.93 | NA | \$0.89 | \$1.17 | \$2.25 | \$2.25 | NA |
| DID per number ported, Business - NRC - Disconnect | TNPDB | \$1.18 | NA | NA | NA | \$0.90 | \$1.17 | NA | NA | NA |
| DID per service order, per location | | | | | | | | | | |
| NRC - 1st | TNPRD | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$2.73 | \$1.37 | NA |
| NRC - Add'l | TNPRD | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$2.73 | \$1.37 | NA |
| NRC - Disconnect - 1st | TNPRD | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | \$44.70 | NA |
| NRC - Disconnect - Add'l | TNPRD | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | \$44.70 | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$45.80 | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$27.37 | NA | NA | NA | \$18.14 | \$25.52 | \$45.80 | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA |
| DID, per trunk termination, Initial | TNPT2 | \$11.84 | NA | \$10.73 | NA | \$12.46 | \$13.78 | \$11.43 | \$13.16 | NA |
| DID, per trunk termination, Initial - NRC | TNPT2 | \$173.73 | NA | \$135.47 | NA | \$129.69 | \$171.68 | \$217.88 | \$218.03 | NA |
| DID, per trunk termination, Initial - Disconnect | TNPT2 | \$50.43 | NA | NA | NA | \$37.85 | \$49.86 | NA | NA | NA |
| DID, per trunk termination, Subsequent | TNPT2 | \$11.84 | NA | \$10.73 | NA | \$12.46 | \$13.78 | \$11.43 | \$13.16 | NA |
| DID, per trunk termination, Subsequent - NRC | TNPT2 | \$51.35 | NA | \$39.53 | NA | \$37.85 | \$50.69 | \$73.56 | \$73.63 | NA |
| DID, per trunk termination, Subsequent - Disconnect | TNPT2 | \$25.00 | NA | NA | NA | \$18.75 | \$24.71 | NA | NA | NA |
| NOTES: | | | | | | | | | | |
| If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. | | | | | | | | | | |
| 1 Until the FCC issues its order implementing a cost recovery mechanism for permanent number portability, the Company will track its costs of providing interim SPNP with sufficient detail to verify the costs. This will facilitate the Florida PSCs consideration of the recovery of these costs in Docket 950737-TP. (FL) | | | | | | | | | | |
| 2 BellSouth and CLEC will each bear their own costs of providing remote call forwarding as an interim number portability option. (KY) | | | | | | | | | | |

Attachment 6

Ordering and Provisioning

TABLE OF CONTENTS

| | | |
|----|---|---|
| 1. | Quality of Ordering and Provisioning | 3 |
| 2. | Access to Operational Support Systems | 3 |
| 3. | Miscellaneous Ordering and Provisioning Guidelines..... | 6 |

ORDERING AND PROVISIONING

1. Quality of Ordering and Provisioning

- 1.1 BellSouth shall provide ordering and provisioning services to Al-Call that are equal to the ordering and provisioning services BellSouth provides to itself or any other CLEC. Detailed guidelines for ordering and provisioning are set forth in BellSouth's Local Interconnection and Facility Based Ordering Guide and Resale Ordering Guide, as appropriate, and as they are amended from time to time during this Agreement. BellSouth will notify Al-Call of any such amendments via the web and BellSouth will use best efforts to notify Al-Call within thirty (30) days, but in no event will BellSouth notify Al-Call after the change has occurred.
- 1.2 BellSouth will provide provisioning services to Al-Call during the same normal hours of operation that BellSouth provides itself, its end-users, and other CLECs. The normal hours of operation are as follows:

Monday - Friday - 8:00AM - 5:00PM location time (excluding holidays)
(Resale/Network Element non coordinated,
coordinated orders and order coordinated - Time
Specific)

Saturday - 8:00 AM - 5:00 PM location time (excluding holidays)
(Resale/Network Element non coordinated orders)

Times are either Eastern or Central time based on the location of the work being performed.

All other Al-Call requests for provisioning and installation services are considered outside of the normal hours of operation as referenced above and may be performed subject to the application of overtime billing charges. BellSouth will perform these services that are considered outside the normal hours of operation in the manner in which BellSouth performs and bills such services for itself, end-users, and other CLECs.

2. Access to Operational Support Systems

- 2.1 BellSouth shall provide Al-Call access to several operations support systems. Access to these support systems is available through a variety of means, including electronic interfaces. BellSouth also provides the option of placing orders manually (e.g., via facsimile) through the Local Carrier Service Center. The operations support systems available are:

- 2.2 Pre-Ordering. BellSouth provides electronic access to the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, and upon Commission approval of confidentiality protections, to customer record information. Access is provided through the Local Exchange Navigation System (LENS) and the Telecommunications Access Gateway (TAG). Customer record information includes any and all customer specific information, including but not limited to, customer specific information in CRIS and RSAG. Al-Call agrees not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission and further agrees that Al-Call will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the in which the service is provided.
- 2.2.1 Interfaces. BellSouth shall make available the following interfaces to Al-Call for access to pre-order functions: LENS; *and* TAG. Each such interface shall be available on a non-discriminatory basis in connection with pre-ordering for Resale services and UNES that are available electronically.
- 2.2.2 The Parties acknowledge that ordering requirements necessitate the use of current, real time pre-order information to accurately build service orders. Each pre-order interface shall be available except for downtime attributable to maintenance and upload, twenty-four (24) hours a day, seven (7) days a week.
- 2.2.3 Al-Call shall be permitted to reserve a number, including, without limitation, a vanity number, for up to thirty (30) days for End Users.
- 2.2.4 All CSR data exchanged must be in English text, and not only USOC or FID format, provided that such information is maintained in textual format by BellSouth. All other data shall be in a mutually agreed upon nomenclature.
- 2.2.5 Upon request, BellSouth shall provide Al-Call with pre-order information in batch transmission to the extent available or provided to any other Telecommunications Carrier on the same terms and conditions and at the same rates.
- 2.2.6 Pre-ordering functions shall be provided at parity as measured by the Performance Measurement metrics included in Attachment 9 hereto.
- 2.3 Service Ordering and Provisioning. BellSouth provides electronic options for the exchange of ordering and provisioning information. BellSouth provides an Electronic Data Interchange (EDI) arrangement for resale requests and certain network elements and other services. As an alternative to the EDI arrangement, BellSouth also provides through LENS and TAG an ordering and provisioning capability that is integrated with the LENS and TAG pre-ordering capability.
- 2.3.1 For generation of Resale service orders, ordering flows shall be available via such electronic interfaces for each of the following ordering functions: Conversion (“as

is” or “with changes”); Change (features, listings, long distance); New Connect; Disconnect; From and To (change of premises with same service).

- 2.3.2 BellSouth shall provide to Al-Call electronic and manual interfaces for transmitting orders and receiving Firm Order Confirmation (“FOC”), completion notices, Due-Date Jeopardies, and, as available, other provisioning data and information. BellSouth shall provide Al-Call with a FOC for each Resale and UNE order. The FOC includes: purchase order number, telephone number, Local Service Request number, due date, and Service Order number.
- 2.3.3 BellSouth shall provision Resale Services and UNEs as prescribed in Al-Call service order requests. Access to status on electronically-submitted Resale services and UNEs shall be provided via the electronic interfaces. Access to status on manually-submitted service order requests shall be provided manually or via the Purchase Order Number (“PON”) report on BellSouth’s Internet website.
- 2.3.4 BellSouth shall provide notice of a lack of facilities availability at parity to that BellSouth provides to itself, its Affiliates, or any other Telecommunications Carrier.
- 2.4 Service Trouble Reporting and Repair. Service trouble reporting and repair allows Al-Call to report and monitor service troubles and obtain repair services. BellSouth shall offer Al-Call service trouble reporting in a non-discriminatory manner that provides Al-Call the equivalent ability to report and monitor service troubles that BellSouth provides to itself. BellSouth also provides Al-Call an estimated time to repair, an appointment time or a commitment time, as appropriate, on trouble reports. BellSouth provides two options for electronic trouble reporting. For exchange services, BellSouth offers Al-Call access to the Trouble Analysis Facilitation Interface (TAFI). For individually designed services, BellSouth provides electronic trouble reporting through an electronic communications gateway. If Al-Call requests BellSouth to repair a trouble after normal working hours, Al-Call will be billed the appropriate overtime charges associated with this request pursuant to BellSouth’s tariffs.
- 2.5 Migration of Al-Call to New BellSouth Software Releases. BellSouth will issue new software releases for its electronic interfaces as needed to improve operations and meet standards and regulatory requirements. When a new release is implemented, BellSouth will continue to support both the new release (N) and the prior release (N-1). When BellSouth makes the next release (N+1), BellSouth will eliminate support for the (N-1) release and support the two newest releases (N and N+1). Thus, BellSouth will always support the two most current releases. BellSouth will issue documents to Al-Call with sufficient notice to allow Al-Call to make the necessary changes to its systems and operations to migrate to the newest release in a timely fashion. BellSouth will use its best efforts to issue such documents thirty (30) days in advance of changes.

- 2.6 Rates. To the extent approved by the Commission or agreed to by the Parties, all costs incurred by BellSouth to develop and implement operational interfaces shall be recovered from the carriers who utilize the services. Charge for use of Operational Support Systems shall be as set forth in Attachments 1 and 2 of this Agreement.

3. Miscellaneous Ordering and Provisioning Guidelines

- 3.1 Pending Orders. To ensure the most efficient use of facilities and resources, orders placed in the hold or pending status by Al-Call will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, if Al-Call wishes to reinstate an order, Al-Call may be required to submit a new service order.
- 3.2 Single Point of Contact. Al-Call will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Al-Call to provide services to its end users, except that BellSouth may accept an order directly from another CLEC, or BellSouth, acting with authorization of the affected end user. Al-Call and BellSouth shall each execute a blanket letter of authorization with respect to customer orders. The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for orders, provided, however, that such processes shall comply with applicable state and federal law including, until superseded, the FCC guidelines and orders applicable to Presubscribed Interexchange Carrier (PIC) changes including Un-PIC. Pursuant to such an order, BellSouth may disconnect any network element associated with the service to be disconnected and being used by Al-Call to provide service to that end user and reuse such network elements or facilities to enable such other LEC to provide service to the end user. BellSouth will notify Al-Call that such an order has been processed, but will not be required to notify Al-Call in advance of such processing.
- 3.3 Use of Facilities. When a Al-Call customer elects to discontinue service and transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Al-Call by BellSouth for retail or resale service, loop and/or port for that customer. In addition, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received an order to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility.
- 3.3.1 Upon receipt of a service order, BellSouth will do the following:
- 3.3.1.1 Process disconnect and reconnect orders to provision the service which shall be due dated using current interval guidelines.

- 3.3.1.2 Reuse the serving facility for the retail, resale service, or network element at the same location.
- 3.3.1.3 Notify AI-Call subsequent to the disconnect order being completed.
- 3.4 Contact Numbers. BellSouth shall provide single points of contact (“SPOC”) for the provisioning of Resale Services (LCSC) and UNEs (UNE Center) ordered by AI-Call. Pre-ordering and ordering shall be available via an electronic interface seven (7) days a week, 24 hours a day.

BellSouth shall provide access to assistance for technical issues such as connectivity and passwords related to LENS, TAG and TAFI, and to the “EDI Central Group” for technical problems with EDI. Assistance will be available by telephone during normal business hours and through other contacts on nights, weekends and holidays.
- 3.5 Subscription Functions. In cases where BellSouth performs subscription functions for an inter-exchange carrier (i.e., PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will provide the affected inter-exchange carriers with the Operating Company Number (OCN) of the local provider for the purpose of obtaining end user billing account and other end user information required under subscription requirements.
- 3.6 Cancellation Charges. If AI-Call cancels an order for network elements or other services, any costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with FCC No. 1 Tariff, Section 5.4.
- 3.7 Disaster Recovery Plan. BellSouth’s Disaster Recover Plan is as set forth in Attachment 11 of this Agreement.
- 3.8 Ordering and Provisioning Information. BellSouth shall provide the following to AI-Call upon request:
 - 3.8.1 Design Layout Records (“DLRs”) for designed unbundled Network Elements; and
 - 3.8.2 Advance information on the details and requirements for planning and implementation of NPA splits.
- 3.9 Access to the Regional Street Address Guide (“RSAG”) information via LENS or TAG pre-ordering. Non Proprietary RSAG subsets shall be made available pursuant to the Bona Fide Request (“BFR”) process.
- 3.10 BellSouth and AI-Call shall establish mutually acceptable methods and procedures for handling all misdirected calls from AI-Call End Users. All misdirected calls to BellSouth from AI-Call End Users shall be given a recording (or a live statement) directing them to call an AI-Call-designated toll free number. AI-Call, on a reciprocal basis, shall refer all misdirected calls that AI-Call receives from

BellSouth End Users to a BellSouth-designated number. Al-Call and BellSouth each shall be responsible for providing the other party with its current toll free number. The foregoing shall apply only when the Party receiving such call knows or has reason to know that the call is misdirected from an End User of the other Party hereto.

- 3.11 BellSouth shall provide order format specifications to Al-Call for all available services, features, and functions and for ancillary data required by BellSouth to provision these services.
- 3.12 BellSouth shall provide Al-Call with standard expected provisioning intervals for all unbundled Network Elements.
- 3.13 BellSouth shall not reconfigure any Al-Call service arrangements of any Al-Call End User for Resale services, UNEs or Combinations, unless so directed by Al-Call. Any Al-Call End User that contacts BellSouth regarding a change to its Al-Call service (excluding changes in its local service provider) shall be advised to contact Al-Call. Any BellSouth End User that contacts Al-Call regarding a change in BellSouth service (excluding changes in its local service provider) shall be advised to contact BellSouth.
- 3.14 The Parties shall provide a generic intercept referral message that includes any new telephone number of an End User for the same period of time that BellSouth currently provides such a message for its own End Users. The intercept message shall be similar in format to the intercept referral message currently provided by BellSouth for its own End Users.
- 3.15 BellSouth shall perform all pre-testing necessary to ensure the services ordered meet the specifications outlined in the technical service description provided by BellSouth for the service being ordered.
- 3.16 Any written “leave behind” materials that BellSouth technicians provide to Al-Call End Users shall be non-branded materials that do not identify the work being performed as being by BellSouth. These materials shall include, without limitation, non-branded forms for the Customer and non-branded “not at home” cards.
- 3.17 If an Al-Call End User requests a change of service at the time of installation, BellSouth technicians shall direct them to contact Al-Call directly and provide a toll-free number supplied by Al-Call. When a BellSouth employee visits the premise of an Al-Call End User, the BellSouth employee shall inform the Customer that he or she is there acting on behalf of Al-Call.
- 3.18 BellSouth shall provide telephone and/or facsimile notification to Al-Call of any Al-Call end user service requests and charges therefore not authorized on the Al-Call service request, and obtain Al-Call’s approval prior to commencing work.

- 3.19 Each Party shall train and direct its employees who have contact with End Users of the other Party in the process of provisioning, maintenance or repair not to disparage the other Party or its services in any way to the other Party's End Users.
- 3.20 When Al-Call places an LSR, Al-Call shall specify a requested Due Date, and BellSouth shall specify a Due Date based on the applicable intervals. In the event Al-Call's requested date is less than the standard interval, Al-Call shall contact BellSouth by telephone and the Parties shall negotiate an expedited Due Date. This situation shall be considered an expedited order for which expedite charges will apply in accordance with BellSouth FCC No. 1 Tariff. BellSouth shall not complete the order prior to the Due Date unless authorized by Al-Call. If BellSouth misses the Due Date, BellSouth shall promptly notify Al-Call of the revised installation Due Date. If Al-Call requests that an order be expedited, BellSouth shall notify Al-Call of the status of the order (i) by the end of the same Business Day when such expedite requests are made prior to noon; or (ii) by noon the following Business Day otherwise.
- 3.21 Al-Call and BellSouth shall agree to escalation procedures and contacts for resolving questions and disputes related to ordering and provisioning procedures or to the processing of individual orders, subject ultimately to the dispute resolution provisions of this Agreement. The Parties shall use best efforts to notify each other of any modifications to these contacts within ten (10) days of any such modifications.
- 3.22 BellSouth shall transmit to Al-Call a FOC or, in the alternative, notification of the lack of available facilities within time periods specified hereafter after BellSouth's receipt of a complete and correct order from Al-Call, provided, however, that an order for complex services requiring a service inquiry shall be deemed received for these purposes only after completion of the service inquiry. The FOC shall contain a commitment date, which shall be established on a nondiscriminatory basis with respect to installation dates for comparable orders at such time. If Al-Call uses LENS, EDI, or any other electronic interface for the submission of the order, the FOC or notification shall be posted by BellSouth in such interface within twenty-four (24) hours of receipt of the order. If Al-Call does not use these interfaces, or these interfaces are not available for the service or UNE being ordered, BellSouth shall transmit the FOC or notification by telecopier to a toll-free number provided by Al-Call within forty-eight (48) hours of BellSouth's receipt of the order. When Al-Call submits a complete and correct LSR for SPNP and an associated unbundled Loop simultaneously, BellSouth shall likewise issue a FOC for both the Loop and the SPNP simultaneously.
- 3.23 For Local Service Requests submitted via an electronic interface, BellSouth shall notify Al-Call via the same electronic interface, of Rejections/Errors contained in any of the data element(s) field(s) contained on any Al-Call Local Service Request. For Local Service Requests submitted manually, BellSouth shall notify Al-Call by facsimile of such Rejections and Errors. BellSouth will notify Al-Call of

Rejections or Errors in 95% of mechanized orders within one (1) hour from BellSouth's receipt of the order. BellSouth will notify Al-Call of Rejections or Errors in 85% of non-mechanized and partially mechanized orders within forty-eight (48) hours from BellSouth's receipt of the order.

- 3.24 No manual ordering charges shall apply to local service request submitted by Al-Call when BellSouth's existing electronic interfaces normally utilized by Al-Call are unavailable for reasons other than scheduled maintenance or other scheduled activities for which advance notification is required and provided by BellSouth.

Attachment 7

Billing and Billing Accuracy Certification

TABLE OF CONTENTS

| | | |
|----|--|----|
| 1. | Payment and Billing Arrangements..... | 3 |
| 2. | Billing Accuracy Certification | 6 |
| 3. | Billing Disputes | 6 |
| 4. | RAO Hosting..... | 7 |
| 5. | Optional Daily Usage File | 11 |
| 6. | Access Daily Usage File..... | 14 |
| 7. | Enhanced Optional Daily Usage File | 17 |

BILLING AND BILLING ACCURACY CERTIFICATION

1. Payment and Billing Arrangements

- 1.1 **Billing.** BellSouth agrees to provide billing through the Carrier Access Billing System (CABS) and through the Customer Records Information System (CRIS) depending on the particular service(s) that Al-Call requests. BellSouth will bill and record in accordance with this Agreement those charges Al-Call incurs as a result of Al-Call purchasing from BellSouth Network Elements and Other Services as set forth in this Agreement. BellSouth will format all bills in CBOS Standard or CLUB/EDI format, depending on the type of service ordered. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the industry forum.
- 1.1.1 For any service(s) BellSouth orders from Al-Call, Al-Call shall bill BellSouth in CABS format or in accordance with industry standards.
- 1.1.2 If either Party requests multiple billing media or additional copies of bills, the Billing Party will provide these at a reasonable cost.
- 1.2 **Master Account.** After receiving certification as a local exchange company from the appropriate regulatory agency, Al-Call will, to the extent not already done so, provide the appropriate BellSouth account manager the necessary documentation to enable BellSouth to establish a master account for Local Interconnection, Network Elements and Other Services, and/or resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA"), Carrier Identification Code (CIC), Group Access Code (GAC), Access Customer Name and Address (ACNA) and a tax exemption certificate, if applicable.
- 1.3 **Payment Responsibility.** Payment of all charges will be the responsibility of Al-Call. Al-Call shall make payment to BellSouth for all services billed. BellSouth is not responsible for payments not received by Al-Call from Al-Call's customer. BellSouth will not become involved in billing disputes that may arise between Al-Call and its customer. Payments made to BellSouth as payment on account will be credited to an accounts receivable master account and not to an end user's account.
- 1.4 **Payment Due.** The payment will be due by the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.

If the payment due date falls on a Sunday or on a Holiday which is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment penalty, as set forth in Section 1.7, below, shall apply.

1.5 Tax Exemption. Upon proof of tax exempt certification from Al-Call, the total amount billed to Al-Call will not include those taxes or fees for which the CLEC is exempt. Al-Call will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the end user of Al-Call.

1.6 Late Payment. If any portion of the payment is received by either Party after the payment due date as set forth preceding, or if any portion of the payment is received by either Party in funds that are not immediately available to the other Party, then a late payment penalty shall be due to the Party that issued the invoice. The late payment penalty shall be the portion of the payment not received by the payment due date times a late factor and will be applied on a per bill basis. The late factor shall be as set forth in each Party's appropriate tariffs.

1.7 Discontinuing Service to Al-Call. The procedures for discontinuing service to Al-Call are as follows:

1.7.1 BellSouth reserves the right to suspend or terminate service for nonpayment or in the event of prohibited, unlawful or improper use of BellSouth facilities or service or any other violation or noncompliance by Al-Call of the rules and regulations contained in BellSouth's tariffs.

If payment of undisputed amounts is not received by the bill day in the month after the original bill day, BellSouth may provide written notice to Al-Call that additional applications for service will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, give thirty days notice to Al-Call at the billing address to discontinue the provision of existing services to Al-Call at any time thereafter.

For purposes of this Agreement, a Bona Fide Dispute means a dispute of a specific amount of money actually billed by BellSouth. The dispute must be clearly explained by Al-Call and supported by written documentation from Al-Call, which clearly shows the basis for Al-Call's dispute of the charges. The dispute must be itemized to show the Q account and earning number against which the disputed amount applies. By way of example and not by limitation, a Bona Fide Dispute will not include the refusal to pay all or part of a bill or bills when no written

documentation is provided to support the dispute, nor shall a Bona Fide Dispute include the refusal to pay other amounts owed by Al-Call until the dispute is resolved. Claims by Al-Call for damages of any kind will not be considered a Bona Fide Dispute for purposes of this Agreement. Once the Bona Fide Dispute is resolved by BST, Al-Call will make immediate payment on any of the disputed amount owed to BST or BST shall have the right to pursue normal treatment procedures. Any credits due to Al-Call, pursuant to the Bona Fide Dispute, will be applied to Al-Call's account by BST immediately upon resolution of the dispute.

- 1.7.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
- 1.7.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and Al-Call's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to Al-Call.
- 1.7.5 If payment is not received or satisfactory arrangements made for payment by the date given in the written notification, Al-Call's services will be discontinued. Upon discontinuance of service on Al-Call's account, service to the Al-Call's end users will be denied. BellSouth will reestablish service at the request of the end user or Al-Call for BellSouth to reestablish service upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. Al-Call is solely responsible for notifying the end user of the proposed service disconnection. If within fifteen days after an end user's service has been denied and no arrangements to reestablish service have been made consistent with this subsection, the end user's service will be disconnected.
- 1.8 Deposit Policy. When purchasing services from BellSouth, Al-Call will be required to complete the BellSouth Credit Profile and provide information regarding credit worthiness. Based on the results of the credit analysis, the Company reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or in its sole discretion some other form of security. Any such security deposit shall in no way release the customer from his obligation to make complete and timely payments of his bill. Such security shall be required prior to the inauguration of service.

BellSouth reserves the right to increase the security deposit requirements when, in its reasonable judgment and on a nondiscriminatory basis, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the security deposit. In determining the security deposit so required, BellSouth will review Al-Call's Dunn & Bradstreet ratings; Al-Call's payment history with BellSouth, and payment history with others as available; the number of years Al-Call has been in business; Al-Call's management history and managers'

length of service with Al-Call; liens, suits and judgments against Al-Call; UCC-1 filings against Al-Call's assets; and, to the extent available, Al-Call's financial information.

- 1.9 Rates. Rates for Optional Daily Usage File (ODUF), Enhanced Optional Daily Usage File (EODUF), Access Daily Usage File (ADUF), and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

2. Billing Accuracy Certification

- 2.1 Upon request, BellSouth and Al-Call will agree upon a billing quality assurance program for all billing elements covered in this Agreement that will eliminate the need for post-billing reconciliation. Appropriate terms for access to any BellSouth documents, systems, records, and procedures for the recording and billing of charges will be part of that program.
- 2.2 As part of the billing quality assurance program, BellSouth and Al-Call will develop standards, measurements, and performance requirements for a local billing measurements process. On a regular basis BellSouth will provide Al-Call with mutually agreed upon performance measurement data that substantiates the accuracy, reliability, and integrity of the billing process for local billing. In return, Al-Call will pay all bills received from BellSouth in full by the payment due date.
- 2.3 Local billing discrepancies will be addressed in an orderly manner via a mutually agreed upon billing exemption process.
- 2.3.1 Each Party agrees to notify the other Party upon identifying a billing discrepancy. The Parties shall endeavor to resolve any billing discrepancy within sixty (60) calendar days of the notification date. A mutually agreed upon escalation process will be established for resolving local billing discrepancies as part of the billing quality assurance program.
- 2.3.2 Closure of a specific billing period will occur by joint agreement of the Parties whereby the Parties agree that such billing period is closed to any further analysis and financial transactions except those resulting from regulatory mandates. Closure will take place within a mutually agreed upon time interval from the Bill Date. The month being closed represents those charges that were billed or should have been billed by the designated Bill Date.

3. Billing Disputes

- 3.1 Where the Parties have not agreed upon a billing quality assurance program, billing disputes shall be handled pursuant to the terms of this section.
- 3.1.1 Each Party agrees to notify the other Party upon the discovery of a billing dispute. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date.
- 3.2 If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment penalty shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date times the late factor as set forth in the following BellSouth tariffs: for services purchased from the General Subscribers Services Tariff for purposes of resale and for ports and non-designed loops, Section A2 of the General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the Private Line Service Tariff; and for network elements and other services and local interconnection charges, Section E2 of the Access Service Tariff. In no event, however, shall interest be assessed by either Party on any previously assessed late payment charges. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs. There will be no late payment interest if the withholding party prevails in the dispute.

4. RAO Hosting

- 4.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to AI-Call by BellSouth will be in accordance with the methods and practices regularly adopted and applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth and for which BellSouth will use best efforts to provide AI-Call written notice or electronic mail within thirty (30) days.
- 4.2 AI-Call shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 4.3 Applicable compensation amounts will be billed by BellSouth to AI-Call on a monthly basis in arrears. Amounts due from one Party to the other (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- 4.4 AI-Call must have its own unique RAO code, to the extent that AI-Call does not already have such a code. Requests for establishment of RAO status where BellSouth is the selected Centralized Message Distribution System (CMDS)

interfacing host, require written notification from Al-Call to the BellSouth RAO Hosting coordinator at least eight (8) weeks prior to the proposed effective date. The proposed effective date will be mutually agreed upon between the Parties with consideration given to time necessary for the completion of required Telcordia (formerly BellCore) functions. BellSouth will request the assignment of an RAO code from its connecting contractor, currently Telcordia (formerly BellCore), on behalf of Al-Call and will coordinate all associated conversion activities.

- 4.5 BellSouth will receive messages from Al-Call that are to be processed by BellSouth, another LEC or CLEC in the BellSouth region or a LEC outside the BellSouth region.
- 4.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from Al-Call.
- 4.7 All data received from Al-Call that is to be processed or billed by another LEC or CLEC within the BellSouth region will be distributed to that LEC or CLEC in accordance with the Agreement(s) which may be in effect between BellSouth and the involved LEC or CLEC.
- 4.8 All data received from Al-Call that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) which may be in effect between BellSouth and its connecting contractor (currently Telcordia (formerly BellCore)).
- 4.9 BellSouth will receive messages from the CMDS network that are destined to be processed by Al-Call and will forward them to Al-Call on a daily basis.
- 4.10 Transmission of message data between BellSouth and Al-Call will be via CONNECT:Direct.
- 4.11 All messages and related data exchanged between BellSouth and Al-Call will be formatted in accordance with accepted industry standards for EMI formatted records and packed between appropriate EMI header and trailer records, also in accordance with accepted industry standards.
- 4.12 Al-Call will ensure that the recorded message detail necessary to recreate files provided to BellSouth will be maintained for back-up purposes for a period of three (3) calendar months beyond the related message dates.
- 4.13 Should it become necessary for Al-Call to send data to BellSouth more than sixty (60) days past the message date(s), Al-Call will notify BellSouth in advance of the transmission of the data. If there will be impacts outside the BellSouth region,

BellSouth will work with its connecting contractor and Al-Call to notify all affected Parties.

- 4.14 In the event that data to be exchanged between the two Parties should become lost or destroyed, both Parties will work together to determine the source of the problem. Once the cause of the problem has been jointly determined and the responsible Party (BellSouth or Al-Call) identified and agreed to, the company responsible for creating the data (BellSouth or Al-Call) will make every effort to have the affected data restored and retransmitted. If the data cannot be retrieved, the responsible Party will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the date of problem resolution, or as mutually agreed upon by the Parties.
- 4.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from Al-Call, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify Al-Call of the error condition. Al-Call will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, Al-Call will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 4.16 In association with message distribution service, BellSouth will provide Al-Call with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 4.17 In no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Agreement.
- 4.18 RAO Compensation
- 4.18.1 Rates for message distribution service provided by BellSouth for Al-Call are as set forth in Exhibit A to this Attachment.
- 4.18.2 Rates for data transmission associated with message distribution service are as set forth in Exhibit A to this Attachment .
- 4.18.3 Data circuits (private line or dial-up) will be required between BellSouth and Al-Call for the purpose of data transmission. Where a dedicated line is required, Al-Call will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Al-Call will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to

attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Al-Call. Additionally, all message toll charges associated with the use of the dial circuit by Al-Call will be the responsibility of Al-Call. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties.

- 4.18.4 All equipment, including modems and software, that is required on the Al-Call end for the purpose of data transmission will be the responsibility of Al-Call.

4.19 Intercompany Settlements Messages

- 4.19.1 This Section addresses the settlement of revenues associated with traffic originated from or billed by Al-Call as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between Al-Call and the involved company(ies), unless that company is participating in NICS.
- 4.19.2 Both traffic that originates outside the BellSouth region by Al-Call and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by Al-Call, is covered by this Agreement (CATS). Also covered is traffic that either is originated by or billed by Al-Call, involves a company other than Al-Call, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- 4.19.3 Once Al-Call is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via Telcordia (formerly BellCore)'s, its successor or assign, NICS system.
- 4.19.4 BellSouth will receive the monthly NICS reports from Telcordia (formerly BellCore), its successor or assign, on behalf of Al-Call. BellSouth will distribute copies of these reports to Al-Call on a monthly basis.
- 4.19.5 BellSouth will receive the monthly Calling Card and Third Number Settlement System (CATS) reports from Telcordia (formerly BellCore), its successor or assign, on behalf of Al-Call. BellSouth will distribute copies of these reports to Al-Call on a monthly basis.
- 4.19.6 BellSouth will collect the revenue earned by Al-Call from the Bell operating company in whose territory the messages are billed (CATS), less a per message billing and collection fee of five cents (\$0.05), on behalf of Al-Call. BellSouth will remit the revenue billed by Al-Call to the Bell operating company in whose

territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on Al-Call. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Al-Call via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

- 4.19.7 BellSouth will collect the revenue earned by Al-Call within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of Al-Call. BellSouth will remit the revenue billed by Al-Call within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Al-Call via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

BellSouth and Al-Call agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

5. Optional Daily Usage File

- 5.1 Upon written request from Al-Call, BellSouth will provide the Optional Daily Usage File (ODUF) service to Al-Call pursuant to the terms and conditions set forth in this section.

- 5.2 The Al-Call shall furnish all relevant information required by BellSouth for the provision of the Optional Daily Usage File.

- 5.3 The Optional Daily Usage Feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Al-Call customer.

Charges for delivery of the Optional Daily Usage File will appear on the Al-Call's monthly bills. The charges are as set forth in Exhibit A to this Attachment.

- 5.4 The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.

- 5.5 Messages that error in the billing system of Al-Call will be the responsibility of the Al-Call. If, however, Al-Call should encounter significant volumes of errored messages that prevent processing by Al-Call within its systems, BellSouth will work with Al-Call to determine the source of the errors and the appropriate resolution.

- 5.6 The following specifications shall apply to the Optional Daily Usage Feed.

5.6.1 USAGE TO BE TRANSMITTED

5.6.1.1 The following messages recorded by BellSouth will be transmitted to Al-Call:

- message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, ETC.)
- measured billable Local
- Directory Assistance messages
- intraLATA Toll
- WATS & 800 Service
- N11
- Information Service Provider Messages
- Operator Services Messages
- Operator Services Message Attempted Calls (Network Element only)
- Credit/Cancel Records
- Usage for Voice Mail Message Service

5.6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on Optional Daily Usage File. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.

5.6.1.3 BellSouth will perform duplicate record checks on records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Al-Call.

5.6.1.4 In the event that Al-Call detects a duplicate on Optional Daily Usage File they receive from BellSouth, Al-Call will drop the duplicate message (Al-Call will not return the duplicate to BellSouth).

5.6.2 PHYSICAL FILE CHARACTERISTICS

5.6.2.1 The Optional Daily Usage File will be distributed to Al-Call via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on

the Daily Usage Feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.

- 5.6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Al-Call for the purpose of data transmission. Where a dedicated line is required, Al-Call will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Al-Call will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Al-Call. Additionally, all message toll charges associated with the use of the dial circuit by Al-Call will be the responsibility of Al-Call. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on Al-Call end for the purpose of data transmission will be the responsibility of Al-Call.

5.6.3 PACKING SPECIFICATIONS

- 5.6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 5.6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Al-Call which BellSouth RAO that is sending the message. BellSouth and Al-Call will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Al-Call and resend the data as appropriate.

The data will be packed using ATIS EMI records.

5.6.4 PACK REJECTION

- 5.6.4.1 Al-Call will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Al-Call will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Al-Call by BellSouth.

5.6.5 CONTROL DATA

Al-Call will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Al-Call received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Al-Call for reasons stated in the above section.

5.6.6 TESTING

5.6.6.1 Upon request from Al-Call, BellSouth shall send test files to Al-Call for the Optional Daily Usage File. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that Al-Call set up a production (LIVE) file. The live test may consist of Al-Call's employees making test calls for the types of services Al-Call requests on the Optional Daily Usage File. These test calls are logged by Al-Call, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

6. Access Daily Usage File

6.1. Upon written request from Al-Call, BellSouth will provide the Access Daily Usage File (ADUF) service to Al-Call pursuant to the terms and conditions set forth in this section.

6.2 Al-Call shall furnish all relevant information required by BellSouth for the provision of the Access Daily Usage File.

6.3 The Access Daily Usage Feed will contain access messages associated with a port that Al-Call has purchased from BellSouth

6.4 Charges for delivery of the Access Daily Usage File will appear on the Al-Call's monthly bills. The charges are as set forth in Exhibit A to this Attachment. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.

6.5 Messages that error in the billing system of the Al-Call will be the responsibility of the Al-Call. If, however, Al-Call should encounter significant volumes of errored messages that prevent processing by Al-Call within its systems, BellSouth will work with Al-Call to determine the source of the errors and the appropriate resolution.

6.6 USAGE TO BE TRANSMITTED

6.6.1 The following messages recorded by BellSouth will be transmitted to Al-Call:

Interstate and intrastate access records associated with a port.

Undetermined jurisdiction access records associated with a port.

6.6.2 When Al-Call purchases Network Element ports from BellSouth and calls are made using these ports, BellSouth will handle the calls as follows:

Originating from Network Element and carried by Interexchange Carrier:

BellSouth will bill network element to CLEC and send access record to the CLEC via ADUF

Originating from network element and carried by BellSouth (Al-Call is BellSouth's toll customer):

BellSouth will bill resale toll rates to Al-Call and send toll record for the end user toll billing purposes via ODUF (Optional Daily Usage File). Access record will be sent to Al-Call via ADUF.

Terminating on network element and carried by Interexchange Carrier:

BellSouth will bill network element to Al-Call and send access record to Al-Call.

Terminating on network element and carried by BellSouth:

BellSouth will bill network element to Al-Call and send access record to Al-Call.

6.6.3 BellSouth will perform duplicate record checks on records processed to the Access Daily Usage File. Any duplicate messages detected will be dropped and not sent to Al-Call.

6.6.4 In the event that Al-Call detects a duplicate on the Access Daily Usage File they receive from BellSouth, Al-Call will drop the duplicate message (Al-Call will not return the duplicate to BellSouth.)

6.6.5 PHYSICAL FILE CHARACTERISTICS

6.6.5.1 The Access Daily Usage File will be distributed to Al-Call via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a fixed block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (210 byte format plus

modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.

- 6.6.5.2 Data circuits (private line or dial-up) may be required between BellSouth and Al-Call for the purpose of data transmission. Where a dedicated line is required, Al-Call will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Al-Call will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Al-Call. Additionally, all message toll charges associated with the use of the dial circuit by Al-Call will be the responsibility of Al-Call. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on Al-Call end for the purpose of data transmission will be the responsibility of Al-Call.

6.6.6 PACKING SPECIFICATIONS

- 6.6.6.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

- 6.6.6.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Al-Call which BellSouth RAO that is sending the message. BellSouth and Al-Call will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Al-Call and resend the data as appropriate.

The data will be packed using ATIS EMI records.

6.6.7 PACK REJECTION

- 6.6.7.1 Al-Call will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Al-Call will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Al-Call by BellSouth.

6.6.8 CONTROL DATA

Al-Call will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Al-Call received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Al-Call for reasons stated in the above section.

6.6.9 TESTING

6.6.9.1 Upon request from Al-Call, BellSouth shall send test files to Al-Call for the Access Daily Usage File. Testing shall consist of actual calls made from live accounts. A call log shall be supplied along with test request information. The Parties agree to review and discuss the file's content and/or format.

7. Enhanced Optional Daily Usage File

7.1 Upon written request from Al-Call, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Al-Call pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.

7.2 Al-Call shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.

7.3 The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.

Charges for delivery of the Enhanced Optional Daily Usage File will appear on the Al-Call's monthly bills. The charges are as set forth in Exhibit A to this Attachment.

7.4 All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.

7.5 Messages that error in the billing system of Al-Call will be the responsibility of Al-Call. If, however, Al-Call should encounter significant volumes of errored messages that prevent processing by Al-Call within its systems, BellSouth will work with Al-Call to determine the source of the errors and the appropriate resolution.

7.6 The following specifications shall apply to the Optional Daily Usage Feed.

7.6.1 USAGE TO BE TRANSMITTED

7.6.1.1 The following messages recorded by BellSouth will be transmitted to Al-Call:

Customer usage data for flat rated local call originating from CLEC end user lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call
From Number
To Number
Connect Time
Conversation Time
Method of Recording
From RAO
Rate Class
Message Type
Billing Indicators
Bill to Number

7.6.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Al-Call.

7.6.1.3 In the event that Al-Call detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, Al-Call will drop the duplicate message (Al-Call will not return the duplicate to BellSouth).

7.6.2 PHYSICAL FILE CHARACTERISTICS

7.6.2.1 The Enhanced Optional Daily Usage Feed will be distributed to Al-Call over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among Al-Call's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).

7.6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Al-Call for the purpose of data transmission. Where a dedicated line is required, Al-Call will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Al-Call will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Al-Call. Additionally, all message toll charges associated with the use of the dial circuit by Al-Call will be the responsibility of Al-Call. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including

modems and software, that is required on AI-Call end for the purpose of data transmission will be the responsibility of AI-Call.

7.6.3 PACKING SPECIFICATIONS

7.6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

7.6.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Al-Call which BellSouth RAO that is sending the message. BellSouth and Al-Call will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Al-Call and resend the data as appropriate.

The data will be packed using ATIS EMI records.

BELLSOUTH/AI-Call RATES
ODUF/EDOUF/ADUF/CMD5

| DESCRIPTION | USOC | RATES BY STATE | | | | | | | | |
|---|------|----------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| ODUF/EDOUF/ADUF/CMD5 | | | | | | | | | | |
| ODUF: Recording, per message | N/A | \$0.0002 | \$0.008 | \$0.008 | \$0.0008611 | \$0.00019 | \$0.0001179 | \$0.008 | \$0.0002862 | \$0.008 |
| ODUF: Message Processing, per message | N/A | \$0.0033 | \$0.004 | \$0.004 | \$0.0032357 | \$0.0024 | \$0.0032089 | \$0.004 | \$0.0032344 | \$0.004 |
| EDOUF: Message Processing, per message | N/A | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 |
| ADUF: Message Processing, per message | N/A | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 |
| CMD5: Message Processing, per message | N/A | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 |
| ODUF: Message Processing, per magnetic tape provisioned | N/A | \$55.19 | \$54.95 | \$54.95 | \$55.68 | \$47.30 | \$54.62 | \$54.95 | \$54.72 | \$54.95 |
| EDOUF: Message Processing, per magnetic tape provisioned | N/A | \$47.30 | \$47.30 | \$47.30 | \$47.30 | \$47.30 | \$47.30 | \$47.30 | \$47.30 | \$47.30 |
| ODUF: Data Transmission (CONNECT:DIRECT), per message | N/A | \$0.00004 | \$0.001 | \$0.001 | \$0.0000365 | \$0.00003 | \$0.0000354 | \$0.001 | \$0.0000357 | \$0.001 |
| EDOUF: Data Transmission (CONNECT:DIRECT), per message | N/A | \$0.0000364 | \$0.0000364 | \$0.0000364 | \$0.0000364 | \$0.0000364 | \$0.0000364 | \$0.0000364 | \$0.0000364 | \$0.0000364 |
| ADUF: Data Transmission (CONNECT:DIRECT), per message | N/A | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 |
| CMD5: Data Transmission (CONNECT:DIRECT), per message | N/A | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 |
| NOTES: | | | | | | | | | | |
| If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the parties upon request by either party. | | | | | | | | | | |

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

Attachment 9

Performance Measurements

Performance Measurements

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission.

AGREEMENT IMPLEMENTATION TEMPLATE (Residence)
for
AI-Call, Inc. (AI-Call)
BellSouth Standard Interconnection Agreement

| | |
|--|---|
| Agreement Effective Date: | Agreement Expiration Date: |
| Account Manager: Michael Willis | Account Manager Tel No: 404-927-8003 |

| Attachment Name/Number | Section Number | Version Date | Planned Activities |
|-------------------------------|-----------------------|---------------------|---------------------------|
| Terms/Conditions PartA | 1 | | |
| | 2 | | |
| | 3 | | |
| | 4 | | |
| | 5 | | |
| | 6 | | |
| | 7 | | |
| | 8 | | |
| | 9 | | |
| | 10 | | |
| | 11 | | |
| | 12 | | |
| | 13 | | |
| | 14 | | |
| | 15 | | |
| | 16 | | |
| | 17 | | |
| | 18 | | |
| | 19 | | |
| | 20 | | |
| | 21 | | |
| | 22 | | |
| | 23 | | |
| | 24 | | |
| | 25 | | |
| | 26 | | |
| Terms/Conditions Part B | | | |

AGREEMENT IMPLEMENTATION TEMPLATE (Residence)
for
AI-Call, Inc. (AI-Call)
BellSouth Standard Interconnection Agreement

| Attachment Name/Number | Section Number | Version Date | Planned Activities |
|--|---------------------------|-------------------------|---------------------------|
| 1-Resale | 1 | | |
| | 2 | | |
| | 3 | | |
| | 4 | | |
| | 5 | | |
| | 6 | | |
| | 7 | | |
| | 8 | | |
| | 9 | | |
| | 10 | | |
| | 11 | | |
| | 12 | | |
| | 13 | | |
| | Exhibit A | | |
| | Exhibit B | | |
| | Exhibit C | | |
| | Exhibit D | | |
| | Exhibit E | | |
| | Exhibit F | | |
| | Exhibit G | | |
| 2-Network Elements & Other Services | 1 | | |
| | 2 | | |
| | 3 | | |
| | 4 | | |
| | 5 | | |
| | 6 | | |
| | 7 | | |
| | 8 | | |
| | 9 | | |

AGREEMENT IMPLEMENTATION TEMPLATE (Residence)
for
AI-Call, Inc. (AI-Call)
BellSouth Standard Interconnection Agreement

| Attachment Name/Number | Section Number | Version Date | Planned Activities |
|-----------------------------------|---------------------------|-------------------------|---------------------------|
| | 10 | | |
| | 11 | | |
| | 12 | | |
| | 13 | | |
| | 14 | | |
| | 15 | | |
| | 16 | | |
| | 17 | | |
| | Exhibit A | | |
| | Exhibit B | | |
| | Exhibit C | | |
| 3-Local Interconnection | 1 | | |
| | 2 | | |
| | 3 | | |
| | 4 | | |
| | 5 | | |
| | 6 | | |
| | 7 | | |
| | 8 | | |
| | Exhibit A | | |
| | Exhibit B | | |
| | Exhibit C | | |
| | Exhibit D | | |
| | Exhibit E | | |
| 4-Physical Collocation | 1 | | |
| | 2 | | |
| | 3 | | |
| | 4 | | |
| | 5 | | |
| | 6 | | |
| | 7 | | |

AGREEMENT IMPLEMENTATION TEMPLATE (Residence)
for
AI-Call, Inc. (AI-Call)
BellSouth Standard Interconnection Agreement

| Attachment Name/Number | Section Number | Version Date | Planned Activities |
|---|---------------------------|-------------------------|---------------------------|
| | 8 | | |
| | 9 | | |
| | 10 | | |
| | 11 | | |
| | 12 | | |
| | 13 | | |
| | 14 | | |
| | Exhibit A | | |
| 4-Remote Site | 1 | | |
| | 2 | | |
| | 3 | | |
| | 4 | | |
| | 5 | | |
| | 6 | | |
| | 7 | | |
| | 8 | | |
| | 9 | | |
| | 10 | | |
| | 11 | | |
| | 12 | | |
| | 13 | | |
| | 14 | | |
| | Exhibit A | | |
| 5-Access to Numbers & Number Portability | 1 | | |
| | 2 | | |
| | 3 | | |
| | 4 | | |
| | 5 | | |
| | 6 | | |
| | 7 | | |

AGREEMENT IMPLEMENTATION TEMPLATE (Residence)
for
AI-Call, Inc. (AI-Call)
BellSouth Standard Interconnection Agreement

| Attachment Name/Number | Section Number | Version Date | Planned Activities |
|--|-----------------------|---------------------|---------------------------|
| | 8 | | |
| | Exhibit A | | |
| 6-Ordering/Provisioning | 1 | | |
| | 2 | | |
| | 3 | | |
| 7-Billing & Billing Accuracy Certification | 1 | | |
| | 2 | | |
| | 3 | | |
| | 4 | | |
| | 5 | | |
| | 6 | | |
| | 7 | | |
| | Exhibit A | | |
| 8-ROW/Conduits/PoleAtt | 1 | | |
| 9-Perf Measurement | Pre-Ordering | | |
| | Ordering | | |
| | Provisioning | | |
| | Maint/Repair | | |
| | Billing | | |
| | Opr Svcs/DA | | |
| | E911 | | |
| | Trunk Grp Perf | | |
| | Collocation | | |
| | Appendix A | | |
| | Appendix B | | |
| | Appendix C | | |
| 10-Executive Summary | | | |
| | | | |
| 11-Disaster Recovery | | | |
| | | | |

AGREEMENT IMPLEMENTATION TEMPLATE (Residence)
for
Al-Call, Inc. (Al-Call)
BellSouth Standard Interconnection Agreement

| Attachment Name/Number | Section Number | Version Date | Planned Activities |
|-----------------------------------|---------------------------|-------------------------|---------------------------|
| | | | |
| | | | |

AGREEMENT IMPLEMENTATION TEMPLATE (Business)
for
Al-Call, Inc. (Al-Call)
BellSouth Standard Interconnection Agreement

| | |
|----------------------------------|-----------------------------------|
| Agreement Effective Date: | Agreement Expiration Date: |
| Account Manager: | Account Manager Tel No: |

| Attachment Name | Section No. | Version Date | Planned Activities |
|------------------------|--------------------|---------------------|---------------------------|
| Terms/Conditions PartA | 1 | | |
| | 2 | | |
| | 3 | | |
| | 4 | | |
| | 5 | | |
| | 6 | | |
| | 7 | | |
| | 8 | | |
| | 9 | | |
| | 10 | | |
| | 11 | | |
| | 12 | | |
| | 13 | | |
| | 14 | | |
| | 15 | | |
| | 16 | | |
| | 17 | | |
| | 18 | | |
| | 19 | | |
| | 20 | | |
| | 21 | | |
| | 22 | | |
| | 23 | | |
| | 24 | | |
| | 25 | | |
| | 26 | | |

AGREEMENT IMPLEMENTATION TEMPLATE (Business)
for
Al-Call, Inc. (Al-Call)
BellSouth Standard Interconnection Agreement

| Attachment Name | Section No. | Version Date | Planned Activities |
|-------------------------------------|--------------------|---------------------|---------------------------|
| Terms/Conditions Part B | | | |
| 1-Resale | 1 | | |
| | 2 | | |
| | 3 | | |
| | 4 | | |
| | 5 | | |
| | 6 | | |
| | 7 | | |
| | 8 | | |
| | 9 | | |
| | 10 | | |
| | 11 | | |
| | 12 | | |
| | 13 | | |
| | Exhibit A | | |
| | Exhibit B | | |
| | Exhibit C | | |
| | Exhibit D | | |
| | Exhibit E | | |
| | Exhibit F | | |
| | Exhibit G | | |
| | Exhibit H | | |
| 2-Network Elements & Other Services | 1 | | |
| | 2 | | |
| | 3 | | |
| | 4 | | |
| | 5 | | |
| | 6 | | |
| | 7 | | |

AGREEMENT IMPLEMENTATION TEMPLATE (Business)
for
AI-Call, Inc. (AI-Call)
BellSouth Standard Interconnection Agreement

| Attachment Name | Section No. | Version Date | Planned Activities |
|-------------------------|--------------------|---------------------|---------------------------|
| | 8 | | |
| | 9 | | |
| | 10 | | |
| | 11 | | |
| | 12 | | |
| | 13 | | |
| | 14 | | |
| | 15 | | |
| | 16 | | |
| | 17 | | |
| | Exhibit A | | |
| | Exhibit B | | |
| | Exhibit C | | |
| 3-Local Interconnection | 1 | | |
| | 2 | | |
| | 3 | | |
| | 4 | | |
| | 5 | | |
| | 6 | | |
| | 7 | | |
| | 8 | | |
| | Exhibit A | | |
| 4-Physical Collocation | 1 | | |
| | 2 | | |
| | 3 | | |
| | 4 | | |
| | 5 | | |
| | 6 | | |
| | 7 | | |
| | 8 | | |

AGREEMENT IMPLEMENTATION TEMPLATE (Business)
for
AI-Call, Inc. (AI-Call)
BellSouth Standard Interconnection Agreement

| Attachment Name | Section No. | Version Date | Planned Activities |
|--|--------------------|---------------------|---------------------------|
| | 9 | | |
| | 10 | | |
| | 11 | | |
| | 12 | | |
| | 13 | | |
| | 14 | | |
| | Exhibit A | | |
| 4-Remote Site | 1 | | |
| | 2 | | |
| | 3 | | |
| | 4 | | |
| | 5 | | |
| | 6 | | |
| | 7 | | |
| | 8 | | |
| | 9 | | |
| | 10 | | |
| | 11 | | |
| | 12 | | |
| | 13 | | |
| | 14 | | |
| | Exhibit A | | |
| 5-Access to Numbers & Number Portability | 1 | | |
| | 2 | | |
| | 3 | | |
| | 4 | | |
| | 5 | | |
| | 6 | | |
| | 7 | | |

AGREEMENT IMPLEMENTATION TEMPLATE (Business)
for
AI-Call, Inc. (AI-Call)
BellSouth Standard Interconnection Agreement

| Attachment Name | Section No. | Version Date | Planned Activities |
|--|--------------------|---------------------|---------------------------|
| | 8 | | |
| | Exhibit A | | |
| 6-Ordering/Provisioning | 1 | | |
| | 2 | | |
| | 3 | | |
| 7-Billing & Billing Accuracy Certification | 1 | | |
| | 2 | | |
| | 3 | | |
| | 4 | | |
| | 5 | | |
| | 6 | | |
| | 7 | | |
| | Exhibit A | | |
| 8-ROW/Conduits/PoleAtt | 1 | | |
| 9-Perf Measurement | Pre-Ordering | | |
| | Ordering | | |
| | Provisioning | | |
| | Maint/Repair | | |
| | Billing | | |
| | Opr Svcs/DA | | |
| | E911 | | |
| | Trunk Grp Perf | | |
| | Collocation | | |
| | Appendix A | | |
| | Appendix B | | |
| | Appendix C | | |

Attachment 11
BellSouth Disaster Recovery Plan

***2000
BELLSOUTH
DISASTER RECOVERY PLANNING
For***

CLECS

CONTENTS

| | <u>PAGE</u> |
|---|--------------------|
| 1.0 Purpose | 4 |
| 2.0 Single Point of Contact | 4 |
| 3.0 Identifying the Problem | 4 |
| 3.1 Site Control | 5 |
| 3.2 Environmental Concerns | 6 |
| 4.0 The Emergency Control Center (ECC) | 6 |
| 5.0 Recovery Procedures | 7 |
| 5.1 CLEC Outage | 7 |
| 5.2 BellSouth Outage | 7 |
| 5.2.1 Loss of Central Office | 8 |
| 5.2.2 Loss of a Central Office with Serving Wire Center Functions | 8 |
| 5.2.3 Loss of a Central Office with Tandem Functions | 8 |
| 5.2.4 Loss of a Facility Hub | 9 |
| 5.3 Combined Outage (CLEC and BellSouth Equipment | 9 |
| 6.0 T1 Identification Procedures | 9 |
| 7.0 Acronyms | 10 |

1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed to hasten the recovery process. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only; BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire & life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to insure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
2. Asbestos containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
4. Mercury and other regulated compounds resident in telephone equipment.
5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Colonnade Building in Birmingham, Alabama. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available; leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of who's equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

5.2 BELL SOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the

completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Begin restoring service to CLECs and other customers.

5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in section 5.2.1.

5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)
- g) Begin restoring service to CLECs and other customers.

5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Restoring service to CLECs and other customers. If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently than normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

7.0 ACRONYMS

| | | |
|------|---|---|
| CO | - | Central Office (BellSouth) |
| DS3 | - | Facility that carries 28 T1s (672 circuits) |
| ECC | - | Emergency Control Center (BellSouth) |
| CLEC | - | Competitive Local Exchange Carrier |
| NMC | - | Network Management Center |
| SWC | - | Serving Wire Center (BellSouth switch) |
| T1 | - | Facility that carries 24 circuits |

Hurricane Information

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at http://www.interconnection.bellsouth.com/network/disaster/dis_resp.htm. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to <http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm>.

BST Disaster Management Plan

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

Attachment 12

Bona Fide Request and New Business Requests Process

BONA FIDE REQUEST AND NEW BUSINESS REQUESTS PROCESS

- 1.0 The Parties agree that Al-Call is entitled to order any Network Element, Interconnection option, service option or Resale Service required to be made available by the Communications Act of 1934, as modified by the Telecommunications Act of 1996 (the “Act”), FCC requirements or State Commission requirements. Al-Call also shall be permitted to request the development of new or revised facilities or service options which are not required by the Act. Procedures applicable to requesting the addition of such facilities or service options are specified in this Attachment 12.
- 2.0 Bona Fide Requests (“BFR”) are to be used when Al-Call makes a request of BellSouth to provide a new or modified network element, interconnection option, or other service option pursuant to the Act that was not previously included in the Agreement. New Business Requests (“NBRs”) are to be used when Al-Call makes a request of BellSouth to provide a new or custom capability or function to meet Al-Call’s business needs that was not previously included in the Agreement. The BFR/NBR process is intended to facilitate the two-way exchange of information between Al-Call and BellSouth, necessary for accurate processing of requests in a consistent and timely fashion.
- 3.0 A BFR shall be submitted in writing by Al-Call and shall specifically identify the required service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request also shall include a Al-Call’s designation of the request as being (i) pursuant to the Telecommunications Act of 1996 (i.e., a “BFR”) or (ii) pursuant to the needs of the business (i.e., a “NBR”). The request shall be sent to Al-Call’s Account Executive.
- 4.0 Al-Call may cancel a BFR or NBR at any time. If Al-Call cancels the request more than three (3) business days after submitting it, Al-Call shall pay BellSouth’s reasonable and demonstrable costs of processing and/or implementing the BFR or NBR up to the date of cancellation. If Al-Call does not cancel a BFR or NBR, Al-Call shall pay BellSouth’s reasonable and demonstrable costs of processing and implementing the request.
- 5.0 Within fifteen (15) business days of its receipt of a BFR or NBR from Al-Call, BellSouth shall respond to Al-Call by providing a preliminary analysis of such Interconnection, Network Element, or other facility or service option that is the subject of the BFR or NBR. The preliminary analysis

shall confirm that BellSouth will either offer access to the Interconnection, Network Element, or other facility or service option, or provide an explanation of why it is not technically feasible and/or why the request does not qualify as an Interconnection, Network Element, or is not otherwise required to be provided under the Act.

- 6.0 If BellSouth determines that the Interconnection, Network Element, or other facility or service option that is the subject of the BFR is technically feasible, BellSouth shall propose a firm price and a detailed implementation plan within forty (40) business days after receipt of the BFR. BellSouth may, but shall not be required, to provide a firm time and cost proposal for a NBR.
- 7.0 Within thirty (30) business days after its receipt of (i) a refusal of BellSouth to provide a BFR or NBR price quote, or (ii) the BFR or NBR price quote and implementation plan from BellSouth, Al-Call must either confirm or cancel its order for such facility or service option. If it believes such quote is not consistent with the requirements of the Act, Al-Call may at that time seek FCC or state Commission arbitration of its request, as appropriate. Any such arbitration applicable to Network Elements and/or Interconnection shall be conducted in accordance with standards prescribed in Section 252 of the Act.
- 8.0 Unless Al-Call agrees otherwise, all prices shall be consistent with the pricing principles of the Act, FCC and/or the State Commission.
- 9.0 If either Party to a BFR or NBR believes that the other Party is not requesting, negotiating, or processing the Bona Fide Request in good faith, or disputes a determination, or price or cost quote, such Party may seek FCC or state Commission resolution of the dispute, as appropriate.
- 10.0 Upon agreement to the terms of a BFR or NBR, an amendment to the Agreement may be required.

AMENDMENT
TO
THE INTERCONNECTION AGREEMENT BETWEEN
AL-CALL, INC. AND
BELLSOUTH TELECOMMUNICATIONS, INC.
DATED JANUARY 8, 2001

Pursuant to this Agreement (the "Amendment"), Al-Call, Inc. ("Al-Call") and BellSouth Telecommunications, Inc. ("BellSouth") hereinafter referred to as the "Parties", hereby agree to amend the Interconnection Agreement between the Parties dated January 8, 2001 ("Interconnection Agreement").

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. Attachment 2 is here by amended to include provisions for line sharing as section 6.10, as follows:

6.10 High Frequency Spectrum Network Element

6.10.1 General

- 6.10.1.1 BellSouth shall provide Al-Call access to the high frequency portion of the local loop as an unbundled network element only where BellSouth is the voice service provider to the end user ("High Frequency Spectrum") at the rates set forth in Exhibit C. BellSouth shall provide Al-Call with the High Frequency Spectrum irrespective of whether BellSouth chooses to offer xDSL services on the loop.

6.10.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Al-Call the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL presumed acceptable for deployment pursuant to 47 CFR Section 51.230, including, but not limited to, ADSL, HDSL, and any other xDSL technology that is presumed to be acceptable for deployment pursuant to FCC rules. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Al-Call shall only use xDSL technology that is within the PSD mask parameters set forth in T1.413 or other applicable industry standards. Al-Call shall provision xDSL service on the High Frequency Spectrum in accordance with the applicable Technical Specifications and Standards.

- 6.10.1.3 The following loop requirements are necessary for Al-Call to be able to access the High Frequency Spectrum: an unconditioned, 2-wire copper loop. An unconditioned loop is a copper loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with

ANSI T1.413 and T1.601. BellSouth will provide Al-Call access to the Unbundled Loop Modification (Line Conditioning), in accordance with Section 2.2 of this Agreement. BellSouth is not required to condition a loop for access to the high frequency spectrum if conditioning of that loop significantly degrades BellSouth's voice service. If Al-Call requests that BellSouth condition a loop longer than 18,000 ft. and such conditioning significantly degrades the voice services on the loop, Al-Call shall pay for the loop to be restored to its original state.

- 6.10.1.4 Al-Call's termination point is the point of termination for Al-Call on the toll main distributing frame in the central office ("Termination Point"). BellSouth will use jumpers to connect Al-Call's connecting block to the splitter. The splitter will route the High Frequency Spectrum on the circuit to Al-Call's xDSL equipment in Al-Call's collocation space.

6.10.1.5 Al-Call shall have access to the splitter for test purposes, irrespective of where the splitter is placed in the BellSouth premises.

6.10.2 Provisioning of High Frequency Spectrum and Splitter Space

- 6.10.2.1 BellSouth will provide Al-Call with access to the High Frequency Spectrum as follows:

- 6.10.2.2 BellSouth will install splitters within forty-two (42) calendar days of Al-Call's submission of such order to the BellSouth Complex Resale Support Group; provided, however, that in the event BellSouth did not have reasonable notice that a particular central office was to have a splitter installed therein, the forty-two (42) day interval shall not apply. Collocation itself or an application for collocation will serve as reasonable notice.

- 6.10.2.3 Once a splitter is installed on behalf of Al-Call in a central office, Al-Call shall be entitled to order the High Frequency Spectrum on lines served out of that central office.

- 6.10.2.4 BellSouth will bill and Al-Call shall pay the SOMAN and SOMECH charges as described in Section 2.13 of this Agreement when Al-Call orders High Frequency Spectrum for end-user service.

- 6.10.2.5 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Al-Call access to data ports on the splitter. At least 30 days before making a change in splitter suppliers, BellSouth will provide Al-Call with a carrier notification letter, informing Al-Call of change. Al-Call shall purchase ports on the splitter as set forth more fully below.

- 6.10.2.6 BellSouth will install the splitter in (i) a common area close to the Al-Call collocation area, if possible; or (ii) in a BellSouth relay rack as close to the Al-Call DS0 termination point as possible. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. BellSouth will cross-connect the splitter data ports to a specified Al-Call DS0 at such time that a Al-Call end user's service is established.

- 6.10.2.7 The High Frequency Spectrum shall only be available on loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, and Al-Call desires to continue providing xDSL service on such loop, Al-Call shall be required to purchase a full stand-alone loop unbundled network element. In the event BellSouth disconnects the end-user's voice service pursuant to its tariffs or applicable law, and Al-Call desires to continue providing xDSL service on such loop, Al-Call shall be permitted to continue using the line by purchasing the full stand-alone loop unbundled network element. To the extent commercially practicable, BellSouth shall give Al-Call notice in a reasonable time prior to disconnect, which notice shall give Al-Call an adequate opportunity to notify BellSouth of its intent to purchase such loop. In those cases in which BellSouth no longer provides voice service to the end user and Al-Call purchases the full stand-alone loop, Al-Call may elect the type of loop it will purchase. Al-Call will pay the appropriate recurring and non-recurring rates for such loop as set forth in Exhibit C to this Attachment. In the event Al-Call purchases a voice grade loop, Al-Call acknowledges that such loop may not remain xDSL compatible.
- 6.10.2.8 Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular loop.
- 6.10.3 Ordering
- 6.10.3.1 To order High Frequency Spectrum on a particular loop, Al-Call must have a DSLAM collocated in the central office that serves the end-user of such loop. Al-Call may order splitters in a central office once it has installed its Digital Subscriber Line Access Multiplexer ("DSLAM") in that central office. BellSouth will install these splitters within the interval provided in paragraph 6.10.2.2.
- 6.10.3.2 BellSouth will devise a splitter order form that allows Al-Call to order splitter ports in increments of 24 ports.
- 6.10.3.3 BellSouth will provide Al-Call the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 6.10.3.4 BellSouth will provide access to the High Frequency Spectrum within the following target intervals: BellSouth will return a manual Firm Order Confirmation ("FOC") in no more than two (2) business days after receipt of a valid, error free manual LSR. When Al-Call submits an electronic LSR for High Frequency Spectrum, BellSouth will return a FOC in four (4) hours ninety-five percent (95%) of the time, or, for orders that do not flow-through, in two (2) business days. BellSouth will provide Al-Call with access to the High Frequency Spectrum at the following target intervals:
- 6.10.3.5 For 1-5 lines at the same address within three (3) business days from BellSouth's issuance of a FOC; 6-10 lines at same address within 5 business days from BellSouth's issuance of a FOC; and more than 10 lines at the same address is to be negotiated.

- 6.10.3.6 BellSouth will provide to Al-Call BellSouth's Loop Qualification System that BellSouth uses to qualify loops for its own ADSL offering as described below.
- 6.10.3.7 BellSouth will provide Al-Call access to the Preordering Loop Makeup (LMU), in accordance with Section 2.4 of this Agreement. BellSouth shall bill and Al-Call shall pay the rates for such services, as described in Exhibit C.
- 6.10.4 Maintenance and Repair
 - 6.10.4.1 Al-Call shall have access, for test, repair, and maintenance purposes, to any loop as to which it has access to the High Frequency Spectrum. Al-Call may access the loop at the point where the combined voice and data signal exits the central office splitter.
 - 6.10.4.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point of demarcation in the central office. Al-Call will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
 - 6.10.4.3 Al-Call shall inform its end users to direct data problems to Al-Call, unless both voice and data services are impaired, in which event the end users should call BellSouth.
 - 6.10.4.4 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the loop.
 - 6.10.4.5.1 In the event Al-Call's deployment of xDSL on the High Frequency Spectrum significantly degrades the performance of other advanced services or of BellSouth's voice service on the same loop, BellSouth shall notify Al-Call and allow twenty-four (24) hours to cure the trouble. If Al-Call fails to resolve the trouble, BellSouth may discontinue Al-Call's access to the High Frequency Spectrum on such loop.
- 2. Exhibit C of Attachment 2 of the Interconnection Agreement is hereby amended to include rates for Line Sharing, attached hereto as Exhibit A to this amendment.
- 3. All of the other provisions of the Interconnection Agreement dated January 8, 2001, shall remain unchanged and in full force and effect until the expiration date.
- 4. Either or both of the Parties is authorized to submit this Amendment to the appropriate regulatory agencies for approval subject to Section 252 (e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

Al-Call, Inc.

Signature on file
By: _____
Signature
Name: Greg Davis
V.P
Title: _____
March 7, 2001
Date: _____

BellSouth Telecommunications, Inc.

Signature on file
By: _____
Signature
Name: Patrick C. Finlen
Managing Director
Title: _____
March 15, 2001
Date: _____

Exhibit A

| | | | | | | | | | | |
|--|--------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 2-Wire analog VG (SL1) for Line Sharing | | | | | | | | | | |
| RC – per month (Note 3) ** | | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | \$12.16 |
| NRC - 1st (Note 1) ** | | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | \$31.99 |
| NRC - Add'l (Note 1) ** | | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | \$20.02 |
| System Splitter - 96 Line Capacity | | | | | | | | | | |
| RC – Per month ** | ULSDA | \$100.00 | \$100.00 | \$100.00 | \$100.00 | \$100.00 | \$100.00 | \$100.00 | \$100.00 | \$100.00 |
| NRC - 1st ** | ULSDA | \$150.00 | \$150.00 | \$150.00 | \$300.00 | \$150.00 | \$300.00 | \$300.00 | \$300.00 | \$150.00 |
| NRC - Add'l ** | ULSDA | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| NRC - Disconnect 1st ** | ULSDA | \$150.00 | \$150.00 | \$150.00 | NA | \$150.00 | NA | NA | NA | \$150.00 |
| NRC - Disconnect Add'l ** | ULSDA | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| System Splitter - 24 Line Capacity | | | | | | | | | | |
| RC – Per month ** | ULSDB | \$25.00 | \$25.00 | \$25.00 | \$25.00 | \$25.00 | \$25.00 | \$25.00 | \$25.00 | \$25.00 |
| NRC - 1st ** | ULSDB | \$150.00 | \$150.00 | \$150.00 | \$300.00 | \$150.00 | \$300.00 | \$300.00 | \$300.00 | \$150.00 |
| NRC - Add'l ** | ULSDB | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| NRC - Disconnect 1st ** | ULSDB | \$150.00 | \$150.00 | \$150.00 | NA | \$150.00 | NA | NA | NA | \$150.00 |
| NRC - Disconnect Add'l ** | ULSDB | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| Loop Capacity, Line Activation Per Occurrence | | | | | | | | | | |
| RC – Per Month ** | ULSDC | \$6.00 | \$6.00 | \$6.00 | \$6.00 | \$6.00 | \$6.00 | \$6.00 | \$6.00 | \$3.48 |
| NRC - 1st ** | ULSDC | \$40.00 | \$40.00 | \$40.00 | \$40.00 | \$40.00 | \$40.00 | \$40.00 | \$40.00 | \$40.00 |
| NRC - Add'l ** | ULSDC | \$22.00 | \$22.00 | \$22.00 | \$22.00 | \$22.00 | \$22.00 | \$22.00 | \$22.00 | \$21.39 |
| NRC - Service Order submitted Electronically, per LSR | SOMECE | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| NRC - Service Order submitted Electronically, per LSR – Disconnect | SOMECE | NA | \$0.42 | NA | NA | NA | NA | NA | NA | TBD |
| NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | NA | NA | NA | \$19.99 |
| NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | NA | NA | NA | TBD |
| NRC - Incremental Charge – Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.22 | NA |
| NRC - Incremental Charge – Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA |
| NRC - Incremental Charge – Manual Service Order – | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA |

| | | | | | | | | | | |
|--|-------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Disconnect | | | | | | | | | | |
| Subsequent Activity - Per Occurrence | | | | | | | | | | |
| NRC - 1st ** | ULSDS | \$30.00 | \$30.00 | \$30.00 | \$30.00 | \$30.00 | \$30.00 | \$30.00 | \$30.00 | \$30.00 |
| NRC - Addl ** | ULSDS | \$15.00 | \$15.00 | \$15.00 | \$15.00 | \$15.00 | \$15.00 | \$15.00 | \$15.00 | \$15.00 |
| | | | | | | | | | | |
| * Interim Rates subject to true-up | | | | | | | | | | |
| ** TN rates are interim and subject to true-up. | | | | | | | | | | |
| 1. The recurring interim and nonrecurring interim rates in TN for 2-Wire analog VG (SL1) for Line Sharing is for a stand-alone loop purchased by AI-Call to provide both analog voice service and xDSL services or in the event AI-Call wishes to continue providing xDSL services to an end-user who terminates its BellSouth-provided voice service. These rates apply when AI-Call purchases the splitter from BellSouth. | | | | | | | | | | |

**98AMENDMENT
TO THE
AGREEMENT BETWEEN
AL-CALL
AND
BELLSOUTH TELECOMMUNICATIONS, INC.
DATED JANUARY 8, 2001**

Pursuant to this Amendment, (the "Amendment"), Al-Call ("Al-Call"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated January 8, 2001 ("Agreement").

WHEREAS, BellSouth and Al-Call entered into the Agreement on January 8, 2001 and;

WHEREAS, Al-Call has changed the name of said business to ALCALL, Inc., a Georgia corporation, and desire that the Interconnection Agreement be amended to reflect the correct corporate entity name and;

WHEREAS, Al-Call has requested that certain rates be amended in the Interconnection Agreement and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. The name of Al-Call in the Interconnection Agreement is hereby deleted through the Interconnection Agreement and replaced with ALCALL, Inc. ("ALCALL")
2. Attachment 2 is hereby deleted in its entirety and replaced with language and rates shown in Exhibit 1 and by reference made a part of this Agreement:
3. All of the other provisions of the Agreement, dated January 8, 2001, shall remain in full force and effect.
4. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below. The effective date of this amendment shall be 30 calendar days following the last signature.

ALCALL, Inc.

By: Original Signature on File

Name: Greg Davis

Title: V. P.

Date: 5/17/02

BellSouth Telecommunications, Inc.

By: Original Signature on File

Name: C. W. Boltz

Title: Managing Director

Date: 5/21/02

EXHIBIT 1

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

| | | |
|-----------|---|------------------|
| 1 | INTRODUCTION..... | 3 |
| 2 | UNBUNDLED LOOPS..... | 4 |
| 3 | HIGH FREQUENCY SPECTRUM NETWORK ELEMENT..... | 25 |
| 4 | LOCAL SWITCHING..... | 34 |
| 5 | UNBUNDLED NETWORK ELEMENT COMBINATIONS..... | 41 |
| 6 | TRANSPORT, CHANNELIZATION AND DARK FIBER..... | 47 |
| 7 | BELLSOUTH SWITCHED ACCESS (“SWA”) 8XX TOLL FREE DIALING TEN DIGIT SCREENING SERVICE..... | 52 |
| 8 | LINE INFORMATION DATABASE (LIDB)..... | 52 |
| 9 | SIGNALING | 55 |
| 10 | OPERATOR SERVICES (OPERATOR CALL PROCESSING AND DIRECTORY ASSISTANCE) . | 61 |
| 11 | AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)..... | 67 |
| 12 | CALLING NAME (CNAM) DATABASE SERVICE..... | 67 |
| 13 | SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) ADVANCED INTELLIGENT NETWORK (AIN) ACCESS | 69 |
| 14 | BASIC 911 AND E911 | 69 |
| 15 | OPERATIONAL SUPPORT SYSTEMS (OSS)..... | 70 |
| | LIDB Storage Agreement | Exhibit A |
| | Rates | Exhibit B |

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to ALCALL in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other services BellSouth makes available to ALCALL. The price for each Network Element and combination of Network Elements and other services are set forth in Exhibit B of this Agreement. Additionally, the provision of a particular Network Element or service may require ALCALL to purchase other Network Elements or services.
- 1.2 For purposes of this Agreement, “Network Element” is defined to mean a facility or equipment ALCALL used in the provision of a telecommunications service. For purposes of this Agreement, combinations of Network Elements shall be referred to as “Combinations.”
- 1.3 BellSouth shall, upon request of ALCALL, and to the extent technically feasible, provide to ALCALL access to its Network Elements for the provision of ALCALL’s telecommunications services. If no rate is identified in this Agreement, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 ALCALL may purchase Network Elements and other services from BellSouth for the purpose of combining such network elements in any manner ALCALL chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop Network Elements which are located outside of the central office, BellSouth shall deliver the Network Elements purchased by ALCALL to the demarcation point associated with ALCALL’s collocation arrangement.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Rates
- 1.6.1 The prices that ALCALL shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit B to this Attachment. If ALCALL purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.6.2 Rates, terms and conditions for order cancellation charges and expedite charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.

- 1.6.3 If ALCALL modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by ALCALL in accordance with FCC No. 1 Tariff, Section 5.
- 1.6.4 A one-month minimum billing period shall apply to all UNE conversions or new installations.
- 2 Unbundled Loops**
- 2.1 General
- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an end-user customer premises, including inside wire owned by BellSouth. The local loop Network Element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.
- 2.1.2 The provisioning of a Loop to ALCALL's collocation space will require cross-office cabling and cross-connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross-connects are separate components, that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 To the extent available within BellSouth's network at a particular location, BellSouth will offer Loops capable of supporting telecommunications services. If a requested loop type is not available, and cannot be made available through BellSouth's Unbundled Loop Modification (ULM) process, then ALCALL can use the Special Construction (SC) process to request that BellSouth place facilities in order to meet ALCALL's loop requirements. Standard Loop intervals shall not apply to the SC process.
- 2.1.4 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at <http://www.interconnection.bellsouth.com>. For orders of 15 or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.5 The Loop shall be provided to ALCALL in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.

- 2.1.6 ALCALL may utilize the unbundled Loops to provide any telecommunications service it wishes, so long as such services are consistent with industry standards and BellSouth's TR73600.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered. In those cases where ALCALL has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.) the resulting Loop will be maintained as an unbundled copper Loop (UCL), and ALCALL shall pay the recurring and non-recurring charges for a UCL. For non-service specific loops (e.g. UCL, Loops modified by ALCALL using the ULM process), BellSouth will only support that the Loop has copper continuity and balanced tip-and-ring.
- 2.1.8 **Loop Testing/Trouble Reporting**
- 2.1.8.1 ALCALL will be responsible for testing and isolating troubles on the Loops. ALCALL must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Center. At the time of the trouble report, ALCALL will be required to provide the results of the ALCALL tests which indicate a problem on the BellSouth provided loop.
- 2.1.8.2 Once ALCALL has isolated a trouble to the BellSouth provided Loop, and has issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its end users.
- 2.1.8.3 If ALCALL reports a trouble on a non-designed loop (e.g., UVL-SL1, UCL-ND, etc.) and no trouble actually exists, BellSouth will charge ALCALL for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the loop's working status. If ALCALL reports trouble on a designed loop and no trouble is found, BellSouth will charge ALCALL for any dispatch and testing outside the central office.
- 2.1.9 **Order Coordination and Order Coordination-Time Specific**
- 2.1.9.1 Order Coordination (OC) allows BellSouth and ALCALL to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to ALCALL's facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

- 2.1.9.2 Order Coordination – Time Specific (OC-TS) allows ALCALL to order a specific time for OC to take place. BellSouth will make every effort to accommodate ALCALL's specific conversion time request. However, BellSouth reserves the right to negotiate with ALCALL a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and Universal Digital Channel (UDC), and is billed in addition to the OC charge. ALCALL may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If ALCALL specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.
- 2.1.10 **CLEC to CLEC Conversions for Unbundled Loops**
- 2.1.10.1 The CLEC to CLEC conversion process for unbundled Loops may be used by ALCALL when converting an existing unbundled Loop from another CLEC for the same end user. The Loop type being converted must be included in ALCALL's Interconnection Agreement before requesting a conversion.
- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same end user location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.10.3 The Loops converted to ALCALL pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

| | Order Coordination (OC) | Order Coordination – Time Specific (OC-TS) | Test Points | DLR | Charge for Dispatch and Testing if No Trouble Found |
|---|---|---|------------------------------|---|--|
| SL-1 (Non-Designed) | Chargeable Option | Chargeable Option | Not available | Chargeable Option – ordered as Engineering Information Document | Charged for Dispatch inside and outside Central Office |
| UCL-ND (Non-Designed) | Chargeable Option | Not Available | Not Available | Chargeable Option – ordered as Engineering Information Document | Charged for Dispatch inside and outside Central Office |
| Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed) | Included | Chargeable Option | Included | Included | Charged for Dispatch outside Central Office |
| Unbundled Digital Loop (Designed) | Included | Chargeable Option (except on Universal Digital Channel) | Included (where appropriate) | Included | Charged for Dispatch outside Central Office |
| Unbundled Copper Loop (Designed) | Chargeable in accordance with Section 2 | Not available | Included | Included | Charged for Dispatch outside Central Office |
| For UVL-SL1 and UCLs, ALCALL must order and will be billed for both OC and OC-TS if requesting OC-TS. | | | | | |

2.2 **Unbundled Voice Loops (UVLs)**

2.2.1 BellSouth shall make available the following UVLs:

2.2.1.1 2-wire Analog Voice Grade Loop – SL1 (Non-Designed)

2.2.1.2 2-wire Analog Voice Grade Loop – SL2 (Designed)

2.2.1.3 4-wire Analog Voice Grade Loop (Designed)

2.2.2 Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and

configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that ALCALL will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.3 Unbundled Voice Loop - SL1 (UVL-SL1) loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SLI loops when reuse of existing facilities has been requested by ALCALL. ALCALL may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as chargeable option. The EI document provides loop make up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its end users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that ALCALL may request further testing on UVL-SL1 loops. Loop Testing is available for new and reuse of BellSouth facilities. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.2.5 Unbundled Voice Loop – SL2 (UVL-SL2) loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to ALCALL. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 loops. The OC feature will allow ALCALL to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 **Unbundled Digital Loops**

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
 - 2.3.2.2 2-wire Universal Digital Channel (IDSL Compatible)
 - 2.3.2.3 2-wire Unbundled ADSL Compatible Loop

- 2.3.2.4 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.6 4-wire Unbundled DS1 Digital Loop
- 2.3.2.7 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below
- 2.3.2.8 DS3 Loop
- 2.3.2.9 STS-1 Loop
- 2.3.2.10 OC3 Loop
- 2.3.2.11 OC12 Loop
- 2.3.2.12 OC48 Loop
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. ALCALL will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. BellSouth will not reconfigure its ISDN-capable loop to support IDSL service.
- 2.3.3.1 The Universal Digital Channel (UDC) (also known as IDSL-compatible Loop) is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable loop. These specifications are listed in BellSouth's TR73600.
- 2.3.3.2 The UDC may be provisioned on copper or through a Digital Loop Carrier (DLC) system. When UDC Loops are provisioned using a DLC system, the Loops will be provisioned on time slots that are compatible with data-only services such as IDSL.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of loop length). The loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed loop that is provisioned according to Carrier Serving Area (CSA) criteria and may be up to 12kft long and may have up to 2,500 feet of bridged tap (inclusive of loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the end-user's location.

- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. This is a two-point digital transmission path, which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of ALCALL in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. This is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of ALCALL for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path, which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 OC3 Loop/OC12 Loop/OC48 Loop. These are optical two-point transmission paths that are dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. The physical interface for all optical transport is optical fiber. This interface standard allows for transport of many different digital signals using a basic building block or base transmission rate of 51.84 megabits per second (Mbps). Higher rates are direct multiples of the base rate. The following rates are applicable: OC-3 -155.52 Mbps; OC12 - 622.08 Mbps; and OC-48 - 2488 Mbps.
- 2.3.11 DS3 and above services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate[®]Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 and above services.

2.4 **Unbundled Copper Loops (UCL)**

- 2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 **Unbundled Copper Loop – Designed (UCL-D)**

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL-D will be offered in two versions - Short and Long.
- 2.4.2.2 A short UCL-D (18kft or less) is provisioned according to Resistance Design parameters, may have up to 6kft of bridged tap and will have up to 1300 ohms of resistance.
- 2.4.2.3 The long UCL-D (beyond 18kft) is provisioned as a dry copper twisted pair longer than 18kf and may have up to 12kft of bridged tap and up to 2800 ohms of resistance.
- 2.4.2.4 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by ALCALL.
- 2.4.2.5 These loops are not intended to support any particular services and may be utilized by ALCALL to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.2.6 BellSouth will make available the following UCL-Ds:
- 2.4.2.6.1 2-Wire UCL-D/short
 - 2.4.2.6.2 2-Wire UCL-D/long
 - 2.4.2.6.3 4-Wire UCL-D/short
 - 2.4.2.6.4 4-Wire UCL-D/long

2.4.3 **Unbundled Copper Loop – Non-Designed (UCL-ND)**

- 2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6kft of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18kft in length, although the UCL-ND will not have a specific length limitation. For loops less than 18kft and with less than 1300 Ohms resistance, the loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-

ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, ALCALL can request Loop Make Up for which additional charges would apply.
- 2.4.3.3 At an additional charge, BellSouth also will make available Loop Testing so that ALCALL may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.4.3.4 UCL-ND loops are not intended to support any particular service and may be utilized by ALCALL to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 ALCALL may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridged tap and/or load coils from any loop within the BellSouth network. Therefore, some loops that would not qualify as UCL-ND could be transformed into loops that do qualify, using the ULM process.
- 2.5 **Unbundled Loop Modifications (Line Conditioning)**
- 2.5.1 Line Conditioning is defined as the removal from the Loop of any devices that may diminish the capability of the Loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, bridged taps, low pass filters, and range extenders.
- 2.5.2 BellSouth shall condition Loops, as requested by ALCALL, whether or not BellSouth offers advanced services to the End User on that Loop.
- 2.5.3 In some instances, ALCALL will require access to a copper twisted pair loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that ALCALL can use the loop for a variety of services by attaching appropriate terminal equipment at the ends. ALCALL will determine the type of service that will be provided over the loop. BellSouth's ULM process will be used to determine the costs and feasibility of conditioning the loops as requested. Rates for ULM are as set forth in Exhibit B of this Attachment.
- 2.5.4 In those cases where ALCALL has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g.,

voice grade, ISDN, ADSL, etc.) the resulting modified Loop will be ordered and maintained as a UCL.

2.5.5 The ULM offering provides the following elements: 1) removal of devices on 2-wire or 4-wire Loops equal to or less than 18kft; 2) removal of devices on 2-wire or 4-wire Loops longer than 18kft; and 3) removal of bridged taps on loops of any length.

2.5.6 ALCALL shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that ALCALL desires BellSouth to condition.

2.6 **Loop Provisioning Involving Integrated Digital Loop Carriers**

2.6.1 Where ALCALL has requested an Unbundled Loop and BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local service to the end user and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to ALCALL. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will make alternative arrangements available to ALCALL (e.g. hairpinning).

2.6.2 BellSouth will select one of the following arrangements:

1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
3. If capacity exists, provide "side-door" porting through the switch.
4. If capacity exists, provide "DACS-door" porting (if the IDLC routes through a DACS prior to integration into the switch).

2.6.3 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.

2.6.4 If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities. ALCALL will then have the option of paying the one-time SC rates to place the loop.

2.7 **Network Interface Device (NID)**

2.7.1 The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the end user's customer-premises wiring. Each chamber or division contains the appropriate connection points or posts to

which the service provider and the end user each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

- 2.7.2 BellSouth shall permit ALCALL to connect ALCALL's Loop facilities the end-user's customer-premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 **Access to NID**

- 2.7.3.1 ALCALL may access the end user's customer-premises wiring by any of the following means and ALCALL shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:

- 2.7.3.1.1 BellSouth shall allow ALCALL to connect its loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.

- 2.7.3.1.2 Where an adequate length of the end user's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;

- 2.7.3.1.3 Enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or

- 2.7.3.1.4 Request BellSouth to make other rearrangements to the end user customer premises wiring terminations or terminal enclosure on a time and materials cost basis.

- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be ALCALL's responsibility to ensure there is no safety hazard and will hold BellSouth harmless for any liability associated with the removal of the BellSouth loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of

the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.

2.7.3.3 In no case shall either Party remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.

2.7.3.4 In no case shall either Party remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.

2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with ALCALL to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.

2.7.4 Technical Requirements

2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.

2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the end user's customer premises and the Distribution Media and/or cross connect to ALCALL's NID.

2.7.4.3 Existing BellSouth NIDS will be provided in "as is" condition. ALCALL may request BellSouth do additional work to the NID on a time and material basis. When ALCALL deploys its own local loops with respect to multiple-line termination devices, ALCALL shall specify the quantity of NIDs connections that it requires within such device.

2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) and Unbundled Sub-loop Concentration (USLC) System.

2.8.2 **Unbundled Sub-Loop Distribution**

2.8.2.1 The unbundled sub-loop distribution facility is a dedicated transmission facility that BellSouth provides from an end user's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2 Wire or 4 Wire facility. BellSouth will make the following available sub-loop distribution offerings where facilities permit:

Unbundled Sub-Loop Distribution – Voice Grade

Unbundled Copper Sub-Loop

Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution – Voice Grade (USLD-VG) is a sub-loop facility from the cross-box in the field up to and including the point of demarcation, at the end user’s premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the end-user’s point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the end-user and the cross-box.
- 2.8.2.4 If ALCALL requests a UCSL and it is not available, ALCALL may request the Sub-Loop facility be modified pursuant to the ULM process request to remove load coils and/or bridged taps. If load coils and/or bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.5 Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (USLD-INC) is the distribution facility inside a building or between buildings on the same continuous property which is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation, at the end user’s premises.
- 2.8.2.6 BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for ALCALL’s use on this cross-connect panel. ALCALL will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.7 Unbundled Sub-Loop distribution facilities shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. For access to Voice Grade USLD and UCSL, ALCALL shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. ALCALL’s cable pairs can then be connected to BellSouth’s USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.8 Through the Service Inquiry (SI) process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by ALCALL is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet ALCALL’s request, then BellSouth will perform the site set-up as described in Section 2.8.2.9. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room as noted in Section 2.8.2.9) to accommodate ALCALL’s request for Unbundled Sub-Loops, ALCALL may request BellSouth’s Special Construction (SC) process to determine additional costs required to

provision the Unbundled Sub-Loops. ALCALL will have the option to proceed under the SC process to modify the BellSouth facilities.

- 2.8.2.9 The site set-up must be completed before ALCALL can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice ALCALL's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.10 Once the site set-up is complete, ALCALL will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when ALCALL requests reuse of an existing facility and is in addition to the USL pair rate. For expedite requests by ALCALL for sub-loop pairs, expedite charges will apply for intervals less than 5 days.
- 2.8.2.11 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.
- 2.8.3 **Unbundled Network Terminating Wire (UNTW)**
- 2.8.3.1 Unbundled Network Terminating Wire (UNTW) is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop which in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the end-users premises. Neither Party will provide this element in those locations where the property owner provides its own wiring to the end-user's premises, where a third party owns the wiring to the end-user's premises or where the property owner will not allow the other Party to place its facilities to the end user.
- 2.8.3.3 Requirements
- 2.8.3.3.1 On a multi-unit premise, upon request of the other Party ("Requesting Party"), the Party owning the network terminating wire ("Provisioning Party") will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.

- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the end users premises, ALCALL will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate ALCALL for each pair activated commensurate to the price specified in ALCALL's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW Service Inquiry (SI) requesting access to the Provisioning Party's UNTW pairs at a multi-unit premise, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each Provisioning Party's Garden Terminal or inside each Wiring Closet. Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the end user has requested a change in its local service provider to the Requesting Party. Prior to connecting Requesting Party's service on a pair previously used by Provisioning Party, Requesting Party is responsible for ensuring the end-user is no longer using Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 Requesting Party is responsible for obtaining the property owner's permission for Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, Requesting Party will be responsible for costs associated with removing Access Terminals and restoring property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. Requesting Party will be billed for non-recurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party each time it activates UNTW pairs using the LSR form.
- 2.8.3.3.9 Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. Requesting Party must tag the UNTW pair that requires repair. If Provisioning Party dispatches a technician on a reported trouble call and

no UNTW trouble is found, Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).

- 2.8.3.3.10 If Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least one pair on the Access Terminal installed pursuant to Requesting Party's request for an Access Terminal within 6 months of installation of the Access Terminal, Provisioning Party will bill Requesting Party a non-recurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If Provisioning Party determines that Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the following charges shall apply:
 - 2.8.3.3.11.1 If Requesting Party issued a LSR to disconnect an end-user from Provisioning Party in order to use a UNTW pair, Requesting Party will be billed for the use of the pair back to the disconnect order date.
 - 2.8.3.3.11.2 If Requesting Party activated a UNTW pair on which Provisioning Party was not previously providing service, Requesting Party will be billed for the use of that pair back to the date the end-user began receiving service using that pair. Upon request, Requesting Party will provide copies of its billing record to substantiate such date. If Requesting Party fails to provide such records, then Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 **Unbundled Sub-Loop Feeder**

- 2.8.4.1 Unbundled Sub-Loop Feeder (USLF) provides connectivity between BellSouth's central office and cross-box (or other access point) that serves an end user location.
- 2.8.4.2 USLF utilized for voice traffic can be configured as 2-wire voice (USLF-2W/V) or 4-wire voice (USLF-4W/V).
- 2.8.4.3 USLF utilized for digital traffic can be configured as 2-wire ISDN (USLF-2W/I); 2-wire Copper (USLF-2W/C); 4-wire Copper (USLF-4W/C); 4-wire DS0 level loop (USLF-4W/D0); or 4-wire DS1 and ISDN (USLF-4W/DI).
- 2.8.4.4 USLF will provide access to both the equipment and the features in the BellSouth central office and BellSouth cross box necessary to provide a 2W or 4W communications pathway from the BellSouth central office to the BellSouth cross-box. This element will allow for the connection of ALCALL's loop distribution elements onto BellSouth's feeder system.
- 2.8.4.5 Requirements
 - 2.8.4.5.1 ALCALL will extend a compatible cable to BellSouth's cross-box. BellSouth will connect the cable to a cross-connect panel inside the BellSouth cross-box to the

requested level of feeder element. In those cases when there is no room in the BellSouth cross-box to accommodate the additional cross-connect panels mentioned above, ALCALL may request, through the BellSouth Special Construction (SC) process, a determination of costs to provide the sub-loop feeder element to ALCALL. ALCALL will then have the option of paying the SC charges or canceling the order.

- 2.8.4.5.2 USLF will be a designed circuit and BellSouth will provide a DLR for this element.
- 2.8.4.5.3 BellSouth will provide USLF elements in accordance with applicable industry standards for these types of facilities. Where industry standards do not exist, BellSouth's TR73600 will be used to determine performance parameters.
- 2.8.4.6 Unbundled Sub-Loop Feeder – (USLF DS3 and above)
 - 2.8.4.6.1 USLF DS3 and above provides connectivity between a BellSouth Serving Wire Center (SWC) and the Remote Terminal (RT) associated with that SWC that serves an end user location.
 - 2.8.4.6.2 The sub-loop feeder is intended to be utilized for voice traffic and digital traffic. It can be configured at DS3, STS-1, OC-3, OC-12, or OC-48 transmission capacities.
 - 2.8.4.6.3 The OC-48 Sub-Loop Feeder will consist of four (4) OC12 interfaces.
 - 2.8.4.6.4 Both 2-fiber and 4-fiber-protect applications will be supported for OC-3 level and higher.
- 2.8.4.7 Requirements
 - 2.8.4.7.1 Access in the SWC and RT will be via a Collocation cross-connect.
 - 2.8.4.7.2 USLF DS3 and above will be a designed circuit. BellSouth will provide a DLR for this network element.
 - 2.8.4.7.3 Rates. Rates for these services are as set forth in Exhibit B of this Attachment. Mileage is based on airline miles.
 - 2.8.4.7.4 BellSouth will provide USLF DS3 and above elements in accordance with applicable industry standards.
- 2.8.5 **Unbundled Loop Concentration (ULC)**
 - 2.8.5.1 BellSouth will provide to ALCALL Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed

inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.

- 2.8.5.2 ULC will be offered in two system options. System A will allow up to 96 BellSouth loops to be concentrated onto two or more DS1s. The high-speed connection from the concentrator will be at the electrical DS1 level and will connect to ALCALL at ALCALL's collocation site. System B will allow up to 192 BellSouth loops to be concentrated onto 4 or more DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). All DS1 interfaces will terminate to ALCALL's collocation space. ULC service is offered with concentration (2 DS1s for 96 channels) or without concentration (4 DS1s for 96 channels) and with or without protection. A Loop Interface element will be required for each loop that is terminated onto the ULC system.

2.8.6 **Unbundled Sub-Loop Concentration (USLC)**

- 2.8.6.1 Where facilities permit, ALCALL may concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office.
- 2.8.6.2 USLC, using the Lucent Series 5 equipment, will be offered in two system options. System A will allow up to 96 of ALCALL's sub-loops to be concentrated onto two or more DS1s. System B will allow an additional 96 of ALCALL's sub-loops to be concentrated onto two or more additional DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the Remote Terminal site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to ALCALL's demarcation point associated with ALCALL's collocation space within the SWC that serves the remote terminal (RT). USLC service is offered with or without concentration and with or without a protection DS1.
- 2.8.6.3 ALCALL is required to deliver its sub-loops to its own cross-box, RT, or other similar device and deliver a single cable to the BellSouth RT. This cable shall be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box and shall allow ALCALL's sub-loops to be placed on the USLC and transported to ALCALL's collocation space at a DS1 level.
- 2.8.7 **Dark Fiber Loop**
- 2.8.7.1 Dark Fiber Loop is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics that connects two points within BellSouth's network. Dark Fiber Loops may be strands of optical

fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for ALCALL to utilize Dark Fiber Loops.

- 2.8.7.2 A Dark Fiber Loop is a point to point arrangement from an end user's premises connected via a cross connect to the demarcation point associated with ALCALL's collocation space in the end user's serving wire center.
- 2.8.7.3 Dark Fiber Loop rates are differentiated between Local Channel, Interoffice Channel and Local Loop.
- 2.8.7.4 Requirements
 - 2.8.7.4.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
 - 2.8.7.4.2 If the requested Dark Fiber Loop has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at ALCALL's request subject to time and materials charges.
 - 2.8.7.4.3 ALCALL is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
 - 2.8.7.4.4 BellSouth shall use its commercially reasonable efforts to provide to ALCALL information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a Service Inquiry (SI) from ALCALL.
 - 2.8.7.4.5 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to ALCALL within twenty (20) business days after ALCALL submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable ALCALL to connect or splice ALCALL provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 **Loop Makeup (LMU)**

2.9.1 Description of Service

- 2.9.1.1 BellSouth shall make available to ALCALL (LMU) information so that ALCALL can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment ALCALL intends to install and the services ALCALL wishes to provide. This section addresses LMU as a preordering transaction, distinct from ALCALL ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) for preordering loop makeup are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.
- 2.9.1.2 BellSouth will provide ALCALL LMU information consisting of the composition of the loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to ALCALL as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC on facilities is contingent upon either BellSouth or the requesting CLEC owning the loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility owned by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI (Loop Makeup Service Inquiry) submitted by the requesting CLEC.
- 2.9.1.5 ALCALL may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop. The determination shall be made solely by ALCALL and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee ALCALL's ability to provide advanced data services over the ordered loop type. Further, if ALCALL orders loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible loops) and that are not inventoried as advanced services loops, the LMU information for such loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. ALCALL is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the loop type ordered.

2.9.2 **Submitting Loop Makeup Service Inquiries**

2.9.2.1 ALCALL may obtain LMU information by submitting a LMU Service Inquiry (LMUSI) mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the Loop information from the mechanized LMUSI process, if ALCALL needs further loop information in order to determine loop service capability, ALCALL may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit B of this Attachment.

2.9.2.2 Manual LMUSIs shall be submitted by electronic mail to BellSouth's Complex Resale Support Group (CRSG) utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

2.9.3.1 For a Mechanized LMUSI, ALCALL may reserve up to ten Loop facilities. For a Manual LMUSI, ALCALL may reserve up to three Loop facilities.

2.9.3.2 ALCALL may reserve facilities for up to four (4) business days for each facility requested on a LMUSI from the time the LMU information is returned to ALCALL. During and prior to ALCALL placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If ALCALL does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.

2.9.3.3 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

2.9.4 **Ordering of Other UNE Services**

2.9.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. ALCALL will not be billed any additional LMU charges for the loop ordered on such LSR. If, however, ALCALL does not reserve facilities upon an initial LMUSI, ALCALL's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include service inquiry and reservation per Exhibit B of this Attachment.

2.9.4.2 Where ALCALL has reserved multiple Loop facilities on a single reservation, ALCALL may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to ALCALL, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by ALCALL. If the ordered Loop type is not available,

ALCALL may utilize the Unbundled Loop Modification process or the Special Construction process, as applicable, to obtain the Loop type ordered.

3 High Frequency Spectrum Network Element

3.1 General

3.1.1 BellSouth shall provide ALCALL access to the high frequency spectrum of the local loop as an unbundled network element only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.

3.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow ALCALL the ability to provide Digital Subscriber Line (xDSL) data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. ALCALL shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.

3.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.

3.1.4 BellSouth will provide Loop Modification to ALCALL on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (Central Office Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (Central Office Based) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at <http://www.interconnection.bellsouth.com/html/unes.html>. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If ALCALL requests that BellSouth modify a Loop longer than 18kft and such modification significantly degrades the voice services on the Loop, ALCALL shall pay for the Loop to be restored to its original state.

3.2 **Provisioning of High Frequency Spectrum and Splitter Space**

- 3.2.1 BellSouth will provide ALCALL with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, ALCALL must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the end-user of such Loop.
- 3.2.1.2 ALCALL may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of ALCALL's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth CRSG.
- 3.2.1.3 Once a splitter is installed on behalf of ALCALL in a central office in which ALCALL is located, ALCALL shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and ALCALL shall pay the electronic or manual ordering charges as applicable when ALCALL orders High Frequency Spectrum for end-user service.
- 3.2.1.4 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide ALCALL access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to ALCALL's xDSL equipment in ALCALL's collocation space. At least 30 days before making a change in splitter suppliers, BellSouth will provide ALCALL with a carrier notification letter, informing ALCALL of change. ALCALL shall purchase ports on the splitter in increments of 8 or 24 ports.
- 3.2.1.5 BellSouth will install the splitter in (i) a common area close to ALCALL's collocation area, if possible; or (ii) in a BellSouth relay rack as close to ALCALL's DS0 termination point as possible. ALCALL shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for ALCALL on the toll main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified ALCALL DS0 at such time that an ALCALL end user's service is established.
- 3.2.1.6 ALCALL may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. ALCALL may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures shall apply.

- 3.2.1.7 Any splitters installed by ALCALL in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. ALCALL may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.2.1.8 The High Frequency Spectrum shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and ALCALL desires to continue providing xDSL service on such Loop, ALCALL shall be required to purchase a full stand-alone Loop unbundled network element. To the extent commercially practicable, BellSouth shall give ALCALL notice in a reasonable time prior to disconnect, which notice shall give ALCALL an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the end user and ALCALL purchases the full stand-alone Loop, ALCALL may elect the type of loop it will purchase. ALCALL will pay the appropriate recurring and non-recurring rates for such Loop as set forth in Exhibit B to this Attachment. In the event ALCALL purchases a voice grade Loop, ALCALL acknowledges that such Loop may not remain xDSL compatible.
- 3.2.1.9 Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular loop.
- 3.2.2 **Ordering**
- 3.2.2.1 ALCALL shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.2.2.2 BellSouth will provide ALCALL the LSR format to be used when ordering the High Frequency Spectrum.
- 3.2.2.2.1 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <http://www.interconnection.bellsouth.com>.
- 3.2.2.2.2 BellSouth will provide ALCALL access to Preordering Loop Makeup (LMU), in accordance with the terms of this Agreement. BellSouth shall bill and ALCALL shall pay the rates for such services, as described in Exhibit B.
- 3.2.2.2.3 BellSouth shall test the data portion of the loop to ensure the continuity of the wiring for ALCALL's data.

3.2.3 **Maintenance and Repair**

- 3.2.3.1 ALCALL shall have access for repair and maintenance purposes, to any loop for which it has access to the High Frequency Spectrum. If ALCALL is using a BellSouth owned splitter, ALCALL may access the loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If ALCALL provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.2.3.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. ALCALL will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.2.3.3 ALCALL shall inform its end users to direct data problems to ALCALL, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.2.3.4 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.2.3.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to ALCALL, BellSouth will notify ALCALL. ALCALL will provide no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, ALCALL will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue ALCALL's access to the High Frequency Spectrum on such loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.2.4 **Line Splitting.**

- 3.2.4.1 General
- 3.2.4.1.1 Line Splitting allows a provider of data services (a "Data LEC") and a provider of voice services (a "Voice CLEC") to deliver voice and data service to end users over the same loop. The Voice CLEC and Data LEC may be the same or different carriers. ALCALL shall provide BellSouth with a signed Letter of Authorization (LOA) between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services.
- 3.2.4.1.2 The splitter may be provided by the Data LEC, Voice CLEC or BellSouth. When ALCALL or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog loop from the serving wire center to the NID at

the end user's location; a collocation cross connection connecting the loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; and a splitter. The loop and port cannot be a loop and port combination (i.e. UNE-P), but must be individual stand-alone network elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog loop from the serving wire center to the NID at the end user's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.

- 3.2.4.1.3 An unloaded 2-wire copper loop must serve the end user. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.2.4.1.4 End Users currently receiving voice service from a Voice CLEC through a UNE platform (UNE-P) may be converted to Line Splitting arrangements by ALCALL or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, a UNE port and two collocation cross connects. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, port, and one collocation cross connection.
- 3.2.4.1.5 When end users using High Frequency Spectrum CO Based line sharing service convert to Line Splitting, BellSouth will discontinue billing for the upper spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of ALCALL or its authorized agent to determine if the loop is compatible for Line Splitting Service. ALCALL or its authorized agent may use the existing loop unless it is not compatible with the Data LEC's data service and ALCALL or its authorized agent submits an LSR to BellSouth to change the loop.
- 3.2.4.1.6 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement. Where a UNE-P arrangement does not already exist, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same loop.
- 3.2.4.2 **Ordering**
 - 3.2.4.2.1 ALCALL shall use BellSouth's LSOD) to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFAs for use with Line Splitting.
 - 3.2.4.2.2 BellSouth shall provide ALCALL the LSR format to be used when ordering Line Splitting service.

- 3.2.4.2.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at <http://www.interconnection.bellsouth.com>.
- 3.2.4.2.4 BellSouth will provide ALCALL access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and ALCALL shall pay the rates for such services as described in Exhibit B.
- 3.2.4.2.5 BellSouth will provide loop modification to ALCALL on an existing loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at: <HTTP://www.interconnection.bellsouth.com/html/unes.html>. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment.
- 3.2.4.3 **Maintenance**
- 3.2.4.3.1 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. ALCALL will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.2.4.3.2 ALCALL shall inform its end users to direct data problems to ALCALL, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.2.4.3.3 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.2.4.3.4 When BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to owner of the collocation space, BellSouth will notify the owner of the collocation space. The owner of the collocation space will provide no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event the CFA pair is changed, the owner of the collocation space will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue the owner of the collocation space access to the High Frequency Spectrum on such loop.
- 3.2.4.3.5 If ALCALL is not the data provider, ALCALL shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action,

suits, demands, damages, injury, and costs including reasonable attorney fees which arise out of actions related to the data provider.

3.2.5 **Remote Site High Frequency Spectrum**

3.2.5.1 General

3.2.5.1.1 BellSouth shall provide ALCALL access to the high frequency spectrum of the local sub-loop as an unbundled network element (UNE) only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.

3.2.5.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow ALCALL the ability to provide Digital Subscriber Line (xDSL) data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. ALCALL shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.

3.2.5.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire (Non-Designed) copper sub loop. An unloaded copper sub loop has no load coils, low-pass filters, range extenders, DAMLS, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.

3.2.5.1.4 BellSouth will provide Loop Modification to ALCALL on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. Procedures for High Frequency Spectrum (Remote Site) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at <http://www.interconnection.bellsouth.com/html/unes.html>. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If ALCALL requests modifications on a sub loop longer than 18kft and requested modifications significantly degrade the voice services on the loop, ALCALL shall pay for the loop to be restored to its original state.

3.2.5.2 Provisioning of High Frequency Spectrum and Splitter Space

3.2.5.2.1 To order High Frequency Spectrum on a particular Loop, ALCALL must have a

Digital Subscriber Line Access Multiplexer (DSLAM) collocated at the remote site that serves the end-user of such Loop.

3.2.5.2.2 ALCALL may provide its own splitters or may order splitters in a remote site once ALCALL has installed its DSLAM at that remote site. BellSouth will install splitters within thirty-six (36) calendar days of ALCALL's submission of an error free LSOD to the BellSouth CRSG.

3.2.5.2.3 Once a splitter is installed on behalf of ALCALL in a remote site in which ALCALL is located, ALCALL shall be entitled to order the High Frequency Spectrum on lines served out of that remote site. BellSouth will bill and ALCALL shall pay applicable for High Frequency Spectrum end-user activation.

3.2.5.2.4 **BellSouth Owned Splitter**

3.2.5.2.4.1 BellSouth will select, purchase, install and maintain a splitter at the remote site. ALCALL's meet point is at the BellSouth "cross connect" point located at the Feeder Distribution Interface (FDI). ALCALL will provide a cable facility to the BellSouth FDI. BellSouth will splice ALCALL's cable to BellSouth's spare binding post in the FDI and use "cross connects" to connect ALCALL's cable facility to the BellSouth splitter. The splitter will route the high frequency portion of the circuit to ALCALL's xDSL equipment in their collocation space. Access to the high frequency spectrum is not compatible with foreign exchange (FX) lines, ISDN, and other services listed in the technical section of this document.

3.2.5.2.4.2 The BellSouth splitter bifurcates the digital and voice band signals. The low frequency voice band portion of the circuit is routed back to the BellSouth switch. The high frequency digital traffic portion of the circuit is routed to the xDSL equipment in ALCALL's Remote Terminal (RT) collocation space and routed back to ALCALL's network. At least 30 business days before making a change in splitter suppliers, BellSouth will provide ALCALL with a carrier notification letter informing ALCALL of the change. ALCALL shall purchase ports on the splitter in increments of 24 ports.

3.2.5.2.4.3 BellSouth will install the splitter in (i) a common area close to ALCALL's collocation area, if possible; or (ii) in a BellSouth relay rack as close to ALCALL's DS0 termination point as possible. ALCALL shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the remote site in which both Parties have access to a common test access point. BellSouth will cross-connect the splitter data ports to a specified ALCALL DS0 at such time that an ALCALL end user's service is established.

3.2.5.2.5 **CLEC Owned Splitter**

- 3.2.5.2.5.1 ALCALL may at its option purchase, install and maintain splitters in its collocation arrangements. ALCALL may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures shall apply. ALCALL will be required to activate cable pairs in no less than 8 (eight) pair increments.
- 3.2.5.2.5.2 Any splitters installed by ALCALL in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. ALCALL may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.2.5.2.6 The High Frequency Spectrum shall only be available on sub-loops provided by BellSouth that continue to provide analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and ALCALL desires to continue providing xDSL service on such sub-loop, ALCALL shall be required to purchase a full stand-alone sub-loop. To the extent commercially practicable, BellSouth shall give ALCALL notice in a reasonable time prior to disconnect, which notice shall give ALCALL an adequate opportunity to notify BellSouth of its intent to purchase such sub-loop. In those cases where BellSouth no longer provides voice service to the end user and ALCALL purchases the full stand-alone sub-loop, ALCALL may elect the type of sub-loop it will purchase. ALCALL will pay the appropriate recurring and non-recurring rates for such sub-loop as set forth in Exhibit B to this Attachment. In the event ALCALL purchases a voice grade Loop, ALCALL acknowledges that such sub-loop may not remain xDSL compatible.
- 3.2.5.2.7 Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular loop.
- 3.2.5.3 **Ordering**
- 3.2.5.3.1 ALCALL shall use BellSouth's Remote Splitter Ordering Document (RSOD) to order and activate splitters from BellSouth or to activate CLEC owned splitters at an RT for use with High Frequency Spectrum.
- 3.2.5.3.2 BellSouth will provide ALCALL the LSR format to be used when ordering the High Frequency Spectrum.
- 3.2.5.3.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <http://www.interconnection.bellsouth.com>.
- 3.2.5.3.4 BellSouth will provide ALCALL access to Preordering Loop Makeup (LMU), in accordance with the terms of this Agreement. BellSouth shall bill and ALCALL shall pay the rates for such services as described in Exhibit B.

- 3.2.5.3.5 BellSouth shall test the data portion of the loop to ensure the continuity of the wiring for ALCALL's data.

3.2.5.4 **Maintenance and Repair**

- 3.2.5.4.1 ALCALL shall have access for repair and maintenance purposes, to any loop for which it has access to the High Frequency Spectrum. If ALCALL is using a BellSouth owned splitter, ALCALL may access the loop at the point where the data signal exits. If ALCALL provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.2.5.4.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. ALCALL will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.2.5.4.3 ALCALL shall inform its end users to direct data problems to ALCALL, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.2.5.4.4 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.2.5.4.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to ALCALL, BellSouth will notify ALCALL. ALCALL will provide no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, ALCALL will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue ALCALL's access to the High Frequency Spectrum on such loop. BellSouth will not be responsible for any loss of data as a result of this action.

4 Local Switching

- 4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to ALCALL for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to ALCALL for the provision of a telecommunications service only in the limited circumstance described below in Section 4.5.

4.2 **Local Circuit Switching Capability, including Tandem Switching Capability**

- 4.2.1 Local circuit switching capability is defined as: (A) line-side facilities, which include, but are not limited to, the connection between a loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include, but are not limited to, the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; (C) switching provided by remote switching modules; and (D) all features, functions, and capabilities of the switch, which include, but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch. Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for ALCALL when ALCALL serves an end-user with four (4) or more voice-grade (DS-0) equivalents or lines served by BellSouth in one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.
- 4.2.3 In the event that ALCALL orders local circuit switching for an end user with four (4) or more DS0 equivalent lines within Density Zone 1 in an MSA listed above, BellSouth shall charge ALCALL the market based rates in Exhibit B for use of the local circuit switching functionality for the affected facilities. If a market rate is not set forth in Exhibit B, such rate shall be negotiated by the Parties.
- 4.2.4 Unbundled Local Switching consists of three separate unbundled elements: Unbundled Ports, End Office Switching Functionality, and End Office Interoffice Trunk Ports.
- 4.2.5 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to ALCALL's end user local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.6 Provided that ALCALL purchases unbundled local switching from BellSouth and uses the BellSouth CIC for its end users' LPIC or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by an ALCALL local end user, or originated by a BellSouth local end user and terminated to an ALCALL local end user, where such calls originate and

terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a party other than BellSouth). For such calls, BellSouth will charge ALCALL the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and ALCALL shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.

4.2.7 Where ALCALL purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from an ALCALL end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's GSST. For such local calls, BellSouth will charge ALCALL the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and ALCALL shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.

4.2.8 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill ALCALL the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges, as appropriate.

4.2.9 **Unbundled Port Features**

4.2.9.1 Charges for Unbundled Port are as set forth in Exhibit B, and as specified in such exhibit, may or may not include individual features.

4.2.9.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.

4.2.9.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.

4.2.9.4 BellSouth will provide to ALCALL selective routing of calls to a requested Operator System platform pursuant to Section 10 of Attachment 2. Any other routing requests by ALCALL will be made pursuant to the BFR/NBR Process as set forth in Attachment 12.

4.2.10 **Provision for Local Switching**

4.2.10.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.

- 4.2.10.2 BellSouth shall control congestion points such as those caused by radio station call-ins, and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.10.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.10.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to ALCALL all AIN triggers in connection with its SMS/SCE offering.
- 4.2.10.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by ALCALL.

4.2.11 **Local Switching Interfaces.**

- 4.2.11.1 ALCALL shall order ports and associated interfaces compatible with the services it wishes to provide, as listed in Exhibit B. BellSouth shall provide the following local switching interfaces:
 - 4.2.11.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
 - 4.2.11.1.2 Coin phone signaling;
 - 4.2.11.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
 - 4.2.11.1.4 Two-wire analog interface to PBX;
 - 4.2.11.1.5 Four-wire analog interface to PBX;
 - 4.2.11.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
 - 4.2.11.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
 - 4.2.11.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
 - 4.2.11.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

4.3 **Tandem Switching**

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

4.3.2 **Technical Requirements**

4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include, but are not limited to the following:

4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;

4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by ALCALL and BellSouth;

4.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;

4.3.2.1.4 Tandem Switching shall provide access to Toll Free number database;

4.3.2.1.5 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and

4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.

4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to ALCALL.

4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.

4.3.2.4 Tandem Switching shall process originating toll-free traffic received from ALCALL's local switch.

- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element, to the extent such Tandem Switch has such capability.
- 4.3.3 Upon ALCALL's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for ALCALL's traffic overflowing from direct end office high usage trunk groups.
- 4.4 **AIN Selective Carrier Routing for Operator Services, Directory Assistance and Repair Centers**
- 4.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of ALCALL. AIN Selective Carrier Routing will provide ALCALL with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 ALCALL shall order AIN Selective Carrier Routing through its Account Team and/or Local Contract Manager. AIN Selective Carrier Routing must first be established regionally and then on a per central office, per state basis.
- 4.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.
- 4.4.4 Where AIN Selective Carrier Routing is utilized by ALCALL, the routing of ALCALL's end user calls shall be pursuant to information provided by ALCALL and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an 'as needed' basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.
- 4.4.5 Upon ordering of AIN Selective Carrier Routing Regional Service, ALCALL shall remit to BellSouth the Regional Service Order non-recurring charges set forth in Exhibit B of this Attachment. There shall be a non-recurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said non-recurring charge shall be as set forth in Exhibit B of this Attachment. For each ALCALL end user activated, there shall be a non-recurring End User Establishment charge as set forth in Exhibit B of this Attachment. ALCALL shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit B of this Attachment.
- 4.4.6 This Regional Service Order non-recurring charge will be non-refundable and will be paid with 1/2 due up-front with the submission of all fully completed required forms, including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request - Form B, AIN_SCR Central Office Identification Form - Form C, AIN_SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E.

BellSouth has 30 days to respond to ALCALL's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to ALCALL, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.

- 4.4.7 The non-recurring End Office Establishment Charge will be billed to ALCALL following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The non-recurring End-User Establishment Charges will be billed to ALCALL following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to ALCALL following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching and unbundled local transport, etc, will be billed per contracted rates.

4.5 **Packet Switching Capability**

- 4.5.1 The packet switching capability network element is defined as the function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units.
- 4.5.2 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
 - 4.5.2.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the feeder section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
 - 4.5.2.2 There are no spare copper loops capable of supporting the xDSL services ALCALL seeks to offer;
 - 4.5.2.3 BellSouth has not permitted ALCALL to deploy a DSLAM at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has ALCALL obtained a virtual collocation arrangement at these sub-loop interconnection points as defined by 47 CFR § 51.319 (b); and
 - 4.5.2.4 BellSouth has deployed packet switching capability for its own use.

- 4.5.3 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 15 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.

4.6 **Interoffice Transmission Facilities**

- 4.6.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to ALCALL for the provision of a telecommunications service.

5 **Unbundled Network Element Combinations**

- 5.1 Unbundled Network Element Combinations shall include: 1) Enhanced Extended Links (EELs); 2) Other Network Element Combinations; and 3) UNE Loop/Port Combinations.

- 5.2 For purposes of this Section, references to “Currently Combined” network elements shall mean that the particular network elements requested by ALCALL are in fact already combined by BellSouth in the BellSouth network.

5.3 **Enhanced Extended Links (EELs)**

- 5.3.1 Where facilities permit and where necessary to comply with an effective FCC and/or Commission order, or as otherwise mutually agreed by the Parties, BellSouth shall offer access to loop and transport combinations, also known as the Enhanced Extended Link (EEL) as defined in Section 5.3.2 below.

- 5.3.2 Subject to Section 5.3.4 below, BellSouth will provide access to the EEL in the combinations set forth in Section 5.3.5 following. This offering is intended to provide connectivity from an end user’s location through that end user’s SWC to ALCALL’s POP serving wire center. The circuit must be connected to ALCALL’s switch for the purpose of provisioning telephone exchange service to ALCALL’s end-user customers. The EEL will be connected to ALCALL’s facilities in ALCALL’s collocation space at the POP SWC, or ALCALL may purchase BellSouth’s access facilities between ALCALL’s POP and ALCALL’s collocation space at the POP SWC.

- 5.3.3 When ordering EEL combinations, ALCALL shall provide to BellSouth certification that ALCALL will provide a significant amount of local exchange service over the requested combination and shall indicate under what local usage option ALCALL seeks to qualify. ALCALL shall be deemed to be providing a significant amount of local exchange service if one of the two (2) options set forth in Sections 5.3.6.2 through 5.3.6.3 is met. BellSouth shall have the right to audit ALCALL’s records to verify that ALCALL is meeting the applicable local usage requirements. Such audit shall comply with the terms of Section 5.3.6.6 in this Attachment.

5.3.4 BellSouth shall provide EEL combinations to ALCALL in Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee regardless of whether or not such EELs are Currently Combined. In all other states, BellSouth shall make available to ALCALL those EEL combinations described in Section 5.3.5 below only to the extent such combinations are Currently Combined. Furthermore, BellSouth will make available new EEL combinations to ALCALL in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999, in the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs. Except as stated above, EELs will be provided to ALCALL only to the extent such network elements are Currently Combined.

5.3.5 **EEL Combinations**

- 5.3.5.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop
- 5.3.5.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop
- 5.3.5.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop
- 5.3.5.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop
- 5.3.5.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop
- 5.3.5.6 DS1 Interoffice Channel + DS1 Local Loop
- 5.3.5.7 DS3 Interoffice Channel + DS3 Local Loop
- 5.3.5.8 STS-1 Interoffice Channel + STS-1 Local Loop
- 5.3.5.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop
- 5.3.5.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop
- 5.3.5.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop
- 5.3.5.12 4wire VG Interoffice Channel + 4-wire VG Local Loop
- 5.3.5.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop
- 5.3.5.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop

5.3.6 **Special Access Service Conversions**

5.3.6.1 ALCALL may not convert special access services to combinations of loop and transport network elements, whether or not ALCALL self-provides its entrance facilities (or obtains entrance facilities from a third party), unless ALCALL uses the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent ALCALL requests to convert any special access services to combinations of loop and transport network elements at UNE prices, ALCALL shall provide to BellSouth certification that ALCALL is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification shall also indicate under what local usage option ALCALL seeks to qualify for conversion of special access circuits. ALCALL shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:

5.3.6.2 ALCALL certifies that it is the exclusive provider of an end user's local exchange service. The loop-transport combinations must terminate at ALCALL's

collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, ALCALL is the end user's only local service provider, and thus, is providing more than a significant amount of local exchange service. ALCALL can then use the loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or

- 5.3.6.3 ALCALL certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dialtone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the loop portion of the loop-transport combination have at least 5 percent local voice traffic individually, and the entire loop facility has at least 10 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet these criteria. The loop-transport combination must terminate at ALCALL's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth tariffed services; or
- 5.3.6.4 ALCALL certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dialtone service and at least 50 percent of the traffic on each of these local dialtone channels is local voice traffic, and that the entire loop facility has at least 33 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet these criteria. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. ALCALL does not need to provide a defined portion of the end user's local service, but the active channels on any loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.
- 5.3.6.5 In addition, there may be extraordinary circumstances where ALCALL is providing a significant amount of local exchange service, but does not qualify under any of the three options set forth in Section 5.3.6. In such case, ALCALL may petition the FCC for a waiver of the local usage options set forth in the June 2, 2000 Order. If a waiver is granted, then upon ALCALL's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 5.3.6.6 BellSouth may at its sole discretion audit ALCALL records in order to verify the type of traffic being transmitted over combinations of loop and transport network elements. The audit shall be conducted by a third party independent auditor, and ALCALL shall be given thirty days written notice of scheduled audit. Such audit shall occur no more than one time in a calendar year, unless results of an audit find noncompliance with the significant amount of local exchange service requirement.

In the event of noncompliance, ALCALL shall reimburse BellSouth for the cost of the audit. If, based on its audits, BellSouth concludes that ALCALL is not providing a significant amount of local exchange traffic over the combinations of loop and transport network elements, BellSouth may file a complaint with the appropriate Commission, pursuant to the dispute resolution process as set forth in the General Terms and Conditions. In the event that BellSouth prevails, BellSouth may convert such combinations of loop and transport network elements to special access services and may seek appropriate retroactive reimbursement from ALCALL.

- 5.3.6.7 ALCALL may convert special access circuits to combinations of loop and transport UNEs pursuant to the terms of this Section and subject to the termination provisions in the applicable special access tariffs, if any.

5.3.7 **Rates**

- 5.3.7.1 Subject to the limitations set forth in Section 5.3.4 above, the rates for EEL combinations are as follows:

- 5.3.7.1.1 The non-recurring and recurring rates for the EEL Combinations of network elements set forth in 5.3.5, whether or not Currently Combined, are as set forth in Exhibit B of this Attachment.

- 5.3.7.1.2 For combinations of loop and transport network elements that are not set forth in Section 5.3.5 but are Currently Combined, the recurring charge shall be the sum of the recurring charges for the individual UNEs that comprise the combination and the nonrecurring charge shall be the conversion charge set forth in Exhibit B of this Attachment.

- 5.3.7.1.3 For combinations of loop and transport network elements that are not set forth in Section 5.3.5, where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements which make up the combination as set forth in Exhibit B of this Attachment.

5.3.8 **Multiplexing**

- 5.3.8.1 Where multiplexing functionality is required in connection with loop and transport combinations, such multiplexing will be provided at the rates and on the terms set forth in this Agreement.

5.4 **Other Network Element Combinations**

- 5.4.1 In the states of Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, BellSouth shall make available to ALCALL, in accordance with Section 5.4.25.4.2.1 below: (1) combinations of network elements other than

those described in this Section that are Currently Combined; and (2) combinations of network elements other than those described in this Section that are not Currently Combined but that BellSouth ordinarily combines in its network. In all other states, BellSouth shall make available to ALCALL, in accordance with Section 5.4.2 below, combinations of network elements other than those described in this Section 5 only to the extent such combinations are Currently Combined.

5.4.2 Rates

5.4.2.1 Subject to the limitations set forth in Section 5.4.1 above, the rates for network element combinations other than those described in this Section 5 are as follows:

5.4.2.1.1 The recurring charge for Currently Combined combinations of network elements other than those described in this Section 5 shall be the sum of the recurring charges for the individual UNEs that comprise the combination and the nonrecurring charge shall be the conversion charge set forth in Exhibit B of this Attachment.

5.4.2.1.2 For network element combinations other than those described in this Section 5 where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements that make up the combination as set forth in Exhibit B of this Attachment.

5.4.2.1.3 To the extent that ALCALL seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, ALCALL, at its option, can request that such rates be determined pursuant to the BFR/NBR process set forth in this Attachment 12. In addition, to the extent BellSouth has not developed methods and procedures to provide any specific combination of network elements requested by ALCALL, whether or not Currently Combined, such methods and procedures shall be established pursuant to the BFR/NBR process.

5.5 UNE Port/Loop Combinations

5.5.1 Combinations of port and loop unbundled network elements along with switching and transport unbundled network elements provide local exchange service for the origination or termination of calls. Port/ loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.

- 5.5.2 BellSouth shall make available UNE port/loop combinations, regardless of whether such combinations are Currently Combined, so long as such combinations are ordinarily combined in BellSouth's network.
- 5.5.3 Except as set forth in section 5.5.6 below, in Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, BellSouth shall provide UNE port/loop combinations that are ordinarily combined in BellSouth's network, regardless of whether such combinations are Currently Combined at the cost-based rates in Exhibit B.
- 5.5.4 In Alabama, Florida, and North Carolina, BellSouth shall provide UNE port/loop combinations that are not Currently Combined but that are ordinarily combined in BellSouth's network at the market rates in Exhibit B. If a market rate is not set forth in Exhibit B for a UNE port/loop combination, such rate shall be negotiated by the Parties.
- 5.5.5 In Alabama, Florida, and North Carolina, BellSouth shall provide UNE port/loop combinations that are Currently Combined at the cost-based rates in Exhibit B.
- 5.5.6 BellSouth is not required to provide combinations of port and loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.
- 5.5.6.1 BellSouth shall not be required to provide local circuit switching as an unbundled network element in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to ALCALL if ALCALL's customer has 4 or more DS0 equivalent lines.
- 5.5.6.2 Notwithstanding the foregoing, BellSouth shall provide combinations of port and loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as an unbundled network element and shall do so at the market rates in Exhibit B. If a market rate is not set forth in Exhibit B for a UNE port/loop combination, such rate shall be negotiated by the Parties.
- 5.5.7 BellSouth shall make 911 updates in the BellSouth 911 database for ALCALL's UNE port/loop combinations. BellSouth will not bill the ALCALL for 911 surcharges. ALCALL is responsible for paying all 911 surcharges to the applicable governmental agency.
- 5.5.8 Combination Offerings

- 5.5.8.1 2-wire voice grade port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.2 2-wire voice grade Coin port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.3 2-wire voice grade DID port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.4 2-wire CENTREX port, voice grade loop, CENTREX intercom functionality, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.5 2-wire ISDN Basic Rate Interface, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.6 4-wire ISDN Primary Rate Interface, DS1 loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.8 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

6 Transport, Channelization and Dark Fiber

6.1 Transport

- 6.1.1 Interoffice transmission facility network elements include:
 - 6.1.1.1 Dedicated transport, defined as BellSouth's transmission facilities, is dedicated to a particular customer or carrier that provides telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and ALCALL.
 - 6.1.1.2 Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics;

- 6.1.1.3 Common (Shared) transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.2 BellSouth shall:
 - 6.1.2.1 Provide ALCALL exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
 - 6.1.2.2 Provide all technically feasible transmission facilities, features, functions, and capabilities of the transport facility for the provision of telecommunications services;
 - 6.1.2.3 Permit, to the extent technically feasible, ALCALL to connect such interoffice facilities to equipment designated by ALCALL, including but not limited to, ALCALL's collocated facilities; and
 - 6.1.2.4 Permit, to the extent technically feasible, ALCALL to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
 - 6.1.3.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the applicable industry standards.
 - 6.1.3.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the applicable industry standards.
 - 6.1.3.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
 - 6.1.3.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.
- 6.2 **Dedicated Transport**
 - 6.2.1 Dedicated Transport is composed of the following Unbundled Network Elements:

- 6.2.1.1 Unbundled Local Channel, defined as the dedicated transmission path between ALCALL's Point of Presence (POP) and ALCALL's collocation space in the BellSouth Serving Wire Center for ALCALL's POP, and
- 6.2.1.2 Unbundled Interoffice Channel, defined as the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations.
- 6.2.1.3 BellSouth shall offer Dedicated Transport in each of the following ways:
 - 6.2.1.3.1 As capacity on a shared UNE facility.
 - 6.2.1.3.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to ALCALL.
- 6.2.1.4 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as, line terminating equipment, amplifiers, and regenerators.
- 6.2.2 Technical Requirements
 - 6.2.2.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to ALCALL designated traffic.
 - 6.2.2.2 For DS1 or VT1.5 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the applicable industry standards.
 - 6.2.2.3 For DS3 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the applicable industry standards.
 - 6.2.2.4 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
 - 6.2.2.4.1 DS0 Equivalent;
 - 6.2.2.4.2 DS1;
 - 6.2.2.4.3 DS3; and
 - 6.2.2.4.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
 - 6.2.2.5 BellSouth shall design Dedicated Transport according to its network infrastructure. ALCALL shall specify the termination points for Dedicated Transport.

6.2.2.6 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.

6.2.2.7 BellSouth Technical References:

6.2.2.7.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.

6.2.2.7.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995.

6.2.2.7.3 TR 73525 MegaLink[®] Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 **Unbundled Channelization (Multiplexing)**

6.3.1 Unbundled Channelization (UC) provides the multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. Channelization will be offered with both the high and low speed sides to be connected to collocation. Channelization can be accomplished through the use of a stand-alone multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, ALCALL may request channel activation on an as-needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility.

6.3.2 BellSouth shall make available the following channelization systems:

6.3.2.1 DS3/STS-1 Channelization System: channelizes a DS3 signal into 28 DS1s.

6.3.2.2 DS1 Channelization System: channelizes a DS1 signal into 24 DS0s.

6.3.3 BellSouth shall make available the following :

6.3.3.1 Central Office Channel Interfaces (COCI):

6.3.3.2 DS1 COCI, which can be activated on a DS3 Channelization System.

6.3.3.3 Voice Grade and Digital Data COCI, which can be activated on a DS1 Channelization System.

6.3.3.4 Data COCI, which can be activated on a DS1 Channelization System.

6.3.3.5 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as options.

6.3.4 Technical Requirements

6.3.4.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, ALCALL's channelization equipment must adhere strictly to form and protocol standards. ALCALL must also adhere to such

applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.

6.3.4.2 DS0 to DS1 Channelization

- 6.3.4.2.1 The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions.

6.3.4.3 DS1 to DS3 Channelization

- 6.3.4.3.1 The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.

6.3.4.4 DS1 to STS Channelization

- 6.3.4.4.1 The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET) – Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) – Payload Mappings.

6.4 **Dark Fiber Transport**

- 6.4.1 Dark Fiber Transport is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics that connects two points within BellSouth's network. It may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for ALCALL to utilize Dark Fiber Transport.

- 6.4.2 Dark Fiber Transport rates are differentiated between Local Channel, Interoffice Channel and Local Loop.

6.4.3 Requirements

- 6.4.3.1 BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.

- 6.4.3.2 If the requested Dark Fiber Transport has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at ALCALL's request subject to time and materials charges.
- 6.4.3.3 ALCALL is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.3.4 BellSouth shall use its best efforts to provide to ALCALL information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from ALCALL. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.5 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to ALCALL within twenty (20) business days after ALCALL submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable ALCALL to connect or splice ALCALL provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 BellSouth Switched Access ("SWA") 8XX Toll Free Dialing Ten Digit Screening Service

- 7.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a Signaling control Point (SCP) that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the Switching Service Point (SSP) or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At ALCALL's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by ALCALL.
- 7.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

8 Line Information Database (LIDB)

- 8.1 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, ALCALL must purchase appropriate signaling links pursuant to Section 9 of this Attachment. LIDB contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network

Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

8.2 Technical Requirements

8.2.1 BellSouth will offer to ALCALL any additional capabilities that are developed for LIDB during the life of this Agreement.

8.2.2 BellSouth shall process ALCALL's Customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to ALCALL what additional functions (if any) are performed by LIDB in the BellSouth network.

8.2.3 Within two (2) weeks after a request by ALCALL, BellSouth shall provide ALCALL with a list of the customer data items, which ALCALL would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function, and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.

8.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.

8.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.

8.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.

8.2.7 All additions, updates and deletions of ALCALL data to the LIDB shall be solely at the direction of ALCALL. Such direction from ALCALL will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).

8.2.8 BellSouth shall provide priority updates to LIDB for ALCALL data upon ALCALL's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.

8.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of ALCALL customer records will be missing from LIDB, as measured by ALCALL audits. BellSouth will audit ALCALL records in LIDB against DBAS to identify record mismatches and provide this data to a designated ALCALL contact person to

resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to ALCALL within one business day of audit. Once reconciled records are received back from ALCALL, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact ALCALL to negotiate a time frame for the updates, not to exceed three business days.

- 8.2.10 BellSouth shall perform backup and recovery of all of ALCALL's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 8.2.11 BellSouth shall provide ALCALL with LIDB reports of data, which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between ALCALL and BellSouth.
- 8.2.12 BellSouth shall prevent any access to or use of ALCALL data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by ALCALL in writing.
- 8.2.13 BellSouth shall provide ALCALL performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by ALCALL at least at parity with BellSouth Customer Data. BellSouth shall obtain from ALCALL the screening information associated with LIDB Data Screening of ALCALL data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to ALCALL under the BFR/NBR process as set forth in Attachment 12.
- 8.2.14 BellSouth shall accept queries to LIDB associated with ALCALL customer records, and shall return responses in accordance with industry standards.
- 8.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 8.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 8.3 Interface Requirements
 - 8.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.

- 8.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 8.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 8.3.5 The application of the LIDB rates contained in Exhibit B to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. ALCALL shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. ALCALL shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

9 Signaling

- 9.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

9.2 Signaling Link Transport

- 9.2.1 Signaling Link Transport is a set of two or four dedicated 56 kbps transmission paths between ALCALL-designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 9.2.2 Technical Requirements
- 9.2.2.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 9.2.2.1.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 9.2.2.1.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).

- 9.2.2.2 Signaling Link Transport shall consist of two or more signaling link layers as follows:
 - 9.2.2.2.1 An A-link layer shall consist of two links.
 - 9.2.2.2.2 A B-link layer shall consist of four links.
 - 9.2.2.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
 - 9.2.2.3.1 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
 - 9.2.2.3.2 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 9.2.3 Interface Requirements
 - 9.2.3.1 There shall be a DS1 (1.544 Mbps) interface at ALCALL's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 9.3 **Signaling Transfer Points (STPs)**
 - 9.3.1 A Signaling Transfer Point is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
 - 9.3.2 Technical Requirements
 - 9.3.2.1 Signaling Transfer Point s shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. Signaling Transfer Point also provide access to third-party local or tandem switching and Third-party-provided Signaling Transfer Points.
 - 9.3.2.2 The connectivity provided by Signaling Transfer Points shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.

- 9.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a ALCALL local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between ALCALL local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 9.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as defined in Telcordia ANSI Interconnection Requirements. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a ALCALL or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network, and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to an ALCALL database, then ALCALL agrees to provide BellSouth with the Destination Point Code for ALCALL database.
- 9.3.2.5 STPs shall provide all functions of the OMAP as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT); and SCCP Routing Verification Test (SRVT).
- 9.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a ALCALL or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.
- 9.4 **SS7 Advanced Intelligent Network (AIN) Access**
- 9.4.1 When technically feasible and upon request by ALCALL, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with ALCALL's SS7 network to exchange TCAP queries and responses with an ALCALL SCP.
- 9.4.2 SS7 AIN Access shall provide ALCALL SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and ALCALL SS7 Networks.

BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the ALCALL SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

9.4.3 Interface Requirements

9.4.3.1 BellSouth shall provide the following STP options to connect ALCALL or ALCALL-designated local switching systems to the BellSouth SS7 network:

9.4.3.1.1 An A-link interface from ALCALL local switching systems; and,

9.4.3.1.2 A B-link interface from ALCALL local STPs.

9.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.

9.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

9.4.3.4 BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and BellSouth STPs, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.

9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.

9.4.4 Message Screening

9.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from ALCALL local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the ALCALL switching system has a valid signaling relationship.

9.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from ALCALL local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the ALCALL switching system has a valid signaling relationship.

9.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from ALCALL from any signaling point or network interconnected through BellSouth's SS7 network where the ALCALL SCP has a valid signaling relationship.

9.5 **Service Control Points/Databases**

- 9.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 9.5.2 A Service Control Point (SCP) is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 9.5.3 Technical Requirements for SCPs/Databases
- 9.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 9.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 9.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

9.6 **Local Number Portability Database**

- 9.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

9.7 **SS7 Network Interconnection**

- 9.7.1 SS7 Network Interconnection is the interconnection of ALCALL local signaling transfer point switches or ALCALL local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, ALCALL local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

- 9.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and ALCALL or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 9.7.3 If traffic is routed based on dialed or translated digits between a ALCALL local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the ALCALL local signaling transfer point switches and BellSouth or other third-party local switch.
- 9.7.4 SS7 Network Interconnection shall provide:
- 9.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
 - 9.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
 - 9.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is an ALCALL local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of ALCALL local STPs, and shall not include SCCP Subsystem Management of the destination.
- 9.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part, as specified in ANSI T1.113.
- 9.7.7 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.
- 9.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 9.7.9 Interface Requirements
- 9.7.9.1 The following SS7 Network Interconnection interface options are available to connect ALCALL or ALCALL-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
 - 9.7.9.1.1 A-link interface from ALCALL local or tandem switching systems; and

- 9.7.9.1.2 B-link interface from ALCALL STPs.
- 9.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.7.9.5 BellSouth shall set message screening parameters to accept messages from ALCALL local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the ALCALL switching system has a valid signaling relationship.

10 Operator Services (Operator Call Processing and Directory Assistance)

- 10.1 Operator Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls), (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, and Operator-assisted Directory Assistance.
- 10.2 Upon request for BellSouth Operator Call Processing, BellSouth shall:
 - 10.2.1 Process 0+ and 0- dialed local calls.
 - 10.2.2 Process 0+ and 0- intraLATA toll calls.
 - 10.2.3 Process calls that are billed to ALCALL end user's calling card that can be validated by BellSouth.
 - 10.2.4 Process person-to-person calls.
 - 10.2.5 Process collect calls.
 - 10.2.6 Provide the capability for callers to bill to a third party and shall also process such calls.
 - 10.2.7 Process station-to-station calls.

- 10.2.8 Process Busy Line Verify and Emergency Line Interrupt requests.
- 10.2.9 Process emergency call trace originated by Public Safety Answering Points.
- 10.2.10 Process operator-assisted directory assistance calls.
- 10.2.11 Adhere to equal access requirements, providing ALCALL local end users the same IXC access as provided to BellSouth end users.
- 10.2.12 Exercise at least the same level of fraud control in providing Operator Service to ALCALL that BellSouth provides for its own operator service.
- 10.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls.
- 10.2.14 Direct customer account and other similar inquiries to the customer service center designated by ALCALL.
- 10.2.15 Provide call records to ALCALL in accordance with ODUF standards specified in Attachment 7.
- 10.2.16 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.
- 10.3 **Directory Assistance Service**
 - 10.3.1 Directory Assistance Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
 - 10.3.2 Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by ALCALL's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings.
- 10.3.3 **Directory Assistance Service Updates**
 - 10.3.3.1 BellSouth shall update end user listings changes daily. These changes include:
 - 10.3.3.1.1 New end user connections
 - 10.3.3.1.2 End user disconnections
 - 10.3.3.1.3 End user address changes
 - 10.3.3.2 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.

10.4 **Branding for Operator Call Processing and Directory Assistance**

10.4.1 BellSouth's branding feature provides a definable announcement to ALCALL end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows ALCALL to have its calls custom branded with ALCALL's name on whose behalf BellSouth is providing DA and/or OCP. Rates for the branding features are set forth in this Attachment.

10.4.2 BellSouth offers three branding offering options to ALCALL when ordering BellSouth's DA and OCP: BellSouth Branding, Unbranding and Custom Branding.

10.4.3 Upon receipt of the custom branding order from ALCALL, the order is considered firm after ten business days. Should ALCALL decide to cancel the order, written notification ALCALL's BellSouth Account Executive is required. If ALCALL decides to cancel after ten business days from receipt of the custom branding order, ALCALL shall pay all charges per the order.

10.4.4 Selective Call Routing Using Line Class Codes (SCR-LCC)

10.4.4.1 Where ALCALL purchases unbundled local switching from BellSouth and utilizes an Operator Services Provider other than BellSouth, BellSouth will route ALCALL's end user calls to that provider through Selective Call Routing.

10.4.4.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for ALCALL to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.

10.4.4.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.

10.4.4.4 Where available, ALCALL specific and unique line class codes are programmed in each BellSouth end office switch where ALCALL intends to serve end users with customized OCP/DA branding. The line class codes specifically identify ALCALL's end users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and ALCALL intends to provide ALCALL -branded OCP/DA to its end users in these multiple rate areas.

10.4.4.5 BellSouth Branding is the default branding offering.

- 10.4.4.6 SCR-LCC supporting Custom Branding and Self Branding require ALCALL to order dedicated trunking from each BellSouth end office identified by ALCALL, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the ALCALL Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.4.7 Unbranding - Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by ALCALL to the BellSouth TOPS. These calls are routed to "No Announcement."
- 10.4.4.8 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.
- 10.4.5 UNE Provider Branding via Originating Line Number Screening (OLNS)
- 10.4.5.1 BellSouth Branding, Unbranding and Custom Branding are also available for DA, OCP or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, ALCALL shall not be required to purchase dedicated trunking.
- 10.4.5.2 For BellSouth to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, ALCALL must have its Operating Company Number (OCN(s)) and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, ALCALL must submit a manual order form which requires, among other things, ALCALL's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. ALCALL shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon ALCALL's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all ALCALL end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 10.4.5.3 BellSouth Branding is the default branding offering.
- 10.4.5.4 Rates for Unbranding and Custom Branding via OLNS software for DA and for OCP are as set forth in this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill ALCALL applicable

charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, ALCALL shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's DA and OCP platforms as set forth in this Attachment. Further, where ALCALL is purchasing unbundled local switching from BellSouth, UNE usage charges for end office switching, tandem switching and transport, as applicable, shall continue to apply.

10.4.6 **Facilities Based Carrier Branding**

10.4.6.1 All Service Levels require ALCALL to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.

10.4.6.2 Unbranding is the default branding offering.

10.4.6.3 Rates for Custom Branded OCP/DA are set forth in this Attachment.

10.4.6.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which ALCALL requires service.

10.4.6.5 Directory Assistance customized branding uses:

10.4.6.5.1 the recording of ALCALL;

10.4.6.5.2 the loading on the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.

10.4.6.6 Operator Call Processing customized branding uses:

10.4.6.6.1 the recording of ALCALL;

10.4.6.6.2 the loading on the DRAM in the TOPS Switch (North Carolina);

10.4.6.6.3 the loading on the NAV. All NAV shelves within the region where the customer is offering service must be loaded.

10.5 **Directory Assistance Database Service (DADS)**

10.5.1 BellSouth shall make its Directory Assistance Database Service (DADS) available at the rates set forth in this Attachment solely for the expressed purpose of providing Directory Assistance type services to ALCALL end users. The term "end user" denotes any entity that obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as

Voice Directory Assistance (DA Operator assisted) and Electronic Directory Assistance (Data System assisted). ALCALL agrees that DADS will not be used for any purpose that violates federal or state laws, statutes, regulatory orders or tariffs. For the purposes of provisioning a Directory Assistance type service, all terms and conditions of GSST A38 apply and are incorporated by reference herein. Except for the permitted uses, ALCALL agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS.

10.5.2 BellSouth shall initially provide ALCALL with a Base File of subscriber listings via magnetic tape. DADS is available and may be ordered on a Business, Residence or combined Business and Residence listings basis for each central office requested. BellSouth will require approximately 30- 45 days after receiving an order from ALCALL to prepare the Base File.

10.5.3 BellSouth will provide updates on either a daily or weekly basis reflecting all listing change activity occurring since ALCALL's previous update. Delivery of updates will commence immediately after ALCALL receives the Base File. Updates will be provided via magnetic tape unless BellSouth and ALCALL mutually develop CONNECT: Direct™ electronic connectivity. ALCALL will pay all costs associated with CONNECT: Direct™ connectivity, which will vary depending upon volume and mileage.

10.5.4 ALCALL authorizes the inclusion of ALCALL Directory Assistance listings in the BellSouth Directory Assistance products, including but not limited to DADS. Any other use is not authorized.

10.6 **Direct Access to Directory Assistance Service**

10.6.1 Direct Access to Directory Assistance Service (DADAS) will provide ALCALL's directory assistance operators with the ability to search, using a standard directory assistance search format, the same listing information that is available to BellSouth operators including all available BellSouth subscriber listings, all available listings associated with lines resold by competitive local exchange carriers, and all available listings associated with lines provisioned by local exchange carriers that provide their listings to BellSouth. DADAS will also provide ALCALL with the ability to search all listings BellSouth obtains from sources other than the provider of the local exchange lines associated with the listings. The search format will be provided to ALCALL by BellSouth upon subscription to the service. Subscription to DADAS requires that ALCALL utilize its own switch, operator workstations, directory assistance operators, transport facilities, and optional audio subsystems.

10.6.2 Rates, terms and conditions for provisioning DADAS are as set forth in the FCC tariff No. 1.

11 Automatic Location Identification/Data Management System (ALI/DMS)

- 11.1 The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.
- 11.2 Technical Requirements
- 11.2.1 BellSouth shall provide ALCALL access to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to ALCALL after ALCALL provides end user information for input into the ALI/DMS database.
- 11.2.2 When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless ALCALL requests otherwise and shall be updated if ALCALL requests, provided ALCALL supplies BellSouth with the updates.
- 11.2.3 When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or “forwarded-to” number and an indication that the number is ported shall be added to the customer record.
- 11.2.4 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.
- 11.3 Interface Requirements
- 11.3.1 The interface between the E911 Switch or Tandem and the ALI/DMS database for ALCALL end users shall meet industry standards.

12 Calling Name (CNAM) Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the end user (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides ALCALL the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- 12.2 ALCALL shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing, no less than 60 days prior to ALCALL's access to BellSouth's CNAM Database Services and shall be addressed to ALCALL's Account Manager.

- 12.3 BellSouth's provision of CNAM Database Services to ALCALL requires interconnection from ALCALL to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement, incorporated herein by this reference.
- 12.4 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, ALCALL shall provide its own CNAM SSP. ALCALL's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If ALCALL elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that ALCALL desires to query.
- 12.6 If ALCALL queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- 12.7 The mechanism to be used by ALCALL for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by ALCALL in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of ALCALL to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 12.9 ALCALL CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

13 Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access

- 13.1 BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide ALCALL the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- 13.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to ALCALL. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions, but will not include support for the creation of a specific service application.
- 13.3 BellSouth SCP shall partition and protect ALCALL service logic and data from unauthorized access.
- 13.4 When ALCALL selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable ALCALL to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 13.5 ALCALL access will be provided via remote data connection (e.g., dial-in, ISDN).
- 13.6 BellSouth shall allow ALCALL to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Basic 911 and E911

- 14.1 Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- 14.2 Basic 911 Service Provisioning. BellSouth will provide to ALCALL a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. ALCALL will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. ALCALL will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, ALCALL will be required to begin using E911 procedures.
- 14.3 E911 Service Provisioning. ALCALL shall install a minimum of two dedicated trunks originating from the ALCALL serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital

(1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency (MF) pulsing that will deliver automatic number identification (ANI) with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. ALCALL will be required to provide BellSouth daily updates to the E911 database. ALCALL will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, ALCALL will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point (PSAP). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. ALCALL shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.

14.4 Rates. Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on ALCALL beyond applicable charges for BellSouth trunking arrangements.

14.5 Basic 911 and E911 functions provided to ALCALL shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.

14.6 The detailed practices and procedures for 911/E911 services are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement.

15 Operational Support Systems (OSS)

15.1 BellSouth has developed and made available the following electronic interfaces by which ALCALL may submit LSRs electronically.

| | |
|------|-----------------------------------|
| LENS | Local Exchange Navigation System |
| EDI | Electronic Data Interchange |
| TAG | Telecommunications Access Gateway |

15.2 LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit B of this Attachment.

15.3 Denial/Restoral OSS Charge

15.3.1 In the event ALCALL provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

- 15.4 Cancellation OSS Charge
 - 15.4.1 ALCALL will incur an OSS charge for an accepted LSR that is later canceled.
- 15.5 Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 15.6 Network Elements and Other Services Manual Additive
 - 15.6.1 The Commissions in some states have ordered per-element manual additive non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed in Exhibit B.

EXHIBIT A**LINE INFORMATION DATA BASE (LIDB)****FACILITIES BASED STORAGE AGREEMENT****I. Definitions**

- A. Billing number - a number that ALCALL creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number - a ten-digit number that identifies a telephone line administered by ALCALL.
- C. Special billing number - a ten-digit number that identifies a billing account established by ALCALL.
- D. Calling Card number - a billing number plus PIN number.
- E. PIN number - a four-digit security code assigned by ALCALL that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator - associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by ALCALL.
- G. Billed Number Screening - refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation - refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information - information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by ALCALL.

II. General

- A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of ALCALL and pursuant to which BellSouth, its LIDB customers and ALCALL shall have access to such information. In addition, this Agreement sets forth the terms and conditions for ALCALL's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. ALCALL understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of ALCALL, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to ALCALL's account team and/or Local

Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement.

- B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether ALCALL has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth and where the last four digits (PIN) are a security code assigned by BellSouth.

3. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify ALCALL of fraud alerts so that ALCALL may take action it deems appropriate.

III. Responsibilities of the Parties

- A. BellSouth will administer all data stored in the LIDB, including the data provided by ALCALL pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to ALCALL for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from end users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate ALCALL's data from BellSouth's data, the following terms and conditions shall apply:

1. ALCALL will accept responsibility for telecommunications services billed by BellSouth for its B&C Customers for ALCALL's End User accounts which are

resident in LIDB pursuant to this Agreement. ALCALL authorizes BellSouth to place such charges on ALCALL's bill from BellSouth and shall pay all such charges including, but not limited to, collect and third number calls.

2. Charges for such services shall appear on a separate BellSouth bill page identified with the name of the B&C Customers for which BellSouth is billing the charge.

3. ALCALL shall have the responsibility to render a billing statement to its End Users for these charges, but ALCALL shall pay BellSouth for the charges billed regardless of whether ALCALL collects from ALCALL's End Users.

4. BellSouth shall have no obligation to become involved in any disputes between ALCALL and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to ALCALL. It shall be the responsibility of ALCALL and the B&C Customers to negotiate and arrange for any appropriate adjustments.

C. SPNP Arrangements

1. BellSouth will include billing number information associated with exchange lines or SPNP arrangements in its LIDB. ALCALL will request any toll billing exceptions via the Local Service Request (LSR) form used to order exchange lines, or the SPNP service request form used to order SPNP arrangements.

2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the local exchange lines or the SPNP arrangements. For local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of ALCALL. BellSouth will not issue line-based calling cards in the name of ALCALL's individual End Users. In the event that ALCALL wants to include calling card numbers assigned by ALCALL in the BellSouth LIDB, a separate agreement is required.

V. Fees for Service and Taxes

A. ALCALL will not be charged a fee for storage services provided by BellSouth to ALCALL, as described in this LIDB Facilities Based Storage Agreement.

B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by ALCALL in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|--|---------|------|-------------|--------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | OSS Rates(\$) | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| OPERATIONAL SUPPORT SYSTEMS | | | | | | | | | | | | | | | | |
| | NOTE: (1) Electronic Service Order: CLEC should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions. The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge. CLEC may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC may elect the regional electronic service ordering charge. | | | | | | | | | | | | | | | |
| | NOTE: (2) Any element that can be ordered electronically will be billed according to the SOME C rate listed in this category. Please refer to BellSouth's Business Rules for Local Ordering (BBR-LO) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the BBR-LO, the listed SOME C rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth. | | | | | | | | | | | | | | | |
| | Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional) | | | | SOME C | | 3.50 | | | | | | | | | |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | | |
| 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | | 15.24 | 59.03 | 43.14 | 15.21 | 3.22 | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | | 24.75 | 59.03 | 43.14 | 15.21 | 3.22 | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | | 44.85 | 59.03 | 43.14 | 15.21 | 3.22 | | 23.97 | 12.97 | 17.77 | 17.77 |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | | 78.92 | 78.92 | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | | 23.33 | 23.33 | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1) | | | UEANL | UREWO | | 15.78 | 8.94 | | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | Engineering Information Document (EI) | | | UEANL | | | 28.75 | 28.75 | | | | | | | | |
| | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 51.29 | 51.29 | | | | | | | | |
| | Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) | | | UEANL | OCOSL | | 45.99 | 45.99 | | | | | | | | |
| 2-WIRE Unbundled COPPER LOOP | | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | I | 1 | UEQ | UEQ2X | | 11.01 | 44.69 | 22.40 | 25.65 | 7.06 | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | I | 2 | UEQ | UEQ2X | | 12.67 | 44.69 | 22.40 | 25.65 | 7.06 | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | I | 3 | UEQ | UEQ2X | | 20.22 | 44.69 | 22.40 | 25.65 | 7.06 | | 27.37 | 12.97 | 17.77 | 17.77 |
| | Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop) | | | UEQ | USBMC | | | 51.29 | 51.29 | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | Engineering Information Document | | | UEQ | | | 28.75 | 28.75 | | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | | 78.92 | 78.92 | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | | 23.33 | 23.33 | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND) | | | UEQ | UREWO | | 14.27 | 7.43 | | | | | 18.84 | 8.42 | | |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | | |
| 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1 | | 1 | UEPSR UEPSB | UEALS | | 18.24 | 75.62 | 35.11 | 46.98 | 10.59 | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1 | | 1 | UEPSR UEPSB | UEABS | | 18.24 | 75.62 | 35.11 | 46.98 | 10.59 | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2 | | 2 | UEPSR UEPSB | UEALS | | 25.22 | 75.62 | 35.11 | 46.98 | 10.59 | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2 | | 2 | UEPSR UEPSB | UEABS | | 25.22 | 75.62 | 35.11 | 46.98 | 10.59 | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 | | 3 | UEPSR UEPSB | UEALS | | 33.70 | 75.62 | 35.11 | 46.98 | 10.59 | | 23.97 | 12.97 | 17.77 | 17.77 |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 | | 3 | UEPSR UEPSB | UEABS | | 33.70 | 75.62 | 35.11 | 46.98 | 10.59 | | 23.97 | 12.97 | 17.77 | 17.77 |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | | |
| 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | | 17.95 | 145.46 | 108.40 | 40.31 | 26.01 | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | | 29.16 | 145.46 | 108.40 | 40.31 | 26.01 | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | | 52.84 | 145.46 | 108.40 | 40.31 | 26.01 | | 27.37 | 12.97 | 17.77 | 17.77 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | | 45.99 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | | 17.95 | 145.46 | 108.40 | 40.31 | 26.01 | | 27.37 | 12.97 | 17.77 | 17.77 |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--------------------------------------|---------------|--|--|--|--|---------|------|-----|------|-----------|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--------------------------------------|--|---------|------|-----|-------|-----------|--------------|--------|--------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 11.52 | 541.13 | 491.50 | 106.65 | 56.98 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 18.71 | 541.13 | 491.50 | 106.65 | 56.98 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 33.90 | 541.13 | 491.50 | 106.65 | 56.98 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 45.99 | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 11.52 | 279.39 | 203.59 | 109.99 | 20.70 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 18.71 | 279.39 | 203.59 | 109.99 | 20.70 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 33.90 | 279.39 | 203.59 | 109.99 | 20.70 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 45.99 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.14 | 40.40 | | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 4-WIRE DS1 DIGITAL LOOP | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 51.74 | 610.13 | 380.26 | 134.77 | 55.97 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 84.05 | 610.13 | 380.26 | 134.77 | 55.97 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 152.29 | 610.13 | 380.26 | 134.77 | 55.97 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 45.99 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 101.09 | 43.05 | | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 27.33 | 498.05 | 343.70 | 129.62 | 64.25 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 44.40 | 498.05 | 343.70 | 129.62 | 64.25 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL | UDL19 | 80.45 | 498.05 | 343.70 | 129.62 | 64.25 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 27.33 | 498.05 | 343.70 | 129.62 | 64.25 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 44.40 | 498.05 | 343.70 | 129.62 | 64.25 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 80.45 | 498.05 | 343.70 | 129.62 | 64.25 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 45.99 | | | | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 27.33 | 498.05 | 343.70 | 129.62 | 64.25 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 44.40 | 498.05 | 343.70 | 129.62 | 64.25 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 80.45 | 498.05 | 343.70 | 129.62 | 64.25 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 45.99 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 102.13 | 49.75 | | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 2-WIRE Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 11.90 | 283.37 | 163.68 | 120.15 | 22.37 | | | 18.94 | 8.42 | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 13.74 | 283.37 | 163.68 | 120.15 | 22.37 | | | 18.94 | 8.42 | | |
| | 2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 21.83 | 283.37 | 163.68 | 120.15 | 22.37 | | | 18.94 | 8.42 | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.46 | 36.46 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1 | I | 1 | UCL | UCLPW | 11.90 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2 | I | 2 | UCL | UCLPW | 13.74 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3 | I | 3 | UCL | UCLPW | 21.83 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.46 | 36.46 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2L | 35.43 | 270.28 | 150.59 | 120.15 | 22.37 | | | 18.94 | 8.42 | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2L | 40.91 | 270.28 | 150.59 | 120.15 | 22.37 | | | 18.94 | 8.42 | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2L | 65.02 | 270.28 | 150.59 | 120.15 | 22.37 | | | 18.94 | 8.42 | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.46 | 36.46 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1 | I | 1 | UCL | UCL2W | 35.43 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--------------------------------------|---------------|--|--|--|--|---------|------|-----|------|-----------|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|--|--|---|---------|----------------------|-------|-------|-----------|--------------|--------|--------------|------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up | I | | UEANL | USBSC | | | 394.74 | 394.74 | | | | | 18.94 | 8.42 | | |
| | | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | I | | UEANL | USBSD | | | 154.57 | 154.57 | | | | | 18.94 | 8.42 | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Statewide | | sw | UEANL | USBN2 | 9.12 | | 207.01 | 171.32 | | | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | | 45.99 | 45.99 | | | | | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Statewide | | sw | UEANL | USBN4 | 8.32 | | 219.35 | 72.99 | 123.72 | 28.77 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | | 45.99 | 45.99 | | | | | | | | |
| | | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR2 | 1.61 | | 137.03 | 41.59 | 115.85 | 19.17 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | | 45.99 | 45.99 | | | | | | | | |
| | | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR4 | 2.96 | | 176.46 | 55.11 | 122.17 | 19.57 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | | 45.99 | 45.99 | | | | | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Statewide | | sw | UEF | UCS2X | 5.54 | | 175.16 | 55.50 | 108.86 | 24.53 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | | 45.99 | 45.99 | | | | | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Statewide | | sw | UEF | UCS4X | 6.89 | | 219.35 | 72.99 | 123.72 | 28.77 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | | 45.99 | 45.99 | | | | | | | | |
| | | Unbundled Sub-Loop Modification | | | | | | | | | | | | | | | | |
| | | Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | | 355.71 | 12.26 | | | | | 18.94 | 8.42 | | |
| | | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | | 355.71 | 12.26 | | | | | 18.94 | 8.42 | | |
| | | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded | | | UEF | ULM4T | | | 560.55 | 14.30 | | | | | 18.94 | 8.42 | | |
| | | Unbundled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | | |
| | | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 1.37 | | 2.48 | 2.48 | 1.74 | 1.74 | | | 18.94 | 8.42 | | |
| | | Network Interface Device (NID) | | | | | | | | | | | | | | | | |
| | | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | | 86.46 | 56.75 | | | | | 18.94 | 8.42 | | |
| | | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | | 127.93 | 98.21 | | | | | 18.94 | 8.42 | | |
| | | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | | 11.73 | 11.73 | | | | | 18.94 | 8.42 | | |
| | | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | | 11.73 | 11.73 | | | | | 18.94 | 8.42 | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | | | |
| | | Sub-Loop Feeder | | | | | | | | | | | | | | | | |
| | | USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up | | | UEA, UDN,UCL,UDL,UDC | USBFW | | | 421.08 | | | | | | 18.94 | 8.42 | | |
| | | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up | | | UEA, UDN,UCL,UDL,UDC | USBFX | | | 67.10 | 67.10 | | | | | 18.94 | 8.42 | | |
| | | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | | 519.95 | 11.32 | | | | | 18.94 | 8.42 | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade- Statewide | | sw | UEA | USBFA | 8.58 | | 206.44 | 170.05 | 119.95 | 27.04 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Specified Conversion Time, per LSR | | | UEA | OCOSL | | | 45.99 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Statewide | | sw | UEA | USBFB | 8.58 | | 206.44 | 170.05 | 119.95 | 27.04 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Specified Time Conversion, per LSR | | | UEA | OCOSL | | | 45.99 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade Loop - Statewide | | sw | UEA | USBFC | 8.58 | | 206.44 | 170.05 | 119.95 | 27.04 | | | 18.94 | 8.42 | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UEA | OCOSL | | | 45.99 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Statewide | | sw | UEA | USBFD | 19.91 | | 243.41 | 81.32 | 134.77 | 33.93 | | | 18.94 | 8.42 | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | | 45.99 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Statewide | | sw | UEA | USBFE | 19.91 | | 243.41 | 81.32 | 134.77 | 33.93 | | | 18.94 | 8.42 | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--------------------------------------|---|---------|------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | OSS Rates(\$) | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 45.99 | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Statewide | | sw | UDN | USBFF | 17.73 | 208.50 | 62.31 | 119.68 | 29.58 | | | 19.99 | 19.99 | 19.99 |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UDN | OCOSL | | 45.99 | | | | | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | sw | UDC | USBFS | 17.73 | 208.50 | 62.31 | 119.68 | 29.58 | | | 19.99 | 19.99 | 19.99 |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide | | sw | USL | USBFG | 79.30 | 203.69 | 128.76 | 124.09 | 34.80 | | | 19.99 | 19.99 | 19.99 |
| | Order Coordination For Specified Conversion Time, Per LSR | | | USL | OCOSL | | 45.99 | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Statewide | | sw | UCL | USBFH | 7.22 | 195.38 | 63.15 | 119.68 | 29.58 | | | 18.94 | 8.42 | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 45.99 | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide | | sw | UCL | USBFJ | 13.72 | 243.41 | 81.32 | 134.77 | 33.93 | | | 18.94 | 8.42 | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 45.99 | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | sw | UDL | USBFN | 24.50 | 243.41 | 81.32 | 134.77 | 33.93 | | | 19.99 | 19.99 | 19.99 |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Statewide | | sw | UDL | USBFO | 24.50 | 243.41 | 81.32 | 134.77 | 33.93 | | | 19.99 | 19.99 | 19.99 |
| | Order Coordination For Specified Time Conversion, per LSR | | | UDL | OCOSL | | 45.99 | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Statewide | | sw | UDL | USBFP | 24.50 | 243.41 | 81.32 | 134.77 | 33.93 | | | 19.99 | 19.99 | 19.99 |
| | Order Coordination For Specified Conversion Time, per LSR | | | UDL | OCOSL | | 45.99 | | | | | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | |
| | Sub-Loop Feeder | | | | | | | | | | | | | | |
| | Sub Loop Feeder - DS3 - Per Mile Per Month | I | | UE3 | 1L5SL | 13.55 | | | | | | | | | |
| | Sub Loop Feeder - DS3 - Facility Termination Per Month | I | | UE3 | USBF1 | 332.40 | 3,384.00 | 407.00 | 160.47 | 90.97 | | | 31.31 | 31.31 | 3.93 |
| | Sub Loop Feeder - STS-1 - Per Mile Per Month | I | | UDLSX | 1L5SL | 13.55 | | | | | | | | | |
| | Sub Loop Feeder - STS-1 - Facility Termination Per Month | I | | UDLSX | USBF7 | 357.36 | 3,384.00 | 407.00 | 160.47 | 90.97 | | | 31.31 | 31.31 | 3.93 |
| | Sub Loop Feeder - OC-3 - Per Mile Per Month | I | | UDLO3 | 1L5SL | 10.28 | | | | | | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month | I | | UDLO3 | USBF5 | 54.89 | | | | | | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Per Month | I | | UDLO3 | USBF2 | 538.69 | 3,384.00 | 407.00 | 160.47 | 90.97 | | | 31.31 | 31.31 | 3.93 |
| | Sub Loop Feeder - OC-12 - Per Mile Per Month | I | | UDL12 | 1L5SL | 12.66 | | | | | | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month | I | | UDL12 | USBF6 | 620.18 | | | | | | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Per Month | I | | UDL12 | USBF3 | 1,729.00 | 3,384.00 | 407.00 | 160.47 | 90.97 | | | 31.31 | 31.31 | 3.93 |
| | Sub Loop Feeder - OC-48 - Per Mile Per Month | I | | UDL48 | 1L5SL | 41.51 | | | | | | | | | |
| | Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month | I | | UDL48 | USBF9 | 310.30 | | | | | | | | | |
| | Sub Loop Feeder - OC-48 - Facility Termination Per Month | I | | UDL48 | USBF4 | 1,495.00 | 3,570.00 | 407.00 | 160.47 | 90.97 | | | 31.31 | 31.31 | 3.93 |
| | Sub Loop Feeder - OC-12 Interface On OC-48 | I | | UDL48 | USBF8 | 350.09 | 788.09 | 407.00 | 160.47 | 90.97 | | | 31.31 | 31.31 | 3.93 |
| UNBUNDLED LOOP CONCENTRATION | | | | | | | | | | | | | | | |
| | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8A | 441.42 | 650.81 | 650.81 | | | | | 19.99 | 19.99 | 19.99 |
| | Unbundled Loop Concentration - System B (TR008) | | | ULC | UCT8B | 52.97 | 271.17 | 271.17 | | | | | 19.99 | 19.99 | 19.99 |
| | Unbundled Loop Concentration - System A (TR303) | | | ULC | UCT3A | 478.93 | 650.81 | 650.81 | | | | | | | |
| | Unbundled Loop Concentration - System B (TR303) | | | ULC | UCT3B | 89.26 | 271.17 | 271.17 | | | | | 19.99 | 19.99 | 19.99 |
| | Unbundled Loop Concentration - DS1 Loop Interface Card | | | ULC | UCTCO | 5.04 | 126.57 | 92.14 | 33.57 | 9.40 | | | 19.99 | 19.99 | 19.99 |
| | Unbundled Loop Concentration - ISDN Loop Interface (Brite Card) | | | UDN | ULCC1 | 8.00 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 |
| | Unbundled Loop Concentration - UDC Loop Interface (Brite Card) | | | UDC | ULCCU | 8.00 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 |
| | Unbundled Loop Concentration - 2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card) | | | UEA | ULCC2 | 2.00 | 21.07 | 20.96 | 10.78 | 10.71 | | | 18.94 | 8.42 | |
| | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card) | | | UEA | ULCCR | 11.89 | 21.07 | 20.96 | 10.78 | 10.71 | | | 18.94 | 8.42 | |
| | Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card) | | | UEA | ULCC4 | 7.09 | 21.07 | 20.96 | 10.78 | 10.71 | | | 18.94 | 8.42 | |
| | Unbundled Loop Concentration - TEST CIRCUIT Card | | | ULC | UCTTC | 34.67 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 |
| | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface | | | UDL | ULCC7 | 10.51 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 |
| | Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface | | | UDL | ULCC5 | 10.51 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|---------------|--|--|--|--|---------|------|-----|------|-----------|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--------------------------------------|---------------|---|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat. - Per Mile per month | | | | U1TVX | 1L5XX | 0.0101 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat. - Facility Termination per month | | | | U1TVX | U1TR2 | 24.15 | 81.07 | 54.82 | 33.47 | 13.79 | | | 31.31 | 31.31 | 3.93 |
| | | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month | | | | U1TVX | 1L5XX | 0.0101 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination per month | | | | U1TVX | U1TV4 | 21.41 | 81.07 | 54.82 | 33.47 | 13.79 | | | 31.31 | 31.31 | 3.93 |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | | U1TDX | 1L5XX | 0.0101 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month | | | | U1TDX | U1TD5 | 17.28 | 81.07 | 54.82 | 33.47 | 13.79 | | | 31.31 | 31.31 | 3.93 |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | | U1TDX | 1L5XX | 0.0101 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | | U1TDX | U1TD6 | 17.28 | 81.07 | 54.82 | 33.47 | 13.79 | | | 31.31 | 31.31 | 3.93 |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | | U1TD1 | 1L5XX | 0.2067 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS1 - Facility Termination per month | | | | U1TD1 | U1TF1 | 68.75 | 178.53 | 163.61 | 32.70 | 28.88 | | | 31.31 | 31.31 | 3.93 |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | | U1TD3 | 1L5XX | 4.67 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | | U1TD3 | U1TF3 | 804.02 | 557.49 | 325.51 | 120.39 | 116.91 | | | 31.31 | 31.31 | 3.93 |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | | U1TS1 | 1L5XX | 4.67 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month | | | | U1TS1 | U1TFS | 801.57 | 557.49 | 325.51 | 120.39 | 116.91 | | | 31.31 | 31.31 | 3.93 |
| | | LOCAL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | | NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3/STS-1=four months | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Per Month | | | | ULDVX | ULDV2 | 15.96 | 386.19 | 66.33 | 73.28 | 6.39 | | | 31.31 | 31.31 | 3.93 |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month | | | | ULDVX | ULDR2 | 15.96 | 386.19 | 66.33 | 73.28 | 6.39 | | | 31.31 | 31.31 | 3.93 |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | | UNLVX | ULDV4 | 17.06 | 387.19 | 67.20 | 74.22 | 7.33 | | | 31.31 | 31.31 | 3.93 |
| | | Local Channel - Dedicated - DS1 per month - Zone 1 | | 1 | | ULDD1 | ULDF1 | 41.52 | 354.94 | 307.43 | 44.38 | 30.52 | | | 31.31 | 31.31 | 3.93 |
| | | Local Channel - Dedicated - DS1 per month - Zone 2 | | 2 | | ULDD1 | ULDF1 | 61.05 | 354.94 | 307.43 | 44.38 | 30.52 | | | 31.31 | 31.31 | 3.93 |
| | | Local Channel - Dedicated - DS1 per month - Zone 3 | | 3 | | ULDD1 | ULDF1 | 47.29 | 354.94 | 307.43 | 44.38 | 30.52 | | | 31.31 | 31.31 | 3.93 |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | | | ULDD3 | 1L5NC | 7.91 | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination per month | | | | ULDD3 | ULDF3 | 476.04 | 903.03 | 527.87 | 238.87 | 167.16 | | | 31.31 | 31.31 | 3.93 |
| | | Local Channel - Dedicated - STS-1 - Per Mile per month | | | | ULDS1 | 1L5NC | 7.91 | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination per month | | | | ULDS1 | ULDFS | 466.84 | 903.03 | 527.87 | 238.87 | 167.16 | | | 31.31 | 31.31 | 3.93 |
| | | MULTIPLEXERS | | | | | | | | | | | | | | | |
| | | Channelization - DS1 to DS0 Channel System | | | | UXTD1 | MQ1 | 122.50 | 182.08 | 125.14 | 21.07 | 19.58 | | | 31.31 | 31.31 | 3.93 |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | | UDL | 1D1DD | 1.36 | 13.15 | 9.43 | | | | | 31.31 | 31.31 | 3.93 |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month | | | | UDN | UC1CA | 2.92 | 13.15 | 9.43 | | | | | 31.31 | 31.31 | 3.93 |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | UEA | 1D1VG | 0.64 | 13.15 | 9.43 | | | | | 31.31 | 31.31 | 3.93 |
| | | DS3 to DS1 Channel System per month | | | | UXTD3 | MQ3 | 201.37 | 356.28 | 187.94 | 66.51 | 63.65 | | | 31.31 | 31.31 | 3.93 |
| | | STS1 to DS1 Channel System per month | | | | UXTS1 | MQ3 | 201.37 | 356.28 | 187.94 | 66.51 | 63.65 | | | 31.31 | 31.31 | 3.93 |
| | | DS3 Interface Unit (DS1 COCI) used with Loop per month | | | | USL | UC1D1 | 15.39 | 13.15 | 9.43 | | | | | 31.31 | 31.31 | 3.93 |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | | ULDD1 | UC1D1 | 15.39 | 13.15 | 9.43 | | | | | 31.31 | 31.31 | 3.93 |
| | | DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per month | | | | U1TD1 | UC1D1 | 15.39 | 13.15 | 9.43 | | | | | 31.31 | 31.31 | 3.93 |
| | | DARK FIBER | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|--|---------|------|----------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel | | | UDF | 1L5DC | 68.84 | | | | | | | 31.31 | 31.31 | 3.93 |
| | NRC Dark Fiber - Local Channel | | | UDF | UDFC4 | | 1,278.17 | 275.73 | 634.11 | 395.32 | | | | | 3.93 |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel | | | UDF | 1L5DF | 25.53 | | | | | | | | | |
| | NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | | 1,278.17 | 275.73 | 634.11 | 395.32 | | | 31.31 | 31.31 | 3.93 |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop | | | UDF | 1L5DL | 68.84 | | | | | | | | | |
| | NRC Dark Fiber - Local Loop | | | UDF | UDFL4 | | 1,278.17 | 275.73 | 634.11 | 395.32 | | | 31.31 | 31.31 | 3.93 |
| TRANSPORT OTHER | | | | | | | | | | | | | | | |
| Optional Features & Functions: | | | | | | | | | | | | | | | |
| 8XX ACCESS TEN DIGIT SCREENING | | | | | | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0005 | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved | | | OHD | N8R1X | | 7.13 | 0.97 | | | | | 27.37 | 27.37 | 17.75 |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations | | | OHD | | | 15.88 | 1.97 | 10.04 | 0.97 | | | 27.37 | 27.37 | 17.75 |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations | | | OHD | N8FTX | | 15.88 | 1.97 | 10.04 | 0.97 | | | 27.37 | 27.37 | 17.75 |
| | 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number | | | OHD | N8FCX | | 5.69 | 2.85 | | | | | 27.37 | 27.37 | 17.75 |
| | 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 6.66 | 3.81 | | | | | 27.37 | 27.37 | 17.75 |
| | 8XX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | | 8.10 | 0.97 | | | | | 27.37 | 27.37 | 17.75 |
| | 8XX Access Ten Digit Screening, Call Handling and Destination Features | | | OHD | N8FDX | | 5.69 | | | | | | 27.37 | 27.37 | 17.75 |
| LINE INFORMATION DATA BASE ACCESS (LIDB) | | | | | | | | | | | | | | | |
| | LIDB Common Transport Per Query | | | OQT | | 0.00004 | | | | | | | | | |
| | LIDB Validation Per Query | | | OQU | | 0.0142 | | | | | | | | | |
| | LIDB Originating Point Code Establishment or Change | | | OQT, OQU | NRPBX | | 64.36 | | | | | | 27.37 | 27.37 | 17.75 |
| SIGNALING (CCS7) | | | | | | | | | | | | | | | |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 148.72 | | | | | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message | | | UDB | | 0.0001 | | | | | | | | | |
| | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP++ | 18.79 | 171.98 | 171.98 | 135.70 | 135.70 | | | 25.93 | 25.93 | 16.31 |
| | CCS7 Signaling Connection, Per link (B link) (also known as D link) | | | UDB | TPP++ | 18.79 | 171.98 | 171.98 | 135.70 | 135.70 | | | 25.93 | 25.93 | 16.31 |
| | CCS7 Signaling Usage, Per ISUP Message | | | UDB | | 0.00004 | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 376.12 | | | | | | | | | |
| | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected | | | UDB | CCAPO | | 40.00 | 40.00 | | | | | 25.93 | 25.93 | 16.31 |
| | CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected | | | UDB | CCAPD | | 8.00 | 8.00 | | | | | 25.93 | 25.93 | 16.31 |
| E911 SERVICE | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-wr Voice Grade | | | | | 13.91 | 382.95 | 62.40 | | | | | 18.94 | 8.42 | |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile | | | | | 0.0222 | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination | | | | | 17.07 | 79.61 | 36.08 | | | | | 18.94 | 18.94 | |
| | Local Channel - Dedicated - DS1 | | | | | 38.36 | 356.15 | 312.89 | | | | | 44.22 | | |
| | Interoffice Transport - Dedicated - DS1 Per Mile | | | | | 0.4523 | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 Per Facility Termination | | | | | 78.47 | 147.07 | 111.75 | | | | | 18.94 | 18.94 | |
| CALLING NAME (CNAM) SERVICE | | | | | | | | | | | | | | | |
| | CNAM for DB Owners, Per Query | | | OQV | | 0.01 | | | | | | | | | |
| | CNAM for Non DB Owners, Per Query | | | OQV | | 0.01 | | | | | | | | | |
| | CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI) | | | OQV | CDDCH | | 595.00 | 595.00 | | | | | 27.37 | 27.37 | 17.75 |
| OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min. - Using BST LIDB | | | | | 1.20 | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--------------------------------------|---------------|--|--|---------|--|-------|------|-----------|--------------|----------|--------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Oper. Call Processing - Oper. Provided, Per Min. - Using Foreign LIDB | | | | | | 1.24 | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using BST LIDB | | | | | | 0.20 | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB | | | | | | 0.20 | | | | | | | | | |
| INWARD OPERATOR SERVICES | | | | | | | | | | | | | | | | | |
| | | Inward Operator Services - Verification, Per Minute | | | | | | 1.15 | | | | | | | | | |
| | | Inward Operator Services - Verification and Emergency Interrupt - Per Minute | | | | | | 1.15 | | | | | | | | | |
| BRANDING - OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | | | |
| | | Recording of Custom Branded OA Announcement | | | | CBAOS | | | 7,000.00 | 7,000.00 | | | | | 19.99 | 19.99 | 19.99 |
| | | Loading of Custom Branded OA Announcement per shelf/NAV | | | | CBAOL | | | 500.00 | 500.00 | | | | | 19.99 | 19.99 | |
| | | Unbranding via OLNS for UNEP CLEC | | | | | | | | | | | | | | | |
| | | Loading of OA per OCN (Regional) | | | | | | | 1,200.00 | 1,200.00 | | | | | | | |
| DIRECTORY ASSISTANCE SERVICES | | | | | | | | | | | | | | | | | |
| | | DIRECTORY ASSISTANCE ACCESS SERVICE | | | | | | | | | | | | | | | |
| | | Directory Assistance Access Service Calls, Charge Per Call | | | | | | 0.275 | | | | | | | | | |
| | | DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC) | | | | | | | | | | | | | | | |
| | | Directory Assistance Call Completion Access Service (DACC), Per Call Attempt | | | | | | 0.10 | | | | | | | | | |
| | | NUMBER SERVICES INTERCEPT ACCESS SERVICE | | | | | | | | | | | | | | | |
| DIRECTORY ASSISTANCE SERVICES | | | | | | | | | | | | | | | | | |
| | | DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS) | | | | | | | | | | | | | | | |
| | | Directory Assistance Data Base Service Charge Per Listing | | | | | | 0.04 | | | | | | | | | |
| | | Directory Assistance Data Base Service, per month | | | | DBSOF | | 150.00 | | | | | | | | | |
| BRANDING - DIRECTORY ASSISTANCE | | | | | | | | | | | | | | | | | |
| | | Facility Based CLEC | | | | | | | | | | | | | | | |
| | | Recording and Provisioning of DA Custom Branded Announcement | | | AMT | CBADA | | | 6,000.00 | 6,000.00 | | | | | | | |
| | | Loading of Custom Branded Announcement per DRAM Card/Switch | | | AMT | CBADC | | | 1,170.00 | 1,170.00 | | | | | | | |
| | | UNEP CLEC | | | | | | | | | | | | | | | |
| | | Recording of DA Custom Branded Announcement | | | | | | | 3,000.00 | 3,000.00 | | | | | | | |
| | | Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN | | | | | | | 1,170.00 | 1,170.00 | | | | | | | |
| | | Unbranding via OLNS for UNEP CLEC | | | | | | | | | | | | | | | |
| | | Loading of DA per OCN (1 OCN per Order) | | | | | | | 420.00 | 420.00 | | | | | | | |
| | | Loading of DA per Switch per OCN | | | | | | | 16.00 | 16.00 | | | | | | | |
| SELECTIVE ROUTING | | | | | | | | | | | | | | | | | |
| | | Selective Routing Per Unique Line Class Code Per Request Per Switch | | | | USRCR | | | 230.60 | 230.60 | | | | | 40.71 | 9.58 | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | | Virtual Collocation - Application Cost | | | AMTFS | EAF | | | 2,848.30 | 2,848.30 | | | | | | | |
| | | Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS | ESPCX | | | 2,750.00 | 2,750.00 | | | | | | | |
| | | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | | 3.20 | | | | | | | | | |
| | | Virtual Collocation - Power, per breaker amp | | | AMTFS | ESPAX | | 3.48 | | | | | | | | | |
| | | Virtual Collocation - Cable Support Structure, per entrance cable | | | AMTFS | ESPSX | | 13.35 | | | | | | | | | |
| | | Virtual Collocation - 2-wire Cross Connects (loop) | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX | UEAC2 | | 0.28 | 30.76 | 29.40 | 12.75 | 11.38 | | | 19.99 | 19.99 | 19.99 |
| | | Virtual Collocation - 4-wire Cross Connects (loop) | | | UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX | UEAC4 | | 0.56 | 66.71 | 50.43 | 12.82 | 11.39 | | | 19.99 | 19.99 | 19.99 |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--------------------------------------|--|--|---------|------|---|-------|-----------|--------------|--------|--------------|------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual Collocation - 2-Fiber Cross Connects | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF | CNC2F | 12.10 | 55.46 | 39.18 | 16.83 | 13.27 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Virtual Collocation - 4-Fiber Cross Connects | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF | CNC4F | 21.75 | 66.71 | 50.43 | 21.86 | 18.31 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Virtual collocation - DS1 Cross Connects | | | USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1 | CNC1X | 7.50 | 155.00 | 14.00 | | | | | | | | |
| | | Virtual collocation - DS3 Cross Connects | | | USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNC SX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 56.25 | 151.90 | 11.83 | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot | | | AMTFS | VE1CB | 0.0026 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft | | | AMTFS | VE1CD | 0.0038 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable | | | AMTFS | VE1CC | | 535.37 | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable | | | AMTFS | VE1CE | | 535.37 | | | | | | | | | |
| | | Virtual collocation - Security Escort - Basic, per half hour | | | AMTFS | SPTBX | | 41.00 | 25.00 | | | | | | | | |
| | | Virtual collocation - Security Escort - Overtime, per half hour | | | AMTFS | SPTOX | | 48.00 | 30.00 | | | | | | | | |
| | | Virtual collocation - Security Escort - Premium, per half hour | | | AMTFS | SPTPX | | 55.00 | 35.00 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 30.64 | 30.64 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 35.77 | 35.77 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 40.90 | 40.90 | | | | | | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire Analog - Res | | | UEPSR | VE1R2 | 0.28 | 30.76 | 29.40 | 12.75 | 11.38 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.28 | 30.76 | 29.40 | 12.75 | 11.38 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res | | | UEPSE | VE1R2 | 0.28 | 30.76 | 29.40 | 12.75 | 11.38 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus | | | UEPSB | VE1R2 | 0.28 | 30.76 | 29.40 | 12.75 | 11.38 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| | | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN | | | UEPSX | VE1R2 | 0.28 | 30.76 | 29.40 | 12.75 | 11.38 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN | | | UEPTX | VE1R2 | 0.28 | 30.76 | 29.40 | 12.75 | 11.38 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| | | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1 | | | UEPEX | VE1R4 | 0.56 | 66.71 | 50.43 | | | | | 27.37 | 12.97 | 17.77 | 1.44 |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR, UEPSB | VE1LS | 0.0287 | 24.59 | 23.59 | 12.05 | 10.87 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| AIN SELECTIVE CARRIER ROUTING | | | | | | | | | | | | | | | | | |
| | | Regional Service Establishment | I | | SRC | SRCEC | | 202,197.82 | | 17,181.39 | | | | 27.37 | 27.37 | 27.37 | 27.37 |
| | | End Office Establishment | I | | SRC | SRCEO | | 339.75 | 339.75 | 3.39 | 3.39 | | | 27.37 | 27.37 | 27.37 | 27.37 |
| | | Query NRC, per query | I | | SRC | | 0.0031412 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|--|---|---------|------|-------|-------|-----------|--------------|----------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | |
| AIN - BELL SOUTH AIN SMS ACCESS SERVICE | | | | | | | | | | | | | | | | | |
| | | AIN SMS Access Service - Service Establishment, Per State, Initial Setup | | | A1N | CAMSE | | 197.49 | 197.49 | 114.22 | 114.22 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN SMS Access Service - Port Connection - Dial/Shared Access | | | A1N | CAMDP | | 64.05 | 64.05 | 27.04 | 27.04 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN SMS Access Service - Port Connection - ISDN Access | | | A1N | CAM1P | | 64.05 | 64.05 | 27.04 | 27.04 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN SMS Access Service - User Identification Codes - Per User ID Code | | | A1N | CAMAU | | 141.84 | 141.84 | 70.05 | 70.05 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement | | | A1N | CAMRC | | 142.13 | 142.13 | 35.26 | 35.26 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | | | 0.0026 | | | | | | | | | | |
| | | AIN SMS Access Service - Session, Per Minute | | | | | 0.0892 | | | | | | | | | | |
| | | AIN SMS Access Service - Company Performed Session, Per Minute | | | | | 2.08 | | | | | | | | | | |
| AIN - BELL SOUTH AIN TOOLKIT SERVICE | | | | | | | | | | | | | | | | | |
| | | AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup | | | CAM | BAPSC | | 192.69 | 192.69 | 114.22 | 114.22 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN Toolkit Service - Training Session, Per Customer | | | | BAPVX | | 8,363.00 | 8,363.00 | | | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt | | | | BAPTT | | 49.64 | 49.64 | 27.04 | 27.04 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay | | | | BAPTD | | 49.64 | 49.64 | 27.04 | 27.04 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate | | | | BAPTM | | 49.64 | 49.64 | 27.04 | 27.04 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP | | | | BAPTO | | 117.98 | 117.98 | 37.90 | 37.90 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP | | | | BAPTC | | 117.98 | 117.98 | 37.90 | 37.90 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code | | | | BAPTF | | 117.98 | 117.98 | 37.90 | 37.90 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN Toolkit Service - Query Charge, Per Query | | | | | 0.024 | | | | | | | | | | |
| | | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query | | | | | 0.006 | | | | | | | | | | |
| | | AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes | | | | | 1.63 | | | | | | | | | | |
| | | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription | | | CAM | BAPMS | 16.00 | 44.56 | 44.56 | 31.84 | 31.84 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription | | | CAM | BAPLS | 0.10 | 47.74 | 47.74 | 15.90 | 15.90 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription | | | CAM | BAPDS | 15.90 | 44.56 | 44.56 | 31.84 | 31.84 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription | | | CAM | BAPES | 0.003 | 47.74 | 47.74 | | | | | 27.37 | 27.37 | 17.75 | 17.75 |
| ENHANCED EXTENDED LINK (EELs) | | | | | | | | | | | | | | | | | |
| NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; | | | | | | | | | | | | | | | | | |
| NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. | | | | | | | | | | | | | | | | | |
| NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) | | | | | | | | | | | | | | | | | |
| NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.) | | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 17.95 | | | | | | | | | | |
| | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 29.16 | | | | | | | | | | |
| | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 52.84 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile per month | | | UNC1X | 1L5XX | 0.2067 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 68.75 | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Alabama

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|---|-------------|------|-------|-------|-----------|--------------|-------|--------------|------------|---------------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 122.50 | | | | | | | | | | | |
| | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 0.64 | | | | | | | | | | | |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 17.95 | | | | | | | | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 29.16 | | | | | | | | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 52.84 | | | | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 0.64 | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 | |
| | 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 24.01 | | | | | | | | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 39.00 | | | | | | | | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 70.67 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.2067 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month | | | UNC1X | U1TF1 | 68.75 | | | | | | | | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 122.50 | | | | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 0.64 | | | | | | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 24.01 | | | | | | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 39.00 | | | | | | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 70.67 | | | | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 0.64 | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 | |
| | 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.33 | | | | | | | | | | | |
| | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 44.40 | | | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 80.45 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.2067 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month | | | UNC1X | U1TF1 | 68.75 | | | | | | | | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 122.50 | | | | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.36 | | | | | | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.33 | | | | | | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 44.40 | | | | | | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 80.45 | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|---|---------------|---|---------|------|-------|-------|-----------|--------------|-------|--------------|----------------------------------|--------------------------------------|--|--|---|---|------|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.36 | | | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.33 | | | | | | | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 44.40 | | | | | | | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 80.45 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.2067 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 68.75 | | | | | | | | | | |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 122.50 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.36 | | | | | | | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.33 | | | | | | | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 44.40 | | | | | | | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 80.45 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.36 | | | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 | | 1 | UNC1X | USLXX | 51.74 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 | | 2 | UNC1X | USLXX | 84.05 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 | | 3 | UNC1X | USLXX | 152.29 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.2067 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 68.75 | | | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 51.74 | | | | | | | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 84.05 | | | | | | | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 152.29 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | | | UNC3X | 1L5XX | 4.67 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Facility Termination per month | | | UNC3X | U1TF3 | 804.02 | | | | | | | | | | |
| | | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 201.37 | | | | | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 15.39 | | | | | | | | | | |
| | | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 51.74 | | | | | | | | | | |
| | | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 84.05 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|--------------------------------------|---------------|--|--|--|--|---------|------|-----|------|-----------|---------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Alabama

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|---|---|-------------|------|-------|-------|-----------|--------------|-------|--------------|------------|---------------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | UNC1X | 1L5XX | 0.2067 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month | | | UNC1X | U1TF1 | 68.75 | | | | | | | | | | | |
| | Channelization - Channel System DS1 to DS0 combination - per month | | | UNC1X | MQ1 | 122.50 | | | | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month | | | UNCNX | UC1CA | 2.92 | | | | | | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1 | | 1 | UNCNX | U1L2X | 23.23 | | | | | | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 | | 2 | UNCNX | U1L2X | 37.74 | | | | | | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 | | 3 | UNCNX | U1L2X | 68.38 | | | | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month | | | UNCNX | UC1CA | 2.92 | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 | |
| 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 51.74 | | | | | | | | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 84.05 | | | | | | | | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 152.29 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month | | | UNCSX | 1L5XX | 4.67 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility Termination | | | UNCSX | U1TFS | 801.57 | | | | | | | | | | | |
| | STS1 to DS1 Channel System combination per month | | | UNCSX | MQ3 | 201.37 | | | | | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 15.39 | | | | | | | | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 51.74 | | | | | | | | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 84.05 | | | | | | | | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 152.29 | | | | | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 15.39 | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCSX | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 | |
| 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.33 | | | | | | | | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 44.40 | | | | | | | | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 80.45 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.0101 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination | | | UNCDX | U1TD5 | 17.28 | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCDX | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 | |
| 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.33 | | | | | | | | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 44.40 | | | | | | | | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 80.45 | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | | | | |
|--|---------------|--|--|--|---------|------|-------|-------|-----------|--------------|-------|--------------|------------|----------------------------------|--------------------------------------|--|--|---|---|--|--|--|--|
| CATEGORY | RATE ELEMENTS | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | | | |
| | | | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | | | | | |
| | | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile | | | | | UNCDX | 1L5XX | 0.0101 | | | | | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination | | | | | UNCDX | U1TD6 | 17.28 | | | | | | | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | | | UNCDX | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 | | | | |
| ADDITIONAL NETWORK ELEMENTS | | | | | | | | | | | | | | | | | | | | | | | |
| When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. | | | | | | | | | | | | | | | | | | | | | | | |
| Node (SynchroNet) | | | | | | | | | | | | | | | | | | | | | | | |
| Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) | | | | | | | | | | | | | | | | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG | | | | | UNCVX | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps | | | | | UNCDX | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - DS1 | | | | | UNC1X | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - DS3 | | | | | UNC3X | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - STS1 | | | | | UNCSX | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 | | | | |
| NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months | | | | | | | | | | | | | | | | | | | | | | | |
| UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | | | | | | | | | |
| Exchange Ports | | | | | | | | | | | | | | | | | | | | | | | |
| NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs | | | | | | | | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE LINE PORT RATES (RES) | | | | | | | | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port- Res. | | | | | UEPSR | UEPRL | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | | | UEPSR | UEPRC | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | | | UEPSR | UEPRO | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res. | | | | | UEPSR | UEPAR | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) | | | | | UEPSR | UEPAP | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 | | | | |
| | | Subsequent Activity | | | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | | 27.37 | 12.97 | 17.77 | 1.44 | | | | |
| FEATURES | | | | | | | | | | | | | | | | | | | | | | | |
| | | All Available Vertical Features | | | | | UEPSR | UEPVF | 5.55 | 0.00 | 0.00 | | | | | 27.37 | 12.97 | 17.77 | 1.44 | | | | |
| 2-WIRE VOICE GRADE LINE PORT RATES (BUS) | | | | | | | | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus | | | | | UEPSB | UEPBL | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus. | | | | | UEPSB | UEPBC | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | | | UEPSB | UEPBO | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus. | | | | | UEPSB | UEPAW | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus | | | | | UEPSB | UEPB1 | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 | | | | |
| | | Subsequent Activity | | | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | | 27.37 | 12.97 | 17.77 | 1.44 | | | | |
| FEATURES | | | | | | | | | | | | | | | | | | | | | | | |
| | | All Available Vertical Features | | | | | UEPSB | UEPVF | 5.55 | 0.00 | 0.00 | | | | | 27.37 | 12.97 | 17.77 | 1.44 | | | | |
| EXCHANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | | | UEPSE | UEPRD | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 | | | | |
| | | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | | | UEPSP | UEPPC | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 | | | | |
| | | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | | | UEPSP | UEPPO | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 | | | | |
| | | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | | | UEPSP | UEPP1 | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 | | | | |
| | | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | | | UEPSP | UEPLD | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port | | | | | UEPSP | UEPA2 | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | | | UEPSP | UEPLD | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 | | | | |

UNBUNDLED NETWORK ELEMENTS - Alabama

| | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|--|---------|------|-------------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPSP | UEPXE | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPSP | UEPXL | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPSP | UEPXM | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPSP | UEPXO | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 |
| | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | | 27.37 | 12.97 | 17.77 |
| | FEATURES | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSP UEPSE | UEPVF | 5.55 | 0.00 | 0.00 | | | | | 27.37 | 12.97 | 17.77 |
| | EXCHANGE PORT RATES (COIN) | | | | | | | | | | | | | | |
| | Exchange Ports - Coin Port | | | | | 2.34 | 21.93 | 21.93 | 5.21 | 5.21 | | | 25.93 | 12.97 | 16.33 |
| | NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. | | | | | | | | | | | | | | |
| | NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. | | | | | | | | | | | | | | |
| UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| | EXCHANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 9.20 | 238.61 | 37.48 | 119.79 | | | | 19.99 | 19.99 | 19.99 |
| | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability | | | UEPDD | UEPDD | 68.67 | 404.04 | 191.38 | 145.18 | 4.92 | | | 19.99 | 19.99 | 19.99 |
| | Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX UEPSX | U1PMA | 11.19 | 145.54 | 105.97 | 95.57 | 21.47 | | | 19.99 | 19.99 | 19.99 |
| | All Features Offered | | | UEPTX UEPSX | UEPVF | 5.55 | 0.00 | 0.00 | | | | | | | |
| | NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. | | | | | | | | | | | | | | |
| | NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire ISDN Port -- Channel Profiles | | | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 96.37 | 407.62 | 203.11 | 158.35 | 40.11 | | | 54.75 | 54.75 | 11.53 |
| UNBUNDLED LOCAL SWITCHING, PORT USAGE | | | | | | | | | | | | | | | |
| | End Office Switching (Port Usage) | | | | | | | | | | | | | | |
| | End Office Switching Function, Per MOU | | | | | 0.0018 | | | | | | | | | |
| | End Office Trunk Port - Shared, Per MOU | | | | | 0.0002 | | | | | | | | | |
| | Tandem Switching (Port Usage) (Local or Access Tandem) | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | | | 0.00063 | | | | | | | | | |
| | Tandem Trunk Port - Shared, Per MOU | | | | | 0.00033 | | | | | | | | | |
| | Common Transport | | | | | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | | | 0.00001 | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | | | 0.00045 | | | | | | | | | |
| UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | |
| | Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. | | | | | | | | | | | | | | |
| | Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. | | | | | | | | | | | | | | |
| | End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. | | | | | | | | | | | | | | |
| | For Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos for all states. In GA, KY, LA, MS, SC and TN these nonrecurring charges are commission ordered cost based rates and in AL, FL and NC these nonrecurring charges are Market Rates and are also listed in the Market Rate section. | | | | | | | | | | | | | | |
| | For Currently Combined Combos in all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. | | | | | | | | | | | | | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 16.55 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 25.51 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 44.44 | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 14.35 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 23.31 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 42.24 | | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--------------------------------------|---------------|--|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire voice unbundled port with Caller ID - res | | | | UEPRX | UEPRC | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire voice unbundled port outgoing only - res | | | | UEPRX | UEPRO | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res | | | | UEPRX | UEPAR | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | | UEPRX | UEPAP | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | FEATURES | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | | UEPRX | UEPVF | 5.55 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| | | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | | UEPRX | USAC2 | | 2.80 | 0.41 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | | UEPRX | USACC | | 2.80 | 0.41 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update | | | | | | | 1.44 | | | | | | 8.25 | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | | 16.55 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | | 25.51 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | | 44.44 | | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | | UEPBX | UEPLX | 14.35 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | | UEPBX | UEPLX | 23.31 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | | UEPBX | UEPLX | 42.24 | | | | | | | | | | |
| | | 2-Wire Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | | UEPBX | UEPBL | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | | UEPBX | UEPBC | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire voice unbundled port outgoing only - bus | | | | UEPBX | UEPBO | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - bus | | | | UEPBX | UEPAW | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | | UEPBX | UEPB1 | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | |
| | | FEATURES | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | | UEPBX | UEPVF | 5.55 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | | UEPBX | USAC2 | | 2.80 | 0.41 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | | UEPBX | USACC | | 2.80 | 0.41 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update | | | | | | | 1.44 | | | | | | 8.25 | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | | 16.55 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | | 25.51 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | | 44.44 | | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | | UEPRG | UEPLX | 14.35 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | | UEPRG | UEPLX | 23.31 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | | UEPRG | UEPLX | 42.24 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--------------------------------------|--|---|--|---|---------|-------|-------|-------|-----------|--------------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | Rec | Nonrecurring | Nonrecurring Disconnect | | | | OSS Rates(\$) | | | |
| | | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | | UEPRG | UEPRD | 2.20 | | 90.00 | 90.00 | | | | | 40.71 | 9.58 | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | UEPRG | LNPCP | 3.15 | | 0.00 | 0.00 | | | | | 40.71 | 9.58 | |
| | FEATURES | | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | | UEPRG | UEPVF | 5.55 | | 0.00 | 0.00 | | | | | 40.71 | 9.58 | |
| | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | | UEPRG | USAC2 | | | 2.80 | 0.41 | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | | UEPRG | USACC | | | 2.80 | 0.41 | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update | | | | | | | | 1.44 | | | | | | 8.25 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | | UEPRG | USAS2 | 0.00 | | 0.00 | 0.00 | | | | | 40.71 | 9.58 | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | | | 14.64 | 14.64 | | | | | 40.71 | 9.58 | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | | 16.55 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | | 25.51 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | | 44.44 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | | 14.35 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | | 23.31 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX | UEPLX | | 42.24 | | | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | | UEPPX | UEPPC | 2.20 | | 90.00 | 90.00 | | | | | 40.71 | 9.58 | |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | | UEPPX | UEPPO | 2.20 | | 90.00 | 90.00 | | | | | 40.71 | 9.58 | |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | | UEPPX | UEPP1 | 2.20 | | 90.00 | 90.00 | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port | | | | UEPPX | UEPA2 | 2.20 | | 90.00 | 90.00 | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | | UEPPX | UEPLD | 2.20 | | 90.00 | 90.00 | | | | | 27.37 | 9.58 | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | | UEPPX | UEPXA | 2.20 | | 90.00 | 90.00 | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | | UEPPX | UEPXB | 2.20 | | 90.00 | 90.00 | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | | UEPPX | UEPXC | 2.20 | | 90.00 | 90.00 | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | | UEPPX | UEPXD | 2.20 | | 90.00 | 90.00 | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | | UEPPX | UEPXE | 2.20 | | 90.00 | 90.00 | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | | UEPPX | UEPXL | 2.20 | | 90.00 | 90.00 | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | | UEPPX | UEPXM | 2.20 | | 90.00 | 90.00 | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | | UEPPX | UEPXO | 2.20 | | 90.00 | 90.00 | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | | UEPPX | UEPXS | 2.20 | | 90.00 | 90.00 | | | | | 40.71 | 9.58 | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | UEPPX | LNPCP | 3.15 | | 0.00 | 0.00 | | | | | 40.71 | 9.58 | |
| | FEATURES | | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | | UEPPX | UEPVF | 5.55 | | 0.00 | 0.00 | | | | | 40.71 | 9.58 | |
| | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | | UEPPX | USAC2 | | | 2.80 | 0.41 | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | | UEPPX | USACC | | | 2.80 | 0.41 | | | | | 40.71 | 9.58 | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | Attachment: 2 | Exhibit: B | | |
|--------------------------------------|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|---------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update | | | | | | 1.44 | | | | | | 8.25 | | | |
| | ADDITIONAL NRCS | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | 40.71 | 9.58 | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 16.88 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 25.84 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 44.77 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 14.35 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 23.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 42.24 | | | | | | | | | | |
| | 2-Wire Voice Grade Line Ports (COIN) | | | | | | | | | | | | | | | |
| | 2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS) | | | UEPCO | UEPRF | 2.53 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | 2-Wire Coin 2-Way with Operator Screening (AL, KY) | | | UEPCO | UEPRE | 2.53 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRA | 2.53 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS) | | | UEPCO | UEPRB | 2.53 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | 2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCD | 2.53 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL) | | | UEPCO | UEPRK | 2.53 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRH | 2.53 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | 2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS) | | | UEPCO | UEPCN | 2.53 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 2.53 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | 2-Wire Coin Outward Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCR | 2.53 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | ADDITIONAL UNE COIN PORT/LOOP (RC) | | | | | | | | | | | | | | | |
| | UNE Coin Port/Loop Combo Usage (Flat Rate) | | | UEPCO | URECU | 1.56 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPCO | USAC2 | | 2.80 | 0.41 | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPCO | USACC | | 2.80 | 0.41 | | | | | 40.71 | 9.58 | | |
| | ADDITIONAL NRCS | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | UNBUNDLED REMOTE CALL FORWARDING - RES | | | | | | | | | | | | | | | |
| | Non-Recurring | | | | | | | | | | | | | | | |
| | UNBUNDLED REMOTE CALL FORWARDING - Bus | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus | | | UEPVB | UERTR | 2.07 | 21.93 | 21.93 | | | | | 27.37 | 12.97 | 17.77 | 1.44 |
| | Non-Recurring | | | | | | | | | | | | | | | |
| | 2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | UEPFR | UEPAP | 2.07 | 225.00 | 175.00 | | | | | 40.71 | 9.58 | | |
| | 2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | |
| | UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | |
| | 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|---------------|---|--|---------|------|-------|-------|-----------|--------------|--------|--------------|------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | | 1 | | | 29.59 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | | 2 | | | 36.58 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | | 3 | | | 45.06 | | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | | 1 | UEPPX | UECD1 | 20.42 | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | | 2 | UEPPX | UECD1 | 27.41 | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | | 3 | UEPPX | UECD1 | 35.89 | | | | | | | | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | | UEPPX | UEPD1 | 9.17 | 600.00 | 45.00 | | | | | 40.71 | 9.58 | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is | | | | UEPPX | USAC1 | | 14.61 | 3.73 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes | | | | UEPPX | USA1C | | 14.61 | 3.73 | | | | | 40.71 | 9.58 | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | | UEPPX | USAS1 | | 53.56 | 53.56 | | | | | 40.71 | 9.58 | | |
| | | Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | | |
| | | DID Trunk Termination (One Per Port) | | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve Non-Consecutive DID numbers | | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve DID Numbers | | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | | 2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT | | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | | 1 | UEPPB | UEPPR | 36.62 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | | | 2 | UEPPB | UEPPR | 44.49 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | | 3 | UEPPB | UEPPR | 55.39 | | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | | 1 | UEPPB | UEPPR | 27.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | | 2 | UEPPB | UEPPR | 35.07 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | | 3 | UEPPB | UEPPR | 45.97 | | | | | | | 40.71 | 9.58 | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | | |
| | | Exchange Port - 2-Wire ISDN Line Side Port | | | | UEPPB | UEPPR | 9.42 | 525.00 | 400.00 | | | | | 40.71 | 9.58 | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion | | | | UEPPB | UEPPR | 0.00 | 77.01 | 54.04 | | | | | 40.71 | 9.58 | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | UEPPB | UEPPR | 0.35 | 0.00 | 0.00 | | | | | | | | |
| | | B-CHANNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | | UEPPB | UEPPR | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CVS (EWSD) | | | | UEPPB | UEPPR | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CSD | | | | UEPPB | UEPPR | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN) | | | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | | UEPPB | UEPPR | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CVS (EWSD) | | | | UEPPB | UEPPR | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CSD | | | | UEPPB | UEPPR | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | USER TERMINAL PROFILE | | | | | | | | | | | | | | | | |
| | | User Terminal Profile (EWSD only) | | | | UEPPB | UEPPR | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | VERTICAL FEATURES | | | | | | | | | | | | | | | | |
| | | All Vertical Features - One per Channel B User Profile | | | | UEPPB | UEPPR | 5.55 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | | INTEROFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--------------------------------------|---|---------|------|-------------|-------|-----------|--------------|----------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | | OSS Rates(\$) | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | Interoffice Channel mileage each, including first mile and facilities termination | | | UEPPB UEPPR | M1GNC | 17.81 | 107.11 | 48.27 | | | | | 40.71 | 9.58 | | | |
| | Interoffice Channel mileage each, additional mile | | | UEPPB UEPPR | M1GNM | 0.0339 | 0.00 | 0.00 | | | | 0.00 | | | | | |
| | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 | | 1 | UEPPP | | 198.29 | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 | | 2 | UEPPP | | 274.00 | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 | | 3 | UEPPP | | 425.41 | | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | USL4P | 101.92 | | | | | | | 40.71 | 9.58 | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | USL4P | 177.63 | | | | | | | 40.71 | 9.58 | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | USL4P | 329.04 | | | | | | | 40.71 | 9.58 | | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | UEPPP | 96.37 | 1,150.00 | 1,150.00 | | | | | 40.71 | 9.58 | | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is | | | UEPPP | USACP | 0.00 | 238.13 | 157.11 | | | | | 40.71 | 9.58 | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqst Actvy-Inward/two way tel nos within Std Allowance (except NC) | | | UEPPP | PR7TF | | 0.9801 | | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) | | | UEPPP | PR7TO | | 23.02 | 23.02 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance | | | UEPPP | PR7ZT | | 46.05 | 46.05 | | | | | | | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPP | LNPCN | 1.75 | | | | | | | | | | | |
| | INTERFACE (Provsioning Only) | | | | | | | | | | | | | | | | |
| | Voice/Data | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Digital Data | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Inward Data | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | New or Additional "B" Channel | | | | | | | | | | | | | | | | |
| | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 29.05 | | | | | | | | | | |
| | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 29.05 | | | | | | | | | | |
| | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 29.05 | | | | | | | | | | |
| | CALL TYPES | | | | | | | | | | | | | | | | |
| | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Interoffice Channel Mileage | | | | | | | | | | | | | | | | |
| | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 80.382 | 198.15 | 148.18 | 25.44 | | | | 40.71 | 9.58 | | | |
| | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.692 | | | | | | | | | | | |
| | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 170.59 | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 246.30 | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 397.71 | | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 101.92 | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 177.63 | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 329.04 | | | | | | | | | | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | |
| | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 68.67 | | | | | | | | | | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is | | | UEPDC | USAC4 | | 258.98 | 134.03 | | | | | 40.71 | 9.58 | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--------------------------------------|--|---------|------|-------|-------|-----------|--------------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | Nonrecurring Disconnect | | | | OSS Rates(\$) | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes | | | UEPDC | USAWA | | 258.98 | 134.04 | | | | | 40.71 | 9.58 | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk | | | UEPDC | USAWB | | 258.98 | 134.03 | | | | | 40.71 | 9.58 | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 28.85 | 28.95 | | | | | 40.71 | 9.58 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 28.85 | 28.85 | | | | | 40.71 | 9.58 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Channel Activation/Chan - Inward Trunk w/out DID | | | UEPDC | UDTTC | | 28.85 | 28.85 | | | | | 40.71 | 9.58 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Chan Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 28.85 | 28.85 | | | | | 40.71 | 9.58 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Chan Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 28.85 | 28.85 | | | | | 40.71 | 9.58 | |
| | BIPOLAR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 600.00 | | | | | | | |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 600.00 | | | | | | | |
| | Alternate Mark Inversion | | | | | | | | | | | | | | |
| | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | |
| | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | |
| | Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | |
| | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | | | | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | | | | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | | | | |
| | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | | | | | | | | | |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) | | | UEPDC | 1LNO1 | 79.69 | 198.15 | 148.18 | 25.44 | 20.42 | | | 40.71 | 9.58 | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.692 | 0.00 | 0.00 | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | | | UEPDC | 1LNOB | 0.692 | 0.00 | 0.00 | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.692 | 0.00 | 0.00 | | | | | | | |
| | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Central Office Terminating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | |
| | 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | |
| | System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations | | | | | | | | | | | | | | |
| | Each System can have up to 24 combinations of rates depending on type and number of ports used | | | | | | | | | | | | | | |
| | UNE DS1 Loop | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 101.92 | 0.00 | 0.00 | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 177.63 | 0.00 | 0.00 | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 329.04 | 0.00 | 0.00 | | | | | | | |
| | UNE DSO Channelization Capacities (D4 Channel Bank Configurations) | | | | | | | | | | | | | | |
| | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 115.89 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 231.78 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 463.56 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | |
| | 144 DSO Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 695.34 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | |
| | 192 DSO Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 980.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | |
| | 240 DSO Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1,158.90 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | |
| | 288 DSO Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,390.68 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|---------------|--|--|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | | | UEPMG | VUM38 | 1,854.24 | 0.00 | 0.00 | | | | | | 40.71 | 9.58 | |
| | | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | | | UEPMG | VUM40 | 2,317.80 | 0.00 | 0.00 | | | | | | 40.71 | 9.58 | |
| | | 576 DS0 Channel Capacity - 1 per 24 DS1s | | | | | UEPMG | VUM57 | 2,781.36 | 0.00 | 0.00 | | | | | | 40.71 | 9.58 | |
| | | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | | | UEPMG | VUM67 | 3,244.92 | 0.00 | 0.00 | | | | | | 40.71 | 9.58 | |
| Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System | | | | | | | | | | | | | | | | | | | |
| A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations. | | | | | | | | | | | | | | | | | | | |
| Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted. | | | | | | | | | | | | | | | | | | | |
| | | NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes | | | | | UEPMG | USAC4 | 0.00 | 300.95 | 16.72 | | | | | | 40.71 | 9.58 | |
| System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) In GA, KY, LA, MS & TN Only | | | | | | | | | | | | | | | | | | | |
| | | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY, MS, & TN Only | | | | | UEPMG | VUMD4 | 0.00 | 716.11 | 468.04 | 148.75 | 17.65 | | | | 40.71 | 9.58 | |
| Bipolar 8 Zero Substitution | | | | | | | | | | | | | | | | | | | |
| | | Clear Channel Capability Format, superframe - Subsequent Activity Only | | | | | UEPMG | CCOSF | 0.00 | 0.00 | 600.00 | | | | | | | | |
| | | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | | | | UEPMG | CCOEF | 0.00 | 0.00 | 600.00 | | | | | | | | |
| Alternate Mark Inversion (AMI) | | | | | | | | | | | | | | | | | | | |
| | | Superframe Format | | | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Extended Superframe Format | | | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port Exchange Ports | | | | | | | | | | | | | | | | | | | |
| | | Line Side Combination Channelized PBX Trunk Port - Business | | | | | UEPPX | UEPCX | 1.58 | 0.00 | 0.00 | 0.00 | 0.00 | | | | 40.71 | 9.58 | |
| | | Line Side Outward Channelized PBX Trunk Port - Business | | | | | UEPPX | UEPOX | 1.58 | 0.00 | 0.00 | 0.00 | 0.00 | | | | 40.17 | 9.58 | |
| | | Line Side Inward Only Channelized PBX Trunk Port without DID | | | | | UEPPX | UEP1X | 1.58 | 0.00 | 0.00 | 0.00 | 0.00 | | | | 40.71 | 9.58 | |
| | | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | | | UEPPX | UEPDM | 9.20 | 0.00 | 0.00 | 0.00 | 0.00 | | | | 40.71 | 9.58 | |
| | | 2-Wire Channelized PBX Area Calling Service Combination Port (AL Only) | | | | | UEPPX | UEPA4 | 1.58 | 0.00 | 0.00 | | | | | | 40.71 | 9.58 | |
| | | 2 Wire Channelized PBX Area Calling Service Outgoing Only Port (AL Only) | | | | | UEPPX | UEPA3 | 1.58 | 0.00 | 0.00 | | | | | | 40.71 | 9.58 | |
| Feature Activations - Unbundled Loop Concentration | | | | | | | | | | | | | | | | | | | |
| | | Feature (Service) Activation for each Line Side Port Terminated in D4 Bank | | | | | UEPPX | 1PQWM | 0.64 | 25.39 | 13.41 | 4.19 | 4.16 | | | | 40.71 | 9.58 | |
| | | Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank | | | | | UEPPX | 1PQWU | 0.64 | 78.13 | 18.42 | 59.24 | 11.58 | | | | 40.17 | 9.58 | |
| Telephone Number/ Group Establishment Charges for DID Service | | | | | | | | | | | | | | | | | | | |
| | | DID Trunk Termination (1 per Port) | | | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers - groups of 20 - Valid all States | | | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Non-Consecutive DID Numbers - per number | | | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve Non-Consecutive DID Numbers | | | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve DID Numbers | | | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Local Number Portability | | | | | | | | | | | | | | | | | | | |
| | | Local Number Portability - 1 per port | | | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FEATURES - Vertical and Optional | | | | | | | | | | | | | | | | | | | |
| Local Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | | | | | |
| | | All Features Available | | | | | UEPPX | UEPVF | 5.55 | 0.00 | 0.00 | | | | | | 40.71 | 9.58 | |
| UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES | | | | | | | | | | | | | | | | | | | |
| Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. | | | | | | | | | | | | | | | | | | | |
| These scenarios include: | | | | | | | | | | | | | | | | | | | |
| 1. Unbundled port/loop combinations that are Not Currently Combined in Alabama, Florida and North Carolina. | | | | | | | | | | | | | | | | | | | |
| 2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAs in BellSouth's region for end users with 4 or more DS0 equivalent lines. | | | | | | | | | | | | | | | | | | | |
| The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville). | | | | | | | | | | | | | | | | | | | |
| BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined in AL, FL and NC. In the interim where BellSouth cannot bill Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. | | | | | | | | | | | | | | | | | | | |
| The Market Rate for unbundled ports includes all available features in all states. | | | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|--|--|--|--|---|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN |
| End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC: URECU). | | | | | | | | | | | | | | | | | | | |
| For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly. | | | | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | | | 1 | | | | 28.35 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | | | 2 | | | | 37.31 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | | | 3 | | | | 56.24 | | | | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | | | 1 | UEPRX | | UEPLX | 14.35 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | | 2 | UEPRX | | UEPLX | 23.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | | 3 | UEPRX | | UEPLX | 42.24 | | | | | | | | | | |
| 2-Wire Voice Grade Line Port (Res) | | | | | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | | | UEPRX | | UEPRL | 14.00 | | 90.00 | 90.00 | | | | 40.71 | 9.58 | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | | | UEPRX | | UEPRC | 14.00 | | 90.00 | 90.00 | | | | 40.71 | 9.58 | | |
| | 2-Wire voice unbundled port outgoing only - res | | | | | UEPRX | | UEPRO | 14.00 | | 90.00 | 90.00 | | | | 40.71 | 9.58 | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | | | UEPRX | | UEPAP | 14.00 | | 90.00 | 90.00 | | | | 40.71 | 9.58 | | |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | | | UEPRX | | LNPCX | 0.35 | | | | | | | | | | |
| FEATURES | | | | | | | | | | | | | | | | | | | |
| | All Features Offered | | | | | UEPRX | | UEPVF | 0.00 | | 0.00 | 0.00 | | | | | | | |
| NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | | | | |
| ADDITIONAL NRCs | | | | | | | | | | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | UEPRX | | USAS2 | | | 0.00 | 0.00 | | | | 40.71 | 9.58 | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | | | 1 | | | | 28.35 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | | | 2 | | | | 37.31 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | | | 3 | | | | 56.24 | | | | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | | | 1 | UEPBX | | UEPLX | 14.35 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | | 2 | UEPBX | | UEPLX | 23.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | | 3 | UEPBX | | UEPLX | 42.24 | | | | | | | | | | |
| 2-Wire Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | | | UEPBX | | UEPBL | 14.00 | | 90.00 | 90.00 | | | | 40.71 | 9.58 | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | | | UEPBX | | UEPBC | 14.00 | | 90.00 | 90.00 | | | | 40.71 | 9.58 | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | | | UEPBX | | UEPBO | 14.00 | | 90.00 | 90.00 | | | | 40.71 | 9.58 | | |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | | | UEPBX | | LNPCX | 0.35 | | | | | | | | | | |
| FEATURES | | | | | | | | | | | | | | | | | | | |
| | All Features Offered | | | | | UEPBX | | UEPVF | 0.00 | | 0.00 | 0.00 | | | | 40.71 | 9.58 | | |
| NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | | | | |
| ADDITIONAL NRCs | | | | | | | | | | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | UEPBX | | USAS2 | | | 0.00 | 0.00 | | | | 40.71 | 9.58 | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | | | 1 | | | | 28.35 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | | | 2 | | | | 37.31 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | | | 3 | | | | 56.24 | | | | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | | | 1 | UEPRG | | UEPLX | 14.35 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | | 2 | UEPRG | | UEPLX | 23.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | | 3 | UEPRG | | UEPLX | 42.24 | | | | | | | | | | |
| 2-Wire Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | | Attachment: 2 | Exhibit: B | |
|--------------------------------------|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | OSS Rates(\$) | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMECA | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | 40.71 | 9.58 | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 28.35 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 37.31 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 56.24 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPPX | UEPLX | 14.35 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPPX | UEPLX | 23.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPPX | UEPLX | 42.24 | | | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port | | | UEPPX | UEPA2 | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPPX | UEPXO | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | 2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | 40.71 | 9.58 | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo - Zone 1 | | 1 | | | 28.35 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo - Zone 2 | | 2 | | | 37.31 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo - Zone 3 | | 3 | | | 56.24 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 14.35 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 23.31 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 42.24 | | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (Coin) | | | | | | | | | | | | | | |
| | 2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS) | | | UEPCO | UEPRF | 14.00 | 90.00 | 90.00 | | | | 40.71 | 9.58 | | |
| | 2-Wire Coin 2-Way with Operator Screening (AL, KY) | | | UEPCO | UEPRE | 14.00 | 90.00 | 90.00 | | | | 40.71 | 9.58 | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS, SC) | | | UEPCO | UEPRA | 14.00 | 90.00 | 90.00 | | | | 40.71 | 9.58 | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS) | | | UEPCO | UEPRB | 14.00 | 90.00 | 90.00 | | | | 40.71 | 9.58 | | |
| | 2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCD | 14.00 | 90.00 | 90.00 | | | | 40.71 | 9.58 | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL) | | | UEPCO | UEPRK | 14.00 | 90.00 | 90.00 | | | | 40.71 | 9.58 | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRH | 14.00 | 90.00 | 90.00 | | | | 40.71 | 9.58 | | |
| | 2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCN | 14.00 | 90.00 | 90.00 | | | | 40.71 | 9.58 | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 40.71 | 9.58 | | |
| UNBUNDLED PORT/LOOP COMBINATIONS - MARKET BASED RATES | | | | | | | | | | | | | | | |
| | 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | 69.59 | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | 76.58 | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | 85.06 | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | UECD1 | 20.42 | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | UECD1 | 27.41 | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | UECD1 | 35.89 | | | | | | | | | |
| | UNE Port Rate | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire DID Port | | | UEPPX | UEPD1 | 40.00 | 600.00 | 45.00 | | | | 40.71 | 9.58 | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | |
| | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | USAS1 | | 53.56 | 53.56 | | | | 40.71 | 9.58 | | |
| | Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | |
| | DID Trunk Termination (One Per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Reserve Non-Consecutive DID numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | |
| 2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | 1 | UEPPB | UEPPR | 87.20 | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | | 2 | UEPPB | UEPPR | 104.49 | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | 3 | UEPPB | UEPPR | 115.97 | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | 27.20 | | | | | | 40.71 | 9.58 | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | 35.07 | | | | | | 40.71 | 9.58 | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--------------------------------------|---|---------|------|-------------|-------|-----------|--------------|----------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | | OSS Rates(\$) | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB UEPPR | USL2X | 45.97 | | | | | | | 40.71 | 9.58 | | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | |
| | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB UEPPR | UEPPB | 60.00 | 525.00 | 400.00 | | | | | 40.71 | 9.58 | | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPB UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | | |
| | B-CHANNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | | | UEPPB UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | CVS (EWSD) | | | UEPPB UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | CSD | | | UEPPB UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN) | | | | | | | | | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | | | UEPPB UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | CVS (EWSD) | | | UEPPB UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | CSD | | | UEPPB UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | USER TERMINAL PROFILE | | | | | | | | | | | | | | | | |
| | User Terminal Profile (EWSD only) | | | UEPPB UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | VERTICAL FEATURES | | | | | | | | | | | | | | | | |
| | All Vertical Features - One per Channel B User Profile | | | UEPPB UEPPR | UEPVF | 5.55 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | | |
| | INTEROFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | |
| | Interoffice Channel mileage each, including first mile and facilities termination | | | UEPPB UEPPR | M1GNC | 17.81 | 107.11 | 48.27 | | | | | 40.71 | 9.58 | | | |
| | Interoffice Channel mileage each, additional mile | | | UEPPB UEPPR | M1GNM | 0.0339 | 0.00 | 0.00 | | | | | | | | | |
| | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 | | 1 | UEPPP | | 951.92 | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 | | 2 | UEPPP | | 1,027.63 | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 | | 3 | UEPPP | | 1,179.04 | | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | USL4P | 101.92 | | | | | | | 40.71 | 9.58 | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | USL4P | 177.63 | | | | | | | 40.71 | 9.58 | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | USL4P | 329.04 | | | | | | | 40.71 | 9.58 | | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | UEPPP | 850.00 | 1,150.00 | 1,150.00 | | | | | 40.71 | 9.58 | | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqtl Actvy-Inward/two way tel nos within Std Allowance (except NC) | | | UEPPP | PR7TF | | 0.9801 | | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) | | | UEPPP | PR7TO | | 23.02 | 23.02 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance | | | UEPPP | PR7ZT | | 46.05 | 46.05 | | | | | | | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPP | LNPCN | 1.75 | | | | | | | | | | | |
| | INTERFACE (Provisioning Only) | | | | | | | | | | | | | | | | |
| | Voice/Data | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Digital Data | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Inward Data | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | New or Additional "B" Channel | | | | | | | | | | | | | | | | |
| | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 40.00 | | | | | | | | | | |
| | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 40.00 | | | | | | | | | | |
| | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 40.00 | | | | | | | | | | |
| | CALL TYPES | | | | | | | | | | | | | | | | |
| | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|--|---------|------|-------|-------|-----------|--------------|--------------|------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | Nonrecurring | Disconnect | | | OSS Rates(\$) | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel Mileage | | | | | | | | | | | | | | |
| | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 80.382 | 198.15 | 148.18 | 25.44 | | | | 40.71 | 9.58 | |
| | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.692 | | | | | | | | | |
| | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide | | sw | UEPDC | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 170.59 | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 246.30 | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 397.71 | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4 | | 4 | UEPDC | | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Statewide | | sw | UEPDC | USLDC | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 101.92 | | | | | | | 40.71 | 9.58 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 177.63 | | | | | | | 40.71 | 9.58 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 329.04 | | | | | | | 40.71 | 9.58 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 4 | | 4 | UEPDC | USLDC | | | | | | | | | | |
| | UNE Port Rate | | | | | | | | | | | | | | |
| | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 750.00 | 1,003.02 | 478.01 | 211.87 | 20.77 | | | 40.71 | 9.58 | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-As-Is Top 8 MSAs only | | | UEPDC | USAC4 | | 258.98 | 134.03 | | | | | 40.71 | 9.58 | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes Top 8 MSAs only | | | UEPDC | USAWA | | 258.98 | 134.04 | | | | | 40.71 | 9.58 | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk Top 8 MSAs only | | | UEPDC | USAWB | | 258.98 | 134.03 | | | | | 40.71 | 9.58 | |
| | ADDITIONAL NRCS | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order | | | UEPDC | USAS4 | | | | | | | | 40.71 | 9.58 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 28.85 | 28.95 | | | | | 40.71 | 9.58 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 28.85 | 28.85 | | | | | 40.71 | 9.58 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan - Inward Trunk w/out DID | | | UEPDC | UDTTC | | 28.85 | 28.85 | | | | | 40.71 | 9.58 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 28.85 | 28.85 | | | | | 40.71 | 9.58 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 28.85 | 28.85 | | | | | 40.71 | 9.58 | |
| | BIPOLAR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 600.00 | | | | | | | |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 600.00 | | | | | | | |
| | Alternate Mark Inversion | | | | | | | | | | | | | | |
| | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | |
| | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | |
| | Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | |
| | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | | | | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | | | | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | | | | |
| | DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | |
| | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | | | | | | | | | |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Dedicated DS1 (Interoffice Channel Mileage) - | | | | | | | | | | | | | | |
| | FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) | | | UEPDC | 1LNO1 | 79.69 | 198.15 | 148.18 | 25.44 | 20.42 | | | 40.71 | 9.58 | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.692 | 0.00 | 0.00 | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | | | UEPDC | 1LNOB | 0.692 | 0.00 | 0.00 | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.692 | 0.00 | 0.00 | | | | | | | |
| | Local Number Portability, per DSO Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Central Office Terminating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | |
| | 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | |
| | System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations | | | | | | | | | | | | | | |
| | A system can have various rate combinations based on type and number of ports used | | | | | | | | | | | | | | |
| | UNE DS1 Loop | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 101.92 | 0.00 | 0.00 | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 177.63 | 0.00 | 0.00 | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 329.04 | 0.00 | 0.00 | | | | | | | |
| | UNE DSO Channelization Capacities (D4 Channel Bank Configurations) | | | | | | | | | | | | | | |
| | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 115.89 | 0.00 | 0.00 | | | | 40.71 | 9.58 | | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 231.78 | 0.00 | 0.00 | | | | 40.71 | 9.58 | | |
| | 96 DSO Channel Capacity - 1 per 4 DS1s | | | UEPMG | VUM96 | 463.56 | 0.00 | 0.00 | | | | 40.71 | 9.58 | | |
| | 144 DSO Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 695.34 | 0.00 | 0.00 | | | | 40.71 | 9.58 | | |
| | 192 DSO Channel Capacity - 1 per 8 DS1s | | | UEPMG | VUM19 | 980.00 | 0.00 | 0.00 | | | | 40.71 | 9.58 | | |
| | 240 DSO Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1,158.90 | 0.00 | 0.00 | | | | 40.71 | 9.58 | | |
| | 288 DSO Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,390.68 | 0.00 | 0.00 | | | | 40.71 | 9.58 | | |
| | 384 DSO Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,854.24 | 0.00 | 0.00 | | | | 40.71 | 9.58 | | |
| | 480 DSO Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 2,317.80 | 0.00 | 0.00 | | | | 40.71 | 9.58 | | |
| | 576 DSO Channel Capacity - 1 per 24 DS1s | | | UEPMG | VUM57 | 2,781.36 | 0.00 | 0.00 | | | | 40.71 | 9.58 | | |
| | 672 DSO Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,244.92 | 0.00 | 0.00 | | | | 40.71 | 9.58 | | |
| | Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System | | | | | | | | | | | | | | |
| | A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations. | | | | | | | | | | | | | | |
| | Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted. | | | | | | | | | | | | | | |
| | System Additions Where Currently Combined and New (Not Currently Combined) | | | | | | | | | | | | | | |
| | In Top 8 MSAs and AL, FL, and NC Only | | | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - | | | UEPMG | VUMD4 | 0.00 | 716.11 | 468.04 | 148.75 | 17.65 | | 40.71 | 9.58 | | |
| | Bipolar 8 Zero Substitution | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 600.00 | | | | | | | |
| | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 600.00 | | | | | | | |
| | Alternate Mark Inversion (AMI) | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port | | | | | | | | | | | | | | |
| | Exchange Ports | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 40.71 | 9.58 | | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 40.17 | 9.58 | | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 40.71 | 9.58 | | |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 40.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 40.71 | 9.58 | | |
| | 2-Wire Channelized PBX Area Calling Service Combination Port (AL Only) | | | UEPPX | UEPA4 | 14.00 | 0.00 | 0.00 | | | | 40.71 | 9.58 | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|---|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2 Wire Channelized PBX Area Calling Service Outgoing Only Port (AL Only) | | | UEPPX | UEPA3 | 14.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | |
| | Feature Activations - Unbundled Loop Concentration | | | | | | | | | | | | | | |
| | Feature (Service) Activation for each Line Side Port Terminated in D4 Bank | | | UEPPX | 1PQWM | 0.62 | 40.00 | 20.00 | 6.00 | 5.00 | | | 40.71 | 9.58 | |
| | Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank | | | UEPPX | 1PQWU | 0.62 | 110.00 | 30.00 | 65.00 | 20.00 | | | 40.17 | 9.58 | |
| | Telephone Number/ Group Establishment Charges for DID Service | | | | | | | | | | | | | | |
| | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Local Number Portability | | | | | | | | | | | | | | |
| | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | |
| | FEATURES - Vertical and Optional | | | | | | | | | | | | | | |
| | Local Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | |
| | All Features Available | | | UEPPX | UEPVF | 5.55 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | |
| UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | |
| 1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. | | | | | | | | | | | | | | | |
| 2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. | | | | | | | | | | | | | | | |
| 3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. | | | | | | | | | | | | | | | |
| 4. For Georgia, Kentucky, Louisiana, Mississippi, South Carolina, and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos. The the first and additional Port nonrecurring charges apply to Not Currently Combined Combos for all states. In GA, KY, LA, MS, SC, and TN these nonrecurring charges are commission ordered cost based rates and in AL, FL, and NC these nonrecurring charges are Market Rates and are listed in the Market Rate section. For Currently Combined Combos in all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. | | | | | | | | | | | | | | | |
| 5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice. | | | | | | | | | | | | | | | |
| UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) | | | | | | | | | | | | | | | |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP91 | | 16.55 | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP91 | | 25.51 | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP91 | | 44.44 | | | | | | | | | |
| UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP91 | | 22.62 | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP91 | | 29.61 | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP91 | | 38.09 | | | | | | | | | |
| UNE Loop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP91 | UECS1 | 14.35 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP91 | UECS1 | 23.31 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP91 | UECS1 | 42.24 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP91 | UECS2 | 20.42 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP91 | UECS2 | 27.41 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP91 | UECS2 | 35.89 | | | | | | | | | |
| UNE Ports | | | | | | | | | | | | | | | |
| All States (Except North Carolina and Sout Carolina) | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP91 | UEPYB | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP91 | UEPYH | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP91 | UEPYM | 2.20 | | | | | | | 40.71 | 9.58 | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|---|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP91 | UEPYZ | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP91 | UEPY9 | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP91 | UEPY2 | 2.20 | | | | | | | 40.71 | 9.58 | |
| | AL, KY, LA, MS, & TN Only | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPQA | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPQB | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPQH | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP91 | UEPQM | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP91 | UEPQZ | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPQ9 | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPQ2 | 2.20 | | | | | | | 40.71 | 9.58 | |
| | Local Switching | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.5488 | | | | | | | | | |
| | Local Number Portability | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP91 | LNPC | 0.35 | | | | | | | | | |
| | Features | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP91 | UEPVF | 2.64 | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 405.52 | | | | | | 40.71 | 9.58 | |
| | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 2.64 | | | | | | | | | |
| | NARS | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | |
| | Unbundled Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | |
| | Unbundled Network Access Register - Outdial | | | UEP91 | UARO | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | |
| | Miscellaneous Terminations | | | | | | | | | | | | | | |
| | 2-Wire Trunk Side | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP91 | CENA6 | 9.17 | | | | | | | | | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | MIGBC | 24.15 | | | | | | | 40.71 | 9.58 | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | MIGBM | 0.0101 | | | | | | | 40.71 | 9.58 | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.64 | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.64 | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP91 | 1PQW7 | 0.64 | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP91 | 1PQWP | 0.64 | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.64 | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjle Line/Trunk Loop Slot | | | UEP91 | 1PQWQ | 0.64 | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.64 | | | | | | | | | |
| | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | |
| | Conversion - Currently Combined Switch-As-Is with allowed changes, per port | | | UEP91 | USAC2 | | 2.80 | 0.41 | | | | | 40.71 | 9.58 | |
| | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 667.21 | | | | | | 40.71 | 9.58 | |
| | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 667.21 | | | | | | 40.71 | 9.58 | |
| | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 78.02 | | | | | | 40.71 | 9.58 | |
| | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 72.73 | | | | | | 40.71 | 9.58 | |
| | UNE-P CENTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|---|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP95 | | 16.55 | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP95 | | 25.51 | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP95 | | 44.44 | | | | | | | | | |
| UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP95 | | 22.62 | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP95 | | 29.61 | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP95 | | 38.09 | | | | | | | | | |
| UNE Loop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 14.35 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 23.31 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 42.24 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 20.42 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 27.41 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 35.89 | | | | | | | | | |
| UNE Port Rate | | | | | | | | | | | | | | | |
| All States | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 2.20 | | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 2.20 | | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP95 | UEPYH | 2.20 | | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP95 | UEPYM | 2.20 | | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP95 | UEPYZ | 2.20 | | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP95 | UEPY9 | 2.20 | | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP95 | UEPY2 | 2.20 | | | | | | 40.71 | 9.58 | | |
| AL, KY, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 2.20 | | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 2.20 | | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 2.20 | | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP95 | UEPQM | 2.20 | | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP95 | UEPQZ | 2.20 | | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPQ9 | 2.20 | | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPQ2 | 2.20 | | | | | | 40.71 | 9.58 | | |
| Local Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.5488 | | | | | | | | | |
| Local Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP95 | LNPCc | 0.35 | | | | | | | | | |
| Features | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP95 | UEPVF | 2.64 | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 405.52 | | | | | | 40.71 | 9.58 | |
| | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 2.64 | | | | | | | | | |
| NARS | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | |
| | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | |
| | Unbundled Network Access Register - Outdial | | | UEP95 | UAROx | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | |
| Miscellaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire Trunk Side | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | | OSS Rates(\$) | | | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Trunk Side Terminations, each | | | UEP95 | CEND6 | 9.17 | | | | | | | | | | |
| | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 68.67 | | | | | | | | | | |
| | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 28.25 | | | | | | | 40.71 | 9.58 | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 24.15 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.0101 | | | | | | | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.64 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.64 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP95 | 1PQW7 | 0.64 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.64 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.64 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjle Line/Trunk Loop Slot | | | UEP95 | 1PQWQ | 0.64 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.64 | | | | | | | | | | |
| | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP95 | USAC2 | | 2.80 | 0.41 | | | | | 40.71 | 9.58 | | |
| | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 667.21 | | | | | | 40.71 | 9.58 | | |
| | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 667.21 | | | | | | 40.71 | 9.58 | | |
| | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 72.73 | | | | | | 40.71 | 9.58 | | |
| | UNE-P CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP9D | | 16.55 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9D | | 25.51 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP9D | | 44.44 | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP9D | | 22.62 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9D | | 29.61 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP9D | | 38.09 | | | | | | | | | | |
| | UNE Loop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 14.35 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 23.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 42.24 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 20.42 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 27.41 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 35.89 | | | | | | | | | | |
| | UNE Port Rate | | | | | | | | | | | | | | | |
| | ALL STATES | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9D | UEPYB | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area | | | UEP9D | UEPYD | 2.20 | | | | | | | 40.71 | 9.58 | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--------------------------------------|---------------|--|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area | | | | UEP9D | UEPYE | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area | | | | UEP9D | UEPYF | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3 Basic Local Area | | | | UEP9D | UEPYG | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area | | | | UEP9D | UEPYT | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area | | | | UEP9D | UEPYU | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area | | | | UEP9D | UEPYV | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area | | | | UEP9D | UEPY3 | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area | | | | UEP9D | UEPYH | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | | UEP9D | UEPYW | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area | | | | UEP9D | UEPYJ | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area | | | | UEP9D | UEPYM | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area | | | | UEP9D | UEPYO | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area | | | | UEP9D | UEPYP | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area | | | | UEP9D | UEPYQ | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area | | | | UEP9D | UEPYR | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area | | | | UEP9D | UEPYS | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area | | | | UEP9D | UEPY4 | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area | | | | UEP9D | UEPY5 | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | | UEP9D | UEPY6 | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area | | | | UEP9D | UEPY7 | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | | UEP9D | UEPYZ | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area | | | | UEP9D | UEPY9 | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area | | | | UEP9D | UEPY2 | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | AL, KY, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | | UEP9D | UEPQA | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | | UEP9D | UEPQB | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | | UEP9D | UEPQC | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | | UEP9D | UEPQD | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | | UEP9D | UEPQE | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | | UEP9D | UEPQF | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | | UEP9D | UEPQG | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | | UEP9D | UEPQT | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | | UEP9D | UEPQU | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | | UEP9D | UEPQV | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | | UEP9D | UEPQ3 | 2.20 | | | | | | | 40.71 | 9.58 | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | | UEP9D | UEPQH | 2.20 | | | | | | | 40.71 | 9.58 | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQW | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQJ | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 | | | UEP9D | UEPQM | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPQO | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPQP | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPQQ | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPQ7 | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPQZ | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPQ9 | 2.20 | | | | | | | 40.71 | 9.58 | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPQ2 | 2.20 | | | | | | | 40.71 | 9.58 | |
| | Local Switching | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.5488 | | | | | | | | | |
| | Local Number Portability | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP9D | LNPC | 0.35 | | | | | | | | | |
| | Features | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9D | UEPVF | 2.64 | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 405.52 | | | | | | | | |
| | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 2.64 | | | | | | | | | |
| | NARS | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | |
| | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | |
| | Unbundled Network Access Register - Outdial | | | UEP9D | UARO | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | |
| | Miscellaneous Terminations | | | | | | | | | | | | | | |
| | 2-Wire Trunk Side | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9D | CEND6 | 9.17 | | | | | | | | | |
| | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 68.67 | | | | | | | | | |
| | DS0 Channels Activated per Channel | | | UEP9D | M1HDO | 0.00 | 28.25 | | | | | | 40.71 | 9.58 | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 24.15 | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0.0101 | | | | | | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.64 | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.64 | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9D | 1PQW7 | 0.64 | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9D | 1PQWP | 0.64 | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.64 | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--------------------------------------|---------------|---|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | | UEP9D | 1PQWQ | 0.64 | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | | UEP9D | 1PQWA | 0.64 | | | | | | | | | |
| | | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | | UEP9D | USAC2 | | 2.80 | 0.41 | | | | 40.71 | 9.58 | | |
| | | New Centrex Standard Common Block | | | | UEP9D | M1ACS | 0.00 | 667.21 | | | | | 40.71 | 9.58 | | |
| | | New Centrex Customized Common Block | | | | UEP9D | M1ACC | 0.00 | 667.21 | | | | | 40.71 | 9.58 | | |
| | | NAR Establishment Charge, Per Occasion | | | | UEP9D | URECA | 0.00 | 72.73 | | | | | 40.71 | 9.58 | | |
| | | UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | | UEP9E | | 16.55 | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | | UEP9E | | 25.51 | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | | UEP9E | | 44.44 | | | | | | | | | |
| | | UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | | UEP9E | | 22.62 | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | | UEP9E | | 29.61 | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | | UEP9E | | 38.09 | | | | | | | | | |
| | | UNE Loop Rate | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | | UEP9E | UECS1 | 14.35 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | | UEP9E | UECS1 | 23.31 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | | UEP9E | UECS1 | 42.24 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | | UEP9E | UECS2 | 20.42 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | | UEP9E | UECS2 | 27.41 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | | UEP9E | UECS2 | 35.89 | | | | | | | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | |
| | | AL, FL, KY, LA, MS, & TN only | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | | UEP9E | UEPYA | 2.20 | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | | UEP9E | UEPYB | 2.20 | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | | UEP9E | UEPYH | 2.20 | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | | UEP9E | UEPYM | 2.20 | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | | UEP9E | UEPYZ | 2.20 | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | | UEP9E | UEPY9 | 2.20 | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | | UEP9E | UEPY2 | 2.20 | | | | | | 40.71 | 9.58 | | |
| | | AL, KY, LA, MS, & TN Only | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | | UEP9E | UEPQA | 2.20 | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | | UEP9E | UEPQB | 2.20 | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | | UEP9E | UEPQH | 2.20 | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | | UEP9E | UEPQM | 2.20 | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | | UEP9E | UEPQZ | 2.20 | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | UEP9E | UEPQ9 | 2.20 | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | | UEP9E | UEPQ2 | 2.20 | | | | | | 40.71 | 9.58 | | |
| | | Local Switching | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--------------------------------------|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | | OSS Rates(\$) | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Centrex Intercom Functionality, per port | | | UEP9E | URECS | 0.5488 | | | | | | | | | | |
| | Local Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP9E | LNPCc | 0.35 | | | | | | | | | | |
| | Features | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9E | UEPVF | 2.64 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 405.52 | | | | | | 40.71 | 9.58 | | |
| | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 2.64 | | | | | | | | | | |
| | NARS | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | Unbundled Network Access Register - Indial | | | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | Unbundled Network Access Register - Outdial | | | UEP9E | UAROx | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | Miscellaneous Terminations | | | | | | | | | | | | | | | |
| | 2-Wire Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9E | CEND6 | 9.17 | | | | | | | | | | |
| | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 68.67 | | | | | | | | | | |
| | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 28.25 | | | | | | 40.71 | 9.58 | | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9E | MIGBC | 24.15 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9E | MIGBM | 0.0101 | | | | | | | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.64 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9E | 1PQW6 | 0.64 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9E | 1PQW7 | 0.64 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9E | 1PQWP | 0.64 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.64 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjle Line/Trunk Loop Slot | | | UEP9E | 1PQWQ | 0.64 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.64 | | | | | | | | | | |
| | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP9E | USAC2 | | 2.80 | 0.41 | | | | | 40.71 | 9.58 | | |
| | New Centrex Standard Common Block | | | UEP9E | M1ACS | 0.00 | 667.21 | | | | | | 40.71 | 9.58 | | |
| | New Centrex Customized Common Block | | | UEP9E | M1ACC | 0.00 | 667.21 | | | | | | 40.71 | 9.58 | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | 72.73 | | | | | | 40.71 | 9.58 | | |
| | UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP93 | | 16.55 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP93 | | 25.51 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP93 | | 44.44 | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP93 | | 22.62 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP93 | | 29.61 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP93 | | 38.09 | | | | | | | | | | |
| | UNE Loop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP93 | UECS1 | 14.35 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP93 | UECS1 | 23.31 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--------------------------------------|---|---------|------|-------|-------|-----------|--------------|-------|-------------------------|---------------|----------------------------------|--------------------------------------|--|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP93 | UECS1 | 42.24 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP93 | UECS2 | 20.42 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP93 | UECS2 | 27.41 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP93 | UECS2 | 35.89 | | | | | | | | | | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | |
| | AL, KY, LA, MS, & TN only | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP93 | UEPYA | 2.20 | | | | | | | 40.71 | 9.58 | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP93 | UEPYB | 2.20 | | | | | | | 40.71 | 9.58 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP93 | UEPYH | 2.20 | | | | | | | 40.71 | 9.58 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP93 | UEPYM | 2.20 | | | | | | | 40.71 | 9.58 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP93 | UEPYZ | 2.20 | | | | | | | 40.71 | 9.58 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP93 | UEPY9 | 2.20 | | | | | | | 40.71 | 9.58 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP93 | UEPY2 | 2.20 | | | | | | | 40.71 | 9.58 | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP93 | UEPQA | 2.20 | | | | | | | 40.71 | 9.58 | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP93 | UEPQB | 2.20 | | | | | | | 40.71 | 9.58 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP93 | UEPQH | 2.20 | | | | | | | 40.71 | 9.58 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP93 | UEPQM | 2.20 | | | | | | | 40.71 | 9.58 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP93 | UEPQZ | 2.20 | | | | | | | 40.71 | 9.58 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPQ9 | 2.20 | | | | | | | 40.71 | 9.58 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP93 | UEPQ2 | 2.20 | | | | | | | 40.71 | 9.58 | | | |
| | Local Switching | | | | | | | | | | | | | | | | |
| | Centrex Intercom Functionality, per port | | | UEP93 | URECS | 0.5488 | | | | | | | | | | | |
| | Local Number Portability | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP93 | LNPC | 0.35 | | | | | | | | | | | |
| | Features | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP93 | UEPVF | 2.64 | | | | | | | | | | | |
| | All Centrex Control Features Offered, per port | | | UEP93 | UEPVC | 2.64 | | | | | | | | | | | |
| | NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | | |
| | Unbundled Network Access Register - Indial | | | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | | |
| | Unbundled Network Access Register - Outdial | | | UEP93 | UARO | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | | |
| | Miscellaneous Terminations | | | | | | | | | | | | | | | | |
| | 2-Wire Trunk Side | | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP93 | CEND6 | 9.17 | | | | | | | | | | | |
| | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP93 | M1HD1 | 68.67 | | | | | | | | | | | |
| | DS0 Channels Activated, Per Channel | | | UEP93 | M1HDO | 0.00 | 28.25 | | | | | | 40.71 | 9.58 | | | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP93 | MIGBC | 24.15 | | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP93 | MIGBM | 0.0101 | | | | | | | | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.64 | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot | | | UEP93 | 1PQW6 | 0.64 | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP93 | 1PQW7 | 0.64 | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP93 | 1PQWP | 0.64 | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--------------------------------------|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | OSS Rates(\$) | | | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP93 | 1PQWV | 0.64 | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot | | | UEP93 | 1PQWQ | 0.64 | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | 1PQWA | 0.64 | | | | | | | | | |
| | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP93 | USAC2 | | 2.80 | 0.41 | | | | 40.71 | 9.58 | | |
| | New Centrex Standard Common Block | | | UEP93 | M1ACS | 0.00 | 667.21 | | | | | 40.71 | 9.58 | | |
| | New Centrex Customized Common Block | | | UEP93 | M1ACC | 0.00 | 667.21 | | | | | 40.71 | 9.58 | | |
| | NAR Establishment Charge, Per Occasion | | | UEP93 | URECA | 0.00 | 72.73 | | | | | 40.71 | 9.58 | | |
| | Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | |
| | Note 2 - Requires Interoffice Channel Mileage | | | | | | | | | | | | | | |
| | Note 3 - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | |
| | NOTE: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions. | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|--------------------------------------|--|--|---|---------|-------------|-------|-------|-----------|--------------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | | Rec | Nonrecurring | Nonrecurring Disconnect | | | OSS Rates(\$) | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| OPERATIONAL SUPPORT SYSTEMS | | | | | | | | | | | | | | | | | |
| | NOTE: (1) Electronic Service Order: CLEC should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions. The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge. CLEC may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC may elect the regional electronic service ordering charge. | | | | | | | | | | | | | | | | |
| | NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEc rate listed in this category. Please refer to BellSouth's Business Rules for Local Ordering (BBR-LO) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the BBR-LO, the listed SOMEc rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth. | | | | | | | | | | | | | | | | |
| | | Manual Service Order Charge, per LSR, Disconnect Only (FL) | | | | | SOMAN | | | | 1.83 | | | | | | |
| | | Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional) | | | | | SOMEc | | 3.50 | | | | | | | | |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | | | |
| 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | | 12.79 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | | 17.27 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | | 33.36 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | | 77.09 | | | | | 11.90 | | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | | 33.12 | | | | | 11.90 | | | |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1) | | | UEANL | UREWO | | 15.78 | 8.94 | | | | 11.90 | | | | |
| | | Engineering Information Document (EI) | | | UEANL | | | 12.28 | 12.28 | | | | | | | | |
| | | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 9.00 | 9.00 | | | | | | | | |
| | | Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) | | | UEANL | OCOSL | | 23.02 | 23.02 | | | | | | | | |
| 2-WIRE Unbundled COPPER LOOP | | | | | | | | | | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | I | 1 | UEQ | UEQ2X | | 13.83 | 41.64 | 19.02 | 19.65 | 5.09 | | 11.90 | | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | I | 2 | UEQ | UEQ2X | | 15.29 | 41.64 | 19.02 | 19.65 | 5.09 | | 11.90 | | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | I | 3 | UEQ | UEQ2X | | 20.29 | 41.64 | 19.02 | 19.65 | 5.09 | | 11.90 | | | |
| | | Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop) | | | UEQ | USBMC | | | 9.00 | 9.00 | | | | | | | |
| | | Engineering Information Document | | | UEQ | | | 12.28 | 12.28 | | | | 11.90 | | | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | | 77.09 | | | | 11.90 | | | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | | 33.12 | | | | 11.90 | | | | |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND) | | | UEQ | UREWO | | 14.27 | 7.43 | | | | 11.90 | | | | |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | | | |
| 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1 | | 1 | UEPSR UEPSB | UEALS | | 12.79 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1 | | 1 | UEPSR UEPSB | UEABS | | 12.79 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2 | | 2 | UEPSR UEPSB | UEALS | | 17.27 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2 | | 2 | UEPSR UEPSB | UEABS | | 17.27 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 | | 3 | UEPSR UEPSB | UEALS | | 33.36 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 | | 3 | UEPSR UEPSB | UEABS | | 33.36 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | | | |
| 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | | 14.50 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | | 19.57 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | | 37.82 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | | 23.02 | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | | 14.50 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|---------------|--|--|--|--|---------|------|-----|------|-----------|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--------------------------------------|--|---------|------|-----|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | OSS Rates(\$) | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 15.69 | 193.31 | 138.98 | 77.15 | 12.61 | | 11.90 | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 21.17 | 193.31 | 138.98 | 77.15 | 12.61 | | 11.90 | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 40.90 | 193.31 | 138.98 | 77.15 | 12.61 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.02 | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 15.69 | 168.62 | 115.47 | 62.74 | 11.22 | | 11.90 | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 21.17 | 168.62 | 115.47 | 62.74 | 11.22 | | 11.90 | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 40.90 | 168.62 | 115.47 | 62.74 | 11.22 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.02 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.12 | 40.39 | | | | 11.90 | | | | |
| | 4-WIRE DS1 DIGITAL LOOP | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 73.44 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 99.13 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 191.51 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 23.02 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 101.07 | 43.04 | | | | 11.90 | | | | |
| | 4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 26.39 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 35.62 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL | UDL19 | 68.82 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 26.39 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 35.62 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 68.82 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 23.02 | | | | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 26.39 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 35.62 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 68.82 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 23.02 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 102.11 | 49.74 | | | | 11.90 | | | | |
| | 2-WIRE Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 12.65 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 17.08 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |
| | 2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 33.00 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 12.65 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 17.08 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 33.00 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2L | 37.07 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2L | 50.04 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2L | 96.67 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2W | 37.07 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|--------------------------------------|---------------|--|--|--|--|---------|------|-----|------|-----------|---------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|---|--|---------|------|---------------------|-------|-----------|--------------|--------|--------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up | I | | UEANL | USBSC | | 169.25 | 169.25 | | | 11.90 | | | | |
| | | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | I | | UEANL | USBSD | | 38.65 | 38.65 | | | 11.90 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEANL | USBN2 | 7.61 | 60.19 | 21.78 | 47.50 | 5.26 | 11.90 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN2 | 10.27 | 60.19 | 21.78 | 47.50 | 5.26 | 11.90 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN2 | 19.85 | 60.19 | 21.78 | 47.50 | 5.26 | 11.90 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEANL | USBN4 | 8.12 | 68.83 | 30.42 | 49.71 | 6.60 | 11.90 | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN4 | 10.96 | 68.83 | 30.42 | 49.71 | 6.60 | 11.90 | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | 21.18 | 68.83 | 30.42 | 49.71 | 6.60 | 11.90 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | |
| | | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR2 | 3.50 | 51.84 | 13.44 | 47.50 | 5.26 | 11.90 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | |
| | | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR4 | 6.68 | 55.91 | 17.51 | 49.71 | 6.60 | 11.90 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | I | 1 | UEF | UCS2X | 6.25 | 60.19 | 21.78 | 47.50 | 5.26 | 11.90 | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | I | 2 | UEF | UCS2X | 8.44 | 60.19 | 21.78 | 47.50 | 5.26 | 11.90 | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS2X | 16.30 | 60.19 | 21.78 | 47.50 | 5.26 | 11.90 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 9.00 | 9.00 | | | | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | I | 1 | UEF | UCS4X | 5.20 | 68.83 | 30.42 | 49.71 | 6.60 | 11.90 | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | I | 2 | UEF | UCS4X | 7.02 | 68.83 | 30.42 | 49.71 | 6.60 | 11.90 | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS4X | 13.55 | 68.83 | 30.42 | 49.71 | 6.60 | 11.90 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 9.00 | 9.00 | | | | | | | |
| | Unbundled Sub-Loop Modification | | | | | | | | | | | | | | | |
| | | Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 10.11 | 10.11 | | | 11.90 | | | | |
| | | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 10.11 | 10.11 | | | 11.90 | | | | |
| | | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded | | | UEF | ULM4T | | 15.58 | 15.58 | | | 11.90 | | | | |
| | Unbundled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | |
| | | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.2286 | 18.02 | 18.02 | | | 11.90 | | | | |
| | Network Interface Device (NID) | | | | | | | | | | | | | | | |
| | | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 68.08 | 42.80 | | | 11.90 | | | | |
| | | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 110.48 | 85.20 | | | 11.90 | | | | |
| | | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 7.63 | 7.63 | | | 11.90 | | | | |
| | | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 7.63 | 7.63 | | | 11.90 | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| | Sub-Loop Feeder | | | | | | | | | | | | | | | |
| | | USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up | | | UEA,UDN,UCL,UDL,UDC | USBFW | | 487.23 | | | | 11.90 | | | | |
| | | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up | | | UEA,UDN,UCL,UDL,UDC | USBFX | | 6.25 | 6.25 | | | 11.90 | | | | |
| | | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | 522.41 | 11.32 | | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1 | | 1 | UEA | USBFA | 8.05 | 92.75 | 51.24 | 58.45 | 13.07 | 11.90 | | | | |

UNBUNDLED NETWORK ELEMENTS - Florida

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|---|-------------|------|-----|-------|-----------|--------------|-------|-------------------------|---------------|---|---|--|--|---|---|
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMECE | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFA | 10.87 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3 | | 3 | UEA | USBFA | 21.00 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Order Coordination for Specified Conversion Time, per LSR | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | | Unbundle Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFB | 8.05 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFB | 10.87 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3 | | 3 | UEA | USBFB | 21.00 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Order Coordination for Specified Time Conversion, per LSR | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1 | | 1 | UEA | USBFC | 8.05 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2 | | 2 | UEA | USBFC | 10.87 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3 | | 3 | UEA | USBFC | 21.00 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFD | 17.26 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFD | 23.29 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3 | | 3 | UEA | USBFD | 45.00 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFE | 17.26 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFE | 23.29 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3 | | 3 | UEA | USBFE | 45.00 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | | 1 | UDN | USBFF | 17.04 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | 2 | UDN | USBFF | 23.00 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | | 3 | UDN | USBFF | 44.43 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UDN | OCOSL | | 23.02 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 1 | UDC | USBFS | 17.04 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 2 | UDC | USBFS | 23.00 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 3 | UDC | USBFS | 44.43 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | USL | USBFG | 46.27 | 133.77 | 78.02 | 85.16 | 21.21 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 62.45 | 133.77 | 78.02 | 85.16 | 21.21 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | USL | USBFG | 120.65 | 133.77 | 78.02 | 85.16 | 21.21 | | 11.90 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | USL | OCOSL | | 23.02 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFH | 7.25 | 85.27 | 42.24 | 58.54 | 10.82 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFH | 9.79 | 85.27 | 42.24 | 58.54 | 10.82 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFH | 18.92 | 85.27 | 42.24 | 58.54 | 10.82 | | 11.90 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 23.02 | | | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFJ | 14.22 | 99.66 | 57.20 | 60.98 | 12.28 | | 11.90 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFJ | 19.20 | 99.66 | 57.20 | 60.98 | 12.28 | | 11.90 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFJ | 37.09 | 99.66 | 57.20 | 60.98 | 12.28 | | 11.90 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 23.02 | | | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 18.68 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 2 | UDL | USBFN | 25.21 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 3 | UDL | USBFN | 48.71 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1 | | 1 | UDL | USBFO | 18.68 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|-----------------|---|-------------|------|-------------------------|-------|-----------|--------------|--------|-------------------------|-------|---|---|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2 | | 2 | UDL | USBFO | 25.21 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3 | | 3 | UDL | USBFO | 48.71 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Order Coordination For Specified Time Conversion, per LSR | | | UDL | OCOSL | | 23.02 | | | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1 | | 1 | UDL | USBFP | 18.68 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2 | | 2 | UDL | USBFP | 25.21 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3 | | 3 | UDL | USBFP | 48.71 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UDL | OCOSL | | 23.02 | | | | | | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | | |
| | Sub-Loop Feeder | | | | | | | | | | | | | | | | |
| | | Sub Loop Feeder - DS3 - Per Mile Per Month | I | | UE3 | 1L5SL | 15.69 | | | | | | | | | | |
| | | Sub Loop Feeder - DS3 - Facility Termination Per Month | I | | UE3 | USBF1 | 347.59 | 3,386.00 | 407.15 | 166.83 | 94.58 | | 11.90 | | | | |
| | | Sub Loop Feeder - STS-1 - Per Mile Per Month | I | | UDLSX | 1L5SL | 15.69 | | | | | | | | | | |
| | | Sub Loop Feeder - STS-1 - Facility Termination Per Month | I | | UDLSX | USBF7 | 402.09 | 3,386.00 | 407.15 | 166.83 | 94.58 | | 11.90 | | | | |
| | | Sub Loop Feeder - OC-3 - Per Mile Per Month | I | | UDLO3 | 1L5SL | 11.90 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month | I | | UDLO3 | USBF5 | 62.98 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-3 - Facility Termination Per Month | I | | UDLO3 | USBF2 | 547.22 | 3,386.00 | 407.15 | 166.83 | 94.58 | | 11.90 | | | | |
| | | Sub Loop Feeder - OC-12 - Per Mile Per Month | I | | UDL12 | 1L5SL | 14.65 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month | I | | UDL12 | USBF6 | 502.47 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-12 - Facility Termination Per Month | I | | UDL12 | USBF3 | 1,577.00 | 3,386.00 | 407.15 | 166.83 | 94.58 | | 11.90 | | | | |
| | | Sub Loop Feeder - OC-48 - Per Mile Per Month | I | | UDL48 | 1L5SL | 48.06 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month | I | | UDL48 | USBF9 | 251.80 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-48 - Facility Termination Per Month | I | | UDL48 | USBF4 | 1,589.00 | 3,572.00 | 407.15 | 168.35 | 95.43 | | 11.90 | | | | |
| | | Sub Loop Feeder - OC-12 Interface On OC-48 | I | | UDL48 | USBF8 | 331.15 | 788.39 | 407.15 | 168.35 | 95.43 | | 11.90 | | | | |
| UNBUNDLED LOOP CONCENTRATION | | | | | | | | | | | | | | | | | |
| | | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8A | 449.49 | 359.42 | 359.42 | | | | 11.90 | | | | |
| | | Unbundled Loop Concentration - System B (TR008) | | | ULC | UCT8B | 53.44 | 149.76 | 149.76 | | | | 11.90 | | | | |
| | | Unbundled Loop Concentration - System A (TR303) | | | ULC | UCT3A | 487.33 | 359.42 | 359.42 | | | | 11.90 | | | | |
| | | Unbundled Loop Concentration - System B (TR303) | | | ULC | UCT3B | 90.05 | 149.76 | 149.76 | | | | 11.90 | | | | |
| | | Unbundled Loop Concentration - DS1 Loop Interface Card | | | ULC | UCTCO | 5.04 | 71.70 | 51.52 | 18.49 | 4.82 | | 11.90 | | | | |
| | | Unbundled Loop Concentration - ISDN Loop Interface (Brite Card) | | | UDN | ULCC1 | 8.00 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | | Unbundled Loop Concentration - UDC Loop Interface (Brite Card) | | | UDC | ULCCU | 8.00 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | | Unbundled Loop Concentration - 2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card) | | | UEA | ULCC2 | 2.00 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card) | | | UEA | ULCCR | 11.90 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | | Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card) | | | UEA | ULCC4 | 7.10 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | | Unbundled Loop Concentration - TEST CIRCUIT Card | | | ULC | UCTTC | 34.68 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface | | | UDL | ULCC7 | 10.51 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | | Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface | | | UDL | ULCC5 | 10.51 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | | Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface | | | UDL | ULCC6 | 10.51 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| UNE OTHER, PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | | | |
| | | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | | | | | | | | | | | |
| | | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | | | | | | | | | | | |
| | | Unbundled Contract Name, Provisioning Only - No Rate | | | UEANL,UEF,UEQ,U ENTW | UNECN | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|---------------|--|---------|------|---------------------------------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| UNE OTHER, PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | | | |
| | | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled DS1 Loop - Expanded Superframe Format option - no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH CAPACITY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 10.92 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | UE3 | UE3PX | 386.88 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 10.92 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month | | | UDLSX | UDLS1 | 426.60 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | 1.83 | |
| LOOP MAKE-UP | | | | | | | | | | | | | | | | | |
| | | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | UMK | UMKLW | | 52.17 | 52.17 | | | | | | | | |
| | | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 55.07 | 55.07 | | | | | | | | |
| | | Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized) | | | UMK | PSUMK | | 0.6784 | 0.6784 | | | | | | | | |
| HIGH FREQUENCY SPECTRUM | | | | | | | | | | | | | | | | | |
| SPLITTERS-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | | | |
| | | Line Sharing Splitter, per System 96 Line Capacity - True up pending approval by PSC | R | | ULS | ULSDA | 119.72 | 379.13 | 0.00 | 347.90 | 0.00 | | 11.90 | | | | |
| | | Line Sharing Splitter, per System 24 Line Capacity - True up pending approval by PSC | R | | ULS | ULSDB | 29.93 | 379.13 | 0.00 | 347.90 | 0.00 | | 11.90 | | | | |
| | | Line Sharing Splitter, Per System, 8 Line Capacity | I | | ULS | ULSD8 | 8.33 | 379.13 | 0.00 | 347.90 | 0.00 | | 11.90 | | | | |
| | | Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) - True up pending approval by PSC | | | ULS | ULSDG | | 173.66 | | 97.42 | | | 11.90 | | | | |
| END USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECTRUM AKA LINE SHARING | | | | | | | | | | | | | | | | | |
| | | Line Sharing - per Line Activation - True up pending approval by PSC(BST Owned Splitter) | | | ULS | ULSDC | 0.61 | 29.68 | 21.28 | 19.57 | 9.61 | | 11.90 | | | | |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement - True up pending approval by PSC(BST Owned Splitter) | R | | ULS | ULSDS | | 21.68 | 16.44 | | | | 11.90 | | | | |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement - True up pending approval by PSC(DLEC Owned Splitter) | R | | ULS | ULSCS | | 21.68 | 16.44 | | | | 11.90 | | | | |
| | | Line Sharing - per Line Activation (DLEC owned Splitter) | I | | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 20.67 | 12.74 | | 11.90 | | | | |
| | | Line Splitting - per line activation DLEC owned splitter | I | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | |
| | | Line Splitting - per line activation BST owned - physical | I | | UEPSR UEPSB | UREBP | 0.638 | 29.68 | 21.28 | 19.57 | 9.61 | | 11.90 | | | | |
| | | Line Splitting - per line activation BST owned - virtual | I | | UEPSR UEPSB | UREBV | 1.134 | 29.68 | 21.28 | 19.57 | 9.61 | | 11.90 | | | | |
| UNBUNDLED DEDICATED TRANSPORT | | | | | | | | | | | | | | | | | |
| NOTE: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3/STS-1=four months | | | | | | | | | | | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | U1TVX | U1TV2 | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade Rev Bat. - Per Mile per month | | | U1TVX | 1L5XX | 0.0091 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--------------------------------------|---|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. Facility Termination per month | | | U1TVX | U1TR2 | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | |
| | | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0091 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month | | | U1TVX | U1TV4 | 22.58 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0091 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month | | | U1TDX | U1TD5 | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0091 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | U1TDX | U1TD6 | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | U1TD1 | 1L5XX | 0.1856 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month | | | U1TD1 | U1TF1 | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | U1TD3 | 1L5XX | 3.87 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | U1TD3 | U1TF3 | 1,071.00 | 335.46 | 219.28 | 72.03 | 70.56 | | 11.90 | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TS1 | 1L5XX | 3.87 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month | | | U1TS1 | U1TFS | 1,056.00 | 335.46 | 219.28 | 72.03 | 70.56 | | 11.90 | | | |
| | LOCAL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3/STS-1=four months | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 1 | | 1 | ULDVX | ULDV2 | 21.94 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 2 | | 2 | ULDVX | ULDV2 | 29.62 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 3 | | 3 | UNDVX | ULDV2 | 57.22 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per month - Zone 1 | | 1 | ULDVX | ULDR2 | 21.94 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per Month - Zone 2 | | 2 | ULDVX | ULDR2 | 29.62 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per Month - Zone 3 | | 3 | ULDVX | ULDR2 | 57.22 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 1 | | 1 | UNDVX | ULDV4 | 22.81 | 266.54 | 47.67 | 44.22 | 5.33 | | 11.90 | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 2 | | 2 | UNDVX | ULDV4 | 30.79 | 266.54 | 47.67 | 44.22 | 5.33 | | 11.90 | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 3 | | 3 | UNDVX | ULDV4 | 59.48 | 266.54 | 47.67 | 44.22 | 5.33 | | 11.90 | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 1 | | 1 | ULDD1 | ULDF1 | 35.28 | 216.65 | 183.54 | 24.30 | 16.95 | | 11.90 | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 2 | | 2 | ULDD1 | ULDF1 | 47.63 | 216.65 | 183.54 | 24.30 | 16.95 | | 11.90 | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 3 | | 3 | ULDD1 | ULDF1 | 92.01 | 216.65 | 183.54 | 24.30 | 16.95 | | 11.90 | | | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | | ULDD3 | 1L5NC | 8.50 | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination per month | | | ULDD3 | ULDF3 | 531.91 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | |
| | | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1 | 1L5NC | 8.50 | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination per month | | | ULDS1 | ULDFS | 540.69 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | |
| MULTIPLEXERS | | | | | | | | | | | | | | | | |
| | | Channelization - DS1 to DS0 Channel System | | | UXTD1 | MQ1 | 146.77 | 101.42 | 71.62 | 11.09 | 10.49 | | 11.90 | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UDL | 1D1DD | 2.10 | 10.07 | 7.08 | | | | 11.90 | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|---------------|--|--|---------|------|----------|-------|-----------|--------------|--------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month | | | | UDN | UC1CA | 3.66 | 10.07 | 7.08 | | | | 11.90 | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | UEA | 1D1VG | 1.38 | 10.07 | 7.08 | | | | 11.90 | | |
| | | DS3 to DS1 Channel System per month | | | | UXTD3 | MQ3 | 211.19 | 199.28 | 118.64 | 40.34 | 39.07 | | 11.90 | | |
| | | STS1 to DS1 Channel System per month | | | | UXTS1 | MQ3 | 211.19 | 199.28 | 118.64 | 40.34 | 39.07 | | 11.90 | | |
| | | DS3 Interface Unit (DS1 COCI) used with Loop per month | | | | USL | UC1D1 | 13.76 | 10.07 | 7.08 | | | | 11.90 | | |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | | ULDD1 | UC1D1 | 13.76 | 10.07 | 7.08 | | | | 11.90 | | |
| | | DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per month | | | | U1TD1 | UC1D1 | 13.76 | 10.07 | 7.08 | | | | 11.90 | | |
| DARK FIBER | | | | | | | | | | | | | | | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel | | | | UDF | 1L5DC | 55.04 | | | | | | | | |
| | | NRC Dark Fiber - Local Channel | | | | UDF | UDFC4 | | 751.34 | 193.88 | 356.21 | 230.11 | | 11.90 | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel | | | | UDF | 1L5DF | 26.85 | | | | | | | | |
| | | NRC Dark Fiber - Interoffice Channel | | | | UDF | UDF14 | | 751.34 | 193.88 | 356.21 | 230.11 | | 11.90 | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop | | | | UDF | 1L5DL | 55.04 | | | | | | | | |
| | | NRC Dark Fiber - Local Loop | | | | UDF | UDFL4 | | 751.34 | 193.88 | 356.21 | 230.11 | | 11.90 | | |
| TRANSPORT OTHER | | | | | | | | | | | | | | | | |
| Optional Features & Functions: | | | | | | | | | | | | | | | | |
| 8XX ACCESS TEN DIGIT SCREENING | | | | | | | | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, Per Call | | | | OHD | | 0.0006252 | | | | | | | | |
| | | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved | | | | OHD | N8R1X | | 4.15 | 0.70 | | | | 11.90 | | |
| | | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations | | | | OHD | | | 8.78 | 1.18 | 5.77 | 0.70 | | 11.90 | | |
| | | 8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations | | | | OHD | N8FTX | | 8.78 | 1.18 | 5.77 | 0.70 | | 11.90 | | |
| | | 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number | | | | OHD | N8FCX | | 4.15 | 2.07 | | | | 11.90 | | |
| | | 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. | | | | OHD | N8FMX | | 4.85 | 2.78 | | | | 11.90 | | |
| | | 8XX Access Ten Digit Screening, Change Charge Per Request | | | | OHD | N8FAX | | 4.85 | 0.70 | | | | 11.90 | | |
| | | 8XX Access Ten Digit Screening, Call Handling and Destination Features | | | | OHD | N8FDX | | 4.15 | 4.15 | | | | 11.90 | | |
| | | 8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query | | | | OHD | | 0.0006252 | | | | | | | | |
| | | 8XX Access Ten Digit Screening, w/ POTS No. Delivery, per query | | | | OHD | | 0.0006252 | | | | | | | | |
| LINE INFORMATION DATA BASE ACCESS (LIDB) | | | | | | | | | | | | | | | | |
| | | LIDB Common Transport Per Query | | | | OQT | | 0.0000203 | | | | | | | | |
| | | LIDB Validation Per Query | | | | OQU | | 0.0136959 | | | | | | | | |
| | | LIDB Originating Point Code Establishment or Change | | | | OQT, OQU | NRPBX | | 55.13 | 55.13 | 55.13 | 55.13 | | 11.90 | | |
| SIGNALING (CCS7) | | | | | | | | | | | | | | | | |
| | | CCS7 Signaling Termination, Per STP Port | | | | UDB | PT8SX | 135.05 | | | | | | | | |
| | | CCS7 Signaling Usage, Per TCAP Message | | | | UDB | | 0.0000607 | | | | | | | | |
| | | CCS7 Signaling Connection, Per link (A link) | | | | UDB | TPP++ | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | | 11.90 | | |
| | | CCS7 Signaling Connection, Per link (B link) (also known as D link) | | | | UDB | TPP++ | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | | 11.90 | | |
| | | CCS7 Signaling Usage, Per ISUP Message | | | | UDB | | 0.0000152 | | | | | | | | |
| | | CCS7 Signaling Usage Surrogate, per link per LATA | | | | UDB | STU56 | 694.32 | | | | | | | | |
| | | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected | | | | UDB | CCAPO | | 46.03 | 46.03 | 46.03 | 46.03 | | 11.90 | | |
| E911 SERVICE | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 | | | | | | 21.94 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | |
| | | Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 | | | | | | 29.62 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | |
| | | Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 | | | | | | 57.22 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--------------------------------------|---------------|---|--|---------|------|-------|------|-----------|--------------|----------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile | | | | | | 0.0091 | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination | | | | | | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | |
| | | Local Channel - Dedicated - DS1 - Zone 1 | | | | | | 35.28 | 216.65 | 183.54 | 21.47 | 19.05 | | 11.90 | | | |
| | | Local Channel - Dedicated - DS1 - Zone 2 | | | | | | 47.63 | 216.65 | 183.54 | 21.47 | 19.05 | | 11.90 | | | |
| | | Local Channel - Dedicated - DS1 - Zone 3 | | | | | | 92.01 | 216.65 | 183.54 | 21.47 | 19.05 | | 11.90 | | | |
| | | Interoffice Transport - Dedicated - DS1 Per Mile | | | | | | 0.1856 | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 Per Facility Termination | | | | | | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | |
| CALLING NAME (CNAM) SERVICE | | | | | | | | | | | | | | | | | |
| | | CNAM for DB Owners, Per Query | | | OQV | | | 0.001024 | | | | | | | | | |
| | | CNAM for Non DB Owners, Per Query | | | OQV | | | 0.001024 | | | | | | | | | |
| | | CNAM For DB Owners - Service Establishment | | | OQV | | | | 25.35 | 25.35 | 19.01 | 19.01 | | 11.90 | | | |
| | | CNAM For Non DB Owners - Service Establishment | | | OQV | | | | 25.35 | 25.35 | 19.01 | 19.01 | | 11.90 | | | |
| | | CNAM For DB Owners - Service Provisioning With Point Code Establishment | | | OQV | | | | 1,592.00 | 1,177.00 | 352.36 | 259.09 | | 11.90 | | | |
| | | CNAM For Non DB Owners - Service Provisioning With Point Code Establishment | | | OQV | | | | 546.51 | 393.82 | 358.06 | 259.09 | | 11.90 | | | |
| LNP Query Service | | | | | | | | | | | | | | | | | |
| | | LNP Charge Per query | | | OQV | | | 0.000852 | | | | | | | | | |
| | | LNP Service Establishment Manual | | | | | | | 13.83 | 13.83 | 12.71 | 12.71 | | 11.90 | | | |
| | | LNP Service Provisioning with Point Code Establishment | | | | | | | 655.50 | 334.88 | 297.03 | 218.40 | | 11.90 | | | |
| OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min. - Using BST LIDB | | | | | | 1.20 | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min. - Using Foreign LIDB | | | | | | 1.24 | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using BST LIDB | | | | | | 0.20 | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB | | | | | | 0.20 | | | | | | | | | |
| INWARD OPERATOR SERVICES | | | | | | | | | | | | | | | | | |
| | | Inward Operator Services - Verification, Per Call | | | | | | 1.00 | | | | | | | | | |
| | | Inward Operator Services - Verification and Emergency Interrupt - Per Call | | | | | | 1.95 | | | | | | | | | |
| BRANDING - OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | | | |
| | | Recording of Custom Branded OA Announcement | | | | CBAOS | | | 7,000.00 | 7,000.00 | | | | 11.90 | | | |
| | | Loading of Custom Branded OA Announcement per shelf/NAV | | | | CBAOL | | | 500.00 | 500.00 | | | | 11.90 | | | |
| | | Unbranding via OLNS for UNEP CLEC | | | | | | | | | | | | | | | |
| | | Loading of OA per OCN (Regional) | | | | | | | 1,200.00 | 1,200.00 | | | | 11.90 | | | |
| DIRECTORY ASSISTANCE SERVICES | | | | | | | | | | | | | | | | | |
| | | DIRECTORY ASSISTANCE ACCESS SERVICE | | | | | | | | | | | | | | | |
| | | Directory Assistance Access Service Calls, Charge Per Call | | | | | | 0.275 | | | | | | | | | |
| | | DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC) | | | | | | | | | | | | | | | |
| | | Directory Assistance Call Completion Access Service (DACC), Per Call Attempt | | | | | | 0.10 | | | | | | | | | |
| | | DIRECTORY TRANSPORT | | | | | | | | | | | | | | | |
| DIRECTORY ASSISTANCE SERVICES | | | | | | | | | | | | | | | | | |
| | | DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS) | | | | | | | | | | | | | | | |
| | | Directory Assistance Data Base Service Charge Per Listing | | | | | | 0.04 | | | | | | | | | |
| | | Directory Assistance Data Base Service, per month | | | | DBSOF | | 150.00 | | | | | | | | | |
| BRANDING - DIRECTORY ASSISTANCE | | | | | | | | | | | | | | | | | |
| | | Facility Based CLEC | | | | | | | | | | | | | | | |
| | | Recording and Provisioning of DA Custom Branded Announcement | | | AMT | CBADA | | | 6,000.00 | 6,000.00 | | | | | | | |
| | | Loading of Custom Branded Announcement per DRAM Card/Switch | | | AMT | CBADC | | | 1,170.00 | 1,170.00 | | | | | | | |
| | | UNEP CLEC | | | | | | | | | | | | | | | |
| | | Recording of DA Custom Branded Announcement | | | | | | | 3,000.00 | 3,000.00 | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--------------------------------------|--|---------|------|--|-------|-----------|--------------|----------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN |
| | Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | |
| | Unbranding via OLNS for UNEP CLEC | | | | | | | | | | | | | | |
| | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | |
| | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | |
| SELECTIVE ROUTING | | | | | | | | | | | | | | | |
| | Selective Routing Per Unique Line Class Code Per Request Per Switch | | | | USRCR | | 93.55 | 93.55 | 12.71 | 12.71 | | 11.90 | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | |
| | Virtual Collocation - Application Cost | | | AMTFS | EAF | | 4,122.00 | 1,249.00 | | | | | | | |
| | Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS | ESPCX | 12.45 | 965.00 | | | | | | | | |
| | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 4.25 | | | | | | | | | |
| | Virtual Collocation - Power, per breaker amp | | | AMTFS | ESPAX | 6.95 | | | | | | | | | |
| | Virtual Collocation - Cable Support Structure, per entrance cable | | | AMTFS | ESPSX | 13.35 | | | | | | | | | |
| | Virtual Collocation - 2-wire Cross Connects (loop) | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNCX | UEAC2 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | |
| | Virtual Collocation - 4-wire Cross Connects (loop) | | | UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX | UEAC4 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | |
| | Virtual Collocation - 2-Fiber Cross Connects | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF | CNC2F | 6.71 | 2,431.00 | | | | | 11.90 | | | |
| | Virtual Collocation - 4-Fiber Cross Connects | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF | CNC4F | 6.71 | 2,431.00 | | | | | 11.90 | | | |
| | Virtual collocation - DS1 Cross Connects | | | USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1 | CNC1X | 7.50 | 155.00 | 14.00 | | | | 11.90 | | | |
| | Virtual collocation - DS3 Cross Connects | | | USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLXS, UNLD3 | CND3X | 56.25 | 151.90 | 11.83 | | | | 11.90 | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot | | | AMTFS,CLO | VE1CB | 0.0028 | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft | | | AMTFS, CLO | VE1CD | 0.0041 | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable | | | AMTFS | VE1CC | | 535.54 | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable | | | AMTFS | VE1CE | | 535.54 | | | | | | | | |
| | Virtual collocation - Security Escort - Basic, per quarter hour | | | AMTFS | SPTBQ | | 10.89 | | | | | | | | |
| | Virtual collocation - Security Escort - Overtime, per quarter hour | | | AMTFS | SPTOQ | | 13.64 | | | | | | | | |
| | Virtual collocation - Security Escort - Premium, per quarter hour | | | AMTFS | SPTPQ | | 16.40 | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|---------------|--|--|--|---------|------|--------------|-------|-----------|--------------|----------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | | | First | Add'l | First | Add'l | SOMECA | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | AMTFS | VE11S | 226.39 | 1,950.00 | | | | | | | | |
| | | | | | | | AMTFS | VE11X | 11.51 | 1,950.00 | | | | | | | | |
| | | | | | | | AMTFS | VE13S | 56.97 | 528.00 | | | | | | | | |
| | | | | | | | AMTFS | VE13X | 10.06 | 528.00 | | | | | | | | |
| | | | | | | | AMTFS | SPTRE | | 10.89 | | | | | | | | |
| | | | | | | | AMTFS | SPTOE | | 13.64 | | | | | | | | |
| | | | | | | | AMTFS | SPTPE | | 16.40 | | | | | | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | | |
| | | | | | | | UEPSR | VE1R2 | 0.524 | 11.57 | 11.57 | | | | 11.90 | | | |
| | | | | | | | UEPSP | VE1R2 | 0.524 | 11.57 | 11.57 | | | | 11.90 | | | |
| | | | | | | | UEPSE | VE1R2 | 0.524 | 11.57 | 11.57 | | | | 11.90 | | | |
| | | | | | | | UEPSB | VE1R2 | 0.524 | 11.57 | 11.57 | | | | 11.90 | | | |
| | | | | | | | UEPSX | VE1R2 | 0.524 | 11.57 | 11.57 | | | | 11.90 | | | |
| | | | | | | | UEPTX | VE1R2 | 0.524 | 11.57 | 11.57 | | | | 11.90 | | | |
| | | | | | | | UEPEX | VE1R4 | 0.524 | 11.57 | 11.57 | | | | 11.90 | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | | |
| | | | | | | | UEPSR, UEPSB | VE1LS | 0.0297 | 33.86 | 31.95 | | | | 11.90 | | | |
| AIN SELECTIVE CARRIER ROUTING | | | | | | | | | | | | | | | | | | |
| | | | | | | | SRC | SRCEC | | 193,444.00 | | 7,737.00 | | | 11.90 | | | |
| | | | | | | | SRC | SRCEO | | 187.36 | 187.36 | 0.69 | 0.69 | | 11.90 | | | |
| | | | | | | | SRC | | 0.0031868 | | | | | | | | | |
| AIN - BELLSOUTH AIN SMS ACCESS SERVICE | | | | | | | | | | | | | | | | | | |
| | | | | | | | A1N | CAMSE | | 43.56 | 43.56 | 44.93 | 44.93 | | 11.90 | | | |
| | | | | | | | A1N | CAMDP | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | | |
| | | | | | | | A1N | CAMP | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | | |
| | | | | | | | A1N | CAMAU | | 38.66 | 38.66 | 29.88 | 29.88 | | 11.90 | | | |
| | | | | | | | A1N | CAMRC | | 75.10 | 75.10 | 12.93 | 12.93 | | 11.90 | | | |
| | | | | | | | | | 0.0028 | | | | | | | | | |
| | | | | | | | | | 0.7809 | | | | | | | | | |
| | | | | | | | | | 0.4609 | | | | | | | | | |
| AIN - BELLSOUTH AIN TOOLKIT SERVICE | | | | | | | | | | | | | | | | | | |
| | | | | | | | CAM | BAPSC | | 43.56 | 43.56 | 44.93 | 44.93 | | 11.90 | | | |
| | | | | | | | | BAPVX | | 8,439.00 | 8,439.00 | | | | 11.90 | | | |
| | | | | | | | | BAPTT | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | | |
| | | | | | | | | BAPTD | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | | |
| | | | | | | | | BAPTM | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | | |

UNBUNDLED NETWORK ELEMENTS - Florida

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | | |
|-------------------------------|--|-------------|------|-------|-------|-----------|--------------|--------|--------------|---|---|--|--|---|---|-------|--|
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP | | | | BAPTO | | 38.06 | 38.06 | 15.86 | 15.86 | | 11.90 | | | | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP | | | | BAPTC | | 38.06 | 38.06 | 15.86 | 15.86 | | 11.90 | | | | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code | | | | BAPTF | | 38.06 | 38.06 | 15.86 | 15.86 | | 11.90 | | | | | |
| | AIN Toolkit Service - Query Charge, Per Query | | | | | 0.0535927 | | | | | | | | | | | |
| | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query | | | | | 0.0063698 | | | | | | | | | | | |
| | AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes | | | | | 0.06 | | | | | | | | | | | |
| | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription | | | CAM | BAPMS | 8.34 | 8.64 | 8.64 | 6.08 | 6.08 | | 11.90 | | | | | |
| | AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription | | | CAM | BAPLS | 3.73 | 9.56 | 9.56 | | | | 11.90 | | | | | |
| | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription | | | CAM | BAPDS | 4.73 | 8.64 | 8.64 | 6.08 | 6.08 | | 11.90 | | | | | |
| | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription | | | CAM | BAPES | 0.12 | 9.56 | 9.56 | | | | 11.90 | | | | | |
| ENHANCED EXTENDED LINK (EELs) | | | | | | | | | | | | | | | | | |
| | NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; | | | | | | | | | | | | | | | | |
| | NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. | | | | | | | | | | | | | | | | |
| | NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) | | | | | | | | | | | | | | | | |
| | NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.) | | | | | | | | | | | | | | | | |
| | 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.50 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | | |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 19.57 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | | |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 37.82 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | | |
| | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 146.77 | 57.28 | 14.74 | 1.50 | 1.34 | | 11.90 | | | | | |
| | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 1.38 | 6.71 | 4.84 | | | | 11.90 | | | | | |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.50 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 19.57 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 37.82 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 1.38 | 6.71 | 4.84 | | | | 11.90 | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | | |
| | 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 23.02 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 31.07 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 60.02 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | | |
|--------------------------------------|---------------|---|--|--|---------|------|-----|------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|--|
| CATEGORY | RATE ELEMENTS | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | | | | | UNC1X | MQ1 | 146.77 | 57.28 | 14.74 | 1.50 | 1.34 | | 11.90 | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | | | | | UNCVX | 1D1VG | 1.38 | 6.71 | 4.84 | | | | 11.90 | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 | | | | | 1 | | UNCVX | UEAL4 | 23.02 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | | | | 2 | | UNCVX | UEAL4 | 31.07 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 | | | | | 3 | | UNCVX | UEAL4 | 60.02 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | | | | | UNCVX | 1D1VG | 1.38 | 6.71 | 4.84 | | | | 11.90 | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | | | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | |
| | | 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | | | | 1 | | UNCDX | UDL56 | 26.39 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | |
| | | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | | | | 2 | | UNCDX | UDL56 | 35.62 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | |
| | | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | | | | 3 | | UNCDX | UDL56 | 68.82 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | | | | | UNC1X | 1L5XX | 0.1856 | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month | | | | | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | | | | | UNC1X | MQ1 | 146.77 | 57.28 | 14.74 | 1.50 | 1.34 | | 11.90 | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | | | | | UNCDX | 1D1DD | 2.10 | 6.71 | 4.84 | | | | 11.90 | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | | | | 1 | | UNCDX | UDL56 | 26.39 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | | | | 2 | | UNCDX | UDL56 | 35.62 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | | | | 3 | | UNCDX | UDL56 | 68.82 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs) | | | | | | | UNCDX | 1D1DD | 2.10 | 6.71 | 4.84 | | | | 11.90 | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | | | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | |
| | | 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | | | | 1 | | UNCDX | UDL64 | 26.39 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | | | | 2 | | UNCDX | UDL64 | 35.62 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | | | | 3 | | UNCDX | UDL64 | 68.82 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | | | | | UNC1X | 1L5XX | 0.1856 | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | | | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | | | | | UNC1X | MQ1 | 146.77 | 57.28 | 14.74 | 1.50 | 1.34 | | 11.90 | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | | | | | UNCDX | 1D1DD | 2.10 | 6.71 | 4.84 | | | | 11.90 | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | | | | 1 | | UNCDX | UDL64 | 26.39 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | | | | 2 | | UNCDX | UDL64 | 35.62 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|---------------|---|---------|------|--------|-------|-----------|--------------|--------|--------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC DX | UDL64 | 68.82 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNC DX | 1D1DD | 2.10 | 6.71 | 4.84 | | | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 | | 1 | UNC1X | USLXX | 73.44 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 | | 2 | UNC1X | USLXX | 99.13 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 | | 3 | UNC1X | USLXX | 191.51 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | First DS1 Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 73.44 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | | First DS1 Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 99.13 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | | First DS1 Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 191.51 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | | | UNC3X | 1L5XX | 3.87 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Facility Termination per month | | | UNC3X | U1TF3 | 1,071.00 | 320.00 | 138.20 | 38.60 | 18.81 | | 11.90 | | | | |
| | | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 211.19 | 115.50 | 56.54 | 12.16 | 4.26 | | 11.90 | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 13.76 | 6.71 | 4.84 | | | | 11.90 | | | | |
| | | Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 73.44 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | | Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 99.13 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | | Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 191.51 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 13.76 | 6.71 | 4.84 | | | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC3X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNC VX | UEAL2 | 14.50 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | 2-Wire VG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNC VX | UEAL2 | 19.57 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | 2-Wire VG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNC VX | UEAL2 | 37.82 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | | UNC VX | 1L5XX | 0.0091 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2-Wire Voice Grade combination - Facility Termination per month | | | UNC VX | U1TV2 | 25.32 | 94.70 | 52.59 | 45.28 | 18.03 | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC VX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | 4-Wire VG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNC VX | UEAL4 | 23.02 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | 4-Wire VG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNC VX | UEAL4 | 31.07 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 60.02 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | |
| | Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.0091 | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV4 | 22.58 | 94.70 | 52.59 | 45.28 | 18.03 | | 11.90 | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCVX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | |
| DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month | | | UNC3X | 1L5ND | 10.92 | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month | | | UNC3X | UE3PX | 386.88 | 226.42 | 154.73 | 67.10 | 26.27 | | 11.90 | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 3.87 | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month | | | UNC3X | U1TF3 | 1,071.00 | 320.00 | 138.20 | 38.60 | 18.81 | | 11.90 | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC3X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | |
| STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month | | | UNCSX | 1L5ND | 10.92 | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month | | | UNCSX | UDLS1 | 426.60 | 226.42 | 154.73 | 67.10 | 26.27 | | 11.90 | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile per month | | | UNCSX | 1L5XX | 3.87 | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month | | | UNCSX | U1TFS | 1,056.00 | 320.00 | 138.20 | 38.60 | 18.81 | | 11.90 | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCSX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | |
| 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 | | 1 | UNCNX | U1L2X | 21.76 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2 | | 2 | UNCNX | U1L2X | 29.38 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3 | | 3 | UNCNX | U1L2X | 56.76 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | |
| | Channelization - Channel System DS1 to DS0 combination - per month | | | UNC1X | MQ1 | 146.77 | 57.28 | 14.74 | 1.50 | 1.34 | | 11.90 | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month | | | UNCNX | UC1CA | 3.66 | 6.71 | 4.84 | | | | 11.90 | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1 | | 1 | UNCNX | U1L2X | 21.76 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 | | 2 | UNCNX | U1L2X | 29.38 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 | | 3 | UNCNX | U1L2X | 56.76 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month | | | UNCNX | UC1CA | 3.66 | 6.71 | 4.84 | | | | 11.90 | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | |
| 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 73.44 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 99.13 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|--|---------|------|-------|-------|-----------|--------------|--------|--------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 191.51 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month | | | UNCSX | 1L5XX | 3.87 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility Termination | | | UNCSX | U1TFS | 1,056.00 | 320.00 | 138.20 | 38.60 | 18.81 | | 11.90 | | | | |
| | STS1 to DS1 Channel System combination per month | | | UNCSX | MQ3 | 211.19 | | | | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 13.76 | 6.71 | 4.84 | | | | 11.90 | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 73.44 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 99.13 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 191.51 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 13.76 | 6.71 | 4.84 | | | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCSX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 26.39 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 35.62 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 68.82 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination | | | UNCDX | U1TD5 | 18.44 | 94.70 | 52.59 | 45.28 | 18.03 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCDX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 26.39 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 35.62 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 68.82 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination | | | UNCDX | U1TD6 | 18.44 | 94.70 | 52.59 | 45.28 | 18.03 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCDX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| ADDITIONAL NETWORK ELEMENTS | | | | | | | | | | | | | | | | |
| When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. | | | | | | | | | | | | | | | | |
| Node (SynchroNet) | | | | | | | | | | | | | | | | |
| Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) | | | | | | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps | | | UNCDX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - DS1 | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - DS3 | | | UNC3X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - STS1 | | | UNCSX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months | | | | | | | | | | | | | | | | |
| UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|--|---------|------|-------|-------|-----------|--------------|-------|--------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | OSS Rates(\$) | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Exchange Ports | | | | | | | | | | | | | | | |
| | NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs | | | | | | | | | | | | | | | |
| | 2-WIRE VOICE GRADE LINE PORT RATES (RES) | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res. | | | UEPSR | UEPAF | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) | | | UEPSR | UEPAP | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSR | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | 2-WIRE VOICE GRADE LINE PORT RATES (BUS) | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus | | | UEPSB | UEPBL | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus | | | UEPSB | UEPB1 | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSB | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | EXCHANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPP1 | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPSP | UEPXE | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPSP | UEPXL | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPSP | UEPXM | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPSP | UEPXO | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSP | UEPSE | UEPVF | 2.26 | 0.00 | 0.00 | | | 11.90 | | | | |
| | EXCHANGE PORT RATES (COIN) | | | | | | | | | | | | | | | |
| | Exchange Ports - Coin Port | | | | | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. | | | | | | | | | | | | | | | |
| | NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. | | | | | | | | | | | | | | | |
| UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | | |
| | EXCHANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 8.73 | 78.41 | 15.82 | 41.94 | 4.26 | | 11.90 | | | 1.83 | |
| | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability | | | UEPDD | UEPDD | 54.95 | 151.11 | 77.75 | 48.81 | 3.10 | | 11.90 | | | 1.83 | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|---|---------|------|-------------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN |
| | Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX UEPSX | U1PMA | 8.83 | 46.83 | 50.68 | 27.64 | 11.93 | | 11.90 | | | 1.83 |
| | All Features Offered | | | UEPTX UEPSX | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 |
| NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. | | | | | | | | | | | | | | | |
| NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire ISDN Port -- Channel Profiles | | | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 82.74 | 174.61 | 95.17 | 49.80 | 18.23 | | 11.90 | | | 1.83 |
| UNBUNDLED LOCAL SWITCHING, PORT USAGE | | | | | | | | | | | | | | | |
| | End Office Switching (Port Usage) | | | | | | | | | | | | | | |
| | End Office Switching Function, Per MOU | | | | | 0.0007662 | | | | | | | | | |
| | End Office Trunk Port - Shared, Per MOU | | | | | 0.000164 | | | | | | | | | |
| | Tandem Switching (Port Usage) (Local or Access Tandem) | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | | | 0.0001319 | | | | | | | | | |
| | Tandem Trunk Port - Shared, Per MOU | | | | | 0.000235 | | | | | | | | | |
| | Common Transport | | | | | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | | | 0.0000035 | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | | | 0.0004372 | | | | | | | | | |
| UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | |
| | Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. | | | | | | | | | | | | | | |
| | Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. | | | | | | | | | | | | | | |
| | End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. | | | | | | | | | | | | | | |
| | For Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos for all states. In GA, KY, LA, MS, SC and TN these nonrecurring charges are commission ordered cost based rates and in AL, FL and NC these nonrecurring charges are Market Rates and are also listed in the Market Rate section. | | | | | | | | | | | | | | |
| | For Currently Combined Combos in all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. | | | | | | | | | | | | | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.11 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 18.23 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 33.04 | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 12.94 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 17.06 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 31.87 | | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | |
| | 2-Wire voice unbundled Florida Area Calling with Caller ID - res | | | UEPRX | UEPAF | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | UEPRX | UEPAP | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | |
| | FEATURES | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRX | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | |
| | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPRX | USAC2 | | 0.102 | 0.102 | | | | 11.90 | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPRX | USACC | | 0.102 | 0.102 | | | | 11.90 | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.11 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 18.23 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 33.04 | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 12.94 | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--------------------------------------|---------------|--|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | OSS Rates(\$) | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | 2 | UEPBX | UEPLX | 17.06 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | 3 | UEPBX | UEPLX | 31.87 | | | | | | | | | |
| | | 2-Wire Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | | UEPBX | UEPBL | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | | UEPBX | UEPBC | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | 2-Wire voice unbundled port outgoing only - bus | | | | UEPBX | UEPBO | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | | UEPBX | UEPB1 | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | UEPBX | LNPCX | 0.35 | | | | | | | | | |
| | | FEATURES | | | | | | | | | | | | | | | |
| | | All Features Offered | | | | UEPBX | UEPVF | 2.26 | 0.00 | 0.00 | | | 11.90 | | | | |
| | | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | | UEPBX | USAC2 | | 0.102 | 0.102 | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | | UEPBX | USACC | | 0.102 | 0.102 | | | 11.90 | | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | 11.90 | | | | |
| | | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | | 1 | | | 14.11 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | | 2 | | | 18.23 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | | 3 | | | 33.04 | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | 1 | UEPRG | UEPLX | 12.94 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | 2 | UEPRG | UEPLX | 17.06 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | | 3 | UEPRG | UEPLX | 31.87 | | | | | | | | | |
| | | 2-Wire Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | | UEPRG | UEPRD | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | 11.90 | | | | |
| | | FEATURES | | | | | | | | | | | | | | | |
| | | All Features Offered | | | | UEPRG | UEPVF | 2.26 | 0.00 | 0.00 | | | 11.90 | | | | |
| | | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | | UEPRG | USAC2 | | 8.45 | 1.91 | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | | UEPRG | USACC | | 8.45 | 1.91 | | | 11.90 | | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | 11.90 | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | | 7.09 | 7.09 | | | 11.90 | | | | |
| | | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | | 1 | | | 14.11 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | | 2 | | | 18.23 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | | 3 | | | 33.04 | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | 1 | UEPPX | UEPLX | 12.94 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | 2 | UEPPX | UEPLX | 17.06 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | | 3 | UEPPX | UEPLX | 31.87 | | | | | | | | | |
| | | 2-Wire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | | UEPPX | UEPPC | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | | UEPPX | UEPPO | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | | UEPPX | UEPP1 | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | |

UNBUNDLED NETWORK ELEMENTS - Florida

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|--|-------------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|---|---|--|--|---|---|
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPPX | UEPXO | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | FEATURES | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPPX | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 8.45 | 1.91 | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | UEPPX | USACC | | 8.45 | 1.91 | | | | 11.90 | | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 7.86 | 7.86 | | | | 11.90 | | | | |
| | | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 14.11 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 18.23 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 33.04 | | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 12.94 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 17.06 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 31.87 | | | | | | | | | | |
| | | 2-Wire Voice Grade Line Ports (COIN) | | | | | | | | | | | | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (FL) | | | UEPCO | UEP2F | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL) | | | UEPCO | UEPFA | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL) | | | UEPCO | UEPCG | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL) | | | UEPCO | UEPRK | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+ (FL) | | | UEPCO | UEPOF | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA) | | | UEPCO | UEPCQ | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Coin Outward Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCR | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | ADDITIONAL UNE COIN PORT/LOOP (RC) | | | | | | | | | | | | | | | |
| | | UNE Coin Port/Loop Combo Usage (Flat Rate) | | | UEPCO | URECU | 1.86 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--------------------------------------|---------------|---|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | | UEPCO | USAC2 | | 0.102 | 0.102 | | | | 11.90 | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | | UEPCO | USACC | | 0.102 | 0.102 | | | | 11.90 | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 11.90 | | | |
| | | UNBUNDLED REMOTE CALL FORWARDING - RES | | | | | | | | | | | | | | | |
| | | Non-Recurring | | | | | | | | | | | | | | | |
| | | UNBUNDLED REMOTE CALL FORWARDING - Bus | | | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus | | | | UEPVB | UEPVJ | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | |
| | | Non-Recurring | | | | | | | | | | | | | | | |
| | | 2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | | UEPFR | UEPAP | 1.62 | 250.00 | 250.00 | | | | 11.90 | | | |
| | | 2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | |
| | | UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | |
| | | 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | | 1 | | | 23.21 | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | | 2 | | | 28.28 | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | | 3 | | | 46.53 | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | | 1 | UEPPX | UECD1 | 14.50 | | | | | | 11.90 | | 1.83 | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | | 2 | UEPPX | UECD1 | 19.57 | | | | | | 11.90 | | 1.83 | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | | 3 | UEPPX | UECD1 | 37.82 | | | | | | 11.90 | | 1.83 | |
| | | UNE Port Rate | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | | UEPPX | UEPD1 | 8.71 | 850.00 | 75.00 | | | | 11.90 | | 1.83 | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is | | | | UEPPX | USAC1 | | 7.85 | 1.87 | | | | 11.90 | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes | | | | UEPPX | USA1C | | 7.85 | 1.87 | | | | 11.90 | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | | UEPPX | USAS1 | | 32.26 | 32.26 | | | | 11.90 | | | |
| | | Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | |
| | | DID Trunk Termination (One Per Port) | | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | 11.90 | | 1.83 | |
| | | DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | 11.90 | | 1.83 | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | 1.83 | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | 1.83 | |
| | | Reserve Non-Consecutive DID numbers | | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | 1.83 | |
| | | Reserve DID Numbers | | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | 11.90 | | 1.83 | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | |
| | | 2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | | 1 | UEPPB | UEPPR | 32.09 | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | | | 2 | UEPPB | UEPPR | 38.15 | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | | 3 | UEPPB | UEPPR | 59.94 | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | | 1 | UEPPB | UEPPR | USL2X | 24.71 | | | | | 11.90 | | 1.83 | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | | 2 | UEPPB | UEPPR | USL2X | 30.77 | | | | | 11.90 | | 1.83 | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | | 3 | UEPPB | UEPPR | USL2X | 52.56 | | | | | 11.90 | | 1.83 | |
| | | UNE Port Rate | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--------------------------------------|---|---------|------|-------|-------|-----------|--------------|----------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 7.38 | 525.00 | 400.00 | | | 11.09 | | | 1.83 | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion | | | UEPPB | UEPPR | USACB | 0.00 | 25.22 | 17.00 | | | 11.90 | | | 1.83 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| | B-CHANNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN) | | | | | | | | | | | | | | | | |
| | USER TERMINAL PROFILE | | | | | | | | | | | | | | | | |
| | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | VERTICAL FEATURES | | | | | | | | | | | | | | | | |
| | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 2.26 | 0.00 | 0.00 | | | 11.90 | | | | | |
| | INTEROFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | |
| | Interoffice Channel mileage each, including first mile and facilities termination | | | UEPPB | UEPPR | M1GNC | 18.4491 | 47.35 | 31.78 | 18.31 | 7.03 | 11.90 | | | 1.83 | | |
| | Interoffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.0091 | 0.00 | 0.00 | | | 11.90 | | | 1.83 | | |
| | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 | | 1 | UEPPP | | | 156.18 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 | | 2 | UEPPP | | | 181.87 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 | | 3 | UEPPP | | | 274.25 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 73.44 | | | | | 11.90 | | | 1.83 | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 99.13 | | | | | 11.90 | | | 1.83 | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | 191.51 | | | | | 11.90 | | | 1.83 | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 82.74 | 1,150.00 | 1,150.00 | | | 11.90 | | | 1.83 | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is | | | UEPPP | | USACP | 0.00 | 84.17 | 61.38 | | | 11.90 | | | 1.83 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqtl Actvy-Inward/two way tel nos within Std Allowance (except NC) | | | UEPPP | | PR7TF | | 0.5412 | | | | 11.90 | | | 1.83 | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | | 12.71 | 12.71 | | | 11.90 | | | 1.83 | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance | | | UEPPP | | PR7ZT | | 25.42 | 25.42 | | | 11.90 | | | 1.83 | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPP | | LNPCN | 1.75 | | | | | | | | | | |
| | INTERFACE (Provisioning Only) | | | | | | | | | | | | | | | | |
| | Voice/Data | | | UEPPP | | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Digital Data | | | UEPPP | | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Inward Data | | | UEPPP | | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | New or Additional "B" Channel | | | | | | | | | | | | | | | | |
| | New or Additional - Voice/Data B Channel | | | UEPPP | | PR7BV | 0.00 | 15.48 | | | | 11.90 | | | 1.83 | | |
| | New or Additional - Digital Data B Channel | | | UEPPP | | PR7BF | 0.00 | 15.48 | | | | 11.90 | | | 1.83 | | |
| | New or Additional Inward Data B Channel | | | UEPPP | | PR7BD | 0.00 | 15.48 | | | | 11.90 | | | 1.83 | | |
| | CALL TYPES | | | | | | | | | | | | | | | | |
| | Inward | | | UEPPP | | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Outward | | | UEPPP | | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Two-way | | | UEPPP | | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|--------------------------------------|---------------|--|--|--|---|---------|--------------|-------|-------------------------|-----------|---------------|---------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 88.6256 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | 1.93 |
| | | | | | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.1856 | | | | | | | | |
| | | | | | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | |
| | | | | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | |
| | | | | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 128.39 | | | | | 11.90 | | 1.83 | |
| | | | | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 154.08 | | | | | 11.90 | | 1.83 | |
| | | | | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 246.46 | | | | | 11.90 | | 1.83 | |
| | | | | | UNE Loop Rates | | | | | | | | | | | | | |
| | | | | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 73.44 | | | | | 11.90 | | 1.83 | |
| | | | | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 99.13 | | | | | 11.90 | | 1.83 | |
| | | | | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 191.51 | | | | | 11.90 | | 1.83 | |
| | | | | | UNE Port Rate | | | | | | | | | | | | | |
| | | | | | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 54.95 | | | | | 11.90 | | 1.83 | |
| | | | | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | |
| | | | | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is | | | UEPDC | USAC4 | | 95.31 | 46.71 | | | 11.90 | | 1.83 | |
| | | | | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes | | | UEPDC | USAWA | | 95.31 | 46.71 | | | 11.90 | | 1.83 | |
| | | | | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk | | | UEPDC | USAWB | | 95.31 | 46.71 | | | 11.90 | | 1.83 | |
| | | | | | ADDITIONAL NRCs | | | | | | | | | | | | | |
| | | | | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 15.69 | 15.69 | | | 11.90 | | 1.83 | |
| | | | | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 15.69 | 15.69 | | | 11.90 | | 1.83 | |
| | | | | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Channel Activation/Chan - Inward Trunk w/out DID | | | UEPDC | UDTTC | | 15.69 | 15.69 | | | 11.90 | | 1.83 | |
| | | | | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Chan Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 15.69 | 15.69 | | | 11.90 | | 1.83 | |
| | | | | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Chan Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 15.69 | 15.69 | | | 11.90 | | 1.83 | |
| | | | | | BIPOLAR & ZERO SUBSTITUTION | | | | | | | | | | | | | |
| | | | | | B8ZS - Superframe Format | | | UEPDC | CCOSF | | 0.00 | 655.00 | | | 11.90 | | 1.83 | |
| | | | | | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 655.00 | | | 11.90 | | 1.83 | |
| | | | | | Alternate Mark Inversion | | | | | | | | | | | | | |
| | | | | | AMI - Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | |
| | | | | | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | |
| | | | | | Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | |
| | | | | | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | 11.90 | | 1.83 | |
| | | | | | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | 11.90 | | 1.83 | |
| | | | | | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | 11.90 | | 1.83 | |
| | | | | | DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | 11.90 | | 1.83 | |
| | | | | | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | 11.90 | | 1.83 | |
| | | | | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | | | | | 11.90 | | 1.83 | |
| | | | | | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | 11.90 | | 1.83 | |
| | | | | | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | 11.90 | | 1.83 | |
| | | | | | Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | |
| | | | | | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) | | | UEPDC | 1LNO1 | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | 1.83 |
| | | | | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.1856 | 0.00 | 0.00 | | | | | | |
| | | | | | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | | | | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | | | UEPDC | 1LNOB | 0.1856 | 0.00 | 0.00 | | | | | | |
| | | | | | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--------------------------------------|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|---------------|--|------------|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMECEC | SOMAN | SOMAN | SOMAN | SOMAN | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOG | 0.1856 | 0.00 | 0.00 | | | | | | | | | | | |
| | Local Number Portability, per DS0 Activated | | | UEPDC | LNPDP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | | | | | |
| | Central Office Terminating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | | | | |
| | 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | | | | |
| | System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations | | | | | | | | | | | | | | | | | | |
| | Each System can have up to 24 combinations of rates depending on type and number of ports used | | | | | | | | | | | | | | | | | | |
| | UNE DS1 Loop | | | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 73.44 | 0.00 | 0.00 | | | | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 99.13 | 0.00 | 0.00 | | | | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 191.51 | 0.00 | 0.00 | | | | | | | | | | | |
| | UNE DS0 Channelization Capacities (D4 Channel Bank Configurations) | | | | | | | | | | | | | | | | | | |
| | 24 DS0 Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 118.06 | 0.00 | 0.00 | | | | 11.90 | | 1.83 | | | | | |
| | 48 DS0 Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 236.12 | 0.00 | 0.00 | | | | 11.90 | | 1.83 | | | | | |
| | 96 DS0 Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 472.24 | 0.00 | 0.00 | | | | 11.90 | | 1.83 | | | | | |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 708.36 | 0.00 | 0.00 | | | | 11.90 | | 1.83 | | | | | |
| | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 944.48 | 0.00 | 0.00 | | | | 11.90 | | 1.83 | | | | | |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1,180.60 | 0.00 | 0.00 | | | | 11.90 | | 1.83 | | | | | |
| | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,416.72 | 0.00 | 0.00 | | | | 11.90 | | 1.83 | | | | | |
| | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,888.96 | 0.00 | 0.00 | | | | 11.90 | | 1.83 | | | | | |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 2,361.20 | 0.00 | 0.00 | | | | 11.90 | | 1.83 | | | | | |
| | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,833.44 | 0.00 | 0.00 | | | | 11.90 | | 1.83 | | | | | |
| | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,305.68 | 0.00 | 0.00 | | | | 11.90 | | 1.83 | | | | | |
| | Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System | | | | | | | | | | | | | | | | | | |
| | A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations. | | | | | | | | | | | | | | | | | | |
| | Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted. | | | | | | | | | | | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes | | | UEPMG | USAC4 | 0.00 | 96.77 | 4.24 | | | | 11.90 | | | | | | | |
| | System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) In GA, KY, LA, MS & TN Only | | | | | | | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY, MS, &TN Only | | | UEPMG | VUMD4 | 0.00 | 726.11 | 468.21 | 145.32 | 17.24 | | 11.90 | | | | | | | |
| | Bipolar 8 Zero Substitution | | | | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 655.00 | | | | 11.90 | | | | | | | |
| | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 655.00 | | | | 11.90 | | | | | | | |
| | Alternate Mark Inversion (AMI) | | | | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSE | 0.00 | 0.00 | 0.00 | | | | | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | | | | |
| | Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port Exchange Ports | | | | | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|---------------|--|--|---|-------|---------|------|-----|-------|-----------|--------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | |
| | | | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN |
| | | Reserve DID Numbers | | | UEPPX | NDV | | | 0.00 | | 0.00 | 0.00 | | | | 11.90 | | |
| | | Local Number Portability | | | | | | | | | | | | | | | | |
| | | Local Number Portability - 1 per port | | | UEPPX | LNPCP | | | 3.15 | | 0.00 | 0.00 | | | | | | |
| | | FEATURES - Vertical and Optional | | | | | | | | | | | | | | | | |
| | | Local Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | | |
| | | All Features Available | | | UEPPX | UEPVF | | | 2.26 | | 0.00 | 0.00 | | | | 11.90 | | 1.83 |
| UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES | | | | | | | | | | | | | | | | | | |
| Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. | | | | | | | | | | | | | | | | | | |
| These scenarios include: | | | | | | | | | | | | | | | | | | |
| 1. Unbundled port/loop combinations that are Not Currently Combined in Alabama, Florida and North Carolina. | | | | | | | | | | | | | | | | | | |
| 2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAs in BellSouth's region for end users with 4 or more DS0 equivalent lines. | | | | | | | | | | | | | | | | | | |
| The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville). | | | | | | | | | | | | | | | | | | |
| BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined in AL, FL and NC. In the interim where BellSouth cannot bill Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. | | | | | | | | | | | | | | | | | | |
| The Market Rate for unbundled ports includes all available features in all states. | | | | | | | | | | | | | | | | | | |
| End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC: URECU). | | | | | | | | | | | | | | | | | | |
| For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly. | | | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | | | 26.94 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | | | 31.06 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | | | 45.87 | | | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | | | 12.94 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | | | 17.06 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | | | 31.87 | | | | | | | | | |
| 2-Wire Voice Grade Line Port (Res) | | | | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | | | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | |
| | | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | | | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | |
| | | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | | | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | |
| | | 2-Wire voice unbundled Florida Area Calling with Caller ID - res | | | UEPRX | UEPAF | | | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | UEPRX | UEPAP | | | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPRX | LNPCX | | | 0.35 | | | | | | | | | |
| FEATURES | | | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPRX | UEPVF | | | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPRX | USAC2 | | | | 41.50 | 41.50 | | | | 11.90 | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch with change | | | UEPRX | USACC | | | | 41.50 | 41.50 | | | | 11.90 | | | |
| ADDITIONAL NRCs | | | | | | | | | | | | | | | | | | |
| | | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | UEPRX | USAS2 | | | | 0.00 | 0.00 | | | | 11.90 | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | | | 26.94 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | | | 31.06 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | | | 45.87 | | | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | | | 12.94 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | | | 17.06 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | | | 31.87 | | | | | | | | | |
| 2-Wire Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | | | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | | | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--------------------------------------|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | | OSS Rates(\$) | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPBX | USAC2 | | 41.50 | 41.50 | | | | 11.90 | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch with change | | | UEPBX | USACC | | 41.50 | 41.50 | | | | 11.90 | | | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 11.90 | | | | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 26.94 | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 31.06 | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 45.87 | | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRG | UEPLX | 12.94 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRG | UEPLX | 17.06 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRG | UEPLX | 31.87 | | | | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | | |
| | FEATURES | | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPRG | USAC2 | | 41.50 | 41.50 | | | | 11.90 | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change | | | UEPRG | USACC | | 41.50 | 41.50 | | | | 11.90 | | | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | 2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | 11.90 | | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 7.09 | 7.09 | | | | 11.90 | | | | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 26.94 | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 31.06 | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 45.87 | | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPPX | UEPLX | 12.94 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPPX | UEPLX | 17.06 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPPX | UEPLX | 31.87 | | | | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--------------------------------------|---------------|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPPX | UEPXO | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | | FEATURES | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPPX | USAC2 | | 41.50 | 41.50 | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change | | | UEPPX | USACC | | 41.50 | 41.50 | | | | 11.90 | | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | 2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 7.09 | 7.09 | | | | 11.90 | | | | |
| | | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 26.94 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 31.06 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 45.87 | | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 12.94 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 17.06 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 31.87 | | | | | | | | | | |
| | | 2-Wire Voice Grade Line Port Rates (Coin) | | | | | | | | | | | | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (FL) | | | UEPCO | UEP2F | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL) | | | UEPCO | UEPFA | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL) | | | UEPCO | UEPCG | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL) | | | UEPCO | UEPRK | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+ (FL) | | | UEPCO | UEPOF | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA) | | | UEPCO | UEPCQ | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPCO | USAC2 | | 41.50 | 41.50 | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change | | | UEPCO | USACC | | 41.50 | 41.50 | | | | | | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | UNBUNDLED PORT/LOOP COMBINATIONS - MARKET BASED RATES | | | | | | | | | | | | | | | |
| | | 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | 69.50 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--------------------------------------|---|---------|------|-------------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | 74.57 | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | 92.82 | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | UECD1 | 14.50 | | | | | 11.90 | | | 1.83 | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | UECD1 | 19.57 | | | | | 11.90 | | | 1.83 | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | UECD1 | 37.82 | | | | | 11.90 | | | 1.83 | |
| | UNE Port Rate | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire DID Port | | | UEPPX | UEPD1 | 55.00 | 850.00 | 75.00 | | | 11.90 | | | 1.83 | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-As-Is Top 8 MSAs only | | | UEPPX | USAC1 | | 850.00 | 75.00 | | | 11.90 | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes Top 8 MSAs only | | | UEPPX | USA1C | | 850.00 | 75.00 | | | 11.90 | | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | |
| | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | USAS1 | | 32.26 | 32.26 | | | 11.90 | | | | |
| | Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | |
| | DID Trunk Termination (One Per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | 11.90 | | | 1.83 | |
| | DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | 11.90 | | | 1.83 | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | 11.90 | | | 1.83 | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | 11.90 | | | 1.83 | |
| | Reserve Non-Consecutive DID numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | 11.90 | | | 1.83 | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | 11.90 | | | 1.83 | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | |
| | 2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | 1 | UEPPB UEPPR | | 94.71 | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | | 2 | UEPPB UEPPR | | 100.77 | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | 3 | UEPPB UEPPR | | 122.56 | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB UEPPR | USL2X | 24.71 | | | | | 11.90 | | | 1.83 | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB UEPPR | USL2X | 30.77 | | | | | 11.90 | | | 1.83 | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB UEPPR | USL2X | 52.56 | | | | | 11.90 | | | 1.83 | |
| | UNE Port Rate | | | | | | | | | | | | | | |
| | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB UEPPR | UEPPB | 70.00 | 525.00 | 400.00 | | | 11.09 | | | 1.83 | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion - Top 8 MSAs only | | | UEPPB UEPPR | USACB | 0.00 | 215.00 | 215.00 | | | 11.90 | | | 1.83 | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPB UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | |
| | B-CHANNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | | | UEPPB UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | |
| | CVS (EWSD) | | | UEPPB UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | |
| | CSD | | | UEPPB UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | |
| | B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN) | | | | | | | | | | | | | | |
| | USER TERMINAL PROFILE | | | | | | | | | | | | | | |
| | User Terminal Profile (EWSD only) | | | UEPPB UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | |
| | VERTICAL FEATURES | | | | | | | | | | | | | | |
| | All Vertical Features - One per Channel B User Profile | | | UEPPB UEPPR | UEPVF | 2.26 | 0.00 | 0.00 | | | 11.90 | | | | |
| | INTEROFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | |
| | Interoffice Channel mileage each, including first mile and facilities termination | | | UEPPB UEPPR | M1GNC | 18.4491 | 47.35 | 31.78 | 18.31 | 7.03 | 11.90 | | | 1.83 | |
| | Interoffice Channel mileage each, additional mile | | | UEPPB UEPPR | M1GNM | 0.0091 | 0.00 | 0.00 | | | 11.90 | | | 1.83 | |

UNBUNDLED NETWORK ELEMENTS - Florida

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|---|--|---|-------------|------|-------|-------|-----------|--------------|--------------|------------|---|---|--|--|---|---|
| | | | | | | | Rec | Nonrecurring | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 | | 1 | UEPPP | | 973.44 | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 | | 2 | UEPPP | | 999.13 | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 | | 3 | UEPPP | | 1,091.51 | | | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | USL4P | 73.44 | | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | USL4P | 99.13 | | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | USL4P | 191.51 | | | | | 11.90 | | | 1.83 | |
| UNE Port Rate | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | UEPPP | 900.00 | 1,150.00 | 1,150.00 | | | 11.90 | | | 1.83 | |
| NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-As-Is Top 8 MSAs only | | | UEPPP | USACP | 0.00 | 925.00 | 925.00 | | | 11.90 | | | 1.83 | |
| ADDITIONAL NRCS | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqtl Actvy-Inward/two way tel nos within Std Allowance (except NC) | | | UEPPP | PR7TF | | 0.5412 | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) | | | UEPPP | PR7TO | | 12.71 | 12.71 | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance | | | UEPPP | PR7ZT | | 25.42 | 25.42 | | | 11.90 | | | 1.83 | |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPP | LNPCN | 1.75 | | | | | | | | | |
| INTERFACE (Provsioning Only) | | | | | | | | | | | | | | | | |
| | | Voice/Data | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Digital Data | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Inward Data | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | |
| New or Additional "B" Channel | | | | | | | | | | | | | | | | |
| | | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 20.00 | | | | 11.90 | | | 1.83 | |
| | | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 20.00 | | | | 11.90 | | | 1.83 | |
| | | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 20.00 | | | | 11.90 | | | 1.83 | |
| CALL TYPES | | | | | | | | | | | | | | | | |
| | | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | |
| Interoffice Channel Mileage | | | | | | | | | | | | | | | | |
| | | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 88.6256 | 105.54 | 98.47 | 21.47 | 19.05 | 11.90 | | | 1.93 | |
| | | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.1856 | | | | | | | | | |
| 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide | | sw | UEPDC | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 128.39 | | | | | 11.90 | | | 1.83 | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 154.08 | | | | | 11.90 | | | 1.83 | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 246.46 | | | | | 11.90 | | | 1.83 | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4 | | 4 | UEPDC | | | | | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - Statewide | | sw | UEPDC | USLDC | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 73.44 | | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 99.13 | | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 191.51 | | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 4 | | 4 | UEPDC | USLDC | | | | | | | | | | |
| UNE Port Rate | | | | | | | | | | | | | | | | |
| | | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 750.00 | 1,019.56 | 479.87 | 204.92 | 20.10 | 11.90 | | | 1.83 | |
| NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-As-Is Top 8 MSAs only | | | UEPDC | USAC4 | | 95.31 | 46.71 | | | 11.90 | | | 1.83 | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|---|---------------|--|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes Top 8 MSAs only | | | | UEPDC | USAWA | | 95.31 | 46.71 | | | | 11.90 | | | 1.83 |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk Top 8 MSAs only | | | | UEPDC | USAWB | | 95.31 | 46.71 | | | | 11.90 | | | 1.83 |
| ADDITIONAL NRCs | | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order | | | | UEPDC | USAS4 | | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk | | | | UEPDC | UDTTA | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk | | | | UEPDC | UDTTB | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID | | | | UEPDC | UDTTC | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID | | | | UEPDC | UDTTD | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans | | | | UEPDC | UDTTE | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 |
| BIPOLAR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | | | | |
| | | B8ZS - Superframe Format | | | | UEPDC | CCOSF | | 0.00 | 655.00 | | | | 11.90 | | | 1.83 |
| | | B8ZS - Extended Superframe Format | | | | UEPDC | CCOEF | | 0.00 | 655.00 | | | | 11.90 | | | 1.83 |
| Alternate Mark Inversion | | | | | | | | | | | | | | | | | |
| | | AMI - Superframe Format | | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | |
| | | AMI - Extended SuperFrame Format | | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | |
| Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | | | |
| | | Telephone Number for 2-Way Trunk Group | | | | UEPDC | UDTGX | 0.00 | | | | | | 11.90 | | | 1.83 |
| | | Telephone Number for 1-Way Outward Trunk Group | | | | UEPDC | UDTGY | 0.00 | | | | | | 11.90 | | | 1.83 |
| | | Telephone Number for 1-Way Inward Trunk Group Without DID | | | | UEPDC | UDTGZ | 0.00 | | | | | | 11.90 | | | 1.83 |
| | | DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 |
| | | DID Numbers for each Group of 20 DID Numbers | | | | UEPDC | ND4 | 0.00 | | | | | | 11.90 | | | 1.83 |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | | UEPDC | ND5 | 0.00 | | | | | | 11.90 | | | 1.83 |
| | | Reserve Non-Consecutive DID Nos. | | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 |
| | | Reserve DID Numbers | | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 |
| Dedicated DS1 (Interoffice Channel Mileage) - | | | | | | | | | | | | | | | | | |
| FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) | | | | UEPDC | 1LNO1 | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | 1.83 |
| | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | | UEPDC | 1LNOA | 0.1856 | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | | | | UEPDC | 1LNOB | 0.1856 | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) | | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | | UEPDC | 1LNOC | 0.1856 | 0.00 | 0.00 | | | | | | | |
| | | Local Number Portability, per DSO Activated | | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Central Office Terminating Point | | | | UEPDC | CTG | 0.00 | | | | | | | | | |
| 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | | | |
| System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations | | | | | | | | | | | | | | | | | |
| A system can have various rate combinations based on type and number of ports used | | | | | | | | | | | | | | | | | |
| UNE DS1 Loop | | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 1 | | | 1 | UEPMG | USLDC | 73.44 | 0.00 | 0.00 | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 2 | | | 2 | UEPMG | USLDC | 99.13 | 0.00 | 0.00 | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 3 | | | 3 | UEPMG | USLDC | 191.51 | 0.00 | 0.00 | | | | | | | |
| UNE DSO Channelization Capacities (D4 Channel Bank Configurations) | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|---|---------|------|-------|-------|-----------|--------------|--------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 118.06 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 236.12 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 472.24 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 144 DSO Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 708.36 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 192 DSO Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 944.48 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 240 DSO Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1,180.60 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 288 DSO Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,416.72 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 384 DSO Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,888.96 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 480 DSO Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 2,361.20 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 576 DSO Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,833.44 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 672 DSO Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,305.68 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System | | | | | | | | | | | | | | | | |
| A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations. | | | | | | | | | | | | | | | | |
| Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted. | | | | | | | | | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes - Top 8 MSAs Only | | | UEPMG | USAC4 | 0.00 | 450.00 | 50.00 | | | | 11.90 | | | | |
| System Additions Where Currently Combined and New (Not Currently Combined) | | | | | | | | | | | | | | | | |
| In Top 8 MSAs and AL, FL, and NC Only | | | | | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - | | | UEPMG | VUMD4 | 0.00 | 950.00 | 600.00 | 200.00 | 30.00 | | 11.90 | | | | |
| Bipolar 8 Zero Substitution | | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 655.00 | | | | 11.90 | | | | |
| | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 655.00 | | | | 11.90 | | | | |
| Alternate Mark Inversion (AMI) | | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port | | | | | | | | | | | | | | | | |
| Exchange Ports | | | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 55.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | |
| Feature Activations - Unbundled Loop Concentration | | | | | | | | | | | | | | | | |
| | Feature (Service) Activation for each Line Side Port Terminated in D4 Bank | | | UEPPX | 1PQWM | 0.66 | 40.00 | 20.00 | 6.00 | 5.00 | | 11.90 | | | 1.83 | |
| | Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank | | | UEPPX | 1PQWU | 0.66 | 110.00 | 30.00 | 65.00 | 20.00 | | 11.90 | | | 1.83 | |
| Telephone Number/ Group Establishment Charges for DID Service | | | | | | | | | | | | | | | | |
| | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| Local Number Portability | | | | | | | | | | | | | | | | |
| | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FEATURES - Vertical and Optional | | | | | | | | | | | | | | | | |
| Local Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | | |
| | All Features Available | | | UEPPX | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | | |
| 1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. | | | | | | | | | | | | | | | | |
| 2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. | | | | | | | | | | | | | | | | |
| 3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--------------------------------------|---|-------------|------|-------|-------|-----------|--------------|-------|-------|---|---|--|--|---|---|--------------|------------|---------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | | | |
| | | | | | | Rec | Nonrecurring | | | | | | | | | Nonrecurring | Disconnect | OSS Rates(\$) |
| | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | | | |
| | For Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos. The the first and additional Port nonrecurring charges apply to Not Currently Combined Combos for all states. In GA, KY, LA, MS and TN these nonrecurring charges are commission ordered cost based rates and in AL, FL, NC and SC these nonrecurring charges are Market Rates and are listed in the Market Rate section. For Currently Combined Combos in all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. | | | | | | | | | | | | | | | | | |
| | 5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice. | | | | | | | | | | | | | | | | | |
| | UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) | | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP91 | | 14.11 | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP91 | | 18.23 | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP91 | | 33.04 | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP91 | | 16.53 | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP91 | | 21.60 | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP91 | | 37.85 | | | | | | | | | | | | |
| | UNE Loop Rate | | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP91 | UECS1 | 12.94 | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP91 | UECS1 | 17.06 | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP91 | UECS1 | 31.87 | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP91 | UECS2 | 15.36 | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP91 | UECS2 | 20.43 | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP91 | UECS2 | 36.68 | | | | | | | | | | | | |
| | UNE Ports | | | | | | | | | | | | | | | | | |
| | All States (Except North Carolina and Sout Carolina) | | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 1.17 | | | | | 11.90 | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP91 | UEPYB | 1.17 | | | | | 11.90 | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP91 | UEPYH | 1.17 | | | | | 11.90 | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP91 | UEPYM | 1.17 | | | | | 11.90 | | | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP91 | UEPYZ | 1.17 | | | | | 11.90 | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP91 | UEPY9 | 1.17 | | | | | 11.90 | | | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP91 | UEPY2 | 1.17 | | | | | 11.90 | | | | | | | |
| | Georgia and Florida Only | | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPHA | 1.17 | | | | | 11.90 | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPHB | 1.17 | | | | | 11.90 | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPHH | 1.17 | | | | | 11.90 | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP91 | UEPHM | 1.17 | | | | | 11.90 | | | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP91 | UEPHZ | 1.17 | | | | | 11.90 | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPH9 | 1.17 | | | | | 11.90 | | | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPH2 | 1.17 | | | | | 11.90 | | | | | | | |
| | Local Switching | | | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.7384 | | | | | | | | | | | | |
| | Local Number Portability | | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP91 | LNPPC | 0.35 | | | | | | | | | | | | |
| | Features | | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP91 | UEPVF | 2.26 | | | | | 11.90 | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|--|--|--|---|-------|---------|--------|--------------------|-------|--------------------|------------------|--|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | OSS Rates(\$) | | | |
| | | | | | | Rec | | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | | | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 370.70 | | | | | | | 11.90 | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 2.26 | | | | | | | | 11.90 | | | | |
| | NARS | | | | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | | | 11.90 | | | | |
| | | Unbundled Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | 11.90 | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP91 | UAROx | 0.00 | 0.00 | 0.00 | | | | | | 11.90 | | | | |
| | Miscellaneous Terminations | | | | | | | | | | | | | | | | | | |
| | 2-Wire Trunk Side | | | | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.81 | | | | | | | | | | | | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | MIGBC | 25.32 | | | | | | | | | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | MIGBM | 0.0091 | | | | | | | | | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.66 | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.66 | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP91 | 1PQW7 | 0.66 | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP91 | 1PQWP | 0.66 | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.66 | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot | | | UEP91 | 1PQWQ | 0.66 | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.66 | | | | | | | | | | | | |
| | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | | | | |
| | | Conversion - Currently Combined Switch-As-Is with allowed changes, per port | | | UEP91 | USAC2 | | 21.50 | 8.42 | | | | | | 11.90 | | | | |
| | | Conversion of Existing Centrex Common Block | | | UEP91 | USACN | | 5.17 | 8.32 | | | | | | 11.90 | | | | |
| | | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 618.82 | | | | | | | 11.90 | | | | |
| | | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 618.82 | | | | | | | 11.90 | | | | |
| | | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 71.31 | | | | | | | 11.90 | | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 66.48 | | | | | | | 11.90 | | | | |
| | UNE-P CENTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP95 | | 14.11 | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP95 | | 18.23 | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP95 | | 33.04 | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP95 | | 16.53 | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP95 | | 21.60 | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP95 | | 37.85 | | | | | | | | | | | | |
| | UNE Loop Rate | | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 12.94 | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 17.06 | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 31.87 | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 15.36 | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 20.43 | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 36.68 | | | | | | | | | | | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | | | |
| | All States | | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--------------------------------------|---|---------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | OSS Rates(\$) | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.17 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.17 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP95 | UEPYH | 1.17 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP95 | UEPYM | 1.17 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP95 | UEPYZ | 1.17 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP95 | UEPY9 | 1.17 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP95 | UEPY2 | 1.17 | | | | | | 11.90 | | | | |
| | AL, KY, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | FL & GA Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPHA | 1.17 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPHB | 1.17 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPHH | 1.17 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP95 | UEPHM | 1.17 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP95 | UEPHZ | 1.17 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPH9 | 1.17 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPH2 | 1.17 | | | | | | 11.90 | | | | |
| | Local Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.7384 | | | | | | | | | | |
| | Local Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| | Features | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP95 | UEPVF | 2.26 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 370.70 | | | | | 11.90 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 2.26 | | | | | | | | | | |
| | NARS | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP95 | UAROx | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Miscellaneous Terminations | | | | | | | | | | | | | | | |
| | 2-Wire Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.81 | | | | | | | | | | |
| | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 54.95 | | | | | | | | | | |
| | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 15.69 | | | | | 11.90 | | | | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 25.32 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.0091 | | | | | | | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP95 | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot | | | UEP95 | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.66 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|--------------------------------------|---|--|--|--|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|--|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | |
| | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | | | | UEP95 | USAC2 | 0.00 | 21.50 | 8.42 | | | | 11.90 | | | | |
| | | Conversion of Existing Centrex Common Block, each | | | | | | UEP95 | USACN | | 5.17 | 8.32 | | | | 11.90 | | | | |
| | | New Centrex Standard Common Block | | | | | | UEP95 | M1ACS | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | | New Centrex Customized Common Block | | | | | | UEP95 | M1ACC | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | | NAR Establishment Charge, Per Occasion | | | | | | UEP95 | URECA | 0.00 | 66.48 | | | | | 11.90 | | | | |
| | UNE-P CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | | | | 1 | UEP9D | | 14.11 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | | | | 2 | UEP9D | | 18.23 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | | | | 3 | UEP9D | | 33.04 | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | | | | 1 | UEP9D | | 16.53 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | | | | 2 | UEP9D | | 21.60 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | | | | 3 | UEP9D | | 37.85 | | | | | | | | | | |
| | UNE Loop Rate | | | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | | | 1 | UEP9D | UECS1 | 12.94 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | | | 2 | UEP9D | UECS1 | 17.06 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | | | | 3 | UEP9D | UECS1 | 31.87 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | | | | 1 | UEP9D | UECS2 | 15.36 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | | | | 2 | UEP9D | UECS2 | 20.43 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | | | | 3 | UEP9D | UECS2 | 36.68 | | | | | | | | | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | | | | |
| | ALL STATES | | | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | | | | UEP9D | UEPYA | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | | | | UEP9D | UEPYB | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | | | | UEP9D | UEPYC | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area | | | | | | UEP9D | UEPYD | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area | | | | | | UEP9D | UEPYE | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area | | | | | | UEP9D | UEPYF | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area | | | | | | UEP9D | UEPYG | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area | | | | | | UEP9D | UEPYT | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area | | | | | | UEP9D | UEPYU | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area | | | | | | UEP9D | UEPYV | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area | | | | | | UEP9D | UEPY3 | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area | | | | | | UEP9D | UEPYH | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | | | | UEP9D | UEPYW | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area | | | | | | UEP9D | UEPYJ | 1.17 | | | | | | 11.90 | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--------------------------------------|---------------|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area | | | UEP9D | UEPYM | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area | | | UEP9D | UEPYO | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area | | | UEP9D | UEPYP | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area | | | UEP9D | UEPYQ | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area | | | UEP9D | UEPYR | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area | | | UEP9D | UEPYS | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area | | | UEP9D | UEPY4 | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area | | | UEP9D | UEPY5 | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | UEP9D | UEPY6 | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area | | | UEP9D | UEPY7 | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPYZ | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area | | | UEP9D | UEPY9 | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area | | | UEP9D | UEPY2 | 1.17 | | | | | 11.90 | | | | |
| | FL & GA Only | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPHA | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPHB | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPHC | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPHD | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPHE | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPHF | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPHG | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPHT | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPHU | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPHV | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPH3 | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPHH | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPHW | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPHJ | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 | | | UEP9D | UEPHM | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPHO | 1.17 | | | | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPHP | 1.17 | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPHQ | 1.17 | | | | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPHR | 1.17 | | | | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPHS | 1.17 | | | | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPH4 | 1.17 | | | | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPH5 | 1.17 | | | | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPH6 | 1.17 | | | | | 11.90 | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|---------------|--|--|--|--|---------|------|-----|------|-----------|--|--|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | </ | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--------------------------------------|--|---|-------------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|---|---|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP9E | | 16.53 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9E | | 21.60 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP9E | | 37.85 | | | | | | | | | | |
| | | UNE Loop Rate | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 12.94 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 17.06 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 31.87 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E | UECS2 | 15.36 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | 20.43 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9E | UECS2 | 36.68 | | | | | | | | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | |
| | | AL, FL, KY, LA, MS, & TN only | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9E | UEPYA | 1.17 | | | | | 11.90 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9E | UEPYB | 1.17 | | | | | 11.90 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP9E | UEPYH | 1.17 | | | | | 11.90 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP9E | UEPYM | 1.17 | | | | | 11.90 | | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP9E | UEPYZ | 1.17 | | | | | 11.90 | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP9E | UEPY9 | 1.17 | | | | | 11.90 | | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP9E | UEPY2 | 1.17 | | | | | 11.90 | | | | | |
| | | Florida Only | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPHA | 1.17 | | | | | 11.90 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPHB | 1.17 | | | | | 11.90 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPHH | 1.17 | | | | | 11.90 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP9E | UEPHM | 1.17 | | | | | 11.90 | | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9E | UEPHZ | 1.17 | | | | | 11.90 | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPH9 | 1.17 | | | | | 11.90 | | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPH2 | 1.17 | | | | | 11.90 | | | | | |
| | | Local Switching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP9E | URECS | 0.7384 | | | | | | | | | | |
| | | Local Number Portability | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP9E | LNPCc | 0.35 | | | | | | | | | | |
| | | Features | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP9E | UEPVF | 2.26 | | | | | | | | | | |
| | | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 370.70 | | | | 11.90 | | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 2.26 | | | | | | | | | | |
| | | NARS | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | 11.90 | | | | | |
| | | Unbundled Network Access Register - Indial | | | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | | | 11.90 | | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP9E | UAROx | 0.00 | 0.00 | 0.00 | | | 11.90 | | | | | |
| | | Miscellaneous Terminations | | | | | | | | | | | | | | | |
| | | 2-Wire Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP9E | CEND6 | 8.81 | | | | | | | | | | |
| | | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 54.95 | | | | | | | | | | |
| | | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 15.69 | | | | 11.90 | | | | | |
| | | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP9E | MIGBC | 25.32 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--------------------------------------|---|---------|------|-------|-------|-----------|--------------|-------|--------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9E | MIGBM | 0.0091 | | | | | | | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9E | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9E | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9E | 1PQWP | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot | | | UEP9E | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.66 | | | | | | | | | | |
| | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP9E | USAC2 | | 21.50 | 8.42 | | | 11.90 | | | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP9E | USACN | | 5.17 | 8.32 | | | 11.90 | | | | | |
| | New Centrex Standard Common Block | | | UEP9E | M1ACS | 0.00 | 618.82 | | | | 11.90 | | | | | |
| | New Centrex Customized Common Block | | | UEP9E | M1ACC | 0.00 | 618.82 | | | | 11.90 | | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | 66.48 | | | | 11.90 | | | | | |
| | Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| | Note 2 - Requires Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | Note 3 - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |
| | NOTE: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions. | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--|--|---------|------|--------------|-------|-----------|--------------|-------|-------------------------|-------|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | | | OSS Rates(\$) | | | |
| | | | | | | | First | Add'l | First | Add'l | | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| OPERATIONAL SUPPORT SYSTEMS | | | | | | | | | | | | | | | | | |
| | NOTE: (1) Electronic Service Order: CLEC should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions. The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge. CLEC may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC may elect the regional electronic service ordering charge. | | | | | | | | | | | | | | | | |
| | NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMECS rate listed in this category. Please refer to BellSouth's Business Rules for Local Ordering (BBR-LO) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the BBR-LO, the listed SOMECS rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECS bill when it submits an LSR to BellSouth. | | | | | | | | | | | | | | | | |
| | Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional) | | | | SOMEC | | 3.50 | | | | | | | | | | |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | | | |
| 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 14.21 | 42.54 | 31.33 | | | | | | 18.94 | 8.42 | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 16.41 | 42.54 | 31.33 | | | | | | 18.94 | 8.42 | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 26.08 | 42.54 | 31.33 | | | | | | 18.94 | 8.42 | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 | | 4 | UEANL | UEAL2 | | | | | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 78.92 | 78.92 | | | | | | 18.94 | 8.42 | | |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 23.33 | 23.33 | | | | | | 18.94 | 8.42 | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1) | | | UEANL | UREWO | | 15.75 | 8.92 | | | | | | 18.94 | 8.42 | | |
| | Engineering Information Document (EI) | | | UEANL | | | 28.72 | 28.72 | | | | | | | | | |
| | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 16.11 | 16.11 | | | | | | | | | |
| | Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) | | | UEANL | OCOSL | | 35.74 | 35.74 | | | | | | | | | |
| 2-WIRE Unbundled COPPER LOOP | | | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | I | 1 | UEQ | UEQ2X | 11.02 | 44.69 | 22.40 | 25.65 | 7.06 | | | | 18.94 | 8.42 | | |
| | 2-Wire Unbundled Copper Loop - Non-Designed - Zone 2 | I | 2 | UEQ | UEQ2X | 12.72 | 44.69 | 22.40 | 25.65 | 7.06 | | | | 18.94 | 8.42 | | |
| | 2-Wire Unbundled Copper Loop - Non-Designed - Zone 3 | I | 3 | UEQ | UEQ2X | 20.22 | 44.69 | 22.40 | 25.65 | 7.06 | | | | 18.94 | 8.42 | | |
| | Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop) | | | UEQ | USBMC | | 16.11 | 16.11 | | | | | | 18.94 | 8.42 | | |
| | Engineering Information Document | | | UEQ | | | 28.72 | 28.72 | | | | | | 18.94 | 8.42 | | |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 78.92 | 78.92 | | | | | | 18.94 | 8.42 | | |
| | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 23.33 | 23.33 | | | | | | 18.94 | 8.42 | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND) | | | UEQ | UREWO | | 14.25 | 7.42 | | | | | | 18.94 | 8.42 | | |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | | | |
| 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | | |
| UNE Loop Rates for Line Splitting (In Ga. PSC ordered the line splitting loop USOCs match the lower port-loop combo rates UEPLX) | | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 | I | 1 | UEPSR, UEPSB | UEALS | | 10.80 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 | I | 1 | UEPSR, UEPSB | UEABS | | 10.83 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 | I | 2 | UEPSR, UEPSB | UEALS | | 12.47 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 | I | 2 | UEPSR, UEPSB | UEABS | | 12.47 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3 | I | 3 | UEPSR, UEPSB | UEALS | | 19.83 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3 | I | 3 | UEPSR, UEPSB | UEABS | | 19.83 | | | | | | | | | | |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | | | |
| 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 16.84 | 104.17 | 78.10 | | | | | | 18.94 | 8.42 | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 19.45 | 104.17 | 78.10 | | | | | | 18.94 | 8.42 | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 30.92 | 104.17 | 78.10 | | | | | | 18.94 | 8.42 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 35.74 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 16.84 | 104.17 | 78.10 | | | | | | 18.94 | 8.42 | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 19.45 | 104.17 | 78.10 | | | | | | 18.94 | 8.42 | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 30.92 | 104.17 | 78.10 | | | | | | 18.94 | 8.42 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 35.74 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--------------------------------------|---|---------|------|-----|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.72 | 36.36 | | | | | 18.94 | 8.42 | |
| | 4-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 22.26 | 206.95 | 170.57 | | | | | 18.94 | 8.42 | |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA | UEAL4 | 25.70 | 206.95 | 170.57 | | | | | 18.94 | 8.42 | |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 40.86 | 206.95 | 170.57 | | | | | 18.94 | 8.42 | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 35.74 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.72 | 36.36 | | | | | 18.94 | 8.42 | |
| | 2-WIRE ISDN DIGITAL GRADE LOOP | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 21.89 | 233.38 | 180.35 | | | | | 18.94 | 8.42 | |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 25.27 | 233.38 | 180.35 | | | | | 18.94 | 8.42 | |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 40.17 | 233.38 | 180.35 | | | | | 18.94 | 8.42 | |
| | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | | 35.74 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 120.98 | 33.04 | | | | | 18.94 | 8.42 | |
| | 2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP | | | | | | | | | | | | | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 | I | 1 | UDC | UDC2X | 21.89 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2 | I | 2 | UDC | UDC2X | 25.27 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3 | I | 3 | UDC | UDC2X | 40.17 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | |
| | CLEC to CLEC Conversion Charge without outside dispatch | I | | UDC | UREWO | | 44.69 | 31.55 | | | | | 18.94 | 8.42 | |
| | 2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP | | | | | | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1 | I | 1 | UAL | UAL2X | 11.23 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 | I | 2 | UAL | UAL2X | 12.97 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 | I | 3 | UAL | UAL2X | 20.62 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 35.74 | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 | I | 1 | UAL | UAL2W | 11.23 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 | I | 2 | UAL | UAL2W | 12.97 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 | I | 3 | UAL | UAL2W | 20.62 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 35.74 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | I | | UAL | UREWO | | 44.69 | 29.29 | | | | | 18.94 | 8.42 | |
| | 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP | | | | | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 | I | 1 | UHL | UHL2X | 7.88 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 | I | 2 | UHL | UHL2X | 9.09 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3 | I | 3 | UHL | UHL2X | 14.46 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 35.74 | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 | I | 1 | UHL | UHL2W | 7.88 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | I | 2 | UHL | UHL2W | 9.09 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | I | 3 | UHL | UHL2W | 14.46 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 35.74 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | I | | UHL | UREWO | | 44.69 | 31.55 | | | | | 18.94 | 8.42 | |
| | 4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP | | | | | | | | | | | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 | I | 1 | UHL | UHL4X | 10.39 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 | I | 2 | UHL | UHL4X | 12.00 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|--|---------|------|-----|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | OSS Rates(\$) | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 | I | 3 | UHL | UHL4X | 19.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 35.74 | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 | I | 1 | UHL | UHL4W | 10.39 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | I | 2 | UHL | UHL4W | 12.00 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | I | 3 | UHL | UHL4W | 19.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 35.74 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | I | | UHL | UREWO | | 44.69 | 31.55 | | | | | 18.94 | 8.42 | | |
| | 4-WIRE DS1 DIGITAL LOOP | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 55.53 | 429.98 | 268.18 | | | | | 18.94 | 8.42 | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 64.13 | 429.98 | 268.18 | | | | | 18.94 | 8.42 | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 101.93 | 429.98 | 268.18 | | | | | 18.94 | 8.42 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 35.74 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 100.91 | 42.97 | | | | | 18.94 | 8.42 | | |
| | 4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 25.75 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 29.74 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL | UDL19 | 47.27 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 25.75 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 29.74 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 47.27 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 35.74 | | | | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 25.75 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 29.74 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 47.27 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 35.74 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 101.95 | 49.66 | | | | | 18.94 | 8.42 | | |
| | 2-WIRE Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1 | I | 1 | UCL | UCLPB | 12.02 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2 | I | 2 | UCL | UCLPB | 13.88 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3 | I | 3 | UCL | UCLPB | 22.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 16.11 | 16.11 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1 | I | 1 | UCL | UCLPW | 12.02 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2 | I | 2 | UCL | UCLPW | 13.88 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3 | I | 3 | UCL | UCLPW | 22.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 16.11 | 16.11 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1 | I | 1 | UCL | UCL2L | 35.56 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | I | 2 | UCL | UCL2L | 41.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 | I | 3 | UCL | UCL2L | 65.28 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 16.11 | 16.11 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1 | I | 1 | UCL | UCL2W | 35.56 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2 | I | 2 | UCL | UCL2W | 41.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3 | I | 3 | UCL | UCL2W | 65.28 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 16.11 | 16.11 | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|--|---------|------|---|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) | I | | UCL | UREWO | | 44.69 | 31.55 | | | | | 18.94 | 8.42 | | |
| | 4-WIRE COPPER LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1 | I | 1 | UCL | UCL4S | 12.02 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2 | I | 2 | UCL | UCL4S | 13.88 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3 | I | 3 | UCL | UCL4S | 22.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 16.11 | 16.11 | | | | | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1 | I | 1 | UCL | UCL4W | 12.02 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2 | I | 2 | UCL | UCL4W | 13.88 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3 | I | 3 | UCL | UCL4W | 22.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 16.11 | 16.11 | | | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1 | I | 1 | UCL | UCL4L | 35.56 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | I | 2 | UCL | UCL4L | 41.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 | I | 3 | UCL | UCL4L | 65.28 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 16.11 | 16.11 | | | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1 | I | 1 | UCL | UCL4O | 35.56 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2 | I | 2 | UCL | UCL4O | 41.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3 | I | 3 | UCL | UCL4O | 65.28 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 16.11 | 16.11 | | | | | | | | |
| | CLEC to CLEC conversion Charge without outside dispatch | I | | UCL | UREWO | | 44.69 | 31.55 | | | | | 18.94 | 8.42 | | |
| LOOP MODIFICATION | | | | | | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft | I | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL | ULM2L | | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft | I | | UCL, ULS | ULM2G | | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft | I | | UHL, UCL | ULM4L | | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft | I | | UCL | ULM4G | | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | I | | UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL | ULMBT | | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| | Sub-Loop Distribution | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up | I | | UEANL | USBSA | | 421.08 | 421.08 | | | | | 18.94 | 8.42 | | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | I | | UEANL | USBSB | | 67.10 | 67.10 | | | | | 18.94 | 8.42 | | |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up | I | | UEANL | USBSC | | 394.74 | 394.74 | | | | | 18.94 | 8.42 | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | I | | UEANL | USBSD | | 154.57 | 154.57 | | | | | 18.94 | 8.42 | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--------------------------------------|--|---------|------|----------------------|--------|-----------|--------------|--------|--------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working and Spare Loop Activation | | | UEANL | USBRC | 1.37 | 2.48 | 2.48 | 1.74 | 1.74 | | | 18.94 | 8.42 | | |
| | Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working and Spare Loop Activation | | | UEANL | USB RD | 2.74 | 4.96 | 4.96 | 1.74 | 1.74 | | | 18.94 | 8.42 | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Statewide | | sw | UEANL | USB N2 | 9.12 | 207.01 | 171.32 | | | | | 18.94 | 8.42 | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.22 | 34.22 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Statewide | | sw | UEANL | USB N4 | 8.32 | 219.35 | 72.99 | 123.72 | 28.77 | | | 18.94 | 8.42 | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.22 | 34.22 | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USB R2 | 1.37 | 2.48 | 41.59 | 115.85 | 19.17 | | | 18.94 | 8.42 | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) - Intermediary Access Terminal (IAT) | | | UEANL | USBRC | 1.37 | 2.48 | 2.48 | 1.74 | 1.74 | | | 18.94 | 8.42 | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.22 | 34.22 | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) - Intermediary Access Terminal (IAT) | | | UEANL | USB RD | 2.74 | 4.96 | 4.96 | 1.74 | 1.74 | | | 18.94 | 8.42 | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USB R4 | 2.96 | 176.46 | 55.11 | 122.17 | 19.57 | | | 18.94 | 8.42 | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.22 | 34.22 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | I | 1 | UEF | UCS2X | 5.54 | 175.16 | 55.50 | 108.86 | 24.53 | | | 18.84 | 8.42 | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | I | 2 | UEF | UCS2X | 5.54 | 175.16 | 55.50 | 108.86 | 24.53 | | | 18.94 | 8.42 | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS2X | 5.54 | 175.16 | 55.50 | 108.86 | 24.53 | | | 18.94 | 8.42 | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 34.22 | 34.22 | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | I | 1 | UEF | UCS4X | 6.89 | 219.35 | 72.99 | 123.72 | 28.77 | | | 18.94 | 8.42 | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | I | 2 | UEF | UCS4X | 6.89 | 219.35 | 72.99 | 123.72 | 28.77 | | | 18.94 | 8.42 | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS4X | 6.89 | 219.35 | 72.99 | 123.72 | 28.77 | | | 18.94 | 8.42 | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 34.22 | 34.22 | | | | | | | | |
| | Unbundled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | |
| | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 1.37 | 2.48 | 2.48 | 1.74 | 1.74 | | | 18.94 | 8.42 | | |
| | Network Interface Device (NID) | | | | | | | | | | | | | | | |
| | Network Interface Device (NID) - 1-2 lines | I | | UENTW | UND12 | | 86.37 | 56.69 | | | | | 18.94 | 8.42 | | |
| | Network Interface Device (NID) - 1-6 lines | I | | UENTW | UND16 | | 127.93 | 98.21 | | | | | 18.94 | 8.42 | | |
| | Network Interface Device Cross Connect - 2 W | I | | UENTW | UNDC2 | | 6.15 | 6.15 | | | | | 18.94 | 8.42 | | |
| | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 6.15 | 6.15 | | | | | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| | Sub-Loop Feeder | | | | | | | | | | | | | | | |
| | USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up | | | UEA, UDN,UCL,UDL,UDC | USBFW | | 421.08 | | | | | | 18.94 | 8.42 | | |
| | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up | | | UEA, UDN,UCL,UDL,UDC | USBFX | | 67.10 | 67.10 | | | | | 18.94 | 8.42 | | |
| | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | 521.57 | 11.30 | | | | | 18.94 | 8.42 | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade- Statewide | | sw | UEA | USBFA | 8.58 | 206.44 | 170.05 | | | | | 18.94 | 8.42 | | |
| | Order Coordination for Specified Conversion Time, per LSR | | | UEA | OCOSL | | 35.74 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Statewide | | sw | UEA | USBFB | 8.58 | 206.44 | 170.05 | | | | | 18.94 | 8.42 | | |
| | Order Coordination for Specified Time Conversion, per LSR | | | UEA | OCOSL | | 35.74 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade Loop - Statewide | | sw | UEA | USBFC | 8.58 | 206.44 | 170.05 | | | | | 18.94 | 8.42 | | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UEA | OCOSL | | 35.74 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Statewide | | sw | UEA | USBFD | 19.91 | 243.41 | 81.32 | 134.77 | 33.93 | | | 18.94 | 8.42 | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 35.74 | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|---------------|--|--|--|--|---------|------|-----|------|-----------|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|---------------|--|--|--|---------|------|-----|------|-----------|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | Interim | Zone | BCS | USOC | RATES(\$) | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--------------------------------------|---|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | U1TVX | U1TV2 | 17.07 | 79.61 | 36.08 | | | | | 18.94 | 18.94 | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat. - Per Mile per month | | | U1TVX | 1L5XX | 0.0222 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. - Facility Termination per month | | | U1TVX | U1TR2 | 17.07 | 79.61 | 36.08 | | | | | 18.94 | 18.94 | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0222 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month | | | U1TDX | U1TD5 | 16.45 | 79.61 | 36.08 | | | | | 18.94 | 18.94 | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0222 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | U1TDX | U1TD6 | 16.45 | 79.61 | 36.08 | | | | | 18.94 | 18.94 | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | U1TD1 | 1L5XX | 0.4523 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS1 - Facility Termination per month | | | U1TD1 | U1TF1 | 78.47 | 147.07 | 111.75 | | | | | 18.94 | 18.94 | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | U1TD3 | 1L5XX | 2.72 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | U1TD3 | U1TF3 | 788.00 | 511.10 | 330.77 | | | | | 37.55 | 37.55 | 18.03 | 18.03 |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TS1 | 1L5XX | 2.72 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month | | | U1TS1 | U1TFS | 783.63 | 511.10 | 449.91 | | | | | 61.19 | 61.19 | 3.17 | 3.17 |
| | LOCAL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | |
| | NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3/STS-1=four months | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Per Month | | | ULDVX | ULDV2 | 13.91 | 382.95 | 62.40 | | | | | 18.94 | 8.42 | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month | | | ULDVX | ULDR2 | 13.91 | 382.95 | 62.40 | | | | | 18.94 | 18.94 | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | UNDVX | ULDV4 | 14.99 | 368.44 | 64.05 | | | | | 18.94 | 8.42 | | |
| | | Local Channel - Dedicated - DS1 per month | | | ULDD1 | ULDF1 | 38.36 | 356.15 | 312.89 | | | | | 44.22 | 44.22 | 18.03 | 18.03 |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | | ULDD3 | 1L5NC | 6.92 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination per month | | | ULDD3 | ULDF3 | 515.91 | 639.50 | 426.31 | | | | | 37.55 | 37.55 | 18.03 | 18.03 |
| | | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1 | 1L5NC | 6.92 | | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination per month | | | ULDS1 | ULDFS | 517.56 | 639.50 | 426.31 | | | | | 18.94 | 18.94 | | |
| MULTIPLEXERS | | | | | | | | | | | | | | | | | |
| | | Channelization - DS1 to DS0 Channel System | | | UXTD1 | MQ1 | 126.22 | 198.22 | 123.59 | | | | | 14.75 | 6.55 | 10.70 | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UDL | 1D1DD | 1.86 | 12.02 | 8.66 | | | | | 14.75 | 6.55 | 10.60 | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month | | | UDN | UC1CA | 3.37 | 12.02 | 8.66 | | | | | 14.75 | 6.55 | 10.60 | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UEA | 1D1VG | 1.17 | 12.02 | 8.66 | | | | | 14.75 | 6.55 | 10.60 | |
| | | DS3 to DS1 Channel System per month | | | UXTD3 | MQ3 | 182.04 | 265.91 | 188.78 | | | | | 14.75 | 6.55 | 10.60 | |
| | | STS1 to DS1 Channel System per month | | | UXTS1 | MQ3 | 182.04 | 265.91 | 188.78 | | | | | 18.94 | 18.94 | | |
| | | DS3 Interface Unit (DS1 COCI) used with Loop per month | | | USL | UC1D1 | 11.02 | 12.02 | 8.66 | | | | | 14.75 | 6.55 | 10.60 | |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | ULDD1 | UC1D1 | 11.02 | 12.02 | 8.66 | | | | | 14.75 | 6.55 | | |
| | | DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 11.02 | 12.02 | 8.66 | | | | | 14.75 | 6.55 | | |
| DARK FIBER | | | | | | | | | | | | | | | | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel | | | UDF | 1L5DC | 44.22 | | | | | | | | | | |
| | | NRC Dark Fiber - Local Channel | | | UDF | UDFC4 | | 1,355.29 | 273.69 | | | | | 18.94 | 18.94 | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel | | | UDF | 1L5DF | 44.22 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|--------------------------------|---|---------|------|----------|-------|-----------|--------------------|--------------------|--------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring First | Nonrecurring Add'l | Nonrecurring First | Nonrecurring Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN |
| | | NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | | 1,355.29 | 273.69 | | | | | 18.94 | 18.94 | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop | | | UDF | 1L5DL | 44.22 | | | | | | | | | |
| | | NRC Dark Fiber - Local Loop | | | UDF | UDFL4 | | 1,355.29 | 273.69 | | | | | 18.94 | 18.94 | |
| TRANSPORT OTHER | | | | | | | | | | | | | | | | |
| | Optional Features & Functions: | | | | | | | | | | | | | | | |
| 8XX ACCESS TEN DIGIT SCREENING | | | | | | | | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0004868 | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved | | | OHD | N8R1X | | 6.57 | 0.76 | | | | | 18.94 | 18.94 | |
| | | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations | | | OHD | | | 12.81 | 1.45 | | | | | 18.94 | 18.94 | |
| | | 8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations | | | OHD | N8FTX | | 12.81 | 1.45 | | | | | 18.94 | 18.94 | |
| | | 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number | | | OHD | N8FCX | | 4.46 | 2.23 | | | | | 18.94 | 18.94 | |
| | | 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 5.22 | 2.99 | | | | | 18.94 | 18.94 | |
| | | 8XX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | | 7.33 | 0.76 | | | | | 18.94 | 18.94 | |
| | | 8XX Access Ten Digit Screening, Call Handling and Destination Features | | | OHD | N8FDX | | 4.72 | 4.46 | | | | | 18.94 | 18.94 | |
| LINE INFORMATION DATA BASE ACCESS (LIDB) | | | | | | | | | | | | | | | | |
| | | LIDB Common Transport Per Query | | | OQT | | 0.0000338 | | | | | | | | | |
| | | LIDB Validation Per Query | | | OQU | | 0.0105974 | | | | | | | | | |
| | | LIDB Originating Point Code Establishment or Change | | | OQT, OQU | NRPBX | | 50.30 | | | | | | 18.94 | 18.94 | |
| SIGNALING (CCS7) | | | | | | | | | | | | | | | | |
| | | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 133.99 | | | | | | | | | |
| | | CCS7 Signaling Usage, Per TCAP Message | | | UDB | | 0.0000087 | | | | | | | | | |
| | | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP++ | 17.05 | 131.96 | 131.96 | | | | | 18.94 | 18.94 | |
| | | CCS7 Signaling Connection, Per link (B link) (also known as D link) | | | UDB | TPP++ | 17.05 | 131.96 | 131.96 | | | | | 18.94 | 18.94 | |
| | | CCS7 Signaling Usage, Per ISUP Message | | | UDB | | 0.0000354 | | | | | | | | | |
| | | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 340.67 | | | | | | | | | |
| | | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected | | | UDB | CCAPO | | 40.00 | 40.00 | | | | | 18.94 | 18.94 | |
| | | CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected | | | UDB | CCAPD | | 8.00 | 8.00 | | | | | 18.94 | 18.94 | |
| CALLING NAME (CNAM) SERVICE | | | | | | | | | | | | | | | | |
| | | CNAM for DB Owners, Per Query | | | OQV | | 0.01 | | | | | | | | | |
| | | CNAM for Non DB Owners, Per Query | | | OQV | | 0.01 | | | | | | | | | |
| | | CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI) | | | OQV | CDDCH | | 595.00 | 595.00 | | | | | 18.94 | 18.94 | |
| OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min. - Using BST LIDB | | | | | 1.20 | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min. - Using Foreign LIDB | | | | | 1.24 | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using BST LIDB | | | | | 0.20 | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB | | | | | 0.20 | | | | | | | | | |
| INWARD OPERATOR SERVICES | | | | | | | | | | | | | | | | |
| | | Inward Operator Svcs - Verification, Per Minute | | | | | 1.15 | | | | | | | | | |
| | | Inward Operator Services - Verification and Emergency Interrupt - Per Minute | | | | | 1.15 | | | | | | | | | |
| BRANDING - OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | | |
| | | Recording of Custom Branded OA Announcement | | | | CBAOS | | 7,000.00 | 7,000.00 | | | | | 19.99 | 19.99 | 19.99 |
| | | Loading of Custom Branded OA Announcement per shelf/NAV | | | | CBAOL | | 500.00 | 500.00 | | | | | 19.99 | 19.99 | |
| Unbranding via OLNS for UNEP CLEC | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | | |
|--------------------------------------|---------------|--|--|--|--|---------|------|-----|------|-----------|--|---------------|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|---------------|--|--|--|--|---------|------|--|--------------|-----------|--------------|------------|--------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | |
| | | | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | USL, ULC, AMTFS, U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 56.25 | 151.90 | 11.83 | | | | | | | |
| | | | | | | | | Virtual collocation - DS3 Cross Connects | | | | | | | | | | | |
| | | | | | | | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot | AMTFS | VE1CB | 0.0023 | | | | | | | | |
| | | | | | | | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft | AMTFS | VE1CD | 0.0034 | | | | | | | | |
| | | | | | | | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable | AMTFS | VE1CC | | 553.43 | | | | | | | |
| | | | | | | | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable | AMTFS | VE1CE | | 553.43 | | | | | | | |
| | | | | | | | | Virtual collocation - Security Escort - Basic, per half hour | AMTFS | SPTBX | | 41.00 | 25.00 | | | | | | |
| | | | | | | | | Virtual collocation - Security Escort - Overtime, per half hour | AMTFS | SPTOX | | 48.00 | 30.00 | | | | | | |
| | | | | | | | | Virtual collocation - Security Escort - Premium, per half hour | AMTFS | SPTPX | | 55.00 | 35.00 | | | | | | |
| | | | | | | | | Virtual collocation - Maintenance in CO - Basic, per half hour | AMTFS | CTRLX | | 30.64 | 30.64 | | | | | | |
| | | | | | | | | Virtual collocation - Maintenance in CO - Overtime, per half hour | AMTFS | SPTOM | | 35.77 | 35.77 | | | | | | |
| | | | | | | | | Virtual collocation - Maintenance in CO - Premium per half hour | AMTFS | SPTPM | | 40.90 | 40.90 | | | | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | Virtual Collocation - 2-Wire Cross Connect, Exchange Port 2-Wire Analog - Res | UEPSR | VE1R2 | 0.30 | 12.60 | 12.60 | | | | 18.94 | 8.42 | |
| | | | | | | | | Virtual Collocation - 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus | UEPSP | VE1R2 | 0.30 | 12.60 | 12.60 | | | | 18.94 | 8.42 | |
| | | | | | | | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res | UEPSE | VE1R2 | 0.30 | 12.60 | 12.60 | | | | 18.94 | 8.42 | |
| | | | | | | | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus | UEPSB | VE1R2 | 0.30 | 12.60 | 12.60 | | | | 18.94 | 8.42 | |
| | | | | | | | | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN | UEPSX | VE1R2 | 0.30 | 12.60 | 12.60 | | | | 18.94 | 8.42 | |
| | | | | | | | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN | UEPTX | VE1R2 | 0.30 | 12.60 | 12.60 | | | | 18.94 | 8.42 | |
| | | | | | | | | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1 | UEPEX | VE1R4 | 0.50 | 12.60 | 12.60 | | | | 18.94 | 8.42 | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | UEPSR, UEPSB | VE1LS | 0.03 | 24.56 | 23.56 | 9.20 | 8.30 | | 19.99 | 19.99 | |
| AIN SELECTIVE CARRIER ROUTING | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | Regional Service Establishment | SRC | SRCEC | | 391,788.00 | | | | | 19.99 | 19.99 | 19.99 |
| | | | | | | | | End Office Establishment | SRC | SRCEO | | 320.53 | 320.53 | | | | 19.99 | 19.99 | 19.99 |
| | | | | | | | | Line/Port NRC, per end user | SRC | SRCLP | | 2.06 | 2.06 | | | | 19.99 | 19.99 | 19.99 |
| | | | | | | | | Query NRC, per query | SRC | | 0.000448 | | | | | | | | |
| AIN - BELL SOUTH AIN SMS ACCESS SERVICE | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | AIN SMS Access Service - Service Establishment, Per State, Initial Setup | A1N | CAMSE | | 90.25 | 90.25 | | | | 18.94 | 18.94 | |
| | | | | | | | | AIN SMS Access Service - Port Connection - Dial/Shared Access | A1N | CAMDP | | 29.66 | 29.66 | | | | 18.94 | 18.94 | |
| | | | | | | | | AIN SMS Access Service - Port Connection - ISDN Access | A1N | CAM1P | | 29.66 | 29.66 | | | | 18.94 | 18.94 | |
| | | | | | | | | AIN SMS Access Service - User Identification Codes - Per User ID Code | A1N | CAMAU | | 84.43 | 84.43 | | | | 18.94 | 18.94 | |
| | | | | | | | | AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement | A1N | CAMRC | | 35.44 | 35.44 | | | | 18.94 | 18.94 | |
| | | | | | | | | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | 0.0023 | | | | | | | | |
| | | | | | | | | AIN SMS Access Service - Session, Per Minute | | | 0.0795604 | | | | | | | | |
| | | | | | | | | AIN SMS Access Service - Company Performed Session, Per Minute | | | 2.08 | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Georgia

| CATEGORY | RATE ELEMENTS | | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | | |
|---|--|---|-------------|------|-------|-------|-----------|--------------|-------------------------|-------|---|---|--|--|---|---|-------|--|
| | | | | | | | Rec | Nonrecurring | Nonrecurring Disconnect | | | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| AIN - BELL SOUTH AIN TOOLKIT SERVICE | | | | | | | | | | | | | | | | | | |
| | | AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup | | | CAM | BAPSC | | 86.74 | 86.74 | | | | | 18.94 | 18.94 | | | |
| | | AIN Toolkit Service - Training Session, Per Customer | | | | BAPVX | | 8,348.00 | 8,348.00 | | | | | 18.94 | 18.94 | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt | | | | BAPTT | | 19.13 | 19.13 | | | | | 18.94 | 18.94 | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay | | | | BAPTD | | 114.80 | 114.80 | | | | | 18.94 | 18.94 | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate | | | | BAPTM | | 19.13 | 19.13 | | | | | 18.94 | 18.94 | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP | | | | BAPTO | | 70.06 | 70.06 | | | | | 18.94 | 18.94 | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP | | | | BAPTC | | 70.06 | 70.06 | | | | | 18.94 | 18.94 | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code | | | | BAPTF | | 70.06 | 70.06 | | | | | 18.94 | 18.94 | | | |
| | | AIN Toolkit Service - Query Charge, Per Query | | | | | 0.0209223 | | | | | | | | | | | |
| | | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query | | | | | 0.0053137 | | | | | | | | | | | |
| | | AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes | | | | | 1.46 | | | | | | | | | | | |
| | | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription | | | CAM | BAPMS | 15.96 | 22.64 | 22.64 | | | | | 18.94 | 18.94 | | | |
| | | AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription | | | CAM | BAPLS | 0.0861109 | 22.64 | 22.64 | | | | | 18.94 | 18.94 | | | |
| | | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription | | | CAM | BAPDS | 15.87 | 22.64 | 22.64 | | | | | 18.94 | 18.94 | | | |
| | | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription | | | CAM | BAPES | 0.0028704 | 22.64 | 22.64 | | | | | 18.94 | 18.94 | | | |
| ENHANCED EXTENDED LINK (EELs) | | | | | | | | | | | | | | | | | | |
| | NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; | | | | | | | | | | | | | | | | | |
| | NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. | | | | | | | | | | | | | | | | | |
| | NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) | | | | | | | | | | | | | | | | | |
| | NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.) | | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | | |
| | | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.84 | 104.14 | 78.10 | | | | | 18.94 | 8.42 | | | |
| | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 19.45 | 104.14 | 78.10 | | | | | 18.94 | 8.42 | | | |
| | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 30.92 | 104.14 | 78.10 | | | | | 18.94 | 8.42 | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile per month | | | UNC1X | 1L5XX | 0.4523 | | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 78.47 | 194.63 | 141.51 | | | | | 33.63 | 27.49 | 19.88 | 11.85 | |
| | | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 126.22 | | | | | | | | | | | |
| | | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 1.17 | 12.02 | 8.66 | | | | | 18.94 | 8.42 | | | |
| | | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.84 | 104.14 | 78.10 | | | | | 18.94 | 8.42 | | | |
| | | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 19.45 | 104.14 | 78.10 | | | | | 18.94 | 8.42 | | | |
| | | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 30.92 | 104.14 | 78.10 | | | | | 18.94 | 8.42 | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 1.17 | 12.02 | 8.66 | | | | | 18.94 | 8.42 | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 12.97 | 11.27 | | | | | 45.46 | 15.72 | | | |
| 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|---------------|--|--|--|--|------------|------|-----|------|-----------|--|--|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Inter m | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|---------------|--|--|--|--|---------|------|-----|------|-----------|--|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | </ |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|---------------|--|-------------|------|-------|-------|-----------|--------------|--------|-------------------------|-------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.0222 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV2 | 17.07 | 79.61 | 36.08 | | | | | 18.94 | 18.94 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCVX | UNCCC | | 12.97 | 11.27 | | | | | 45.46 | 15.72 | | |
| 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 22.26 | 206.95 | 170.57 | | | | | 18.94 | 8.42 | | |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 25.70 | 206.95 | 170.57 | | | | | 18.94 | 8.42 | | |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 40.86 | 206.95 | 170.57 | | | | | 18.94 | 8.42 | | |
| | | Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.0222 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV4 | 17.07 | 79.61 | 36.08 | | | | | 18.94 | 18.94 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCVX | UNCCC | | 12.97 | 11.27 | | | | | 45.46 | 15.72 | | |
| DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month | | | UNC3X | 1L5ND | 8.90 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month | | | UNC3X | UE3PX | 390.34 | 639.50 | 426.40 | | | | | 37.55 | 37.55 | 18.03 | 18.03 |
| | | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 2.72 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month | | | UNC3X | U1TF3 | 788.00 | 198.45 | 153.15 | | | | | 37.55 | 37.55 | 18.03 | 18.03 |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC3X | UNCCC | | 12.97 | 11.27 | | | | | 45.46 | 15.72 | | |
| STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month | | | UNCSX | 1L5ND | 8.90 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month | | | UNCSX | UDLS1 | 421.59 | 639.50 | 426.40 | | | | | 37.55 | 37.55 | 18.03 | 18.03 |
| | | Interoffice Transport - Dedicated - STS1 combination - Per Mile per month | | | UNCSX | 1L5XX | 2.72 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month | | | UNCSX | U1TFS | 783.63 | 198.45 | 449.91 | | | | | 37.55 | 37.55 | 18.03 | 18.03 |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCSX | UNCCC | | 12.97 | 11.27 | | | | | 45.46 | 15.72 | | |
| 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 | | 1 | UNCNX | U1L2X | 21.89 | 233.38 | 180.38 | | | | | 18.94 | 8.42 | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2 | | 2 | UNCNX | U1L2X | 25.27 | 233.38 | 180.38 | | | | | 18.94 | 8.42 | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3 | | 3 | UNCNX | U1L2X | 40.17 | 233.38 | 180.38 | | | | | 18.94 | 8.42 | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | UNC1X | 1L5XX | 0.4523 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 78.47 | 194.63 | 141.51 | | | | | 33.63 | 27.49 | 19.88 | 11.85 |
| | | Channelization - Channel System DS1 to DS0 combination - per month | | | UNC1X | MQ1 | 126.22 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month | | | UNCNX | UC1CA | 3.37 | 12.02 | 8.66 | | | | | 33.63 | 27.49 | 19.88 | 11.85 |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1 | | 1 | UNCNX | U1L2X | 21.89 | 233.38 | 180.38 | | | | | 18.94 | 8.42 | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 | | 2 | UNCNX | U1L2X | 25.27 | 233.38 | 180.38 | | | | | 18.94 | 8.42 | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|---|---|---|---------|------|-------|-------|-----------|--------------|--------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 | | 3 | UNCNX | U1L2X | 40.17 | 233.38 | 180.38 | | | | | 18.94 | 8.42 | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month | | | UNCNX | UC1CA | 3.37 | 12.02 | 8.66 | | | | | 33.63 | 27.49 | 19.88 | 11.85 |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 12.97 | 11.27 | | | | | 45.46 | 15.72 | | |
| 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 55.53 | 443.20 | 138.69 | | | | | 18.94 | 8.42 | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 64.13 | 443.20 | 138.69 | | | | | 18.94 | 8.42 | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 101.93 | 443.20 | 138.69 | | | | | 18.94 | 8.42 | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month | | | UNCSX | 1L5XX | 2.72 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Facility Termination | | | UNCSX | U1TFS | 783.63 | 198.45 | 449.91 | | | | | 37.55 | 37.55 | 18.08 | 18.03 |
| | | STS1 to DS1 Channel System combination per month | | | UNCSX | MQ3 | 182.04 | 196.66 | 204.61 | | | | | 37.55 | 37.55 | 18.08 | 18.03 |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.02 | 12.02 | 8.66 | | | | | 37.55 | 37.55 | 18.08 | 18.03 |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 55.53 | 443.20 | 138.69 | | | | | 18.94 | 8.42 | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 64.13 | 443.20 | 138.69 | | | | | 18.94 | 8.42 | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 101.93 | 443.20 | 138.69 | | | | | 18.94 | 8.42 | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.02 | 12.02 | 8.66 | | | | | 18.94 | 8.42 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCSX | UNCCC | | 12.97 | 11.27 | | | | | 45.46 | 15.72 | | |
| 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 25.75 | 384.56 | 241.20 | | | | | 18.94 | 8.42 | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 29.74 | 384.56 | 241.20 | | | | | 18.94 | 8.42 | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 47.27 | 384.56 | 241.20 | | | | | 18.94 | 8.42 | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.0222 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination | | | UNCDX | U1TD5 | 16.45 | 147.07 | 111.75 | | | | | 33.63 | 27.49 | 19.88 | 11.85 |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCDX | UNCCC | | 12.97 | 11.27 | | | | | 45.46 | 15.72 | | |
| 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 25.75 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 29.74 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 47.27 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.0222 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination | | | UNCDX | U1TD6 | 16.45 | 147.07 | 111.75 | | | | | 33.63 | 27.49 | 19.88 | 11.85 |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCDX | UNCCC | | 12.97 | 11.27 | | | | | 45.46 | 15.72 | | |
| ADDITIONAL NETWORK ELEMENTS | | | | | | | | | | | | | | | | | |
| | When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. | | | | | | | | | | | | | | | | |
| | When used as ordinality combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not. | | | | | | | | | | | | | | | | |
| | Node (SynchroNet) | | | | | | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|---|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMECA | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 12.97 | 11.27 | | | | | 18.94 | 18.94 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps | | | UNCDX | UNCCC | | 12.97 | 11.27 | | | | | 18.94 | 18.94 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - DS1 | | | UNC1X | UNCCC | | 12.97 | 11.27 | | | | | 18.94 | 18.94 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - DS3 | | | UNC3X | UNCCC | | 12.97 | 11.27 | | | | | 18.94 | 18.94 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - STS1 | | | UNCSX | UNCCC | | 12.97 | 11.27 | | | | | 18.94 | 18.94 | | |
| NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months | | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | UNCXV | ULDV2 | 13.91 | 272.07 | 60.43 | | | | | 18.94 | 18.94 | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | UNCXV | ULDV4 | 14.99 | 272.07 | 60.43 | | | | | 18.94 | 18.94 | | |
| | | Local Channel - Dedicated - DS1 Per Month | | | UNC1X | ULDF1 | 38.36 | 356.15 | 312.89 | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5NC | 6.92 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination per month | | | UNC3X | ULDF3 | 515.91 | 639.50 | 426.31 | | | | | 18.94 | 18.94 | | |
| | | Local Channel - Dedicated - STS-1- Per Mile per month | | | UNCSX | 1L5NC | 6.92 | | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination per month | | | UNCSX | ULDFS | 517.56 | 639.50 | 426.31 | | | | | 18.94 | 18.94 | | |
| UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | | | |
| Exchange Ports | | | | | | | | | | | | | | | | | |
| NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs | | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE LINE PORT RATES (RES) | | | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port- Res. | | | | UEPSR | UEPRL | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | | UEPSR | UEPRC | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | | UEPSR | UEPRO | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) | | | | UEPSR | UEPAP | 1.85 | | 17.16 | | | | | 18.94 | 8.42 | | |
| | Subsequent Activity | | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| FEATURES | | | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | | UEPSR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| 2-WIRE VOICE GRADE LINE PORT RATES (BUS) | | | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus | | | | UEPSB | UEPBL | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus. | | | | UEPSB | UEPBC | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | | UEPSB | UEPBO | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus | | | | UEPSB | UEPB1 | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | Subsequent Activity | | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| FEATURES | | | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | | UEPSB | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| EXCHANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | | UEPSE | UEPRD | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | | UEPSP | UEPPC | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | | UEPSP | UEPPO | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | | UEPSP | UEPP1 | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | | UEPSP | UEPLD | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | | UEPSP | UEPLD | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire Voice Unbundled 2-Way PBX Usage Port | | | | UEPSP | UEPXA | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | | UEPSP | UEPXB | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | | UEPSP | UEPXC | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | | UEPSP | UEPXD | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | | UEPSP | UEPXE | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | | Attachment: 2 | Exhibit: B | |
|--------------------------------------|---|---------|------|-------------|-------|-----------|--------------------|--------------------|--------------------|--------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring First | Nonrecurring Add'l | Nonrecurring First | Nonrecurring Add'l | | | OSS Rates(\$) | | | |
| | | | | | | | | | | | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPSP | UEPXL | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPSP | UEPXM | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPSP | UEPXO | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSP UEPSE | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| | EXCHANGE PORT RATES (COIN) | | | | | | | | | | | | | | | |
| | Exchange Ports - Coin Port | | | | | 2.05 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. | | | | | | | | | | | | | | | |
| | NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. | | | | | | | | | | | | | | | |
| | UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| | EXCHANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 11.35 | 61.91 | 61.91 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability | | | UEPDD | UEPDD | 120.80 | 108.38 | 60.88 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX UEPSX | U1PMA | 13.47 | 47.37 | 47.37 | | | | | 39.98 | 39.98 | | |
| | All Features Offered | | | UEPTX UEPSX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. | | | | | | | | | | | | | | | |
| | NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire ISDN Port -- Channel Profiles | | | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 163.16 | 186.80 | 186.80 | | | | | 37.88 | 37.88 | | |
| | UNBUNDLED LOCAL SWITCHING, PORT USAGE | | | | | | | | | | | | | | | |
| | End Office Switching (Port Usage) | | | | | | | | | | | | | | | |
| | End Office Switching Function, Per MOU | | | | | 0.0016333 | | | | | | | | | | |
| | End Office Trunk Port - Shared, Per MOU | | | | | 0.0001564 | | | | | | | | | | |
| | Tandem Switching (Port Usage) (Local or Access Tandem) | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | | | 0.0006757 | | | | | | | | | | |
| | Tandem Trunk Port - Shared, Per MOU | | | | | 0.0002126 | | | | | | | | | | |
| | Common Transport | | | | | | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | | | 0.000008 | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | | | 0.0004152 | | | | | | | | | | |
| | UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | |
| | Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. | | | | | | | | | | | | | | | |
| | Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. | | | | | | | | | | | | | | | |
| | End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. | | | | | | | | | | | | | | | |
| | For Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos for all states. In GA, KY, LA, MS, SC and TN these nonrecurring charges are commission ordered cost based rates and in AL, FL and NC these nonrecurring charges are Market Rates and are also listed in the Market Rate section. | | | | | | | | | | | | | | | |
| | For Currently Combined Combos in all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. | | | | | | | | | | | | | | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 12.59 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 14.26 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 21.62 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 10.80 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 12.47 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 19.83 | | | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 37.06 | 7.88 | 11.17 | 3.91 |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | UEPRX | UEPAP | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--------------------------------------|--|---------|------|-------|-------|-----------|--------------------|--------------------|-------------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring First | Nonrecurring Add'l | Nonrecurring Disconnect First | Nonrecurring Disconnect Add'l | OSS Rates(\$) | | | | |
| | | | | | | | | | | | SOME C | SOMAN | SOMAN | SOMAN | SOMAN |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | |
| | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPRX | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | 11.17 |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPRX | USACC | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 12.59 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 14.26 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 21.62 | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 10.80 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 12.47 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 19.83 | | | | | | | | | |
| | 2-Wire Voice Grade Line Port (Bus) | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UEPB1 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | |
| | FEATURES | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 |
| | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPBX | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | 11.17 |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPBX | USACC | | 2.01 | 0.3108 | | | | | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 12.59 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 14.26 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 21.62 | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 10.80 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG | UEPLX | 12.47 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 19.83 | | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | UEPRG | UEPRD | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 |
| | FEATURES | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 |
| | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | UEPRG | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | 11.17 |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | UEPRG | USACC | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | 11.17 |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|---|--|-------------|------|-------|-------|-----------|--------------|--------|-------------------------|-------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 12.59 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 14.26 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 21.62 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 10.80 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 12.47 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX | UEPLX | 19.83 | | | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 37.06 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPPX | UEPXO | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | FEATURES | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | UEPPX | USACC | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 12.69 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 14.36 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 21.72 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 10.80 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 12.47 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 19.83 | | | | | | | | | | |
| | 2-Wire Voice Grade Line Ports (COIN) | | | | | | | | | | | | | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening (GA) | | | UEPCO | UEPGC | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (GA) | | | UEPCO | UEP2G | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|---------------|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA) | | | UEPCO | UEPGA | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Coin 2-Way with Operator Screening and 900/976 Blocking (GA) | | | UEPCO | UEPGB | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (GA) | | | UEPCO | UEPCH | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS) | | | UEPCO | UEPRJ | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA) | | | UEPCO | UEPCQ | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Coin Outward Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCR | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | ADDITIONAL UNE COIN PORT/LOOP (RC) | | | | | | | | | | | | | | | |
| | | UNE Coin Port/Loop Combo Usage (Flat Rate) | | | UEPCO | URECU | 3.59 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPCO | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPCO | USACC | | 2.01 | 0.31 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | UNBUNDLED REMOTE CALL FORWARDING - RES | | | | | | | | | | | | | | | |
| | | Non-Recurring | | | | | | | | | | | | | | | |
| | | UNBUNDLED REMOTE CALL FORWARDING - Bus | | | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus | | | UEPVB | UEPVJ | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | | Non-Recurring | | | | | | | | | | | | | | | |
| | | 2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | |
| | | 2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | |
| UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT | | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | 28.19 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | 30.80 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | 42.27 | | | | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | UECD1 | 16.84 | 104.78 | 78.10 | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | UECD1 | 19.45 | 104.78 | 78.10 | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | UECD1 | 30.92 | 104.78 | 104.10 | | | | | | | | |
| UNE Port Rate | | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | UEPPX | UEPD1 | 11.35 | 61.91 | 61.91 | | | | | 33.67 | 7.88 | | |
| NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is | | | UEPPX | USAC1 | | 93.38 | 93.38 | | | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes | | | UEPPX | USA1C | | 93.38 | 93.38 | | | | | 33.67 | 7.88 | | |
| ADDITIONAL NRCs | | | | | | | | | | | | | | | | | |
| Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | | | |
| | | DID Trunk Termination (One Per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve Non-Consecutive DID numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | | |

| | | | |
|--------------------------------------|---------------|------------|--|
| UNBUNDLED NETWORK ELEMENTS - Georgia | Attachment: 2 | Exhibit: B | |
|--------------------------------------|---------------|------------|--|

| CATEGORY | RATE ELEMENTS | Inter m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|------------|------|-------|-------|-----------|--------------|--------|-------------------------|-------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | 2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | 1 | UEPPB | UEPPR | 35.36 | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | | 2 | UEPPB | UEPPR | 38.74 | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | 3 | UEPPB | UEPPR | 53.64 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 21.89 | 252.32 | 188.77 | | | | 19.99 | 19.99 | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 25.27 | 252.32 | 188.77 | | | | 19.99 | 19.99 | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 40.17 | 252.32 | 188.77 | | | | 19.99 | 19.99 | | |
| | UNE Port Rate | | | | | | | | | | | | | | | |
| | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 13.47 | 47.37 | 47.37 | | | | 19.99 | 19.99 | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion | | | UEPPB | UEPPR | USACB | 0.00 | 93.38 | 93.38 | | | | 19.99 | 19.99 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy Non Feature/Add Trunk | | | UEPPB | UEPPR | USASB | | 165.95 | | | | | 19.99 | 19.99 | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | |
| | B-CHANNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | |
| | CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | |
| | B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN) | | | | | | | | | | | | | | | |
| | USER TERMINAL PROFILE | | | | | | | | | | | | | | | |
| | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | |
| | VERTICAL FEATURES | | | | | | | | | | | | | | | |
| | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 0.00 | 0.00 | 0.00 | | | | 19.99 | 19.99 | | |
| | INTEROFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | |
| | Interoffice Channel mileage each, including first mile and facilities termination | | | UEPPB | UEPPR | M1GNC | 16.47 | 79.61 | 36.08 | | | | 19.99 | 19.99 | | |
| | Interoffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.0222 | 0.00 | 0.00 | | | 0.00 | | | | |
| | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 | | 1 | UEPPP | | 218.69 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 | | 2 | UEPPP | | 227.29 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 | | 3 | UEPPP | | 265.09 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 55.53 | 448.92 | 276.60 | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 64.13 | 448.92 | 276.60 | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | 101.93 | 448.92 | 276.60 | | | | 19.99 | 19.99 | | |
| | UNE Port Rate | | | | | | | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 163.16 | 186.80 | 186.80 | | | | 19.99 | 19.99 | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is | | | UEPPP | | USACP | 0.00 | 269.96 | 269.96 | | | | 19.99 | 19.99 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance (except NC) | | | UEPPP | | PR7TF | | 0.9686 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | | 22.75 | 22.75 | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--------------------------------------|--|--|---------|------|-------|-------|-----------|--------------|--------|-------|----------------------------------|--------------------------------------|--|--|---|---|--------------|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | Rec | Nonrecurring | | | | | | | | | Nonrecurring |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance | | | UEPPP | PR7ZT | 45.49 | 45.49 | | | | | | | | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPP | LNPCN | 1.75 | | | | | | | | | | |
| | | INTERFACE (Provisioning Only) | | | | | | | | | | | | | | | |
| | | Voice/Data | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Digital Data | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Inward Data | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | New or Additional "B" Channel | | | | | | | | | | | | | | | |
| | | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 28.71 | | | | | 19.99 | 19.99 | | | |
| | | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 28.71 | | | | | 19.99 | 19.99 | | | |
| | | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 28.71 | | | | | 19.99 | 19.99 | | | |
| | | CALL TYPES | | | | | | | | | | | | | | | |
| | | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 78.9223 | 147.07 | 111.75 | 0.00 | | | 19.99 | 19.99 | | | |
| | | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.4523 | | | | | | | | | | |
| | | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 176.33 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 184.93 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 222.73 | | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 55.53 | 448.92 | 276.00 | | | | 19.99 | 19.99 | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 64.13 | 448.92 | 276.60 | | | | 19.99 | 19.99 | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 101.93 | 448.92 | 276.60 | | | | 19.99 | 19.99 | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | |
| | | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 120.80 | 89.44 | 52.46 | | | | 19.99 | 19.99 | | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is | | | UEPDC | USAC4 | 269.96 | 269.96 | | | | | 19.99 | 19.99 | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes | | | UEPDC | USAWA | 269.96 | 269.96 | | | | | 19.99 | 19.99 | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk | | | UEPDC | USAWB | 269.96 | 269.96 | | | | | 19.99 | 19.99 | | | |
| | | ADDITIONAL NRCS | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order | | | UEPDC | USAS4 | 147.47 | 147.47 | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | 28.71 | 28.71 | | | | | 19.99 | 19.99 | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | 28.71 | 28.71 | | | | | 19.99 | 19.99 | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | 28.71 | 28.71 | | | | | 19.99 | 19.99 | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | 28.71 | 28.71 | | | | | 19.99 | 19.99 | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | 28.71 | 28.71 | | | | | 19.99 | 19.99 | | | |
| | | BIPOLAR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | | |
| | | B8ZS -Superframe Format | | | UEPDC | CCOSF | 0.00 | 600.00 | | | | | | | | | |
| | | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | 0.00 | 600.00 | | | | | | | | | |
| | | Alternate Mark Inversion | | | | | | | | | | | | | | | |
| | | AMI -Superframe Format | | | UEPDC | MCOSF | 0.00 | 0.00 | | | | | | | | | |
| | | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | 0.00 | 0.00 | | | | | | | | | |
| | | Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | |
| | | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | | | | | |
| | | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--------------------------------------|---------------|---|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Telephone Number for 1-Way Inward Trunk Group Without DID | | | | UEPDC | UDTGZ | 0.00 | | | | | | | | | |
| | | DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | DID Numbers for each Group of 20 DID Numbers | | | | UEPDC | ND4 | 0.00 | | | | | | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | | UEPDC | ND5 | 0.00 | | | | | | | | | |
| | | Reserve Non-Consecutive DID Nos. | | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Reserve DID Numbers | | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) | | | | UEPDC | 1LNO1 | 78.47 | 147.07 | 111.75 | | | | | 19.99 | 19.99 | |
| | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | | UEPDC | 1LNOA | 0.4523 | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | | | | UEPDC | 1LNOB | 0.4523 | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) | | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | | UEPDC | 1LNOC | 0.4523 | 0.00 | 0.00 | | | | | | | |
| | | Local Number Portability, per DSO Activated | | | | UEPDC | LNPCP | 3.15 | | | | | | | | | |
| | | Central Office Terminating Point | | | | UEPDC | CTG | 0.00 | | | | | | | | | |
| | | 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | |
| | | System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations | | | | | | | | | | | | | | | |
| | | Each System can have up to 24 combinations of rates depending on type and number of ports used | | | | | | | | | | | | | | | |
| | | UNE DS1 Loop | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 1 | | | 1 | UEPMG | USLDC | 55.53 | 0.00 | 0.00 | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 2 | | | 2 | UEPMG | USLDC | 64.13 | 0.00 | 0.00 | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 3 | | | 3 | UEPMG | USLDC | 101.93 | 0.00 | 0.00 | | | | | | | |
| | | UNE DSO Channelization Capacities (D4 Channel Bank Configurations) | | | | | | | | | | | | | | | |
| | | 24 DSO Channel Capacity - 1 per DS1 | | | | UEPMG | VUM24 | 102.64 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 48 DSO Channel Capacity - 1 per 2 DS1s | | | | UEPMG | VUM48 | 205.28 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 96 DSO Channel Capacity -1per 4 DS1s | | | | UEPMG | VUM96 | 410.56 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 144 DSO Channel Capacity - 1 per 6 DS1s | | | | UEPMG | VUM14 | 615.84 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 192 DSO Channel Capacity -1 per 8 DS1s | | | | UEPMG | VUM19 | 821.12 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 240 DSO Channel Capacity - 1 per 10 DS1s | | | | UEPMG | VUM20 | 1,026.40 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 288 DSO Channel Capacity - 1 per 12 DS1s | | | | UEPMG | VUM28 | 1,231.68 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 384 DSO Channel Capacity - 1 per 16 DS1s | | | | UEPMG | VUM38 | 1,642.24 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 480 DSO Channel Capacity - 1 per 20 DS1s | | | | UEPMG | VUM40 | 2,052.80 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 576 DSO Channel Capacity -1 per 24 DS1s | | | | UEPMG | VUM57 | 2,463.36 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 672 DSO Channel Capacity - 1 per 28 DS1s | | | | UEPMG | VUM67 | 2,873.92 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System | | | | | | | | | | | | | | | |
| | | A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations. | | | | | | | | | | | | | | | |
| | | Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted. | | | | | | | | | | | | | | | |
| | | NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes | | | | UEPMG | USAC4 | 0.00 | 328.35 | 16.52 | | | | | 19.99 | 19.99 | |
| | | System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) In GA, KY, LA, MS & TN Only | | | | | | | | | | | | | | | |
| | | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY, MS, &TN Only | | | | UEPMG | VUMD4 | 0.00 | 738.61 | 462.53 | 144.05 | 17.09 | | | 19.99 | 19.99 | |
| | | Bipolar 8 Zero Substitution | | | | | | | | | | | | | | | |
| | | Clear Channel Capability Format, superframe - Subsequent Activity Only | | | | UEPMG | CCOSF | 0.00 | 0.00 | 600.00 | | | | | | | |
| | | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | | | UEPMG | CCOEF | 0.00 | 0.00 | 600.00 | | | | | | | |
| | | Alternate Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | | Superframe Format | | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Extended Superframe Format | | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port | | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Georgia

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
|---|---|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Exchange Ports | | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 1.79 | 0.00 | 0.00 | 0.00 | 0.00 | | | 33.67 | 7.88 | | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 1.79 | 0.00 | 0.00 | 0.00 | 0.00 | | | 33.67 | 7.88 | | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 1.79 | 0.00 | 0.00 | 0.00 | 0.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 11.35 | 0.00 | 0.00 | 0.00 | 0.00 | | | 33.67 | 7.88 | | |
| | Feature Activations - Unbundled Loop Concentration | | | | | | | | | | | | | | | |
| | Feature (Service) Activation for each Line Side Port Terminated in D4 Bank | | | UEPPX | 1PQWM | 0.62 | 25.09 | 13.25 | 3.99 | 3.97 | | | 33.67 | 7.88 | | |
| | Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank | | | UEPPX | 1PQWU | 0.62 | 77.21 | 18.20 | 56.49 | 11.04 | | | 33.67 | 7.88 | | |
| | Telephone Number/ Group Establishment Charges for DID Service | | | | | | | | | | | | | | | |
| | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Local Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | FEATURES - Vertical and Optional | | | | | | | | | | | | | | | |
| | Local Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| | All Features Available | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES | | | | | | | | | | | | | | | | |
| Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. | | | | | | | | | | | | | | | | |
| These scenarios include: | | | | | | | | | | | | | | | | |
| 1. Unbundled port/loop combinations that are Not Currently Combined in Alabama, Florida and North Carolina. | | | | | | | | | | | | | | | | |
| 2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAs in BellSouth's region for end users with 4 or more DS0 equivalent lines. | | | | | | | | | | | | | | | | |
| The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville). | | | | | | | | | | | | | | | | |
| BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined in AL, FL and NC. In the interim where BellSouth cannot bill Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. | | | | | | | | | | | | | | | | |
| The Market Rate for unbundled ports includes all available features in all states. | | | | | | | | | | | | | | | | |
| End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC: URECU). | | | | | | | | | | | | | | | | |
| For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly. | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 24.80 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 26.47 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 33.83 | | | | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 10.80 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 12.47 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 19.83 | | | | | | | | | | |
| 2-Wire Voice Grade Line Port (Res) | | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 14.00 | 90.00 | 90.00 | | | | 33.67 | 7.88 | 11.17 | 3.91 | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 14.00 | 90.00 | 90.00 | | | | 33.67 | 7.88 | 11.17 | 3.91 | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 14.00 | 90.00 | 90.00 | | | | 33.67 | 7.88 | 11.17 | 3.91 | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | UEPRX | UEPAP | 14.00 | 90.00 | 90.00 | | | | 33.67 | 7.88 | 11.17 | 3.91 | |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| FEATURES | | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 33.67 | 7.88 | 11.17 | 3.91 | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPRX | USAC2 | | 41.50 | 41.50 | | | | 33.67 | 7.88 | 11.17 | 3.91 | |

UNBUNDLED NETWORK ELEMENTS - Georgia

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|--|-------------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|---------------|---|---|--|--|---|---|
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch with change | | | UEPRX | USACC | | 41.50 | 41.50 | | | | | 33.67 | 7.88 | 11.17 | 3.91 | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 | |
| | | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 24.80 | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 26.47 | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 33.83 | | | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 10.80 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 12.47 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 19.83 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 | |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 | |
| | | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | | |
| | | FEATURES | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPBX | USAC2 | | 41.50 | 41.50 | | | | | 33.67 | 7.88 | 11.17 | 3.91 | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch with change | | | UEPBX | USACC | | 41.50 | 41.50 | | | | | 33.67 | 7.88 | 11.17 | 3.91 | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 | |
| | | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 24.80 | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 26.47 | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 33.83 | | | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRG | UEPLX | 10.80 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRG | UEPLX | 12.47 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRG | UEPLX | 19.83 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | | |
| | | FEATURES | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPRG | USAC2 | | 41.50 | 41.50 | | | | | 33.67 | 7.88 | 11.17 | 3.91 | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change | | | UEPRG | USACC | | 41.50 | 41.50 | | | | | 33.67 | 7.88 | 11.17 | 3.91 | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | | 2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 24.80 | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--------------------------------------|--|---------|------|-------|-------|-----------|--------------|-------|--------------|------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 26.47 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 33.83 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPPX | UEPLX | 10.80 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPPX | UEPLX | 12.47 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPPX | UEPLX | 19.83 | | | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPPX | UEPXO | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPPX | USAC2 | | 41.50 | 41.50 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change | | | UEPPX | USACC | | 41.50 | 41.50 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 24.80 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 26.47 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 33.83 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 10.80 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 12.47 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 19.83 | | | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (Coin) | | | | | | | | | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening (GA) | | | UEPCO | UEPGC | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (GA) | | | UEPCO | UEP2G | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA) | | | UEPCO | UEPGA | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Coin 2-Way with Operator Screening and 900/976 Blocking (GA) | | | UEPCO | UEPGB | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|--|---|--|---------|-------|-------|-------|-----------|--------------|--------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+,and Local (GA) | | | UEPCO | UEPCH | | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Coin Outward with Operator Screening and 011Blocking (GA, KY, MS) | | | UEPCO | UEPRJ | | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA) | | | UEPCO | UEPCQ | | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPCO | LNPCX | | 0.35 | | | | | | | | | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPCO | USAC2 | | | 41.50 | 41.50 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change | | | UEPCO | USACC | | | 41.50 | 41.50 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPCO | USAS2 | | | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| UNBUNDLED PORT/LOOP COMBINATIONS - MARKET BASED RATES | | | | | | | | | | | | | | | | | | |
| | 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT | | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | | 99.84 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | | 102.45 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | | 113.92 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | UECD1 | | 16.84 | 104.78 | 78.10 | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | UECD1 | | 19.45 | 104.78 | 78.10 | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | UECD1 | | 30.92 | 104.78 | 104.10 | | | | | | | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | UEPPX | UEPD1 | | 83.00 | 850.00 | 75.00 | | | | | 33.67 | 7.88 | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-As-Is Top 8 MSAs only | | | UEPPX | USAC1 | | | 850.00 | 75.00 | | | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes Top 8 MSAs only | | | UEPPX | USA1C | | | 850.00 | 75.00 | | | | | 33.67 | 7.88 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | | |
| | Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | | | |
| | | DID Trunk Termination (One Per Port) | | | UEPPX | NDT | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | | | UEPPX | NDZ | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | ND4 | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | ND5 | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve Non-Consecutive DID numbers | | | UEPPX | ND6 | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve DID Numbers | | | UEPPX | NDV | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | | 3.15 | 0.00 | 0.00 | | | | | | | | |
| 2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT | | | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | 1 | UEPPB | UEPPR | | 81.89 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | | 2 | UEPPB | UEPPR | | 85.27 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | 3 | UEPPB | UEPPR | | 100.17 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 21.89 | 252.32 | 188.77 | | | | | 19.99 | 19.99 | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 25.27 | 252.32 | 188.77 | | | | | 19.99 | 19.99 | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 40.17 | 252.32 | 188.77 | | | | | 19.99 | 19.99 | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | | |
| | | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 60.00 | 525.00 | 400.00 | | | | | 19.99 | 19.99 | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|---------------|---|---------|------|-------|-------|-------|-----------|--------------|----------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion - Top 8 MSAs only | | | UEPPB | UEPPR | USACB | 0.00 | 215.00 | 215.00 | | | | | 19.99 | 19.99 | | |
| ADDITIONAL NRCs | | | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy Non Feature/Add Trunk | | | UEPPB | UEPPR | USASB | | 165.95 | | | | | | 19.99 | 19.99 | | |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| B-CHANNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN) | | | | | | | | | | | | | | | | | | |
| USER TERMINAL PROFILE | | | | | | | | | | | | | | | | | | |
| | | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| VERTICAL FEATURES | | | | | | | | | | | | | | | | | | |
| | | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| INTEROFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel mileage each, including first mile and facilities termination | | | UEPPB | UEPPR | M1GNC | 16.47 | 79.61 | 36.08 | | | | | 19.99 | 19.99 | | |
| | | Interoffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.0222 | 0.00 | 0.00 | | | | | | | | |
| 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT | | | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 | | 1 | UEPPP | | | 955.53 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 | | 2 | UEPPP | | | 964.13 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 | | 3 | UEPPP | | | 1,001.93 | | | | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 55.53 | 448.92 | 276.60 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 64.13 | 448.92 | 276.60 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | 101.93 | 448.92 | 276.60 | | | | | 19.99 | 19.99 | | |
| UNE Port Rate | | | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 900.00 | 1,200.00 | 1,200.00 | | | | | 19.99 | 19.99 | | |
| NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-As-Is Top 8 MSAs only | | | UEPPP | | USACP | 0.00 | 925.00 | 925.00 | | | | | 19.99 | 19.99 | | |
| ADDITIONAL NRCs | | | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqtl Actvy-Inward/two way tel nos within Std Allowance (except NC) | | | UEPPP | | PR7TF | | 0.9686 | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | | 22.75 | 22.75 | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance | | | UEPPP | | PR7ZT | | 45.49 | 45.49 | | | | | | | | |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPP | | LNPCN | 1.75 | | | | | | | | | | |
| INTERFACE (Provisioning Only) | | | | | | | | | | | | | | | | | | |
| | | Voice/Data | | | UEPPP | | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Digital Data | | | UEPPP | | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Inward Data | | | UEPPP | | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| New or Additional "B" Channel | | | | | | | | | | | | | | | | | | |
| | | New or Additional - Voice/Data B Channel | | | UEPPP | | PR7BV | 0.00 | 28.71 | | | | | | 19.99 | 19.99 | | |
| | | New or Additional - Digital Data B Channel | | | UEPPP | | PR7BF | 0.00 | 28.71 | | | | | | 19.99 | 19.99 | | |
| | | New or Additional Inward Data B Channel | | | UEPPP | | PR7BD | 0.00 | 28.71 | | | | | | 19.99 | 19.99 | | |
| CALL TYPES | | | | | | | | | | | | | | | | | | |
| | | Inward | | | UEPPP | | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Outward | | | UEPPP | | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Two-way | | | UEPPP | | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|---------------|---|-------------|------|-------|-------|-----------|--------------|--------|-------------------------|-------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 78.9223 | 147.07 | 111.75 | 0.00 | | | | 19.99 | 19.99 | | |
| | | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.4523 | | | | | | | | | | |
| | | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide | | sw | UEPDC | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 176.33 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 184.93 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 222.73 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4 | | 4 | UEPDC | | | | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - Statewide | | sw | UEPDC | USLDC | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 55.53 | 448.92 | 276.00 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 64.13 | 448.92 | 276.60 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 101.93 | 448.92 | 276.60 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 4 | | 4 | UEPDC | USLDC | | | | | | | | | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | |
| | | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 750.00 | 1,011.43 | 477.87 | 206.70 | 20.70 | | | 19.99 | 19.99 | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-As-Is Top 8 MSAs only | | | UEPDC | USAC4 | | 269.96 | 269.96 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes Top 8 MSAs only | | | UEPDC | USAWA | | 269.96 | 269.96 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk Top 8 MSAs only | | | UEPDC | USAWB | | 269.96 | 269.96 | | | | | 19.99 | 19.99 | | |
| | | ADDITIONAL NRCS | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order | | | UEPDC | USAS4 | | 147.47 | 147.47 | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 28.71 | 28.71 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 28.71 | 28.71 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 28.71 | 28.71 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 28.71 | 28.71 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 28.71 | 28.71 | | | | | 19.99 | 19.99 | | |
| | | BIPOLAR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | | |
| | | B8ZS - Superframe Format | | | UEPDC | CCOSF | | 0.00 | 600.00 | | | | | | | | |
| | | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 600.00 | | | | | | | | |
| | | Alternate Mark Inversion | | | | | | | | | | | | | | | |
| | | AMI - Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| | | Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | |
| | | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | | | | | |
| | | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | | | | | |
| | | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | | | | | |
| | | DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | | | | | | | | | | |
| | | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Dedicated DS1 (Interoffice Channel Mileage) - | | | | | | | | | | | | | | | |
| | | FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|--|---|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) | | | | UEPDC | 1LNO1 | 78.47 | 147.07 | 111.75 | | | | | 19.99 | 19.99 | |
| | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | | UEPDC | 1LNOA | 0.4523 | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | | | | UEPDC | 1LNOB | 0.4523 | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) | | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | | UEPDC | 1LNOC | 0.4523 | 0.00 | 0.00 | | | | | | | |
| | | Local Number Portability, per DSO Activated | | | | UEPDC | LNPCP | 3.15 | | | | | | | | | |
| | | Central Office Terminating Point | | | | UEPDC | CTG | 0.00 | | | | | | | | | |
| | | 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | |
| | | System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations | | | | | | | | | | | | | | | |
| | | A system can have various rate combinations based on type and number of ports used | | | | | | | | | | | | | | | |
| | | UNE DS1 Loop | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 1 | | | 1 | UEPMG | USLDC | 55.53 | 0.00 | 0.00 | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 2 | | | 2 | UEPMG | USLDC | 64.13 | 0.00 | 0.00 | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 3 | | | 3 | UEPMG | USLDC | 101.93 | 0.00 | 0.00 | | | | | | | |
| | | UNE DSO Channelization Capacities (D4 Channel Bank Configurations) | | | | | | | | | | | | | | | |
| | | 24 DSO Channel Capacity - 1 per DS1 | | | | UEPMG | VUM24 | 102.64 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 48 DSO Channel Capacity - 1 per 2 DS1s | | | | UEPMG | VUM48 | 205.28 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 96 DSO Channel Capacity - 1per 4 DS1s | | | | UEPMG | VUM96 | 410.56 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 144 DSO Channel Capacity - 1 per 6 DS1s | | | | UEPMG | VUM14 | 615.84 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 192 DSO Channel Capacity - 1 per 8 DS1s | | | | UEPMG | VUM19 | 821.12 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 240 DSO Channel Capacity - 1 per 10 DS1s | | | | UEPMG | VUM20 | 1,026.40 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 288 DSO Channel Capacity - 1 per 12 DS1s | | | | UEPMG | VUM28 | 1,231.68 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 384 DSO Channel Capacity - 1 per 16 DS1s | | | | UEPMG | VUM38 | 1,642.24 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 480 DSO Channel Capacity - 1 per 20 DS1s | | | | UEPMG | VUM40 | 2,052.80 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 576 DSO Channel Capacity - 1 per 24 DS1s | | | | UEPMG | VUM57 | 2,463.36 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 672 DSO Channel Capacity - 1 per 28 DS1s | | | | UEPMG | VUM67 | 2,873.92 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System | | | | | | | | | | | | | | | |
| | | A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations. | | | | | | | | | | | | | | | |
| | | Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted. | | | | | | | | | | | | | | | |
| | | NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes - Top 8 MSAs Only | | | | UEPMG | USAC4 | 0.00 | 450.00 | 50.00 | | | | | 19.99 | 19.99 | |
| | | System Additions Where Currently Combined and New (Not Currently Combined) | | | | | | | | | | | | | | | |
| | | In Top 8 MSAs and AL, FL, and NC Only | | | | | | | | | | | | | | | |
| | | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - | | | | UEPMG | VUMD4 | 0.00 | 950.00 | 600.00 | 200.00 | 30.00 | | | 19.99 | 19.99 | |
| | | Bipolar 8 Zero Substitution | | | | | | | | | | | | | | | |
| | | Clear Channel Capability Format, superframe - Subsequent Activity Only | | | | UEPMG | CCOSF | 0.00 | 0.00 | 600.00 | | | | | | | |
| | | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | | | UEPMG | CCOEF | 0.00 | 0.00 | 600.00 | | | | | | | |
| | | Alternate Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | | Superframe Format | | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Extended Superframe Format | | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port | | | | | | | | | | | | | | | |
| | | Exchange Ports | | | | | | | | | | | | | | | |
| | | Line Side Combination Channelized PBX Trunk Port - Business | | | | UEPPX | UEPCX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 33.67 | 7.88 | |
| | | Line Side Outward Channelized PBX Trunk Port - Business | | | | UEPPX | UEPOX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 33.67 | 7.88 | |
| | | Line Side Inward Only Channelized PBX Trunk Port without DID | | | | UEPPX | UEP1X | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 33.67 | 7.88 | |
| | | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | | UEPPX | UEPDM | 83.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 33.67 | 7.88 | |
| | | Feature Activations - Unbundled Loop Concentration | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|---------------|--|--|--|---------|------|-----|------|-----------|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | Interim | Zone | BCS | USOC | RATES(\$) | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|--------------------------------------|--|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP91 | UEPY9 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP91 | UEPY2 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | Georgia and Florida Only | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPHA | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPHB | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPHH | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP91 | UEPHM | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP91 | UEPHZ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPH9 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPH2 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | Local Switching | | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.5554 | | | | | | | | | | |
| | Local Number Portability | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP91 | LNPCc | 0.35 | | | | | | | | | | |
| | Features | | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP91 | UEPVF | 0.00 | | | | | | | | | | |
| | | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 454.69 | | | | | | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 0.00 | | | | | | | | | | |
| | NARS | | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | | |
| | | Unbundled Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | | |
| | | Unbundled Network Access Register - Outdial | | | UEP91 | UAROx | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | | |
| | Miscellaneous Terminations | | | | | | | | | | | | | | | | |
| | 2-Wire Trunk Side | | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP91 | CENA6 | 11.35 | 61.91 | 61.91 | | | | | 33.67 | 7.88 | | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | MIGBC | 17.07 | | | | | | | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | MIGBM | 0.0222 | | | | | | | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP91 | 1PQW7 | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP91 | 1PQWP | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP91 | 1PQWQ | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.62 | | | | | | | | | | |
| | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | | |
| | | Conversion - Currently Combined Switch-As-Is with allowed changes, per port | | | UEP91 | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | | |
| | | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 659.41 | | | | | | 33.67 | 7.88 | | |
| | | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 659.41 | | | | | | 33.67 | 7.88 | | |
| | | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 77.10 | | | | | | 33.67 | 7.88 | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 71.88 | | | | | | 33.67 | 7.88 | | |
| | UNE-P CENTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP95 | | 12.59 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|--|---|---------|------|-------|--------|-----------|--------------|-------|-------------------------|-------|---------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP95 | | 14.26 | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP95 | | 21.62 | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP95 | | 18.63 | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP95 | | 21.24 | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP95 | | 32.71 | | | | | | | | | | | |
| | | UNE Loop Rate | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 10.80 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 12.47 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 19.83 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 16.84 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 19.45 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 30.92 | | | | | | | | | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | | |
| | | All States | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP95 | UEPYH | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP95 | UEPYM | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP95 | UEPYZ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP95 | UEPY9 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP95 | UEPY2 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | | 33.67 | 7.88 | | |
| | | FL & GA Only | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPHA | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPHB | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPHH | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP95 | UEPHM | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP95 | UEPHZ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPH9 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPH2 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | | 33.67 | 7.88 | | |
| | | Local Switching | | | | | | | | | | | | | | | | |
| | | Centrex Intercom Functionality, per port | | | UEP95 | URECS | 0.5554 | | | | | | | | | | | |
| | | Local Number Portability | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | | |
| | | Features | | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP95 | UEPVF | 0.00 | | | | | | | | 33.67 | 7.88 | | |
| | | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 454.69 | | | | | | | 33.67 | 7.88 | | |
| | | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 0.00 | | | | | | | | 33.67 | 7.88 | | |
| | | NARS | | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | | | 33.67 | 7.88 | | |
| | | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | 33.67 | 7.88 | | |
| | | Unbundled Network Access Register - Outdial | | | UEP95 | UARO X | 0.00 | 0.00 | 0.00 | | | | | | 33.67 | 7.88 | | |
| | | Miscellaneous Terminations | | | | | | | | | | | | | | | | |
| | | 2-Wire Trunk Side | | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP95 | CEND6 | 11.35 | 61.91 | 61.91 | | | | | | 33.67 | 7.88 | | |
| | | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|---------------|--|--|---|-------|---------|--------------|--------|-------------------------|-----------|---------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 120.80 | 89.44 | 52.46 | | | | | 33.67 | 7.88 | | |
| | | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 28.71 | | | | | | 33.67 | 7.88 | | |
| | | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 17.07 | | | | | | | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.0222 | | | | | | | | | | |
| | | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | |
| | | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP95 | 1PQW7 | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjle Line/Trunk Loop Slot | | | UEP95 | 1PQWQ | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.62 | | | | | | | | | | |
| | | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP95 | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | | |
| | | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 659.41 | | | | | | 33.67 | 7.88 | | |
| | | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 659.41 | | | | | | 33.67 | 7.88 | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 71.88 | | | | | | 33.67 | 7.88 | | |
| | | UNE-P CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP9D | | 12.59 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9D | | 14.26 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP9D | | 21.62 | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP9D | | 18.63 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9D | | 21.24 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP9D | | 32.71 | | | | | | | | | | |
| | | UNE Loop Rate | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 10.80 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 12.47 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 19.83 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 16.84 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 19.45 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 30.92 | | | | | | | | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | |
| | | ALL STATES | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9D | UEPYB | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area | | | UEP9D | UEPYD | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 Basic Local Area | | | UEP9D | UEPYE | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|---------------|--|--|--|--|---------|------|-----|------|-----------|--|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--------------------------------------|--|---------|------|-------|-------|-----------|--------------|-------|--------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPHJ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 | | | UEP9D | UEPHM | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPHO | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPHP | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPHQ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPHR | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPHS | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPH4 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPH5 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPH6 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPH7 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPHZ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPH9 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPH2 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | Local Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Functionality, per port | | | UEP9D | URECS | 0.5554 | | | | | | | | | | |
| | Local Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP9D | LNPC | 0.35 | | | | | | | | | | |
| | Features | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9D | UEPVF | 0.00 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 454.69 | | | | | 33.67 | 7.88 | | | |
| | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 0.00 | | | | | | | | | | |
| | NARS | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 33.67 | 7.88 | | | |
| | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | 33.67 | 7.88 | | | |
| | Unbundled Network Access Register - Outdial | | | UEP9D | UARO | 0.00 | 0.00 | 0.00 | | | | 33.67 | 7.88 | | | |
| | Miscellaneous Terminations | | | | | | | | | | | | | | | |
| | 2-Wire Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9D | CEND6 | 11.35 | | | | | | | | | | |
| | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 120.80 | 89.44 | 52.46 | | | | 33.67 | 7.88 | | | |
| | DS0 Channels Activated per Channel | | | UEP9D | M1HDO | 0.00 | 28.71 | | | | | 33.67 | 7.88 | | | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 17.07 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0.0222 | | | | | | | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9D | 1PQW7 | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9D | 1PQWP | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjle Line/Trunk Loop Slot | | | UEP9D | 1PQWQ | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.62 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--------------------------------------|---|---|--|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN |
| | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | | | UEP9D | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | |
| | | New Centrex Standard Common Block | | | | | UEP9D | M1ACS | 0.00 | 659.41 | | | | | | 33.67 | 7.88 | |
| | | New Centrex Customized Common Block | | | | | UEP9D | M1ACC | 0.00 | 659.41 | | | | | | 33.67 | 7.88 | |
| | | NAR Establishment Charge, Per Occasion | | | | | UEP9D | URECA | 0.00 | 71.88 | | | | | | 33.67 | 7.88 | |
| | | Centrex Intercom Functionality, per port | | | | | UEP9E | URECS | | | | | | | | | | |
| | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | | | |
| | Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | | | |
| | Note 2 - Requires Interoffice Channel Mileage | | | | | | | | | | | | | | | | | |
| | Note 3 - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | | | |
| | NOTE: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions. | | | | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Kentucky

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
|--------------------------------|--|---------|------|-------------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| OPERATIONAL SUPPORT SYSTEMS | | | | | | | | | | | | | | | | |
| | NOTE: (1) Electronic Service Order: CLEC should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions. The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge. CLEC may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC may elect the regional electronic service ordering charge. | | | | | | | | | | | | | | | |
| | NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEc rate listed in this category. Please refer to BellSouth's Business Rules for Local Ordering (BBR-LO) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the BBR-LO, the listed SOMEc rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth. | | | | | | | | | | | | | | | |
| | Manual Service Order Charge, per LSR, Disconnect Only (KY) | | | | SOMAN | | | | | 0.99 | | | | | | |
| | Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional) | | | | SOMEc | | 3.50 | | | | | | | | | |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | | |
| | 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | | 10.56 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | | 15.34 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | | 31.11 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | | 46.88 | 46.88 | | | | 7.86 | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | | 24.16 | 24.16 | | | | 7.86 | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1) | | | UEANL | UREWO | | 15.78 | 8.94 | | | | 7.86 | | | | |
| | Engineering Information Document (EI) | | | UEANL | | | 13.49 | 13.49 | | | | | | | | |
| | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 9.00 | 9.00 | | | | | | | | |
| | Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) | | | UEANL | OCOSL | | 23.01 | 23.01 | | | | | | | | |
| | 2-WIRE Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | I | 1 | UEQ | UEQ2X | | 10.58 | 44.97 | 20.89 | 25.64 | 6.65 | | 7.86 | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | I | 2 | UEQ | UEQ2X | | 11.51 | 44.97 | 20.89 | 25.64 | 6.65 | | 7.86 | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | I | 3 | UEQ | UEQ2X | | 13.19 | 44.97 | 20.89 | 25.64 | 6.65 | | 7.86 | | | |
| | Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop) | | | UEQ | USBMC | | | 9.00 | 9.00 | | | | | | | |
| | Engineering Information Document | | | UEQ | | | 13.49 | 13.49 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | | 46.88 | 46.88 | | | | 7.86 | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | | 24.16 | 24.16 | | | | 7.86 | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND) | | | UEQ | UREWO | | 14.27 | 7.43 | | | | 7.86 | | | | |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | | |
| | 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1 | | 1 | UEPSR UEPSB | UEALS | | 10.56 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1 | | 1 | UEPSR UEPSB | UEABS | | 10.56 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2 | | 2 | UEPSR UEPSB | UEALS | | 15.34 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2 | | 2 | UEPSR UEPSB | UEABS | | 15.34 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 | | 3 | UEPSR UEPSB | UEALS | | 31.11 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 | | 3 | UEPSR UEPSB | UEABS | | 31.11 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | | |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | | |
| | 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | | 12.67 | 134.89 | 81.87 | 73.65 | 14.88 | | 7.86 | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | | 17.45 | 134.89 | 81.87 | 73.65 | 14.88 | | 7.86 | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | | 33.22 | 134.89 | 81.87 | 73.65 | 14.88 | | 7.86 | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | | 23.01 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | | 12.67 | 134.89 | 81.87 | 73.65 | 14.88 | | 7.86 | | | |

| UNBUNDLED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---------------------------------------|---------------|--|--|--|--|---------|------|-----|------|-----------|--|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Kentucky

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
|----------|--|-------------|------|-----|-------|-----------|-----------------------|-----------------------|-----------------------|---|---|--|--|---|---|-------|
| | | | | | | Rec | Nonrecurring First | Nonrecurring Add'l | Nonrecurring First | Nonrecurring Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 13.95 | 185.75 | 123.50 | 74.95 | 14.69 | | 7.86 | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 | I | 2 | UHL | UHL4X | 15.68 | 185.75 | 123.50 | 74.95 | 14.69 | | 7.86 | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 16.98 | 185.75 | 123.50 | 74.95 | 14.69 | | 7.86 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.01 | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 13.95 | 164.95 | 114.04 | 77.32 | 15.80 | | 7.86 | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 15.68 | 164.95 | 114.04 | 77.32 | 15.80 | | 7.86 | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 16.98 | 164.95 | 114.04 | 77.32 | 15.80 | | 7.86 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.01 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.14 | 40.40 | | | | 7.86 | | | | |
| | 4-WIRE DS1 DIGITAL LOOP | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 86.47 | 306.69 | 174.44 | 65.83 | 14.55 | | 7.86 | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 114.10 | 306.69 | 174.44 | 65.83 | 14.55 | | 7.86 | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 297.76 | 306.69 | 174.44 | 65.83 | 14.55 | | 7.86 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 23.01 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 101.09 | 43.04 | | | | | | | | |
| | 4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 27.59 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 32.48 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL | UDL19 | 36.37 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 27.59 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 32.48 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 36.37 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 23.01 | | | | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 27.59 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 32.48 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 36.37 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 23.01 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 102.13 | 49.75 | | | | 7.86 | | | | |
| | 2-WIRE Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 10.82 | 140.95 | 78.70 | 69.09 | 11.54 | | 7.86 | | | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 11.79 | 140.95 | 78.70 | 69.09 | 11.54 | | 7.86 | | | | |
| | 2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 12.87 | 140.95 | 78.70 | 69.09 | 11.54 | | 7.86 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 10.82 | 120.15 | 67.97 | 69.09 | 11.54 | | 7.86 | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 11.79 | 120.15 | 67.97 | 69.09 | 11.54 | | 7.86 | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 12.87 | 120.15 | 67.97 | 69.09 | 11.54 | | 7.86 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2L | 24.91 | 140.95 | 78.70 | 69.09 | 11.54 | | 7.86 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2L | 36.94 | 140.95 | 78.70 | 69.09 | 11.54 | | 7.86 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2L | 69.95 | 140.95 | 78.70 | 69.09 | 11.54 | | 7.86 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2W | 24.91 | 120.15 | 67.97 | 69.09 | 11.54 | | 7.86 | | | | |

UNBUNDLED NETWORK ELEMENTS - Kentucky

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|--------------------|--|---------|------|---|-------|-----------|--------------|--------|-------------------------|-------|---------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2W | 36.94 | 120.15 | 67.97 | 69.09 | 11.54 | | 7.86 | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2W | 69.95 | 120.15 | 67.97 | 69.09 | 11.54 | | 7.86 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) | | | UCL | UREWO | | 97.23 | 42.48 | | | | 7.86 | | | | | | |
| 4-WIRE COPPER LOOP | | | | | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 16.92 | 170.31 | 108.06 | 74.95 | 14.69 | | 7.86 | | | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 17.36 | 170.31 | 108.06 | 74.95 | 14.69 | | 7.86 | | | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 28.10 | 170.31 | 108.06 | 74.95 | 14.69 | | 7.86 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4W | 16.92 | 149.52 | 97.33 | 74.95 | 14.69 | | 7.86 | | | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4W | 17.36 | 149.52 | 97.33 | 74.95 | 14.69 | | 7.86 | | | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4W | 28.10 | 149.52 | 97.33 | 74.95 | 14.69 | | 7.86 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 46.91 | 170.31 | 108.06 | 74.95 | 14.69 | | 7.86 | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4L | 45.78 | 170.31 | 108.06 | 74.95 | 14.69 | | 7.86 | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4L | 171.34 | 170.31 | 108.06 | 74.95 | 14.69 | | 7.86 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4O | 46.91 | 149.52 | 97.33 | 74.95 | 14.69 | | 7.86 | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4O | 45.78 | 149.52 | 97.33 | 74.95 | 14.69 | | 7.86 | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4O | 171.34 | 149.52 | 97.33 | 74.95 | 14.69 | | 7.86 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) | | | UCL | UREWO | | 97.23 | 42.48 | | | | 7.86 | | | | | | |
| LOOP MODIFICATION | | | | | | | | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft | | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL | ULM2L | | 9.24 | 9.24 | | | | 7.86 | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft | | | UCL, ULS | ULM2G | | 342.24 | 342.24 | | | | 7.86 | | | | | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft | | | UHL, UCL | ULM4L | | 9.24 | 9.24 | | | | 7.86 | | | | | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft | | | UCL | ULM4G | | 342.24 | 342.24 | | | | 7.86 | | | | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | | | UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL | ULMBT | | 10.47 | 10.47 | | | | 7.86 | | | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | | | |
| | Sub-Loop Distribution | | | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up | I | | UEANL | USBSA | | 207.91 | 207.91 | | | | 7.86 | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---------------------------------------|--|---------|------|----------------------|-------|-----------|--------------|-------|--------------|------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | OSS Rates(\$) | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | I | | UEANL | USBSB | | 12.50 | 12.50 | | | | 7.86 | | | | |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up | I | | UEANL | USBSC | | 80.87 | 80.87 | | | | 7.86 | | | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | I | | UEANL | USBSD | | 45.04 | 45.04 | | | | 7.86 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 | I | 1 | UEANL | USBN2 | 6.34 | 85.03 | 39.05 | 59.81 | 7.90 | | 7.86 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 | I | 2 | UEANL | USBN2 | 9.06 | 85.03 | 39.05 | 59.81 | 7.90 | | 7.86 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 | I | 3 | UEANL | USBN2 | 14.82 | 85.03 | 39.05 | 59.81 | 7.90 | | 7.86 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEANL | USBN4 | 8.14 | 102.31 | 56.32 | 65.24 | 10.88 | | 7.86 | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN4 | 8.63 | 102.31 | 56.32 | 65.24 | 10.88 | | 7.86 | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | 25.60 | 102.31 | 56.32 | 65.24 | 10.88 | | 7.86 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR2 | 2.57 | 68.35 | 22.36 | 59.81 | 7.90 | | 7.86 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR4 | 4.98 | 76.49 | 30.51 | 65.24 | 10.88 | | 7.86 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | I | 1 | UEF | UCS2X | 5.45 | 85.03 | 39.05 | 59.81 | 7.90 | | 7.86 | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | I | 2 | UEF | UCS2X | 7.06 | 85.03 | 39.05 | 59.81 | 7.90 | | 7.86 | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS2X | 9.67 | 85.03 | 39.05 | 59.81 | 7.90 | | 7.86 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | I | 1 | UEF | UCS4X | 7.09 | 102.31 | 56.32 | 65.24 | 10.88 | | 7.86 | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | I | 2 | UEF | UCS4X | 8.66 | 102.31 | 56.32 | 65.24 | 10.88 | | 7.86 | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS4X | 19.40 | 102.31 | 56.32 | 65.24 | 10.88 | | 7.86 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Unbundled Sub-Loop Modification | | | | | | | | | | | | | | | |
| | Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 5.23 | 5.23 | | | | 7.86 | | | | |
| | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 5.23 | 5.23 | | | | 7.86 | | | | |
| | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded | | | UEF | ULM4T | | 7.97 | 7.97 | | | | 7.86 | | | | |
| | Unbundled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | |
| | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.53 | 23.51 | 23.51 | | | | 7.86 | | | | |
| | Network Interface Device (NID) | | | | | | | | | | | | | | | |
| | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 73.53 | 49.47 | | | | 7.86 | | | | |
| | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 115.96 | 91.91 | | | | 7.86 | | | | |
| | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 8.56 | 8.56 | | | | 7.86 | | | | |
| | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 8.56 | 8.56 | | | | 7.86 | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| | Sub-Loop Feeder | | | | | | | | | | | | | | | |
| | USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up | | | UEA, UDN,UCL,UDL,UDC | USBFW | | 207.91 | | | | | 7.86 | | | | |
| | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up | | | UEA, UDN,UCL,UDL,UDC | USBFX | | 12.50 | 12.50 | | | | 7.86 | | | | |
| | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | 527.98 | 11.32 | | | | 7.86 | | | | |

UNBUNDLED NETWORK ELEMENTS - Kentucky

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
|----------|--|---|-------------|------|-----|-------|-----------|--------------|-------------------------|-------|---|---|--|--|---|---|-------|
| | | | | | | | Rec | Nonrecurring | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1 | | 1 | UEA | USBFA | 7.67 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFA | 9.70 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3 | | 3 | UEA | USBFA | 19.53 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | | Order Coordination for Specified Conversion Time, per LSR | | | UEA | OCOSL | | 23.01 | | | | | | | | | |
| | | Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFB | 7.67 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFB | 9.70 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3 | | 3 | UEA | USBFB | 19.53 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | | Order Coordination for Specified Time Conversion, per LSR | | | UEA | OCOSL | | 23.01 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1 | | 1 | UEA | USBFC | 7.67 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2 | | 2 | UEA | USBFC | 9.70 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3 | | 3 | UEA | USBFC | 19.53 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UEA | OCOSL | | 23.01 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFD | 22.82 | 131.73 | 79.98 | 81.82 | 51.56 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFD | 27.24 | 131.73 | 79.98 | 81.82 | 51.56 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3 | | 3 | UEA | USBFD | 61.41 | 131.73 | 79.98 | 81.82 | 51.56 | | 7.86 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 23.01 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFE | 22.82 | 131.73 | 79.98 | 81.82 | 51.56 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFE | 27.24 | 131.73 | 79.98 | 81.82 | 51.56 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3 | | 3 | UEA | USBFE | 61.41 | 131.73 | 79.98 | 81.82 | 51.56 | | 7.86 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 23.01 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | | 1 | UDN | USBFF | 13.00 | 131.79 | 80.04 | 74.16 | 16.60 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | 2 | UDN | USBFF | 16.95 | 131.79 | 80.04 | 74.16 | 16.60 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | | 3 | UDN | USBFF | 28.95 | 131.79 | 80.04 | 74.16 | 16.60 | | 7.86 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UDN | OCOSL | | 23.01 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 1 | UDC | USBFS | 13.00 | 131.79 | 80.04 | 74.16 | 16.60 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 2 | UDC | USBFS | 16.95 | 131.79 | 80.04 | 74.16 | 16.60 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 3 | UDC | USBFS | 28.95 | 131.79 | 80.04 | 74.16 | 16.60 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | USL | USBFG | 62.57 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 87.71 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | USL | USBFG | 273.33 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | USL | OCOSL | | 23.01 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFH | 6.44 | 105.31 | 53.57 | 71.16 | 13.61 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFH | 5.78 | 105.31 | 53.57 | 71.16 | 13.61 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFH | 4.25 | 105.31 | 53.57 | 71.16 | 13.61 | | 7.86 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 23.01 | | | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFJ | 11.33 | 125.55 | 73.80 | 77.12 | 16.86 | | 7.86 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFJ | 10.18 | 125.55 | 73.80 | 77.12 | 16.86 | | 7.86 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFJ | 10.32 | 125.55 | 73.80 | 77.12 | 16.86 | | 7.86 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 23.01 | | | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 20.78 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 2 | UDL | USBFN | 26.41 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 3 | UDL | USBFN | 23.10 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | |

| UNBUNDLED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---------------------------------------|---------------|--|--|--|--|---------|------|-----|------|-----------|--|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|---------------|---|---------|------|---------------------------------|-------|-----------|--------------|--------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN |
| | | Unbundled Contract Name, Provisioning Only - No Rate | | | UEANL,UEF,UEQ,UENTW | UNECN | | | | | | | | | |
| UNE OTHER, PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC | UNECN | 0.00 | 0.00 | | | | | | | |
| | | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | |
| | | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | |
| | | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | |
| | | Unbundled DS1 Loop - Expanded Superframe Format option - no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | |
| HIGH CAPACITY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 9.25 | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | UE3 | UE3PX | 308.31 | 551.38 | 338.08 | 173.00 | 120.42 | 7.86 | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 9.25 | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month | | | UDLSX | UDLS1 | 320.51 | 551.38 | 338.08 | 173.00 | 120.42 | 7.86 | | | |
| LOOP MAKE-UP | | | | | | | | | | | | | | | |
| | | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | UMK | UMKLW | | 23.40 | 23.40 | | | | | | |
| | | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 24.85 | 24.85 | | | | | | |
| | | Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized) | | | UMK | PSUMK | | 0.67 | 0.67 | | | | | | |
| HIGH FREQUENCY SPECTRUM | | | | | | | | | | | | | | | |
| SPLITTERS-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| | | Line Sharing Splitter, per System 96 Line Capacity | | | ULS | ULSDA | 198.83 | 379.05 | 0.00 | 358.55 | 0.00 | 7.86 | | | |
| | | Line Sharing Splitter, per System 24 Line Capacity | | | ULS | ULSDB | 49.71 | 379.05 | 0.00 | 358.55 | 0.00 | 7.86 | | | |
| | | Line Sharing Splitter, Per System, 8 Line Capacity | I | | ULS | ULSD8 | 16.94 | 377.71 | 0.00 | 357.29 | 0.00 | 7.86 | | | |
| | | Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) | | | ULS | ULSDG | | 173.62 | | 100.40 | | 7.86 | | | |
| END USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECTRUM AKA LINE SHARING | | | | | | | | | | | | | | | |
| | | Line Sharing - per Line Activation (BST Owned Splitter) | | | ULS | ULSDC | 0.61 | 37.16 | 21.28 | 20.17 | 9.90 | 7.86 | | | |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) | | | ULS | ULSDS | | 32.90 | 16.43 | | | 7.86 | | | |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) | | | ULS | ULSCS | | 32.90 | 16.43 | | | 7.86 | | | |
| | | Line Sharing - per Line Activation (DLEC owned Splitter) | I | | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 20.67 | 12.74 | 7.86 | | | |
| | | Line Splitting - per line activation DLEC owned splitter | I | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | |
| | | Line Splitting - per line activation BST owned - physical | I | | UEPSR UEPSB | UREBP | 0.647 | 37.02 | 21.20 | 21.10 | 9.87 | 7.86 | | | |
| | | Line Splitting - per line activation BST owned - virtual | I | | UEPSR UEPSB | UREBV | 0.645 | 37.02 | 21.20 | 21.10 | 9.87 | 7.86 | | | |
| UNBUNDLED DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| NOTE: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3/STS-1=four months | | | | | | | | | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.01 | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | U1TVX | U1TV2 | 29.11 | 47.34 | 31.78 | 22.77 | 8.75 | 7.86 | | | |
| | | Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade Rev Bat. - Per Mile per month | | | U1TVX | 1L5XX | 0.01 | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. - Facility Termination per month | | | U1TVX | U1TR2 | 29.11 | 47.34 | 31.78 | 22.77 | 8.75 | 7.86 | | | |
| | | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.01 | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---------------------------------------|--|---|---------|------|-------|-------|-----------|--------------|--------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month | | | U1TVX | U1TV4 | 25.86 | 47.34 | 31.78 | 22.77 | 8.75 | | 7.86 | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0115 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month | | | U1TDX | U1TD5 | 20.97 | 47.35 | 31.78 | 22.77 | 8.75 | | 7.86 | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0115 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | U1TDX | U1TD6 | 20.97 | 47.35 | 31.78 | 22.77 | 8.75 | | 7.86 | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | U1TD1 | 1L5XX | 0.23 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month | | | U1TD1 | U1TF1 | 96.04 | 105.52 | 98.46 | 23.09 | 20.49 | | 7.86 | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | U1TD3 | 1L5XX | 4.97 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | U1TD3 | U1TF3 | 1,175.15 | 335.40 | 219.24 | 89.57 | 87.75 | | 7.86 | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TS1 | 1L5XX | 4.97 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month | | | U1TS1 | U1TFS | 1,149.51 | 335.40 | 219.24 | 89.57 | 87.75 | | 7.86 | | | |
| | | LOCAL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | |
| | | NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3/STS-1=four months | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Per Month | | | ULDVX | ULDV2 | 18.57 | 265.78 | 46.96 | 46.79 | 4.98 | | 7.86 | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month | | | ULDVX | ULDR2 | 18.57 | 265.78 | 46.96 | 46.79 | 4.98 | | 7.86 | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | UNDVX | ULDV4 | 19.86 | 266.48 | 47.65 | 47.54 | 5.73 | | 7.86 | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 1 | | 1 | ULDD1 | ULDF1 | 40.46 | 209.60 | 176.51 | 30.21 | 21.07 | | 7.86 | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 2 | | 2 | ULDD1 | ULDF1 | 43.39 | 209.60 | 176.51 | 30.21 | 21.07 | | 7.86 | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 3 | | 3 | ULDD1 | ULDF1 | 164.50 | 209.60 | 176.51 | 30.21 | 21.07 | | 7.86 | | | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | | ULDD3 | 1L5NC | 8.74 | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination per month | | | ULDD3 | ULDF3 | 576.05 | 551.38 | 338.08 | 173.00 | 120.42 | | 7.86 | | | |
| | | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1 | 1L5NC | 8.74 | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination per month | | | ULDS1 | ULDFS | 543.24 | 551.38 | 338.08 | 173.00 | 120.42 | | 7.86 | | | |
| | | MULTIPLEXERS | | | | | | | | | | | | | | |
| | | Channelization - DS1 to DS0 Channel System | | | UXTD1 | MQ1 | 113.33 | 101.40 | 71.60 | 13.79 | 13.04 | | 7.86 | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UDL | 1D1DD | 1.32 | 10.07 | 7.08 | | | | 7.86 | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month | | | UDN | UC1CA | 2.84 | 10.07 | 7.08 | | | | 7.86 | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UEA | 1D1VG | 0.6228 | 10.07 | 7.08 | | | | 7.86 | | | |
| | | DS3 to DS1 Channel System per month | | | UXTD3 | MQ3 | 158.20 | 199.23 | 118.62 | 50.16 | 48.59 | | 7.86 | | | |
| | | STS1 to DS1 Channel System per month | | | UXTS1 | MQ3 | 158.20 | 199.23 | 118.62 | 50.16 | 48.59 | | 7.86 | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Loop per month | | | USL | UC1D1 | 11.80 | 10.07 | 7.08 | | | | 7.86 | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | ULDD1 | UC1D1 | 11.80 | 10.07 | 7.08 | | | | 7.86 | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 11.80 | 10.07 | 7.08 | | | | 7.86 | | | |
| | | DARK FIBER | | | | | | | | | | | | | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel | | | UDF | 1L5DC | 47.01 | | | | | | | | | |
| | | NRC Dark Fiber - Local Channel | | | UDF | UDFC4 | | 732.53 | 192.67 | 377.27 | 241.67 | | 7.86 | | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel | | | UDF | 1L5DF | 30.74 | | | | | | | | | |
| | | NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | | 732.53 | 192.67 | 377.27 | 241.67 | | 7.86 | | | |

UNBUNDLED NETWORK ELEMENTS - Kentucky

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|--|--|-------------|------|----------|-------|-----------|--------------|----------|-------------------------|--------|---------------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop | | | UDF | 1L5DL | 47.01 | | | | | | | | | | | |
| | NRC Dark Fiber - Local Loop | | | UDF | UDFL4 | | 732.53 | 192.67 | 377.27 | 241.67 | | 7.86 | | | | | |
| TRANSPORT OTHER | | | | | | | | | | | | | | | | | |
| 8XX ACCESS TEN DIGIT SCREENING | | | | | | | | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0006478 | | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved | | | OHD | N8R1X | | 4.14 | 0.70 | | | | 7.86 | | | | | |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations | | | OHD | | | 8.78 | 1.18 | 7.08 | 0.86 | | 7.86 | | | | | |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations | | | OHD | N8FTX | | 8.78 | 1.18 | 7.08 | 0.86 | | 7.86 | | | | | |
| | 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number | | | OHD | N8FCX | | 4.14 | 2.07 | | | | 7.86 | | | | | |
| | 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 4.85 | 2.78 | | | | 7.86 | | | | | |
| | 8XX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | | 4.85 | 0.70 | | | | 7.86 | | | | | |
| | 8XX Access Ten Digit Screening, Call Handling and Destination Features | | | OHD | N8FDX | | 4.14 | 4.14 | | | | 7.86 | | | | | |
| | 8XX Access Ten Digit Screening w/ 8FL No. Delivery, | | | OHD | | 0.0006478 | | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, w/ POTS No. Delivery, | | | OHD | | 0.0006478 | | | | | | | | | | | |
| LINE INFORMATION DATA BASE ACCESS (LIDB) | | | | | | | | | | | | | | | | | |
| | LIDB Common Transport Per Query | | | OQT | | 0.000023 | | | | | | | | | | | |
| | LIDB Validation Per Query | | | OQU | | 0.0137322 | | | | | | | | | | | |
| | LIDB Originating Point Code Establishment or Change | | | OQT, OQU | NRPBX | | 55.12 | | 67.59 | | | 7.86 | | | | | |
| SIGNALING (CCS7) | | | | | | | | | | | | | | | | | |
| | CCS7 Signaling Connection, Per 56 Kbps Facility | | | UDB | TPP++ | 20.71 | 43.56 | 43.56 | 22.45 | 22.45 | | | | | | | |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 151.39 | | | | | | | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message | | | UDB | | 0.0000656 | | | | | | | | | | | |
| | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP++ | 20.71 | 43.56 | 43.56 | 22.45 | 22.45 | | 7.86 | | | | | |
| | CCS7 Signaling Connection, Per link (B link) (also known as D link) | | | UDB | TPP++ | 20.71 | 43.56 | 43.56 | 22.45 | 22.45 | | 7.86 | | | | | |
| | CCS7 Signaling Usage, Per ISUP Message | | | UDB | | 0.0000164 | | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 751.08 | | | | | | | | | | | |
| | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected | | | UDB | CCAPO | | 46.02 | 46.02 | 56.43 | 56.43 | | 7.86 | | | | | |
| | CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected | | | UDB | CCAPD | | 46.02 | 46.02 | 56.43 | 56.43 | | 7.86 | | | | | |
| E911 SERVICE | | | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-wr Voice Grade | | | | | 18.57 | 265.78 | 46.96 | 46.79 | 4.98 | | | 18.94 | 18.94 | | | |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile | | | | | 0.0115 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination | | | | | 29.11 | 47.34 | 31.78 | 22.77 | 8.75 | | | 18.94 | 18.94 | | | |
| | Local Channel - Dedicated - DS1 - Zone 1 | | | | | 40.46 | 209.60 | 176.51 | 30.21 | 21.07 | | | 18.94 | 18.94 | | | |
| | Local Channel - Dedicated - DS1 - Zone 2 | | | | | 43.39 | 209.60 | 176.51 | 30.21 | 21.07 | | | 18.94 | 18.94 | | | |
| | Local Channel - Dedicated - DS1 - Zone 3 | | | | | 164.50 | 209.60 | 176.51 | 30.21 | 21.07 | | | 18.94 | 18.94 | | | |
| | Interoffice Transport - Dedicated - DS1 Per Mile | | | | | 0.23 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 Per Facility Termination | | | | | 96.04 | 105.52 | 98.46 | 23.09 | 20.49 | | | 18.94 | 18.94 | | | |
| CALLING NAME (CNAM) SERVICE | | | | | | | | | | | | | | | | | |
| | CNAM For DB Owners - Service Establishment | | | OQV | | | 25.34 | 25.34 | 23.30 | 23.30 | | 7.86 | | | | | |
| | CNAM For Non DB Owners - Service Establishment | | | OQV | | | 25.34 | 25.34 | 23.30 | 23.30 | | 7.86 | | | | | |
| | CNAM For DB Owners - Service Provisioning With Point Code Establishment | | | OQV | | | 1,591.54 | 1,177.08 | 431.95 | 317.61 | | 7.86 | | | | | |
| | CNAM For Non DB Owners - Service Provisioning With Point Code Establishment | | | OQV | | | 546.40 | 393.74 | 438.93 | 317.61 | | 7.86 | | | | | |
| | CNAM for DB Owners, Per Query | | | OQV | | 0.0010348 | | | | | | | | | | | |
| | CNAM for Non DB Owners, Per Query | | | OQV | | 0.0010348 | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---------------------------------------|---------------|--|--|--|--|---------|-------|-------|-----------|-----------|--------------|----------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | |
| | | | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN |
| | | CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI) | | | | OQV | CDDCH | | | | 595.00 | 595.00 | | | | 7.86 | | |
| LNP Query Service | | | | | | | | | | | | | | | | | | |
| | | LNP Charge Per query | | | | | | | 0.0008695 | | | | | | | | | |
| | | LNP Service Establishment Manual | | | | | | | | | 13.82 | 13.82 | 12.71 | 12.71 | | 7.86 | | |
| | | LNP Service Provisioning with Point Code Establishment | | | | | | | | | 953.27 | 487.00 | 431.95 | 317.61 | | 7.86 | | |
| OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min. - Using BST LIDB | | | | | | | 1.20 | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min. - Using Foreign LIDB | | | | | | | 1.24 | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using BST LIDB | | | | | | | 0.20 | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB | | | | | | | 0.20 | | | | | | | | | |
| INWARD OPERATOR SERVICES | | | | | | | | | | | | | | | | | | |
| | | Inward Operator Services - Verification, Per Call | | | | | | | 1.00 | | | | | | | | | |
| | | Inward Operator Services - Verification and Emergency Interrupt - Per Call | | | | | | | 1.95 | | | | | | | | | |
| BRANDING - OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | | | | |
| | | Recording of Custom Branded OA Announcement | | | | | CBAOS | | | | 7,000.00 | 7,000.00 | | | | 7.86 | | |
| | | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | CBAOL | | | | 500.00 | 500.00 | | | | 7.86 | | |
| | | Unbranding via OLNS for UNEP CLEC | | | | | | | | | | | | | | | | |
| | | Loading of OA per OCN (Regional) | | | | | | | | | 1,200.00 | 1,200.00 | | | | 7.86 | | |
| DIRECTORY ASSISTANCE SERVICES | | | | | | | | | | | | | | | | | | |
| | | DIRECTORY ASSISTANCE ACCESS SERVICE | | | | | | | | | | | | | | | | |
| | | Directory Assistance Access Service Calls, Charge Per Call | | | | | | | 0.275 | | | | | | | | | |
| | | DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC) | | | | | | | | | | | | | | | | |
| | | Directory Assistance Call Completion Access Service (DACC), Per Call Attempt | | | | | | | 0.10 | | | | | | | | | |
| | | DIRECTORY TRANSPORT | | | | | | | | | | | | | | | | |
| DIRECTORY ASSISTANCE SERVICES | | | | | | | | | | | | | | | | | | |
| | | DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS) | | | | | | | | | | | | | | | | |
| | | Directory Assistance Data Base Service Charge Per Listing | | | | | | | 0.04 | | | | | | | | | |
| | | Directory Assistance Data Base Service, per month | | | | | DBSOF | | 150.00 | | | | | | | | | |
| BRANDING - DIRECTORY ASSISTANCE | | | | | | | | | | | | | | | | | | |
| | | Facility Based CLEC | | | | | | | | | | | | | | | | |
| | | Recording and Provisioning of DA Custom Branded Announcement | | | | AMT | CBADA | | | | 6,000.00 | 6,000.00 | | | | | | |
| | | Loading of Custom Branded Announcement per DRAM Card/Switch | | | | AMT | CBADC | | | | 1,170.00 | 1,170.00 | | | | | | |
| | | UNEP CLEC | | | | | | | | | | | | | | | | |
| | | Recording of DA Custom Branded Announcement | | | | | | | | | 3,000.00 | 3,000.00 | | | | | | |
| | | Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN | | | | | | | | | 1,170.00 | 1,170.00 | | | | | | |
| | | Unbranding via OLNS for UNEP CLEC | | | | | | | | | | | | | | | | |
| | | Loading of DA per OCN (1 OCN per Order) | | | | | | | | | 420.00 | 420.00 | | | | | | |
| | | Loading of DA per Switch per OCN | | | | | | | | | 16.00 | 16.00 | | | | | | |
| SELECTIVE ROUTING | | | | | | | | | | | | | | | | | | |
| | | Selective Routing Per Unique Line Class Code Per Request Per Switch | | | | | USRCR | | | | 93.53 | 93.53 | 15.58 | 15.58 | | 7.86 | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | | |
| | | Virtual Collocation - Application Cost | | | | AMTFS | EAF | | | | 2,419.86 | 2,419.86 | 1.01 | 1.01 | | | | |
| | | Virtual Collocation - Cable Installation Cost, per cable | | | | AMTFS | ESPCX | | | | 1,729.11 | 1,729.11 | 45.16 | 45.16 | | | | |
| | | Virtual Collocation - Floor Space, per sq. ft. | | | | AMTFS | ESPVX | 7.99 | | | | | | | | | | |
| | | Virtual Collocation - Power, per breaker amp | | | | AMTFS | ESPAX | 8.06 | | | | | | | | | | |
| | | Virtual Collocation - Cable Support Structure, per entrance cable | | | | AMTFS | ESPSX | 17.38 | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Kentucky

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|---------------------|--|---------|------|---|-------|-----------|--------------|-------|-------------------------|-------|---------------|----------------------------------|--------------------------------------|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | Virtual Collocation - 2-wire Cross Connects (loop) | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX | UEAC2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | 19.99 | | | | | |
| | Virtual Collocation - 4-wire Cross Connects (loop) | | | UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX | UEAC4 | 0.0619 | 24.88 | 23.82 | 12.77 | 11.46 | | 19.99 | | | | | |
| | Virtual Collocation - 2-Fiber Cross Connects | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF | CNC2F | 3.80 | 41.94 | 30.51 | 14.76 | 11.84 | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | Virtual Collocation - 4-Fiber Cross Connects | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF | CNC4F | 7.59 | 51.29 | 39.87 | 19.41 | 16.49 | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | Virtual collocation - DS1 Cross Connects | | | USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1 | CNC1X | 1.48 | 44.23 | 31.98 | 12.81 | 11.57 | | | | | | | |
| | Virtual collocation - DS3 Cross Connects | | | USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNC3X, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 18.89 | 41.93 | 30.51 | 14.75 | 11.83 | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot | | | AMTFS | VE1CB | 0.003 | | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft | | | AMTFS | VE1CD | 0.0045 | | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable | | | AMTFS | VE1CC | | 535.55 | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable | | | AMTFS | VE1CE | | 535.55 | | | | | | | | | | |
| | Virtual collocation - Security Escort - Basic, per half hour | | | AMTFS | SPTBX | | 33.98 | 21.53 | | | | | | | | | |
| | Virtual collocation - Security Escort - Overtime, per half hour | | | AMTFS | SPTOX | | 44.26 | 27.81 | | | | | | | | | |
| | Virtual collocation - Security Escort - Premium, per half hour | | | AMTFS | SPTPX | | 54.54 | 34.09 | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 56.07 | 21.53 | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 73.23 | 27.81 | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 90.39 | 34.09 | | | | | | | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire Analog - Res | | | UEPSR | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res | | | UEPSE | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus | | | UEPSB | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN | | | UEPSX | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN | | | UEPTX | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|--|---------------|---|--|--|--|---------|------|-----|--------------|-----------|--------------|------------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|--|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | | |
| | | | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1 | | | | | | | UEPEX | VE1R4 | 1.48 | 44.23 | 31.98 | 12.81 | 11.57 | | 7.86 | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | | | | | UEPSR, UEPSB | VE1LS | 0.309 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | |
| AIN SELECTIVE CARRIER ROUTING | | | | | | | | | | | | | | | | | | | | |
| | | Regional Service Establishment | | | | | | | SRC | SRCEC | | 193,401.00 | 193,401.00 | 9,483.34 | 9,483.34 | | 7.86 | | | |
| | | End Office Establishment | | | | | | | SRC | SRCEO | | 194.09 | 194.09 | 0.85 | 0.85 | | 7.86 | | | |
| | | Line/Port NRC, per end user | | | | | | | SRC | SRCLP | | 2.06 | 2.06 | | | | 7.86 | | | |
| | | Query NRC, per query | | | | | | | SRC | | 0.0037502 | | | | | | | | | |
| AIN - BELL SOUTH AIN SMS ACCESS SERVICE | | | | | | | | | | | | | | | | | | | | |
| | | AIN SMS Access Service - Service Establishment, Per State, Initial Setup | | | | | | | A1N | CAMSE | | 43.55 | 43.55 | 44.93 | 44.93 | | 7.86 | | | |
| | | AIN SMS Access Service - Port Connection - Dial/Shared Access | | | | | | | A1N | CAMDP | | 8.64 | 8.64 | 10.03 | 10.03 | | 7.86 | | | |
| | | AIN SMS Access Service - Port Connection - ISDN Access | | | | | | | A1N | CAM1P | | 8.64 | 8.64 | 10.03 | 10.03 | | 7.86 | | | |
| | | AIN SMS Access Service - User Identification Codes - Per User ID Code | | | | | | | A1N | CAMAU | | 38.65 | 38.65 | 29.88 | 29.88 | | 7.86 | | | |
| | | AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement | | | | | | | A1N | CAMRC | | 75.08 | 75.08 | 12.93 | 12.93 | | 7.86 | | | |
| | | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | | | | | | | 0.0025 | | | | | | | | | |
| | | AIN SMS Access Service - Session, Per Minute | | | | | | | | | 0.666 | | | | | | | | | |
| | | AIN SMS Access Service - Company Performed Session, Per Minute | | | | | | | | | 0.4608 | | | | | | | | | |
| AIN - BELL SOUTH AIN TOOLKIT SERVICE | | | | | | | | | | | | | | | | | | | | |
| | | AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup | | | | | | | CAM | BAPSC | | 43.55 | 43.55 | 44.93 | 44.93 | | 7.86 | | | |
| | | AIN Toolkit Service - Training Session, Per Customer | | | | | | | | BAPVX | | 8,436.93 | 8,436.93 | | | | 7.86 | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term, Attempt | | | | | | | | BAPTT | | 8.64 | 8.64 | 10.03 | 10.03 | | 7.86 | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay | | | | | | | | BAPTD | | 8.64 | 8.64 | 10.03 | 10.03 | | 7.86 | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate | | | | | | | | BAPTM | | 8.64 | 8.64 | 10.03 | 10.03 | | 7.86 | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP | | | | | | | | BAPTO | | 51.01 | 51.01 | 18.50 | 18.50 | | 7.86 | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP | | | | | | | | BAPTC | | 51.01 | 51.01 | 18.50 | 18.50 | | 7.86 | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code | | | | | | | | BAPTF | | 51.01 | 51.01 | 18.50 | 18.50 | | 7.86 | | | |
| | | AIN Toolkit Service - Query Charge, Per Query | | | | | | | | | 0.0549207 | | | | | | | | | |
| | | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query | | | | | | | | | 0.0066492 | | | | | | | | | |
| | | AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes | | | | | | | | | 0.07 | | | | | | | | | |
| | | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription | | | | | | | CAM | BAPMS | 7.87 | 8.64 | 8.64 | 6.08 | 6.08 | | 7.86 | | | |
| | | AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription | | | | | | | CAM | BAPLS | 3.26 | 9.56 | 9.56 | | | | 7.86 | | | |
| | | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription | | | | | | | CAM | BAPDS | 4.72 | 8.64 | 8.64 | 6.08 | 6.08 | | 7.86 | | | |
| | | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription | | | | | | | CAM | BAPES | 0.11 | 9.56 | 9.56 | | | | 7.86 | | | |
| ENHANCED EXTENDED LINK (EELs) | | | | | | | | | | | | | | | | | | | | |
| NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; | | | | | | | | | | | | | | | | | | | | |
| NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. | | | | | | | | | | | | | | | | | | | | |
| NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) | | | | | | | | | | | | | | | | | | | | |
| NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.) | | | | | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Kentucky

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|-------------|------|-------|-------|-----------|--------------|--------|--------------|------------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 12.67 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.45 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 33.22 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | 7.86 | | | | |
| | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 113.33 | 57.26 | 14.74 | 1.86 | 1.67 | | 7.86 | | | | |
| | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 0.62 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 12.67 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.45 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 33.22 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 0.62 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 29.26 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 34.25 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 85.06 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | 7.86 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 113.33 | 57.26 | 14.74 | 1.86 | 1.67 | | 7.86 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 0.62 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 29.26 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 34.25 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 85.06 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 0.62 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | 7.86 | | | | |

UNBUNDLED NETWORK ELEMENTS - Kentucky

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|---|-------------|------|-------|-------|-----------|--------------|--------|-------------------------|-------|---------------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 113.33 | 57.26 | 14.74 | 1.86 | 1.67 | | 7.86 | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.32 | 6.71 | 4.84 | | | | 7.86 | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.32 | 6.71 | 4.84 | | | | 7.86 | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | | |
| | 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | 7.86 | | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 113.33 | 57.26 | 14.74 | 1.86 | 1.67 | | 7.86 | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.32 | 6.71 | 4.84 | | | | 7.86 | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.32 | 6.71 | 4.84 | | | | 7.86 | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | | |
| | 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 | | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 | | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | 7.86 | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | | |
| | 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | | |

UNBUNDLED NETWORK ELEMENTS - Kentucky

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|--|--|-------------|------|-------|-------|-----------|--------------|--------|-------------------------|-------|---------------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | | | UNC3X | 1L5XX | 4.09 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per month | | | UNC3X | U1TF3 | 966.89 | 350.56 | 141.58 | 48.00 | 23.39 | | 7.86 | | | | | |
| | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 158.20 | 115.48 | 56.53 | 15.12 | 5.30 | | 7.86 | | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | | | | 7.86 | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | | | | 7.86 | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC3X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | | |
| 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 12.67 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.45 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 33.22 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | | |
| | Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.01 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV2 | 23.95 | 98.09 | 53.67 | 56.31 | 22.42 | | 7.86 | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCVX | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | | |
| 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 29.26 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 34.25 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 85.06 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | | |
| | Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.01 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV4 | 21.28 | 98.09 | 53.67 | 56.31 | 22.42 | | 7.86 | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCVX | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | | |
| DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month | | | UNC3X | 1L5ND | 9.25 | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month | | | UNC3X | UE3PX | 308.31 | 237.36 | 147.69 | 83.43 | 32.67 | | 7.86 | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 4.09 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month | | | UNC3X | U1TF3 | 966.89 | 350.56 | 141.58 | 48.00 | 23.39 | | 7.86 | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC3X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | | |
| STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month | | | UNCSX | 1L5ND | 9.25 | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month | | | UNCSX | UDLS1 | 320.51 | 237.36 | 147.69 | 83.43 | 32.67 | | 7.86 | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile per month | | | UNCSX | 1L5XX | 4.09 | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Kentucky

| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
|---|--|---|---------|------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month | | | UNCSX | U1TFS | 945.79 | 350.56 | 141.58 | 48.00 | 23.39 | | 7.86 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCSX | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 | | 1 | UNCNX | U1L2X | 18.44 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2 | | 2 | UNCNX | U1L2X | 25.08 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3 | | 3 | UNCNX | U1L2X | 42.87 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | 7.86 | | | | |
| | | Channelization - Channel System DS1 to DS0 combination - per month | | | UNC1X | MQ1 | 113.33 | 57.26 | 14.74 | 1.86 | 1.67 | | 7.86 | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month | | | UNCNX | UC1CA | 2.84 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1 | | 1 | UNCNX | U1L2X | 18.44 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 | | 2 | UNCNX | U1L2X | 25.08 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 | | 3 | UNCNX | U1L2X | 42.87 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month | | | UNCNX | UC1CA | 2.84 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month | | | UNCSX | 1L5XX | 4.09 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Facility Termination | | | UNCSX | U1TFS | 945.79 | 350.56 | 141.58 | 48.00 | 23.39 | | 7.86 | | | | |
| | | STS1 to DS1 Channel System combination per month | | | UNCSX | MQ3 | 158.20 | 115.48 | 56.53 | 15.12 | 5.30 | | 7.86 | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCSX | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|---------------------------------------|---------------|--|--|--|--|---------|------|-----|------|-----------|--|---------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| </ | | | | | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Kentucky

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|--|--|-------------|------|-------|-------|-----------|--------------|-------|-------------------------|---------------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-WIRE VOICE GRADE LINE PORT RATES (BUS) | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus | | | UEPSB | UEPBL | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| | Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Bus. | | | UEPSB | UEPBM | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| | Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus | | | UEPSB | UEPB1 | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSB | UEPVF | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | EXCHANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPP1 | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPSP | UEPXE | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port Without LUD | | | UEPSP | UEPXF | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port | | | UEPSP | UEPXG | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled PBX Kentucky Premium Calling Port | | | UEPSP | UEPXH | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Kentucky Area Calling Port Without LUD | | | UEPSP | UEPXJ | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPSP | UEPXL | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPSP | UEPXM | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPSP | UEPXO | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSP | UEPSE | UEPVF | 0.00 | 0.00 | 0.00 | | | 7.86 | | | | |
| | EXCHANGE PORT RATES (COIN) | | | | | | | | | | | | | | | |
| | Exchange Ports - Coin Port | | | | | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| | Local Switching Features offered with Port | | | | | | | | | | | | | | | |
| NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. | | | | | | | | | | | | | | | | |
| NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. | | | | | | | | | | | | | | | | |
| | Exchange port - 4-wire ISDN trunk port -all available features included | | | | UEPEX | 101.60 | 188.36 | 95.15 | 61.92 | 22.67 | | 7.86 | | | | |
| | UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| | EXCHANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 10.51 | 92.18 | 15.82 | 52.16 | 5.30 | | 7.86 | | | | |
| | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability | | | UEPDD | UEPDD | 74.77 | 164.86 | 77.74 | 60.69 | 3.86 | | 7.86 | | | | |
| | Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX | UEPSX | 13.46 | 60.60 | 50.67 | 32.83 | 14.17 | | 7.86 | | | | |
| | All Features Offered | | | UEPTX | UEPSX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. | | | | | | | | | | | | | | | | |
| NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|--|---|--|--|--|---------|------|-----|-------------|-----------|--------------|--------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | |
| | | | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN |
| | | Exchange Ports - 2-Wire ISDN Port -- Channel Profiles | | | | | | | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | | | | | UEPEX | UEPEX | 101.60 | 188.36 | 95.15 | 61.92 | 22.67 | | 7.86 | |
| UNBUNDLED LOCAL SWITCHING, PORT USAGE | | | | | | | | | | | | | | | | | | |
| | End Office Switching (Port Usage) | | | | | | | | | | | | | | | | | |
| | | End Office Switching Function, Per MOU | | | | | | | | | 0.0011971 | | | | | | | |
| | | End Office Trunk Port - Shared, Per MOU | | | | | | | | | 0.0002112 | | | | | | | |
| | Tandem Switching (Port Usage) (Local or Access Tandem) | | | | | | | | | | | | | | | | | |
| | | Tandem Switching Function Per MOU | | | | | | | | | 0.000194 | | | | | | | |
| | | Tandem Trunk Port - Shared, Per MOU | | | | | | | | | 0.0002416 | | | | | | | |
| | Common Transport | | | | | | | | | | | | | | | | | |
| | | Common Transport - Per Mile, Per MOU | | | | | | | | | 0.000003 | | | | | | | |
| | | Common Transport - Facilities Termination Per MOU | | | | | | | | | 0.0007466 | | | | | | | |
| UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | | | | |
| Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. | | | | | | | | | | | | | | | | | | |
| Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. | | | | | | | | | | | | | | | | | | |
| End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. | | | | | | | | | | | | | | | | | | |
| For Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos for all states. In GA, KY, LA, MS, SC and TN these nonrecurring charges are commission ordered cost based rates and in AL, FL and NC these nonrecurring charges are Market Rates and are also listed in the Market Rate section. | | | | | | | | | | | | | | | | | | |
| For Currently Combined Combos in all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. | | | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | | | | | 1 | | | 10.79 | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | | | | | 2 | | | 15.52 | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | | | | | 3 | | | 31.74 | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | | | | | 1 | UEPRX | UEPLX | 9.64 | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | | | | 2 | UEPRX | UEPLX | 14.37 | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | | | | 3 | UEPRX | UEPLX | 30.59 | | | | | | | |
| 2-Wire Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled port - residence | | | | | | | UEPRX | UEPRL | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | |
| | | 2-Wire voice unbundled port with Caller ID - res | | | | | | | UEPRX | UEPRC | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | |
| | | 2-Wire voice unbundled port outgoing only - res | | | | | | | UEPRX | UEPRO | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | |
| | | 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res | | | | | | | UEPRX | UEPRM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | | | | | UEPRX | UEPAP | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | |
| FEATURES | | | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | | | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 7.86 | |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | | | | UEPRX | LNPCX | 0.35 | | | | | | | |
| NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | | | | | UEPRX | USAC2 | | 0.10 | 0.10 | | | | 7.86 | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | | | | | UEPRX | USACC | | 0.10 | 0.10 | | | | 7.86 | |
| ADDITIONAL NRCs | | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | | | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 7.86 | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | | | | | 1 | | | 10.79 | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | | | | | 2 | | | 15.52 | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | | | | | 3 | | | 31.74 | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | | | | | 1 | UEPBX | UEPLX | 9.64 | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | | | | 2 | UEPBX | UEPLX | 14.37 | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | | | | 3 | UEPBX | UEPLX | 30.59 | | | | | | | |
| 2-Wire Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | | | | | UEPBX | UEPBL | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | |

| UNBUNDLED NETWORK ELEMENTS - Kentucky | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---------------------------------------|---|---------|------|-------|-------|-----------|--------------------|--------------------|--------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring First | Nonrecurring Add'l | Nonrecurring First | Nonrecurring Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |
| | 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - bus | | | UEPBX | UEPBM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UEPB1 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | |
| | FEATURES | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | |
| | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPBX | USAC2 | | 0.10 | 0.10 | | | | 7.86 | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPBX | USACC | | 0.10 | 0.10 | | | | 7.86 | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 7.86 | | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 10.79 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 15.52 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 31.74 | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 9.64 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG | UEPLX | 14.37 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 30.59 | | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | UEPRG | UEPRD | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | 7.86 | | | |
| | FEATURES | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | |
| | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | UEPRG | USAC2 | | 8.45 | 1.91 | | | | 7.86 | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | UEPRG | USACC | | 8.45 | 1.91 | | | | 7.86 | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 7.86 | 7.86 | | | | 7.86 | | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 10.79 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 15.52 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 31.74 | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 9.64 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 14.37 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX | UEPLX | 30.59 | | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |

UNBUNDLED NETWORK ELEMENTS - Kentucky

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|-------------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|---------------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port without LUD | | | UEPPX | UEPXF | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | 2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port | | | UEPPX | UEPXG | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | 2-Wire Voice Unbundled PBX Kentucky Premium Calling Port | | | UEPPX | UEPXH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | 2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port without LUD | | | UEPPX | UEPXJ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPPX | UEPXO | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | | |
| | FEATURES | | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | | |
| | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 8.45 | 1.91 | | | | 7.86 | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | UEPPX | USACC | | 8.45 | 1.91 | | | | 7.86 | | | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 7.86 | 7.86 | | | | 7.86 | | | | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 10.79 | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 15.52 | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 31.74 | | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 9.64 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 14.37 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 30.59 | | | | | | | | | | | |
| | 2-Wire Voice Grade Line Ports (COIN) | | | | | | | | | | | | | | | | |
| | 2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS) | | | UEPCO | UEPRF | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening (AL, KY) | | | UEPCO | UEPRE | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (KY) | | | UEPCO | UEPKA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCD | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | 2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS) | | | UEPCO | UEPRN | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS) | | | UEPCO | UEPRJ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | 2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS) | | | UEPCO | UEPCN | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|---------------------------------------|---------------|--|--|--|--|--|---------|------|-----|------|-----------|--|---------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Kentucky

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|---|-------------|------|-------------|-------|-----------|--------------|--------|-------------------------|-------|---------------|---|---|--|--|---|---|
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB UEPPR | USL2X | 40.63 | | | | | | 7.86 | | | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | | |
| | | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB UEPPR | UEPPB | 9.59 | 320.53 | 289.13 | 92.19 | 17.56 | | 7.86 | | | | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion | | | UEPPB UEPPR | USACB | 0.00 | 22.77 | 17.00 | | | | 7.86 | | | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPB UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | | |
| | | B-CHANNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | UEPPB UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | | CVS (EWSD) | | | UEPPB UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | | CSD | | | UEPPB UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | | B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN) | | | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | UEPPB UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | | CVS (EWSD) | | | UEPPB UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | | CSD | | | UEPPB UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | | USER TERMINAL PROFILE | | | | | | | | | | | | | | | | |
| | | User Terminal Profile (EWSD only) | | | UEPPB UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | | VERTICAL FEATURES | | | | | | | | | | | | | | | | |
| | | All Vertical Features - One per Channel B User Profile | | | UEPPB UEPPR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | | INTEROFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | |
| | | Interoffice Channel mileage each, including first mile and facilities termination | | | UEPPB UEPPR | M1GNC | 29.12 | 47.34 | 31.78 | 22.77 | 8.75 | | 7.86 | | | | | |
| | | Interoffice Channel mileage each, additional mile | | | UEPPB UEPPR | M1GNM | 0.01 | 0.00 | 0.00 | | | | 7.86 | | | | | |
| | | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT | | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 | | 1 | UEPPP | | 170.06 | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 | | 2 | UEPPP | | 197.70 | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 | | 3 | UEPPP | | 381.35 | | | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | USL4P | 86.47 | | | | | | 7.86 | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | USL4P | 114.10 | | | | | | 7.86 | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | USL4P | 297.76 | | | | | | 7.86 | | | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | UEPPP | 83.59 | 736.16 | 382.74 | 159.48 | 48.82 | | 7.86 | | | | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is | | | UEPPP | USACP | 0.00 | 81.70 | 1.37 | | | | 7.86 | | | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqtl Actvy- Inward/two way tel nos within Std Allowance (except NC) | | | UEPPP | PR7TF | | 0.54 | | | | | 7.86 | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) | | | UEPPP | PR7TO | | 12.71 | 12.71 | | | | 7.86 | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance | | | UEPPP | PR7ZT | | 25.41 | 25.41 | | | | 7.86 | | | | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPP | LNPCN | 1.75 | | | | | | | | | | | |
| | | INTERFACE (Provisioning Only) | | | | | | | | | | | | | | | | |
| | | Voice/Data | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | | Digital Data | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | | Inward Data | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | | New or Additional "B" Channel | | | | | | | | | | | | | | | | |
| | | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 15.48 | | | | | 7.86 | | | | | |
| | | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 15.48 | | | | | 7.86 | | | | | |
| | | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 15.48 | | | | | 7.86 | | | | | |

UNBUNDLED NETWORK ELEMENTS - Kentucky

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|----------|---|---------|------|-------|-------|-----------|--------------|--------|-------------------------|-------|---------------|----------------------------------|--------------------------------------|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | CALL TYPES | | | | | | | | | | | | | | | | |
| | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Interoffice Channel Mileage | | | | | | | | | | | | | | | | |
| | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 96.27 | 105.52 | 98.46 | 23.09 | 20.49 | | 7.86 | | | | | |
| | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.23 | | | | | | | | | | | |
| | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 147.99 | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 175.62 | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 359.28 | | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 86.47 | | | | | | 7.86 | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 114.10 | | | | | | 7.86 | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 297.76 | | | | | | 7.86 | | | | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | |
| | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 61.52 | 780.61 | 375.52 | 176.19 | 16.98 | | 7.86 | | | | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is | | | UEPDC | USAC4 | | 92.84 | 46.70 | | | | 7.86 | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes | | | UEPDC | USAWA | | 92.84 | 46.70 | | | | 7.86 | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk | | | UEPDC | USAWB | | 92.84 | 46.70 | | | | 7.86 | | | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 15.09 | 15.09 | | | | 7.86 | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 15.09 | 15.09 | | | | 7.86 | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan - Inward Trunk w/out DID | | | UEPDC | UDTTC | | 15.09 | 15.09 | | | | 7.86 | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 15.09 | 15.09 | | | | 7.86 | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 15.09 | 15.09 | | | | 7.86 | | | | | |
| | BIPOLAR & ZERO SUBSTITUTION | | | | | | | | | | | | | | | | |
| | B8ZS - Superframe Format | | | UEPDC | CCOSF | | 0.00 | 730.00 | | | | 7.86 | | | | | |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 730.00 | | | | 7.86 | | | | | |
| | Alternate Mark Inversion | | | | | | | | | | | | | | | | |
| | AMI - Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | | |
| | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | | |
| | Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | | |
| | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | 0.00 | | | | 7.86 | | | | | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | | |
| | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | | |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | | |
| | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | | |
| | Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) | | | UEPDC | 1LNO1 | 96.04 | 105.52 | 98.46 | 23.09 | 20.49 | | 7.86 | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.23 | 0.00 | 0.00 | | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | | | UEPDC | 1LNOB | 0.45 | 0.00 | 0.00 | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---------------------------------------|---------------|--|--|--|--|---------|------|-----|------|-----------|--|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | </ | | | | | |

UNBUNDLED NETWORK ELEMENTS - Kentucky

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|---|---|-------------|------|-------|-------|-----------|--------------|-------|-------------------------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | 7.86 | | | | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | 7.86 | | | | |
| | Local Number Portability | | | | | | | | | | | | | | |
| | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | |
| | FEATURES - Vertical and Optional | | | | | | | | | | | | | | |
| | Local Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | |
| | All Features Available | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. | | | | | | | | | | | | | | |
| | These scenarios include: | | | | | | | | | | | | | | |
| | 1. Unbundled port/loop combinations that are Not Currently Combined in Alabama, Florida and North Carolina. | | | | | | | | | | | | | | |
| | 2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAs in BellSouth's region for end users with 4 or more DS0 equivalent lines. | | | | | | | | | | | | | | |
| | The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville). | | | | | | | | | | | | | | |
| | BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined in AL, FL and NC. In the interim where BellSouth cannot bill Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. | | | | | | | | | | | | | | |
| | The Market Rate for unbundled ports includes all available features in all states. | | | | | | | | | | | | | | |
| | End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC: URECU). | | | | | | | | | | | | | | |
| | For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly. | | | | | | | | | | | | | | |
| | Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System | | | | | | | | | | | | | | |
| | A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations. | | | | | | | | | | | | | | |
| | Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted. | | | | | | | | | | | | | | |
| UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | |
| | 1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. | | | | | | | | | | | | | | |
| | 2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. | | | | | | | | | | | | | | |
| | 3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. | | | | | | | | | | | | | | |
| | For Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos. The the first and additional Port nonrecurring charges apply to Not Currently Combined Combos for all states. In GA, KY, LA, MS and TN these nonrecurring charges are commission ordered cost based rates and in AL, FL, NC and SC these nonrecurring charges are Market Rates and are listed in the Market Rate section. For Currently Combined Combos in all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. | | | | | | | | | | | | | | |
| | 5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice. | | | | | | | | | | | | | | |
| | UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP91 | | 10.79 | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP91 | | 15.52 | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP91 | | 31.74 | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP91 | | 13.82 | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP91 | | 18.60 | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP91 | | 34.37 | | | | | | | | | |
| | UNE Loop Rate | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP91 | UECS1 | 9.64 | | | | | 7.86 | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP91 | UECS1 | 14.37 | | | | | 7.86 | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP91 | UECS1 | 30.59 | | | | | 7.86 | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP91 | UECS2 | 12.67 | | | | | 7.86 | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP91 | UECS2 | 17.45 | | | | | 7.86 | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP91 | UECS2 | 33.22 | | | | | 7.86 | | | | |
| | UNE Ports | | | | | | | | | | | | | | |
| | All States (Except North Carolina and Sout Carolina) | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP91 | UEPYB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | 7.86 | | | | |

UNBUNDLED NETWORK ELEMENTS - Kentucky

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
|----------|---|-------------|------|-------|-------|-----------|--------------|-------|-------------------------|---|---|--|--|---|---|-------|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP91 | UEPYH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP91 | UEPYM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP91 | UEPYZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP91 | UEPY9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP91 | UEPY2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | AL, KY, LA, MS, & TN Only | | | | | | | | | | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPQA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPQB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPQH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP91 | UEPQM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP91 | UEPQZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPQ9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPQ2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | Local Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.8873 | | | | | | 7.86 | | | | |
| | Local Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP91 | LNPCC | 0.35 | | | | | | | | | | |
| | Features | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP91 | UEPVF | 0.00 | | | | | | 7.86 | | | | |
| | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 405.66 | | | | | 7.86 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 0.00 | | | | | | 7.86 | | | | |
| | NARS | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | Miscellaneous Terminations | | | | | | | | | | | | | | | |
| | 2-Wire Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP91 | CENA6 | 10.51 | 92.18 | 15.82 | 52.16 | 5.30 | | 7.86 | | | | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | MIGBC | 29.11 | | | | | | 7.86 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | MIGBM | 0.01 | | | | | | 7.86 | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.62 | | | | | | 7.86 | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.62 | | | | | | 7.86 | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP91 | 1PQW7 | 0.62 | | | | | | 7.86 | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP91 | 1PQWP | 0.62 | | | | | | 7.86 | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.62 | | | | | | 7.86 | | | | |
| | Feature Activation on D-4 Channel Bank Tjle Line/Trunk Loop Slot | | | UEP91 | 1PQWQ | 0.62 | | | | | | 7.86 | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.62 | | | | | | 7.86 | | | | |
| | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | Conversion - Currently Combined Switch-As-Is with allowed changes, per port | | | UEP91 | USAC2 | | 0.102 | 0.102 | | | | 7.86 | | | | |
| | Conversion of Existing Centrex Common Block | | | UEP91 | USACN | | 18.95 | 8.32 | | | | | | | | |
| | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | | |
| | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | | |

UNBUNDLED NETWORK ELEMENTS - Kentucky

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|---|-------------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|---------------|---|---|--|--|---|---|
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 78.32 | 78.32 | 13.27 | | | 7.86 | | | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 72.75 | | | | | 7.86 | | | | | |
| | | UNE-P CENTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP95 | | 10.79 | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP95 | | 15.52 | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP95 | | 31.74 | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP95 | | 13.82 | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP95 | | 18.60 | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP95 | | 34.37 | | | | | | | | | | | |
| | | UNE Loop Rate | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 9.64 | | | | | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 14.37 | | | | | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 30.59 | | | | | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 12.67 | | | | | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 17.45 | | | | | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 33.22 | | | | | | 7.86 | | | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | | |
| | | All States | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP95 | UEPYH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP95 | UEPYM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP95 | UEPYZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP95 | UEPY9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP95 | UEPY2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | AL, KY, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP95 | UEPQM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP95 | UEPQZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPQ9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPQ2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | Local Switching | | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.8873 | | | | | | 7.86 | | | | | |
| | | Local Number Portability | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | | |
| | | Features | | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP95 | UEPVF | 0.00 | | | | | | 7.86 | | | | | |
| | | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 405.66 | | | | | 7.86 | | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 0.00 | | | | | | 7.86 | | | | | |
| | | NARS | | | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Kentucky

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|--|-------------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|---|---|--|--|---|---|
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | Miscellaneous Terminations | | | | | | | | | | | | | | | | |
| | 2-Wire Trunk Side | | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP95 | CEND6 | 10.51 | 92.18 | 15.82 | 52.16 | 5.30 | | 7.86 | | | | |
| | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 74.77 | 164.86 | 77.74 | 60.69 | 3.86 | | 7.86 | | | | |
| | | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 15.09 | | | | | 7.86 | | | | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 29.11 | | | | | | 7.86 | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.01 | | | | | | 7.86 | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP95 | 1PQW7 | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank Tjle Line/Trunk Loop Slot | | | UEP95 | 1PQWQ | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.62 | | | | | | 7.86 | | | | |
| | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP95 | USAC2 | | 0.102 | 0.102 | | | | 7.86 | | | | |
| | | Conversion of Existing Centrex Common Block, each | | | UEP95 | USACN | | 18.95 | 8.32 | | | | 7.86 | | | | |
| | | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | | |
| | | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 72.75 | | | | | 7.86 | | | | |
| | UNE-P CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP9D | | 10.79 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9D | | 15.52 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP9D | | 31.74 | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP9D | | 13.82 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9D | | 18.60 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP9D | | 34.37 | | | | | | | | | | |
| | UNE Loop Rate | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 9.64 | | | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 14.37 | | | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 30.59 | | | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 12.67 | | | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 17.45 | | | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 33.22 | | | | | | 7.86 | | | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | |
| | ALL STATES | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |

UNBUNDLED NETWORK ELEMENTS - Kentucky

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|-------------------------------|--|-------------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|---------------|---|---|--|--|---|---|
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9D | UEPYB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area | | | UEP9D | UEPYD | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area | | | UEP9D | UEPYE | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area | | | UEP9D | UEPYF | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area | | | UEP9D | UEPYG | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area | | | UEP9D | UEPYT | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area | | | UEP9D | UEPYU | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area | | | UEP9D | UEPYV | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area | | | UEP9D | UEPY3 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area | | | UEP9D | UEPYH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYJ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area | | | UEP9D | UEPYM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area | | | UEP9D | UEPYO | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area | | | UEP9D | UEPYP | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area | | | UEP9D | UEPYQ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area | | | UEP9D | UEPYR | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area | | | UEP9D | UEPYS | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area | | | UEP9D | UEPY4 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area | | | UEP9D | UEPY5 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | UEP9D | UEPY6 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area | | | UEP9D | UEPY7 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPYZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area | | | UEP9D | UEPY9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area | | | UEP9D | UEPY2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | AL, KY, LA, MS, SC, & TN Only | | | | | | | | | | | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPQB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPQC | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPQD | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPQE | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPQF | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | | |

UNBUNDLED NETWORK ELEMENTS - Kentucky

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
|----------|--|-------------|------|-------|-------|-----------|--------------|--------------|------------|---|---|--|--|---|---|-------|
| | | | | | | Rec | Nonrecurring | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPQG | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPQU | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPQV | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPQ3 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPQH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQW | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQJ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 | | | UEP9D | UEPQM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPQO | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPQP | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPQQ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPQ7 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPQZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPQ9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPQ2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | Local Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Functionality, per port | | | UEP9D | URECS | 0.8873 | | | | | | 7.86 | | | | |
| | Local Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| | Features | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9D | UEPVF | 0.00 | | | | | | 7.86 | | | | |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 405.66 | | | | | 7.86 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 0.00 | | | | | | 7.86 | | | | |
| | NARS | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP9D | UAROx | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | Miscellaneous Terminations | | | | | | | | | | | | | | | |
| | 2-Wire Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9D | CEND6 | 10.51 | 92.18 | 15.82 | 52.16 | 5.30 | | 7.86 | | | | |
| | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 74.77 | 164.86 | 77.74 | 60.69 | 3.86 | | 7.86 | | | | |
| | DS0 Channels Activated per Channel | | | UEP9D | M1HDO | 0.00 | 15.09 | | | | | 7.86 | | | | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 29.11 | | | | | | 7.86 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0.01 | | | | | | 7.86 | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.62 | | | | | | 7.86 | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.62 | | | | | | 7.86 | | | | |

UNBUNDLED NETWORK ELEMENTS - Kentucky

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|---|-------------|------|-------|-------|-----------|--------------|-------------------------|--------|---|---|--|--|---|---|
| | | | | | | | Rec | Nonrecurring | Nonrecurring Disconnect | | | | OSS Rates(\$) | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9D | 1PQW7 | 0.62 | | | | | | 7.86 | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9D | 1PQWP | 0.62 | | | | | | 7.86 | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.62 | | | | | | 7.86 | | | |
| | | Feature Activation on D-4 Channel Bank Tjle Line/Trunk Loop Slot | | | UEP9D | 1PQWQ | 0.62 | | | | | | 7.86 | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.62 | | | | | | 7.86 | | | |
| | | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP9D | USAC2 | | 0.102 | 0.102 | | | | 7.86 | | | |
| | | Conversion of existing Centrex Common Block, each | | | UEP9D | USACN | | 18.95 | 8.32 | | | | 7.86 | | | |
| | | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | |
| | | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 72.75 | | | | | 7.86 | | | |
| | | UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP9E | | 10.79 | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9E | | 15.52 | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP9E | | 31.74 | | | | | | | | | |
| | | UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP9E | | 13.82 | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9E | | 18.60 | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP9E | | 34.37 | | | | | | | | | |
| | | UNE Loop Rate | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 9.64 | | | | | | 7.86 | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 14.37 | | | | | | 7.86 | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 30.59 | | | | | | 7.86 | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E | UECS2 | 12.67 | | | | | | 7.86 | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | 17.45 | | | | | | 7.86 | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9E | UECS2 | 33.22 | | | | | | 7.86 | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | |
| | | AL, FL, KY, LA, MS, & TN only | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9E | UEPYA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9E | UEPYB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP9E | UEPYH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP9E | UEPYM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP9E | UEPYZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP9E | UEPY9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP9E | UEPY2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |
| | | AL, KY, LA, MS, & TN Only | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPQA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPQB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPQH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |

| UNBUNDLED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|---------------------------------------|--|--|--|---|---------|-------|--------|--------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | OSS Rates(\$) | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP9E | UEPQM | 1.15 | | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9E | UEPQZ | 1.15 | | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPQ9 | 1.15 | | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPQ2 | 1.15 | | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | |
| | Local Switching | | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP9E | URECS | 0.8873 | | | | | | | 7.86 | | | |
| | Local Number Portability | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP9E | LNPC | 0.35 | | | | | | | 7.86 | | | |
| | Features | | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP9E | UEPVF | 0.00 | | | | | | | 7.86 | | | |
| | | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 405.66 | | | | | | 7.86 | | | |
| | | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 0.00 | | | | | | | 7.86 | | | |
| | NARS | | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Unbundled Network Access Register - Indial | | | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP9E | UARO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Miscellaneous Terminations | | | | | | | | | | | | | | | | |
| | 2-Wire Trunk Side | | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP9E | CEND6 | 10.51 | 92.18 | 15.82 | 52.16 | 5.30 | | 7.86 | | | | |
| | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 74.77 | 164.86 | 77.74 | 60.69 | 3.86 | | 7.86 | | | | |
| | | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 15.09 | | | | | 7.86 | | | | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP9E | MIGBC | 29.11 | | | | | | 7.86 | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9E | MIGBM | 0.01 | | | | | | 7.86 | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9E | 1PQW6 | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9E | 1PQW7 | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9E | 1PQWP | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP9E | 1PQWQ | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.62 | | | | | | 7.86 | | | | |
| | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP9E | USAC2 | | 0.102 | 0.102 | | | | 7.86 | | | | |
| | | Conversion of Existing Centrex Common Block, each | | | UEP9E | USACN | | 18.95 | 8.32 | | | | | | | | |
| | | New Centrex Standard Common Block | | | UEP9E | M1ACS | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | | |
| | | New Centrex Customized Common Block | | | UEP9E | M1ACC | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | 72.75 | | | | | 7.86 | | | | |
| | UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP93 | | 10.79 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP93 | | 15.52 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP93 | | 31.74 | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|---------------------------------------|---------------|---|-------------|------|-------|-------|-----------|--------------|-------|--------------|---|---|--|--|---|---|--|
| CATEGORY | RATE ELEMENTS | | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP93 | | 13.82 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP93 | | 18.60 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP93 | | 34.37 | | | | | | | | | | |
| | | UNE Loop Rate | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP93 | UECS1 | 9.64 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP93 | UECS1 | 14.37 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP93 | UECS1 | 30.59 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP93 | UECS2 | 12.67 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP93 | UECS2 | 17.45 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP93 | UECS2 | 33.22 | | | | | | | | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | |
| | | AL, KY, LA, MS, & TN only | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP93 | UEPYA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP93 | UEPYB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP93 | UEPYH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP93 | UEPYM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP93 | UEPYZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP93 | UEPY9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP93 | UEPY2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP93 | UEPQA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP93 | UEPQB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP93 | UEPQH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP93 | UEPQM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP93 | UEPQZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPQ9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP93 | UEPQ2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | Local Switching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP93 | URECS | 0.8873 | | | | | | 7.86 | | | | |
| | | Local Number Portability | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP93 | LNCCC | 0.35 | | | | | | | | | | |
| | | Features | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP93 | UEPVF | 0.00 | | | | | | 7.86 | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP93 | UEPVC | 0.00 | | | | | | 7.86 | | | | |
| | | NARS | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Unbundled Network Access Register - Indial | | | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP93 | UAROx | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Miscellaneous Terminations | | | | | | | | | | | | | | | |
| | | 2-Wire Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP93 | CEND6 | 10.51 | 92.18 | 15.82 | 52.16 | 5.30 | | 7.86 | | | | |
| | | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP93 | M1HD1 | 74.77 | 164.86 | 77.74 | 60.69 | 3.86 | | 7.86 | | | | |
| | | DS0 Channels Activated, Per Channel | | | UEP93 | M1HDO | 0.00 | 15.09 | | | | | 7.86 | | | | |
| | | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP93 | MIGBC | 29.11 | | | | | | 7.86 | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP93 | MIGBM | 0.01 | | | | | | 7.86 | | | | |
| | | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|---------------------------------------|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | OSS Rates(\$) | | | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.62 | | | | | | 7.86 | | | |
| | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot | | | UEP93 | 1PQW6 | 0.62 | | | | | | 7.86 | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP93 | 1PQW7 | 0.62 | | | | | | 7.86 | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP93 | 1PQWP | 0.62 | | | | | | 7.86 | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP93 | 1PQWV | 0.62 | | | | | | 7.86 | | | |
| | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot | | | UEP93 | 1PQWQ | 0.62 | | | | | | 7.86 | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | 1PQWA | 0.62 | | | | | | 7.86 | | | |
| | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP93 | USAC2 | | 0.102 | 0.102 | | | | 7.86 | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP93 | USACN | | 18.95 | 8.32 | | | | 7.86 | | | |
| | New Centrex Standard Common Block | | | UEP93 | M1ACS | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | |
| | New Centrex Customized Common Block | | | UEP93 | M1ACC | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP93 | URECA | 0.00 | 72.75 | | | | | 7.86 | | | |
| | Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | |
| | Note 2 - Requires Interoffice Channel Mileage | | | | | | | | | | | | | | |
| | Note 3 - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | |
| | NOTE: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions. | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Louisiana

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|--------------------------------|--|-------------|------|-------------|--------|-----------|--------------|-------|-------------------------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN |
| OPERATIONAL SUPPORT SYSTEMS | | | | | | | | | | | | | | | |
| | NOTE: (1) Electronic Service Order: CLEC should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions. The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge. CLEC may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC may elect the regional electronic service ordering charge. | | | | | | | | | | | | | | |
| | NOTE: (2) Any element that can be ordered electronically will be billed according to the SOME C rate listed in this category. Please refer to BellSouth's Business Rules for Local Ordering (BBR-LO) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the BBR-LO, the listed SOME C rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth. | | | | | | | | | | | | | | |
| | Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional) | | | | SOME C | | 3.50 | | | | | | | | |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 12.90 | 36.54 | 16.87 | | | 15.20 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 23.33 | 36.54 | 16.87 | | | 15.20 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 48.43 | 36.54 | 16.87 | | | 15.20 | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 33.17 | 33.17 | | | 15.20 | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 19.28 | 19.28 | | | 15.20 | | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1) | | | UEANL | UREWO | | 15.75 | 8.93 | | | 15.20 | | | | |
| | Engineering Information Document (EI) | | | UEANL | | | 13.04 | 13.04 | | | | | | | |
| | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 7.92 | 7.92 | | | | | | | |
| | Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) | | | UEANL | OCOSL | | 17.56 | 17.56 | | | | | | | |
| | 2-WIRE Unbundled COPPER LOOP | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | I | 1 | UEQ | UEQ2X | 12.40 | 35.27 | 15.60 | | | 15.20 | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | I | 2 | UEQ | UEQ2X | 14.32 | 35.27 | 15.60 | | | 15.20 | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | I | 3 | UEQ | UEQ2X | 16.87 | 35.27 | 15.60 | | | 15.20 | | | | |
| | Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop) | | | UEQ | USBMC | | 7.92 | 7.92 | | | | | | | |
| | Engineering Information Document | | | UEQ | | | 13.04 | 13.04 | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 33.17 | 33.17 | | | 15.20 | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 19.28 | 19.28 | | | 15.20 | | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND) | | | UEQ | UREWO | | 14.25 | 7.42 | | | 15.20 | | | | |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1 | | 1 | UEPSR UEPSB | UEALS | 12.90 | 36.54 | 16.87 | 0.00 | 0.00 | 15.20 | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1 | | 1 | UEPSR UEPSB | UEABS | 12.90 | 36.54 | 16.87 | 0.00 | 0.00 | 15.20 | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2 | | 2 | UEPSR UEPSB | UEALS | 23.33 | 36.54 | 16.87 | 0.00 | 0.00 | 15.20 | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2 | | 2 | UEPSR UEPSB | UEABS | 23.33 | 36.54 | 16.87 | 0.00 | 0.00 | 15.20 | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 | | 3 | UEPSR UEPSB | UEALS | 48.43 | 36.54 | 16.87 | 0.00 | 0.00 | 15.20 | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 | | 3 | UEPSR UEPSB | UEABS | 48.43 | 36.54 | 16.87 | 0.00 | 0.00 | 15.20 | | | | |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 14.93 | 102.10 | 65.72 | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 25.35 | 102.10 | 65.72 | | | 15.20 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 50.46 | 102.10 | 65.72 | | | 15.20 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 17.56 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 14.93 | 102.10 | 65.72 | | | 15.20 | | | | |

UNBUNDLED NETWORK ELEMENTS - Louisiana

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|---|-------------|------|-----|-------|-----------|-----------------------|-----------------------|-----------------------|-----------------------|---|---|--|--|---|---|
| | | | | | | | Rec | Nonrecurring First | Nonrecurring Add'l | Nonrecurring First | Nonrecurring Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 25.35 | 102.10 | 65.72 | | | | 15.20 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 50.46 | 102.10 | 65.72 | | | | 15.20 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 17.56 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.59 | 36.30 | | | | 15.20 | | | | |
| | | 4-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 30.81 | 127.40 | 91.02 | | | | 15.20 | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA | UEAL4 | 38.32 | 127.40 | 91.02 | | | | 15.20 | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 60.39 | 127.40 | 91.02 | | | | 15.20 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 17.56 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.59 | 36.30 | | | | 15.20 | | | | |
| | | 2-WIRE ISDN DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 22.09 | 113.34 | 76.96 | | | | 15.20 | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 35.28 | 113.34 | 76.96 | | | | 15.20 | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 65.18 | 113.34 | 76.96 | | | | 15.20 | | | | |
| | | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | | 17.56 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 91.49 | 44.09 | | | | 15.20 | | | | |
| | | 2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 | | 1 | UDC | UDC2X | 22.09 | 113.34 | 76.96 | | | | 15.20 | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2 | | 2 | UDC | UDC2X | 35.28 | 113.34 | 76.96 | | | | 15.20 | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3 | | 3 | UDC | UDC2X | 65.18 | 113.34 | 76.96 | | | | 15.20 | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDC | UREWO | | 91.49 | 44.09 | | | | 15.20 | | | | |
| | | 2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP | | | | | | | | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 12.29 | 117.08 | 68.36 | | | | 15.20 | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 14.09 | 117.08 | 68.36 | | | | 15.20 | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 15.75 | 117.08 | 68.36 | | | | 15.20 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 17.56 | | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 12.29 | 92.83 | 56.02 | | | | 15.20 | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 14.09 | 92.83 | 56.02 | | | | 15.20 | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 | | 3 | UAL | UAL2W | 15.75 | 92.83 | 56.02 | | | | 15.20 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 17.56 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 86.07 | 40.34 | | | | 15.20 | | | | |
| | | 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP | | | | | | | | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 9.79 | 125.50 | 76.77 | | | | 15.20 | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 11.52 | 125.50 | 76.77 | | | | 15.20 | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 12.74 | 125.50 | 76.77 | | | | 15.20 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 17.56 | | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 9.79 | 101.24 | 64.43 | | | | 15.20 | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 11.52 | 101.24 | 64.43 | | | | 15.20 | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 12.74 | 101.24 | 64.43 | | | | 15.20 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 17.56 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.00 | 40.34 | | | | 15.20 | | | | |
| | | 4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--|---------------|--|--|---------|------|-----|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 | | | 1 | UHL | UHL4X | 16.24 | 153.26 | 104.54 | | | 15.20 | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 | | | 2 | UHL | UHL4X | 16.65 | 153.26 | 104.54 | | | 15.20 | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 | | | 3 | UHL | UHL4X | 17.34 | 153.26 | 104.54 | | | 15.20 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | | UHL | OCOSL | | 17.56 | | | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 | | | 1 | UHL | UHL4W | 16.24 | 129.00 | 92.20 | | | 15.20 | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | | | 2 | UHL | UHL4W | 16.65 | 129.00 | 92.20 | | | 15.20 | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | | 3 | UHL | UHL4W | 17.34 | 129.00 | 92.20 | | | 15.20 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | | UHL | OCOSL | | 17.56 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | | UHL | UREWO | | 86.00 | 40.34 | | | 15.20 | | | | |
| | | 4-WIRE DS1 DIGITAL LOOP | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 1 | | | 1 | USL | USLXX | 85.70 | 245.16 | 152.98 | | | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | | 2 | USL | USLXX | 194.96 | 245.16 | 152.98 | | | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 3 | | | 3 | USL | USLXX | 491.94 | 245.16 | 152.98 | | | 15.20 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | | USL | OCOSL | | 17.56 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | | USL | UREWO | | 100.93 | 42.98 | | | 15.20 | | | | |
| | | 4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | | 1 | UDL | UDL19 | 30.99 | 121.86 | 85.48 | | | 15.20 | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | | 2 | UDL | UDL19 | 36.78 | 121.86 | 85.48 | | | 15.20 | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | | 3 | UDL | UDL19 | 38.92 | 121.86 | 85.48 | | | 15.20 | | | | |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | | 1 | UDL | UDL56 | 30.99 | 121.86 | 85.48 | | | 15.20 | | | | |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | | 2 | UDL | UDL56 | 36.78 | 121.86 | 85.48 | | | 15.20 | | | | |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | | 3 | UDL | UDL56 | 38.92 | 121.86 | 85.48 | | | 15.20 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | | UDL | OCOSL | | 17.56 | | | | | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | | 1 | UDL | UDL64 | 30.99 | 121.86 | 85.48 | | | 15.20 | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | | 2 | UDL | UDL64 | 36.78 | 121.86 | 85.48 | | | 15.20 | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | | 3 | UDL | UDL64 | 38.92 | 121.86 | 85.48 | | | 15.20 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | | UDL | OCOSL | | 17.56 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | | UDL | UREWO | | 101.97 | 49.67 | | | 15.20 | | | | |
| | | 2-WIRE Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1 | | | 1 | UCL | UCLPB | 12.29 | 116.18 | 67.46 | | | 15.20 | | | | |
| | | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2 | | | 2 | UCL | UCLPB | 14.09 | 116.18 | 67.46 | | | 15.20 | | | | |
| | | 2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3 | | | 3 | UCL | UCLPB | 15.75 | 116.18 | 67.46 | | | 15.20 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | | UCL | UCLMC | | 7.92 | 7.92 | | | | | | | |
| | | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1 | | | 1 | UCL | UCLPW | 12.29 | 91.92 | 55.12 | | | 15.20 | | | | |
| | | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2 | | | 2 | UCL | UCLPW | 14.09 | 91.92 | 55.12 | | | 15.20 | | | | |
| | | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3 | | | 3 | UCL | UCLPW | 15.75 | 91.92 | 55.12 | | | 15.20 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | | UCL | UCLMC | | 7.92 | 7.92 | | | | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1 | | | 1 | UCL | UCL2L | 17.21 | 116.18 | 67.46 | | | 15.20 | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | | | 2 | UCL | UCL2L | 24.98 | 116.18 | 67.46 | | | 15.20 | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 | | | 3 | UCL | UCL2L | 39.57 | 116.18 | 67.46 | | | 15.20 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | | UCL | UCLMC | | 7.92 | 7.92 | | | | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1 | | | 1 | UCL | UCL2W | 17.21 | 91.92 | 55.12 | | | 15.20 | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--|---------------|--|---|---------|---|-------|------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2W | | 24.98 | 91.92 | 55.12 | | | | 15.20 | | | |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2W | | 39.57 | 91.92 | 55.12 | | | | 15.20 | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | | 7.92 | 7.92 | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) | | | UCL | UREWO | | | 91.92 | 42.47 | | | | 15.20 | | | |
| 4-WIRE COPPER LOOP | | | | | | | | | | | | | | | | | |
| | | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4S | | 22.27 | 139.69 | 90.96 | | | | 15.20 | | | |
| | | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4S | | 18.95 | 139.69 | 90.96 | | | | 15.20 | | | |
| | | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4S | | 10.99 | 139.69 | 90.96 | | | | 15.20 | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | | 7.92 | 7.92 | | | | | | | |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4W | | 22.27 | 115.43 | 78.63 | | | | 15.20 | | | |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4W | | 18.95 | 115.43 | 78.63 | | | | 15.20 | | | |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4W | | 10.99 | 115.43 | 78.63 | | | | 15.20 | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | | 7.92 | 7.92 | | | | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | | 26.17 | 139.69 | 90.96 | | | | 15.20 | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4L | | 28.47 | 139.69 | 90.96 | | | | 15.20 | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4L | | 62.93 | 139.69 | 90.96 | | | | 15.20 | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | | 7.92 | 7.92 | | | | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4O | | 26.17 | 115.43 | 78.63 | | | | 15.20 | | | |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4O | | 28.47 | 115.43 | 78.63 | | | | 15.20 | | | |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4O | | 62.93 | 115.43 | 78.63 | | | | 15.20 | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | | 7.92 | 7.92 | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) | | | UCL | UREWO | | | 91.92 | 42.47 | | | | 15.20 | | | |
| LOOP MODIFICATION | | | | | | | | | | | | | | | | | |
| | | Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft | | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL | ULM2L | | | 0.00 | 0.00 | | | | 15.20 | | | |
| | | Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft | | | UCL, ULS | ULM2G | | | 0.00 | 0.00 | | | | 15.20 | | | |
| | | Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft | | | UHL, UCL | ULM4L | | | 0.00 | 0.00 | | | | 15.20 | | | |
| | | Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft | | | UCL | ULM4G | | | 0.00 | 0.00 | | | | 15.20 | | | |
| | | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | | | UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL | ULMBT | | | 12.15 | 12.15 | | | | 15.20 | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | | |
| | | Sub-Loop Distribution | | | | | | | | | | | | | | | |
| | | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up | I | | UEANL | USBSA | | | 144.09 | 144.09 | | | | 15.20 | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|--|--|---|---------|----------------------|-------|--------|-----------|--------------|-------|--------------|------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | I | | UEANL | USBSB | | | 10.99 | 10.99 | | | | 15.20 | | | | |
| | | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up | I | | UEANL | USBSC | | | 86.16 | 86.16 | | | | 15.20 | | | | |
| | | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | I | | UEANL | USBSD | | | 27.13 | 27.13 | | | | 15.20 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 | I | 1 | UEANL | USBN2 | 7.57 | | 63.89 | 30.06 | | | | 15.20 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 | I | 2 | UEANL | USBN2 | 12.75 | | 63.89 | 30.06 | | | | 15.20 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 | I | 3 | UEANL | USBN2 | 21.45 | | 63.89 | 30.06 | | | | 15.20 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | | 7.92 | 7.92 | | | | | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEANL | USBN4 | 11.76 | | 76.75 | 42.92 | | | | 15.20 | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN4 | 16.84 | | 76.75 | 42.92 | | | | 15.20 | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | 19.27 | | 76.75 | 42.92 | | | | 15.20 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | | 7.92 | 7.92 | | | | | | | | |
| | | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR2 | 2.91 | | 51.48 | 17.65 | | | | 15.20 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | | 7.92 | 7.92 | | | | | | | | |
| | | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR4 | 6.58 | | 57.54 | 23.71 | | | | 15.20 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | | 7.92 | 7.92 | | | | | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | I | 1 | UEF | UCS2X | 6.26 | | 63.89 | 30.06 | | | | 15.20 | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | I | 2 | UEF | UCS2X | 10.07 | | 63.89 | 30.06 | | | | 15.20 | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS2X | 12.70 | | 63.89 | 30.06 | | | | 15.20 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | | 7.92 | 7.92 | | | | | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | I | 1 | UEF | UCS4X | 8.03 | | 76.75 | 42.92 | | | | 15.20 | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | I | 2 | UEF | UCS4X | 10.71 | | 76.75 | 42.92 | | | | 15.20 | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS4X | 6.08 | | 76.75 | 42.92 | | | | 15.20 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | | 7.92 | 7.92 | | | | | | | | |
| | | Unbundled Sub-Loop Modification | | | | | | | | | | | | | | | | |
| | | Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded | | | UEF | ULM4T | | | 224.55 | 4.29 | | | | 15.20 | | | | |
| | | Unbundled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | | |
| | | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.3454 | | 14.72 | 14.72 | | | | 15.20 | | | | |
| | | Network Interface Device (NID) | | | | | | | | | | | | | | | | |
| | | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | | 42.26 | 27.83 | | | | 15.20 | | | | |
| | | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | | 62.86 | 48.43 | | | | 15.20 | | | | |
| | | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | | 5.73 | 5.73 | | | | 15.20 | | | | |
| | | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | | 5.73 | 5.73 | | | | 15.20 | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | | | |
| | | Sub-Loop Feeder | | | | | | | | | | | | | | | | |
| | | USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up | | | UEA, UDN,UCL,UDL,UDC | USBFW | | | 144.09 | | | | | 15.20 | | | | |
| | | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up | | | UEA, UDN,UCL,UDL,UDC | USBFX | | | 10.99 | 10.99 | | | | 15.20 | | | | |
| | | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | | 568.98 | 11.30 | | | | 15.20 | | | | |

UNBUNDLED NETWORK ELEMENTS - Louisiana

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|---|-------------|------|-----|-------|-----------|--------------|-------|-------------------------|-------|---|---|--|--|---|---|
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1 | | 1 | UEA | USBFA | 8.71 | 89.81 | 54.35 | | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFA | 13.64 | 89.81 | 54.35 | | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3 | | 3 | UEA | USBFA | 30.21 | 89.81 | 54.35 | | | | 15.20 | | | | |
| | | Order Coordination for Specified Conversion Time, per LSR | | | UEA | OCOSL | | 17.56 | | | | | | | | | |
| | | Unbundle Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFB | 8.71 | 89.81 | 54.35 | | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFB | 13.64 | 89.81 | 54.35 | | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3 | | 3 | UEA | USBFB | 30.21 | 89.81 | 54.35 | | | | 15.20 | | | | |
| | | Order Coordination for Specified Time Conversion, per LSR | | | UEA | OCOSL | | 17.56 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1 | | 1 | UEA | USBFC | 8.71 | 89.81 | 54.35 | | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2 | | 2 | UEA | USBFC | 13.64 | 89.81 | 54.35 | | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3 | | 3 | UEA | USBFC | 30.21 | 89.81 | 54.35 | | | | 15.20 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UEA | OCOSL | | 17.56 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFD | 21.44 | 103.69 | 67.31 | | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFD | 24.66 | 103.69 | 67.31 | | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3 | | 3 | UEA | USBFD | 42.84 | 103.69 | 67.31 | | | | 15.20 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 17.56 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFE | 21.44 | 103.69 | 67.31 | | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFE | 24.66 | 103.69 | 67.31 | | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3 | | 3 | UEA | USBFE | 42.84 | 103.69 | 67.31 | | | | 15.20 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 17.56 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | | 1 | UDN | USBFF | 15.44 | 102.58 | 66.20 | | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | 2 | UDN | USBFF | 23.32 | 102.58 | 66.20 | | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | | 3 | UDN | USBFF | 44.57 | 102.58 | 66.20 | | | | 15.20 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UDN | OCOSL | | 17.56 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 1 | UDC | USBFS | 15.44 | 102.58 | 66.20 | | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 2 | UDC | USBFS | 23.32 | 102.58 | 66.20 | | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 3 | UDC | USBFS | 44.57 | 102.58 | 66.20 | | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | USL | USBFG | 55.38 | 98.15 | 61.77 | | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 167.83 | 98.15 | 61.77 | | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | USL | USBFG | 469.87 | 98.15 | 61.77 | | | | 15.20 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | USL | OCOSL | | 17.56 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFH | 6.96 | 81.36 | 44.98 | | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFH | 4.97 | 81.36 | 44.98 | | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFH | 3.99 | 81.36 | 44.98 | | | | 15.20 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 17.56 | | | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFJ | 15.68 | 98.07 | 61.69 | | | | 15.20 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFJ | 9.68 | 98.07 | 61.69 | | | | 15.20 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFJ | 6.39 | 98.07 | 61.69 | | | | 15.20 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 17.56 | | | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 22.61 | 98.15 | 61.77 | | | | 15.20 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 2 | UDL | USBFN | 22.87 | 98.15 | 61.77 | | | | 15.20 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 3 | UDL | USBFN | 24.25 | 98.15 | 61.77 | | | | 15.20 | | | | |

UNBUNDLED NETWORK ELEMENTS - Louisiana

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|--|---|-------------|------|-------|-------|-----------|--------------|--------|-------------------------|-------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1 | | 1 | UDL | USBFO | 22.61 | 98.15 | 61.77 | | | | 15.20 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2 | | 2 | UDL | USBFO | 22.87 | 98.15 | 61.77 | | | | 15.20 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3 | | 3 | UDL | USBFO | 24.25 | 98.15 | 61.77 | | | | 15.20 | | | | |
| | Order Coordination For Specified Time Conversion, per LSR | | | UDL | OCOSL | | 17.56 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1 | | 1 | UDL | USBFP | 22.61 | 98.15 | 61.77 | | | | 15.20 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2 | | 2 | UDL | USBFP | 22.87 | 98.15 | 61.77 | | | | 15.20 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3 | | 3 | UDL | USBFP | 24.25 | 98.15 | 61.77 | | | | 15.20 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UDL | OCOSL | | 17.56 | | | | | | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| | Sub-Loop Feeder | | | | | | | | | | | | | | | |
| | Sub Loop Feeder - DS3 - Per Mile Per Month | I | | UE3 | 1L5SL | 17.00 | | | | | | | | | | |
| | Sub Loop Feeder - DS3 - Facility Termination Per Month | I | | UE3 | USBF1 | 368.44 | 3,381.00 | 406.56 | | | | 15.20 | | | | |
| | Sub Loop Feeder - STS-1 - Per Mile Per Month | I | | UDLSX | 1L5SL | 17.00 | | | | | | | | | | |
| | Sub Loop Feeder - STS-1 - Facility Termination Per Month | I | | UDLSX | USBF7 | 395.92 | 3,381.00 | 406.56 | | | | 15.20 | | | | |
| | Sub Loop Feeder - OC-3 - Per Mile Per Month | I | | UDLO3 | 1L5SL | 12.90 | | | | | | | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month | I | | UDLO3 | USBF5 | 60.45 | | | | | | | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Per Month | I | | UDLO3 | USBF2 | 594.77 | 3,381.00 | 406.56 | | | | 15.20 | | | | |
| | Sub Loop Feeder - OC-12 - Per Mile Per Month | I | | UDL12 | 1L5SL | 15.87 | | | | | | | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month | I | | UDL12 | USBF6 | 683.03 | | | | | | | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Per Month | I | | UDL12 | USBF3 | 1,922.00 | 3,381.00 | 406.56 | | | | 15.20 | | | | |
| | Sub Loop Feeder - OC-48 - Per Mile Per Month | I | | UDL48 | 1L5SL | 52.07 | | | | | | | | | | |
| | Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month | I | | UDL48 | USBF9 | 341.64 | | | | | | | | | | |
| | Sub Loop Feeder - OC-48 - Facility Termination Per Month | I | | UDL48 | USBF4 | 1,663.00 | 3,566.00 | 406.56 | | | | 15.20 | | | | |
| | Sub Loop Feeder - OC-12 Interface On OC-48 | I | | UDL48 | USBF8 | 385.45 | 787.24 | 406.56 | | | | 15.20 | | | | |
| UNBUNDLED LOOP CONCENTRATION | | | | | | | | | | | | | | | | |
| | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8A | 374.26 | 316.00 | 316.00 | | | | 15.20 | | | | |
| | Unbundled Loop Concentration - System B (TR008) | | | ULC | UCT8B | 53.40 | 131.67 | 131.67 | | | | 15.20 | | | | |
| | Unbundled Loop Concentration - System A (TR303) | | | ULC | UCT3A | 412.08 | 316.00 | 316.00 | | | | 15.20 | | | | |
| | Unbundled Loop Concentration - System B (TR303) | | | ULC | UCT3B | 89.98 | 131.67 | 131.67 | | | | 15.20 | | | | |
| | Unbundled Loop Concentration - DS1 Loop Interface Card | | | ULC | UCTCO | 5.12 | 61.46 | 44.74 | | | | 15.20 | | | | |
| | Unbundled Loop Concentration - ISDN Loop Interface (Brite Card) | | | UDN | ULCC1 | 8.12 | 10.23 | 10.18 | | | | 15.20 | | | | |
| | Unbundled Loop Concentration - UDC Loop Interface (Brite Card) | | | UDC | ULCCU | 8.12 | 10.23 | 10.18 | | | | 15.20 | | | | |
| | Unbundled Loop Concentration - 2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card) | | | UEA | ULCC2 | 2.03 | 10.23 | 10.18 | | | | 15.20 | | | | |
| | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card) | | | UEA | ULCCR | 12.07 | 10.23 | 10.18 | | | | 15.20 | | | | |
| | Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card) | | | UEA | ULCC4 | 7.20 | 10.23 | 10.18 | | | | 15.20 | | | | |
| | Unbundled Loop Concentration - TEST CIRCUIT Card | | | ULC | UCTTC | 35.19 | 10.23 | 10.18 | | | | 15.20 | | | | |
| | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface | | | UDL | ULCC7 | 10.67 | 10.23 | 10.18 | | | | 15.20 | | | | |
| | Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface | | | UDL | ULCC5 | 10.67 | 10.23 | 10.18 | | | | 15.20 | | | | |
| | Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface | | | UDL | ULCC6 | 10.67 | 10.23 | 10.18 | | | | 15.20 | | | | |
| UNE OTHER, PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | | |
| | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | | | | | | | | | | | |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|--|---|---------|------|---------------------------------|-------|-----------|--------------|--------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Unbundled Contract Name, Provisioning Only - No Rate | | | UEANL,UEF,UEQ,UENTW | UNECN | | | | | | | | | | | |
| UNE OTHER, PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | | | |
| | | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled DS1 Loop - Expanded Superframe Format option - no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH CAPACITY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 10.04 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | UE3 | UE3PX | 362.34 | 438.46 | 256.30 | | | | 15.20 | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 10.04 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month | | | UDLSX | UDLS1 | 374.56 | 438.46 | 256.30 | | | | 15.20 | | | | |
| LOOP MAKE-UP | | | | | | | | | | | | | | | | | |
| | | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | UMK | UMKLW | | 23.29 | 23.29 | | | | | | | | |
| | | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 24.70 | 24.70 | | | | | | | | |
| | | Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized) | | | UMK | PSUMK | | 0.19 | 0.19 | | | | | | | | |
| HIGH FREQUENCY SPECTRUM | | | | | | | | | | | | | | | | | |
| | | SPLITTERS-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| | | Line Sharing Splitter, per System 96 Line Capacity | | | ULS | ULSDA | 187.17 | 183.33 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| | | Line Sharing Splitter, per System 24 Line Capacity | | | ULS | ULSDB | 46.79 | 183.33 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| | | Line Sharing Splitter, Per System, 8 Line Capacity | I | | ULS | ULSD8 | 15.59 | 183.33 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| | | Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) | | | ULS | ULSDG | | 83.98 | | 0.00 | | | 15.20 | | | | |
| END USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECTRUM AKA LINE SHARING | | | | | | | | | | | | | | | | | |
| | | Line Sharing - per Line Activation (BST Owned Splitter) | | | ULS | ULSDC | 0.61 | 17.97 | 10.29 | 0.00 | 0.00 | | 15.20 | | | | |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) | | | ULS | ULSDS | | 15.91 | 7.95 | | | | 15.20 | | | | |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) | | | ULS | ULSCS | | 15.91 | 7.95 | | | | 15.20 | | | | |
| | | Line Sharing - per Line Activation (DLEC owned Splitter) | I | | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 0.00 | 0.00 | | 15.20 | | | | |
| | | Line Splitting - per line activation DLEC owned splitter | I | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | |
| | | Line Splitting - per line activation BST owned - physical | I | | UEPSR UEPSB | UREBP | 0.642 | 17.97 | 10.29 | | | | | | | | |
| | | Line Splitting - per line activation BST owned - virtual | I | | UEPSR UEPSB | UREBV | 0.64 | 17.97 | 10.29 | | | | | | | | |
| UNBUNDLED DEDICATED TRANSPORT | | | | | | | | | | | | | | | | | |
| NOTE: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3/STS-1=four months | | | | | | | | | | | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.013 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | U1TVX | U1TV2 | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | | Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade Rev Bat. - Per Mile per month | | | U1TVX | 1L5XX | 0.013 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. - Facility Termination per month | | | U1TVX | U1TR2 | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.013 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|--|---------------|--|--|--|--|---------|------|-----|------|-----------|--|--|--|---------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--|--|--|-------------|------|----------|-------|-----------|--------------|--------|-------------------------|-------|---|---|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop | | | UDF | 1L5DL | 52.23 | | | | | | | | | | |
| | | NRC Dark Fiber - Local Loop | | | UDF | UDFL4 | | 620.60 | 133.88 | | | | 15.20 | | | | |
| TRANSPORT OTHER | | | | | | | | | | | | | | | | | |
| | | Optional Features & Functions: | | | | | | | | | | | | | | | |
| 8XX ACCESS TEN DIGIT SCREENING | | | | | | | | | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0006387 | | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved | | | OHD | N8R1X | | 2.51 | 0.43 | | | | 15.20 | | | | |
| | | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations | | | OHD | | | 5.77 | 0.78 | | | | 15.20 | | | | |
| | | 8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations | | | OHD | N8FTX | | 5.77 | 0.78 | | | | 15.20 | | | | |
| | | 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number | | | OHD | N8FCX | | 2.51 | 1.26 | | | | 15.20 | | | | |
| | | 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 2.93 | 1.68 | | | | 15.20 | | | | |
| | | 8XX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | | 2.93 | 0.43 | | | | 15.20 | | | | |
| | | 8XX Access Ten Digit Screening, Call Handling and Destination Features | | | OHD | N8FDX | | 2.51 | | | | | 15.20 | | | | |
| | | 8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query | | | OHD | | 0.0006387 | | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, w/ POTS No. Delivery, per query | | | OHD | | 0.0006387 | | | | | | | | | | |
| LINE INFORMATION DATA BASE ACCESS (LIDB) | | | | | | | | | | | | | | | | | |
| | | LIDB Common Transport Per Query | | | OQT | | 0.0000221 | | | | | | | | | | |
| | | LIDB Validation Per Query | | | OQU | | 0.0135077 | | | | | | | | | | |
| | | LIDB Originating Point Code Establishment or Change | | | OQT, OQU | NRPBX | | 33.33 | | | | | 15.20 | | | | |
| SIGNALING (CCS7) | | | | | | | | | | | | | | | | | |
| | | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 147.60 | | | | | | | | | | |
| | | CCS7 Signaling Usage, Per TCAP Message | | | UDB | | 0.000064 | | | | | | | | | | |
| | | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP++ | 15.77 | 34.50 | | | | | 15.20 | | | | |
| | | CCS7 Signaling Connection, Per link (B link) (also known as D link) | | | UDB | TPP++ | 15.77 | 34.50 | 34.50 | | | | 15.20 | | | | |
| | | CCS7 Signaling Usage, Per ISUP Message | | | UDB | | 0.000016 | | | | | | | | | | |
| | | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 732.10 | | | | | | | | | | |
| | | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected | | | UDB | CCAPO | | 28.17 | 28.17 | | | | 15.20 | | | | |
| | | CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected | | | UDB | CCAPD | | 28.17 | 28.17 | | | | 15.20 | | | | |
| E911 SERVICE | | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 | | | | | 18.32 | 187.51 | 32.21 | | | | 15.20 | | | | |
| | | Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 | | | | | 18.32 | 187.51 | 32.21 | | | | 15.20 | | | | |
| | | Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 | | | | | 18.32 | 187.51 | 32.21 | | | | 15.20 | | | | |
| | | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile | | | | | 0.013 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination | | | | | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 1 | | | | | 39.18 | 172.34 | 149.27 | | | | 15.20 | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 2 | | | | | 121.58 | 172.34 | 149.27 | | | | 15.20 | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 3 | | | | | 70.02 | 172.34 | 149.27 | | | | 15.20 | | | | |
| | | Interoffice Transport - Dedicated - DS1 Per Mile | | | | | 0.2652 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 Per Facility Termination | | | | | 70.47 | 86.69 | 79.44 | | | | 15.20 | | | | |
| CALLING NAME (CNAM) SERVICE | | | | | | | | | | | | | | | | | |
| | | CNAM for DB Owners, Per Query | | | OQV | | 0.0010217 | | | | | | | | | | |
| | | CNAM for Non DB Owners, Per Query | | | OQV | | 0.0010217 | | | | | | | | | | |
| | | CNAM For DB Owners - Service Establishment | | | OQV | | | 22.29 | | | | | 15.20 | | | | |
| | | CNAM For Non DB Owners - Service Establishment | | | OQV | | | 22.29 | | | | | 15.20 | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--|---------------|--|--|---------|------|-------|-------|-----------|--------------|----------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | CNAM For DB Owners - Service Provisioning With Point Code Establishment | | | | OQV | | | 962.22 | 711.64 | | | | 15.20 | | | |
| | | CNAM For Non DB Owners - Service Provisioning With Point Code Establishment | | | | OQV | | | 332.43 | 238.05 | | | | 15.20 | | | |
| LNP Query Service | | | | | | | | | | | | | | | | | |
| | | LNP Charge Per query | | | | OQV | | 0.0008559 | | | | | | | | | |
| | | LNP Service Establishment Manual | | | | | | | 12.16 | | | | | 15.20 | | | |
| | | LNP Service Provisioning with Point Code Establishment | | | | | | | 576.33 | 294.43 | | | | 15.20 | | | |
| OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min. - Using BST LIDB | | | | | | 1.20 | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min. - Using Foreign LIDB | | | | | | 1.24 | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using BST LIDB | | | | | | 0.20 | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB | | | | | | 0.20 | | | | | | | | | |
| INWARD OPERATOR SERVICES | | | | | | | | | | | | | | | | | |
| | | Inward Operator Services - Verification, Per Minute | | | | | | 1.15 | | | | | | | | | |
| | | Inward Operator Services - Verification and Emergency Interrupt - Per Minute | | | | | | 1.15 | | | | | | | | | |
| BRANDING - OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | | | |
| | | Recording of Custom Branded OA Announcement | | | | | CBAOS | | 7,000.00 | 7,000.00 | | | | 15.20 | | | |
| | | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | CBAOL | | 500.00 | 500.00 | | | | 15.20 | | | |
| | | Unbranding via OLNS for UNEP CLEC | | | | | | | | | | | | | | | |
| | | Loading of OA per OCN (Regional) | | | | | | | 1,200.00 | 1,200.00 | | | | 15.20 | | | |
| DIRECTORY ASSISTANCE SERVICES | | | | | | | | | | | | | | | | | |
| | | DIRECTORY ASSISTANCE ACCESS SERVICE | | | | | | | | | | | | | | | |
| | | Directory Assistance Access Service Calls, Charge Per Call | | | | | | 0.275 | | | | | | | | | |
| | | DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC) | | | | | | | | | | | | | | | |
| | | Directory Assistance Call Completion Access Service (DACC), Per Call Attempt | | | | | | 0.10 | | | | | | | | | |
| | | DIRECTORY TRANSPORT | | | | | | | | | | | | | | | |
| DIRECTORY ASSISTANCE SERVICES | | | | | | | | | | | | | | | | | |
| | | DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS) | | | | | | | | | | | | | | | |
| | | Directory Assistance Data Base Service Charge Per Listing | | | | | | 0.04 | | | | | | | | | |
| | | Directory Assistance Data Base Service, per month | | | | | DBSOF | 150.00 | | | | | | | | | |
| BRANDING - DIRECTORY ASSISTANCE | | | | | | | | | | | | | | | | | |
| | | Facility Based CLEC | | | | | | | | | | | | | | | |
| | | Recording and Provisioning of DA Custom Branded Announcement | | | | AMT | CBADA | | 6,000.00 | 6,000.00 | | | | | | | |
| | | Loading of Custom Branded Announcement per DRAM Card/Switch | | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | | | | |
| | | UNEP CLEC | | | | | | | | | | | | | | | |
| | | Recording of DA Custom Branded Announcement | | | | | | | 3,000.00 | 3,000.00 | | | | | | | |
| | | Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN | | | | | | | 1,170.00 | 1,170.00 | | | | | | | |
| | | Unbranding via OLNS for UNEP CLEC | | | | | | | | | | | | | | | |
| | | Loading of DA per OCN (1 OCN per Order) | | | | | | | 420.00 | 420.00 | | | | | | | |
| | | Loading of DA per Switch per OCN | | | | | | | 16.00 | 16.00 | | | | | | | |
| SELECTIVE ROUTING | | | | | | | | | | | | | | | | | |
| | | Selective Routing Per Unique Line Class Code Per Request Per Switch | | | | | USRCR | | 82.25 | 82.25 | | | | 15.20 | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | | Virtual Collocation - Application Cost | | | | AMTFS | EAF | | 1,770.40 | | | | | | | | |
| | | Virtual Collocation - Cable Installation Cost, per cable | | | | AMTFS | ESPCX | | 841.54 | | | | | | | | |
| | | Virtual Collocation - Floor Space, per sq. ft. | | | | AMTFS | ESPVX | 3.20 | | | | | | | | | |
| | | Virtual Collocation - Power, per breaker amp | | | | AMTFS | ESPAX | 8.32 | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|--|--|---------|------|---|-------|-----------|--------------|-------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual Collocation - Cable Support Structure, per entrance cable | | | AMTFS | ESPSX | 16.02 | | | | | | | | | | |
| | | Virtual Collocation - 2-wire Cross Connects (loop) | | | UEANL,UEA,UDN,UDC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX | UEAC2 | 0.0296 | 11.94 | 11.46 | | | | 15.20 | | | | |
| | | Virtual Collocation - 4-wire Cross Connects (loop) | | | UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX | UEAC4 | 0.0591 | 12.04 | 11.53 | | | | 15.20 | | | | |
| | | Virtual Collocation - 2-Fiber Cross Connects | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF | CNC2F | 2.65 | 20.29 | 14.76 | | | | 15.20 | | | | |
| | | Virtual Collocation - 4-Fiber Cross Connects | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF | CNC4F | 5.31 | 24.81 | 19.29 | | | | 15.20 | | | | |
| | | Virtual collocation - DS1 Cross Connects | | | USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1 | CNC1X | 1.04 | 21.39 | 15.47 | | | | 15.20 | | | | |
| | | Virtual collocation - DS3 Cross Connects | | | USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 13.21 | 20.28 | 14.76 | | | | 15.20 | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot | | | AMTFS | VE1CB | 0.0024 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft | | | AMTFS | VE1CD | 0.0036 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable | | | AMTFS | VE1CC | | 534.79 | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable | | | AMTFS | VE1CE | | 534.79 | | | | | | | | | |
| | | Virtual collocation - Security Escort - Basic, per half hour | | | AMTFS | SPTBX | | 16.44 | 10.42 | | | | | | | | |
| | | Virtual collocation - Security Escort - Overtime, per half hour | | | AMTFS | SPTOX | | 21.41 | 13.45 | | | | | | | | |
| | | Virtual collocation - Security Escort - Premium, per half hour | | | AMTFS | SPTPX | | 26.38 | 16.49 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 27.12 | 10.42 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 35.42 | 13.45 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 43.72 | 16.49 | | | | | | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire Analog - Res | | | UEPSR | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | 15.20 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | 15.20 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res | | | UEPSE | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | 15.20 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus | | | UEPSB | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | 15.20 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN | | | UEPSX | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | 15.20 | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|---------------|---|---------|------|--------------|-------|-----------|--------------|----------|--------------|------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | OSS Rates(\$) | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN | | | UEPTX | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | 15.20 | | | | |
| | | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1 | | | UEPEX | VE1R4 | 0.0591 | 12.04 | 11.53 | | | | 15.20 | | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR, UEPSB | VE1LS | 0.0296 | 11.94 | 11.46 | 0.00 | 0.00 | | 15.20 | | | | |
| AIN SELECTIVE CARRIER ROUTING | | | | | | | | | | | | | | | | | |
| | | Regional Service Establishment | | | UEBIB | SRCEC | | 100,209.33 | | | | | 15.20 | | | | |
| | | End Office Establishment | | | UEBIB | SRCEO | | 164.29 | 164.29 | | | | 15.20 | | | | |
| | | Query NRC, per query | | | UEBIB | | 0.0030293 | | | | | | | | | | |
| AIN - BELLSOUTH AIN SMS ACCESS SERVICE | | | | | | | | | | | | | | | | | |
| | | AIN SMS Access Service - Service Establishment, Per State, Initial Setup | | | A1N | CAMSE | | 38.30 | 38.30 | | | | 15.20 | | | | |
| | | AIN SMS Access Service - Port Connection - Dial/Shared Access | | | A1N | CAMDP | | 7.60 | 7.60 | | | | 15.20 | | | | |
| | | AIN SMS Access Service - Port Connection - ISDN Access | | | A1N | CAM1P | | 7.60 | 7.60 | | | | 15.20 | | | | |
| | | AIN SMS Access Service - User Identification Codes - Per User ID Code | | | A1N | CAMAU | | 33.99 | 33.99 | | | | 15.20 | | | | |
| | | AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement | | | A1N | CAMRC | | 41.39 | 41.39 | | | | 15.20 | | | | |
| | | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | | | 0.0022 | | | | | | | | | | |
| | | AIN SMS Access Service - Session, Per Minute | | | | | 0.5795 | | | | | | | | | | |
| | | AIN SMS Access Service - Company Performed Session, Per Minute | | | | | 0.8104 | | | | | | | | | | |
| AIN - BELLSOUTH AIN TOOLKIT SERVICE | | | | | | | | | | | | | | | | | |
| | | AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup | | | CAM | BAPSC | | 38.30 | 38.30 | | | | 15.20 | | | | |
| | | AIN Toolkit Service - Training Session, Per Customer | | | | BAPVX | | 4,175.10 | 4,175.10 | | | | 15.20 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt | | | | BAPTT | | 7.60 | 7.60 | | | | 15.20 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay | | | | BAPTD | | 7.60 | 7.60 | | | | 15.20 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate | | | | BAPTM | | 7.60 | 7.60 | | | | 15.20 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP | | | | BAPTO | | 33.47 | 33.47 | | | | 15.20 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP | | | | BAPTC | | 33.47 | 33.47 | | | | 15.20 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code | | | | BAPTF | | 33.47 | 33.47 | | | | 15.20 | | | | |
| | | AIN Toolkit Service - Query Charge, Per Query | | | | | 0.0536446 | | | | | | | | | | |
| | | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query | | | | | 0.006569 | | | | | | | | | | |
| | | AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes | | | | | 0.06 | | | | | | | | | | |
| | | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription | | | CAM | BAPMS | 10.90 | 7.60 | 7.60 | | | | 15.20 | | | | |
| | | AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription | | | CAM | BAPLS | 2.80 | 8.41 | 8.41 | | | | 15.20 | | | | |
| | | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription | | | CAM | BAPDS | 8.20 | 7.60 | 7.60 | | | | 15.20 | | | | |
| | | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription | | | CAM | BAPES | 0.09 | 8.41 | 8.41 | | | | 15.20 | | | | |
| ENHANCED EXTENDED LINK (EELs) | | | | | | | | | | | | | | | | | |
| NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; | | | | | | | | | | | | | | | | | |
| NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. | | | | | | | | | | | | | | | | | |
| NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) | | | | | | | | | | | | | | | | | |
| NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.) | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--|---------------|--|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 | | | 1 | UNCVX | UEAL2 | 14.93 | 94.21 | 45.09 | | | | 15.20 | | | |
| | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 | | | 2 | UNCVX | UEAL2 | 25.35 | 94.21 | 45.09 | | | | 15.20 | | | |
| | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 | | | 3 | UNCVX | UEAL2 | 50.46 | 94.21 | 45.09 | | | | 15.20 | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile per month | | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | 15.20 | | | |
| | | DS1 Channelization System Per Month | | | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | | 15.20 | | | |
| | | Voice Grade COCI - DS1 To DS0 Interface - Per Month | | | | UNCVX | 1D1VG | 0.6497 | 5.91 | 4.26 | | | | | | | |
| | | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 | | | 1 | UNCVX | UEAL2 | 14.93 | 94.21 | 45.09 | | | | 15.20 | | | |
| | | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 | | | 2 | UNCVX | UEAL2 | 25.35 | 94.21 | 45.09 | | | | 15.20 | | | |
| | | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 | | | 3 | UNCVX | UEAL2 | 50.46 | 94.21 | 45.09 | | | | 15.20 | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | | UNCVX | 1D1VG | 0.6497 | 5.91 | 4.26 | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | | UNC1X | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | |
| 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | | 1 | UNCVX | UEAL4 | 30.81 | 94.21 | 45.09 | | | | 15.20 | | | |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | | 2 | UNCVX | UEAL4 | 38.32 | 94.21 | 45.09 | | | | 15.20 | | | |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | | 3 | UNCVX | UEAL4 | 60.39 | 94.21 | 45.09 | | | | 15.20 | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month | | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | 15.20 | | | |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | | UNCVX | 1D1VG | 0.6497 | 5.91 | 4.26 | | | | | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 | | | 1 | UNCVX | UEAL4 | 30.81 | 94.21 | 45.09 | | | | 15.20 | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | | 2 | UNCVX | UEAL4 | 38.32 | 94.21 | 45.09 | | | | 15.20 | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 | | | 3 | UNCVX | UEAL4 | 60.39 | 94.21 | 45.09 | | | | 15.20 | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | | UNCVX | 1D1VG | 0.6497 | 5.91 | 4.26 | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | | UNC1X | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | |
| 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | | 1 | UNCDX | UDL56 | 30.99 | 94.21 | 45.09 | | | | 15.20 | | | |
| | | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | | 2 | UNCDX | UDL56 | 36.78 | 94.21 | 45.09 | | | | 15.20 | | | |
| | | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | | 3 | UNCDX | UDL56 | 38.92 | 94.21 | 45.09 | | | | 15.20 | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month | | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | 15.20 | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|--|---|---------|------|--------|-------|-----------|--------------|--------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UNCDCX | 1D1DD | 1.38 | 5.91 | 4.26 | | | | | | | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDCX | UDL56 | 30.99 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDCX | UDL56 | 36.78 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDCX | UDL56 | 38.92 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs) | | | UNCDCX | 1D1DD | 1.38 | 5.91 | 4.26 | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDCX | UDL64 | 30.99 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDCX | UDL64 | 36.78 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDCX | UDL64 | 38.92 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | 15.20 | | | | |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDCX | 1D1DD | 1.38 | 5.91 | 4.26 | | | | | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDCX | UDL64 | 30.99 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDCX | UDL64 | 36.78 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDCX | UDL64 | 38.92 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDCX | 1D1DD | 1.38 | 5.91 | 4.26 | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 | | 1 | UNC1X | USLXX | 85.70 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 | | 3 | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | 15.20 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 85.70 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | | 15.20 | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--|--|---------|------|-------|-------|-----------|--------------|--------|--------------|------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | | | UNC3X | 1L5XX | 6.04 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per month | | | UNC3X | U1TF3 | 850.45 | 296.68 | 121.16 | | | | 15.20 | | | | |
| | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 201.48 | 107.05 | 48.07 | | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 85.70 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC3X | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.93 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 25.35 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 50.46 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.013 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV2 | 22.60 | 72.60 | 41.75 | | | | 15.20 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCVX | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 30.81 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.32 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 60.39 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.013 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV4 | 19.81 | 72.60 | 41.75 | | | | 15.20 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCVX | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month | | | UNC3X | 1L5ND | 10.04 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month | | | UNC3X | UE3PX | 362.34 | 188.45 | 125.51 | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 6.04 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month | | | UNC3X | U1TF3 | 850.45 | 296.68 | 121.16 | | | | 15.20 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC3X | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month | | | UNCSX | 1L5ND | 10.04 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month | | | UNCSX | UDLS1 | 374.56 | 188.45 | 125.51 | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile per month | | | UNCSX | 1L5XX | 6.04 | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Louisiana

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|---|---|-------------|------|-------|-------|-----------|--------------|--------|--------------|------------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month | | | UNCSX | U1TFS | 830.19 | 296.68 | 121.16 | | | | 15.20 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCSX | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 | | 1 | UNCNX | U1L2X | 22.09 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2 | | 2 | UNCNX | U1L2X | 35.28 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3 | | 3 | UNCNX | U1L2X | 65.18 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | 15.20 | | | | |
| | Channelization - Channel System DS1 to DS0 combination - per month | | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month | | | UNCNX | UC1CA | 2.96 | 5.91 | 4.26 | | | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1 | | 1 | UNCNX | U1L2X | 22.09 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 | | 2 | UNCNX | U1L2X | 35.28 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 | | 3 | UNCNX | U1L2X | 65.18 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combinaiaon- per month | | | UNCNX | UC1CA | 2.96 | 5.91 | 4.26 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 85.70 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month | | | UNCSX | 1L5XX | 6.04 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility Termination | | | UNCSX | U1TFS | 830.19 | 296.68 | 121.16 | | | | 15.20 | | | | |
| | STS1 to DS1 Channel System combination per month | | | UNCSX | MQ3 | 201.48 | 107.05 | 48.07 | | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | | | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 85.70 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCSX | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 30.99 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 36.78 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 38.92 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.013 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | | Attachment: 2 | Exhibit: B | |
|--|---|---------|------|-------|-------|-----------|--------------|--------|--------------|------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination | | | UNCDX | U1TD5 | 15.61 | 72.60 | 41.75 | | | | 15.20 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCDX | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| | 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 30.99 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 36.78 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 38.92 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.013 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination | | | UNCDX | U1TD6 | 15.61 | 72.60 | 41.75 | | | | 15.20 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCDX | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| ADDITIONAL NETWORK ELEMENTS | | | | | | | | | | | | | | | | |
| | When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. | | | | | | | | | | | | | | | |
| | When used as ordinary combined network elements in Louisiana, the non-recurring charges apply and the Switch As Is Charge does not. | | | | | | | | | | | | | | | |
| | Access to DCS - Customer Reconfiguration (FlexServ) | | | | | | | | | | | | | | | |
| | Node (SynchroNet) | | | | | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) | | | | | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps | | | UNCDX | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - DS1 | | | UNC1X | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - DS3 | | | UNC3X | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - STS1 | | | UNCSX | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| | NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Zone 1 | | 1 | UNCVX | ULDV2 | 18.32 | 187.51 | 32.21 | | | | 15.20 | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade Zone 1 | | 1 | UNCVX | ULDV4 | 19.41 | 187.94 | 32.63 | | | | 15.20 | | | | |
| | Local Channel - Dedicated - DS1 per month Zone 1 | | 1 | UNC1X | ULDF1 | 39.18 | 172.34 | 149.27 | | | | 15.20 | | | | |
| | Local Channel - Dedicated -DS1- Per Month Zone 2 | | 2 | UNC1X | ULDF1 | 121.58 | 172.34 | 149.27 | | | | 15.20 | | | | |
| | Local Channel - Dedicated - DS1- Per Month Zone 3 | | 3 | UNC1X | ULDF1 | 70.02 | 172.34 | 149.27 | | | | 15.20 | | | | |
| | Local Channel - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5NC | 7.82 | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 - Facility Termination per month | | | UNC3X | ULDF3 | 469.44 | 438.46 | 256.30 | | | | 15.20 | | | | |
| | Local Channel - Dedicated - STS-1- Per Mile per month | | | UNCSX | 1L5NC | 7.82 | | | | | | 15.20 | | | | |
| | Local Channel - Dedicated - STS-1 - Facility Termination per month | | | UNCSX | ULDFS | 457.22 | 438.46 | 256.30 | | | | | | | | |
| UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | | |
| | Exchange Ports | | | | | | | | | | | | | | | |
| | NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs | | | | | | | | | | | | | | | |
| | 2-WIRE VOICE GRADE LINE PORT RATES (RES) | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res. | | | UEPSR | UEPAS | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL) | | | UEPSR | UEPAG | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |

UNBUNDLED NETWORK ELEMENTS - Louisiana

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|--|--|-------------|------|-------|-------|-----------|--------------|-------|--------------|------------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) | | | UEPSR | UEPAP | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSR | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 2-WIRE VOICE GRADE LINE PORT RATES (BUS) | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus | | | UEPSB | UEPBL | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Bus. | | | UEPSB | UEPAX | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus | | | UEPSB | UEPB1 | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area Calling Port with Caller ID - Bus (BUC) | | | UEPSB | UEPAA | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSB | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | EXCHANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPP1 | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port | | | UEPSP | UEPL2 | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPSP | UEPXE | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Callling Port | | | UEPSP | UEPKX | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPSP | UEPXL | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPSP | UEPXM | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPSP | UEPXO | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port | | | UEPSP | UEPXP | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSP | UEPSE | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | EXCHANGE PORT RATES (COIN) | | | | | | | | | | | | | | | |
| | Exchange Ports - Coin Port | | | | | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. | | | | | | | | | | | | | | | | |
| NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. | | | | | | | | | | | | | | | | |
| UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | | |
| | EXCHANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 8.29 | 115.85 | 18.20 | | | | 15.20 | | | | |
| | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability | | | UEPDD | UEPDD | 68.47 | 196.18 | 92.92 | | | | 15.20 | | | | |
| | Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX | UEPSX | 10.07 | 70.76 | 51.46 | | | | 15.20 | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|---------------|--|--|--|--|---------|------|-----|------|-----------|--|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | </ | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--|---------------|--|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | OSS Rates(\$) | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | | 1 | UEPBX | UEPLX | 11.77 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | 2 | UEPBX | UEPLX | 22.39 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | 3 | UEPBX | UEPLX | 48.26 | | | | | | | | | |
| | | 2-Wire Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | | UEPBX | UEPBL | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | | UEPBX | UEPBC | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire voice unbundled port outgoing only - bus | | | | UEPBX | UEPBO | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - bus | | | | UEPBX | UEPAX | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | | UEPBX | UEPB1 | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC) | | | | UEPBX | UEPAA | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | UEPBX | LNPCX | 0.35 | | | | | | | | | |
| | | FEATURES | | | | | | | | | | | | | | | |
| | | All Features Offered | | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | 15.20 | | | | |
| | | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | | UEPBX | USAC2 | | 0.10 | 0.10 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | | UEPBX | USACC | | 0.10 | 0.10 | | | 15.20 | | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | 15.20 | | | | |
| | | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | | 1 | | | 13.13 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | | 2 | | | 23.75 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | | 3 | | | 49.62 | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | 1 | UEPRG | UEPLX | 11.77 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | 2 | UEPRG | UEPLX | 22.39 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | | 3 | UEPRG | UEPLX | 48.26 | | | | | | | | | |
| | | 2-Wire Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | | UEPRG | UEPRD | 1.36 | 66.91 | 31.29 | | | 15.20 | | | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | 15.20 | | | | |
| | | FEATURES | | | | | | | | | | | | | | | |
| | | All Features Offered | | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | 15.20 | | | | |
| | | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | | UEPRG | USAC2 | | 7.68 | 1.85 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | | UEPRG | USACC | | 7.68 | 1.85 | | | 15.20 | | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | 15.20 | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | | 7.11 | 7.11 | | | 15.20 | | | | |
| | | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | | 1 | | | 13.13 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | | 2 | | | 23.75 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | | 3 | | | 49.62 | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | 1 | UEPPX | UEPLX | 11.77 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | 2 | UEPPX | UEPLX | 22.39 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | | 3 | UEPPX | UEPLX | 48.26 | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|---|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Louisiana Calling Port | | | UEPPX | UEPL2 | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Calling Port | | | UEPPX | UEPXK | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPPX | UEPXO | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port | | | UEPPX | UEXPX | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | FEATURES | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 7.68 | 1.85 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | UEPPX | USACC | | 7.68 | 1.85 | | | | 15.20 | | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 7.11 | 7.11 | | | | 15.20 | | | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 13.13 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 23.75 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 49.62 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 11.77 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 22.39 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 48.26 | | | | | | | | | | |
| | 2-Wire Voice Grade Line Ports (COIN) | | | | | | | | | | | | | | | | |
| | | 2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS) | | | UEPCO | UEPRF | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS) | | | UEPCO | UEPRB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCD | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS) | | | UEPCO | UEPRN | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|---------------|---|--|--|--|---------|------|-------|-------|-----------|--------|-------|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | 2-Wire Coin Outward with Operator Screening and 011 Blocking (LA) | | | | | | UEPCO | UEPLA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS) | | | | | | UEPCO | UEPRH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | |
| | | 2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS) | | | | | | UEPCO | UEPCN | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | |
| | | 2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only) | | | | | | UEPCO | UEPNA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | |
| | | 2-Wire Coin Outward Smartline with 900/976 (Louisiana only) | | | | | | UEPCO | UEPCB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | |
| | | ADDITIONAL UNE COIN PORT/LOOP (RC) | | | | | | | | | | | | | | | | | |
| | | UNE Coin Port/Loop Combo Usage (Flat Rate) | | | | | | UEPCO | URECU | 1.81 | 0.00 | 0.00 | | | | 15.20 | | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | | | UEPCO | LNPCX | 0.35 | | | | | | | | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | | | | UEPCO | USAC2 | | 0.10 | 0.10 | | | | 15.20 | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | | | | UEPCO | USACC | | 0.10 | 0.10 | | | | 15.20 | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 15.20 | | | |
| | | UNBUNDLED REMOTE CALL FORWARDING - RES | | | | | | | | | | | | | | | | | |
| | | Non-Recurring | | | | | | | | | | | | | | | | | |
| | | UNBUNDLED REMOTE CALL FORWARDING - Bus | | | | | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus | | | | | | UEPVB | UEPVJ | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | |
| | | Non-Recurring | | | | | | | | | | | | | | | | | |
| | | 2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | | | |
| | | 2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | | | |
| | | UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | | | |
| | | 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT | | | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | | | | 1 | | | 23.20 | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | | | | 2 | | | 33.62 | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | | | | 3 | | | 58.73 | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | | | | 1 | UEPPX | UECD1 | 14.93 | | | | | | 15.20 | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | | | | 2 | UEPPX | UECD1 | 25.35 | | | | | | 15.20 | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | | | | 3 | UEPPX | UECD1 | 50.46 | | | | | | 15.20 | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | | | | UEPPX | UEPD1 | 8.27 | 217.95 | 83.92 | | | | 15.20 | | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is | | | | | | UEPPX | USAC1 | | 7.10 | 1.81 | | | | 15.20 | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes | | | | | | UEPPX | USA1C | | 7.10 | 1.81 | | | | 15.20 | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | | | |
| | | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | | | | UEPPX | USAS1 | | 26.01 | 26.01 | | | | 15.20 | | | |
| | | Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | | | |
| | | DID Trunk Termination (One Per Port) | | | | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | | | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | |
| | | Reserve Non-Consecutive DID numbers | | | | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | |
| | | Reserve DID Numbers | | | | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | |
| | | 2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT | | | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | | | | 1 | UEPPB | UEPPR | 27.48 | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--|---------------|---|--|---------|------|-------------------|------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | | | 2 | UEPPB UEPPR | | 40.34 | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | | 3 | UEPPB UEPPR | | 70.99 | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | | 1 | UEPPB UEPPR USL2X | | 19.09 | | | | | 15.20 | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | | 2 | UEPPB UEPPR USL2X | | 31.95 | | | | | 15.20 | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | | 3 | UEPPB UEPPR USL2X | | 62.60 | | | | | 15.20 | | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | |
| | | Exchange Port - 2-Wire ISDN Line Side Port | | | | UEPPB UEPPR UEPPB | | 8.39 | 184.10 | 128.42 | | | 15.20 | | | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion | | | | UEPPB UEPPR USACB | | 0.00 | 37.40 | 26.23 | | | 15.20 | | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | UEPPB UEPPR LNPCX | | 0.35 | 0.00 | 0.00 | | | | | | | |
| | | B-CHANNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | | UEPPB UEPPR U1UCA | | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | CVS (EWSD) | | | | UEPPB UEPPR U1UCB | | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | CSD | | | | UEPPB UEPPR U1UCC | | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN) | | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | | UEPPB UEPPR U1UCD | | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | CVS (EWSD) | | | | UEPPB UEPPR U1UCE | | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | CSD | | | | UEPPB UEPPR U1UCF | | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | USER TERMINAL PROFILE | | | | | | | | | | | | | | | |
| | | User Terminal Profile (EWSD only) | | | | UEPPB UEPPR U1UMA | | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | VERTICAL FEATURES | | | | | | | | | | | | | | | |
| | | All Vertical Features - One per Channel B User Profile | | | | UEPPB UEPPR UEPVF | | 0.00 | 0.00 | 0.00 | | | 15.20 | | | | |
| | | INTEROFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | |
| | | Interoffice Channel mileage each, including first mile and facilities termination | | | | UEPPB UEPPR M1GNC | | 22.613 | 39.36 | 26.62 | | | 15.20 | | | | |
| | | Interoffice Channel mileage each, additional mile | | | | UEPPB UEPPR M1GNM | | 0.013 | 0.00 | 0.00 | | | 15.20 | | | | |
| | | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 | | | 1 | UEPPP | | 180.52 | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 | | | 2 | UEPPP | | 289.78 | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 | | | 3 | UEPPP | | 586.76 | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | | 1 | UEPPP USL4P | | 85.70 | | | | | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | | 2 | UEPPP USL4P | | 194.96 | | | | | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | | 3 | UEPPP USL4P | | 491.94 | | | | | 15.20 | | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | | UEPPP UEPPP | | 94.82 | 443.08 | 251.60 | | | 15.20 | | | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is | | | | UEPPP USACP | | 0.00 | 115.63 | 76.29 | | | 15.20 | | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqst Actvy-Inward/two way tel nos within Std Allowance (except NC) | | | | UEPPP PR7TF | | | 0.48 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) | | | | UEPPP PR7TO | | | 11.18 | 11.18 | | | 15.20 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance | | | | UEPPP PR7ZT | | | 22.35 | 22.35 | | | 15.20 | | | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | UEPPP LNPCN | | 1.75 | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Louisiana

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|---|-------------|------|-------|-------|-----------|-----------------------|-----------------------|-----------------------|-------------------------------------|---|---|--|--|---|---|
| | | | | | | | Rec | Nonrecurring First | Nonrecurring Add'l | Nonrecurring First | Nonrecurring Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | INTERFACE (Provsioning Only) | | | | | | | | | | | | | | | |
| | | Voice/Data | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Digital Data | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Inward Data | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | New or Additional "B" Channel | | | | | | | | | | | | | | | |
| | | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 14.11 | | | | | 15.20 | | | | |
| | | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 14.11 | | | | | 15.20 | | | | |
| | | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 14.11 | | | | | 15.20 | | | | |
| | | CALL TYPES | | | | | | | | | | | | | | | |
| | | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 70.7352 | 86.69 | 79.44 | | | | 15.20 | | | | |
| | | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.2652 | | | | | | | | | | |
| | | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 154.17 | | | | | | 15.20 | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 263.43 | | | | | | 15.20 | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 560.41 | | | | | | 15.20 | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 85.70 | | | | | | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 194.96 | | | | | | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 491.94 | | | | | | 15.20 | | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | |
| | | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 68.47 | 441.34 | 245.90 | | | | 15.20 | | | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is | | | UEPDC | USAC4 | | 125.75 | 65.08 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes | | | UEPDC | USAWA | | 125.75 | 65.08 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk | | | UEPDC | USAWB | | 125.75 | 65.08 | | | | 15.20 | | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 14.06 | 14.06 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 14.06 | 14.06 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan - Inward Trunk w/out DID | | | UEPDC | UDTTC | | 14.06 | 14.06 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 14.06 | 14.06 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 14.06 | 14.06 | | | | 15.20 | | | | |
| | | BIPOLAR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | | |
| | | B8ZS - Superframe Format | | | UEPDC | CCOSF | | 0.00 | 605.00 | | | | 15.20 | | | | |
| | | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 605.00 | | | | 15.20 | | | | |
| | | Alternate Mark Inversion | | | | | | | | | | | | | | | |
| | | AMI - Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| | | Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | |
| | | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | 15.20 | | | | |
| | | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | 15.20 | | | | |
| | | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | 15.20 | | | | |
| | | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | 15.20 | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | | | | | | 15.20 | | | | |
| | | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Louisiana

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|---|-------------|------|-------|-------|-----------|--------------|--------|--------------|------------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) | | | UEPDC | 1LNO1 | 70.47 | 86.69 | 79.44 | | | | 15.20 | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.2652 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | | | UEPDC | 1LNOB | 0.2652 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.2652 | 0.00 | 0.00 | | | | | | | | |
| | Local Number Portability, per DSO Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Central Office Terminating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| | 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | |
| | System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations | | | | | | | | | | | | | | | |
| | Each System can have up to 24 combinations of rates depending on type and number of ports used | | | | | | | | | | | | | | | |
| | UNE DS1 Loop | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 85.70 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 194.96 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 491.94 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | UNE DSO Channelization Capacities (D4 Channel Bank Configurations) | | | | | | | | | | | | | | | |
| | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 97.35 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 194.70 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 389.40 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 144 DSO Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 584.10 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 192 DSO Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 778.80 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 240 DSO Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 973.50 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 288 DSO Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,168.20 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 384 DSO Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,557.60 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 480 DSO Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 1,947.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 576 DSO Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,336.40 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 672 DSO Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 2,725.80 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System | | | | | | | | | | | | | | | |
| | A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations. | | | | | | | | | | | | | | | |
| | Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted. | | | | | | | | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes | | | UEPMG | USAC4 | 0.00 | 146.13 | 8.12 | | | | 15.20 | | | | |
| | System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and | | | | | | | | | | | | | | | |
| | New (Not Currently Combined) In GA, KY, LA, MS & TN Only | | | | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY, MS, & TN Only | | | UEPMG | VUMD4 | 0.00 | 715.54 | 467.54 | | | | 15.20 | | | | |
| | Bipolar 8 Zero Substitution | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 605.00 | | | | 15.20 | | | | |
| | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 605.00 | | | | 15.20 | | | | |
| | Alternate Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port | | | | | | | | | | | | | | | |
| | Exchange Ports | | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 1.52 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 1.52 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 1.52 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 8.29 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| | Feature Activations - Unbundled Loop Concentration | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|---|---------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Feature (Service) Activation for each Line Side Port Terminated in D4 Bank | | | UEPPX | 1PQWM | 0.6497 | 25.36 | 13.40 | | | | 15.20 | | | | |
| | Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank | | | UEPPX | 1PQWU | 0.6497 | 78.05 | 18.40 | | | | 15.20 | | | | |
| | Telephone Number/ Group Establishment Charges for DID Service | | | | | | | | | | | | | | | |
| | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Local Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | FEATURES - Vertical and Optional | | | | | | | | | | | | | | | |
| | Local Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| | All Features Available | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES | | | | | | | | | | | | | | | | |
| | Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. | | | | | | | | | | | | | | | |
| | These scenarios include: | | | | | | | | | | | | | | | |
| | 1. Unbundled port/loop combinations that are Not Currently Combined in Alabama, Florida and North Carolina. | | | | | | | | | | | | | | | |
| | 2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAs in BellSouth's region for end users with 4 or more DS0 equivalent lines. | | | | | | | | | | | | | | | |
| | The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville). | | | | | | | | | | | | | | | |
| | BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined in AL, FL and NC. In the interim where BellSouth cannot bill Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. | | | | | | | | | | | | | | | |
| | The Market Rate for unbundled ports includes all available features in all states. | | | | | | | | | | | | | | | |
| | End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC: URECU). | | | | | | | | | | | | | | | |
| | For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly. | | | | | | | | | | | | | | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 25.77 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 36.39 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 62.26 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 11.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 22.39 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 48.26 | | | | | | | | | | |
| | 2-Wire Voice Grade Line Port (Res) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res | | | UEPRX | UEPAS | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) | | | UEPRX | UEPAG | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (AC7) | | | UEPRX | UEPAH | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | UEPRX | UEPAP | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 31.92 | 7.32 | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPRX | USAC2 | | 41.50 | 41.50 | | | | | 31.92 | 7.32 | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch with change | | | UEPRX | USACC | | 41.50 | 41.50 | | | | | 31.92 | 7.32 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--|---------------|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | UEPRX | USAS2 | | 0.00 | 0.00 | | | | | 31.92 | 7.32 | |
| | | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 25.77 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 36.39 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 62.26 | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 11.77 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 22.39 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 48.26 | | | | | | | | | |
| | | 2-Wire Voice Grade Line Port (Bus) | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | |
| | | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | |
| | | 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - bus | | | UEPBX | UEPAX | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | |
| | | 2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC) | | | UEPBX | UEPAA | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPBX | USAC2 | | 41.50 | 41.50 | | | | | 31.92 | 7.32 | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch with change | | | UEPBX | USACC | | 41.50 | 41.50 | | | | | 31.92 | 7.32 | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | |
| | | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | 31.92 | 7.32 | |
| | | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 25.77 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 36.39 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 62.26 | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRG | UEPLX | 11.77 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRG | UEPLX | 22.39 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRG | UEPLX | 48.26 | | | | | | | | | |
| | | 2-Wire Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | | | | | | | | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPRG | USAC2 | | 41.50 | 41.50 | | | | | 31.92 | 7.32 | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change | | | UEPRG | USACC | | 41.50 | 41.50 | | | | | 31.92 | 7.32 | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | |
| | | 2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | 31.92 | 7.32 | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | 31.92 | 7.32 | |
| | | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 25.77 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 36.39 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 62.26 | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|--|---------------|--|--|--|--|---------|------|-----|------|-----------|--|--|--|---------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | </ | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|--|---|---------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS) | | | UEPCO | UEPRB | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | | 2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCD | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | | 2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS) | | | UEPCO | UEPRN | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | | 2-Wire Coin Outward with Operator Screening and 011 Blocking (LA) | | | UEPCO | UEPLA | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRH | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | | 2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCN | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPCO | USAC2 | | 41.50 | 41.50 | | | | | 31.92 | 7.32 | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change | | | UEPCO | USACC | | 41.50 | 41.50 | | | | | 31.92 | 7.32 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | | 31.92 | 7.32 | | |
| UNBUNDLED PORT/LOOP COMBINATIONS - MARKET BASED RATES | | | | | | | | | | | | | | | | | |
| | 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | 50.93 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | 61.35 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | 86.46 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | UECD1 | 14.93 | | | | | | 15.20 | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | UECD1 | 25.35 | | | | | | 15.20 | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | UECD1 | 50.46 | | | | | | 15.20 | | | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | UEPPX | UEPD1 | 36.00 | 600.00 | 45.00 | | | | 15.20 | | | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-As-Is Top 8 MSAs only | | | UEPPX | USAC1 | | 100.00 | 42.50 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes Top 8 MSAs only | | | UEPPX | USA1C | | 100.00 | 42.50 | | | | 15.20 | | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | USAS1 | | 45.00 | 45.00 | | | | 15.20 | | | | |
| | Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | | |
| | | DID Trunk Termination (One Per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | Reserve Non-Consecutive DID numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | 2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | 1 | UEPPB | UEPPR | 84.09 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | | 2 | UEPPB | UEPPR | 96.95 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | 3 | UEPPB | UEPPR | 127.60 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | 19.09 | | | | | | 15.20 | | | | |

UNBUNDLED NETWORK ELEMENTS - Louisiana

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|--|-------------|------|-------|-------|-----------|--------------|----------|--------------|------------|---------------|---|---|--|--|---|---|
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 31.95 | | | | | 15.20 | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 62.60 | | | | | 15.20 | | | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | | |
| | | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 65.00 | 525.00 | 400.00 | | | 15.20 | | | | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion - Top 8 MSAs only | | | UEPPB | UEPPR | USACB | 0.00 | 230.00 | 230.00 | | | 15.20 | | | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| | | B-CHANNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN) | | | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CSD | | | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | USER TERMINAL PROFILE | | | | | | | | | | | | | | | | |
| | | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | VERTICAL FEATURES | | | | | | | | | | | | | | | | |
| | | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 0.00 | 0.00 | 0.00 | | | 15.20 | | | | | |
| | | INTEROFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | |
| | | Interoffice Channel mileage each, including first mile and facilities termination | | | UEPPB | UEPPR | M1GNC | 22.613 | 39.36 | 26.62 | | | 15.20 | | | | | |
| | | Interoffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.013 | 0.00 | 0.00 | | | 15.20 | | | | | |
| | | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT | | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 | | 1 | UEPPP | | | 935.70 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 | | 2 | UEPPP | | | 1,044.96 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 | | 3 | UEPPP | | | 1,341.94 | | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 85.70 | | | | | 15.20 | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 194.96 | | | | | 15.20 | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | 491.94 | | | | | 15.20 | | | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 850.00 | 1,150.00 | 1,150.00 | | | 15.20 | | | | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-As-Is Top 8 MSAs only | | | UEPPP | | USACP | 0.00 | 950.00 | 950.00 | | | 15.20 | | | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqtl Actvy- Inward/two way tel nos within Std Allowance (except NC) | | | UEPPP | | PR7TF | | 0.48 | | | | 15.20 | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | | 11.18 | 11.18 | | | 15.20 | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance | | | UEPPP | | PR7ZT | | 22.35 | 22.35 | | | 15.20 | | | | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPP | | LNPCN | 1.75 | | | | | | | | | | |
| | | INTERFACE (Provisioning Only) | | | | | | | | | | | | | | | | |
| | | Voice/Data | | | UEPPP | | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Digital Data | | | UEPPP | | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Inward Data | | | UEPPP | | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | New or Additional "B" Channel | | | | | | | | | | | | | | | | |
| | | New or Additional - Voice/Data B Channel | | | UEPPP | | PR7BV | 0.00 | 14.11 | | | | 15.20 | | | | | |

UNBUNDLED NETWORK ELEMENTS - Louisiana

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|--|-------------|------|-------|-------|-----------|--------------|--------|-------------------------|---------------|---|---|--|--|---|---|
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 14.11 | | | | | 15.20 | | | | |
| | | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 14.11 | | | | | 15.20 | | | | |
| | CALL TYPES | | | | | | | | | | | | | | | | |
| | | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage | | | | | | | | | | | | | | | | |
| | | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 70.7532 | 86.69 | 79.44 | | | | 15.20 | | | | |
| | | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.2652 | | | | | | | | | | |
| | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide | | sw | UEPDC | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 154.17 | | | | | | 15.20 | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 263.43 | | | | | | 15.20 | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 560.41 | | | | | | 15.20 | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4 | | 4 | UEPDC | | | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - Statewide | | sw | UEPDC | USLDC | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 85.70 | | | | | | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 194.96 | | | | | | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 491.94 | | | | | | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 4 | | 4 | UEPDC | USLDC | | | | | | | | | | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | |
| | | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 750.00 | 1,006.28 | 479.28 | 0.00 | 0.00 | | 15.20 | | | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-As-Is Top 8 MSAs only | | | UEPDC | USAC4 | | 125.75 | 65.08 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes Top 8 MSAs only | | | UEPDC | USAWA | | 125.75 | 65.08 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk Top 8 MSAs only | | | UEPDC | USAWB | | 125.75 | 65.08 | | | | 15.20 | | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order | | | UEPDC | USAS4 | | | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 14.06 | 14.06 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 14.06 | 14.06 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Channel Activation/Chan - Inward Trunk w/out DID | | | UEPDC | UDTTC | | 14.06 | 14.06 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Chan Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 14.06 | 14.06 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Chan Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 14.06 | 14.06 | | | | 15.20 | | | | |
| | BIPOLAR & ZERO SUBSTITUTION | | | | | | | | | | | | | | | | |
| | | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 605.00 | | | | 15.20 | | | | |
| | | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 605.00 | | | | 15.20 | | | | |
| | Alternate Mark Inversion | | | | | | | | | | | | | | | | |
| | | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| | Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | | |
| | | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | 15.20 | | | | |
| | | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | 15.20 | | | | |
| | | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | 15.20 | | | | |
| | | DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | 15.20 | | | | |

| | | |
|---------------|------------|--|
| Attachment: 2 | Exhibit: B | |
|---------------|------------|--|

04/12/02 009 of 328 Page 189 of 352

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|---------------|--|--|--|--|---------|------|-----|------|-----------|--|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--|---|---------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | | OSS Rates(\$) | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP91 | UEPYM | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP91 | UEPYZ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP91 | UEPY9 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP91 | UEPY2 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | AL, KY, LA, MS, & TN Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPQA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPQB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPQH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP91 | UEPQM | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP91 | UEPQZ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPQ9 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPQ2 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | Local Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Functionality, per port | | | UEP91 | URECS | 0.8577 | | | | | | | | | | |
| | Local Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP91 | LNPCc | 0.35 | | | | | | | | | | |
| | Features | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP91 | UEPVF | 0.00 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 412.25 | | | | | 15.20 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 0.00 | | | | | | | | | | |
| | NARS | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP91 | UAROx | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Miscellaneous Terminations | | | | | | | | | | | | | | | |
| | 2-Wire Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.29 | 115.85 | 18.20 | | | | 15.20 | | | | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | MIGBC | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | MIGBM | 0.13 | | | | | | | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP91 | 1PQW7 | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP91 | 1PQWP | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank Tjle Line/Trunk Loop Slot | | | UEP91 | 1PQWQ | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.6497 | | | | | | 15.20 | | | | |
| | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | Conversion - Currently Combined Switch-As-Is with allowed changes, per port | | | UEP91 | USAC2 | | 0.10 | 0.10 | | | | 15.20 | | | | |
| | Conversion of Existing Centrex Common Block | | | UEP91 | USACN | 0.00 | 36.66 | 16.10 | | | | | | | | |
| | New Centrex Standard Common Block | | | UEP91 | M1ACC | 0.00 | 680.40 | | | | | 15.20 | | | | |
| | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 680.40 | | | | | 15.20 | | | | |
| | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 79.31 | | | | | 15.20 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 73.93 | | | | | 15.20 | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|--|---|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | UNE-P CENTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP95 | | 13.13 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP95 | | 23.75 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP95 | | 49.62 | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP95 | | 16.29 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP95 | | 26.71 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP95 | | 51.82 | | | | | | | | | | |
| | UNE Loop Rate | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 11.77 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 22.39 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 48.26 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 14.93 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 25.35 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 50.46 | | | | | | | | | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | |
| | All States | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP95 | UEPYH | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP95 | UEPYM | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP95 | UEPYZ | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP95 | UEPY9 | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP95 | UEPY2 | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | | |
| | AL, KY, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP95 | UEPQM | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP95 | UEPQZ | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPQ9 | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPQ2 | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | | |
| | Local Switching | | | | | | | | | | | | | | | | |
| | | Centrex Intercom Functionality, per port | | | UEP95 | URECS | 0.8577 | | | | | 15.20 | | | | | |
| | Local Number Portability | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| | Features | | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP95 | UEPVF | 0.00 | | | | | 15.20 | | | | | |
| | | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 412.25 | | | | 15.20 | | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 0.00 | | | | | 15.20 | | | | | |
| | NARS | | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | 15.20 | | | | | |
| | | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | 15.20 | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--|--|--|---------|------|-------|-------|-----------|--------------|-------|--------------|------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | OSS Rates(\$) | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Unbundled Network Access Register - Outdial | | | UEP95 | UAROx | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | Miscellaneous Terminations | | | | | | | | | | | | | | | |
| | | 2-Wire Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.29 | 115.85 | 18.20 | | | | 15.20 | | | | |
| | | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 68.47 | 196.18 | 92.92 | 4.90 | | | 15.20 | | | | |
| | | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 14.06 | | | | | 15.20 | | | | |
| | | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.013 | | | | | | | | | | |
| | | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | |
| | | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.6497 | | | | | | 15.20 | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.6497 | | | | | | 15.20 | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP95 | 1PQW7 | 0.6497 | | | | | | 15.20 | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.6497 | | | | | | 15.20 | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.6497 | | | | | | 15.20 | | | | |
| | | Feature Activation on D-4 Channel Bank Tjle Line/Trunk Loop Slot | | | UEP95 | 1PQWQ | 0.6497 | | | | | | 15.20 | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.6497 | | | | | | 15.20 | | | | |
| | | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP95 | USAC2 | | 0.10 | 0.10 | | | | 15.20 | | | | |
| | | Conversion of Existing Centrex Common Block, each | | | UEP95 | USACN | | 36.66 | 16.10 | | | | 15.20 | | | | |
| | | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 680.40 | | | | | 15.20 | | | | |
| | | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 680.40 | | | | | 15.20 | | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 73.93 | | | | | 15.20 | | | | |
| | | UNE-P CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP9D | | 13.13 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9D | | 23.75 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP9D | | 49.62 | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP9D | | 16.29 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9D | | 26.71 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP9D | | 51.82 | | | | | | | | | | |
| | | UNE Loop Rate | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 11.77 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 22.39 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 48.26 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 14.93 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 25.35 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 50.46 | | | | | | | | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | |
| | | ALL STATES | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9D | UEPYB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|--|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area | | | UEP9D | UEPYD | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area | | | UEP9D | UEPYE | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area | | | UEP9D | UEPYF | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area | | | UEP9D | UEPYG | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area | | | UEP9D | UEPYT | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area | | | UEP9D | UEPYU | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area | | | UEP9D | UEPYV | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area | | | UEP9D | UEPY3 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area | | | UEP9D | UEPYH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYJ | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area | | | UEP9D | UEPYM | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area | | | UEP9D | UEPYO | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area | | | UEP9D | UEPYP | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area | | | UEP9D | UEPYQ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area | | | UEP9D | UEPYR | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area | | | UEP9D | UEPYS | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area | | | UEP9D | UEPY4 | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area | | | UEP9D | UEPY5 | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | UEP9D | UEPY6 | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area | | | UEP9D | UEPY7 | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPYZ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area | | | UEP9D | UEPY9 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area | | | UEP9D | UEPY2 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | AL, KY, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPQB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPQC | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPQD | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPQE | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPQF | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPQG | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |

UNBUNDLED NETWORK ELEMENTS - Louisiana

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|-------------|------|-------|-------|-----------|--------------|-------|--------------|------------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPQU | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPQV | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPQ3 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPQH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQW | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQJ | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 | | | UEP9D | UEPQM | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPQO | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPQP | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPQQ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPQ7 | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPQZ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPQ9 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPQ2 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | Local Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Functionality, per port | | | UEP9D | URECS | 0.8577 | | | | | | | | | | |
| | Local Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| | Features | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9D | UEPVF | 0.00 | | | | | | 15.20 | | | | |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 412.25 | | | | | 15.20 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 0.00 | | | | | | 15.20 | | | | |
| | NARS | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP9D | UAROx | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Miscellaneous Terminations | | | | | | | | | | | | | | | |
| | 2-Wire Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9D | CEND6 | 8.29 | 115.85 | 18.20 | | | | 15.20 | | | | |
| | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 68.47 | 196.18 | 98.62 | | | | 15.20 | | | | |
| | DS0 Channels Activated per Channel | | | UEP9D | M1HDO | 0.00 | 14.06 | | | | | 15.20 | | | | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0.013 | | | | | | | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9D | 1PQW7 | 0.6497 | | | | | | 15.20 | | | | |

UNBUNDLED NETWORK ELEMENTS - Louisiana

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|---|---|-------------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|---------------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9D | 1PQWP | 0.6497 | | | | | | 15.20 | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.6497 | | | | | | 15.20 | | | | | |
| | Feature Activation on D-4 Channel Bank Tjle Line/Trunk Loop Slot | | | UEP9D | 1PQWQ | 0.6497 | | | | | | 15.20 | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.6497 | | | | | | 15.20 | | | | | |
| Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP9D | USAC2 | | 0.10 | 0.10 | | | | 15.20 | | | | | |
| | Conversion of existing Centrex Common Block, each | | | UEP9D | USACN | | 36.66 | 16.10 | | | | 15.20 | | | | | |
| | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 680.40 | | | | | 15.20 | | | | | |
| | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 680.40 | | | | | 15.20 | | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 73.93 | | | | | 15.20 | | | | | |
| UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | | | | | | | | | | | | | | | |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP9E | | 13.13 | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9E | | 23.75 | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP9E | | 49.62 | | | | | | | | | | | |
| UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP9E | | 16.29 | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9E | | 26.71 | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP9E | | 51.82 | | | | | | | | | | | |
| UNE Loop Rate | | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 11.77 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 22.39 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 48.26 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E | UECS2 | 14.93 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | 25.35 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9E | UECS2 | 50.46 | | | | | | | | | | | |
| UNE Port Rate | | | | | | | | | | | | | | | | | |
| AL, FL, KY, LA, MS, & TN only | | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9E | UEPYA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9E | UEPYB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP9E | UEPYH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP9E | UEPYM | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP9E | UEPYZ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP9E | UEPY9 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP9E | UEPY2 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | | |
| AL, KY, LA, MS, & TN Only | | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPQA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPQB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPQH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP9E | UEPQM | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|--|---------------|--|--|--|--|---------|------|-----|------|-----------|--|---------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | </ | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Louisiana

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|---|-------------|------|-------|-------|-----------|--------------|-------|-------------------------|---------------|---|---|--|--|---|---|
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP93 | | 26.71 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP93 | | 51.82 | | | | | | | | | | |
| | | UNE Loop Rate | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP93 | UECS1 | 11.77 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP93 | UECS1 | 22.36 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP93 | UECS1 | 48.26 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP93 | UECS2 | 14.93 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP93 | UECS2 | 25.35 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP93 | UECS2 | 50.46 | | | | | | | | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | |
| | | AL, KY, LA, MS, & TN only | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP93 | UEPYA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP93 | UEPYB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP93 | UEPYH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP93 | UEPYM | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP93 | UEPYZ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP93 | UEPY9 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP93 | UEPY2 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP93 | UEPQA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP93 | UEPQB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP93 | UEPQH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP93 | UEPQM | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP93 | UEPQZ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPQ9 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP93 | UEPQ2 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | Local Switching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP93 | URECS | 0.8577 | | | | | | | | | | |
| | | Local Number Portability | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP93 | LNCCC | 0.35 | | | | | | | | | | |
| | | Features | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP93 | UEPVF | 0.00 | | | | | | 15.20 | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP93 | UEPVC | 0.00 | | | | | | 15.20 | | | | |
| | | NARS | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | Unbundled Network Access Register - Indial | | | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP93 | UAROx | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | Miscellaneous Terminations | | | | | | | | | | | | | | | |
| | | 2-Wire Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP93 | CEND6 | 8.27 | 115.85 | 18.20 | | | | 15.20 | | | | |
| | | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP93 | M1HD1 | 68.47 | 196.18 | 92.92 | | | | 15.20 | | | | |
| | | DS0 Channels Activated, Per Channel | | | UEP93 | M1HDO | 0.00 | 14.01 | | | | | 15.20 | | | | |
| | | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP93 | MIGBC | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP93 | MIGBM | 0.013 | | | | | | | | | | |
| | | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | |
| | | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.6497 | | | | | | 15.20 | | | | |

| UNBUNDLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|---|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | | | | | | | | | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | |
| | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot | | | UEP93 | 1PQW6 | 0.6497 | | | | | 15.20 | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP93 | 1PQW7 | 0.6497 | | | | | 15.20 | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP93 | 1PQWP | 0.6497 | | | | | 15.20 | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP93 | 1PQWV | 0.6497 | | | | | 15.20 | | | | | |
| | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot | | | UEP93 | 1PQWQ | 0.6497 | | | | | 15.20 | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | 1PQWA | 0.6497 | | | | | 15.20 | | | | | |
| | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP93 | USAC2 | | 0.10 | 0.10 | | | 15.20 | | | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP93 | USACN | | 36.66 | 16.10 | | | 15.20 | | | | | |
| | New Centrex Standard Common Block | | | UEP93 | M1ACS | 0.00 | 680.40 | | | | 15.20 | | | | | |
| | New Centrex Customized Common Block | | | UEP93 | M1ACC | 0.00 | 680.40 | | | | 15.20 | | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP93 | URECA | 0.00 | 73.93 | | | | 15.20 | | | | | |
| | Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| | Note 2 - Requires Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | Note 3 - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |
| | NOTE: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions. | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|--|--|---|---|-------------|---------|-------|--------|-------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN |
| OPERATIONAL SUPPORT SYSTEMS | | | | | | | | | | | | | | | | | | |
| | NOTE: (1) Electronic Service Order: CLEC should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions. The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge. CLEC may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC may elect the regional electronic service ordering charge. | | | | | | | | | | | | | | | | | |
| | NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMECE rate listed in this category. Please refer to BellSouth's Business Rules for Local Ordering (BBR-LO) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the BBR-LO, the listed SOMECE rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth. | | | | | | | | | | | | | | | | | |
| | | Manual Service Order Charge, per LSR, Disconnect Only (MS) | | | | | | SOMAN | | | | 1.97 | | | | | | |
| | | Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional) | | | | | | SOMECE | | 3.50 | | | | | | | | |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | | | | |
| 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 12.03 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 16.87 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 25.68 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 | | 4 | UEANL | UEAL2 | 43.85 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 34.36 | | | | | 15.75 | | | | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 19.97 | | | | | 15.75 | | | | | |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | UEANL | UREWO | | 15.75 | 8.92 | | | | 15.75 | | | | | |
| | | Engineering Information Document (EI) | | | UEANL | | | 13.51 | 13.51 | | | | | | | | | |
| | | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 8.20 | 8.20 | | | | | | | | | |
| | | Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) | | | UEANL | OCOSL | | 18.19 | 18.19 | | | | | | | | | |
| 2-WIRE Unbundled COPPER LOOP | | | | | | | | | | | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | I | 1 | UEQ | UEQ2X | 11.01 | 36.53 | 16.16 | 22.66 | 4.42 | | 15.75 | | | | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | I | 2 | UEQ | UEQ2X | 11.51 | 36.53 | 16.16 | 22.66 | 4.42 | | 15.75 | | | | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | I | 3 | UEQ | UEQ2X | 11.57 | 36.53 | 16.16 | 22.66 | 4.42 | | 15.75 | | | | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 4 | I | 4 | UEQ | UEQ2X | 13.10 | 36.53 | 16.16 | 22.66 | 4.42 | | 15.75 | | | | | |
| | | Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop) | | | UEQ | USBMC | | 8.20 | 8.20 | | | | | | | | | |
| | | Engineering Information Document | | | UEQ | | | 13.51 | 13.51 | | | | | | | | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 34.36 | | | | | 15.75 | | | | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 19.97 | | | | | 15.75 | | | | | |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | UEQ | UREWO | | 14.24 | 7.42 | | | | 15.75 | | | | | |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | | | | |
| 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1 | | 1 | UEPSR UEPSB | UEALS | 12.03 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1 | | 1 | UEPSR UEPSB | UEABS | 12.03 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | | |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2 | | 2 | UEPSR UEPSB | UEALS, | 16.87 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | | |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2 | | 2 | UEPSR UEPSB | UEABS | 16.87 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 | | 3 | UEPSR UEPSB | UEALS, | 25.68 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 | | 3 | UEPSR UEPSB | UEABS | 25.68 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 4 | | 4 | UEPSR UEPSB | UEALS, | 43.85 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 4 | | 4 | UEPSR UEPSB | UEABS | 43.85 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | | |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | | | | |
| 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 13.89 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 18.75 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|---|---------|------|-----|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | OSS Rates(\$) | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 27.55 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 4 | | 4 | UEA | UEAL2 | 45.72 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 18.19 | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 13.89 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 18.75 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 27.55 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 4 | | 4 | UEA | UEAR2 | 45.72 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 18.19 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.56 | 36.29 | | | | 15.75 | | | | |
| 4-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 27.47 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA | UEAL4 | 38.26 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 50.03 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 4 | | 4 | UEA | UEAL4 | 50.03 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 18.19 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.56 | 36.29 | | | | 15.75 | | | | |
| 2-WIRE ISDN DIGITAL GRADE LOOP | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 21.01 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 27.59 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 37.34 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 4 | | 4 | UDN | U1L2X | 59.18 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | | 18.19 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 91.46 | 44.07 | | | | 15.75 | | | | |
| 2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP | | | | | | | | | | | | | | | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 | | 1 | UDC | UDC2X | 21.01 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2 | | 2 | UDC | UDC2X | 27.59 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3 | | 3 | UDC | UDC2X | 37.34 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 4 | | 4 | UDC | UDC2X | 59.18 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch * | | | UDC | UREWO | | 91.46 | 44.07 | | | | 15.75 | | | | |
| 2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP | | | | | | | | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 11.11 | 121.27 | 70.81 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 11.47 | 121.27 | 70.81 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 11.74 | 121.27 | 70.81 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 4 | | 4 | UAL | UAL2X | 12.69 | 121.27 | 70.81 | 50.38 | 7.93 | | 15.75 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 18.19 | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 11.11 | 96.15 | 58.03 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 11.47 | 96.15 | 58.03 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 | | 3 | UAL | UAL2W | 11.74 | 96.15 | 58.03 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 4 | | 4 | UAL | UAL2W | 12.69 | 96.15 | 58.03 | 50.38 | 7.93 | | 15.75 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 18.19 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 86.04 | 40.33 | | | | 15.75 | | | | |

UNBUNDLED NETWORK ELEMENTS - Mississippi

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|---|-------------|------|-----|-------|-----------|--------------|--------|-------------------------|-------|---|---|--|--|---|---|
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP | | | | | | | | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 8.75 | 129.98 | 79.52 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 9.22 | 129.98 | 79.52 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 9.87 | 129.98 | 79.52 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 4 | | 4 | UHL | UHL2X | 10.46 | 129.98 | 79.52 | 50.38 | 7.93 | | 15.75 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.19 | | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 8.75 | 104.86 | 66.74 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 9.22 | 104.86 | 66.74 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 9.87 | 104.86 | 66.74 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4 | | 4 | UHL | UHL2W | 10.46 | 104.86 | 66.74 | 50.38 | 7.93 | | 15.75 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.19 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 85.98 | 40.33 | | | | 15.75 | | | | |
| | | 4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP | | | | | | | | | | | | | | | |
| | | 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 13.78 | 158.74 | 108.28 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 13.43 | 158.74 | 108.28 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 15.59 | 158.74 | 108.28 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 4 | | 4 | UHL | UHL4X | 14.46 | 158.74 | 108.28 | 56.72 | 10.68 | | 15.75 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.19 | | | | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 13.78 | 133.62 | 95.50 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 13.43 | 133.62 | 95.50 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 15.59 | 133.62 | 95.50 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4 | | 4 | UHL | UHL4W | 14.46 | 133.62 | 95.50 | 56.72 | 10.68 | | 15.75 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.19 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 85.98 | 40.33 | | | | 15.75 | | | | |
| | | 4-WIRE DS1 DIGITAL LOOP | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 4 | | 4 | USL | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 18.19 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 100.90 | 42.96 | | | | 15.75 | | | | |
| | | 4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL | UDL19 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | 4 | UDL | UDL19 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 4 | | 4 | UDL | UDL56 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 18.19 | | | | | | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|--|---------|------|-----|-------|-----------|--------------|-------|--------------|------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | | | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 4 | | 4 | UDL | UDL64 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 18.19 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 101.94 | 49.66 | | | | 15.75 | | | | |
| | 2-WIRE Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 11.11 | 120.34 | 69.87 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 11.47 | 120.34 | 69.87 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 11.74 | 120.34 | 69.87 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 4 | | 4 | UCL | UCLPB | 12.69 | 120.34 | 69.87 | 50.38 | 7.93 | | 15.75 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.20 | 8.20 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 11.11 | 95.21 | 57.09 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 11.47 | 95.21 | 57.09 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 11.74 | 95.21 | 57.09 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 4 | | 4 | UCL | UCLPW | 12.69 | 95.21 | 57.09 | 50.38 | 7.93 | | 15.75 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.20 | 8.20 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2L | 29.29 | 120.34 | 69.87 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2L | 43.46 | 120.34 | 69.87 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2L | 64.44 | 120.34 | 69.87 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 4 | | 4 | UCL | UCL2L | 87.60 | 120.34 | 69.87 | 50.38 | 7.93 | | 15.75 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.20 | 8.20 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2W | 29.29 | 95.21 | 57.09 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2W | 43.46 | 95.21 | 57.09 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2W | 64.44 | 95.21 | 57.09 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 4 | | 4 | UCL | UCL2W | 87.60 | 95.21 | 57.09 | 50.38 | 7.93 | | 15.75 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.20 | 8.20 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) | | | UCL | UREWO | | 95.21 | 42.40 | | | | 15.75 | | | | |
| | 4-WIRE COPPER LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 17.30 | 144.68 | 94.22 | 56.72 | 10.68 | | 15.75 | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 18.84 | 144.68 | 94.22 | 56.72 | 10.68 | | 15.75 | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 21.33 | 144.68 | 94.22 | 56.72 | 10.68 | | 15.75 | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 4 | | 4 | UCL | UCL4S | 21.33 | 144.68 | 94.22 | 56.72 | 10.68 | | 15.75 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.20 | 8.20 | | | | | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4W | 17.30 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4W | 18.84 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4W | 21.33 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|--|-----------------------|--|-------------|------|---|-------|-----------|--------------|--------|-------------------------|---|---|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | OSS Rates(\$) | | | | |
| | | | | | | | | First | Add'l | | | | First | Add'l | SOMEc | SOMAN | SOMAN |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 4 | | 4 | UCL | UCL4W | 21.33 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.20 | 8.20 | | | | | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 54.72 | 144.68 | 94.22 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4L | 97.47 | 144.68 | 94.22 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4L | 106.06 | 144.68 | 94.22 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 4 | | 4 | UCL | UCL4L | 106.06 | 144.68 | 94.22 | 56.72 | 10.68 | | 15.75 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.20 | 8.20 | | | | | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4O | 54.72 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4O | 97.47 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4O | 106.06 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 4 | | 4 | UCL | UCL4O | 106.06 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.20 | 8.20 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) | | | UCL | UREWO | | 95.21 | 42.40 | | | | 15.75 | | | | |
| LOOP MODIFICATION | | | | | | | | | | | | | | | | | |
| | | Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft | | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL | ULM2L | | 32.57 | 32.57 | | | | 15.75 | | | | |
| | | Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft | | | UCL, ULS | ULM2G | | 171.49 | 171.49 | | | | 15.75 | | | | |
| | | Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft | | | UHL, UCL | ULM4L | | 32.57 | 32.57 | | | | 15.75 | | | | |
| | | Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft | | | UCL | ULM4G | | 171.49 | 171.49 | | | | 15.75 | | | | |
| | | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | | | UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL | ULMBT | | 32.59 | 32.59 | | | | 15.75 | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | | |
| | Sub-Loop Distribution | | | | | | | | | | | | | | | | |
| | | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up | I | | UEANL | USBSA | | 259.69 | | | | | 15.75 | | | | |
| | | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | I | | UEANL | USBSB | | 22.77 | | | | | 15.75 | | | | |
| | | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up | I | | UEANL | USBSC | | 178.47 | | | | | 15.75 | | | | |
| | | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | I | | UEANL | USBSD | | 56.39 | | | | | 15.75 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 | I | 1 | UEANL | USBN2 | 7.15 | 66.18 | 31.14 | 45.36 | 6.71 | | 15.75 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 | I | 2 | UEANL | USBN2 | 9.51 | 66.18 | 31.14 | 45.36 | 6.71 | | 15.75 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 | I | 3 | UEANL | USBN2 | 12.45 | 66.18 | 31.14 | 45.36 | 6.71 | | 15.75 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4 | | 4 | UEANL | USBN2 | 18.26 | 66.18 | 31.14 | 45.36 | 6.71 | | 15.75 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.20 | 8.20 | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Mississippi

| CATEGORY | | RATE ELEMENTS | | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
|-----------|--|--|---|-------------|------|----------------------|-------|-----------|--------------|-------|-------------------------|---|---|--|--|---|---|-------|
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 | | | 1 | UEANL | USBN4 | 7.30 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 | | | 2 | UEANL | USBN4 | 13.92 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | | 3 | UEANL | USBN4 | 16.73 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4 | | | 4 | UEANL | USBN4 | 16.73 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | | UEANL | USBMC | | 8.20 | 8.20 | | | | 15.75 | | | | |
| | | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | I | | | UEANL | USBR2 | 2.29 | 53.32 | 18.28 | 45.36 | 6.71 | | 15.75 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | | UEANL | USBMC | | 8.20 | 8.20 | | | | | | | | |
| | | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | I | | | UEANL | USBR4 | 4.40 | 59.60 | 24.55 | 51.27 | 9.35 | | 15.75 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | | UEANL | USBMC | | 8.20 | 8.20 | | | | | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | I | 1 | | UEF | UCS2X | 6.06 | 66.18 | 31.14 | 45.36 | 6.71 | | 15.75 | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | I | 2 | | UEF | UCS2X | 7.09 | 66.18 | 31.14 | 45.36 | 6.71 | | 15.75 | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | | UEF | UCS2X | 8.16 | 66.18 | 31.14 | 45.36 | 6.71 | | 15.75 | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4 | | 4 | | UEF | UCS2X | 9.90 | 66.18 | 31.14 | 45.36 | 6.71 | | 15.75 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | | UEF | USBMC | | 8.20 | 8.20 | | | | | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | I | 1 | | UEF | UCS4X | 5.10 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | I | 2 | | UEF | UCS4X | 9.11 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | | UEF | UCS4X | 14.00 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4 | | 4 | | UEF | UCS4X | 14.00 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | | UEF | USBMC | | 8.20 | 8.20 | | | | | | | | |
| | | Unbundled Sub-Loop Modification | | | | | | | | | | | | | | | | |
| | | Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR | | | | UEF | ULM2X | | 176.80 | 5.13 | | | | 15.75 | | | | |
| | | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | | | UEF | ULM4X | | 176.80 | 5.13 | | | | 15.75 | | | | |
| | | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded | | | | UEF | ULM4T | | 279.81 | 6.15 | | | | 15.75 | | | | |
| | | Unbundled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | | |
| | | Unbundled Network Terminating Wire (UNTW) per Pair | | | | UENTW | UENPP | 0.3366 | 30.55 | | | | | 15.75 | | | | |
| | | Network Interface Device (NID) | | | | | | | | | | | | | | | | |
| | | Network Interface Device (NID) - 1-2 lines | | | | UENTW | UND12 | | 43.84 | 28.90 | | | | 15.75 | | | | |
| | | Network Interface Device (NID) - 1-6 lines | | | | UENTW | UND16 | | 65.30 | 50.36 | | | | 15.75 | | | | |
| | | Network Interface Device Cross Connect - 2 W | | | | UENTW | UNDC2 | | 5.94 | 5.94 | | | | 15.75 | | | | |
| | | Network Interface Device Cross Connect - 4W | | | | UENTW | UNDC4 | | 5.94 | 5.94 | | | | 15.75 | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | | | |
| | | Sub-Loop Feeder | | | | | | | | | | | | | | | | |
| | | USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up | | | | UEA, UDN,UCL,UDL,UDC | USBFW | | 259.69 | | | | | 15.75 | | | | |
| | | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up | | | | UEA, UDN,UCL,UDL,UDC | USBFX | | 22.77 | 22.77 | | | | 15.75 | | | | |
| | | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | | USL | USBFZ | | 534.46 | 11.30 | | | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1 | | 1 | | UEA | USBFA | 7.98 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | | UEA | USBFA | 10.39 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3 | | 3 | | UEA | USBFA | 16.11 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start Loop, Voice Grade - Zone 4 | | 4 | | UEA | USBFA | 28.37 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Order Coordination for Specified Conversion Time, per LSR | | | | UEA | OCOSL | | 18.19 | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Mississippi

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|--|-------------|------|-----|-------|-----------|--------------|-------|-------------------------|-------|---|---|--|--|---|---|
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFB | 7.98 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFB | 10.39 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3 | | 3 | UEA | USBFB | 16.11 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 4 | | 4 | UEA | USBFB | 28.37 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Order Coordination for Specified Time Conversion, per LSR | | | UEA | OCOSL | | 18.19 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1 | | 1 | UEA | USBFC | 7.98 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2 | | 2 | UEA | USBFC | 10.39 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 3 | | 3 | UEA | USBFC | 16.11 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 4 | | 4 | UEA | USBFC | 28.37 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UEA | OCOSL | | 18.19 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFD | 21.69 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFD | 26.06 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3 | | 3 | UEA | USBFD | 34.77 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 4 | | 4 | UEA | USBFD | 34.77 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 18.19 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFE | 21.69 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFE | 26.06 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3 | | 3 | UEA | USBFE | 34.77 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire Analog Voice Grade Loop-Start Loop - Zone 4 | | 4 | UEA | USBFE | 34.77 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 18.19 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | | 1 | UDN | USBFF | 14.60 | 106.46 | 68.78 | 55.58 | 13.13 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | 2 | UDN | USBFF | 18.78 | 106.46 | 68.78 | 55.58 | 13.13 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | | 3 | UDN | USBFF | 25.47 | 106.46 | 68.78 | 55.58 | 13.13 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 4 | | 4 | UDN | USBFF | 41.41 | 106.46 | 68.78 | 55.58 | 13.13 | | 15.75 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UDN | OCOSL | | 18.19 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 1 | UDC | USBFS | 14.60 | 106.46 | 68.78 | 55.58 | 13.13 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 2 | UDC | USBFS | 18.78 | 106.46 | 68.78 | 55.58 | 13.13 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 3 | UDC | USBFS | 25.47 | 106.46 | 68.78 | 55.58 | 13.13 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 4 | UDC | USBFS | 41.41 | 106.46 | 68.78 | 55.58 | 13.13 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | USL | USBFG | 55.19 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 100.03 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | USL | USBFG | 183.66 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4 | | 4 | USL | USBFG | 430.04 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | USL | OCOSL | | 18.19 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFH | 5.88 | 84.27 | 46.59 | 53.14 | 10.70 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFH | 5.21 | 84.27 | 46.59 | 53.14 | 10.70 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFH | 4.40 | 84.27 | 46.59 | 53.14 | 10.70 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 4 | | 4 | UCL | USBFH | 3.63 | 84.27 | 46.59 | 53.14 | 10.70 | | 15.75 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 18.19 | | | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFJ | 13.49 | 101.58 | 63.90 | 59.71 | 13.67 | | 15.75 | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--|-----------------|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFJ | 10.96 | 101.58 | 63.90 | 59.71 | 13.67 | | 15.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFJ | 8.59 | 101.58 | 63.90 | 59.71 | 13.67 | | 15.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 4 | | 4 | UCL | USBFJ | 8.59 | 101.58 | 63.90 | 59.71 | 13.67 | | 15.75 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 18.19 | | | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 22.89 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 2 | UDL | USBFN | 25.11 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 3 | UDL | USBFN | 30.84 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 4 | UDL | USBFN | 41.05 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1 | | 1 | UDL | USBFO | 22.89 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2 | | 2 | UDL | USBFO | 25.11 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3 | | 3 | UDL | USBFO | 30.84 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 4 | | 4 | UDL | USBFO | 41.05 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Order Coordination For Specified Time Conversion, per LSR | | | UDL | OCOSL | | 18.19 | | | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1 | | 1 | UDL | USBFP | 22.89 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2 | | 2 | UDL | USBFP | 25.11 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3 | | 3 | UDL | USBFP | 30.84 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 4 | | 4 | UDL | USBFP | 41.05 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UDL | OCOSL | | 18.19 | | | | | | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | | |
| | Sub-Loop Feeder | | | | | | | | | | | | | | | | |
| | | Sub Loop Feeder - DS3 - Per Mile Per Month | | | UE3 | 1L5SL | 18.88 | | | | | | | | | | |
| | | Sub Loop Feeder - DS3 - Facility Termination Per Month | | | UE3 | USBF1 | 349.41 | 3,380.00 | 406.45 | 157.96 | 89.54 | | 15.75 | | | | |
| | | Sub Loop Feeder - STS-1 - Per Mile Per Month | | | UDLSX | 1L5SL | 18.88 | | | | | | | | | | |
| | | Sub Loop Feeder - STS-1 - Facility Termination Per Month | | | UDLSX | USBF7 | 376.07 | 3,380.00 | 406.45 | 157.96 | 89.54 | | 15.75 | | | | |
| | | Sub Loop Feeder - OC-3 - Per Mile Per Month | | | UDLO3 | 1L5SL | 14.33 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month | | | UDLO3 | USBF5 | 58.63 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-3 - Facility Termination Per Month | | | UDLO3 | USBF2 | 569.22 | 3,380.00 | 406.45 | 157.96 | 89.54 | | 15.75 | | | | |
| | | Sub Loop Feeder - OC-12 - Per Mile Per Month | | | UDL12 | 1L5SL | 17.63 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month | | | UDL12 | USBF6 | 662.39 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-12 - Facility Termination Per Month | | | UDL12 | USBF3 | 1,795.00 | 3,380.00 | 406.45 | 157.96 | 89.54 | | 15.75 | | | | |
| | | Sub Loop Feeder - OC-48 - Per Mile Per Month | | | UDL48 | 1L5SL | 57.83 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month | | | UDL48 | USBF9 | 331.52 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-48 - Facility Termination Per Month | | | UDL48 | USBF4 | 1,545.00 | 3,565.00 | 406.45 | 157.96 | 89.54 | | 15.75 | | | | |
| | | Sub Loop Feeder - OC-12 Interface On OC-48 | | | UDL48 | USBF8 | 374.04 | 787.04 | 406.45 | 157.96 | 89.54 | | 15.75 | | | | |
| UNBUNDLED LOOP CONCENTRATION | | | | | | | | | | | | | | | | | |
| | | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8A | 363.67 | 327.30 | 327.30 | | | | 15.75 | | | | |
| | | Unbundled Loop Concentration - System B (TR008) | | | ULC | UCT8B | 47.56 | 136.37 | 136.37 | | | | 15.75 | | | | |
| | | Unbundled Loop Concentration - System A (TR303) | | | ULC | UCT3A | 397.35 | 327.30 | 327.30 | | | | 15.75 | | | | |
| | | Unbundled Loop Concentration - System B (TR303) | | | ULC | UCT3B | 80.15 | 136.37 | 136.37 | | | | 15.75 | | | | |
| | | Unbundled Loop Concentration - DS1 Loop Interface Card | | | ULC | UCTCO | 4.52 | 63.65 | 46.34 | 17.31 | 4.85 | | 15.75 | | | | |
| | | Unbundled Loop Concentration - ISDN Loop Interface (Brite Card) | | | UDN | ULCC1 | 7.17 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | | |
| | | Unbundled Loop Concentration - UDC Loop Interface (Brite Card) | | | UDC | ULCCU | 7.17 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | | |
| | | Unbundled Loop Concentration - -2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card) | | | UEA | ULCC2 | 1.80 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | | |
| | | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card) | | | UEA | ULCCR | 10.66 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|---------------|--|---------|------|---------------------------------|-------|-----------|--------------|--------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card) | | | UEA | ULCC4 | 6.36 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | |
| | | Unbundled Loop Concentration - TEST CIRCUIT Card | | | ULC | UCTTC | 31.07 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | |
| | | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface | | | UDL | ULCC7 | 9.42 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | |
| | | Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface | | | UDL | ULCC5 | 9.42 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | |
| | | Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface | | | UDL | ULCC6 | 9.42 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | |
| UNE OTHER, PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | | |
| | | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | | | | | | | | | | |
| | | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | | | | | | | | | | |
| | | Unbundled Contract Name, Provisioning Only - No Rate | | | UEANL,UEF,UEQ,UENTW | UNECN | | | | | | | | | | |
| UNE OTHER, PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | | |
| | | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC | UNECN | 0.00 | 0.00 | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | |
| | | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | |
| | | Unbundled DS1 Loop - Expanded Superframe Format option - no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | |
| HIGH CAPACITY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 11.20 | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | UE3 | UE3PX | 326.15 | 454.13 | 265.47 | 123.23 | 86.19 | | 15.75 | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 11.20 | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month | | | UDLSX | UDLS1 | 338.55 | 454.13 | 265.47 | 123.23 | 86.19 | | 15.75 | | | |
| LOOP MAKE-UP | | | | | | | | | | | | | | | | |
| | | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | UMK | UMKLW | | 24.12 | 24.12 | | | | | | | |
| | | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 25.58 | 25.58 | | | | | | | |
| | | Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized) | | | UMK | PSUMK | | 0.6652 | 0.6652 | | | | | | | |
| HIGH FREQUENCY SPECTRUM | | | | | | | | | | | | | | | | |
| SPLITTERS-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | | |
| | | Line Sharing Splitter, per System 96 Line Capacity | | | ULS | ULSDA | 186.67 | 189.89 | 0.00 | 178.41 | 0.00 | | 15.75 | | | |
| | | Line Sharing Splitter, per System 24 Line Capacity | | | ULS | ULSDB | 46.67 | 189.89 | 0.00 | 178.41 | 0.00 | | 15.75 | | | |
| | | Line Sharing Splitter, Per System, 8 Line Capacity | I | | ULS | ULSD8 | 15.55 | 189.89 | 0.00 | 178.41 | 0.00 | | 15.75 | | | |
| | | Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) | | | ULS | ULSDG | | 86.98 | | 49.96 | | | 15.75 | | | |
| END USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECTRUM AKA LINE SHARING | | | | | | | | | | | | | | | | |
| | | Line Sharing - per Line Activation (BST Owned Splitter) | | | ULS | ULSDC | 0.61 | 18.62 | 10.66 | 10.04 | 4.93 | | 15.75 | | | |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) | | | ULS | ULSDS | | 16.48 | 8.24 | | | | 15.75 | | | |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) | | | ULS | ULSCS | | 16.48 | 8.24 | | | | 15.75 | | | |
| | | Line Sharing - per Line Activation (DLEC owned Splitter) | I | | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 20.67 | 12.74 | | 15.75 | | | |
| | | Line Splitting - per line activation DLEC owned splitter | R | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | |
| | | Line Splitting - per line activation BST owned - physical | R | | UEPSR UEPSB | UREBP | 0.61 | 18.62 | 10.66 | 10.04 | 4.93 | | 15.75 | | | |
| | | Line Splitting - per line activation BST owned - virtual | R | | UEPSR UEPSB | UREBV | 0.61 | 18.62 | 10.66 | 10.04 | 4.93 | | 15.75 | | | |
| UNBUNDLED DEDICATED TRANSPORT | | | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Mississippi

| CATEGORY | | RATE ELEMENTS | | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|---|--|--|--|-------------|------|-------|-------|-----------|--------------|--------|-------------------------|-------|---------------|---|---|--|--|---|---|
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| NOTE: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3/STS-1=four months | | | | | | | | | | | | | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | | U1TVX | 1L5XX | 0.0098 | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | | U1TVX | U1TV2 | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade Rev Bat. - Per Mile per month | | | | U1TVX | 1L5XX | 0.0098 | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. - Facility Termination per month | | | | U1TVX | U1TR2 | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | | |
| | | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month | | | | U1TVX | 1L5XX | 0.0098 | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month | | | | U1TVX | U1TV4 | 19.79 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | | U1TDX | 1L5XX | 0.0098 | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month | | | | U1TDX | U1TD5 | 15.68 | 40.78 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | | U1TDX | 1L5XX | 0.0098 | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | | U1TDX | U1TD6 | 15.68 | 40.78 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | | U1TD1 | 1L5XX | 0.201 | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month | | | | U1TD1 | U1TF1 | 57.33 | 89.79 | 82.28 | 16.86 | 14.90 | | 15.75 | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | | U1TD3 | 1L5XX | 4.76 | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | | U1TD3 | U1TF3 | 641.90 | 280.37 | 163.70 | 62.08 | 60.29 | | 15.75 | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | | U1TS1 | 1L5XX | 4.76 | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month | | | | U1TS1 | U1TFS | 644.21 | 280.37 | 163.70 | 62.08 | 60.29 | | 15.75 | | | | | |
| LOCAL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | | | | |
| NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3/STS-1=four months | | | | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Per Month | | | | ULDVX | ULDV2 | 14.91 | 194.22 | 33.36 | 37.79 | 3.30 | | 15.75 | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month | | | | ULDVX | ULDR2 | 14.91 | 194.22 | 33.36 | 37.79 | 3.30 | | 15.75 | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | | UNDVX | ULDV4 | 15.99 | 194.66 | 33.80 | 38.27 | 3.78 | | 15.75 | | | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 1 | | 1 | | ULDD1 | ULDF1 | 36.83 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 2 | | 2 | | ULDD1 | ULDF1 | 35.99 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 3 | | 3 | | ULDD1 | ULDF1 | 221.63 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 4 | | 4 | | ULDD1 | ULDF1 | 221.63 | 178.50 | 154.61 | 22.89 | 15.74 | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | | | ULDD3 | 1L5NC | 9.66 | | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination per month | | | | ULDD3 | ULDF3 | 413.87 | 454.13 | 265.47 | 123.23 | 86.19 | | 15.75 | | | | | |
| | | Local Channel - Dedicated - STS-1- Per Mile per month | | | | ULDS1 | 1L5NC | 9.66 | | | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination per month | | | | ULDS1 | ULDFS | 408.02 | 454.13 | 265.47 | 123.23 | 86.19 | | 15.75 | | | | | |
| MULTIPLEXERS | | | | | | | | | | | | | | | | | | | |
| | | Channelization - DS1 to DS0 Channel System | | | | UXTD1 | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | 15.75 | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | | UDL | 1D1DD | 1.22 | 6.62 | 4.74 | | | | 15.75 | | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month | | | | UDN | UC1CA | 2.62 | 6.62 | 4.74 | | | | 15.75 | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | UEA | 1D1VG | 0.5737 | 6.62 | 4.74 | | | | 15.75 | | | | | |
| | | DS3 to DS1 Channel System per month | | | | UXTD3 | MQ3 | 170.63 | 179.17 | 94.52 | 34.30 | 32.82 | | 15.75 | | | | | |
| | | STS1 to DS1 Channel System per month | | | | UXTS1 | MQ3 | 170.63 | 179.17 | 94.52 | 34.30 | 32.82 | | 15.75 | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|---------------|--|--|--|---------|------|----------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | USL | UC1D1 | 12.96 | 6.62 | 4.74 | | | | 15.75 | | | |
| | | | | | | | ULDD1 | UC1D1 | 12.96 | 6.62 | 4.74 | | | | 15.75 | | | |
| | | | | | | | U1TD1 | UC1D1 | 12.96 | 6.62 | 4.74 | | | | 15.75 | | | |
| DARK FIBER | | | | | | | | | | | | | | | | | | |
| | | | | | | | UDF | 1L5DC | 59.95 | | | | | | | | | |
| | | | | | | | UDF | UDFC4 | | 642.79 | 138.67 | 326.97 | 203.85 | | 15.75 | | | |
| | | | | | | | UDF | 1L5DF | 28.27 | | | | | | | | | |
| | | | | | | | UDF | UDF14 | | 642.79 | 138.67 | 326.97 | 203.85 | | 15.75 | | | |
| | | | | | | | UDF | 1L5DL | 59.95 | | | | | | | | | |
| | | | | | | | UDF | UDFL4 | | 642.79 | 138.67 | 326.97 | 203.85 | | 15.75 | | | |
| TRANSPORT OTHER | | | | | | | | | | | | | | | | | | |
| Optional Features & Functions: | | | | | | | | | | | | | | | | | | |
| 8XX ACCESS TEN DIGIT SCREENING | | | | | | | | | | | | | | | | | | |
| | | | | | | | OHD | | 0.0006216 | | | | | | | | | |
| | | | | | | | OHD | N8R1X | | 2.60 | 0.44 | | | | 15.75 | | | |
| | | | | | | | OHD | | | 5.97 | 0.81 | 4.60 | 0.54 | | 15.75 | | | |
| | | | | | | | OHD | N8FTX | | 5.97 | 0.81 | 4.60 | 0.54 | | 15.75 | | | |
| | | | | | | | OHD | N8FCX | | 2.60 | 1.30 | | | | 15.75 | | | |
| | | | | | | | OHD | N8FMX | | 3.04 | 1.74 | | | | 15.75 | | | |
| | | | | | | | OHD | N8FAX | | 3.04 | 0.44 | | | | 15.75 | | | |
| | | | | | | | OHD | N8FDX | | 2.60 | | | | | 15.75 | | | |
| | | | | | | | OHD | | 0.0006216 | | | | | | | | | |
| | | | | | | | OHD | | 0.0006216 | | | | | | | | | |
| LINE INFORMATION DATA BASE ACCESS (LIDB) | | | | | | | | | | | | | | | | | | |
| | | | | | | | OQT | | 0.0000197 | | | | | | | | | |
| | | | | | | | OQU | | 0.0137053 | | | | | | | | | |
| | | | | | | | OQT, OQU | NRPBX | | 34.52 | 34.52 | 42.33 | 42.33 | | 15.75 | | | |
| SIGNALING (CCS7) | | | | | | | | | | | | | | | | | | |
| | | | | | | | UDB | PT8SX | 132.21 | | | | | | | | | |
| | | | | | | | UDB | | 0.0000597 | | | | | | | | | |
| | | | | | | | UDB | TPP++ | 16.55 | 35.74 | 35.74 | 16.53 | 16.53 | | 15.75 | | | |
| | | | | | | | UDB | TPP++ | 16.55 | 35.74 | 35.74 | 16.53 | 16.53 | | 15.75 | | | |
| | | | | | | | UDB | | 0.0000149 | | | | | | | | | |
| | | | | | | | UDB | STU56 | 683.55 | | | | | | | | | |
| | | | | | | | UDB | CCAPO | | 29.18 | 29.18 | 35.78 | 35.78 | | 15.75 | | | |
| E911 SERVICE | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | 14.91 | 194.22 | 33.36 | 37.79 | 3.30 | | 15.75 | | | |
| | | | | | | | | | 0.0098 | | | | | | | | | |
| | | | | | | | | | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | |
| | | | | | | | | | 36.83 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | |
| | | | | | | | | | 35.99 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | |
| | | | | | | | | | 221.63 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | |
| | | | | | | | | | 221.63 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|--|--|--|---------|------|-----|-------|-----------|--------------|----------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - DS1 Per Mile | | | | | | 0.2010 | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 Per Facility Termination | | | | | | 57.33 | 89.79 | 82.28 | 16.86 | 14.90 | | 15.75 | | | |
| | | | | | | | | | | | | | | 15.75 | | | |
| CALLING NAME (CNAM) SERVICE | | | | | | | | | | | | | | | | | |
| | | CNAM for DB Owners, Per Query | | | | | | 0.0010231 | | | | | | | | | |
| | | CNAM for Non DB Owners, Per Query | | | | | | 0.0010231 | | | | | | | | | |
| | | CNAM For DB Owners - Service Establishment | | | | | | | 23.09 | 23.09 | 21.23 | 21.23 | | 15.75 | | | |
| | | CNAM For Non DB Owners - Service Establishment | | | | | | | 23.09 | 23.09 | 21.23 | 21.23 | | 15.75 | | | |
| | | CNAM For DB Owners - Service Provisioning With Point Code Establishment | | | | | | | | | | | | | | | |
| | | CNAM For DB Owners - Service Provisioning With Point Code Establishment | | | | | | | 996.62 | 737.08 | 270.49 | 198.89 | | 15.75 | | | |
| | | CNAM For Non DB Owners - Service Provisioning With Point Code Establishment | | | | | | | 344.32 | 246.56 | 276.85 | 198.89 | | 15.75 | | | |
| LNP Query Service | | | | | | | | | | | | | | | | | |
| | | LNP Charge Per query | | | | | | 0.0008477 | | | | | | | | | |
| | | LNP Service Establishment Manual | | | | | | | 12.59 | 12.59 | 11.58 | 11.58 | | 15.75 | | | |
| | | LNP Service Provisioning with Point Code Establishment | | | | | | | 596.94 | 304.96 | 270.49 | 198.89 | | 15.75 | | | |
| OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min. - Using BST LIDB | | | | | | 1.20 | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min. - Using Foreign LIDB | | | | | | 1.24 | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using BST LIDB | | | | | | 0.20 | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB | | | | | | 0.20 | | | | | | | | | |
| INWARD OPERATOR SERVICES | | | | | | | | | | | | | | | | | |
| | | Inward Operator Services - Verification, Per Minute | | | | | | 1.15 | | | | | | | | | |
| | | Inward Operator Services - Verification and Emergency Interrupt - Per Minute | | | | | | 1.15 | | | | | | | | | |
| BRANDING - OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | | | |
| | | Recording of Custom Branded OA Announcement | | | | | CBAOS | | 7,000.00 | 7,000.00 | | | | 15.75 | | | |
| | | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | CBAOL | | 500.00 | 500.00 | | | | 15.75 | | | |
| | | Unbranding via OLNS for UNEP CLEC | | | | | | | | | | | | | | | |
| | | Loading of OA per OCN (Regional) | | | | | | | 1,200.00 | 1,200.00 | | | | 15.75 | | | |
| DIRECTORY ASSISTANCE SERVICES | | | | | | | | | | | | | | | | | |
| | | DIRECTORY ASSISTANCE ACCESS SERVICE | | | | | | | | | | | | | | | |
| | | Directory Assistance Access Service Calls, Charge Per Call | | | | | | 0.275 | | | | | | | | | |
| | | DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC) | | | | | | | | | | | | | | | |
| | | Directory Assistance Call Completion Access Service (DACC), Per Call Attempt | | | | | | 0.10 | | | | | | | | | |
| DIRECTORY TRANSPORT | | | | | | | | | | | | | | | | | |
| DIRECTORY ASSISTANCE SERVICES | | | | | | | | | | | | | | | | | |
| | | DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS) | | | | | | | | | | | | | | | |
| | | Directory Assistance Data Base Service Charge Per Listing | | | | | | 0.04 | | | | | | | | | |
| | | Directory Assistance Data Base Service, per month | | | | | DBSOF | 150.00 | | | | | | | | | |
| BRANDING - DIRECTORY ASSISTANCE | | | | | | | | | | | | | | | | | |
| | | Facility Based CLEC | | | | | | | | | | | | | | | |
| | | Recording and Provisioning of DA Custom Branded Announcement | | | | | AMT | CBADA | 6,000.00 | 6,000.00 | | | | | | | |
| | | Loading of Custom Branded Announcement per DRAM Card/Switch | | | | | AMT | CBADC | 1,170.00 | 1,170.00 | | | | | | | |
| | | UNEP CLEC | | | | | | | | | | | | | | | |
| | | Recording of DA Custom Branded Announcement | | | | | | | 3,000.00 | 3,000.00 | | | | | | | |
| | | Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN | | | | | | | 1,170.00 | 1,170.00 | | | | | | | |
| | | Unbranding via OLNS for UNEP CLEC | | | | | | | | | | | | | | | |
| | | Loading of DA per OCN (1 OCN per Order) | | | | | | | 420.00 | 420.00 | | | | | | | |
| | | Loading of DA per Switch per OCN | | | | | | | 16.00 | 16.00 | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|---------------|--|---------|------|---|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| SELECTIVE ROUTING | | | | | | | | | | | | | | | | |
| | | Selective Routing Per Unique Line Class Code Per Request Per Switch | | | | USRCR | | 85.19 | 85.19 | 14.19 | 14.19 | | 15.75 | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | |
| | | Virtual Collocation - Application Cost | | | AMTFS | EAF | | 1,212.25 | | 0.51 | | | | | | |
| | | Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS | ESPCX | | 926.27 | | 22.62 | | | | | | |
| | | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 5.74 | | | | | | | | | |
| | | Virtual Collocation - Power, per breaker amp | | | AMTFS | ESPAX | 7.33 | | | | | | | | | |
| | | Virtual Collocation - Cable Support Structure, per entrance cable | | | AMTFS | ESPSX | 15.24 | | | | | | | | | |
| | | Virtual Collocation - 2-wire Cross Connects (loop) | | | UEANL,UEA,UDN,UDC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX | UEAC2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | |
| | | Virtual Collocation - 4-wire Cross Connects (loop) | | | UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX | UEAC4 | 0.0536 | 12.47 | 11.94 | 6.59 | 5.91 | | 15.75 | | | |
| | | Virtual Collocation - 2-Fiber Cross Connects | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF | CNC2F | 2.91 | 21.01 | 15.29 | 7.61 | 6.10 | | 15.75 | | | |
| | | Virtual Collocation - 4-Fiber Cross Connects | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF | CNC4F | 5.82 | 25.70 | 19.97 | 10.01 | 8.50 | | 15.75 | | | |
| | | Virtual collocation - DS1 Cross Connects | | | USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1 | CNC1X | 1.14 | 22.16 | 16.02 | 6.60 | 5.97 | | 15.75 | | | |
| | | Virtual collocation - DS3 Cross Connects | | | USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 14.49 | 21.01 | 15.29 | 7.61 | 6.10 | | 15.75 | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot | | | AMTFS | VE1CB | 0.0025 | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft | | | AMTFS | VE1CD | 0.0037 | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable | | | AMTFS | VE1CC | | 534.65 | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable | | | AMTFS | VE1CE | | 534.65 | | | | | | | | |
| | | Virtual collocation - Security Escort - Basic, per half hour | | | AMTFS | SPTBX | | 17.02 | 10.79 | | | | | | | |
| | | Virtual collocation - Security Escort - Overtime, per half hour | | | AMTFS | SPTOX | | 22.17 | 13.94 | | | | | | | |
| | | Virtual collocation - Security Escort - Premium, per half hour | | | AMTFS | SPTPX | | 27.32 | 17.08 | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 28.09 | 10.79 | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 36.69 | 13.94 | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 45.28 | 17.08 | | | | | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | |
| | | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire Analog - Res | | | UEPSR | VE1R2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|---------------|--|--|--|--|---------|------|-----|------|-----------|--|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | </ | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|--|---------------|--|--|--|--|------------|------|-----|------|-----------|---------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Inter m | Zone | BCS | USOC | RATES(\$) | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | </ | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|---------------|---|--|--|--|---------|--------------|-------|-------------------------|-----------|--------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | OSS Rates(\$) | | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | | | | | | First | Add'l | First | Add'l | | | | | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 4 | | | | | 4 | UNCVX | UEAL4 | 50.03 | 132.27 | 94.59 | 60.68 | 14.64 | 15.75 | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | | | | UNCVX | 1D1VG | 0.5737 | 6.62 | 4.74 | | | 15.75 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | | | | UNC1X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | 15.75 | | |
| 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | | | | 1 | UNCDX | UDL56 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | 15.75 | | |
| | | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | | | | 2 | UNCDX | UDL56 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | 15.75 | | |
| | | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | | | | 3 | UNCDX | UDL56 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | 15.75 | | |
| | | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 4 | | | | | 4 | UNCDX | UDL56 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | 15.75 | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | | | | UNC1X | 1L5XX | 0.1813 | | | | | 15.75 | | |
| | | Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month | | | | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | 15.75 | | |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | | | | UNC1X | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | 15.75 | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | | | | UNCDX | 1D1DD | 1.22 | 6.62 | 4.74 | | | 15.75 | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | | | | 1 | UNCDX | UDL56 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | 15.75 | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | | | | 2 | UNCDX | UDL56 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | 15.75 | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | | | | 3 | UNCDX | UDL56 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | 15.75 | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 4 | | | | | 4 | UNCDX | UDL56 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | 15.75 | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs) | | | | | | UNCDX | 1D1DD | 1.22 | 6.62 | 4.74 | | | 15.75 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | | | | UNC1X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | 15.75 | | |
| 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | | | | 1 | UNCDX | UDL64 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | 15.75 | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | | | | 2 | UNCDX | UDL64 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | 15.75 | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | | | | 3 | UNCDX | UDL64 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | 15.75 | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 4 | | | | | 4 | UNCDX | UND64 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | 15.75 | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | | | | UNC1X | 1L5XX | 0.1813 | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | 15.75 | | |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | | | | UNC1X | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | 15.75 | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | | | | UNCDX | 1D1DD | 1.22 | 6.62 | 4.74 | | | 15.75 | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | | | | 1 | UNCDX | UDL64 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | 15.75 | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | | | | 2 | UNCDX | UDL64 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | 15.75 | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | | | | 3 | UNCDX | UDL64 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | 15.75 | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|--|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 4 | | 4 | UNCDX | UDL64 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.22 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 | | 1 | UNC1X | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 | | 2 | UNC1X | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 | | 3 | UNC1X | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 4 | | 4 | UNC1X | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | 15.75 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | First DS1 Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | First DS1 Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | First DS1 Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | First DS1 Loop in DS3 Interoffice Transport Combination - Zone 4 | | 4 | UNC1X | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | | | UNC3X | 1L5XX | 4.29 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Facility Termination per month | | | UNC3X | U1TF3 | 641.90 | 280.37 | 163.70 | 62.08 | 60.29 | | 15.75 | | | | |
| | | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 107.85 | 179.17 | 94.52 | 34.30 | 32.82 | | 15.75 | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 12.96 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | | Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 4 | | 4 | UNC1X | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 12.96 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC3X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 13.89 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | | 2-Wire VG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 18.75 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | | 2-Wire VG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 27.55 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | | A.1.2 2-Wire VG Loop used with 2-wire VG Interoffice Transport Combination - Zone 4 | | 4 | UNCVX | UEAL2 | 45.72 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | | Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.00088 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|--|---------------|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV2 | 20.32 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCVX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 27.47 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.26 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 50.03 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 4 | | 4 | UNCVX | UEAL4 | 50.03 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | | Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.00088 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV4 | 17.86 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCVX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month | | | UNC3X | 1L5ND | 11.20 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month | | | UNC3X | UE3PX | 252.17 | 454.13 | 265.47 | 123.23 | 86.19 | | 15.75 | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 4.29 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month | | | UNC3X | U1TF3 | 641.90 | 280.37 | 163.70 | 62.08 | 60.29 | | 15.75 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC3X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month | | | UNCSX | 1L5ND | 11.20 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month | | | UNCSX | UDLS1 | 264.35 | 454.13 | 265.47 | 123.23 | 86.19 | | 15.75 | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Per Mile per month | | | UNCSX | 1L5XX | 4.29 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month | | | UNCSX | U1TFS | 644.21 | 280.37 | 163.70 | 62.08 | 60.29 | | 15.75 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCSX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 | | 1 | UNCNX | U1L2X | 21.01 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2 | | 2 | UNCNX | U1L2X | 27.59 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3 | | 3 | UNCNX | U1L2X | 37.34 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 4 | | 4 | UNCNX | U1L2X | 59.18 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | 15.75 | | | | |
| | | Channelization - Channel System DS1 to DS0 combination - per month | | | UNC1X | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | 15.75 | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month | | | UNCNX | UC1CA | 2.62 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1 | | 1 | UNCNX | U1L2X | 21.01 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|---------------|--|--|--|--|---------|------|-----|------|-----------|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | </ | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|---|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 4 | | 4 | UNCDX | UDL64 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.00088 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination | | | UNCDX | U1TD6 | 14.14 | 40.78 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCDX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| ADDITIONAL NETWORK ELEMENTS | | | | | | | | | | | | | | | | |
| | When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. | | | | | | | | | | | | | | | |
| | When used as ordinarily combined network elements in Mississippi, the non-recurring charges apply and the Switch As Is Charge does not. | | | | | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) | | | | | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps | | | UNCDX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - DS1 | | | UNC1X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - DS3 | | | UNC3X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - STS1 | | | UNCSX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | UNCXV | ULDV2 | 14.91 | 194.22 | 33.36 | 37.79 | 3.30 | | 15.75 | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | UNCXV | ULDV4 | 15.99 | 194.66 | 33.80 | 38.27 | 3.78 | | 15.75 | | | | |
| | Local Channel - Dedicated - DS1 per month Zone 1 | | 1 | UNC1X | ULDF1 | 36.83 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | |
| | Local Channel - Dedicated -DS1 Per Month Zone 2 | | 2 | UNC1X | ULDF1 | 35.99 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | |
| | Local Channel - Dedicated - DS1- Per Month Zone 3 | | 3 | UNC1X | ULDF1 | 221.63 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | |
| | Local Channel - Dedicated - DS1- Per Month Zone 4 | | 4 | UNC1X | ULDF1 | 221.63 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | |
| | Local Channel - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5NC | 9.66 | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 - Facility Termination per month | | | UNC3X | ULDF3 | 413.87 | 454.13 | 265.47 | 123.23 | 86.19 | | 15.75 | | | | |
| | Local Channel - Dedicated - STS-1 - Per Mile per month | | | UNCSX | 1L5NC | 9.66 | | | | | | | | | | |
| | Local Channel - Dedicated - STS-1 - Facility Termination per month | | | UNCSX | ULDFS | 408.02 | 454.13 | 265.47 | 123.23 | 86.19 | | 15.75 | | | | |
| UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | | |
| | Exchange Ports | | | | | | | | | | | | | | | |
| | NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs | | | | | | | | | | | | | | | |
| | 2-WIRE VOICE GRADE LINE PORT RATES (RES) | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | Exchange Ports - 2-Wire VG unbundled MS extended local dialing party Port with Caller ID - Res. | | | UEPSR | UEPAT | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) | | | UEPSR | UEPAP | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| FEATURES | | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSR | UEPVF | 2.56 | 0.00 | 0.00 | | | | 15.75 | | | | |
| 2-WIRE VOICE GRADE LINE PORT RATES (BUS) | | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus | | | UEPSB | UEPBL | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |

UNBUNDLED NETWORK ELEMENTS - Mississippi

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|--|--|-------------|------|-------|-------|-----------|--------------|--------|-------------------------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | Exchange Ports - 2-Wire VG unbundled MS extended local dialing parity Port with Caller ID - Bus. | | | UEPSB | UEPAY | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | |
| | Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus | | | UEPSB | UEPB1 | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | |
| | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | |
| | FEATURES | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSB | UEPVF | 2.56 | 0.00 | 0.00 | | | | 15.75 | | | |
| | EXCHANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | |
| | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | |
| | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | |
| | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPP1 | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | |
| | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | |
| | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPSP | UEPXE | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPSP | UEPXL | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPSP | UEPXM | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPSP | UEPXO | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy Calling Port | | | UEPSP | UEPXQ | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional Calling Port | | | UEPSP | UEPXR | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | |
| | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | |
| | FEATURES | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSP | UEPSE | 2.56 | 0.00 | 0.00 | | | | 15.75 | | | |
| | EXCHANGE PORT RATES (COIN) | | | | | | | | | | | | | | |
| | Exchange Ports - Coin Port | | | | | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | |
| NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. | | | | | | | | | | | | | | | |
| NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. | | | | | | | | | | | | | | | |
| UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| | EXCHANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | 15.75 | | 1.97 | |
| | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability | | | UEPDD | UEPDD | 58.41 | 203.19 | 96.25 | 74.86 | 2.54 | | 15.75 | | 1.97 | |
| | Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX | UEPSX | 13.69 | 73.19 | 53.30 | 47.90 | 10.76 | | 15.75 | | 1.97 | |
| | All Features Offered | | | UEPTX | UEPSX | 2.56 | 0.00 | 0.00 | | | | 15.75 | | 1.97 | |
| NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. | | | | | | | | | | | | | | | |
| NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire ISDN Port -- Channel Profiles | | | UEPTX | UEPSX | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 84.63 | 205.00 | 102.14 | 81.65 | 20.69 | | 15.75 | | 1.97 | |
| UNBUNDLED LOCAL SWITCHING, PORT USAGE | | | | | | | | | | | | | | | |
| | End Office Switching (Port Usage) | | | | | | | | | | | | | | |
| | End Office Switching Function, Per MOU | | | | | 0.0010269 | | | | | | | | | |
| | End Office Trunk Port - Shared, Per MOU | | | | | 0.000161 | | | | | | | | | |
| | Tandem Switching (Port Usage) (Local or Access Tandem) | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | | | 0.0001723 | | | | | | | | | |
| | Tandem Trunk Port - Shared, Per MOU | | | | | 0.0001828 | | | | | | | | | |
| | Common Transport | | | | | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | | | 0.0000026 | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | | | 0.0004541 | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|--|--|--|--|---------|------|-------|-------|--------------|--------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | Interim | Zone | BCS | USOC | RATES(\$) | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN |
| UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | | |
| Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. | | | | | | | | | | | | | | | | |
| Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. | | | | | | | | | | | | | | | | |
| End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. | | | | | | | | | | | | | | | | |
| For Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos for all states. In GA, KY, LA, MS, SC and TN these nonrecurring charges are commission ordered cost based rates and in AL, FL and NC these nonrecurring charges are Market Rates and are also listed in the Market Rate section. | | | | | | | | | | | | | | | | |
| For Currently Combined Combos in all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | | | | 1 | | | 12.22 | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | | | | 2 | | | 17.13 | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | | | | 3 | | | 26.26 | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 4 | | | | | 4 | | | 44.91 | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | | | | 1 | UEPRX | UEPLX | 10.98 | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | | | 2 | UEPRX | UEPLX | 15.91 | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | | | 3 | UEPRX | UEPLX | 25.04 | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 4 | | | | | 4 | UEPRX | UEPLX | 43.68 | | | | | | | |
| 2-Wire Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | | | | UEPRX | UEPRL | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | 15.75 | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | | | | UEPRX | UEPRC | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | 15.75 | | |
| | 2-Wire voice unbundled port outgoing only - res | | | | | | UEPRX | UEPRO | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | 15.75 | | |
| | 2-Wire voice Grade unbundled Mississippi extended local dialing parity port with Caller ID - res | | | | | | UEPRX | UEPAT | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | 15.75 | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | | | | UEPRX | UEPAP | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | 15.75 | | |
| FEATURES | | | | | | | | | | | | | | | | |
| | All Features Offered | | | | | | UEPRX | UEPVF | 2.56 | 0.00 | 0.00 | | | 15.75 | | |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | | | | UEPRX | LNPCX | 0.35 | | | | | | | |
| NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | | | | UEPRX | USAC2 | | 0.0988 | 0.0988 | | | 15.75 | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | | | | UEPRX | USACC | | 0.0988 | 0.0988 | | | 15.75 | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update | | | | | | | | | 0.00 | 0.00 | | | 15.75 | | |
| ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | 15.75 | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | | | | 1 | | | 12.22 | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | | | | 2 | | | 17.13 | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | | | | 3 | | | 26.26 | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | | | | 1 | UEPBX | UEPLX | 10.98 | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | | | 2 | UEPBX | UEPLX | 15.91 | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | | | 3 | UEPBX | UEPLX | 25.04 | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 4 | | | | | 4 | UEPBX | UEPLX | 43.68 | | | | | | | |
| 2-Wire Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | | | | UEPBX | UEPBL | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | 15.75 | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | | | | UEPBX | UEPBC | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | 15.75 | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | | | | UEPBX | UEPBO | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | 15.75 | | |
| | 2-Wire voice Grade unbundled Mississippi extended local dialing parity port with Caller ID - bus | | | | | | UEPBX | UEPAY | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | 15.75 | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | | | | UEPBX | UEPB1 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | 15.75 | | |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | | | | UEPBX | LNPCX | 0.35 | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|--|---------------|--|----|--|--|---------|------|-----|------|-----------|--|---------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | </ | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|--|---------|------|-------|-------|-----------|--------------|-------|--------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | SOME C | SOMAN | OSS Rates(\$) | | | |
| | | | | | | | First | Add'l | First | Add'l | | | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPPX | UEPXO | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy Calling Port | | | UEPPX | UEPXQ | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional Calling Port | | | UEPPX | UEPXR | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPPX | UEPVF | 2.56 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 7.96 | 1.91 | | | | 15.75 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | UEPPX | USACC | | 7.96 | 1.91 | | | | 15.75 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update | | | | | | 0.00 | 0.00 | | | | 15.75 | | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 7.36 | 7.36 | | | | 15.75 | | | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | | 12.22 | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | | 17.13 | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | | 26.26 | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 4 | | 4 | | | | 44.91 | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | | 10.98 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | | 15.91 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | | 25.04 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 4 | | 4 | UEPCO | UEPLX | | 43.68 | | | | | | | | | |
| | 2-Wire Voice Grade Line Ports (COIN) | | | | | | | | | | | | | | | |
| | 2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS) | | | UEPCO | UEPRF | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Coin 2-Way without Operator Screening and without Blocking; with Dialing Parity (Note 3) (MS) | | | UEPCO | UEPMC | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Coin 2-W with Operator Screening and Blocking: 011, 900/976, 1+DDD; with Dialing Parity (MS) | | | UEPCO | UEPMA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS) | | | UEPCO | UEPRB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking; with Dialing Parity (MS) | | | UEPCO | UEPMB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCD | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|--|---------------|--|--|--|--|---------|------|-----|------|-----------|--|---------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Mississippi

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|----------|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|--------|---------------|----------------------------------|--------------------------------------|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | | |
| | DID Trunk Termination (One Per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | 1.97 | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | 1.97 | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | 1.97 | |
| | Reserve Non-Consecutive DID numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | 1.97 | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | 1.97 | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | | |
| | 2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | 1 | UEPPB | UEPPR | 28.59 | | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | | 2 | UEPPB | UEPPR | 35.00 | | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | 3 | UEPPB | UEPPR | 45.18 | | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 4 | | 4 | | | 67.61 | | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 18.26 | | | | | 15.75 | | | | 1.97 | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 24.67 | | | | | 15.75 | | | | 1.97 | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 34.85 | | | | | 15.75 | | | | 1.97 | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 4 | | 4 | UEPPB | UEPPR | USL2X | 57.28 | | | | | 15.75 | | | | 1.97 | |
| | UNE Port Rate | | | | | | | | | | | | | | | | |
| | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 10.33 | 190.80 | 133.22 | 100.72 | 21.13 | 15.75 | | | | 1.97 | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion | | | UEPPB | UEPPR | USACB | 0.00 | 38.73 | 27.17 | | | 15.75 | | | | 1.97 | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| | B-CHANNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN) | | | | | | | | | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CSD | | | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | USER TERMINAL PROFILE | | | | | | | | | | | | | | | | |
| | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | VERTICAL FEATURES | | | | | | | | | | | | | | | | |
| | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 2.56 | 0.00 | 0.00 | | | 15.75 | | | | 1.97 | |
| | INTEROFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | |
| | Interoffice Channel mileage each, including first mile and facilities termination | | | UEPPB | UEPPR | M1GNC | 22.5298 | 40.77 | 27.57 | 17.26 | 7.11 | 15.75 | | | | 1.97 | |
| | Interoffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.0098 | 0.00 | 0.00 | | | | | | | | |
| | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 | | 1 | UEPPP | | 155.43 | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 | | 2 | UEPPP | | 205.74 | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 | | 3 | UEPPP | | 283.10 | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 4 | | 4 | UEPPP | | 534.81 | | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Mississippi

| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
|----------|--|---|---------|------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | USL4P | 79.08 | | | | | | 15.75 | | | 1.97 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | USL4P | 129.38 | | | | | | 15.75 | | | 1.97 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | USL4P | 206.74 | | | | | | 15.75 | | | 1.97 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 4 | | 4 | UEPPP | USL4P | 458.46 | | | | | | 15.75 | | | 1.97 | |
| | | UNE Port Rate | | | | | | | | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | UEPPP | 76.35 | 458.93 | 260.59 | 127.75 | 32.76 | | 15.75 | | | 1.97 | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is | | | UEPPP | USACP | 0.00 | 119.76 | 79.01 | | | | 15.75 | | | 1.97 | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqtl Actvy-Inward/two way tel nos within Std Allowance (except NC) | | | UEPPP | PR7TF | | 0.49 | | | | | 15.75 | | | 1.97 | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) | | | UEPPP | PR7TO | | 11.58 | 11.58 | | | | 15.75 | | | 1.97 | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance | | | UEPPP | PR7ZT | | 23.15 | 23.15 | | | | 15.75 | | | 1.97 | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPP | LNPCN | 1.75 | | | | | | | | | | |
| | | INTERFACE (Provsioning Only) | | | | | | | | | | | | | | | |
| | | Voice/Data | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Digital Data | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Inward Data | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | New or Additional "B" Channel | | | | | | | | | | | | | | | |
| | | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 14.61 | | | | | 15.75 | | | 1.97 | |
| | | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 14.61 | | | | | 15.75 | | | 1.97 | |
| | | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 14.61 | | | | | 15.75 | | | 1.97 | |
| | | CALL TYPES | | | | | | | | | | | | | | | |
| | | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 57.53 | 89.79 | 82.28 | 16.66 | 14.90 | | 15.75 | | | 1.97 | |
| | | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.20 | | | | | | | | | | |
| | | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 131.78 | | | | | | 15.75 | | | 1.97 | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 182.07 | | | | | | 15.75 | | | 1.97 | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 259.44 | | | | | | 15.75 | | | 1.97 | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4 | | 4 | UEPDC | | 511.15 | | | | | | 15.75 | | | 1.97 | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 79.08 | | | | | | 15.75 | | | 1.97 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 129.38 | | | | | | 15.75 | | | 1.97 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 206.74 | | | | | | 15.75 | | | 1.97 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 4 | | 4 | UEPDC | USLDC | 458.46 | | | | | | 15.75 | | | 1.97 | |
| | | UNE Port Rate | | | | | | | | | | | | | | | |
| | | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 52.70 | 457.12 | 254.70 | 120.96 | 14.61 | | 15.75 | | | 1.97 | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is | | | UEPDC | USAC4 | | 130.24 | 67.41 | | | | 15.75 | | | 1.97 | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes | | | UEPDC | USAWA | | 130.24 | 67.41 | | | | 15.75 | | | 1.97 | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk | | | UEPDC | USAWB | | 130.24 | 67.41 | | | | 15.75 | | | 1.97 | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 14.56 | 14.56 | | | | 15.75 | | | 1.97 | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 14.56 | 14.56 | | | | 15.75 | | | 1.97 | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|---|---------|------|-------|-------|-----------|--------------|--------|--------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Channel Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 14.56 | 14.56 | | | 15.75 | | | 1.97 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Chan Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 14.56 | 14.56 | | | 15.75 | | | 1.97 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Chan Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 14.56 | 14.56 | | | 15.75 | | | 1.97 | |
| BIPOLAR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | | |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 600.00 | | | 15.75 | | | 1.97 | |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 600.00 | | | 15.75 | | | 1.97 | |
| Alternate Mark Inversion | | | | | | | | | | | | | | | |
| | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | |
| | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | |
| Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | |
| | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | 15.75 | | | 1.97 | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | 15.75 | | | 1.97 | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | 15.75 | | | 1.97 | |
| | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | 15.75 | | | 1.97 | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | | | | | 15.75 | | | 1.97 | |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | 15.75 | | | 1.97 | |
| | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | 15.75 | | | 1.97 | |
| Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) | | | UEPDC | 1LNO1 | 57.33 | 89.79 | 82.28 | 16.86 | 14.90 | 15.75 | | | 1.97 | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.20 | 0.00 | 0.00 | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | | | UEPDC | 1LNOB | 0.20 | 0.00 | 0.00 | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.20 | 0.00 | 0.00 | | | | | | | |
| | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Central Office Terminating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | |
| 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | |
| System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations | | | | | | | | | | | | | | | |
| Each System can have up to 24 combinations of rates depending on type and number of ports used | | | | | | | | | | | | | | | |
| UNE DS1 Loop | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 79.08 | 0.00 | 0.00 | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 129.38 | 0.00 | 0.00 | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 206.74 | 0.00 | 0.00 | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 4 | | 4 | UEPMG | USLDC | 458.46 | 0.00 | 0.00 | | | 15.75 | | | 1.97 | |
| UNE DSO Channelization Capacities (D4 Channel Bank Configurations) | | | | | | | | | | | | | | | |
| | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 95.06 | 0.00 | 0.00 | | | 15.75 | | | 1.97 | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 190.12 | 0.00 | 0.00 | | | 15.75 | | | 1.97 | |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 380.24 | 0.00 | 0.00 | | | 15.75 | | | 1.97 | |
| | 144 DSO Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 570.36 | 0.00 | 0.00 | | | 15.75 | | | 1.97 | |
| | 192 DSO Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 760.48 | 0.00 | 0.00 | | | 15.75 | | | 1.97 | |
| | 240 DSO Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 950.60 | 0.00 | 0.00 | | | 15.75 | | | 1.97 | |
| | 288 DSO Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,140.72 | 0.00 | 0.00 | | | 15.75 | | | 1.97 | |
| | 384 DSO Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,520.96 | 0.00 | 0.00 | | | 15.75 | | | 1.97 | |
| | 480 DSO Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 1,901.20 | 0.00 | 0.00 | | | 15.75 | | | 1.97 | |
| | 576 DSO Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,281.44 | 0.00 | 0.00 | | | 15.75 | | | 1.97 | |
| | 672 DSO Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 2,661.68 | 0.00 | 0.00 | | | 15.75 | | | 1.97 | |
| Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channeliztion with Port - Conversion Charge Based on a System | | | | | | | | | | | | | | | |
| A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations. | | | | | | | | | | | | | | | |
| Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted. | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|---|---------|------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes | | | UEPMG | USAC4 | 0.00 | 151.35 | 8.41 | | | 15.75 | | | | 1.97 | |
| System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) In GA, KY, LA, MS & TN Only | | | | | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY, MS, &TN Only | | | UEPMG | VUMD4 | 0.00 | 715.15 | 327.39 | 148.05 | 17.56 | 15.75 | | | | 1.97 | |
| Bipolar 8 Zero Substitution | | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 600.00 | | | 15.75 | | | | 1.97 | |
| | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 600.00 | | | 15.75 | | | | 1.97 | |
| Alternate Mark Inversion (AMI) | | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port Exchange Ports | | | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 1.23 | 0.00 | 0.00 | 0.00 | 0.00 | 15.75 | | | | 1.97 | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 1.23 | 0.00 | 0.00 | 0.00 | 0.00 | 15.75 | | | | 1.97 | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 1.23 | 0.00 | 0.00 | 0.00 | 0.00 | 15.75 | | | | 1.97 | |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 7.40 | 0.00 | 0.00 | 0.00 | 0.00 | 15.75 | | | | 1.97 | |
| Feature Activations - Unbundled Loop Concentration | | | | | | | | | | | | | | | | |
| | Feature (Service) Activation for each Line Side Port Terminated in D4 Bank | | | UEPPX | 1PQWM | 0.61 | 25.36 | 13.39 | 4.29 | 4.26 | 15.75 | | | | 1.97 | |
| | Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank | | | UEPPX | 1PQWU | 0.61 | 78.03 | 18.39 | 60.66 | 11.85 | 15.75 | | | | 1.97 | |
| Telephone Number/ Group Establishment Charges for DID Service | | | | | | | | | | | | | | | | |
| | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | 15.75 | | | | 1.97 | |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | 15.75 | | | | 1.97 | |
| | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | 15.75 | | | | 1.97 | |
| | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | 15.75 | | | | 1.97 | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | 15.75 | | | | 1.97 | |
| Local Number Portability | | | | | | | | | | | | | | | | |
| | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FEATURES - Vertical and Optional | | | | | | | | | | | | | | | | |
| Local Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | | |
| | All Features Available | | | UEPPX | UEPVF | 2.56 | 0.00 | 0.00 | | | 15.75 | | | | 1.97 | |
| Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. | | | | | | | | | | | | | | | | |
| These scenarios include: | | | | | | | | | | | | | | | | |
| 1. Unbundled port/loop combinations that are Not Currently Combined in Alabama, Florida and North Carolina. | | | | | | | | | | | | | | | | |
| 2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAs in BellSouth's region for end users with 4 or more DS0 equivalent lines. | | | | | | | | | | | | | | | | |
| The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville). | | | | | | | | | | | | | | | | |
| BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined in AL, FL and NC. In the interim where BellSouth cannot bill Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. | | | | | | | | | | | | | | | | |
| The Market Rate for unbundled ports includes all available features in all states. | | | | | | | | | | | | | | | | |
| End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC: URECU). | | | | | | | | | | | | | | | | |
| For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly. | | | | | | | | | | | | | | | | |
| ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| UNBUNDLED PORT/LOOP COMBINATIONS - MARKET BASED RATES | | | | | | | | | | | | | | | | |
| UNE DS1 Loop | | | | | | | | | | | | | | | | |
| Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System | | | | | | | | | | | | | | | | |
| A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations. | | | | | | | | | | | | | | | | |
| Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted. | | | | | | | | | | | | | | | | |
| UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | | |
| 1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. | | | | | | | | | | | | | | | | |
| 2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|---|---------------|---|--|---|-------|---------|------|------|--------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|---------------|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | | | | | OSS Rates(\$) |
| | | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | | |
| 3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. | | | | | | | | | | | | | | | | | | | | |
| For Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos. The the first and additional Port nonrecurring charges apply to Not Currently Combined Combos for all states. In GA, KY, LA, MS and TN these nonrecurring charges are commission ordered cost based rates and in AL, FL, NC and SC these nonrecurring charges are Market Rates and are listed in the Market Rate section. For Currently Combined Combos in all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. | | | | | | | | | | | | | | | | | | | | |
| 5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice. | | | | | | | | | | | | | | | | | | | | |
| UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) | | | | | | | | | | | | | | | | | | | | |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP91 | | | | 12.22 | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP91 | | | | 17.13 | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP91 | | | | 26.26 | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 4 | UEP91 | | | | 44.91 | | | | | | | | | | | |
| UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP91 | | | | 15.12 | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP91 | | | | 19.98 | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP91 | | | | 28.78 | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 4 | UEP91 | | | | 46.95 | | | | | | | | | | | |
| UNE Loop Rate | | | | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP91 | UECS1 | | | 10.98 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP91 | UECS1 | | | 15.91 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP91 | UECS1 | | | 25.04 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 4 | | 4 | UEP91 | UECS1 | | | 43.68 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP91 | UECS2 | | | 13.89 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP91 | UECS2 | | | 18.75 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP91 | UECS2 | | | 27.55 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 4 | | 4 | UEP91 | UECS2 | | | 45.72 | | | | | | | | | | | |
| UNE Ports | | | | | | | | | | | | | | | | | | | | |
| All States (Except North Carolina and Sout Carolina) | | | | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP91 | UEPYB | | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP91 | UEPYH | | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP91 | UEPYM | | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP91 | UEPYZ | | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP91 | UEPY9 | | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP91 | UEPY2 | | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | | | |
| AL, KY, LA, MS, & TN Only | | | | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPQA | | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPQB | | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPQH | | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP91 | UEPQM | | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP91 | UEPQZ | | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPQ9 | | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|--|---------|------|-------|--------|-----------|--------------|-------|--------------|----------------------------------|--------------------------------------|--|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPQ2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | Local Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionalty, per port | | | UEP91 | URECS | 0.7947 | | | | | | | | | | |
| | Local Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP91 | LNPPC | 0.35 | | | | | | | | | | |
| | Features | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP91 | UEPVF | 2.56 | | | | | | 15.75 | | | | |
| | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 404.98 | | | | | 15.75 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 2.56 | | | | | | 15.75 | | | | |
| | NARS | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP91 | UARO X | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Miscellaneous Terminations | | | | | | | | | | | | | | | |
| | 2-Wire Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | 15.75 | | | | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | MIGBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | MIGBM | 0.0098 | | | | | | | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP91 | 1PQW7 | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP91 | 1PQWP | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot | | | UEP91 | 1PQWQ | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.57 | | | | | | | | | | |
| | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | Conversion - Currently Combined Switch-As-Is with allowed changes, per port | | | UEP91 | USAC2 | | 0.10 | 0.10 | | | | 15.75 | | | | |
| | Conversion of Existing Centrex Common Block | | | UEP91 | USACN | | 37.97 | 16.68 | | | | 15.75 | | | | |
| | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 666.32 | | | | | 15.75 | | | | |
| | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 666.32 | | | | | 15.75 | | | | |
| | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 77.91 | | | | | 15.75 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 72.63 | | | | | 15.75 | | | | |
| | UNE-P CENTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP95 | | 12.22 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP95 | | 17.13 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP95 | | 26.26 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 4 | UEP95 | | 44.91 | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP95 | | 15.12 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP95 | | 19.98 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP95 | | 28.78 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|--|---|---------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 4 | UEP95 | | 46.95 | | | | | | | | | | |
| | UNE Loop Rate | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 10.98 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 15.91 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 25.04 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 4 | | 4 | UEP95 | UECS1 | 43.68 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 13.89 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 18.75 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 27.55 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 4 | | 4 | UEP95 | UECS2 | 45.72 | | | | | | | | | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | |
| | All States | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP95 | UEPYH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP95 | UEPYM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP95 | UEPYZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP95 | UEPY9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP95 | UEPY2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | AL, KY, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP95 | UEPQM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP95 | UEPQZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPQ9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPQ2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | FL & GA Only | | | | | | | | | | | | 15.75 | | | | |
| | Local Switching | | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.7947 | | | | | | | | | | |
| | Local Number Portability | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| | Features | | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP95 | UEPVF | 2.56 | | | | | | 15.75 | | | | |
| | | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 404.98 | | | | | 15.75 | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 2.56 | | | | | | 15.75 | | | | |
| | NARS | | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP95 | UAROx | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | Miscellaneous Terminations | | | | | | | | | | | | | | | | |
| | 2-Wire Trunk Side | | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | 15.75 | | | | |
| | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 58.41 | 203.19 | 96.25 | 74.86 | 2.54 | | 15.75 | | | | |
| | | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 14.56 | | | | | | | | | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.0098 | | | | | | | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Mississippi

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|-------------|------|-------|-------|-----------|--------------|-------|--------------|------------|---------------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.57 | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.57 | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP95 | 1PQW7 | 0.57 | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.57 | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.57 | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP95 | 1PQWQ | 0.57 | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.57 | | | | | | | | | | | |
| | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP95 | USAC2 | | 0.10 | 0.10 | | | | 15.75 | | | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP95 | USACN | | 37.97 | 16.68 | | | | 15.75 | | | | | |
| | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 666.32 | | | | | 15.75 | | | | | |
| | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 666.32 | | | | | 15.75 | | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 72.63 | | | | | 15.75 | | | | | |
| | UNE-P CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP9D | | 12.22 | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9D | | 17.13 | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP9D | | 26.26 | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 4 | UEP9D | | 44.91 | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP9D | | 15.12 | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9D | | 19.98 | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP9D | | 28.78 | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 4 | UEP9D | | 46.95 | | | | | | | | | | | |
| | UNE Loop Rate | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 10.98 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 15.91 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 25.04 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 4 | | 4 | UEP9D | UECS1 | 43.68 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 13.89 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 18.75 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 27.55 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL21) - Zone 4 | | 4 | UEP9D | UECS2 | 45.72 | | | | | | | | | | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | |
| | ALL STATES | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9D | UEPYB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area | | | UEP9D | UEPYD | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|-------------------------------|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|---------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area | | | UEP9D | UEPYE | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area | | | UEP9D | UEPYF | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area | | | UEP9D | UEPYG | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area | | | UEP9D | UEPYT | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area | | | UEP9D | UEPYU | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area | | | UEP9D | UEPYV | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area | | | UEP9D | UEPY3 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area | | | UEP9D | UEPYH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYJ | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area | | | UEP9D | UEPYM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area | | | UEP9D | UEPYO | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area | | | UEP9D | UEPYP | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area | | | UEP9D | UEPYQ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area | | | UEP9D | UEPYR | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area | | | UEP9D | UEPYS | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area | | | UEP9D | UEPY4 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area | | | UEP9D | UEPY5 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | UEP9D | UEPY6 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area | | | UEP9D | UEPY7 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPYZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area | | | UEP9D | UEPY9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area | | | UEP9D | UEPY2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | AL, KY, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPQB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPQC | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPQD | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPQE | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPQF | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPQG | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPQU | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPQV | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPQ3 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPQH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |

UNBUNDLED NETWORK ELEMENTS - Mississippi

| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
|----------|--|--|---------|------|-------|-------|-----------|--------------|-------------------------|---------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| | | | | | | | Rec | Nonrecurring | Nonrecurring Disconnect | OSS Rates(\$) | | | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQW | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQJ | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 | | | UEP9D | UEPQM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPQO | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPQP | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPQQ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPQ7 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPQZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPQ9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPQ2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | Local Switching | | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.7947 | | | | | | | | | | |
| | Local Number Portability | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP9D | LNPC | 0.35 | | | | | | | | | | |
| | Features | | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP9D | UEPVF | 2.56 | | | | | | 15.75 | | | | |
| | | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 404.98 | | | | | 15.75 | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 2.56 | | | | | | 15.75 | | | | |
| | NARS | | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP9D | UARO | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | Miscellaneous Terminations | | | | | | | | | | | | | | | | |
| | 2-Wire Trunk Side | | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP9D | CEND6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | 15.75 | | | | |
| | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 58.41 | 203.19 | 96.25 | 74.86 | 2.54 | | 15.75 | | | | |
| | | DS0 Channels Activated per Channel | | | UEP9D | M1HDO | 0.00 | 14.56 | | | | | | | | | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0.0098 | | | | | | | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9D | 1PQW7 | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9D | 1PQWP | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.57 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|---------------|--|--|--|--|---------|------|-----|------|-----------|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP9E | UEPQM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | 15.75 | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9E | UEPQZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | 15.75 | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPQ9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | 15.75 | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPQ2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | 15.75 | | | | | |
| | Local Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9E | URECS | 0.7947 | | | | | | | | | | |
| | Local Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP9E | LNPCc | 0.35 | | | | | | | | | | |
| | Features | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9E | UEPVF | 2.56 | | | | | 15.75 | | | | | |
| | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 404.98 | | | | 15.75 | | | | | |
| | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 2.56 | | | | | 15.75 | | | | | |
| | NARS | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | 15.75 | | | | | |
| | Unbundled Network Access Register - Indial | | | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | | | 15.75 | | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP9E | UAROx | 0.00 | 0.00 | 0.00 | | | 15.75 | | | | | |
| | Miscellaneous Terminations | | | | | | | | | | | | | | | |
| | 2-Wire Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9E | CEND6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | 15.75 | | | | | |
| | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 58.41 | 203.19 | 96.25 | 74.86 | 2.54 | 15.75 | | | | | |
| | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 14.56 | | | | 15.75 | | | | | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9E | MIGBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | 15.75 | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9E | MIGBM | 0.0098 | | | | | | | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.57 | | | | | 15.75 | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9E | 1PQW6 | 0.57 | | | | | 15.75 | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9E | 1PQW7 | 0.57 | | | | | 15.75 | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9E | 1PQWP | 0.57 | | | | | 15.75 | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.57 | | | | | 15.75 | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP9E | 1PQWQ | 0.57 | | | | | 15.75 | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.57 | | | | | 15.75 | | | | | |
| | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP9E | USAC2 | | 0.10 | 0.10 | | | 15.75 | | | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP9E | USACN | | 37.97 | 16.68 | | | 15.75 | | | | | |
| | New Centrex Standard Common Block | | | UEP9E | M1ACS | 0.00 | 666.32 | | | | 15.75 | | | | | |
| | New Centrex Customized Common Block | | | UEP9E | M1ACC | 0.00 | 666.32 | | | | 15.75 | | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | 72.63 | | | | 15.75 | | | | | |
| | UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP93 | | 12.22 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP93 | | 17.13 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP93 | | 26.26 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|--|---|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 4 | UEP93 | | 44.91 | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP93 | | 15.12 | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP93 | | 19.98 | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP93 | | 28.78 | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 4 | UEP93 | | 46.95 | | | | | | | | | |
| | UNE Loop Rate | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP93 | UECS1 | 10.98 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP93 | UECS1 | 15.91 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP93 | UECS1 | 25.04 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 4 | | 4 | UEP93 | UECS1 | 43.68 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP93 | UECS2 | 13.89 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP93 | UECS2 | 18.75 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP93 | UECS2 | 27.55 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL21) - Zone 4 | | 4 | UEP93 | UECS2 | 45.72 | | | | | | | | | |
| | UNE Port Rate | | | | | | | | | | | | | | | |
| | AL, KY, LA, MS, & TN only | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP93 | UEPYA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP93 | UEPYB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP93 | UEPYH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP93 | UEPYM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP93 | UEPYZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP93 | UEPY9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP93 | UEPY2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP93 | UEPQA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP93 | UEPQB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP93 | UEPQH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP93 | UEPQM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP93 | UEPQZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPQ9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP93 | UEPQ2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | |
| | Local Switching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP93 | URECS | 0.7947 | | | | | | | | | |
| | Local Number Portability | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP93 | LNCCC | 0.35 | | | | | | | | | |
| | Features | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP93 | UEPVF | 2.56 | | | | | 15.75 | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP93 | UEPVC | 2.56 | | | | | 15.75 | | | | |
| | NARS | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | | | 15.75 | | | | |
| | | Unbundled Network Access Register - Indial | | | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | | | 15.75 | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP93 | UAROx | 0.00 | 0.00 | 0.00 | | | 15.75 | | | | |
| | Miscellaneous Terminations | | | | | | | | | | | | | | | |
| | 2-Wire Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP93 | CEND6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | 15.75 | | | | |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--|---|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP93 | M1HD1 | 58.41 | 203.19 | 96.25 | 74.86 | 2.54 | | 15.75 | | | |
| | DS0 Channels Activated, Per Channel | | | UEP93 | M1HDO | 0.00 | 14.56 | | | | | 15.75 | | | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP93 | MIGBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP93 | MIGBM | 0.0098 | | | | | | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.57 | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot | | | UEP93 | 1PQW6 | 0.57 | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP93 | 1PQW7 | 0.57 | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP93 | 1PQWP | 0.57 | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP93 | 1PQWV | 0.57 | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot | | | UEP93 | 1PQWQ | 0.57 | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | 1PQWA | 0.57 | | | | | | | | | |
| | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP93 | USAC2 | | 0.10 | 0.10 | | | | 15.75 | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP93 | USACN | | 37.97 | 16.68 | | | | | | | |
| | New Centrex Standard Common Block | | | UEP93 | M1ACS | 0.00 | 666.32 | | | | | 15.75 | | | |
| | New Centrex Customized Common Block | | | UEP93 | M1ACC | 0.00 | 666.32 | | | | | 15.75 | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP93 | URECA | 0.00 | 72.63 | | | | | 15.75 | | | |
| | Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | |
| | Note 2 - Requires Interoffice Channel Mileage | | | | | | | | | | | | | | |
| | Note 3 - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | |
| | NOTE: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions. | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|--|---|---------|------|-------------|-------|-----------|--------------|--------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| OPERATIONAL SUPPORT SYSTEMS | | | | | | | | | | | | | | | | | |
| | NOTE: (1) Electronic Service Order: CLEC should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions. The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge. CLEC may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC may elect the regional electronic service ordering charge. | | | | | | | | | | | | | | | | |
| | NOTE: (2) Any element that can be ordered electronically will be billed according to the SOME C rate listed in this category. Please refer to BellSouth's Business Rules for Local Ordering (BBR-LO) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the BBR-LO, the listed SOME C rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth. | | | | | | | | | | | | | | | | |
| | | Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional) | | | | | | | | | | | | | | | |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | | | |
| | 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Statewide | | sw | UEANL | UEAL2 | 15.88 | 57.99 | 42.37 | | | | | 26.94 | 12.76 | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 78.92 | 78.92 | | | | | 26.94 | 12.76 | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 23.33 | 23.33 | | | | | 26.94 | 12.76 | | |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1) | | | UEANL | UREWO | | 15.76 | 8.93 | | | | | 26.94 | 12.76 | | |
| | | Engineering Information Document (EI) | | | UEANL | | | 28.74 | 28.74 | | | | | | | | |
| | | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 61.38 | 61.38 | | | | | | | | |
| | | Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) | | | UEANL | OCOSL | | 45.34 | 45.34 | | | | | | | | |
| | 2-WIRE Unbundled COPPER LOOP | | | | | | | | | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop Non-Designed - SW | I | sw | UEQ | UEQ2X | 15.88 | 57.99 | 42.37 | | | | | 26.94 | 26.94 | | |
| | | Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop) | | | UEQ | USBMC | | 61.38 | 61.38 | | | | | 26.94 | 12.76 | | |
| | | Engineering Information Document | | | UEQ | | | 28.74 | 28.74 | | | | | 26.94 | 12.76 | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 78.92 | 78.92 | | | | | 26.94 | 12.76 | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 23.33 | 23.33 | | | | | 26.94 | 12.76 | | |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND) | | | UEQ | UREWO | | 14.26 | 7.42 | | | | | 26.94 | 12.76 | | |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | | | |
| | 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | |
| | | 2 Wire Analog Voice Grade Loop -Service Level 1-Statewide-Line Splitting | | | UEPSR UEPSB | UEALS | 15.88 | 57.99 | 42.37 | | | | | 26.94 | 12.76 | | |
| | | 2 Wire Analog Voice Grade Loop -Service Level 1-Statewide-Line Splitting | | | UEPSR UEPSB | UEABS | 15.88 | 57.99 | 42.37 | | | | | 26.94 | 12.76 | | |
| | UNE Loop Rates for Line Splitting | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) for Line Splitting- Statewide | | sw | UEPRX | UEPLX | 14.18 | | | | | | | | | | |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | | | |
| | 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Statewide | | sw | UEA | UEAL2 | 19.50 | 142.97 | 106.56 | | | | | 26.94 | 12.76 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 45.34 | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling-Statewide | | sw | UEA | UEAR2 | 19.50 | 142.97 | 106.56 | | | | | 26.94 | 12.76 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 45.34 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.64 | 36.33 | | | | | 26.94 | 12.76 | | |
| | 4-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | |
| | | 4-Wire Analog Voice Grade Loop - Statewide | | sw | UEA | UEAL4 | 27.49 | 288.47 | 237.45 | | | | | 26.94 | 12.76 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 45.34 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.64 | 36.33 | | | | | 26.94 | 12.76 | | |
| | 2-WIRE ISDN DIGITAL GRADE LOOP | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Statewide | | sw | UDN | U1L2X | 24.98 | 325.91 | 251.31 | | | | | 26.94 | 12.76 | | |
| | | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | | 45.34 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 91.55 | 44.12 | | | | | 26.94 | 12.76 | | |
| | 2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP | | | | | | | | | | | | | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Statewide | | sw | UDC | UDC2X | 24.98 | 325.91 | 251.31 | | | | | 26.94 | 12.76 | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDC | UREWO | | 91.55 | 44.12 | | | | | 26.94 | 12.76 | | |
| 2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP | | | | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - North Carolina

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|---|--|--|-------------|------|-----|-------|-----------|--------------|--------|-------------------------|---------------|---|---|--|--|---|---|
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Statewide | | sw | UAL | UAL2X | 14.60 | 504.90 | 456.17 | | | | | 26.94 | 12.76 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 45.34 | | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry and facility reservatoin - Statewide | | sw | UAL | UAL2W | 14.60 | 203.85 | 128.42 | | | | | 26.94 | 12.76 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 45.34 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 86.12 | 40.36 | | | | | 26.94 | 12.76 | | |
| 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP | | | | | | | | | | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Statewide | | sw | UHL | UHL2X | 11.98 | 504.90 | 456.17 | | | | | 26.94 | 12.76 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 45.34 | | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Statewide | | sw | UHL | UHL2W | 11.98 | 221.08 | 145.65 | | | | | 26.94 | 12.76 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 45.34 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.06 | 40.36 | | | | | 26.94 | 12.76 | | |
| 4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP | | | | | | | | | | | | | | | | | |
| | | 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Statewide | | sw | UHL | UHL4X | 13.97 | 531.35 | 482.62 | | | | | 26.94 | 12.76 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 45.34 | | | | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Statewide | | sw | UHL | UHL4W | 13.97 | 277.99 | 202.56 | | | | | 26.94 | 12.76 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 45.34 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.06 | 40.36 | | | | | 26.94 | 12.76 | | |
| 4-WIRE DS1 DIGITAL LOOP | | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - Statewide | | sw | USL | USLXX | 62.78 | 714.84 | 421.47 | | | | | 42.19 | 12.76 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 45.34 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 100.99 | 43.00 | | | | | 26.94 | 12.76 | | |
| 4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | sw | UDL | UDL19 | 32.67 | 489.04 | 337.51 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 4 Wire Unbundled Digital Loop 56 Kbps | | sw | UDL | UDL56 | 32.67 | 489.04 | 337.51 | | | | | 26.94 | 12.76 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 45.34 | | | | | | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Statewide | | sw | UDL | UDL64 | 32.67 | 489.04 | 337.51 | | | | | 26.94 | 12.76 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 45.34 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 102.03 | 49.70 | | | | | 26.94 | 12.76 | | |
| 2-WIRE Unbundled COPPER LOOP | | | | | | | | | | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 13.40 | 281.95 | 162.85 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 21.76 | 281.95 | 162.85 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 25.01 | 281.95 | 162.85 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 61.38 | 61.38 | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 13.40 | 250.17 | 174.74 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 21.76 | 250.17 | 174.74 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 25.01 | 250.17 | 174.74 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 61.38 | 61.38 | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2L | 37.79 | 268.96 | 149.86 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2L | 63.16 | 268.96 | 149.86 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2L | 73.02 | 268.96 | 149.86 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 61.38 | 61.38 | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2W | 37.79 | 189.00 | 113.57 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |

UNBUNDLED NETWORK ELEMENTS - North Carolina

| CATEGORY | RATE ELEMENTS | | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|--------------------|---------------|--|-------------|------|---|-------|-----------|--------------|--------|--------------|------------|---|---|--|--|---|---|
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2W | 63.16 | 189.00 | 113.57 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2W | 73.02 | 189.00 | 113.57 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 61.38 | 61.38 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) | | | UCL | UREWO | | 97.14 | 42.44 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| 4-WIRE COPPER LOOP | | | | | | | | | | | | | | | | | |
| | | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 17.63 | 330.13 | 211.02 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 28.89 | 330.13 | 211.02 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 33.28 | 330.13 | 211.02 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 61.38 | 61.38 | | | | | | | | |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4W | 17.63 | 250.17 | 174.74 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4W | 28.89 | 250.17 | 174.74 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4W | 33.28 | 250.17 | 174.74 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 61.38 | 61.38 | | | | | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 53.68 | 317.14 | 198.03 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4L | 90.07 | 317.14 | 198.03 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4L | 104.23 | 317.14 | 198.03 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 61.38 | 61.38 | | | | | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4O | 53.68 | 237.18 | 161.75 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4O | 90.07 | 237.18 | 161.75 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4O | 104.23 | 237.18 | 161.75 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 61.38 | 61.38 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) | | | UCL | UREWO | | 97.14 | 42.44 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| LOOP MODIFICATION | | | | | | | | | | | | | | | | | |
| | | Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft | | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL | ULM2L | | 64.85 | 64.85 | | | | | 26.94 | 12.76 | | |
| | | Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft | | | UCL, ULS | ULM2G | | 339.84 | 339.84 | | | | | 26.94 | 12.76 | | |
| | | Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft | | | UHL, UCL | ULM4L | | 64.85 | 64.85 | | | | | 26.94 | 12.76 | | |
| | | Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft | | | UCL | ULM4G | | 339.84 | 339.84 | | | | | 26.94 | 12.76 | | |
| | | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | | | UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL | ULMBT | | 64.90 | 64.90 | | | | | 26.94 | 12.76 | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | | |
| | | Sub-Loop Distribution | | | | | | | | | | | | | | | |
| | | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up | I | | UEANL | USBSA | | 498.09 | 498.09 | | | | | 26.94 | 12.76 | 15.12 | 15.12 |

| UNBUNDLED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|--|---------|------|----------------------|-------|-----------|--------------|--------|-------------------------|-------|---------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | I | | UEANL | USBSB | | 45.04 | 45.04 | | | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up | I | | UEANL | USBSC | | 313.01 | 313.01 | | | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | I | | UEANL | USBSD | | 108.06 | 108.06 | | | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 | I | 1 | UEANL | USBN2 | 7.99 | 126.03 | 54.54 | 71.13 | 10.16 | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 | I | 2 | UEANL | USBN2 | 12.63 | 126.03 | 54.54 | 71.13 | 10.16 | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 | I | 3 | UEANL | USBN2 | 14.43 | 126.03 | 54.54 | 71.13 | 10.16 | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 45.34 | 45.34 | | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEANL | USBN4 | 9.23 | 156.52 | 79.66 | 78.56 | 13.53 | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN4 | 14.63 | 156.52 | 79.66 | 78.56 | 13.53 | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | 16.73 | 156.52 | 79.66 | 78.56 | 13.53 | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 45.34 | 45.34 | | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR2 | 3.50 | 114.05 | 37.20 | 76.58 | 10.81 | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 45.34 | 45.34 | | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR4 | 3.75 | 127.67 | 50.82 | 78.71 | 10.69 | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 45.34 | 45.34 | | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | I | 1 | UEF | UCS2X | 7.33 | 137.10 | 60.24 | 76.58 | 10.81 | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | I | 2 | UEF | UCS2X | 10.95 | 137.10 | 60.24 | 76.58 | 10.81 | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS2X | 12.36 | 137.10 | 60.24 | 76.58 | 10.81 | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 45.34 | 45.34 | | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | I | 1 | UEF | UCS4X | 7.14 | 162.24 | 85.38 | 78.56 | 13.53 | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | I | 2 | UEF | UCS4X | 11.09 | 162.24 | 85.38 | 78.56 | 13.53 | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS4X | 12.63 | 162.24 | 85.38 | 78.56 | 13.53 | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 45.34 | 45.34 | | | | | | | | | |
| | Unbundled Sub-Loop Modification | | | | | | | | | | | | | | | | |
| | Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 353.95 | 12.20 | | | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 353.95 | 12.20 | | | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded | | | UEF | ULM4T | | 557.78 | 14.23 | | | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | Unbundled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | | |
| | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.44 | 64.98 | 64.98 | | | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | Network Interface Device (NID) | | | | | | | | | | | | | | | | |
| | Network Interface Device (NID) - 1-2 lines | I | | UENTW | UND12 | | 86.37 | 56.69 | | | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | Network Interface Device (NID) - 1-6 lines | I | | UENTW | UND16 | | 127.93 | 98.21 | | | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | Network Interface Device Cross Connect - 2 W | I | | UENTW | UNDC2 | | 11.68 | 11.68 | | | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | Network Interface Device Cross Connect - 4W | I | | UENTW | UNDC4 | | 11.68 | 11.68 | | | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| SUB-LOOPS | | | | | | | | | | | | | | | | | |
| | Sub-Loop Feeder | | | | | | | | | | | | | | | | |
| | USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up | | | UEA, UDN,UCL,UDL,UDC | USBFW | | 498.09 | | | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up | | | UEA, UDN,UCL,UDL,UDC | USBFX | | 45.04 | 45.04 | | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | 523.51 | 11.31 | | | | | | 19.99 | 19.99 | 19.99 | 19.99 |

UNBUNDLED NETWORK ELEMENTS - North Carolina

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
|----------|--|---|-------------|------|-----|-------|-----------|--------------|-------------------------|---------------|---|---|--|--|---|---|-------|
| | | | | | | | Rec | Nonrecurring | Nonrecurring Disconnect | OSS Rates(\$) | | | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMECA | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1 | | 1 | UEA | USBFA | 11.43 | 122.52 | 46.61 | 149.46 | 59.37 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFA | 18.35 | 122.52 | 46.61 | 149.46 | 59.37 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3 | | 3 | UEA | USBFA | 21.04 | 122.52 | 46.61 | 149.46 | 59.37 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination for Specified Conversion Time, per LSR | | | UEA | OCOSL | | 45.34 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFB | 11.43 | 122.52 | 46.61 | 149.46 | 59.37 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFB | 18.35 | 122.52 | 46.61 | 149.46 | 59.37 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3 | | 3 | UEA | USBFB | 21.04 | 122.52 | 46.61 | 149.46 | 59.37 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination for Specified Time Conversion, per LSR | | | UEA | OCOSL | | 45.34 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1 | | 1 | UEA | USBFC | 11.43 | 122.52 | 46.61 | 149.46 | 59.37 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2 | | 2 | UEA | USBFC | 18.35 | 122.52 | 46.61 | 149.46 | 59.37 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3 | | 3 | UEA | USBFC | 21.04 | 122.52 | 46.61 | 149.46 | 59.37 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UEA | OCOSL | | 45.34 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFD | 21.91 | 226.36 | 144.28 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFD | 35.92 | 226.36 | 144.28 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3 | | 3 | UEA | USBFD | 41.37 | 226.36 | 144.28 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 45.34 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFE | 21.91 | 226.36 | 144.28 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFE | 35.92 | 226.36 | 144.28 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3 | | 3 | UEA | USBFE | 41.37 | 226.36 | 144.28 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 45.34 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | | 1 | UDN | USBFF | 19.63 | 202.01 | 105.88 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | 2 | UDN | USBFF | 31.61 | 202.01 | 105.88 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | | 3 | UDN | USBFF | 36.27 | 202.01 | 105.88 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UDN | OCOSL | | 45.34 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 1 | UDC | USBFS | 19.63 | 202.01 | 105.88 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 2 | UDC | USBFS | 31.61 | 202.01 | 105.88 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 3 | UDC | USBFS | 36.27 | 202.01 | 105.88 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | USL | USBFG | 39.69 | 393.01 | 153.37 | | | | | 42.19 | 12.76 | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 67.36 | 393.01 | 153.37 | | | | | 42.19 | 12.76 | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | USL | USBFG | 78.12 | 393.01 | 153.37 | | | | | 42.19 | 12.76 | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | USL | OCOSL | | 45.34 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFH | 10.66 | 172.89 | 90.81 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFH | 16.44 | 172.89 | 90.81 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFH | 18.69 | 172.89 | 90.81 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 45.34 | | | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFJ | 14.68 | 207.14 | 134.77 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFJ | 23.74 | 207.14 | 134.77 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFJ | 27.26 | 207.14 | 134.77 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 45.34 | | | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 26.71 | 215.00 | 132.92 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 2 | UDL | USBFN | 44.07 | 215.00 | 132.92 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 3 | UDL | USBFN | 50.83 | 215.00 | 132.92 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |

UNBUNDLED NETWORK ELEMENTS - North Carolina

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|--|-----------------|---|-------------|------|-------|-------|-----------|--------------|--------|-------------------------|-------|---------------|---|---|--|--|---|---|
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1 | | 1 | UDL | USBFO | 26.71 | 215.00 | 132.92 | | | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2 | | 2 | UDL | USBFO | 44.07 | 215.00 | 132.92 | | | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3 | | 3 | UDL | USBFO | 50.83 | 215.00 | 132.92 | | | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | | Order Coordination For Specified Time Conversion, per LSR | | | UDL | OCOSL | | 45.34 | | | | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1 | | 1 | UDL | USBFP | 26.71 | 215.00 | 132.92 | | | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2 | | 2 | UDL | USBFP | 44.07 | 215.00 | 132.92 | | | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3 | | 3 | UDL | USBFP | 50.83 | 215.00 | 132.92 | | | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UDL | OCOSL | | 45.34 | | | | | | | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | | | |
| | Sub-Loop Feeder | | | | | | | | | | | | | | | | | |
| | | Sub Loop Feeder - DS3 - Per Mile Per Month | I | | UE3 | 1L5SL | 16.03 | | | | | | | | | | | |
| | | Sub Loop Feeder - DS3 - Facility Termination Per Month | I | | UE3 | USBF1 | 350.32 | 3,383.00 | 406.81 | 164.08 | 93.01 | | | 26.94 | 12.76 | | | |
| | | Sub Loop Feeder - STS-1 - Per Mile Per Month | I | | UDLSX | 1L5SL | 16.03 | | | | | | | | | | | |
| | | Sub Loop Feeder - STS-1 - Facility Termination Per Month | I | | UDLSX | USBF7 | 376.06 | 3,383.00 | 406.81 | 164.08 | 93.01 | | | 26.94 | 12.76 | | | |
| | | Sub Loop Feeder - OC-3 - Per Mile Per Month | I | | UDLO3 | 1L5SL | 12.16 | | | | | | | | | | | |
| | | Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month | I | | UDLO3 | USBF5 | 56.60 | | | | | | | | | | | |
| | | Sub Loop Feeder - OC-3 - Facility Termination Per Month | I | | UDLO3 | USBF2 | 564.14 | 3,383.00 | 406.81 | 164.08 | 93.01 | | | 26.94 | 12.76 | | | |
| | | Sub Loop Feeder - OC-12 - Per Mile Per Month | I | | UDL12 | 1L5SL | 14.97 | | | | | | | | | | | |
| | | Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month | I | | UDL12 | USBF6 | 639.50 | | | | | | | | | | | |
| | | Sub Loop Feeder - OC-12 - Facility Termination Per Month | I | | UDL12 | USBF3 | 1,841.00 | 3,383.00 | 406.81 | 164.08 | 93.01 | | | 26.94 | 12.76 | | | |
| | | Sub Loop Feeder - OC-48 - Per Mile Per Month | I | | UDL48 | 1L5SL | 49.10 | | | | | | | | | | | |
| | | Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month | I | | UDL48 | USBF9 | 319.92 | | | | | | | | | | | |
| | | Sub Loop Feeder - OC-48 - Facility Termination Per Month | I | | UDL48 | USBF4 | 1,603.00 | 3,569.00 | 406.81 | 160.39 | 90.92 | | | 26.94 | 12.76 | | | |
| | | Sub Loop Feeder - OC-12 Interface On OC-48 | I | | UDL48 | USBF8 | 360.95 | 787.73 | 406.81 | 160.39 | 90.92 | | | 26.94 | 12.76 | | | |
| UNBUNDLED LOOP CONCENTRATION | | | | | | | | | | | | | | | | | | |
| | | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8A | 398.41 | 652.26 | 652.26 | | | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | | Unbundled Loop Concentration - System B (TR008) | | | ULC | UCT8B | 58.36 | 271.78 | 271.78 | | | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | | Unbundled Loop Concentration - System A (TR303) | | | ULC | UCT3A | 439.73 | 652.25 | 652.26 | | | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | | Unbundled Loop Concentration - System B (TR303) | | | ULC | UCT3B | 98.34 | 271.78 | 271.78 | | | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | | Unbundled Loop Concentration - DS1 Loop Interface Card | | | ULC | UCTCO | 5.52 | 126.85 | 92.35 | 33.65 | 9.42 | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | | Unbundled Loop Concentration - ISDN Loop Interface (Brite Card) | | | UDN | ULCC1 | 8.77 | 21.11 | 21.00 | 10.81 | 10.74 | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | | Unbundled Loop Concentration - UDC Loop Interface (Brite Card) | | | UDC | ULCCU | 8.77 | 21.11 | 21.00 | 10.81 | 10.74 | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | | Unbundled Loop Concentration - 2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card) | | | UEA | ULCC2 | 2.19 | 21.11 | 21.00 | 10.81 | 10.74 | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card) | | | UEA | ULCCR | 13.03 | 21.11 | 21.00 | 10.81 | 10.74 | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | | Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card) | | | UEA | ULCC4 | 7.77 | 21.11 | 21.00 | 10.81 | 10.74 | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | | Unbundled Loop Concentration - TEST CIRCUIT Card | | | ULC | UCTTC | 37.98 | 21.11 | 21.00 | 10.81 | 10.74 | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface | | | UDL | ULCC7 | 11.51 | 21.11 | 21.00 | 10.81 | 10.74 | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | | Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface | | | UDL | ULCC5 | 11.51 | 21.11 | 21.00 | 10.81 | 10.74 | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | | Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface | | | UDL | ULCC6 | 11.51 | 21.11 | 21.00 | 10.81 | 10.74 | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| UNE OTHER, PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | | | | |
| | | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | | | | | | | | | | | | |
| | | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|--------------------------------|---|--|---------|------|---------------------------------|-------|-----------|--------------|--------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | UEANL,UEF,UEQ,UENTW | UNECN | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Unbundled Contract Name, Provisioning Only - No Rate | | | | | | | | | | | | | | | | |
| UNE OTHER, PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | | | | |
| | | Unbundled Contact Name, Provisioning Only - no rate | | | | UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate | | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled DS1 Loop - Superframe Format Option - no rate | | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled DS1 Loop - Expanded Superframe Format option - no rate | | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH CAPACITY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | | UE3 | 1L5ND | 11.12 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | | UE3 | UE3PX | 404.98 | 1,124.48 | 699.60 | | | | | 53.48 | 53.48 | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | | UDLSX | 1L5ND | 11.12 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month | | | | UDLSX | UDLS1 | 417.70 | 1,124.48 | 699.60 | | | | | 53.48 | 53.48 | | |
| LOOP MAKE-UP | | | | | | | | | | | | | | | | | | |
| | | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | | UMK | UMKLW | | 56.34 | 56.34 | | | | | | | | |
| | | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | | UMK | UMKLP | | 58.56 | 58.56 | | | | | | | | |
| | | Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized) | | | | UMK | PSUMK | | 1.04 | 1.04 | | | | | | | | |
| HIGH FREQUENCY SPECTRUM | | | | | | | | | | | | | | | | | | |
| | SPLITTERS-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | | | |
| | | Line Sharing Splitter, per System 96 Line Capacity | | | | ULS | ULSDA | 152.73 | 424.61 | 0.00 | | | | | 26.94 | 12.76 | | |
| | | Line Sharing Splitter, per System 24 Line Capacity | | | | ULS | ULSDB | 38.18 | 424.61 | 0.00 | | | | | 26.94 | 12.76 | | |
| | | Line Sharing Splitter, Per System, 8 Line Capacity | | I | | ULS | ULSD8 | 12.73 | 424.61 | 0.00 | | | | | 26.94 | 12.76 | | |
| | | Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) | | | | ULS | ULSDG | | 146.32 | 31.27 | | | | | 26.94 | 12.76 | | |
| END USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECTRUM AKA LINE SHARING | | | | | | | | | | | | | | | | | | |
| | | Line Sharing - per Line Activation (BST Owned Splitter) | | | | ULS | ULSDC | 0.61 | 56.92 | 28.59 | | | | | 26.94 | 12.76 | | |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) | | | | ULS | ULSDS | | 35.14 | 16.29 | | | | | 26.94 | 12.76 | | |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) | | | | ULS | ULSCS | | 35.14 | 16.29 | | | | | 26.94 | 12.76 | | |
| | | Line Sharing - per Line Activation (DLEC owned Splitter) | | I | | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 20.67 | 12.74 | | | 26.94 | 12.76 | | |
| | | Line Splitting - per line activation DLEC owned splitter | | I | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | |
| | | Line Splitting - per line activation BST owned - physical | | I | | UEPSR UEPSB | UREBP | 0.641 | 56.92 | 28.59 | | | | | 26.94 | 12.76 | | |
| | | Line Splitting - per line activation BST owned - virtual | | I | | UEPSR UEPSB | UREBV | 0.639 | 56.92 | 28.59 | | | | | 26.94 | 12.76 | | |
| UNBUNDLED DEDICATED TRANSPORT | | | | | | | | | | | | | | | | | | |
| NOTE: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3/STS-1=four months | | | | | | | | | | | | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | | U1TVX | 1L5XX | 0.0282 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | | U1TVX | U1TV2 | 18.00 | 137.48 | 52.58 | | | | | 38.07 | 38.07 | | |
| | | Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade Rev Bat. - Per Mile per month | | | | U1TVX | 1L5XX | 0.0282 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. - Facility Termination per month | | | | U1TVX | U1TR2 | 18.00 | 137.48 | 52.58 | | | | | 38.07 | 38.07 | | |
| | | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month | | | | U1TVX | 1L5XX | 0.0282 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|---------------|---|--|--|---------|------|-------|-------|--------------|----------|-------------------------|-------|---------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month | | | | | U1TVX | U1TV4 | 22.16 | 106.11 | 65.95 | | | | | 38.07 | 38.07 | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | | | U1TDX | 1L5XX | 0.0282 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month | | | | | U1TDX | U1TD5 | 17.40 | 137.48 | 52.58 | | | | | 38.07 | 38.07 | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | | | U1TDX | 1L5XX | 0.0282 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | | | U1TDX | U1TD6 | 17.40 | 137.48 | 52.58 | | | | | 38.07 | 38.07 | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | | | U1TD1 | 1L5XX | 0.5753 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month | | | | | U1TD1 | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | | | U1TD3 | 1L5XX | 12.98 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | | | U1TD3 | U1TF3 | 720.38 | 794.94 | 579.55 | | | | | 91.26 | 91.26 | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | | | U1TS1 | 1L5XX | 6.14 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month | | | | | U1TS1 | U1TFS | 790.37 | 642.23 | 408.89 | | | | | 53.48 | 53.48 | | |
| | | LOCAL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | | |
| | | NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3/STS-1=four months | | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Per Month | | | | | ULDVX | ULDV2 | | | | | | | | 42.17 | 12.76 | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 1 | | | | 1 | ULDVX | ULDV2 | 12.51 | 553.80 | 89.69 | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 2 | | | | 2 | ULDVX | ULDV2 | 21.23 | 553.80 | 89.69 | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 3 | | | | 3 | UNDVX | ULDV2 | 24.62 | 553.80 | 89.69 | | | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 1 | | | | 1 | UNDVX | ULDV4 | 13.40 | 562.23 | 92.67 | | | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 2 | | | | 2 | UNDVX | ULDV4 | 22.73 | 562.23 | 92.67 | | | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 3 | | | | 3 | UNDVX | ULDV4 | 26.37 | 562.23 | 92.67 | | | | | | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 1 | | | | 1 | ULDD1 | ULDF1 | 30.12 | 534.48 | 462.69 | | | | | 42.17 | 12.76 | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 2 | | | | 2 | ULDD1 | ULDF1 | 51.11 | 534.48 | 462.69 | | | | | 42.17 | 12.76 | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 3 | | | | 3 | ULDD1 | ULDF1 | 59.28 | 534.48 | 462.69 | | | | | 42.17 | 12.76 | | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | | | | ULDD3 | 1L5NC | 8.66 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination per month | | | | | ULDD3 | ULDF3 | 496.76 | 562.25 | 527.88 | | | | | 56.25 | 56.25 | | |
| | | Local Channel - Dedicated - STS-1- Per Mile per month | | | | | ULDS1 | 1L5NC | 8.66 | | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination per month | | | | | ULDS1 | ULDFS | 484.06 | 1,071.00 | 646.12 | | | | | 38.07 | 38.07 | | |
| MULTIPLEXERS | | | | | | | | | | | | | | | | | | | |
| | | Channelization - DS1 to DS0 Channel System | | | | | UXTD1 | MQ1 | 146.69 | 197.78 | 140.06 | | | | | 24.85 | 8.16 | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | | | UDL | 1D1DD | 2.00 | 13.09 | 9.38 | | | | | 24.85 | 8.16 | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month | | | | | UDN | UC1CA | 3.59 | 13.09 | 9.38 | | | | | 24.85 | 8.16 | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | UEA | 1D1VG | 1.27 | 13.09 | 9.38 | | | | | 24.85 | 8.16 | | |
| | | DS3 to DS1 Channel System per month | | | | | UXTD3 | MQ3 | 233.10 | 403.97 | 234.40 | | | | | 24.78 | 7.42 | | |
| | | STS1 to DS1 Channel System per month | | | | | UXTS1 | MQ3 | 233.10 | 403.97 | 234.40 | | | | | 38.07 | 38.07 | | |
| | | DS3 Interface Unit (DS1 COCI) used with Loop per month | | | | | USL | UC1D1 | 16.07 | 13.09 | 9.38 | | | | | 24.85 | 8.16 | | |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | | | ULDD1 | UC1D1 | 16.07 | 13.09 | 9.38 | | | | | 24.85 | 8.16 | | |

| UNBUNDLED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|---------------|--|--|--|---------|------|-----|----------|-----------|--------------|----------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per month | | | | | | U1TD1 | UC1D1 | 16.07 | 13.09 | 9.38 | | | | 24.85 | 8.16 | | |
| DARK FIBER | | | | | | | | | | | | | | | | | | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel | | | | | | UDF | 1L5DC | 53.86 | | | | | | | | | |
| | | NRC Dark Fiber - Local Channel | | | | | | UDF | UDFC4 | | 1,807.00 | 562.96 | | | | 38.07 | 38.07 | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel | | | | | | UDF | 1L5DF | 27.71 | | | | | | | | | |
| | | NRC Dark Fiber - Interoffice Channel | | | | | | UDF | UDF14 | | 1,807.00 | 562.96 | | | | 38.07 | 38.07 | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop | | | | | | UDF | 1L5DL | 53.86 | | | | | | | | | |
| | | NRC Dark Fiber - Local Loop | | | | | | UDF | UDFL4 | | 1,807.00 | 562.96 | | | | 38.07 | 38.07 | | |
| TRANSPORT OTHER | | | | | | | | | | | | | | | | | | | |
| Optional Features & Functions: | | | | | | | | | | | | | | | | | | | |
| 8XX ACCESS TEN DIGIT SCREENING | | | | | | | | | | | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, Per Call | | | | | | OHD | | 0.0005 | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved | | | | | | OHD | N8R1X | | 7.05 | 0.96 | | | | 26.94 | 26.94 | | |
| | | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations | | | | | | OHD | | | 23.82 | 2.73 | | | | 26.94 | 26.94 | | |
| | | 8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations | | | | | | OHD | N8FTX | | 23.82 | 2.73 | | | | 26.94 | 26.94 | | |
| | | 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number | | | | | | OHD | N8FCX | | 5.63 | 2.82 | | | | 26.94 | 26.94 | | |
| | | 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. | | | | | | OHD | N8FMX | | 6.59 | 3.77 | | | | 26.94 | 26.94 | | |
| | | 8XX Access Ten Digit Screening, Change Charge Per Request | | | | | | OHD | N8FAX | | 8.01 | 0.96 | | | | 26.94 | 26.94 | | |
| | | 8XX Access Ten Digit Screening, Call Handling and Destination Features | | | | | | OHD | N8FDX | | 5.63 | | | | | 26.94 | 26.94 | | |
| LINE INFORMATION DATA BASE ACCESS (LIDB) | | | | | | | | | | | | | | | | | | | |
| | | LIDB Common Transport Per Query | | | | | | OQT | | 0.0003 | | | | | | | | | |
| | | LIDB Validation Per Query | | | | | | OQU | | 0.0134 | | | | | | | | | |
| | | LIDB Originating Point Code Establishment or Change | | | | | | OQT, OQU | NRPBX | | 62.26 | | | | | 26.94 | 26.94 | | |
| SIGNALING (CCS7) | | | | | | | | | | | | | | | | | | | |
| | | CCS7 Signaling Termination, Per STP Port | | | | | | UDB | PT8SX | 132.83 | | | | | | | | | |
| | | CCS7 Signaling Usage, Per TCAP Message | | | | | | UDB | | 0.00009 | | | | | | | | | |
| | | CCS7 Signaling Connection, Per link (A link) | | | | | | UDB | TPP++ | 18.22 | 278.02 | 278.02 | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | CCS7 Signaling Connection, Per link (B link) (also known as D link) | | | | | | UDB | TPP++ | 18.22 | 278.02 | 278.02 | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | CCS7 Signaling Usage, Per ISUP Message | | | | | | UDB | | 0.00004 | | | | | | | | | |
| | | CCS7 Signaling Usage Surrogate, per link per LATA | | | | | | UDB | STU56 | 338.98 | | | | | | | | | |
| | | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected | | | | | | UDB | CCAPO | | 40.00 | 40.00 | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected | | | | | | UDB | CCAPD | | 8.00 | 8.00 | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| CALLING NAME (CNAM) SERVICE | | | | | | | | | | | | | | | | | | | |
| | | CNAM for DB Owners, Per Query | | | | | | OQV | | 0.01 | | | | | | | | | |
| | | CNAM for Non DB Owners, Per Query | | | | | | OQV | | 0.01 | | | | | | | | | |
| | | CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI) | | | | | | OQV | CDDCH | | 595.00 | 595.00 | | | | 26.94 | 26.94 | | |
| OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min. - Using BST LIDB | | | | | | | | 1.20 | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min. - Using Foreign LIDB | | | | | | | | 1.24 | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using BST LIDB | | | | | | | | 0.20 | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB | | | | | | | | 0.20 | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|---------------|--|---------|------|---|-------|-----------|--------------|----------|--------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| INWARD OPERATOR SERVICES | | | | | | | | | | | | | | | | |
| | | Inward Operator Services - Verification, Per Minute | | | | | 1.15 | | | | | | | | | |
| | | Inward Operator Services - Verification and Emergency Interrupt - Per Minute | | | | | 1.15 | | | | | | | | | |
| BRANDING - OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | | |
| | | Recording of Custom Branded OA Announcement | | | | CBAOS | | 7,000.00 | 7,000.00 | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Loading of Custom Branded OA Announcement per shelf/NAV | | | | CBAOL | | 500.00 | 500.00 | | | | 19.99 | 19.99 | | |
| | | Unbranding via OLNS for UNEP CLEC | | | | | | | | | | | | | | |
| | | Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | | | | |
| DIRECTORY ASSISTANCE SERVICES | | | | | | | | | | | | | | | | |
| | | DIRECTORY ASSISTANCE ACCESS SERVICE | | | | | | | | | | | | | | |
| | | Directory Assistance Access Service Calls, Charge Per Call | | | | | 0.275 | | | | | | | | | |
| | | DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC) | | | | | | | | | | | | | | |
| | | Directory Assistance Call Completion Access Service (DACC), Per Call Attempt | | | | | 0.062 | | | | | | | | | |
| | | DIRECTORY TRANSPORT | | | | | | | | | | | | | | |
| DIRECTORY ASSISTANCE SERVICES | | | | | | | | | | | | | | | | |
| | | DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS) | | | | | | | | | | | | | | |
| | | Directory Assistance Data Base Service Charge Per Listing | | | | | 0.04 | | | | | | | | | |
| | | Directory Assistance Data Base Service, per month | | | | DBSOF | 150.00 | | | | | | | | | |
| BRANDING - DIRECTORY ASSISTANCE | | | | | | | | | | | | | | | | |
| | | Facility Based CLEC | | | | | | | | | | | | | | |
| | | Recording and Provisioning of DA Custom Branded Announcement | | | AMT | CBADA | | 6,000.00 | 6,000.00 | | | | | | | |
| | | Loading of Custom Branded Announcement per DRAM Card/Switch | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | | | | |
| | | UNEP CLEC | | | | | | | | | | | | | | |
| | | Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | | | | |
| | | Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | |
| | | Unbranding via OLNS for UNEP CLEC | | | | | | | | | | | | | | |
| | | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | |
| | | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | |
| SELECTIVE ROUTING | | | | | | | | | | | | | | | | |
| | | Selective Routing Per Unique Line Class Code Per Request Per Switch | | | | USRCR | | 229.65 | 229.65 | | | | 40.18 | 9.45 | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | |
| | | Virtual Collocation - Application Cost | | | AMTFS | EAF | | 2,848.30 | 2,848.30 | | | | | | | |
| | | Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS | ESPCX | | 2,750.00 | 2,750.00 | | | | | | | |
| | | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.20 | | | | | | | | | |
| | | Virtual Collocation - Power, per breaker amp | | | AMTFS | ESPAX | 3.48 | | | | | | | | | |
| | | Virtual Collocation - Cable Support Structure, per entrance cable | | | AMTFS | ESPSX | 13.35 | | | | | | | | | |
| | | Virtual Collocation - 2-wire Cross Connects (loop) | | | UEANL,UEA,UDN,UDC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX | UEAC2 | 0.09 | 41.78 | 39.23 | 4.75 | 4.75 | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Virtual Collocation - 4-wire Cross Connects (loop) | | | UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX | UEAC4 | 0.18 | 41.91 | 39.25 | 4.73 | 4.73 | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Virtual Collocation - 2-Fiber Cross Connects | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF | CNC2F | 15.99 | 67.34 | 48.55 | | | | 19.99 | 19.99 | 19.99 | 19.99 |

UNBUNDLED NETWORK ELEMENTS - North Carolina

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|---|---|-------------|------|---|-------|-----------|--------------|--------|-------------------------|-------|---------------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMECE | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | Virtual Collocation - 4-Fiber Cross Connects | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF | CNC4F | 28.74 | 82.35 | 63.56 | | | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | Virtual collocation - DS1 Cross Connects | | | USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1 | CNC1X | 0.97 | 71.02 | 51.08 | | | | | | | | | |
| | Virtual collocation - DS3 Cross Connects | | | USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 56.25 | 151.90 | 11.83 | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot | | | AMTFS | VE1CB | 0.0028 | | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft | | | AMTFS | VE1CD | 0.0041 | | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable | | | AMTFS | VE1CC | | 532.72 | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable | | | AMTFS | VE1CE | | 532.72 | | | | | | | | | | |
| | Virtual collocation - Security Escort - Basic, per half hour | | | AMTFS | SPTBX | | 41.00 | 25.00 | | | | | | | | | |
| | Virtual collocation - Security Escort - Overtime, per half hour | | | AMTFS | SPTOX | | 48.00 | 30.00 | | | | | | | | | |
| | Virtual collocation - Security Escort - Premium, per half hour | | | AMTFS | SPTPX | | 55.00 | 35.00 | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 30.64 | 30.64 | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 35.77 | 35.77 | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 40.90 | 40.90 | | | | | | | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res | | | UEPSR | VE1R2 | 0.09 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.09 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res | | | UEPSE | VE1R2 | 0.09 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus | | | UEPSB | VE1R2 | 0.09 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN | | | UEPSX | VE1R2 | 0.09 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN | | | UEPTX | VE1R2 | 0.09 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | | |
| | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1 | | | UEPEX | VE1R4 | 0.18 | 41.91 | 39.25 | | | | | 26.94 | 12.76 | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR, UEPSB | VE1LS | 0.0287 | 33.96 | 32.08 | 36.72 | 34.84 | | | 19.99 | 19.99 | | | |
| AIN SELECTIVE CARRIER ROUTING | | | | | | | | | | | | | | | | | |
| | Regional Service Establishment | | | SRC | SRCEC | | 391,788.00 | | | | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | End Office Establishment | | | SRC | SRCEO | | 320.53 | 320.53 | | | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | Line/Port NRC, per end user | | | SRC | SRCLP | | 2.06 | 2.06 | | | | | 19.99 | 19.99 | 19.99 | 19.99 | |
| | Query NRC, per query | | | SRC | | 0.000448 | | | | | | | | | | | |
| AIN - BELL SOUTH AIN SMS ACCESS SERVICE | | | | | | | | | | | | | | | | | |
| | AIN SMS Access Service - Service Establishment, Per State, Initial Setup | | | A1N | CAMSE | | 294.77 | 294.77 | | | | | 26.94 | 26.94 | | | |

UNBUNDLED NETWORK ELEMENTS - North Carolina

| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|--|--|---|---------|------|-------|-------|-----------|--------------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| | | | | | | | Rec | Nonrecurring | Nonrecurring Disconnect | | | | OSS Rates(\$) | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | AIN SMS Access Service - Port Connection - Dial/Shared Access | | | A1N | CAMDP | | 86.94 | 86.94 | | | | | 26.94 | 26.94 | |
| | | AIN SMS Access Service - Port Connection - ISDN Access | | | A1N | CAM1P | | 86.94 | 86.94 | | | | | 26.94 | 26.94 | |
| | | AIN SMS Access Service - User Identification Codes - Per User ID Code | | | A1N | CAMAU | | 200.83 | 200.83 | | | | | 26.94 | 26.94 | |
| | | AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement | | | A1N | CAMRC | | 172.05 | 172.05 | | | | | 26.94 | 26.94 | |
| | | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | | | 0.0023 | | | | | | | | | |
| | | AIN SMS Access Service - Session, Per Minute | | | | | 0.0791 | | | | | | | | | |
| | | AIN SMS Access Service - Company Performed Session, Per Minute | | | | | 2.08 | | | | | | | | | |
| AIN - BELLSOUTH AIN TOOLKIT SERVICE | | | | | | | | | | | | | | | | |
| | | AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup | | | CAM | BAPSC | | 290.05 | 290.05 | | | 15.69 | | | | |
| | | AIN Toolkit Service - Training Session, Per Customer | | | | BAPVX | | 8,363.00 | 8,363.00 | | | 15.69 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt | | | | BAPTT | | 72.76 | 72.76 | | | 15.69 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay | | | | BAPTD | | 72.76 | 72.76 | | | 15.69 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate | | | | BAPTM | | 72.76 | 72.76 | | | 15.69 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP | | | | BAPTO | | 149.95 | 149.95 | | | 15.69 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP | | | | BAPTC | | 149.95 | 149.95 | | | 15.69 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code | | | | BAPTF | | 149.95 | 149.95 | | | 15.69 | | | | |
| | | AIN Toolkit Service - Query Charge, Per Query | | | | | 0.02 | | | | | | | | | |
| | | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query | | | | | 0.005 | | | | | | | | | |
| | | AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes | | | | | 1.45 | | | | | | | | | |
| | | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription | | | CAM | BAPMS | 15.98 | 71.80 | 71.80 | | | 15.69 | | | | |
| | | AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription | | | CAM | BAPLS | 0.08 | 47.20 | 47.20 | | | 15.69 | | | | |
| | | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription | | | CAM | BAPDS | 15.90 | 71.80 | 71.80 | | | 15.69 | | | | |
| | | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription | | | CAM | BAPES | 0.003 | 47.20 | 47.20 | | | 15.69 | | | | |
| ENHANCED EXTENDED LINK (EELs) | | | | | | | | | | | | | | | | |
| NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; | | | | | | | | | | | | | | | | |
| NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. | | | | | | | | | | | | | | | | |
| NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) | | | | | | | | | | | | | | | | |
| NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.) | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | | First 2-Wire VG Loop - Service Level 2/DS1 Interofficed Transport Combination - Statewide | | sw | UNCVX | UEAL2 | 19.50 | 142.97 | 106.56 | | | | 38.07 | 38.07 | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile per month | | | UNC1X | 1L5XX | 0.5753 | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | 38.07 | 38.07 | | |
| | | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 146.69 | 197.78 | 140.06 | | | | 38.07 | 38.07 | | |
| | | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 1.27 | 13.09 | 9.38 | | | | 38.07 | 38.07 | | |
| | | Each Additional 2-Wire Vg Loop(SI2) In The Same Ds1 Interoffice Transport Combination Per Month | | | UNCVX | UEAL2 | 19.50 | 142.97 | 108.56 | | | | 38.07 | 38.07 | | |
| | | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|--|---|---------|------|-------|-------|-----------|--------------|--------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 1.27 | 13.09 | 9.38 | | | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | First 4-Wire Analog Voice Grade Loop/DS1 Interoffice Transport Combination - Statewide | | sw | UNCVX | UEAL4 | 27.49 | 288.47 | 237.45 | | | | | 38.07 | 38.07 | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.5753 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month | | | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | | |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 146.69 | 197.78 | 140.06 | | | | | 38.07 | 38.07 | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 1.27 | 13.09 | 9.38 | | | | | 38.07 | 38.07 | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Statewide | | sw | UNCVX | UEAL4 | 27.49 | 288.47 | 237.45 | | | | | 38.07 | 38.07 | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 1.27 | 13.09 | 9.38 | | | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | First 4-Wire 56Kbps Digital Grade Loop/DS1 Interoffice Transport Combination - Statewide | | sw | UNCDX | UDL56 | 37.67 | 489.04 | 337.51 | | | | | 38.07 | 38.07 | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.5753 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month | | | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | | |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 146.69 | 197.78 | 140.06 | | | | | 38.07 | 38.07 | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.00 | 15.76 | 11.28 | | | | | 38.07 | 38.07 | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Statewide | | sw | UNCDX | UDL56 | 37.67 | 489.04 | 337.51 | | | | | 38.07 | 38.07 | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.00 | 15.76 | 11.28 | | | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop/DS1 Interoffice Transport Combination - Statewide | | sw | UNCDX | UDL64 | 37.67 | 489.04 | 337.51 | | | | | 38.07 | 38.07 | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.5753 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | | |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 146.69 | 197.78 | 140.06 | | | | | 38.07 | 38.07 | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.00 | 15.76 | 11.28 | | | | | 38.07 | 38.07 | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Statewide | | sw | UNCDX | UDL64 | 37.67 | 489.04 | 337.51 | | | | | 38.07 | 38.07 | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.00 | 15.76 | 11.28 | | | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Statewide | | sw | UNC1X | USLXX | 62.78 | 714.84 | 421.47 | | | | | 38.07 | 38.07 | | |

| UNBUNDLED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | | |
|---|---------------|--|--|--|--|---------|------|-----|------|-----------|--|---------------|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|---|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | | First 2-Wire ISDN Loop/DS1 Interoffice Combination Transport - Statewide | | sw | UNCNX | U1L2X | 24.98 | 325.91 | 251.31 | | | | | 38.07 | 38.07 | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | UNC1X | 1L5XX | 0.5753 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | | |
| | | Channelization - Channel System DS1 to DS0 combination - per month | | | UNC1X | MQ1 | 146.69 | 197.78 | 140.06 | | | | | 38.07 | 38.07 | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month | | | UNCNX | UC1CA | 3.59 | 15.76 | 11.28 | | | | | 38.07 | 38.07 | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Statewide | | sw | UNCNX | U1L2X | 24.98 | 325.91 | 251.31 | | | | | 38.07 | 38.07 | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month | | | UNCNX | UC1CA | 3.59 | 15.76 | 11.28 | | | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - Statewide | | sw | UNCIX | USLXX | 62.78 | 714.84 | 421.47 | | | | | 38.07 | 38.07 | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month | | | UNCSX | 1L5XX | 6.14 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Facility Termination | | | UNCSX | U1TFS | 790.37 | 794.94 | 679.55 | | | | | 38.07 | 38.07 | | |
| | | STS1 to DS1 Channel System combination per month | | | UNCSX | MQ3 | 233.10 | 403.90 | 234.40 | | | | | 38.07 | 38.07 | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 16.07 | 13.09 | 9.38 | | | | | 38.07 | 38.07 | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Statewide | | sw | UNC1X | USLXX | 62.78 | 714.84 | 421.47 | | | | | 38.07 | 38.07 | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 16.07 | 13.09 | 9.38 | | | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCSX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Statewide | | sw | UNCDX | UDL56 | 37.67 | 489.04 | 337.51 | | | | | 38.07 | 38.07 | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.0282 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination | | | UNCDX | U1TD5 | 17.40 | 137.48 | 52.58 | | | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCDX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Statewide | | sw | UNCDX | UDL64 | 37.67 | 489.04 | 337.51 | | | | | 38.07 | 38.07 | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.0282 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination | | | UNCDX | U1TD6 | 17.40 | 137.48 | 52.58 | | | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCDX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| ADDITIONAL NETWORK ELEMENTS | | | | | | | | | | | | | | | | | |
| | When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. | | | | | | | | | | | | | | | | |
| | Node (SynchroNet) | | | | | | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) | | | | | | | | | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps | | | UNCDX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - DS1 | | | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |

| UNBUNDLED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | | | |
|--|---------------|---|--|--|---------|------|-----|-------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|--|--|
| CATEGORY | RATE ELEMENTS | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | | |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - DS3 | | | | | | UNC3X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - STS1 | | | | | | UNCSX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months | | | | | | | | | | | | | | | | | | | | |
| UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | | | | | | |
| Exchange Ports | | | | | | | | | | | | | | | | | | | | |
| NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs | | | | | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE LINE PORT RATES (RES) | | | | | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port- Res. | | | | | | UEPSR | UEPRL | 2.19 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| | | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | | | | UEPSR | UEPRC | 2.19 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | | | | UEPSR | UEPRO | 2.19 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| | | Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) | | | | | | UEPSR | UEPAP | 2.19 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| | | Subsequent Activity | | | | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | 26.94 | 12.76 | | | |
| FEATURES | | | | | | | | | | | | | | | | | | | | |
| | | All Available Vertical Features | | | | | | UEPSR | UEPVF | 3.40 | 0.00 | 0.00 | | | | 26.94 | 12.76 | | | |
| 2-WIRE VOICE GRADE LINE PORT RATES (BUS) | | | | | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus | | | | | | UEPSB | UEPBL | 2.19 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| | | Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus. | | | | | | UEPSB | UEPBC | 2.19 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | | | | UEPSB | UEPBO | 2.19 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| | | Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus | | | | | | UEPSB | UEPB1 | 2.19 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| | | Subsequent Activity | | | | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| FEATURES | | | | | | | | | | | | | | | | | | | | |
| | | All Available Vertical Features | | | | | | UEPSB | UEPVF | 3.40 | 0.00 | 0.00 | | | | 26.94 | 12.76 | | | |
| EXCHANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | | | | UEPSE | UEPRD | 2.18 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| | | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | | | | UEPSP | UEPPC | 2.18 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| | | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | | | | UEPSP | UEPPO | 2.18 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| | | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | | | | UEPSP | UEPP1 | 2.18 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| | | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | | | | UEPSP | UEPLD | 2.18 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | | | | UEPSP | UEPLD | 2.18 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| | | 2-Wire VICE Unbundled 2-Way PBX Usage Port | | | | | | UEPSP | UEPXA | 2.18 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | | | | UEPSP | UEPXB | 2.18 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | | | | UEPSP | UEPXC | 2.18 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | | | | UEPSP | UEPXD | 2.18 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | | | | UEPSP | UEPXE | 2.18 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | | | | UEPSP | UEPXL | 2.18 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | | | | UEPSP | UEPXM | 2.18 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | | | | UEPSP | UEPXO | 2.18 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | | | | UEPSP | UEPXS | 2.18 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| | | Subsequent Activity | | | | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | 26.94 | 12.76 | | | |
| FEATURES | | | | | | | | | | | | | | | | | | | | |
| | | All Available Vertical Features | | | | | | UEPSP | UEPSE | 3.40 | 0.00 | 0.00 | | | | 26.94 | 12.76 | | | |
| EXCHANGE PORT RATES (COIN) | | | | | | | | | | | | | | | | | | | | |
| | | Exchange Ports - Coin Port | | | | | | | | 2.59 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | | |
| NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. | | | | | | | | | | | | | | | | | | | | |
| NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. | | | | | | | | | | | | | | | | | | | | |
| UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|---|--|--|--|--|---------|-------------|-------|---------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | EXCHANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | | |
| | | | | | | UEPEX | UEPP2 | 12.36 | 108.78 | 84.60 | | | | | 26.94 | 12.76 | |
| | | | | | | UEPDD | UEPDD | 123.65 | 143.53 | 82.68 | | | | | 19.99 | 19.99 | 19.99 |
| | | | | | | UEPTX UEPSX | U1PMA | 24.50 | 117.59 | 117.59 | | | | | 55.30 | 55.30 | |
| | | | | | | UEPTX UEPSX | UEPVF | 3.40 | 0.00 | 0.00 | | | | | | | |
| NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. | | | | | | | | | | | | | | | | | |
| NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. | | | | | | | | | | | | | | | | | |
| | | | | | | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | | | | | UEPEX | UEPEX | 179.75 | 241.63 | 241.63 | | | | | 53.89 | 53.89 | |
| UNBUNDLED LOCAL SWITCHING, PORT USAGE | | | | | | | | | | | | | | | | | |
| | End Office Switching (Port Usage) | | | | | | | | | | | | | | | | |
| | | | | | | | | 0.0015 | | | | | | | | | |
| | | | | | | | | 0.00023 | | | | | | | | | |
| | Tandem Switching (Port Usage) (Local or Access Tandem) | | | | | | | | | | | | | | | | |
| | | | | | | | | 0.0006 | | | | | | | | | |
| | | | | | | | | 0.0003 | | | | | | | | | |
| | Common Transport | | | | | | | | | | | | | | | | |
| | | | | | | | | 0.00001 | | | | | | | | | |
| | | | | | | | | 0.00034 | | | | | | | | | |
| UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | | | |
| Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. | | | | | | | | | | | | | | | | | |
| Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. | | | | | | | | | | | | | | | | | |
| End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. | | | | | | | | | | | | | | | | | |
| For Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos for all states. In GA, KY, LA, MS, SC and TN these nonrecurring charges are commission ordered cost based rates and in AL, FL and NC these nonrecurring charges are Market Rates and are also listed in the Market Rate section. | | | | | | | | | | | | | | | | | |
| For Currently Combined Combos in all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. | | | | | | | | | | | | | | | | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | | | | | sw | | 16.46 | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | | | | | sw | UEPRX | UEPLX | 14.18 | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | | |
| | | | | | | | UEPRX | UEPRL | 2.28 | 90.00 | 90.00 | | | | 40.18 | 9.45 | |
| | | | | | | | UEPRX | UEPRC | 2.28 | 90.00 | 90.00 | | | | 40.18 | 9.45 | |
| | | | | | | | UEPRX | UEPRO | 2.28 | 90.00 | 90.00 | | | | 40.18 | 9.45 | |
| | | | | | | | UEPRX | UEPAP | 2.28 | 90.00 | 90.00 | | | | 40.18 | 9.45 | |
| | FEATURES | | | | | | | | | | | | | | | | |
| | | | | | | | UEPRX | UEPVF | 3.40 | 0.00 | 0.00 | | | | 40.18 | 9.45 | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | | | | | | UEPRX | LNPCX | 0.35 | | | | | | | | |
| | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | | | | | | UEPRX | USAC2 | | 2.77 | 0.40 | | | | 40.18 | 9.45 | |
| | | | | | | | UEPRX | USACC | | 2.77 | 0.40 | | | | 40.18 | 9.45 | |
| | | | | | | | | | | 1.42 | | | | | 10.27 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | | | | | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 40.18 | 9.45 | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | | | | | sw | | 16.46 | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | | | | | sw | UEPBX | UEPLX | 14.18 | | | | | | | | |
| | 2-Wire Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | | |
| | | | | | | | UEPBX | UEPBL | 2.28 | 90.00 | 90.00 | | | | 40.18 | 9.45 | |

UNBUNDLED NETWORK ELEMENTS - North Carolina

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|---|-------------|------|-------|-------|-----------|--------------|-------|-------------------------|---|---|--|--|---|---|
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | |
| | | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | |
| | | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UEPB1 | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | |
| | | FEATURES | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPBX | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | |
| | | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPBX | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPBX | USACC | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update | | | | | | 1.42 | | | | | | 10.27 | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | |
| | | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Statewide | | sw | | | 16.46 | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Statewide | | sw | UEPRG | UEPLX | 14.18 | | | | | | | | | |
| | | 2-Wire Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | UEPRG | UEPRD | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | |
| | | FEATURES | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPRG | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | |
| | | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | UEPRG | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | UEPRG | USACC | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update | | | | | | 1.42 | | | | | | 10.27 | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | 40.18 | 9.45 | |
| | | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Statewide | | sw | | | 16.46 | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Statewide | | sw | UEPPX | UEPLX | 14.18 | | | | | | | | | |
| | | 2-Wire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | |

UNBUNDLED NETWORK ELEMENTS - North Carolina

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
|----------|---|--|-------------|------|-------|-------|-----------|--------------|-------------------------|---------------|---|---|--|--|---|---|-------|
| | | | | | | | Rec | Nonrecurring | Nonrecurring Disconnect | OSS Rates(\$) | | | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPPX | UEPXO | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | FEATURES | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPPX | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | UEPPX | USACC | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update | | | | | | 1.42 | | | | | | 10.27 | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | 40.18 | 9.45 | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Statewide | | sw | | | 16.80 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Statewide | | sw | UEPCO | UEPLX | 14.18 | | | | | | | | | | |
| | 2-Wire Voice Grade Line Ports (COIN) | | | | | | | | | | | | | | | | |
| | | 2-Wire Coin 2-Way without Operator Screening and without Blocking (NC) | | | UEPCO | UEPND | 2.62 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Coin 2-Way with Operator Screening (NC) | | | UEPCO | UEPNC | 2.62 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN) | | | UEPCO | UEPRP | 2.62 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (NC) | | | UEPCO | UEPNB | 2.62 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Coin 2-Way with Operator Screening: 900 Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN) | | | UEPCO | UEPCA | 2.62 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Coin Outward with Operator Screening and 011 Blocking (NC) | | | UEPCO | UEPNE | 2.62 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (NC) | | | UEPCO | UEPCL | 2.62 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 2.62 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Coin Outward Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCR | 2.62 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | ADDITIONAL UNE COIN PORT/LOOP (RC) | | | | | | | | | | | | | | | | |
| | | UNE Coin Port/Loop Combo Usage (Flat Rate) | | | UEPCO | URECU | 3.70 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPCO | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPCO | USACC | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | UNBUNDLED REMOTE CALL FORWARDING - RES | | | | | | | | | | | | | | | | |
| | Non-Recurring | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|---|--|--|---------|------|----------------|-------|--------|-----------|--------------|-------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | UNBUNDLED REMOTE CALL FORWARDING - Bus | | | | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus | | | | | UEPVB | UEPVJ | 2.19 | 21.60 | 21.60 | | | | | | 26.94 | 12.76 | | |
| | Non-Recurring | | | | | | | | | | | | | | | | | | |
| | 2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | | | | |
| | 2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | | | UEPFB | UEPBC | 2.19 | 225.00 | 225.00 | | | | | | 40.18 | 9.45 | | |
| UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | | | | | |
| | 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT | | | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - Statewide | | | | sw | | | 31.07 | | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Statewide | | | | sw | | | 19.50 | 142.97 | 106.56 | | | | | | 40.18 | 9.45 | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire DID Port | | | | | UEPPX | UEPD1 | 12.36 | 485.00 | 75.00 | | | | | | 40.18 | 9.45 | | |
| NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is | | | | | UEPPX | USAC1 | | 13.26 | 8.39 | | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes | | | | | UEPPX | USA1C | | 13.26 | 8.39 | | | | | | 40.71 | 9.45 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | | | |
| | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | | | UEPPX | USAS1 | | 53.49 | | | | | | | 40.18 | 9.45 | | |
| Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | | | | | |
| | DID Trunk Termination (One Per Port) | | | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | | | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Reserve Non-Consecutive DID numbers | | | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Reserve DID Numbers | | | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | | |
| 2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT | | | | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - Statewide | | | | sw | UEPPB UEPPR | | 44.49 | | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Statewide | | | | sw | UEPPB UEPPR | USL2X | 20.12 | | | | | | | | 19.99 | 19.99 | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | | | |
| | Exchange Port - 2-Wire ISDN Line Side Port | | | | | UEPPB UEPPR | UEPPB | 24.37 | 450.00 | 375.00 | | | | | | 19.99 | 19.99 | | |
| NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion | | | | | UEPPB UEPPR | USACB | 0.00 | 174.35 | 174.35 | | | | | | 19.99 | 19.99 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | | | |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | | | UEPPB UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | | |
| B-CHANNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | | | | | UEPPB UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | CVS (EWSD) | | | | | UEPPB UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | CSD | | | | | UEPPB UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN) | | | | | | | | | | | | | | | | | | | |
| USER TERMINAL PROFILE | | | | | | | | | | | | | | | | | | | |
| | User Terminal Profile (EWSD only) | | | | | UEPPB UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| VERTICAL FEATURES | | | | | | | | | | | | | | | | | | | |
| | All Vertical Features - One per Channel B User Profile | | | | | UEPPB UEPPR | UEPVF | 3.40 | 0.00 | 0.00 | | | | | | 19.99 | 19.99 | | |
| INTEROFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | | | | |
| | Interoffice Channel mileage each, including first mile and facilities termination | | | | | UEPPB UEPPR | M1GNC | 17.42 | 137.48 | 52.58 | | | | | | 19.99 | 19.99 | | |
| | Interoffice Channel mileage each, additional mile | | | | | UEPPB UEPPR | M1GNM | 0.0282 | 0.00 | 0.00 | | | | 0.00 | | | | | |

| UNBUNDLED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|---|--|--|---------|-------|-------|------|-----------|--------------|----------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT | | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Statewide | | sw | UEPPP | | | 241.72 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | USL4P | | | | | | | | | | | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | UEPPP | | 179.01 | 1,150.00 | 1,150.00 | | | | | 19.99 | 19.99 | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is | | | UEPPP | USACP | | 0.00 | 481.51 | 481.51 | | | | | 19.99 | 19.99 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only) | | | UEPPP | PR7TG | | | 1.17 | 1.17 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Activity Outward tel nos. (NC only) | | | UEPPP | PR7TP | | | 28.17 | 28.17 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance | | | UEPPP | PR7ZT | | | 56.33 | 56.33 | | | | | 19.99 | 19.99 | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPP | LNPCN | | 1.75 | | | | | | | | | | |
| | INTERFACE (Provisioning Only) | | | | | | | | | | | | | | | | | |
| | | Voice/Data | | | UEPPP | PR71V | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Digital Data | | | UEPPP | PR71D | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Inward Data | | | UEPPP | PR71E | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | New or Additional "B" Channel | | | | | | | | | | | | | | | | | |
| | | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | | 0.00 | 36.92 | | | | | | 19.99 | 19.99 | | |
| | | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | | 0.00 | 36.92 | | | | | | 19.99 | 19.99 | | |
| | | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | | 0.00 | 36.92 | | | | | | 19.99 | 19.99 | | |
| | CALL TYPES | | | | | | | | | | | | | | | | | |
| | | Inward | | | UEPPP | PR7C1 | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Outward | | | UEPPP | PR7C0 | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Two-way | | | UEPPP | PR7CC | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage | | | | | | | | | | | | | | | | | |
| | | Fixed Each Including First Mile | | | UEPPP | 1LN1A | | 71.3683 | 217.17 | 163.75 | 0.00 | | | | 19.99 | 19.99 | | |
| | | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | | 0.0783 | | | | | | | | | | |
| | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide | | sw | UEPDC | | | 186.23 | | | | | | | 19.99 | 19.99 | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - Statewide | | sw | UEPDC | USLDC | | 62.71 | 714.84 | 482.62 | | | | | 19.99 | 19.99 | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | | |
| | | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | | 123.65 | | | | | | | 19.99 | 19.99 | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is | | | UEPDC | USAC4 | | | 288.86 | 133.87 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes | | | UEPDC | USAWA | | | 288.86 | 133.37 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk | | | UEPDC | USAWB | | | 288.86 | 133.37 | | | | | 19.99 | 19.99 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order | | | UEPDC | USAS4 | | | 127.63 | 127.63 | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | | 28.81 | 28.81 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | | 28.81 | 28.81 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Channel Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | | 28.81 | 28.81 | | | | | 19.99 | 19.99 | | |

| UNBUNDLED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|---|---------------|--|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Chan Activation Per Chan - Inward Trunk with DID | | | | UEPDC | UDTTD | | 28.81 | 28.81 | | | | | 19.99 | 19.99 | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Chan Activation / Chan - 2-Way DID w User Trans | | | | UEPDC | UDTTE | | 28.81 | 28.81 | | | | | 19.99 | 19.99 | |
| | | BIPOLAR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | | |
| | | B8ZS - Superframe Format | | | | UEPDC | CCOSF | | 0.00 | 615.00 | | | | | 19.99 | 19.99 | |
| | | B8ZS - Extended Superframe Format | | | | UEPDC | CCOEF | | 0.00 | 615.00 | | | | | 19.99 | 19.99 | |
| | | Alternate Mark Inversion | | | | | | | | | | | | | | | |
| | | AMI - Superframe Format | | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | |
| | | AMI - Extended SuperFrame Format | | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | |
| | | Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | |
| | | Telephone Number for 2-Way Trunk Group | | | | UEPDC | UDTGX | 0.00 | | | | | | | 19.99 | 19.99 | |
| | | Telephone Number for 1-Way Outward Trunk Group | | | | UEPDC | UDTGY | 0.00 | | | | | | | 19.99 | 19.99 | |
| | | Telephone Number for 1-Way Inward Trunk Group Without DID | | | | UEPDC | UDTGZ | 0.00 | | | | | | | 19.99 | 19.99 | |
| | | DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | DID Numbers for each Group of 20 DID Numbers | | | | UEPDC | ND4 | 0.00 | | | | | | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | | UEPDC | ND5 | 0.00 | | | | | | | | | |
| | | Reserve Non-Consecutive DID Nos. | | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Reserve DID Numbers | | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) | | | | UEPDC | 1LNO1 | 71.29 | 217.17 | 163.75 | 0.00 | 0.00 | | | 19.99 | 19.99 | |
| | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | | UEPDC | 1LNOA | 0.0783 | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | | | | UEPDC | 1LNOB | 0.0783 | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) | | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | | UEPDC | 1LNOC | 0.0783 | 0.00 | 0.00 | | | | | | | |
| | | Local Number Portability, per DS0 Activated | | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Central Office Terminating Point | | | | UEPDC | CTG | 0.00 | | | | | | | | | |
| | | 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | |
| | | System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations | | | | | | | | | | | | | | | |
| | | Each System can have up to 24 combinations of rates depending on type and number of ports used | | | | | | | | | | | | | | | |
| | | UNE DS1 Loop | | | | | | | | | | | | | | | |
| | | 4-wire DS1 Loop UNE - Statewide | | sw | | UEPMG | USLDC | 62.71 | | | | | | | 19.99 | | |
| | | UNE DSO Channelization Capacities (D4 Channel Bank Configurations) | | | | | | | | | | | | | | | |
| | | 24 DSO Channel Capacity - 1 per DS1 | | | | UEPMG | VUM24 | 123.06 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 48 DSO Channel Capacity - 1 per 2 DS1s | | | | UEPMG | VUM48 | 246.12 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 96 DSO Channel Capacity -1per 4 DS1s | | | | UEPMG | VUM96 | 492.24 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 144 DSO Channel Capacity - 1 per 6 DS1s | | | | UEPMG | VUM14 | 738.36 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 192 DSO Channel Capacity -1 per 8 DS1s | | | | UEPMG | VUM19 | 984.48 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 240 DSO Channel Capacity - 1 per 10 DS1s | | | | UEPMG | VUM20 | 1,230.60 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 288 DSO Channel Capacity - 1 per 12 DS1s | | | | UEPMG | VUM28 | 1,476.72 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 384 DSO Channel Capacity - 1 per 16 DS1s | | | | UEPMG | VUM38 | 1,968.96 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 480 DSO Channel Capacity - 1 per 20 DS1s | | | | UEPMG | VUM40 | 2,461.20 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 576 DSO Channel Capacity -1 per 24 DS1s | | | | UEPMG | VUM57 | 2,953.44 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | 672 DSO Channel Capacity - 1 per 28 DS1s | | | | UEPMG | VUM67 | 3,445.68 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System | | | | | | | | | | | | | | | |
| | | A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations. | | | | | | | | | | | | | | | |
| | | Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted. | | | | | | | | | | | | | | | |
| | | NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes | | | | UEPMG | USAC4 | 0.00 | 330.61 | 16.64 | | | | | 19.99 | 19.99 | |
| | | System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and | | | | | | | | | | | | | | | |
| | | New (Not Currently Combined) In GA, KY, LA, MS & TN Only | | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - North Carolina

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
|--|---|---------|------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY, MS, &TN Only | | | UEPMG | VUMD4 | 0.00 | 743.74 | 326.22 | 149.02 | 17.68 | | | 19.99 | | | |
| | Bipolar 8 Zero Substitution | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 615.00 | | | | | | | | |
| | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 615.00 | | | | | | | | |
| | Alternate Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port Exchange Ports | | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 2.28 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 2.28 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 2.28 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | | |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 13.26 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | | |
| | Feature Activations - Unbundled Loop Concentration | | | | | | | | | | | | | | | |
| | Feature (Service) Activation for each Line Side Port Terminated in D4 Bank | | | UEPPX | 1PQWM | 0.65 | 25.27 | 13.34 | 4.15 | 4.12 | | | 40.18 | 9.45 | | |
| | Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank | | | UEPPX | 1PQWU | 0.65 | 77.75 | 18.33 | 58.74 | 11.48 | | | 40.18 | 9.45 | | |
| | Telephone Number/ Group Establishment Charges for DID Service | | | | | | | | | | | | | | | |
| | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Local Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | FEATURES - Vertical and Optional | | | | | | | | | | | | | | | |
| | Local Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| | All Features Available | | | UEPPX | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES | | | | | | | | | | | | | | | | |
| | Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. | | | | | | | | | | | | | | | |
| | These scenarios include: | | | | | | | | | | | | | | | |
| | 1. Unbundled port/loop combinations that are Not Currently Combined in Alabama, Florida and North Carolina. | | | | | | | | | | | | | | | |
| | 2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAs in BellSouth's region for end users with 4 or more DS0 equivalent lines. | | | | | | | | | | | | | | | |
| | The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville). | | | | | | | | | | | | | | | |
| | BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined in AL, FL and NC. In the interim where BellSouth cannot bill Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. | | | | | | | | | | | | | | | |
| | The Market Rate for unbundled ports includes all available features in all states. | | | | | | | | | | | | | | | |
| | End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC: URECU). | | | | | | | | | | | | | | | |
| | For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly. | | | | | | | | | | | | | | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Statewide | | sw | | | 28.18 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Statewide | | sw | UEPRX | UEPLX | 14.18 | | | | | | | | | | |
| | 2-Wire Voice Grade Line Port (Res) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | UEPRX | UEPAP | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |

UNBUNDLED NETWORK ELEMENTS - North Carolina

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|---|-------------|------|-------|-------|-----------|--------------|-------|--------------|------------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPRX | USAC2 | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch with change | | | UEPRX | USACC | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | UEPRX | USAS2 | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Statewide | | sw | | | 28.18 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Statewide | | sw | UEPBX | UEPLX | 14.18 | | | | | | | | | | |
| | 2-Wire Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPBX | USAC2 | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch with change | | | UEPBX | USACC | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Statewide | | sw | | | 28.18 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Statewide | | sw | UEPRG | UEPLX | 14.18 | | | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPRG | USAC2 | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change | | | UEPRG | USACC | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | 40.18 | 9.45 | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Statewide | | sw | | | 28.18 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Statewide | | sw | UEPPX | UEPLX | 14.18 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|--|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPPX | UEPXO | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | | FEATURES | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPPX | USAC2 | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change | | | UEPPX | USACC | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPPX | USAS2 | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | | 2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | 40.18 | 9.45 | | |
| | | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Statewide | | sw | | | 28.18 | | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Statewide | | sw | UEPCO | UEPLX | 14.18 | | | | | | | | | | |
| | | 2-Wire Voice Grade Line Port Rates (Coin) | | | | | | | | | | | | | | | |
| | | 2-Wire Coin 2-Way without Operator Screening and without Blocking (NC) | | | UEPCO | UEPND | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Coin 2-Way with Operator Screening (NC) | | | UEPCO | UEPNC | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN) | | | UEPCO | UEPRP | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (NC) | | | UEPCO | UEPNB | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN) | | | UEPCO | UEPCA | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Coin Outward with Operator Screening and 011 Blocking (NC) | | | UEPCO | UEPNE | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (NC) | | | UEPCO | UEPCL | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPCO | USAC2 | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |

| UNBUNDLED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|---|---------------|---|--|---------|------|----------------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change | | | | UEPCO | USACC | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | |
| UNBUNDLED PORT/LOOP COMBINATIONS - MARKET BASED RATES | | | | | | | | | | | | | | | | | |
| | | 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - Statewide | | | sw | | | 71.50 | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - Statewide | | | sw | | | 19.50 | | | | | | | 40.18 | 9.45 | |
| | | UNE Port Rate | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | | UEPPX | UEPD1 | 52.00 | 485.00 | 75.00 | | | | | 40.18 | 9.45 | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-As-Is Top 8 MSAs only | | | | UEPPX | USAC1 | | 200.00 | 75.00 | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes Top 8 MSAs only | | | | UEPPX | USA1C | | 200.00 | 75.00 | | | | | 40.71 | 9.45 | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | | UEPPX | USAS1 | | 75.00 | | | | | | 40.18 | 9.45 | |
| | | Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | |
| | | DID Trunk Termination (One Per Port) | | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Reserve Non-Consecutive DID numbers | | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Reserve DID Numbers | | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | |
| | | 2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - Statewide | | | sw | UEPPB UEPPR | | 85.12 | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Statewide | | | sw | UEPPB UEPPR | USL2X | 20.12 | | | | | | | 19.99 | 19.99 | |
| | | UNE Port Rate | | | | | | | | | | | | | | | |
| | | Exchange Port - 2-Wire ISDN Line Side Port | | | | UEPPB UEPPR | UEPPB | 65.00 | 450.00 | 375.00 | | | | | 19.99 | 19.99 | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion - Top 8 MSAs only | | | | UEPPB UEPPR | USACB | 0.00 | 200.00 | 200.00 | | | | | 19.99 | 19.99 | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | UEPPB UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | |
| | | B-CHANNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | | UEPPB UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | CVS (EWSD) | | | | UEPPB UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | CSD | | | | UEPPB UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN) | | | | | | | | | | | | | | | |
| | | USER TERMINAL PROFILE | | | | | | | | | | | | | | | |
| | | User Terminal Profile (EWSD only) | | | | UEPPB UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | VERTICAL FEATURES | | | | | | | | | | | | | | | |
| | | All Vertical Features - One per Channel B User Profile | | | | UEPPB UEPPR | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | | INTEROFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | |
| | | Interoffice Channel mileage each, including first mile and facilities termination | | | | UEPPB UEPPR | M1GNC | 17.42 | 137.48 | 52.58 | | | | | 19.99 | 19.99 | |
| | | Interoffice Channel mileage each, additional mile | | | | UEPPB UEPPR | M1GNM | 0.0282 | 0.00 | 0.00 | | | | | | | |
| | | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|---|---|---------|------|-------|-------|-----------|--------------------|--------------------|-------------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring First | Nonrecurring Add'l | Nonrecurring Disconnect First | Nonrecurring Disconnect Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Statewide | | sw | UEPPP | | 962.71 | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | USL4P | | | | | | | | | | |
| | UNE Port Rate | | | | | | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | UEPPP | 900.00 | 1,150.00 | 1,150.00 | | | | 19.99 | 19.99 | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-As-Is Top 8 MSAs only | | | UEPPP | USACP | 0.00 | 925.00 | 925.00 | | | | 19.99 | 19.99 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only) | | | UEPPP | PR7TG | | 1.17 | 1.17 | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Activity Outward tel nos. (NC only) | | | UEPPP | PR7TP | | 28.17 | 28.17 | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance | | | UEPPP | PR7ZT | | 56.33 | 56.33 | | | | 19.99 | 19.99 | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPP | LNPCN | 1.75 | | | | | | | | | |
| | INTERFACE (Provisioning Only) | | | | | | | | | | | | | | |
| | Voice/Data | | | UEPPP | PR71V | 0.00 | | | | | | | | | |
| | Digital Data | | | UEPPP | PR71D | 0.00 | | | | | | | | | |
| | Inward Data | | | UEPPP | PR71E | 0.00 | | | | | | | | | |
| | New or Additional "B" Channel | | | | | | | | | | | | | | |
| | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 36.92 | | | | | 19.99 | 19.99 | | |
| | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 36.92 | | | | | 19.99 | 19.99 | | |
| | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 36.92 | | | | | 19.99 | 19.99 | | |
| | CALL TYPES | | | | | | | | | | | | | | |
| | Inward | | | UEPPP | PR7C1 | 0.00 | | | | | | | | | |
| | Outward | | | UEPPP | PR7C0 | 0.00 | | | | | | | | | |
| | Two-way | | | UEPPP | PR7CC | 0.00 | | | | | | | | | |
| | Interoffice Channel Mileage | | | | | | | | | | | | | | |
| | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 71.3683 | 217.17 | 163.75 | 0.00 | | | 19.99 | 19.99 | | |
| | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.0783 | | | | | | | | | |
| | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide | | sw | UEPDC | | 186.23 | | | | | | 19.99 | 19.99 | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4 | | 4 | UEPDC | | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Statewide | | sw | UEPDC | USLDC | 62.71 | 714.84 | 482.62 | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 4 | | 4 | UEPDC | USLDC | | | | | | | | | | |
| | UNE Port Rate | | | | | | | | | | | | | | |
| | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 750.00 | 1,048.23 | 480.17 | 0.00 | 0.00 | | 19.99 | 19.99 | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-As-Is Top 8 MSAs only | | | UEPDC | USAC4 | | 288.86 | 133.87 | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes Top 8 MSAs only | | | UEPDC | USAWA | | 288.86 | 133.37 | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk Top 8 MSAs only | | | UEPDC | USAWB | | 288.86 | 133.37 | | | | 19.99 | 19.99 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - North Carolina

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|-------------|------|-------|-------|-----------|--------------|--------|-------------------------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order | | | UEPDC | USAS4 | | 127.63 | 127.63 | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 28.81 | 28.81 | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 28.81 | 28.81 | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Channel Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 28.81 | 28.81 | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Chan Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 28.81 | 28.81 | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Chan Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 28.81 | 28.81 | | | | 19.99 | 19.99 | | |
| | BIPOLAR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 615.00 | | | | 19.99 | 19.99 | | |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 615.00 | | | | 19.99 | 19.99 | | |
| | Alternate Mark Inversion | | | | | | | | | | | | | | |
| | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | |
| | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | |
| | Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | |
| | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | 19.99 | 19.99 | | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | 19.99 | 19.99 | | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | 19.99 | 19.99 | | |
| | DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | |
| | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Dedicated DS1 (Interoffice Channel Mileage) - | | | | | | | | | | | | | | |
| | FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) | | | UEPDC | 1LNO1 | 71.29 | 217.17 | 163.75 | 0.00 | 0.00 | | 19.99 | 19.99 | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.0783 | 0.00 | 0.00 | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | | | UEPDC | 1LNOB | 0.0783 | 0.00 | 0.00 | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.0783 | 0.00 | 0.00 | | | | | | | |
| | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Central Office Terminating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | |
| | 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | |
| | System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations | | | | | | | | | | | | | | |
| | A system can have various rate combinations based on type and number of ports used | | | | | | | | | | | | | | |
| | UNE DS1 Loop | | | | | | | | | | | | | | |
| | 4-wire DS1 Loop UNE - Statewide | | sw | UEPMG | USLDC | 62.71 | | | | | | 19.99 | 19.99 | | |
| | UNE DSO Channelization Capacities (D4 Channel Bank Configurations) | | | | | | | | | | | | | | |
| | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 123.06 | 0.00 | 0.00 | | | | 19.99 | 19.99 | | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 246.12 | 0.00 | 0.00 | | | | 19.99 | 19.99 | | |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 492.24 | 0.00 | 0.00 | | | | 19.99 | 19.99 | | |
| | 144 DSO Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 738.36 | 0.00 | 0.00 | | | | 19.99 | 19.99 | | |
| | 192 DSO Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 984.48 | 0.00 | 0.00 | | | | 19.99 | 19.99 | | |
| | 240 DSO Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1,230.60 | 0.00 | 0.00 | | | | 19.99 | 19.99 | | |
| | 288 DSO Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,476.72 | 0.00 | 0.00 | | | | 19.99 | 19.99 | | |
| | 384 DSO Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,968.96 | 0.00 | 0.00 | | | | 19.99 | 19.99 | | |
| | 480 DSO Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 2,461.20 | 0.00 | 0.00 | | | | 19.99 | 19.99 | | |

| UNBUNDLED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|---|---------|------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | 576 DSO Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,953.44 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| | 672 DSO Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,445.68 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | |
| Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System | | | | | | | | | | | | | | | |
| A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations. | | | | | | | | | | | | | | | |
| Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted. | | | | | | | | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes - Top 8 MSAs Only | | | UEPMG | USAC4 | 0.00 | 330.61 | 16.64 | | | | | 19.99 | 19.99 | |
| System Additions Where Currently Combined and New (Not Currently Combined) | | | | | | | | | | | | | | | |
| In Top 8 MSAs and AL, FL, and NC Only | | | | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - | | | UEPMG | VUMD4 | 0.00 | 743.74 | 326.22 | 149.02 | 17.68 | | | 19.99 | 19.99 | |
| Bipolar 8 Zero Substitution | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 615.00 | | | | | | | |
| | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 615.00 | | | | | | | |
| Alternate Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | |
| Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port | | | | | | | | | | | | | | | |
| Exchange Ports | | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 52.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | |
| Feature Activations - Unbundled Loop Concentration | | | | | | | | | | | | | | | |
| | Feature (Service) Activation for each Line Side Port Terminated in D4 Bank | | | UEPPX | 1PQWM | 0.65 | 40.00 | 20.00 | 10.00 | 5.00 | | | 40.18 | 9.45 | |
| | Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank | | | UEPPX | 1PQWU | 0.65 | 110.00 | 30.00 | 75.00 | 15.00 | | | 40.18 | 9.45 | |
| Telephone Number/ Group Establishment Charges for DID Service | | | | | | | | | | | | | | | |
| | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | |
| Local Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | |
| FEATURES - Vertical and Optional | | | | | | | | | | | | | | | |
| Local Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| | All Features Available | | | UEPPX | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | |
| UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | |
| 1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. | | | | | | | | | | | | | | | |
| 2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. | | | | | | | | | | | | | | | |
| 3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. | | | | | | | | | | | | | | | |
| For Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos. The the first and additional Port nonrecurring charges apply to Not Currently Combined Combos for all states. In GA, KY, LA, MS and TN these nonrecurring charges are commission ordered cost based rates and in AL, FL, NC and SC these nonrecurring charges are Market Rates and are listed in the Market Rate section. For Currently Combined Combos in all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. | | | | | | | | | | | | | | | |
| 5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice. | | | | | | | | | | | | | | | |
| UNE-P CENTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo - Non-Design | | sw | UEP95 | | 16.46 | | | | | | | | | |
| UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - North Carolina

| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|----------|--|---|---------|------|-------|-------|-----------|--------------|-------|-------------------------|---------------|--------|----------------------------------|--------------------------------------|--|--|---|---|
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo - Design | | sw | UEP95 | | 21.78 | | | | | | | | | | | |
| | | UNE Loop Rate | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Statewide | | sw | UEP95 | UECS1 | 14.18 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Statewide | | sw | UEP95 | UECS2 | 19.50 | | | | | | | | | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | | |
| | | All States | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 2.28 | | | | | | 40.18 | 9.45 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 2.28 | | | | | | 40.18 | 9.45 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP95 | UEPYH | 2.28 | | | | | | 40.18 | 9.45 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP95 | UEPYM | 2.28 | | | | | | 40.18 | 9.45 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP95 | UEPYZ | 2.28 | | | | | | 40.18 | 9.45 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP95 | UEPY9 | 2.28 | | | | | | 40.18 | 9.45 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP95 | UEPY2 | 2.28 | | | | | | 40.18 | 9.45 | | | | |
| | | NC Only | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPUA | 2.28 | | | | | | 40.18 | 9.45 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPUB | 2.28 | | | | | | 40.18 | 9.45 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPUH | 2.28 | | | | | | 40.18 | 9.45 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP95 | UEPUM | 2.28 | | | | | | 40.18 | 9.45 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP95 | UEPUZ | 2.28 | | | | | | 40.18 | 9.45 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPU9 | 2.28 | | | | | | 40.18 | 9.45 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPU2 | 2.28 | | | | | | 40.18 | 9.45 | | | | |
| | | Local Switching | | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionalty, per port | | | UEP95 | URECS | 0.903 | | | | | | | | | | | |
| | | Local Number Portability | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | | |
| | | Features | | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP95 | UEPVF | 3.40 | | | | | | | | | | | |
| | | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 457.83 | | | | | | | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 3.40 | | | | | | | | | | | |
| | | NARS | | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | 40.18 | 9.45 | | | | |
| | | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 40.18 | 9.45 | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP95 | UARO | 0.00 | 0.00 | 0.00 | | | | 40.18 | 9.45 | | | | |
| | | Miscellaneous Terminations | | | | | | | | | | | | | | | | |
| | | 2-Wire Trunk Side | | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP95 | CEND6 | 12.36 | | | | | | | | | | | |
| | | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 186.23 | | | | | | 40.18 | 9.45 | | | | |
| | | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 28.81 | | | | | 40.18 | 9.45 | | | | |
| | | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 18.00 | | | | | | | | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.0282 | | | | | | | | | | | |
| | | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | | |
| | | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.65 | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.65 | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP95 | 1PQW7 | 0.65 | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|--|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.65 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.65 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjle Line/Trunk Loop Slot | | | UEP95 | 1PQWQ | 0.65 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.65 | | | | | | | | | | |
| | | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP95 | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 695.11 | | | | | | 40.18 | 9.45 | | |
| | | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 695.11 | | | | | | 40.18 | 9.45 | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 72.73 | | | | | | 40.18 | 9.45 | | |
| | | UNE-P CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo - Non-Design | | sw | UEP9D | | 16.46 | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo - Design | | sw | UEP9D | | 21.78 | | | | | | | | | | |
| | | UNE Loop Rate | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Statewide | | sw | UEP9D | UECS1 | 14.18 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Statewide | | sw | UEP9D | UECS2 | 19.50 | | | | | | | | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | |
| | | ALL STATES | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9D | UEPYB | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area | | | UEP9D | UEPYD | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 Basic Local Area | | | UEP9D | UEPYE | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 Basic Local Area | | | UEP9D | UEPYF | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3Basic Local Area | | | UEP9D | UEPYG | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 Basic Local Area | | | UEP9D | UEPYT | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 Basic Local Area | | | UEP9D | UEPYU | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 Basic Local Area | | | UEP9D | UEPYV | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 Basic Local Area | | | UEP9D | UEPY3 | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area | | | UEP9D | UEPYH | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYJ | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area | | | UEP9D | UEPYM | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area | | | UEP9D | UEPYO | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area | | | UEP9D | UEPYP | 2.28 | | | | | | | 40.18 | 9.45 | | |

| UNBUNDLED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|---------|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area | | | UEP9D | UEPYQ | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area | | | UEP9D | UEPYR | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area | | | UEP9D | UEPYS | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area | | | UEP9D | UEPY4 | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area | | | UEP9D | UEPY5 | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | UEP9D | UEPY6 | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area | | | UEP9D | UEPY7 | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPYZ | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area | | | UEP9D | UEPY9 | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area | | | UEP9D | UEPY2 | 2.28 | | | | | | | 40.18 | 9.45 | |
| | NC Only | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPUA | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPUB | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPUC | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPUD | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPUE | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPUF | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPUG | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPUT | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPUJ | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPUV | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPU3 | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPUH | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPUW | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPUJ | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 | | | UEP9D | UEPUM | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPUO | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPUP | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPUQ | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPUR | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPUS | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPU4 | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPU5 | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPU6 | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPU7 | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPUZ | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPU9 | 2.28 | | | | | | | 40.18 | 9.45 | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPU2 | 2.28 | | | | | | | 40.18 | 9.45 | |

UNBUNDLED NETWORK ELEMENTS - North Carolina

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|---|-------------|------|-------|--------|-----------|-----------------------|-----------------------|-----------------------|-------------------------------------|---|---|--|--|---|---|
| | | | | | | | Rec | Nonrecurring First | Nonrecurring Add'l | Nonrecurring First | Nonrecurring Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Local Switching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Functionality, per port | | | UEP9D | URECS | 0.903 | | | | | | | | | | |
| | | Local Number Portability | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| | | Features | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP9D | UEPVF | 3.40 | | | | | | | | | | |
| | | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 457.83 | | | | | | 40.18 | 9.45 | | |
| | | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 3.40 | | | | | | | | | | |
| | | NARS | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | | Unbundled Network Access Register - Outdial | | | UEP9D | UARO X | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | | Miscellaneous Terminations | | | | | | | | | | | | | | | |
| | | 2-Wire Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP9D | CEND6 | 12.36 | | | | | | | | | | |
| | | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 186.23 | | | | | | | | | | |
| | | DS0 Channels Activated per Channel | | | UEP9D | M1HDO | 0.00 | 28.81 | | | | | | 40.18 | 9.45 | | |
| | | | | | | | | | | | | | | 40.18 | 9.45 | | |
| | | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 18.00 | | | | | | | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0.0282 | | | | | | | | | | |
| | | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | |
| | | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.65 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.65 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9D | 1PQW7 | 0.65 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9D | 1PQWP | 0.65 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.65 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot | | | UEP9D | 1PQWQ | 0.65 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.65 | | | | | | | | | | |
| | | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP9D | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 695.11 | | | | | | 40.18 | 9.45 | | |
| | | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 695.11 | | | | | | 40.18 | 9.45 | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 72.73 | | | | | | 40.18 | 9.45 | | |
| | | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | | Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| | | Note 2 - Requires Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | | Note 3 - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |
| | | NOTE: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions. | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|---------------|--|--|--|---------|------|-----|------|-----------|--|--|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - South Carolina

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|---|-------------|------|-----|-------|-----------|--------------|-------|-------------------------|---------------|---|---|--|--|---|---|
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 18.13 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.90 | 36.44 | | | | 15.69 | | | | |
| | | 4-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 18.13 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.90 | 36.44 | | | | 15.69 | | | | |
| | | 2-WIRE ISDN DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | | 18.13 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 91.82 | 44.25 | | | | 15.69 | | | | |
| | | 2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 | | 1 | UDC | UDC2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2 | | 2 | UDC | UDC2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3 | | 3 | UDC | UDC2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDC | UREWO | | 91.82 | 44.25 | | | | 15.69 | | | | |
| | | 2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP | | | | | | | | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 12.19 | 120.84 | 70.56 | 50.37 | 7.93 | | 15.69 | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 13.71 | 120.84 | 70.56 | 50.37 | 7.93 | | 15.69 | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 14.14 | 120.84 | 70.56 | 50.37 | 7.93 | | 15.69 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 18.13 | | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 12.19 | 95.81 | 57.82 | 50.37 | 7.93 | | 15.69 | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 13.71 | 95.81 | 57.82 | 50.37 | 7.93 | | 15.69 | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 | | 3 | UAL | UAL2W | 14.14 | 95.81 | 57.82 | 50.37 | 7.93 | | 15.69 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 18.13 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 86.38 | 40.48 | | | | 15.69 | | | | |
| | | 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP | | | | | | | | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 9.58 | 129.52 | 79.24 | 50.37 | 7.93 | | 15.69 | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 10.92 | 129.52 | 79.24 | 50.37 | 7.93 | | 15.69 | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 11.40 | 129.52 | 79.24 | 50.37 | 7.93 | | 15.69 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.13 | | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 9.58 | 104.49 | 66.50 | 50.37 | 7.93 | | 15.69 | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 10.92 | 104.49 | 66.50 | 50.37 | 7.93 | | 15.69 | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 11.40 | 104.49 | 66.50 | 50.37 | 7.93 | | 15.69 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.13 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.32 | 40.48 | | | | 15.69 | | | | |
| | | 4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP | | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - South Carolina

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|-------------|------|-----|-------|-----------|--------------|--------|-------------------------|-------|---------------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 16.02 | 158.18 | 107.89 | 55.12 | 10.38 | | 15.69 | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 14.33 | 158.18 | 107.89 | 55.12 | 10.38 | | 15.69 | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 16.84 | 158.18 | 107.89 | 55.12 | 10.38 | | 15.69 | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.13 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 16.02 | 133.14 | 95.16 | 55.12 | 10.38 | | 15.69 | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 14.33 | 133.14 | 95.16 | 55.12 | 10.38 | | 15.69 | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 16.84 | 133.14 | 95.16 | 55.12 | 10.38 | | 15.69 | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.13 | | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.32 | 40.48 | | | | 15.69 | | | | | |
| | 4-WIRE DS1 DIGITAL LOOP | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 79.51 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 136.00 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 229.15 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 18.13 | | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 101.30 | 43.13 | | | | 15.69 | | | | | |
| | 4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL | UDL19 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 18.13 | | | | | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 18.13 | | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 102.34 | 49.85 | | | | 15.69 | | | | | |
| | 2-WIRE Unbundled COPPER LOOP | | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 12.19 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | | | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 13.71 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | | | | |
| | 2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 14.14 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 12.19 | 94.87 | 56.89 | 50.37 | 7.93 | | 15.69 | | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 13.71 | 94.87 | 56.89 | 50.37 | 7.93 | | 15.69 | | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 14.14 | 94.87 | 56.89 | 50.37 | 7.93 | | 15.69 | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2L | 38.22 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2L | 55.33 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2L | 67.95 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2W | 38.22 | 94.87 | 56.89 | 50.37 | 7.93 | | 15.69 | | | | | |

UNBUNDLED NETWORK ELEMENTS - South Carolina

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|--------------------|--|-------------|------|---|-------|-----------|--------------|--------|-------------------------|-------|---------------|-------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2W | 55.33 | 94.87 | 56.89 | 50.37 | 7.93 | | 15.69 | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2W | 67.95 | 94.87 | 56.89 | 50.37 | 7.93 | | 15.69 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) | | | UCL | UREWO | | 94.87 | 42.57 | | | | 15.69 | | | | | | |
| 4-WIRE COPPER LOOP | | | | | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 19.64 | 144.17 | 93.88 | 55.12 | 10.38 | | 15.69 | | | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 20.90 | 144.17 | 93.88 | 55.12 | 10.38 | | 15.69 | | | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 19.34 | 144.17 | 93.88 | 55.12 | 10.38 | | 15.69 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4W | 19.64 | 119.13 | 81.15 | 55.12 | 10.38 | | 15.69 | | | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4W | 20.90 | 119.13 | 81.15 | 55.12 | 10.38 | | 15.69 | | | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4W | 19.34 | 119.13 | 81.15 | 55.12 | 10.38 | | 15.69 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 77.29 | 144.17 | 93.88 | 55.12 | 10.38 | | 15.69 | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4L | 118.78 | 144.17 | 93.88 | 55.12 | 10.38 | | 15.69 | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4L | 144.10 | 144.17 | 93.88 | 55.12 | 10.38 | | 15.69 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4O | 77.29 | 119.44 | 81.45 | 55.12 | 10.38 | | 15.69 | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4O | 118.78 | 119.44 | 81.45 | 55.12 | 10.38 | | 15.69 | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4O | 144.10 | 119.44 | 81.45 | 55.12 | 10.38 | | 15.69 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) | | | UCL | UREWO | | 94.87 | 42.57 | | | | 15.69 | | | | | | |
| LOOP MODIFICATION | | | | | | | | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft | | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL | ULM2L | | 32.46 | 32.46 | | | | 15.69 | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft | | | UCL, ULS | ULM2G | | 170.89 | 170.89 | | | | 15.69 | | | | | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft | | | UHL, UCL | ULM4L | | 32.46 | 32.46 | | | | 15.69 | | | | | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft | | | UCL | ULM4G | | 170.89 | 170.89 | | | | 15.69 | | | | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | | | UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL | ULMBT | | 32.48 | 32.48 | | | | 15.69 | | | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | | | |
| | Sub-Loop Distribution | | | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up | I | | UEANL | USBSA | | 241.42 | 241.42 | | | | 15.69 | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|---|--|--|---|---------|----------------------|-------|------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMECE | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | I | | UEANL | USBSB | | | 22.69 | 22.69 | | | | 15.69 | | | | |
| | | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up | I | | UEANL | USBSC | | | 177.84 | 177.84 | | | | 15.69 | | | | |
| | | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | I | | UEANL | USBSD | | | 55.58 | 55.58 | | | | 15.69 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 | I | 1 | UEANL | USBN2 | | 8.87 | 65.94 | 31.03 | 45.35 | 6.71 | | 15.69 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 | I | 2 | UEANL | USBN2 | | 12.58 | 65.94 | 31.03 | 45.35 | 6.71 | | 15.69 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 | I | 3 | UEANL | USBN2 | | 14.79 | 65.94 | 31.03 | 45.35 | 6.71 | | 15.69 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | | 8.17 | 8.17 | | | | | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEANL | USBN4 | | 14.11 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN4 | | 19.40 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | | 18.90 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | | 8.17 | 8.17 | | | | | | | | |
| | | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR2 | | 2.41 | 53.13 | 18.21 | 45.35 | 6.71 | | 15.69 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | | 8.17 | 8.17 | | | | | | | | |
| | | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR4 | | 5.36 | 59.38 | 24.47 | 49.82 | 9.09 | | 15.69 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | | 8.17 | 8.17 | | | | | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | I | 1 | UEF | UCS2X | | 7.11 | 65.94 | 31.03 | 45.35 | 6.71 | | 15.69 | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | I | 2 | UEF | UCS2X | | 9.83 | 65.94 | 31.03 | 45.35 | 6.71 | | 15.69 | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS2X | | 10.48 | 65.94 | 31.03 | 45.35 | 6.71 | | 15.69 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | | 8.17 | 8.17 | | | | | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | I | 1 | UEF | UCS4X | | 7.85 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | I | 2 | UEF | UCS4X | | 14.17 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS4X | | 12.64 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | | 8.17 | 8.17 | | | | | | | | |
| | | Unbundled Sub-Loop Modification | | | | | | | | | | | | | | | | |
| | | Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | | 176.17 | 5.11 | | | | 15.69 | | | | |
| | | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | | 176.17 | 5.11 | | | | 15.69 | | | | |
| | | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded | | | UEF | ULM4T | | | 278.82 | 6.13 | | | | 15.69 | | | | |
| | | Unbundled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | | |
| | | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | | 0.3303 | 30.20 | 30.20 | | | | 15.69 | | | | |
| | | Network Interface Device (NID) | | | | | | | | | | | | | | | | |
| | | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | | 43.68 | 28.79 | | | | 15.69 | | | | |
| | | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | | 64.42 | 49.53 | | | | 15.69 | | | | |
| | | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | | 5.92 | 5.92 | | | | 15.69 | | | | |
| | | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | | 5.92 | 5.92 | | | | 15.69 | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | | | |
| | | Sub-Loop Feeder | | | | | | | | | | | | | | | | |
| | | USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up | | | UEA, UDN,UCL,UDL,UDC | USBFW | | | 241.42 | | | | | 15.69 | | | | |
| | | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up | | | UEA, UDN,UCL,UDL,UDC | USBFX | | | 22.69 | 22.69 | | | | 15.69 | | | | |
| | | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | | 523.87 | 11.34 | | | | 15.69 | | | | |

UNBUNDLED NETWORK ELEMENTS - South Carolina

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|---|-------------|------|-----|-------|-----------|--------------|-------|-------------------------|-------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1 | | 1 | UEA | USBFA | 8.93 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFA | 11.74 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3 | | 3 | UEA | USBFA | 14.74 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | Order Coordination for Specified Conversion Time, per LSR | | | UEA | OCOSL | | 18.13 | | | | | | | | | |
| | Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFB | 8.93 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFB | 11.74 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3 | | 3 | UEA | USBFB | 14.74 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | Order Coordination for Specified Time Conversion, per LSR | | | UEA | OCOSL | | 18.13 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1 | | 1 | UEA | USBFC | 8.93 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2 | | 2 | UEA | USBFC | 11.74 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3 | | 3 | UEA | USBFC | 14.74 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UEA | OCOSL | | 18.13 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFD | 21.63 | 107.91 | 70.36 | 62.26 | 17.52 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFD | 27.57 | 107.91 | 70.36 | 62.26 | 17.52 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3 | | 3 | UEA | USBFD | 26.04 | 107.91 | 70.36 | 62.26 | 17.52 | | 15.69 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 18.13 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFE | 21.63 | 107.91 | 70.36 | 62.26 | 17.52 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFE | 27.57 | 107.91 | 70.36 | 62.26 | 17.52 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3 | | 3 | UEA | USBFE | 26.04 | 107.91 | 70.36 | 62.26 | 17.52 | | 15.69 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 18.13 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | | 1 | UDN | USBFF | 17.05 | 106.47 | 68.92 | 55.81 | 13.37 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | 2 | UDN | USBFF | 20.92 | 106.47 | 68.92 | 55.81 | 13.37 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | | 3 | UDN | USBFF | 23.49 | 106.47 | 68.92 | 55.81 | 13.37 | | 15.69 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UDN | OCOSL | | 18.13 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 1 | UDC | USBFS | 17.05 | 106.47 | 68.92 | 55.81 | 13.37 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 2 | UDC | USBFS | 20.92 | 106.47 | 68.92 | 55.81 | 13.37 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 3 | UDC | USBFS | 23.49 | 106.47 | 68.92 | 55.81 | 13.37 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | USL | USBFG | 55.85 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 109.16 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | USL | USBFG | 203.35 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | USL | OCOSL | | 18.13 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFH | 5.98 | 83.97 | 46.42 | 53.14 | 10.69 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFH | 4.80 | 83.97 | 46.42 | 53.14 | 10.69 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFH | 4.59 | 83.97 | 46.42 | 53.14 | 10.69 | | 15.69 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 18.13 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFJ | 13.21 | 101.22 | 63.67 | 58.03 | 13.29 | | 15.69 | | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFJ | 8.28 | 101.22 | 63.67 | 58.03 | 13.29 | | 15.69 | | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFJ | 8.42 | 101.22 | 63.67 | 58.03 | 13.29 | | 15.69 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 18.13 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 21.02 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 2 | UDL | USBFN | 21.30 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 3 | UDL | USBFN | 20.17 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|---------------|--|--|--|--|---------|------|-----|------|-----------|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|---|---------------|---|---------|------|---------------------------------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Unbundled Contract Name, Provisioning Only - No Rate | | | UEANL,UEF,UEQ,UENTW | UNECN | | | | | | | | | | |
| UNE OTHER, PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | | |
| | | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC | UNECN | 0.00 | 0.00 | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | |
| | | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | |
| | | Unbundled DS1 Loop - Expanded Superframe Format option - no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | |
| HIGH CAPACITY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 12.26 | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | UE3 | UE3PX | 306.36 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 12.26 | | | | | | 15.69 | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month | | | UDLSX | UDLS1 | 313.49 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | |
| LOOP MAKE-UP | | | | | | | | | | | | | | | | |
| | | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | UMK | UMKLW | | 24.04 | 24.04 | | | | | | | |
| | | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 25.49 | 25.49 | | | | | | | |
| | | Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized) | | | UMK | PSUMK | | 0.34 | 0.34 | | | | | | | |
| HIGH FREQUENCY SPECTRUM | | | | | | | | | | | | | | | | |
| SPLITTERS-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | | |
| | | Line Sharing Splitter, per System 96 Line Capacity | | | ULS | ULSDA | 216.22 | 189.21 | 0.00 | 178.38 | 0.00 | | 15.69 | | | |
| | | Line Sharing Splitter, per System 24 Line Capacity | | | ULS | ULSDB | 54.05 | 189.21 | 0.00 | 178.38 | 0.00 | | 15.69 | | | |
| | | Line Sharing Splitter, Per System, 8 Line Capacity | I | | ULS | ULSD8 | 18.02 | 189.21 | 0.00 | 178.38 | 0.00 | | 15.69 | | | |
| | | Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) | | | ULS | ULSDG | | 86.67 | | 49.95 | | | 15.69 | | | |
| END USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECTRUM AKA LINE SHARING | | | | | | | | | | | | | | | | |
| | | Line Sharing - per Line Activation (BST owned Splitter) | | | ULS | ULSDC | 0.61 | 18.55 | 10.62 | 10.04 | 4.93 | | 15.69 | | | |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) | | | ULS | ULSDS | | 16.42 | 8.21 | | | | 15.69 | | | |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) | | | ULS | ULSCS | | 16.42 | 8.21 | | | | 15.69 | | | |
| | | Line Sharing - per Line Activation (DLEC owned Splitter) | I | | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 20.67 | 12.74 | | 15.69 | | | |
| | | Line Splitting - per line activation DLEC owned splitter | I | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | |
| | | Line Splitting - per line activation BST owned - physical | I | | UEPSR UEPSB | UREBP | 0.644 | 37.09 | 21.24 | 20.07 | 9.85 | | 15.69 | | | |
| | | Line Splitting - per line activation BST owned - virtual | I | | UEPSR UEPSB | UREBV | 0.642 | 37.09 | 21.24 | 20.07 | 9.85 | | 15.69 | | | |
| UNBUNDLED DEDICATED TRANSPORT | | | | | | | | | | | | | | | | |
| NOTE: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3/STS-1=four months | | | | | | | | | | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0167 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | U1TVX | U1TV2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | |
| | | Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade Rev Bat. - Per Mile per month | | | U1TVX | 1L5XX | 0.0167 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. - Facility Termination per month | | | U1TVX | U1TR2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | |
| | | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0167 | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|--|---|---------|------|-------|-------|-----------|--------------|--------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month | | | U1TVX | U1TV4 | 21.29 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0167 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month | | | U1TDX | U1TD5 | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0167 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | U1TDX | U1TD6 | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | U1TD1 | 1L5XX | 0.3415 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month | | | U1TD1 | U1TF1 | 77.14 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | U1TD3 | 1L5XX | 8.02 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | U1TD3 | U1TF3 | 880.65 | 279.37 | 163.12 | 60.33 | 58.59 | | 15.69 | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TS1 | 1L5XX | 8.02 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month | | | U1TS1 | U1TFS | 880.55 | 279.37 | 163.12 | 60.33 | 58.59 | | 15.69 | | | |
| | | LOCAL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | |
| | | NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3/STS-1=four months | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Per Month | | | ULDVX | ULDV2 | 15.33 | 193.53 | 33.24 | 36.72 | 3.21 | | 15.69 | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month | | | ULDVX | ULDR2 | 15.33 | 193.53 | 33.24 | 36.72 | 3.21 | | 15.69 | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | UNDVX | ULDV4 | 16.54 | 193.97 | 33.68 | 37.19 | 3.68 | | 15.69 | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 1 | | 1 | ULDD1 | ULDF1 | 42.62 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 2 | | 2 | ULDD1 | ULDF1 | 70.32 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 3 | | 3 | ULDD1 | ULDF1 | 190.68 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | | ULDD3 | 1L5NC | 11.93 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | U1TD3 | U1TF3 | 446.00 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | |
| | | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1 | 1L5NC | 11.93 | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination per month | | | ULDS1 | ULDFS | 435.10 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | |
| | | MULTIPLEXERS | | | | | | | | | | | | | | |
| | | Channelization - DS1 to DS0 Channel System | | | UXTD1 | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UDL | 1D1DD | 1.19 | 6.59 | 4.73 | | | | 15.69 | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month | | | UDN | UC1CA | 2.56 | 6.59 | 4.73 | | | | 15.69 | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UEA | 1D1VG | 0.56 | 6.59 | 4.73 | | | | 15.69 | | | |
| | | DS3 to DS1 Channel System per month | | | UXTD3 | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | 15.69 | | | |
| | | STS1 to DS1 Channel System per month | | | UXTS1 | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | 15.69 | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Loop per month | | | USL | UC1D1 | 8.64 | 6.59 | 4.73 | | | | 15.69 | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | ULDD1 | UC1D1 | 8.64 | 6.59 | 4.73 | | | | 15.69 | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 8.64 | 6.59 | 4.73 | | | | 15.69 | | | |
| | | DARK FIBER | | | | | | | | | | | | | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel | | | UDF | 1L5DC | 97.65 | | | | | | | | | |
| | | NRC Dark Fiber - Local Channel | | | UDF | UDFC4 | | 640.51 | 138.17 | 317.76 | 198.11 | | 15.69 | | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel | | | UDF | 1L5DF | 36.41 | | | | | | | | | |
| | | NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | | 640.51 | 138.17 | 317.76 | 198.11 | | 15.69 | | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|---|---------------|--|--|--|--|---------|------|-----|------|-----------|--|---------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|---------------|--|--|--|--|---------|------|-----|------|-----------|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - South Carolina

| CATEGORY | RATE ELEMENTS | | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
|---------------------|---------------|--|-------------|------|---|-------|-----------|-----------------------|-----------------------|-----------------------|---|---|--|--|---|---|-------|
| | | | | | | | Rec | Nonrecurring First | Nonrecurring Add'l | Nonrecurring First | Nonrecurring Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual Collocation - 2-wire Cross Connects (loop) | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX | UEAC2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| | | Virtual Collocation - 4-wire Cross Connects (loop) | | | UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX | UEAC4 | 0.0634 | 12.42 | 11.90 | 6.40 | 5.74 | | 15.69 | | | | |
| | | Virtual Collocation - 2-Fiber Cross Connects | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF | CNC2F | 2.86 | 20.94 | 15.23 | 7.40 | 5.93 | | 15.69 | | | | |
| | | Virtual Collocation - 4-Fiber Cross Connects | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF | CNC4F | 5.71 | 25.61 | 19.90 | 9.73 | 8.26 | | 15.69 | | | | |
| | | Virtual collocation - DS1 Cross Connects | | | USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1 | CNC1X | 1.12 | 22.08 | 15.96 | 6.42 | 5.80 | | 15.69 | | | | |
| | | Virtual collocation - DS3 Cross Connects | | | USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 14.21 | 20.94 | 15.23 | 7.39 | 5.93 | | 15.69 | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot | | | AMTFS | VE1CB | 0.0022 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft | | | AMTFS | VE1CD | 0.0033 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable | | | AMTFS | VE1CC | | 536.56 | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable | | | AMTFS | VE1CE | | 536.56 | | | | | | | | | |
| | | Virtual collocation - Security Escort - Basic, per half hour | | | AMTFS | SPTBX | | 16.96 | 10.75 | | | | | | | | |
| | | Virtual collocation - Security Escort - Overtime, per half hour | | | AMTFS | SPTOX | | 22.10 | 13.89 | | | | | | | | |
| | | Virtual collocation - Security Escort - Premium, per half hour | | | AMTFS | SPTPX | | 27.23 | 17.02 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 27.99 | 10.75 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 36.56 | 13.89 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 45.12 | 17.02 | | | | | | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire Analog - Res | | | UEPSR | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res | | | UEPSE | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus | | | UEPSB | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN | | | UEPSX | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN | | | UEPTX | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|---|---------------|--|--|--|--|---------|------|-----|------|-----------|---------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | </ | | | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - South Carolina

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|----------|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | | |
| | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|--|---------|------|-------|-------|-----------|--------------|--------|--------------|------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | OSS Rates(\$) | | | |
| | | | | | | | First | Add'l | | | | | First | Add'l | SOMEK | SOMAN |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | First DS1 Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | First DS1 Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | First DS1 Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | | | UNC3X | 1L5XX | 6.42 | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - South Carolina

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|--|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per month | | | UNC3X | U1TF3 | 704.52 | 279.37 | 163.12 | 60.33 | 58.59 | | 15.69 | | | | |
| | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | 15.69 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC3X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.0134 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV2 | 19.44 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCVX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.0134 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV4 | 17.03 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCVX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month | | | UNC3X | 1L5ND | 12.26 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month | | | UNC3X | UE3PX | 306.36 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 6.42 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month | | | UNC3X | U1TF3 | 704.52 | 279.37 | 163.12 | 60.33 | 58.59 | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC3X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month | | | UNCSX | 1L5ND | 12.26 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month | | | UNCSX | UDLS1 | 313.49 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile per month | | | UNCSX | 1L5XX | 6.42 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month | | | UNCSX | U1TFS | 704.44 | 279.37 | 163.12 | 60.33 | 58.59 | | 15.69 | | | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|---------------|---|---------|------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCSX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | | 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 | | 1 | UNCNX | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2 | | 2 | UNCNX | U1L2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3 | | 3 | UNCNX | U1L2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | | Channelization - Channel System DS1 to DS0 combination - per month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month | | | UNCNX | UC1CA | 2.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1 | | 1 | UNCNX | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 | | 2 | UNCNX | U1L2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 | | 3 | UNCNX | U1L2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination- per month | | | UNCNX | UC1CA | 2.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | | 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month | | | UNCSX | 1L5XX | 6.42 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Facility Termination | | | UNCSX | U1TFS | 704.44 | 279.37 | 163.12 | 60.33 | 58.59 | | 15.69 | | | | |
| | | STS1 to DS1 Channel System combination per month | | | UNCSX | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | 15.69 | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCSX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | | 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.0134 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination | | | UNCDX | U1TD5 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|--|---------------|--|--|--|---------|------|-----|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|--|
| CATEGORY | RATE ELEMENTS | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | | | | UNCDX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | |
| 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1 | | | | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2 | | | | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3 | | | | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile | | | | | | UNCDX | 1L5XX | 0.0134 | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination | | | | | | UNCDX | U1TD6 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | | | | UNCDX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | |
| ADDITIONAL NETWORK ELEMENTS | | | | | | | | | | | | | | | | | | | |
| When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. | | | | | | | | | | | | | | | | | | | |
| When used as ordinarily combined network elements in South Carolina, the non-recurring charges apply and the Switch As Is Charge does not. | | | | | | | | | | | | | | | | | | | |
| Node (SynchroNet) | | | | | | | | | | | | | | | | | | | |
| Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) | | | | | | | | | | | | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG | | | | | | UNCVX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps | | | | | | UNCDX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - DS1 | | | | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - DS3 | | | | | | UNC3X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - STS1 | | | | | | UNCSX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | |
| NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months | | | | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | | | | UNCXV | ULDV2 | 15.33 | 193.53 | 33.24 | 36.72 | 3.21 | | 15.69 | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | | | | UNCXV | ULDV4 | 16.54 | 193.97 | 33.68 | 37.19 | 3.68 | | 15.69 | | | |
| | | Local Channel - Dedicated - DS1 per month Zone 1 | | | | | 1 | UNC1X | ULDF1 | 42.62 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | |
| | | Local Channel - Dedicated -DS1 Per Month Zone 2 | | | | | 2 | UNC1X | ULDF1 | 70.32 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | |
| | | Local Channel - Dedicated - DS1- Per Month Zone 3 | | | | | 3 | UNC1X | ULDF1 | 190.68 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | | | | | UNC3X | 1L5NC | 11.93 | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination per month | | | | | | UNC3X | ULDF3 | 446.00 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | |
| | | Local Channel - Dedicated - STS-1- Per Mile per month | | | | | | UNCSX | 1L5NC | 11.93 | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination per month | | | | | | UNCSX | ULDFS | 435.10 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | |
| UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | | | | | |
| Exchange Ports | | | | | | | | | | | | | | | | | | | |
| NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs | | | | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE LINE PORT RATES (RES) | | | | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port- Res. | | | | | | UEPSR | UEPRL | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | |
| | | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | | | | UEPSR | UEPRC | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | | | | UEPSR | UEPRO | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | |
| | | Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res. | | | | | | UEPSR | UEPAU | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | |
| | | Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8) | | | | | | UEPSR | UEPAJ | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | |
| | | Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) | | | | | | UEPSR | UEPAP | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | |
| | | Subsequent Activity | | | | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | |
| FEATURES | | | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|--|---------|------|-------|-------|-----------|--------------|--------|--------------|------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | OSS Rates(\$) | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | All Available Vertical Features | | | UEPSR | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | 2-WIRE VOICE GRADE LINE PORT RATES (BUS) | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus | | | UEPSB | UEPBL | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Bus. | | | UEPSB | UEPAZ | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus | | | UEPSB | UEPB1 | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire VG unbundled South Carolina Bus Area Calling Port with Caller ID - Bus (LMB) | | | UEPSB | UEPAB | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSB | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | All Available Vertical Features | | | | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | EXCHANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPP1 | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire Vce Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPSP | UEPXE | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPSP | UEPXL | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPSP | UEPXM | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPSP | UEPXO | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus Calling Port | | | UEPSP | UEPXT | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSP | UEPSE | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | EXCHANGE PORT RATES (COIN) | | | | | | | | | | | | | | | |
| | Exchange Ports - Coin Port | | | | | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Local Switching Features offered with Port | | | | | | | | | | | | | | | |
| NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. | | | | | | | | | | | | | | | | |
| NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. | | | | | | | | | | | | | | | | |
| UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | | |
| | EXCHANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 8.86 | 119.57 | 18.78 | 60.03 | 3.77 | | 15.69 | | | | |
| | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability | | | UEPDD | UEPDD | 73.62 | 202.47 | 95.90 | 72.75 | 2.47 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX | UEPSX | 13.38 | 72.93 | 53.11 | 47.90 | 10.76 | | 15.69 | | | | |
| | All Features Offered | | | UEPTX | UEPSX | 3.04 | 0.00 | 0.00 | | | | | | | | |
| NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. | | | | | | | | | | | | | | | | |
| NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. | | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire ISDN Port -- Channel Profiles | | | UEPTX | UEPSX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 107.44 | 204.27 | 101.78 | 79.35 | 20.10 | | 15.69 | | | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|---|--|--|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN |
| UNBUNDLED LOCAL SWITCHING, PORT USAGE | | | | | | | | | | | | | | | | | | |
| | End Office Switching (Port Usage) | | | | | | | | | | | | | | | | | |
| | End Office Switching Function, Per MOU | | | | | | | | 0.0010519 | | | | | | | | | |
| | End Office Trunk Port - Shared, Per MOU | | | | | | | | 0.0002136 | | | | | | | | | |
| | Tandem Switching (Port Usage) (Local or Access Tandem) | | | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | | | | | | 0.0001634 | | | | | | | | | |
| | Tandem Trunk Port - Shared, Per MOU | | | | | | | | 0.0002863 | | | | | | | | | |
| | Common Transport | | | | | | | | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | | | | | | 0.0000045 | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | | | | | | 0.0004095 | | | | | | | | | |
| UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | | | | |
| | Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. | | | | | | | | | | | | | | | | | |
| | Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. | | | | | | | | | | | | | | | | | |
| | End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. | | | | | | | | | | | | | | | | | |
| | For Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos for all states. In GA, KY, LA, MS, SC and TN these nonrecurring charges are commission ordered cost based rates and in AL, FL and NC these nonrecurring charges are Market Rates and are also listed in the Market Rate section. | | | | | | | | | | | | | | | | | |
| | For Currently Combined Combos in all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. | | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | | | | 1 | | | 14.89 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | | | | 2 | | | 21.52 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | | | | 3 | | | 27.17 | | | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | | | | 1 | UEPRX | UEPLX | 13.76 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | | | 2 | UEPRX | UEPLX | 20.38 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | | | 3 | UEPRX | UEPLX | 26.04 | | | | | | | | | |
| 2-Wire Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | | | | UEPRX | UEPRL | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | | | | UEPRX | UEPRC | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | |
| | 2-Wire voice unbundled port outgoing only - res | | | | | | UEPRX | UEPRO | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | |
| | 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res | | | | | | UEPRX | UEPAU | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | |
| | 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) | | | | | | UEPRX | UEPAJ | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | | | | UEPRX | UEPAP | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | |
| FEATURES | | | | | | | | | | | | | | | | | | |
| | All Features Offered | | | | | | UEPRX | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | | | | UEPRX | LNPCX | 0.35 | | | | | | | | | |
| NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | | | | UEPRX | USAC2 | | 0.10 | 0.10 | | | | 15.69 | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | | | | UEPRX | USACC | | 0.10 | 0.10 | | | | 15.69 | | | |
| ADDITIONAL NRCs | | | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | | | | 1 | | | 14.89 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | | | | 2 | | | 21.52 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | | | | 3 | | | 27.17 | | | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | | | | 1 | UEPBX | UEPLX | 13.76 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | | | 2 | UEPBX | UEPLX | 20.38 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | | | 3 | UEPBX | UEPLX | 26.04 | | | | | | | | | |
| 2-Wire Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | | | | UEPBX | UEPBL | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|--|---|---------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | | 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - bus | | | UEPBX | UEPAZ | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UEPB1 | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | | 2-Wire voice unbundled South Carolina Bus Area Calling Port with Caller ID (LMB) | | | UEPBX | UEPAB | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | |
| | | FEATURES | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPBX | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPBX | USAC2 | | 0.10 | 0.10 | | | | 15.69 | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPBX | USACC | | 0.10 | 0.10 | | | | 15.69 | | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.89 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 21.52 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 27.17 | | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 13.76 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG | UEPLX | 20.38 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 26.04 | | | | | | | | | | |
| | | 2-Wire Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | UEPRG | UEPRD | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | FEATURES | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPRG | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | UEPRG | USAC2 | | 7.93 | 1.91 | | | | 15.69 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | UEPRG | USACC | | 7.93 | 1.91 | | | | 15.69 | | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 7.34 | 7.34 | | | | 15.69 | | | | |
| | | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.89 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 21.52 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 27.17 | | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 13.76 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 20.38 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX | UEPLX | 26.04 | | | | | | | | | | |
| | | 2-Wire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |

UNBUNDLED NETWORK ELEMENTS - South Carolina

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|----------|---|---------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPPX | UEPXO | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus Calling Port | | | UEPPX | UEPXT | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPPX | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 7.93 | 1.91 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | UEPPX | USACC | | 7.93 | 1.91 | | | | 15.69 | | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 7.34 | 7.34 | | | | 15.69 | | | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 14.89 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 21.52 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 27.17 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 13.76 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 20.38 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 26.04 | | | | | | | | | | |
| | 2-Wire Voice Grade Line Ports (COIN) | | | | | | | | | | | | | | | |
| | 2-Wire Coin 2-Way without Operator Screening and without Blocking (SC) | | | UEPCO | UEPSD | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC) | | | UEPCO | UEPSA | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (SC) | | | UEPCO | UEPSH | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking; with Dialing Parity (SC) | | | UEPCO | UEPSC | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and: 900 Blocking: 900/976, 1+DDD, 011+, and Local (SC) | | | UEPCO | UEPCC | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | 2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD, 011+, Local; Enhanced Call OPT 3YV (SC) | | | UEPCO | UEPCE | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | 2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD, 011+, Local; Enhanced Call OPT AP7 (SC) | | | UEPCO | UEPCF | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | 2-Wire Coin Outward without Blocking and without Operator Screening (SC) | | | UEPCO | UEPSG | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking (SC) | | | UEPCO | UEPSF | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|---|---------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC) | | | UEPCO | UEPSJ | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (SC) | | | UEPCO | UEPCM | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | 2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD, 011+, Local; Enhanced Calling OPT 3YW (SC) | | | UEPCO | UEPCP | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | 2-Wire Coin Outward Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCR | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | ADDITIONAL UNE COIN PORT/LOOP (RC) | | | | | | | | | | | | | | | |
| | UNE Coin Port/Loop Combo Usage (Flat Rate) | | | UEPCO | URECU | 4.05 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPCO | USAC2 | | 0.10 | 0.10 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPCO | USACC | | 0.10 | 0.10 | | | | 15.69 | | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 15.69 | | | | |
| | UNBUNDLED REMOTE CALL FORWARDING - RES | | | | | | | | | | | | | | | |
| | Non-Recurring | | | | | | | | | | | | | | | |
| | UNBUNDLED REMOTE CALL FORWARDING - Bus | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus | | | UEPVB | UEPVJ | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Non-Recurring | | | | | | | | | | | | | | | |
| | 2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | |
| | 2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | |
| UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | 23.75 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | 30.20 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | 35.52 | | | | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | UECD1 | 16.68 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | UECD1 | 23.13 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | UECD1 | 28.46 | | | | | | | | | | |
| UNE Port Rate | | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire DID Port | | | UEPPX | UEPD1 | 7.06 | 225.55 | 87.21 | 113.08 | 14.38 | | | 15.69 | | | |
| NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is | | | UEPPX | USAC1 | | 7.32 | 1.87 | | | | | 15.69 | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes | | | UEPPX | USA1C | | 7.32 | 1.87 | | | | | 15.69 | | | |
| ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | USAS1 | | 26.84 | | | | | | 15.69 | | | |
| Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | | |
| | DID Trunk Termination (One Per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | 15.69 | | | |
| | DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | | 15.69 | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | 15.69 | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | 15.69 | | | |
| | Reserve Non-Consecutive DID numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | 15.69 | | | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | 15.69 | | | |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| 2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|--|---|---------|------|-------|-------|-------|-----------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | 1 | UEPPB | UEPPR | | 30.86 | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | | 2 | UEPPB | UEPPR | | 38.60 | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | 3 | UEPPB | UEPPR | | 44.23 | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 21.90 | | | | | | | 15.69 | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 29.64 | | | | | | | 15.69 | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 35.27 | | | | | | | 15.69 | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | |
| | | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 8.96 | 190.51 | 133.14 | 100.95 | 21.37 | | | 15.69 | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion | | | UEPPB | UEPPR | USACB | 0.00 | 38.59 | 27.08 | | | | | 15.69 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | |
| | B-CHANNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | |
| | B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN) | | | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | CSD | | | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | | |
| | USER TERMINAL PROFILE | | | | | | | | | | | | | | | | |
| | | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | |
| | VERTICAL FEATURES | | | | | | | | | | | | | | | | |
| | | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 3.04 | 0.00 | 0.00 | | | | | 15.69 | | |
| | INTEROFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | |
| | | Interoffice Channel mileage each, including first mile and facilities termination | | | UEPPB | UEPPR | M1GNC | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | 15.69 | | |
| | | Interoffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.0167 | 0.00 | 0.00 | | | | | | | |
| | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 | | 1 | UEPPP | | | 176.82 | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 | | 2 | UEPPP | | | 241.38 | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 | | 3 | UEPPP | | | 347.84 | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 90.87 | | | | | | | 15.69 | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 155.43 | | | | | | | 15.69 | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | 261.89 | | | | | | | 15.69 | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 85.95 | 457.30 | 259.67 | 124.15 | 31.83 | | | 15.69 | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is | | | UEPPP | | USACP | 0.00 | 119.34 | 78.73 | | | | | 15.69 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqtl Actvy-Inward/two way tel nos within Std Allowance (except NC) | | | UEPPP | | PR7TF | | 0.49 | 0.49 | | | | | 15.69 | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | | 11.54 | 11.54 | | | | | 15.69 | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance | | | UEPPP | | PR7ZT | | 23.07 | 23.07 | | | | | 15.69 | | |

UNBUNDLED NETWORK ELEMENTS - South Carolina

| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
|----------|--|--|-------------|------|-------|-------|-----------|--------------|-------------------------|---------------|---|---|--|--|---|---|-------|
| | | | | | | | Rec | Nonrecurring | Nonrecurring Disconnect | OSS Rates(\$) | | | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPP | LNPCN | 1.75 | | | | | | | | | | |
| | | Voice/Data | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Digital Data | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Inward Data | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | New or Additional "B" Channel | | | | | | | | | | | | | | | |
| | | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 14.56 | | | | | 15.69 | | | | |
| | | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 14.56 | | | | | 15.69 | | | | |
| | | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 14.56 | | | | | 15.69 | | | | |
| | | CALL TYPES | | | | | | | | | | | | | | | |
| | | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 77.4815 | 89.47 | 81.99 | 16.39 | 14.48 | | | 15.69 | | | |
| | | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.3415 | | | | | | | | | | |
| | | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 149.77 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 214.33 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 320.78 | | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 90.87 | | | | | | 15.69 | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 155.43 | | | | | | 15.69 | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 261.89 | | | | | | 15.69 | | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | |
| | | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 58.90 | 455.50 | 253.79 | 117.55 | 14.20 | | | 15.69 | | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is | | | UEPDC | USAC4 | | 129.78 | 67.17 | | | | 15.69 | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes | | | UEPDC | USAWA | | 129.78 | 67.17 | | | | 15.69 | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk | | | UEPDC | USAWB | | 129.78 | 67.17 | | | | 15.69 | | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 14.51 | 14.51 | | | | 15.69 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 14.51 | 14.51 | | | | 15.69 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 14.51 | 14.51 | | | | 15.69 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 14.51 | 14.51 | | | | 15.69 | | | | |
| | | BIPOLAR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | | |
| | | B8ZS - Superframe Format | | | UEPDC | CCOSF | | 0.00 | 605.00 | | | | 15.69 | | | | |
| | | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 605.00 | | | | 15.69 | | | | |
| | | Alternate Mark Inversion | | | | | | | | | | | | | | | |
| | | AMI - Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| | | Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | |
| | | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | 15.69 | | | | |
| | | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | 15.69 | | | | |
| | | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | 15.69 | | | | |
| | | DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | 15.69 | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|---|---|---|--|--|--|---------|-------|-------|----------|-----------|--------------|--------|----------------------------------|--------------------------------------|--|--|---|---|--|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | |
| | Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) | | | | | UEPDC | 1LNO1 | 77.14 | | 89.47 | 81.99 | 16.39 | 14.48 | | | 15.69 | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | | | UEPDC | 1LNOA | 0.3415 | | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | | | UEPDC | 1LNO2 | 0.00 | | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | | | | | UEPDC | 1LNOB | 0.3415 | | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) | | | | | UEPDC | 1LNO3 | 0.00 | | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | | | UEPDC | 1LNOC | 0.3415 | | 0.00 | 0.00 | | | | | | | |
| | | Local Number Portability, per DSO Activated | | | | | UEPDC | LNPCP | 3.15 | | 0.00 | 0.00 | | | | | | | |
| | | Central Office Terminating Point | | | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| | 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | | | | |
| | System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations | | | | | | | | | | | | | | | | | | |
| | Each System can have up to 24 combinations of rates depending on type and number of ports used | | | | | | | | | | | | | | | | | | |
| | UNE DS1 Loop | | | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 1 | | | | 1 | UEPMG | USLDC | 90.87 | | 0.00 | 0.00 | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 2 | | | | 2 | UEPMG | USLDC | 155.43 | | 0.00 | 0.00 | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 3 | | | | 3 | UEPMG | USLDC | 261.89 | | 0.00 | 0.00 | | | | | | | |
| | UNE DSO Channelization Capacities (D4 Channel Bank Configurations) | | | | | | | | | | | | | | | | | | |
| | | 24 DSO Channel Capacity - 1 per DS1 | | | | | UEPMG | VUM24 | 82.78 | | 0.00 | 0.00 | | | | | 15.69 | | |
| | | 48 DSO Channel Capacity - 1 per 2 DS1s | | | | | UEPMG | VUM48 | 165.56 | | 0.00 | 0.00 | | | | | 15.69 | | |
| | | 96 DSO Channel Capacity -1per 4 DS1s | | | | | UEPMG | VUM96 | 331.12 | | 0.00 | 0.00 | | | | | 15.69 | | |
| | | 144 DSO Channel Capacity - 1 per 6 DS1s | | | | | UEPMG | VUM14 | 496.68 | | 0.00 | 0.00 | | | | | 15.69 | | |
| | | 192 DSO Channel Capacity -1 per 8 DS1s | | | | | UEPMG | VUM19 | 662.24 | | 0.00 | 0.00 | | | | | 15.69 | | |
| | | 240 DSO Channel Capacity - 1 per 10 DS1s | | | | | UEPMG | VUM20 | 827.80 | | 0.00 | 0.00 | | | | | 15.69 | | |
| | | 288 DSO Channel Capacity - 1 per 12 DS1s | | | | | UEPMG | VUM28 | 993.36 | | 0.00 | 0.00 | | | | | 15.69 | | |
| | | 384 DSO Channel Capacity - 1 per 16 DS1s | | | | | UEPMG | VUM38 | 1,324.48 | | 0.00 | 0.00 | | | | | 15.69 | | |
| | | 480 DSO Channel Capacity - 1 per 20 DS1s | | | | | UEPMG | VUM40 | 1,655.60 | | 0.00 | 0.00 | | | | | 15.69 | | |
| | | 576 DSO Channel Capacity -1 per 24 DS1s | | | | | UEPMG | VUM57 | 1,986.72 | | 0.00 | 0.00 | | | | | 15.69 | | |
| | | 672 DSO Channel Capacity - 1 per 28 DS1s | | | | | UEPMG | VUM67 | 2,317.84 | | 0.00 | 0.00 | | | | | 15.69 | | |
| | Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System | | | | | | | | | | | | | | | | | | |
| | A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations. | | | | | | | | | | | | | | | | | | |
| | Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted. | | | | | | | | | | | | | | | | | | |
| | | NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes | | | | | UEPMG | USAC4 | 0.00 | | 150.81 | 8.38 | | | | | 15.69 | | |
| | System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and | | | | | | | | | | | | | | | | | | |
| | New (Not Currently Combined) In GA, KY, LA, MS & TN Only | | | | | | | | | | | | | | | | | | |
| | | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY, MS, &TN Only | | | | | UEPMG | VUMD4 | 0.00 | | 717.71 | 425.81 | 149.08 | 17.69 | | | 15.69 | | |
| | Bipolar 8 Zero Substitution | | | | | | | | | | | | | | | | | | |
| | | Clear Channel Capability Format, superframe - Subsequent Activity Only | | | | | UEPMG | CCOSF | 0.00 | | 0.00 | 605.00 | | | | | | | |
| | | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | | | | UEPMG | CCOEF | 0.00 | | 0.00 | 605.00 | | | | | | | |
| | Alternate Mark Inversion (AMI) | | | | | | | | | | | | | | | | | | |
| | | Superframe Format | | | | | UEPMG | MCOSF | 0.00 | | 0.00 | 0.00 | | | | | | | |
| | | Extended Superframe Format | | | | | UEPMG | MCOPO | 0.00 | | 0.00 | 0.00 | | | | | | | |
| | Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port | | | | | | | | | | | | | | | | | | |
| | Exchange Ports | | | | | | | | | | | | | | | | | | |
| | | Line Side Combination Channelized PBX Trunk Port - Business | | | | | UEPPX | UEPCX | 1.13 | | 0.00 | 0.00 | 0.00 | 0.00 | | | 15.69 | | |
| | | Line Side Outward Channelized PBX Trunk Port - Business | | | | | UEPPX | UEPOX | 1.13 | | 0.00 | 0.00 | 0.00 | 0.00 | | | 15.69 | | |
| | | Line Side Inward Only Channelized PBX Trunk Port without DID | | | | | UEPPX | UEP1X | 1.13 | | 0.00 | 0.00 | 0.00 | 0.00 | | | 15.69 | | |
| | | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | | | UEPPX | UEPDM | 7.09 | | 0.00 | 0.00 | 0.00 | 0.00 | | | 15.69 | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|---------------|--|--|--|--|---------|------|-----|------|-----------|--|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|---|---------|------|-------|-------|-----------|--------------|-------|-------------------------|---------------|----------------------------------|--------------------------------------|--|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | OSS Rates(\$) | | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 20.38 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 26.04 | | | | | | | | | | | |
| | 2-Wire Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | | |
| | 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - bus | | | UEPBX | UEPAZ | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | | |
| | 2-Wire voice unbundled South Carolina Bus Area Calling Port with Caller ID (LMB) | | | UEPBX | UEPAB | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | | |
| | FEATURES | | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 15.69 | | | | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 27.76 | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 34.38 | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 40.04 | | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRG | UEPLX | 13.76 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRG | UEPLX | 20.38 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRG | UEPLX | 26.04 | | | | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | | |
| | FEATURES | | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | 2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | 15.69 | | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | 15.69 | | | | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 27.76 | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 34.38 | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 40.04 | | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPPX | UEPLX | 13.76 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPPX | UEPLX | 20.38 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPPX | UEPLX | 26.04 | | | | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|---|---|---------|------|-------|-------|-----------|--------------|-------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPPX | UEPXO | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | FEATURES | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPPX | USAS2 | | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | 2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 7.34 | 7.34 | | | | 15.69 | | | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 27.76 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 34.38 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 40.04 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 13.76 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 20.38 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 26.04 | | | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (Coin) | | | | | | | | | | | | | | | | |
| | | 2-Wire Coin 2-Way without Operator Screening and without Blocking (SC) | | | UEPCO | UEPSD | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS, SC) | | | UEPCO | UEPRA | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC) | | | UEPCO | UEPSA | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (SC) | | | UEPCO | UEPSH | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking; with Dialing Parity (SC) | | | UEPCO | UEPSC | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (SC) | | | UEPCO | UEPCC | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin 2-W Oper Screen & Blocking: 900/976, 1+DDD, 011+ & Local; Enhanced Calling OPT 3YV (SC) | | | UEPCO | UEPCE | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin 2-W Oper Screen & Block: 900/976, 1+DDD, 011+, & Local; Enhanced Calling OPT AP7 (SC) | | | UEPCO | UEPCF | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin Outward without Blocking and without Operator Screening (SC) | | | UEPCO | UEPSG | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and 011 Blocking (SC) | | | UEPCO | UEPSF | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC) | | | UEPCO | UEPSJ | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (SC) | | | UEPCO | UEPCM | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+, & Local ; w/ Enhanced Call OPT 3YW (SC) | | | UEPCO | UEPCP | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|--|---|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| ADDITIONAL NRCs | | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 15.69 | | | | |
| UNBUNDLED PORT/LOOP COMBINATIONS - MARKET BASED RATES | | | | | | | | | | | | | | | | | | |
| | | 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | | 1 | | | | 73.68 | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | | 2 | | | | 80.13 | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | | 3 | | | | 85.46 | | | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - Statewide | | | sw | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | | 1 | UEPPX | UECD1 | | 16.68 | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | | 2 | UEPPX | UECD1 | | 23.13 | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | | 3 | UEPPX | UECD1 | | 28.46 | | | | | | | | | |
| UNE Port Rate | | | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | | UEPPX | UEPD1 | | 57.00 | 600.00 | 75.00 | | | 15.69 | | | | |
| NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-As-Is Top 8 MSAs only | | | | UEPPX | USAC1 | | 125.00 | 75.00 | | | | 15.69 | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes Top 8 MSAs only | | | | UEPPX | USA1C | | 125.00 | 75.00 | | | | 15.69 | | | | |
| ADDITIONAL NRCs | | | | | | | | | | | | | | | | | | |
| | | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | | UEPPX | USAS1 | | 53.68 | | | | | 15.69 | | | | |
| Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | | | | |
| | | DID Trunk Termination (One Per Port) | | | | UEPPX | NDT | | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | | | | UEPPX | NDZ | | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | | | UEPPX | ND4 | | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | | UEPPX | ND5 | | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Reserve Non-Consecutive DID numbers | | | | UEPPX | ND6 | | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Reserve DID Numbers | | | | UEPPX | NDV | | 0.00 | 0.00 | 0.00 | | | | | | | |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | UEPPX | LNPCP | | 3.15 | 0.00 | 0.00 | | | | | | | |
| 2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT | | | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | | 1 | UEPPB | UEPPR | | 76.90 | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | | | 2 | UEPPB | UEPPR | | 84.64 | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | | 3 | UEPPB | UEPPR | | 90.27 | | | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Statewide | | | sw | UEPPB | UEPPR | USL2X | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | | 1 | UEPPB | UEPPR | USL2X | 21.90 | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | | 2 | UEPPB | UEPPR | USL2X | 29.64 | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | | 3 | UEPPB | UEPPR | USL2X | 35.27 | | | | | | | | | |
| UNE Port Rate | | | | | | | | | | | | | | | | | | |
| | | Exchange Port - 2-Wire ISDN Line Side Port | | | | UEPPB | UEPPR | UEPPB | 55.00 | 525.00 | 400.00 | | | 15.69 | | | | |
| NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion - Top 8 MSAs only | | | | UEPPB | UEPPR | USACB | 0.00 | 225.00 | 225.00 | | | 15.69 | | | | |
| ADDITIONAL NRCs | | | | | | | | | | | | | | | | | | |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | |
| B-CHANNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | CVS (EWSD) | | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | CSD | | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - South Carolina

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|---|-------------|------|-------|-------|-----------|--------------|----------|--------------|------------|---------------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN) | | | | | | | | | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CSD | | | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | USER TERMINAL PROFILE | | | | | | | | | | | | | | | | |
| | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | VERTICAL FEATURES | | | | | | | | | | | | | | | | |
| | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | | |
| | INTEROFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | |
| | Interoffice Channel mileage each, including first mile and facilities termination | | | UEPPB | UEPPR | M1GNC | 24.30 | 60.00 | 40.00 | 25.00 | 10.00 | 15.69 | | | | | |
| | Interoffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.0167 | 0.00 | 0.00 | | | | | | | | |
| | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 | | 1 | UEPPP | | | 940.87 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 | | 2 | UEPPP | | | 1,005.43 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 | | 3 | UEPPP | | | 1,111.89 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 90.87 | | | | | 15.69 | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 155.43 | | | | | 15.69 | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | 261.89 | | | | | 15.69 | | | | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 850.00 | 1,150.00 | 1,150.00 | | | 15.69 | | | | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-As-Is Top 8 MSAs only | | | UEPPP | | USACP | 0.00 | 950.00 | 950.00 | | | 15.69 | | | | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only) | | | UEPPP | | PR7TG | | | | | | 15.69 | | | | | |
| | 4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Activity Outward tel nos. (NC only) | | | UEPPP | | PR7TP | | | | | | 15.69 | | | | | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqst Actvy-Inward/two way tel nos within Std Allowance (except NC) | | | UEPPP | | PR7TF | | 0.9822 | | | | 15.69 | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | | 23.02 | 23.02 | | | 15.69 | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance | | | UEPPP | | PR7ZT | | 46.05 | 46.05 | | | 15.69 | | | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPP | | LNPCN | 1.75 | | | | | | | | | | |
| | INTERFACE (Provsioning Only) | | | | | | | | | | | | | | | | |
| | Voice/Data | | | UEPPP | | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Digital Data | | | UEPPP | | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Inward Data | | | UEPPP | | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | New or Additional "B" Channel | | | | | | | | | | | | | | | | |
| | New or Additional - Voice/Data B Channel | | | UEPPP | | PR7BV | 0.00 | 40.00 | | | | | | | | | |
| | New or Additional - Digital Data B Channel | | | UEPPP | | PR7BF | 0.00 | 40.00 | | | | | | | | | |
| | New or Additional Inward Data B Channel | | | UEPPP | | PR7BD | 0.00 | 40.00 | | | | | | | | | |
| | CALL TYPES | | | | | | | | | | | | | | | | |
| | Inward | | | UEPPP | | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Outward | | | UEPPP | | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Two-way | | | UEPPP | | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage | | | | | | | | | | | | | | | | |
| | Fixed Each Including First Mile | | | UEPPP | | 1LN1A | 77.4815 | 89.47 | 81.99 | 16.39 | 14.48 | 15.69 | | | | | |
| | Each Airline-Fractional Additional Mile | | | UEPPP | | 1LN1B | 0.3415 | | | | | | | | | | |
| | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|---|--|---------|------|-------|-------|-----------|--------------|--------|-------------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide | | sw | UEPDC | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 840.87 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 905.43 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 1,011.89 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4 | | 4 | UEPDC | | | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - Statewide | | sw | UEPDC | USLDC | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 90.87 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 155.43 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 261.89 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 4 | | 4 | UEPDC | USLDC | | | | | | | | | | | |
| | UNE Port Rate | | | | | | | | | | | | | | | | |
| | | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 750.00 | 1,005.07 | 478.99 | 213.53 | 20.94 | | 15.69 | | | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-As-Is Top 8 MSAs only | | | UEPDC | USAC4 | | 259.56 | 134.33 | | | | 15.69 | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes Top 8 MSAs only | | | UEPDC | USAWA | | 259.56 | 134.33 | | | | 15.69 | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk Top 8 MSAs only | | | UEPDC | USAWB | | 259.56 | 134.33 | | | | 15.69 | | | | |
| | ADDITIONAL NRCS | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order | | | UEPDC | USAS4 | | | | | | | 15.69 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 29.01 | 29.01 | | | | 15.69 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 29.01 | 29.01 | | | | 15.69 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Channel Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 29.01 | 29.01 | | | | 15.69 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Chan Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 29.01 | 29.01 | | | | 15.69 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Chan Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 29.01 | 29.01 | | | | 15.69 | | | | |
| | BIPOLAR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | | | |
| | | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 605.00 | | | | | | | | |
| | | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 605.00 | | | | | | | | |
| | Alternate Mark Inversion | | | | | | | | | | | | | | | | |
| | | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| | Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | | |
| | | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | 15.69 | | | | |
| | | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | 15.69 | | | | |
| | | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | 15.69 | | | | |
| | | DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | 15.69 | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | Dedicated DS1 (Interoffice Channel Mileage) - | | | | | | | | | | | | | | | | |
| | FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) | | | UEPDC | 1LNO1 | 77.14 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.3415 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |

| | | | |
|---|---------------|------------|--|
| UNBUNDLED NETWORK ELEMENTS - South Carolina | Attachment: 2 | Exhibit: B | |
|---|---------------|------------|--|

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
|----------|---|-------------|------|-------|-------|-----------|--------------|--------|-------------------------|---|---|--|--|---|---|-------|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | | | UEPDC | 1LNOB | 0.7598 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.7598 | 0.00 | 0.00 | | | | | | | | |
| | Local Number Portability, per DSO Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | Central Office Terminating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| | 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | |
| | System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations | | | | | | | | | | | | | | | |
| | A system can have various rate combinations based on type and number of ports used | | | | | | | | | | | | | | | |
| | UNE DS1 Loop | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 90.87 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 155.43 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 261.89 | 0.00 | 0.00 | | | | | | | | |
| | UNE DSO Channelization Capacities (D4 Channel Bank Configurations) | | | | | | | | | | | | | | | |
| | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 103.47 | 0.00 | 0.00 | | | | | | | 15.69 | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 206.94 | 0.00 | 0.00 | | | | | | | 15.69 | |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 413.88 | 0.00 | 0.00 | | | | | | | 15.69 | |
| | 144 DSO Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 620.82 | 0.00 | 0.00 | | | | | | | 15.69 | |
| | 192 DSO Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 827.76 | 0.00 | 0.00 | | | | | | | 15.69 | |
| | 240 DSO Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1,034.70 | 0.00 | 0.00 | | | | | | | 15.69 | |
| | 288 DSO Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,241.64 | 0.00 | 0.00 | | | | | | | 15.69 | |
| | 384 DSO Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,655.52 | 0.00 | 0.00 | | | | | | | 15.69 | |
| | 480 DSO Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 2,069.40 | 0.00 | 0.00 | | | | | | | 15.69 | |
| | 576 DSO Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,483.28 | 0.00 | 0.00 | | | | | | | 15.69 | |
| | 672 DSO Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 2,897.16 | 0.00 | 0.00 | | | | | | | 15.69 | |
| | Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System | | | | | | | | | | | | | | | |
| | A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations. | | | | | | | | | | | | | | | |
| | Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted. | | | | | | | | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes - Top 8 MSAs Only | | | UEPMG | USAC4 | 0.00 | 150.81 | 8.38 | | | | | | | 15.69 | |
| | System Additions Where Currently Combined and New (Not Currently Combined) | | | | | | | | | | | | | | | |
| | In Top 8 MSAs and AL, FL, and NC Only | | | | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - | | | UEPMG | VUMD4 | 0.00 | 717.71 | 425.81 | 149.08 | 17.69 | | | | | 15.69 | |
| | Bipolar 8 Zero Substitution | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 605.00 | | | | | | | | |
| | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 605.00 | | | | | | | | |
| | Alternate Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port | | | | | | | | | | | | | | | |
| | Exchange Ports | | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | 15.69 | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | 15.69 | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | 15.69 | |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 57.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | 15.69 | |
| | 2-Wire Channelized PBX Area Calling Service Combination Port (AL Only) | | | UEPPX | UEPA4 | | | | | | | | | | | |
| | 2 Wire Channelized PBX Area Calling Service Outgoing Only Port (AL Only) | | | UEPPX | UEPA3 | | | | | | | | | | | |
| | Feature Activations - Unbundled Loop Concentration | | | | | | | | | | | | | | | |
| | Feature (Service) Activation for each Line Side Port Terminated in D4 Bank | | | UEPPX | 1PQWM | 0.70 | 40.00 | 20.00 | 6.00 | 5.00 | | | | | 15.69 | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|---|---------------|--|--|--|--|---------|------|-----|------|-----------|---------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - South Carolina

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|----------|--|-------------|------|-------|-------|-----------|--------------|-------|--------------|------------|---------------|---|---|--|--|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | AL, KY, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP95 | UEPQM | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP95 | UEPQZ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPQ9 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPQ2 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | | |
| | Local Switching | | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.7996 | | | | | | | | | | | |
| | Local Number Portability | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP95 | LNPPC | 0.35 | | | | | | | | | | | |
| | Features | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP95 | UEPVF | 3.04 | | | | | | 15.69 | | | | | |
| | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 406.42 | | | | | 15.69 | | | | | |
| | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 3.04 | | | | | | 15.69 | | | | | |
| | NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | | |
| | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP95 | UAROx | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | | |
| | Miscellaneous Terminations | | | | | | | | | | | | | | | | |
| | 2-Wire Trunk Side | | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.86 | 119.57 | 18.78 | 60.03 | 3.77 | | 15.69 | | | | | |
| | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 73.62 | 202.47 | 95.90 | 72.75 | 2.47 | | 15.69 | | | | | |
| | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 14.51 | | | | | 15.69 | | | | | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.0167 | | | | | | | | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.56 | | | | | | 15.69 | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.56 | | | | | | 15.69 | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP95 | 1PQW7 | 0.56 | | | | | | 15.69 | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.56 | | | | | | 15.69 | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.56 | | | | | | 15.69 | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP95 | 1PQWQ | 0.56 | | | | | | 15.69 | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.56 | | | | | | 15.69 | | | | | |
| | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP95 | USAC2 | | 37.93 | 16.72 | | | | 15.69 | | | | | |
| | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 668.70 | | | | | 15.69 | | | | | |
| | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 668.70 | | | | | 15.69 | | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 72.89 | | | | | 15.69 | | | | | |
| | UNE-P CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP9D | | 14.89 | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9D | | 21.52 | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | | |
|---|---------------|--|--|--|--|---------|--------------|-------|-------------------------|-----------|---------------|---------------|----------------------------------|--------------------------------------|--|--|---|---|--|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | | | | | 3 | UEP9D | | 27.17 | | | | | | | | |
| | | UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | | | | | 1 | UEP9D | | 17.81 | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | | | | | 2 | UEP9D | | 24.26 | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | | | | | 3 | UEP9D | | 29.59 | | | | | | | | |
| | | UNE Loop Rate | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | | | | 1 | UEP9D | UECS1 | 13.76 | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | | | | 2 | UEP9D | UECS1 | 20.38 | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | | | | | 3 | UEP9D | UECS1 | 26.04 | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | | | | | 1 | UEP9D | UECS2 | 16.68 | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | | | | | 2 | UEP9D | UECS2 | 23.13 | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | | | | | 3 | UEP9D | UECS2 | 28.46 | | | | | | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | | | |
| | | ALL STATES | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | | | | | UEP9D | UEPYA | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | | | | | UEP9D | UEPYB | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | | | | | UEP9D | UEPYC | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area | | | | | | | UEP9D | UEPYD | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 Basic Local Area | | | | | | | UEP9D | UEPYE | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 Basic Local Area | | | | | | | UEP9D | UEPYF | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3Basic Local Area | | | | | | | UEP9D | UEPYG | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 Basic Local Area | | | | | | | UEP9D | UEPYT | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 Basic Local Area | | | | | | | UEP9D | UEPYU | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 Basic Local Area | | | | | | | UEP9D | UEPYV | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 Basic Local Area | | | | | | | UEP9D | UEPY3 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area | | | | | | | UEP9D | UEPYH | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | | | | | UEP9D | UEPYW | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area | | | | | | | UEP9D | UEPYJ | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area | | | | | | | UEP9D | UEPYM | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area | | | | | | | UEP9D | UEPYO | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area | | | | | | | UEP9D | UEPYP | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area | | | | | | | UEP9D | UEPYQ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area | | | | | | | UEP9D | UEPYR | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area | | | | | | | UEP9D | UEPYS | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area | | | | | | | UEP9D | UEPY4 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|-------------------------------|--|---------|------|-------|-------|-----------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates(\$) | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area | | | UEP9D | UEPY5 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | UEP9D | UEPY6 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area | | | UEP9D | UEPY7 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPYZ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area | | | UEP9D | UEPY9 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area | | | UEP9D | UEPY2 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | |
| | AL, KY, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPQB | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPQC | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPQD | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPQE | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPQF | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPQG | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPQU | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPQV | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPQ3 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPQH | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQW | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQJ | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 | | | UEP9D | UEPQM | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPQO | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPQP | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPQQ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPQ7 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPQZ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPQ9 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPQ2 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | |
| | Local Switching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.7996 | | | | | | 15.69 | | | |
| | Local Number Portability | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP9D | LNPC | 0.35 | | | | | | | | | |
| | Features | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP9D | UEPVF | 3.04 | | | | | | 15.69 | | | |
| | | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 406.42 | | | | | 15.69 | | | |
| | | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 3.04 | | | | | | 15.69 | | | |

| UNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|---|---------|------|-------|-------|-----------|--------------|-------|--------------|----------------------------------|--------------------------------------|--|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | OSS Rates(\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMECD | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | | | | | | | | | | 15.69 | | | | | |
| | NARS | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | 15.69 | | | | | |
| | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | 15.69 | | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP9D | UAROY | 0.00 | 0.00 | 0.00 | | | 15.69 | | | | | |
| | Miscellaneous Terminations | | | | | | | | | | | | | | | |
| | 2-Wire Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9D | CEND6 | 8.86 | 119.57 | 18.78 | 60.03 | 3.77 | 15.69 | | | | | |
| | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 73.62 | 202.47 | 95.90 | 72.75 | 2.47 | 15.69 | | | | | |
| | DS0 Channels Activated per Channel | | | UEP9D | M1HDO | 0.00 | 14.51 | | | | 15.69 | | | | | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | 15.69 | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0.0167 | | | | | | | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.56 | | | | | 15.69 | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.56 | | | | | 15.69 | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9D | 1PQW7 | 0.56 | | | | | 15.69 | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9D | 1PQWP | 0.56 | | | | | 15.69 | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.56 | | | | | 15.69 | | | | | |
| | Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot | | | UEP9D | 1PQWQ | 0.56 | | | | | 15.69 | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.56 | | | | | 15.69 | | | | | |
| | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP9D | USAC2 | | 37.93 | 16.72 | | | 15.69 | | | | | |
| | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 668.70 | | | | 15.69 | | | | | |
| | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 668.70 | | | | 15.69 | | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 72.89 | | | | 15.69 | | | | | |
| | Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| | Note 2 - Requires Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | Note 3 - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |
| | NOTE: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions. | | | | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Tennessee

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|--------------------------------|--|---------|------|-------------|-------|-----------|--------------------|-------|--------------------|------------------|----------------------------------|--------------------------------------|--|--|---|---|
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| OPERATIONAL SUPPORT SYSTEMS | | | | | | | | | | | | | | | | |
| | NOTE: (1) Electronic Service Order: CLEC should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions. The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge. CLEC may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC may elect the regional electronic service ordering charge. | | | | | | | | | | | | | | | |
| | NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Business Rules for Local Ordering (BBR-LO) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the BBR-LO, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth. | | | | | | | | | | | | | | | |
| | Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional) | | | | SOMEC | | 3.50 | | | | | | | | | |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | | |
| 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | 20.35 | 10.54 | 13.32 | 13.32 | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | 20.35 | 10.54 | 13.32 | 13.32 | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | 20.35 | 10.54 | 13.32 | 13.32 | |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 78.92 | 78.92 | | | | 20.35 | 10.54 | 13.32 | 13.32 | |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 23.33 | 23.33 | | | | 20.35 | 10.54 | 13.32 | 13.32 | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1) | | | UEANL | UREWO | | 15.80 | 8.95 | | | | 20.35 | 10.54 | 13.32 | 13.32 | |
| | Engineering Information Document (EI) | | | UEANL | | | 28.80 | 28.80 | | | | | | | | |
| | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 36.52 | 36.52 | | | | | | | | |
| | Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) | | | UEANL | OCOSL | | 34.29 | 34.29 | | | | | | | | |
| 2-WIRE Unbundled COPPER LOOP | | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | I | 1 | UEQ | UEQ2X | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | 20.35 | 10.54 | 13.32 | 13.32 | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | I | 2 | UEQ | UEQ2X | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | 20.35 | 10.54 | 13.32 | 13.32 | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | I | 3 | UEQ | UEQ2X | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | 20.35 | 10.54 | 13.32 | 13.32 | |
| | Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop) | | | UEQ | USBMC | | 36.52 | 36.52 | | | | 20.35 | 10.54 | 13.32 | 13.32 | |
| | Engineering Information Document | | | UEQ | | | 28.80 | 28.80 | | | | 20.35 | 10.54 | 13.32 | 13.32 | |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 78.92 | 78.92 | | | | 20.35 | 10.54 | 13.32 | 13.32 | |
| | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 23.33 | 23.33 | | | | 20.35 | 10.54 | 13.32 | 13.32 | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND) | | | UEQ | UREWO | | 14.29 | 7.44 | | | | 20.35 | 10.54 | 13.32 | 13.32 | |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | | |
| 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1 | | 1 | UEPSR UEPSB | UEALS | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | 20.35 | 10.54 | 13.32 | 13.32 | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1 | | 1 | UEPSR UEPSB | UEABS | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | 20.35 | 10.54 | 13.32 | 13.32 | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2 | | 2 | UEPSR UEPSB | UEALS | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | 20.35 | 10.54 | 13.32 | 13.32 | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2 | | 2 | UEPSR UEPSB | UEABS | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | 20.35 | 10.54 | 13.32 | 13.32 | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 | | 3 | UEPSR UEPSB | UEALS | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | 20.35 | 10.54 | 13.32 | 13.32 | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 | | 3 | UEPSR UEPSB | UEABS | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | 20.35 | 10.54 | 13.32 | 13.32 | |
| UNBUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | | |
| 2-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 16.56 | 75.06 | 48.20 | 28.70 | 17.64 | | 20.35 | 10.54 | 13.32 | 13.32 | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 21.63 | 75.06 | 48.20 | 28.70 | 17.64 | | 20.35 | 10.54 | 13.32 | 13.32 | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 28.28 | 75.06 | 48.20 | 28.70 | 17.64 | | 20.35 | 10.54 | 13.32 | 13.32 | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 34.29 | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 16.56 | 75.06 | 48.20 | 28.70 | 17.64 | | 20.35 | 10.54 | 13.32 | 13.32 | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|---|---------|------|-----|-------|-----------|--------------------|--------|--------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | | | OSS Rates(\$) | | | |
| | | | | | | | | | | | SOMECA | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 21.63 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 28.28 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 34.29 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 75.06 | 36.41 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 24.70 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA | UEAL4 | 32.25 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 42.17 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 34.29 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 75.06 | 36.41 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-WIRE ISDN DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 22.22 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 29.02 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 37.95 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | | 34.29 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 91.77 | 44.22 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 | | 1 | UDC | UDC2X | 22.22 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2 | | 2 | UDC | UDC2X | 29.02 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3 | | 3 | UDC | UDC2X | 37.95 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDC | UREWO | | 91.77 | 44.22 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP | | | | | | | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 13.82 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 18.05 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 23.60 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 34.29 | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 | I | 1 | UAL | UAL2W | 13.82 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 | I | 2 | UAL | UAL2W | 18.05 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 | I | 3 | UAL | UAL2W | 23.60 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 4 | | 4 | UAL | UAL2W | | | | | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 34.29 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | I | | UAL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP | | | | | | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 10.83 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 14.15 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 18.50 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 34.29 | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 | I | 1 | UHL | UHL2W | 10.83 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | I | 2 | UHL | UHL2W | 14.15 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | I | 3 | UHL | UHL2W | 18.50 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 34.29 | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Tennessee

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Attachment: 2 | | Exhibit: B | |
|----------|---|---------|------|-----|-------|-----------|--------------------|--------|--------------------|----------------------------------|--------------------------------------|--|--|---|---|
| | | | | | | | | | | | | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | |
| | | | | | | | | | | | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN |
| | CLEC to CLEC Conversion Charge without outside dispatch | I | | UHL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 |
| | 4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP | | | | | | | | | | | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 13.93 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 18.20 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 23.80 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 34.29 | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 | I | 1 | UHL | UHL4W | 13.93 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | I | 2 | UHL | UHL4W | 18.20 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | I | 3 | UHL | UHL4W | 23.80 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 34.29 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | I | | UHL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 |
| | 4-WIRE DS1 DIGITAL LOOP | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 57.73 | 313.08 | 219.72 | 96.86 | 40.45 | | | 18.98 | 8.43 | 11.95 |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 75.40 | 313.08 | 219.72 | 96.86 | 40.45 | | | 18.98 | 8.43 | 11.95 |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 98.59 | 313.08 | 219.72 | 96.86 | 40.45 | | | 18.98 | 8.43 | 11.95 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 34.59 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 130.47 | 40.11 | | | | | 20.35 | 10.54 | 13.32 |
| | 4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 31.10 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 40.61 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL | UDL19 | 53.11 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 31.10 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 40.61 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 53.11 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 34.29 | | | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 31.10 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 40.61 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 53.11 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 34.29 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 102.28 | 49.82 | | | | | 20.35 | 10.54 | 13.32 |
| | 2-WIRE Unbundled COPPER LOOP | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1 | I | 1 | UCL | UCLPB | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 |
| | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2 | I | 2 | UCL | UCLPB | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 |
| | 2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3 | I | 3 | UCL | UCLPB | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1 | I | 1 | UCL | UCLPW | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2 | I | 2 | UCL | UCLPW | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3 | I | 3 | UCL | UCLPW | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1 | I | 1 | UCL | UCL2L | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | I | 2 | UCL | UCL2L | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 | I | 3 | UCL | UCL2L | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|--|--|--|---|---------|---|-------|------|-----------|--------------------|--------|----------------------------------|--------------------------------------|--|--|---|---|-------|-------|
| CATEGORY | | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | |
| | | | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | | | SOMECE | SOMAN | SOMAN | SOMAN | | |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1 | I | 1 | UCL | UCL2W | | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2 | I | 2 | UCL | UCL2W | | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | | 36.52 | 36.52 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) | I | | UCL | UREWO | | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 4-WIRE COPPER LOOP | | | | | | | | | | | | | | | | | | |
| | | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1 | I | 1 | UCL | UCL4S | | 24.70 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2 | I | 2 | UCL | UCL4S | | 32.25 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3 | I | 3 | UCL | UCL4S | | 42.17 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | | 36.52 | 36.52 | | | | | | | | |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1 | I | 1 | UCL | UCL4W | | 24.70 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2 | I | 2 | UCL | UCL4W | | 32.25 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3 | I | 3 | UCL | UCL4W | | 42.17 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | | 36.52 | 36.52 | | | | | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1 | I | 1 | UCL | UCL4L | | 24.70 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | I | 2 | UCL | UCL4L | | 32.25 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 | I | 3 | UCL | UCL4L | | 42.17 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | | 36.52 | 36.52 | | | | | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Statewide | I | sw | UCL | UCL4O | | | | | | | | | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | | 36.52 | 36.52 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) | I | | UCL | UREWO | | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| LOOP MODIFICATION | | | | | | | | | | | | | | | | | | |
| | | Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft | I | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL | ULM2L | | | 65.40 | 65.40 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft | I | | UCL, ULS | ULM2G | | | 710.71 | 23.77 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft | I | | UHL, UCL | ULM4L | | | 65.40 | 65.40 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft | I | | UCL | ULM4G | | | 710.71 | 23.77 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | I | | UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL | ULMBT | | | 65.44 | 65.44 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| SUB-LOOPS | | | | | | | | | | | | | | | | | | |
| Sub-Loop Distribution | | | | | | | | | | | | | | | | | | |
| | | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up | I | | UEANL | USBSA | | | 517.25 | 517.25 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | I | | UEANL | USBSB | | | 42.68 | 42.68 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up | I | | UEANL | USBSC | | | 313.01 | 313.01 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--|--|---------|------|----------------------|-------|-----------|--------------------|--------|--------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | |
| | | | | | | | | | | | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | I | | UEANL | USBSD | | 108.06 | 108.06 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Statewide | | sw | UEANL | USBN2 | 10.02 | 148.84 | 112.34 | 73.14 | 36.65 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEANL | USBN4 | 7.30 | 147.93 | 75.11 | 99.96 | 16.98 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN4 | 9.54 | 147.93 | 75.11 | 99.96 | 16.98 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | 12.47 | 147.93 | 75.11 | 99.96 | 16.98 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR2 | 1.35 | 94.56 | 29.35 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR4 | 2.26 | 116.14 | 37.10 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | I | 1 | UEF | UCS2X | 5.16 | 110.71 | 37.89 | 94.41 | 13.09 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | I | 2 | UEF | UCS2X | 6.74 | 110.71 | 37.89 | 94.41 | 13.09 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS2X | 8.81 | 110.71 | 37.89 | 94.41 | 13.09 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 34.29 | 34.29 | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | I | 1 | UEF | UCS4X | 6.52 | 117.12 | 44.30 | 99.96 | 16.98 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | I | 2 | UEF | UCS4X | 8.52 | 117.12 | 44.30 | 99.96 | 16.98 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS4X | 11.14 | 117.12 | 44.30 | 99.96 | 16.98 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 34.29 | 34.29 | | | | | | | |
| | Unbundled Sub-Loop Modification | | | | | | | | | | | | | | |
| | Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 335.36 | 7.82 | | | | 20.34 | 10.54 | 13.32 | 13.32 |
| | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 335.36 | 7.82 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded | | | UEF | ULM4T | | 528.48 | 9.74 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | |
| | Unbundled Network Terminating Wire (UNTW) per Pair | I | | UENTW | UENPP | 0.4555 | 2.48 | 2.48 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Network Interface Device (NID) | | | | | | | | | | | | | | |
| | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 89.69 | 54.56 | 0.6391 | 0.6391 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 129.65 | 94.51 | 0.6522 | 0.6522 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 11.11 | 11.11 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 11.11 | 11.11 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| SUB-LOOPS | | | | | | | | | | | | | | | |
| | Sub-Loop Feeder | | | | | | | | | | | | | | |
| | USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up | | | UEA, UDN,UCL,UDL,UDC | USBFW | | 517.25 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up | | | UEA, UDN,UCL,UDL,UDC | USBFX | | 42.68 | 42.68 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | 531.04 | 11.34 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade- Statewide | | sw | UEA | USBFA | 12.05 | 122.24 | 85.05 | 76.35 | 39.16 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Conversion Time, per LSR | | | UEA | OCOSL | | 34.29 | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Statewide | | sw | UEA | USBFB | 12.05 | 122.24 | 85.05 | 76.35 | 39.16 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Time Conversion, per LSR | | | UEA | OCOSL | | 34.29 | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade Loop - Statewide | | sw | UEA | USBFC | 12.05 | 122.24 | 85.05 | 76.35 | 39.16 | | 20.35 | 10.54 | 13.32 | 13.32 |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|---|---------|------|-------|-------|-----------|--------------------|--------|--------------------|----------------------------------|--------------------------------------|--|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UEA | OCOSL | | 34.29 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFD | 21.52 | 137.31 | 61.93 | 118.04 | 30.13 | | | 20.35 | 10.54 | 13.32 | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFD | 28.11 | 137.31 | 61.93 | 118.04 | 30.13 | | | 20.35 | 10.54 | 13.32 | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3 | | 3 | UEA | USBFD | 36.76 | 137.31 | 61.93 | 118.04 | 30.13 | | | 20.35 | 10.54 | 13.32 | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 34.29 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFE | 21.52 | 137.31 | 61.93 | 118.04 | 30.13 | | | 20.35 | 10.54 | 13.32 | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFE | 28.11 | 137.31 | 61.93 | 118.04 | 30.13 | | | 20.35 | 10.54 | 13.32 | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3 | | 3 | UEA | USBFE | 36.76 | 137.31 | 61.93 | 118.04 | 30.13 | | | 20.35 | 10.54 | 13.32 | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 34.29 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | | 1 | UDN | USBFF | 16.11 | 142.83 | 67.45 | 104.67 | 18.53 | | | 19.99 | 19.99 | 19.99 | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | 2 | UDN | USBFF | 21.04 | 142.83 | 67.45 | 104.67 | 18.53 | | | 19.99 | 19.99 | 19.99 | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | | 3 | UDN | USBFF | 27.51 | 142.83 | 67.45 | 104.64 | 18.53 | | | 19.99 | 19.99 | 19.99 | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UDN | OCOSL | | 34.29 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 1 | UDC | USBFS | 16.11 | 142.83 | 67.45 | 104.67 | 18.53 | | | 19.99 | 19.99 | 19.99 | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 2 | UDC | USBFS | 21.04 | 142.83 | 67.45 | 104.67 | 18.53 | | | 19.99 | 19.99 | 19.99 | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 3 | UDC | USBFS | 27.51 | 142.83 | 67.45 | 104.64 | 18.53 | | | 19.99 | 19.99 | 19.99 | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | USL | USBFG | 39.74 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 51.90 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | USL | USBFG | 67.86 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | USL | OCOSL | | 34.59 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFH | 9.52 | 114.27 | 38.89 | 104.64 | 18.53 | | | 19.99 | 19.99 | 19.99 | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFH | 12.43 | 114.27 | 38.89 | 104.64 | 18.53 | | | 19.99 | 19.99 | 19.99 | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFH | 16.26 | 114.27 | 38.89 | 104.64 | 18.53 | | | 19.99 | 19.99 | 19.99 | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 34.29 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFJ | 14.37 | 123.41 | 48.03 | 110.44 | 22.53 | | | 19.99 | 19.99 | 19.99 | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFJ | 18.76 | 123.41 | 48.03 | 110.44 | 22.53 | | | 19.99 | 19.99 | 19.99 | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFJ | 24.53 | 123.41 | 48.03 | 110.44 | 22.53 | | | 19.99 | 19.99 | 19.99 | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 34.29 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 26.06 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 2 | UDL | USBFN | 34.03 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 3 | UDL | USBFN | 44.50 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1 | | 1 | UDL | USBFO | 26.06 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2 | | 2 | UDL | USBFO | 34.03 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3 | | 3 | UDL | USBFO | 44.50 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | |
| | Order Coordination For Specified Time Conversion, per LSR | | | UDL | OCOSL | | 34.29 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1 | | 1 | UDL | USBFP | 26.06 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2 | | 2 | UDL | USBFP | 34.03 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3 | | 3 | UDL | USBFP | 44.50 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UDL | OCOSL | | 34.29 | | | | | | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| | Sub-Loop Feeder | | | | | | | | | | | | | | | |
| | Sub Loop Feeder - DS3 - Per Mile Per Month | I | | UE3 | 1L5SL | 14.11 | | | | | | | | | | |
| | Sub Loop Feeder - DS3 - Facility Termination Per Month | I | | UE3 | USBF1 | 333.26 | 3,390.00 | 407.68 | 165.17 | 501.31 | | | 20.35 | 10.54 | 13.32 | |
| | Sub Loop Feeder - STS-1 - Per Mile Per Month | I | | UDLSX | 1L5SL | 14.11 | | | | | | | | | | |
| | Sub Loop Feeder - STS-1 - Facility Termination Per Month | I | | UDLSX | USBF7 | 359.02 | 3,390.00 | 407.68 | 165.17 | 501.31 | | | 20.35 | 10.54 | 13.32 | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|--|---------|------|---------------------------------|-------|-----------|--------------------|--------|--------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | |
| | | | | | | | | | | | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN |
| | Sub Loop Feeder – OC-3 – Per Mile Per Month | I | | UDLO3 | 1L5SL | 10.71 | | | | | | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month | I | | UDLO3 | USBF5 | 56.64 | | | | | | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month | I | | UDLO3 | USBF2 | 546.31 | 3,390.00 | 407.68 | 165.17 | 501.31 | | 20.35 | 10.54 | 13.32 | |
| | Sub Loop Feeder - OC-12 - Per Mile Per Month | I | | UDL12 | 1L5SL | 13.18 | | | | | | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month | I | | UDL12 | USBF6 | 639.98 | | | | | | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month | I | | UDL12 | USBF3 | 1,697.00 | 3,390.00 | 407.68 | 165.17 | 501.31 | | 20.35 | 10.54 | 13.32 | |
| | Sub Loop Feeder - OC-48 - Per Mile Per Month | I | | UDL48 | 1L5SL | 43.22 | | | | | | | | | |
| | Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month | I | | UDL48 | USBF9 | 320.36 | | | | | | | | | |
| | Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month | I | | UDL48 | USBF4 | 1,457.00 | 3,576.00 | 407.68 | 165.17 | 501.31 | | 20.35 | 10.54 | 13.32 | |
| | Sub Loop Feeder - OC-12 Interface On OC-48 | I | | UDL48 | USBF8 | 361.44 | 789.41 | 407.68 | 165.17 | 501.31 | | 20.35 | 10.54 | 13.32 | |
| UNBUNDLED LOOP CONCENTRATION | | | | | | | | | | | | | | | |
| | Loop Channelization System | | | ULC | ULCCS | 307.07 | 307.34 | 74.37 | 4.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | CO Channel Interface - 2-Wire Voice Grade | | | ULC | ULCC2 | 1.20 | 9.57 | 9.52 | 8.66 | 8.60 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8A | 500.18 | 613.60 | 613.60 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Loop Concentration - System B (TR008) | | | ULC | UCT8B | 54.82 | 255.67 | 255.67 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Loop Concentration - System A (TR303) | | | ULC | UCT3A | 539.00 | 613.60 | 613.60 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Loop Concentration - System B (TR303) | | | ULC | UCT3B | 92.37 | 255.67 | 255.67 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Loop Concentration - DS1 Loop Interface Card | | | ULC | UCTCO | 6.23 | 74.39 | 53.07 | 30.23 | 8.46 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Loop Concentration - ISDN Loop Interface (Brite Card) | | | UDN | ULCC1 | 8.46 | 8.69 | 8.65 | 9.71 | 9.65 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Loop Concentration - UDC Loop Interface (Brite Card) | | | UDC | ULCCU | 8.46 | 8.69 | 8.65 | 9.71 | 9.65 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Loop Concentration - -2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card) | | | UEA | ULCC2 | 2.32 | 8.69 | 8.65 | 9.71 | 9.65 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card) | | | UEA | ULCCR | 12.45 | 8.69 | 8.65 | 9.71 | 9.65 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card) | | | UEA | ULCC4 | 7.53 | 8.69 | 8.65 | 9.71 | 9.65 | | 20.35 | 10.54 | 13.32 | 13.332 |
| | Unbundled Loop Concentration - TEST CIRCUIT Card | | | ULC | UCTTC | 35.77 | 8.69 | 8.65 | 9.71 | 9.65 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface | | | UDL | ULCC7 | 11.03 | 8.69 | 8.65 | 9.71 | 9.65 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface | | | UDL | ULCC5 | 11.03 | 8.69 | 8.65 | 9.71 | 9.65 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface | | | UDL | ULCC6 | 11.03 | 8.69 | 8.65 | 9.71 | 9.65 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | | | | | | | | 9.71 | | | | | | |
| UNE OTHER, PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | | | | | | | | | | |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | | | | | | | | | | |
| | | | | UEANL,UEF,UEQ,U | | | | | | | | | | | |
| | Unbundled Contract Name, Provisioning Only - No Rate | | | ENTW | UNECN | | | | | | | | | | |
| UNE OTHER, PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC | UNECN | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | |
| | Unbundled DS1 Loop - Expanded Superframe Format option - no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | |
| HIGH CAPACITY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 9.19 | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|---|---------------|--|---------|------|-------------|-------|-----------|--------------------|--------|--------------------|------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | UE3 | UE3PX | 374.24 | 595.37 | 304.50 | 234.83 | 170.16 | | | 36.84 | 36.84 | 19.01 | 19.01 |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 9.19 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month | | | UDLSX | UDLS1 | 389.35 | 595.37 | 304.50 | 215.82 | 151.15 | | | 36.84 | 36.84 | 19.01 | 19.01 |
| Note (1): Rates provided in TN for both electronic and manual Loop Makeup are interim and subject to retro-active true-up adjustments pending a permanent rate ruling on these rate elements from the Tennessee Regulatory Authority. | | | | | | | | | | | | | | | | | |
| LOOP MAKE-UP | | | | | | | | | | | | | | | | | |
| | | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | R | | UMK | UMKLW | | 0.76 | 0.76 | | | | | | | | |
| | | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | R | | UMK | UMKLP | | 0.76 | 0.76 | | | | | | | | |
| | | Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized) | R | | UMK | PSUMK | | 0.76 | 0.76 | | | | | | | | |
| HIGH FREQUENCY SPECTRUM | | | | | | | | | | | | | | | | | |
| SPLITTERS-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | | | |
| | | Line Sharing Splitter, per System 96 Line Capacity | | | ULS | ULSDA | 100.00 | 150.00 | 0.00 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Line Sharing Splitter, per System 24 Line Capacity | | | ULS | ULSDB | 25.00 | 150.00 | 0.00 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) | | | ULS | ULSDG | | 163.06 | | 92.71 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| END USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECTRUM AKA LINE SHARING | | | | | | | | | | | | | | | | | |
| | | Line Sharing - per Line Activation (BST owned Splitter) | | | ULS | ULSDC | 0.61 | 40.00 | 31.39 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) | | | ULS | ULSDS | | 30.00 | 15.00 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) | | | ULS | ULSCS | | 30.00 | 15.00 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Line Sharing - per Line Activation (DLEC owned Splitter) | I | | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Line Splitting - per line activation DLEC owned splitter | I | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | |
| | | Line Splitting - per line activation BST owned - physical | I | | UEPSR UEPSB | UREBP | 0.97 | 48.96 | 21.39 | 35.06 | 10.79 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Line Splitting - per line activation BST owned - virtual | I | | UEPSR UEPSB | UREBV | 0.91 | 48.96 | 21.39 | 35.06 | 10.79 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| UNBUNDLED DEDICATED TRANSPORT | | | | | | | | | | | | | | | | | |
| NOTE: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3/STS-1=four months | | | | | | | | | | | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0054 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | U1TVX | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade Rev Bat. - Per Mile per month | | | U1TVX | 1L5XX | 0.0054 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. - Facility Termination per month | | | U1TVX | U1TR2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0054 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month | | | U1TVX | U1TV4 | 24.09 | 37.87 | 26.02 | 30.78 | 13.07 | | | 15.08 | 15.08 | 8.66 | 8.66 |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month | | | U1TDX | U1TD5 | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | U1TDX | U1TD6 | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | U1TD1 | 1L5XX | 0.3562 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS1 - Facility Termination per month | | | U1TD1 | U1TF1 | 77.86 | 112.40 | 76.27 | 19.55 | 14.99 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | U1TD3 | 1L5XX | 2.34 | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Tennessee

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|---|--|---------|------|-------|-------|-----------|--------------------|--------|--------------------|----------------------------------|--------------------------------------|--|--|---|---|
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | |
| | | | | | | | | | | | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | U1TD3 | U1TF3 | 848.99 | 395.29 | 176.56 | 109.04 | 105.91 | | | 36.84 | 36.84 | 19.01 |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TS1 | 1L5XX | 2.34 | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month | | | U1TS1 | U1TFS | 849.30 | 395.29 | 176.56 | 109.04 | 105.91 | | | 36.84 | 36.84 | 19.01 |
| LOCAL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3/STS-1=four months | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 1 | | 1 | ULDVX | ULDV2 | 17.18 | 199.33 | 24.16 | 54.81 | 4.80 | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 2 | | 2 | ULDVX | ULDV2 | 22.44 | 199.33 | 24.16 | 54.81 | 4.80 | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 3 | | 3 | UNDVX | ULDV2 | 29.34 | 199.33 | 24.16 | 54.81 | 4.80 | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month | | | ULDVX | ULDR2 | | | | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per month - Zone 1 | | 1 | ULDVX | ULDR2 | 17.18 | 199.33 | 24.16 | 54.81 | 4.80 | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per Month - Zone 2 | | 2 | ULDVX | ULDR2 | 22.44 | 199.33 | 24.16 | 54.81 | 4.80 | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per Month - Zone 3 | | 3 | ULDVX | ULDR2 | 29.34 | 199.33 | 24.16 | 54.81 | 4.80 | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 1 | | 1 | UNDVX | ULDV4 | 18.18 | 201.53 | 24.83 | 55.52 | 5.51 | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 2 | | 2 | UNDVX | ULDV4 | 23.74 | 201.53 | 24.83 | 55.52 | 5.51 | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 3 | | 3 | UNDVX | ULDV4 | 31.05 | 201.53 | 24.83 | 55.52 | 5.51 | | | | | |
| | Local Channel - Dedicated - DS1 per month - Zone 1 | | 1 | ULDD1 | ULDF1 | 36.24 | 277.35 | 233.26 | 33.18 | 22.30 | | | | | |
| | Local Channel - Dedicated - DS1 per month - Zone 2 | | 2 | ULDD1 | ULDF1 | 47.33 | 277.35 | 233.26 | 33.18 | 22.30 | | | | | |
| | Local Channel - Dedicated - DS1 per month - Zone 3 | | 3 | ULDD1 | ULDF1 | 61.89 | 277.35 | 233.26 | 33.18 | 22.30 | | | | | |
| | Local Channel - Dedicated - DS3 - Per Mile per month | | | ULDD3 | 1L5NC | 7.15 | | | | | | | | | |
| | Local Channel - Dedicated - DS3 - Facility Termination per month | | | ULDD3 | ULDF3 | 611.30 | 595.37 | 304.50 | 215.82 | 151.15 | | | 36.84 | 36.84 | 19.01 |
| | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1 | 1L5NC | 7.15 | | | | | | | | | |
| | Local Channel - Dedicated - STS-1 - Facility Termination per month | | | ULDS1 | ULDFS | 599.59 | 588.07 | 297.20 | 215.82 | 151.15 | | | 20.35 | 21.09 | 9.80 |
| MULTIPLEXERS | | | | | | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | UXTD1 | MQ1 | 80.77 | 141.67 | 77.11 | 14.51 | 13.46 | | | 20.35 | 9.80 | 11.49 |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UDL | 1D1DD | 1.82 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month | | | UDN | UC1CA | 3.10 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UEA | 1D1VG | 0.91 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 |
| | DS3 to DS1 Channel System per month | | | UXTD3 | MQ3 | 222.98 | 308.03 | 108.47 | 44.47 | 42.62 | | | 20.35 | 9.80 | 11.49 |
| | STS1 to DS1 Channel System per month | | | UXTS1 | MQ3 | 222.98 | 308.03 | 108.47 | 44.47 | 42.62 | | | 20.35 | 21.09 | 9.80 |
| | DS3 Interface Unit (DS1 COCI) used with Loop per month | | | USL | UC1D1 | 17.58 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | ULDD1 | UC1D1 | | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 |
| | DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per month | | | U1TD1 | UC1D1 | | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 |
| DARK FIBER | | | | | | | | | | | | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel | | | UDF | 1L5DC | 58.83 | | | | | | | | | |
| | NRC Dark Fiber - Local Channel | | | UDF | UDFC4 | | 1,121.00 | 153.19 | 580.26 | 357.17 | | | 20.35 | 21.09 | 9.80 |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel | | | UDF | 1L5DF | 28.74 | | | | | | | | | |
| | NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | | 1,121.00 | 153.19 | 580.26 | 357.17 | | | 20.35 | 21.09 | 9.80 |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|--|---------|------|----------|-------|-----------|--------------------|----------|--------------------|------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop | | | UDF | 1L5DL | 58.83 | | | | | | | | | | |
| | NRC Dark Fiber - Local Loop | | | UDF | UDFL4 | | 1,121.00 | 153.19 | 580.26 | 357.17 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| TRANSPORT OTHER | | | | | | | | | | | | | | | | |
| 8XX ACCESS TEN DIGIT SCREENING | | | | | | | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0005192 | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved | | | OHD | N8R1X | | 5.21 | 0.76 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations | | | OHD | | | 11.47 | 1.46 | 7.34 | 0.7602 | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations | | | OHD | N8FTX | | 11.47 | 1.46 | 7.34 | 0.7602 | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number | | | OHD | N8FCX | | 4.47 | 2.24 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 5.23 | 3.00 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | 8XX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | | 5.97 | 0.76 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | 8XX Access Ten Digit Screening, Call Handling and Destination Features | | | OHD | N8FDX | | 4.47 | | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| LINE INFORMATION DATA BASE ACCESS (LIDB) | | | | | | | | | | | | | | | | |
| | LIDB Common Transport Per Query | | | OQT | | 0.0000354 | | | | | | | | | | |
| | LIDB Validation Per Query | | | OQU | | 0.0117403 | | | | | | | | | | |
| | LIDB Originating Point Code Establishment or Change | | | OQT, OQU | NRPBX | | 49.03 | | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| SIGNALING (CCS7) | | | | | | | | | | | | | | | | |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 138.41 | | | | | | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message | | | UDB | | 0.0000916 | | | | | | | | | | |
| | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP++ | 17.84 | 130.84 | 130.84 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |
| | CCS7 Signaling Connection, Per link (B link) (also known as D link) | | | UDB | TPP++ | 17.84 | 130.84 | 130.84 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |
| | CCS7 Signaling Usage, Per ISUP Message | | | UDB | | 0.0000373 | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 352.30 | | | | | | | | | | |
| | Signaling Point Code, per Originating Point Code Establishment or Change, per STP | | | UDB | CCAPO | | 121.77 | 121.77 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |
| CALLING NAME (CNAM) SERVICE | | | | | | | | | | | | | | | | |
| | CNAM for DB Owners, Per Query | | | OQV | | 0.0010541 | | | | | | | | | | |
| | CNAM for Non DB Owners, Per Query | | | OQV | | 0.0010541 | | | | | | | | | | |
| | CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI) | | | OQV | CDDCH | | 595.00 | 595.00 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min. - Using BST LIDB | | | | | 1.08 | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min. - Using Foreign LIDB | | | | | 1.13 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using BST LIDB | | | | | 0.1010353 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB | | | | | 0.122818 | | | | | | | | | | |
| INWARD OPERATOR SERVICES | | | | | | | | | | | | | | | | |
| | Inward Operator Services - Verification, Per Minute | | | | | 1.03 | | | | | | | | | | |
| | Inward Operator Services - Verification and Emergency Interrupt - Per Minute | | | | | 1.03 | | | | | | | | | | |
| BRANDING - OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | | |
| | Recording of Custom Branded OA Announcement | | | | CBAOS | | 1,555.00 | 1,553.00 | 7.03 | 7.03 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | CBAOL | | 240.71 | 240.71 | | | | | 19.99 | 19.99 | | |
| | Unbranding via OLNS for UNEP CLEC | | | | | | | | | | | | | | | |
| | Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | | | | | |
| DIRECTORY ASSISTANCE SERVICES | | | | | | | | | | | | | | | | |
| | DIRECTORY ASSISTANCE ACCESS SERVICE | | | | | | | | | | | | | | | |
| | Directory Assistance Access Service Calls, Charge Per Call | | | | | 0.2286787 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | | | | |
|--|--|---------|------|--|-------|-----------|--------------------|----------|--------------------|----------------------------------|--------------------------------------|--|--|---|---|--------|-------|-------|-------|-------|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | | | | | |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC) | | | | | | | | | | | | | | | | | | | | |
| | Directory Assistance Call Completion Access Service (DACC), Per Call Attempt | | | | | 0.0364771 | | | | | | | | | | | | | | | |
| | NUMBER SERVICES INTERCEPT ACCESS SERVICE | | | | | | | | | | | | | | | | | | | | |
| | Number Services Intercept Per Query | | | | | 0.017793 | | | | | | | | | | | | | | | |
| | DIRECTORY TRANSPORT (DT) | | | | | | | | | | | | | | | | | | | | |
| | DT-Local Channel DS1 | | | | | 40.99 | 277.35 | 233.26 | 33.18 | 22.30 | | | | | | | | | | | |
| | DT-DS1 Level Interoffice per mile | | | | | 0.3562 | | | | | | | | | | | | | | | |
| | DT-DS1 Level Interoffice per facility termination | | | | | 77.86 | 112.40 | 76.27 | 19.55 | 14.99 | | | | | | | | | | | |
| | SWA Common Transport per Directory Assistance Access Service Per Call | | | | | 0.000271 | | | | | | | | | | | | | | | |
| | SWA Common Transport per Directory Assistance Access Service Per Call Per Mile | | | | | 0.0000165 | | | | | | | | | | | | | | | |
| | Access Tandem Switching Per Directory Assistance Access Service Per Call | | | | | 0.0001875 | | | | | | | | | | | | | | | |
| | DT- Directory Assistance Interconnection Per Directory Assistance Service Call | | | | | 0.00 | | | | | | | | | | | | | | | |
| | DT-Installation NRC, Per Trunk or Signaling Connection | | | | | | 204.62 | 4.43 | 136.09 | 4.43 | | | | | | | | | | | |
| | DT Local Channel DS1-Incremental Cost-Manual Svc Order vs Electronic | | | | | | 45.68 | 1.76 | 21.75 | 1.76 | | | | | | | | | | | |
| | DT Interoffice DS1-Incremental Cost-Manual Svc Order vs Electronic | | | | | | 20.35 | 21.09 | 9.80 | 10.54 | | | | | | | | | | | |
| | DIRECTORY ASSISTANCE SERVICES | | | | | | | | | | | | | | | | | | | | |
| | DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS) | | | | | | | | | | | | | | | | | | | | |
| | Directory Assistance Data Base Service Charge Per Listing | | | | | 0.0485 | | | | | | | | | | | | | | | |
| | Directory Assistance Data Base Service, per month | | | | DBSOF | 104.13 | | | | | | | | | | | | | | | |
| | BRANDING - DIRECTORY ASSISTANCE | | | | | | | | | | | | | | | | | | | | |
| | Facility Based CLEC | | | | | | | | | | | | | | | | | | | | |
| | Recording and Provisioning of DA Custom Branded Announcement | | | AMT | CBADA | | 1,555.00 | 1,553.00 | 7.03 | 7.03 | | | | | | | | | | | |
| | Loading of Custom Branded Announcement per DRAM Card/Switch | | | AMT | CBADC | | 240.71 | 240.71 | | | | | | | | | | | | | |
| | UNEP CLEC | | | | | | | | | | | | | | | | | | | | |
| | Recording of DA Custom Branded Announcement | | | | | | 1,555.00 | 1,553.00 | 7.03 | 7.03 | | | | | | | | | | | |
| | Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN | | | | | | 240.71 | 240.71 | | | | | | | | | | | | | |
| | Unbranding via OLNS for UNEP CLEC | | | | | | | | | | | | | | | | | | | | |
| | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | | | | | | |
| | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | | | | | | |
| | SELECTIVE ROUTING | | | | | | | | | | | | | | | | | | | | |
| | Selective Routing Per Unique Line Class Code Per Request Per Switch | | | | USRCR | | 179.60 | 179.60 | | | | 20.35 | 20.35 | | | | | | | | |
| | VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | | | | |
| | Virtual Collocation - Application Cost | | | AMTFS | EAF | | 2,633.00 | 2,633.00 | | | | | | | | | | | | | |
| | Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS | ESPCX | | 1,749.00 | 1,749.00 | | | | | | | | | | | | | |
| | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.91 | | | | | | | | | | | | | | | |
| | Virtual Collocation - Power, per breaker amp | | | AMTFS | ESPAX | 6.79 | | | | | | | | | | | | | | | |
| | Virtual Collocation - Cable Support Structure, per entrance cable | | | AMTFS | ESPSX | 17.87 | | | | | | | | | | | | | | | |
| | Virtual Collocation - 2-wire Cross Connects (loop) | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX | UEAC2 | 0.57 | 11.62 | 9.90 | 10.38 | 8.66 | | 2.07 | 2.81 | 0.67 | 1.41 | | | | | | |
| | Virtual Collocation - 4-wire Cross Connects (loop) | | | UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX | UEAC4 | 0.57 | 11.81 | 10.04 | 10.44 | 8.67 | | 2.07 | 2.81 | 0.67 | 1.41 | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|--|--|---------|------|--|-------|-----------|--------------------|--------|--------------------|------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual Collocation - 2-Fiber Cross Connects | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF | CNC2F | 3.03 | 41.56 | 29.82 | 12.96 | 10.34 | | | 2.69 | 2.69 | 1.56 | 1.56 |
| | | Virtual Collocation - 4-Fiber Cross Connects | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF | CNC4F | 6.06 | 50.53 | 38.78 | 16.97 | 14.35 | | | 2.69 | 2.69 | 1.56 | 1.56 |
| | | Virtual collocation - DS1 Cross Connects | | | USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1 | CNC1X | 1.32 | 32.22 | 17.76 | 10.46 | 8.75 | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | Virtual collocation - DS3 Cross Connects | | | USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLXS, UNLD3 | CND3X | 12.32 | 29.97 | 16.30 | 12.03 | 8.99 | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot | | | AMTFS | VE1CB | 0.0031 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft | | | AMTFS | VE1CD | 0.0045 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable | | | AMTFS | VE1CC | | 555.03 | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable | | | AMTFS | VE1CE | | 555.03 | | | | | | | | | |
| | | Virtual collocation - Security Escort - Basic, per half hour | | | AMTFS | SPTBX | | 33.15 | 20.44 | | | | | | | | |
| | | Virtual collocation - Security Escort - Overtime, per half hour | | | AMTFS | SPTOX | | 41.50 | 25.61 | | | | | | | | |
| | | Virtual collocation - Security Escort - Premium, per half hour | | | AMTFS | SPTPX | | 49.86 | 30.79 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 30.64 | 30.64 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 35.77 | 35.77 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 40.90 | 40.90 | | | | | | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire Analog - Res | | | UEPSR | VE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res | | | UEPSE | VE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus | | | UEPSB | VE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN | | | UEPSX | VE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN | | | UEPTX | VE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1 | | | UEPEX | VE1R4 | 0.50 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR, UEPSB | VE1LS | 0.57 | 11.62 | 9.90 | 10.38 | 8.66 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| AIN SELECTIVE CARRIER ROUTING | | | | | | | | | | | | | | | | | |
| | | Regional Service Establishment | | | SRC | SRCEC | | 190,638.00 | | | | | | 20.35 | | | |
| | | End Office Establishment | | | SRC | SRCEO | | 317.55 | 317.55 | 3.19 | 3.19 | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | | Line/Port NRC, per end user | | | SRC | SRCLP | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|--|---------|------|-------|-------|-----------|--------------------|----------|--------------------|----------------------------------|--------------------------------------|--|--|---|---|------------------|---------------|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | | |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | | | | | | | Disconnect Add'l | OSS Rates(\$) | |
| | Query NRC, per query | | | SRC | | 0.0206047 | | | | | | SOMECE | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| AIN - BELL | | | | | | | | | | | | | | | | | | |
| SOUTH AIN SMS ACCESS SERVICE | | | | | | | | | | | | | | | | | | |
| | AIN SMS Access Service - Service Establishment, Per State, Initial Setup | | | A1N | CAMSE | | 135.56 | 135.56 | | | | | 20.35 | 20.35 | 13.28 | 13.28 | | |
| | AIN SMS Access Service - Port Connection - Dial/Shared Access | | | A1N | CAMDP | | 41.75 | 41.75 | | | | | 20.35 | 20.35 | 13.28 | 13.28 | | |
| | AIN SMS Access Service - Port Connection - ISDN Access | | | A1N | CAM1P | | 41.75 | 41.75 | | | | | 20.35 | 20.35 | 13.28 | 13.28 | | |
| | AIN SMS Access Service - User Identification Codes - Per User ID Code | | | A1N | CAMAU | | 96.63 | 96.63 | | | | | 20.35 | 20.35 | 13.28 | 13.28 | | |
| | AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement | | | A1N | CAMRC | | 113.67 | 113.67 | | | | | 20.35 | 20.35 | 13.28 | 13.28 | | |
| | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | | | 0.0024 | | | | | | | | | | | | |
| | AIN SMS Access Service - Session, Per Minute | | | | | 0.0820123 | | | | | | | | | | | | |
| | AIN SMS Access Service - Company Performed Session, Per Minute | | | | | 2.27 | | | | | | | | | | | | |
| AIN - BELL | | | | | | | | | | | | | | | | | | |
| SOUTH AIN TOOLKIT SERVICE | | | | | | | | | | | | | | | | | | |
| | AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup | | | CAM | BAPSC | | 132.04 | 132.04 | | | | | 20.35 | 20.35 | 13.28 | 13.28 | | |
| | AIN Toolkit Service - Training Session, Per Customer | | | | BAPVX | | 7,915.00 | 7,915.00 | | | | | 20.35 | 20.35 | 13.28 | 13.28 | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt | | | | BAPTT | | 31.21 | 31.21 | | | | | 20.35 | 20.35 | 13.28 | 13.28 | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay | | | | BAPTD | | 31.21 | 31.21 | | | | | 20.35 | 20.35 | 13.28 | 13.28 | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate | | | | BAPTM | | 31.21 | 31.21 | | | | | 20.35 | 20.35 | 13.28 | 13.28 | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP | | | | BAPTO | | 85.24 | 85.24 | | | | | 20.35 | 20.35 | 13.28 | 13.28 | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP | | | | BAPTC | | 85.24 | 85.24 | | | | | 20.35 | 20.35 | 13.28 | 13.28 | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code | | | | BAPTF | | 85.24 | 85.24 | | | | | 20.35 | 20.35 | 13.28 | 13.28 | | |
| | AIN Toolkit Service - Query Charge, Per Query | | | | | 0.0211882 | | | | | | | | | | | | |
| | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query | | | | | 0.0054774 | | | | | | | | | | | | |
| | AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes | | | | | 1.50 | | | | | | | | | | | | |
| | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription | | | CAM | BAPMS | 17.43 | 33.52 | 33.52 | | | | | 20.35 | 20.35 | 13.28 | 13.28 | | |
| | AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription | | | CAM | BAPLS | 0.1321116 | 36.23 | 36.23 | | | | | 20.35 | 20.35 | 13.28 | 13.28 | | |
| | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription | | | CAM | BAPDS | 17.35 | 33.52 | 33.52 | | | | | 20.35 | 20.35 | 13.28 | 13.28 | | |
| | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription | | | CAM | BAPES | 0.0511435 | 36.23 | 36.23 | | | | | 20.35 | 20.35 | 13.28 | 13.28 | | |
| ENHANCED EXTENDED LINK (EELs) | | | | | | | | | | | | | | | | | | |
| | NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; | | | | | | | | | | | | | | | | | |
| | NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. | | | | | | | | | | | | | | | | | |
| NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.) | | | | | | | | | | | | | | | | | | |
| NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.) | | | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | | |
| | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.56 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 | | |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 21.63 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 | | |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.28 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | | | |

UNBUNDLED NETWORK ELEMENTS - Tennessee

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|----------|---|---------|------|-------|-------|-----------|--------------------|--------|--------------------|------------------|----------------------------------|--------------------------------------|--|--|---|---|
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | | | | |
| | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.56 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 21.63 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.28 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 24.70 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 32.26 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 42.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 24.70 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 32.26 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 42.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|---------------|--|---------|------|-------|-------|-----------|--------------------|--------|--------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 | | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | First DS1 Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | First DS1 Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | First DS1 Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | | | UNC3X | 1L5XX | 2.34 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Facility Termination per month | | | UNC3X | U1TF3 | 854.97 | 482.01 | 153.81 | 64.43 | 35.43 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | | | | |
| | | Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |

UNBUNDLED NETWORK ELEMENTS - Tennessee

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|--|--|---------|------|-------|-------|-----------|--------------------|--------|--------------------|------------------|---------------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | | | |
| | | | | | | | | | | | SOMECA | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | | 20.35 | 21.09 | 9.80 | 10.54 | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | | 20.35 | 21.09 | 9.80 | 10.54 | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC3X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | | 20.35 | 21.09 | 9.80 | 10.54 | |
| 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.56 | 108.76 | 35.47 | 72.94 | 10.86 | | | | 20.35 | 21.09 | 9.80 | 10.54 | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 21.63 | 108.76 | 35.47 | 72.94 | 10.86 | | | | 20.35 | 21.09 | 9.80 | 10.54 | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.28 | 108.76 | 35.47 | 72.94 | 10.86 | | | | 20.35 | 21.09 | 9.80 | 10.54 | |
| | Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.0174 | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV2 | 21.79 | 79.83 | 44.08 | 69.32 | 31.00 | | | | 20.35 | 21.09 | 9.80 | 10.54 | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCVX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | | 20.35 | 21.09 | 9.80 | 10.54 | |
| 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 24.70 | 108.76 | 35.47 | 72.94 | 10.86 | | | | 20.35 | 21.09 | 9.80 | 10.54 | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 32.26 | 108.76 | 35.47 | 72.94 | 10.86 | | | | 20.35 | 21.09 | 9.80 | 10.54 | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 42.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | | 20.35 | 21.09 | 9.80 | 10.54 | |
| | Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.0174 | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV4 | 27.30 | 79.83 | 44.08 | 69.32 | 31.00 | | | | 20.35 | 21.09 | 9.80 | 10.54 | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCVX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | | 20.35 | 21.09 | 9.80 | 10.54 | |
| DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month | | | UNC3X | 1L5ND | 9.19 | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month | | | UNC3X | UE3PX | 373.47 | 240.23 | 180.87 | 106.78 | 45.24 | | | | 20.35 | 21.09 | 9.80 | 10.54 | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 2.34 | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month | | | UNC3X | U1TF3 | 854.97 | 482.01 | 153.81 | 64.43 | 35.43 | | | | 20.35 | 21.09 | 9.80 | 10.54 | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC3X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | | 20.35 | 21.09 | 9.80 | 10.54 | |
| STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month | | | UNCSX | 1L5ND | 9.19 | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month | | | UNCSX | UDLS1 | 394.56 | 240.23 | 180.87 | 106.78 | 45.24 | | | | 20.35 | 21.09 | 9.80 | 10.54 | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile per month | | | UNCSX | 1L5XX | 2.34 | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month | | | UNCSX | U1TFS | 849.30 | 482.01 | 153.81 | 64.43 | 35.43 | | | | 20.35 | 21.09 | 9.80 | 10.54 | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCSX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | | 20.35 | 21.09 | 9.80 | 10.54 | |
| 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 | | 1 | UNCNX | U1L2X | 22.22 | 108.76 | 35.47 | 72.94 | 10.86 | | | | 20.35 | 21.09 | 9.80 | 10.54 | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2 | | 2 | UNCNX | U1L2X | 29.02 | 108.76 | 35.47 | 72.94 | 10.86 | | | | 20.35 | 21.09 | 9.80 | 10.54 | |

UNBUNDLED NETWORK ELEMENTS - Tennessee

| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|---|--|---|---------|------|-------|-------|-----------|--------------------|--------|--------------------|------------------|----------------------------------|--------------------------------------|--|--|---|---|
| | | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | | SOMECA | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3 | | 3 | UNCNX | U1L2X | 37.95 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Channelization - Channel System DS1 to DS0 combination - per month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month | | | UNCNX | UC1CA | 3.24 | 5.70 | 4.42 | | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1 | | 1 | UNCNX | U1L2X | 22.22 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 | | 2 | UNCNX | U1L2X | 29.02 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 | | 3 | UNCNX | U1L2X | 37.95 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination- per month | | | UNCNX | UC1CA | 3.24 | 5.70 | 4.42 | | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month | | | UNCSX | 1L5XX | 2.34 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Facility Termination | | | UNCSX | U1TFS | 849.30 | 482.01 | 153.81 | 64.43 | 35.43 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | STS1 to DS1 Channel System combination per month | | | UNCSX | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCSX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination | | | UNCDX | U1TD5 | 21.19 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCDX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) | | | | | | | | | | | | | | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|---|--|---------|------|-------|-------|-----------|--------------------|--------|--------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination | | | UNCDX | U1TD6 | 21.19 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | UNCDX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| ADDITIONAL NETWORK ELEMENTS | | | | | | | | | | | | | | | | |
| | When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. | | | | | | | | | | | | | | | |
| | When used as ordinarily combined network elements in Tennessee, the non-recurring charges apply and the Switch As Is Charge does not. | | | | | | | | | | | | | | | |
| | Node (SynchroNet) | | | | | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) | | | | | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps | | | UNCDX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - DS1 | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - DS3 | | | UNC3X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - STS1 | | | UNCSX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Zone 1 | | 1 | UNCVX | ULDV2 | 17.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Local Channel - Dedicated - 2-Wire Voice Grade Zone 2 | | 2 | UNCVX | ULDV2 | 22.44 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Local Channel - Dedicated - 2-Wire Voice Grade Zone 3 | | 3 | UNCXV | ULDV2 | 29.34 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Local Channel - Dedicated - 4-Wire Voice Grade Zone 1 | | 1 | UNCVX | ULDV4 | 18.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Local Channel - Dedicated - 4-Wire Voice Grade Zone 2 | | 2 | UNCVX | ULDV4 | 23.74 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Local Channel - Dedicated - 4-Wire Voice Grade Zone 3 | | | UNCXV | ULDV4 | 31.05 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Local Channel - Dedicated - DS1 per month Zone 1 | | 1 | UNC1X | ULDF1 | 36.24 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Local Channel - Dedicated -DS1 Per Month Zone 2 | | 2 | UNC1X | ULDF1 | 47.33 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Local Channel - Dedicated - DS1- Per Month Zone 3 | | 3 | UNC1X | ULDF1 | 61.89 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Local Channel - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5NC | 7.15 | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 - Facility Termination per month | | | UNC3X | ULDF3 | 611.30 | 595.37 | 304.50 | 215.82 | 151.15 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Local Channel - Dedicated - STS-1- Per Mile per month | | | UNCSX | 1L5NC | 7.15 | | | | | | | | | | |
| | Local Channel - Dedicated - STS-1 - Facility Termination per month | | | UNCSX | ULDFS | 599.59 | 588.07 | 297.20 | 215.82 | 151.15 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | | |
| | Exchange Ports | | | | | | | | | | | | | | | |
| | NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs | | | | | | | | | | | | | | | |
| | 2-WIRE VOICE GRADE LINE PORT RATES (RES) | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled TN extended local dialing parity Port with Caller ID - Res. | | | UEPSR | UEPAQ | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus with Caller ID - Res (AC7) | | | UEPSR | UEPAH | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (F2R) | | | UEPSR | UEPAK | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACER) | | | UEPSR | UEPAL | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACSR) | | | UEPSR | UEPAM | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |

UNBUNDLED NETWORK ELEMENTS - Tennessee

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|----------|--|---------|------|-------|-------|-----------|--------------------|-------|--------------------|------------------|----------------------------------|--------------------------------------|--|--|---|---|
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (1MF2X) | | | UEPSR | UEPAN | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (2MR) | | | UEPSR | UEPAO | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) | | | UEPSR | UEPAP | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-WIRE VOICE GRADE LINE PORT RATES (BUS) | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus | | | UEPSB | UEPBL | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled TN extended local dialing parity Port with Caller ID - Bus. | | | UEPSB | UEPAV | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus | | | UEPSB | UEPB1 | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Economy Option - Bus (TACC1) | | | UEPSB | UEPAC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Standard Option - Bus (TACC2) | | | UEPSB | UEPAD | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port - Bus (B2F) | | | UEPSB | UEPAE | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSB | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | EXCHANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPP1 | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus | | | UEPSP | UEPT2 | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire TN Outward Calling Plan PBX Trunk - Bus | | | UEPSP | UEPTO | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port | | | UEPSP | UEPT2 | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee Calling Port | | | UEPSP | UEPTO | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| B.1.7 | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| B.1.7 | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| B.1.7 | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPSP | UEPXE | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| B.1.7 | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPSP | UEPXL | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| B.1.7 | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPSP | UEPXM | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port | | | UEPSP | UEPXN | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| B.1.7 | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPSP | UEPXO | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| B.1.7 | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port | | | UEPSP | UEPXU | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|---|--|---------|------|-------|-------|-----------|--------------------|--------|----------------------------------|--------------------------------------|--|--|---|---|-------|-------|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | |
| | | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | | SOMEc | SOMAN | SOMAN | SOMAN | | |
| | B.1.7 | 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Calling Port | | | UEPSP | UEPXV | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | FEATURES | | | | | | | | | | | | | | | | |
| | | All Available Vertical Features | | | UEPSP | UEPSE | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | EXCHANGE PORT RATES (COIN) | | | | | | | | | | | | | | | | |
| | | Exchange Ports - Coin Port | | | | | 2.11 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. | | | | | | | | | | | | | | | | |
| | NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. | | | | | | | | | | | | | | | | |
| | UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | | |
| | EXCHANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 8.97 | 47.75 | 47.01 | 9.21 | 8.47 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability | | | UEPDD | UEPDD | 35.74 | 75.93 | 38.15 | 8.77 | 8.04 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX | UEPSX | 16.26 | 30.23 | 29.49 | 4.10 | 4.10 | | | 41.43 | 42.17 | 9.80 | 9.80 |
| | NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. | | | | | | | | | | | | | | | | |
| | NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire ISDN Port -- Channel Profiles | | | UEPTX | UEPSX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 75.04 | 148.66 | 147.18 | 38.46 | 36.98 | | | 40.69 | 42.17 | 9.07 | 10.54 |
| | UNBUNDLED LOCAL SWITCHING, PORT USAGE | | | | | | | | | | | | | | | | |
| | End Office Switching (Port Usage) | | | | | | | | | | | | | | | | |
| | | End Office Switching Function, Per MOU | | | | | 0.0008041 | | | | | | | | | | |
| | Tandem Switching (Port Usage) (Local or Access Tandem) | | | | | | | | | | | | | | | | |
| | | Tandem Switching Function Per MOU | | | | | 0.0009778 | | | | | | | | | | |
| | Common Transport | | | | | | | | | | | | | | | | |
| | | Common Transport - Per Mile, Per MOU | | | | | 0.0000064 | | | | | | | | | | |
| | | Common Transport - Facilities Termination Per MOU | | | | | 0.0003871 | | | | | | | | | | |
| | UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | | |
| | Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. | | | | | | | | | | | | | | | | |
| | Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. | | | | | | | | | | | | | | | | |
| | End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. | | | | | | | | | | | | | | | | |
| | For Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos for all states. In GA, KY, LA, MS, SC and TN these nonrecurring charges are commission ordered cost based rates and in AL, FL and NC these nonrecurring charges are Market Rates and are also listed in the Market Rate section. | | | | | | | | | | | | | | | | |
| | For Currently Combined Combos in all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. | | | | | | | | | | | | | | | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.18 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 18.01 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 23.02 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 12.48 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 16.31 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 21.32 | | | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - res | | | UEPRX | UEPAQ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (ACT) | | | UEPRX | UEPAH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R) | | | UEPRX | UEPAK | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) | | | UEPRX | UEPAL | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR) | | | UEPRX | UEPAM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (1MF2X) | | | UEPRX | UEPAN | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|--|---------------|--|--|--|--|---------|------|-----|------|-----------|--|---------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--|--|---------|------|-------|-------|-----------|--------------------|-------|--------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | |
| | | | | | | | | | | | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 12.48 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG | UEPLX | 16.31 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 21.32 | | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | UEPRG | UEPRD | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | |
| | FEATURES | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | |
| | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | UEPRG | USAC2 | | 1.03 | 0.29 | | | | | 30.89 | 7.03 | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | UEPRG | USACC | | 1.03 | 0.29 | | | | | 30.89 | 7.03 | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update | | | | | | 0.76 | | | | | | 7.97 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | 30.89 | 7.03 | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.18 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 18.01 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 23.02 | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 12.48 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 16.31 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX | UEPLX | 21.32 | | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Tennessee Calling Port | | | UEPPX | UEPT2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee Calling Port | | | UEPPX | UEPTO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | |
| | 2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port | | | UEPPX | UEPXN | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPPX | UEPXO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | |
| | 2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port | | | UEPPX | UEPXU | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|--|---------------|---|---------|------|-------|-------|-----------|--------------------|-------|--------------------|------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Calling Port | | | UEPPX | UEPXV | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | | FEATURES | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 1.03 | 0.29 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | UEPPX | USACC | | 1.03 | 0.29 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update | | | | | | 0.76 | | | | | | 7.97 | | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | 30.89 | 7.03 | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 14.18 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 18.01 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 23.02 | | | | | | | | | | |
| | | UNE Loop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 12.48 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 16.31 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 21.32 | | | | | | | | | | |
| | | 2-Wire Voice Grade Line Ports (COIN) | | | | | | | | | | | | | | | |
| | | 2-Wire Coin 2-Way without Operator Screening and without Blocking (TN) | | | UEPCO | UEPTB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN) | | | UEPCO | UEPRP | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (TN) | | | UEPCO | UEPTA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire Coin 2-Way with Operator Screening: 900 Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN) | | | UEPCO | UEPCA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire Coin Outward with Operator Screening and 011 Blocking (TN) | | | UEPCO | UEPTC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (TN) | | | UEPCO | UEPOT | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 1.88 | | | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Coin Outward Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCR | 1.88 | | | | | | | 30.89 | 7.03 | | |
| | | ADDITIONAL UNE COIN PORT/LOOP (RC) | | | | | | | | | | | | | | | |
| | | UNE Coin Port/Loop Combo Usage (Flat Rate) | | | UEPCO | URECU | 3.45 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPCO | USAC2 | | 1.03 | 0.29 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPCO | USACC | | 1.03 | 0.29 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPCO | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | | UNBUNDLED REMOTE CALL FORWARDING - RES | | | | | | | | | | | | | | | |
| | | Non-Recurring | | | | | | | | | | | | | | | |
| | | UNBUNDLED REMOTE CALL FORWARDING - Bus | | | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus | | | UEPVB | UEPVJ | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Non-Recurring | | | | | | | | | | | | | | | |
| | | 2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | |
| | | 2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | | 30.89 | 7.03 | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | | |
|--|---------------|---|--|--|--|---------|------|-----|-------|-----------|--------------------|--------|----------------------------------|--------------------------------------|--|--|---|---|-------|-------|--|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | | |
| | | | | | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | SOMEc | SOMAN | OSS Rates(\$) | | SOMAN | SOMAN | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | | | | | UEPFP | UEPXS | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | | 30.89 | 7.03 | | |
| UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT | | | | | | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | | | | | 1 | | | 18.38 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | | | | | 2 | | | 19.87 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | | | | | 3 | | | 24.78 | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | | | | | 1 | UEPPX | UECD1 | 9.60 | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | | | | | 2 | UEPPX | UECD1 | 11.09 | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | | | | | 3 | UEPPX | UECD1 | 16.00 | | | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | | | | | UEPPX | UEPD1 | 8.78 | 45.44 | 29.94 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is | | | | | | | UEPPX | USAC1 | | 8.76 | 5.75 | | | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes | | | | | | | UEPPX | USA1C | | 8.76 | 5.75 | | | | 30.89 | 7.03 | | | |
| Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | | | | | | | |
| | | DID Trunk Termination (One Per Port) | | | | | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | | | | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | | | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve Non-Consecutive DID numbers | | | | | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve DID Numbers | | | | | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| 2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT | | | | | | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | | | | | 1 | UEPPB | UEPPR | 32.27 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | | | | | | 2 | UEPPB | UEPPR | 34.78 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | | | | | 3 | UEPPB | UEPPR | 44.32 | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | | | | | 1 | UEPPB | UEPPR | USL2X | 16.20 | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | | | | | 2 | UEPPB | UEPPR | USL2X | 18.71 | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | | | | | 3 | UEPPB | UEPPR | USL2X | 28.25 | | | | | | | | | |
| | | Exchange Port - 2-Wire ISDN Line Side Port | | | | | | | UEPPB | UEPPR | UEPPB | 16.07 | 141.75 | 118.37 | 49.20 | 43.26 | | 19.99 | 19.99 | | |
| NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion | | | | | | | UEPPB | UEPPR | USACB | 0.00 | 117.23 | 117.23 | | | 19.99 | 19.99 | | | |
| ADDITIONAL NRCs | | | | | | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy Non Feature/Add Trunk | | | | | | | UEPPB | UEPPR | USASB | | 212.88 | | | | 19.99 | 19.99 | | | |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | |
| B-CHANNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | | | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | CVS (EWSD) | | | | | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | CSD | | | | | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | |
| B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN) | | | | | | | | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | | | | | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | CVS (EWSD) | | | | | | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | CSD | | | | | | | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | | |
| USER TERMINAL PROFILE | | | | | | | | | | | | | | | | | | | | | |
| | | User Terminal Profile (EWSD only) | | | | | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | |
| VERTICAL FEATURES | | | | | | | | | | | | | | | | | | | | | |
| | | All Vertical Features - One per Channel B User Profile | | | | | | | UEPPB | UEPPR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel mileage each, including first mile and facilities termination | | | | | | | UEPPB | UEPPR | M1GNC | 17.91 | 53.99 | 17.37 | | | 19.99 | 19.99 | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--|---------------|---|---------|------|-------------|-------|-----------|--------------------|--------|--------------------|------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | Interoffice Channel mileage each, additional mile | | | UEPPB UEPPR | M1GNM | 0.173 | 0.00 | 0.00 | | | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 | | 1 | UEPPP | | 132.58 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 | | 2 | UEPPP | | 150.25 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 | | 3 | UEPPP | | 173.44 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | USL4P | 57.73 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | USL4P | 75.40 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | USL4P | 98.59 | | | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | UEPPP | 74.85 | 415.53 | 366.90 | 89.28 | 77.43 | | | 19.99 | 19.99 | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is | | | UEPPP | USACP | 0.00 | 328.53 | 328.53 | | | | | 19.99 | 19.99 | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqtl Actvy-Inward/two way tel nos within Std Allowance (except NC) | | | UEPPP | PR7TF | | 0.94 | | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) | | | UEPPP | PR7TO | | 22.36 | 22.36 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance | | | UEPPP | PR7ZT | | 44.71 | 44.70 | | | | | 19.99 | 19.99 | | |
| | | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPP | LNPCN | 1.75 | | | | | | | | | | |
| | | INTERFACE (Provsioning Only) | | | | | | | | | | | | | | | |
| | | Voice/Data | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Digital Data | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Inward Data | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | New or Additional "B" Channel | | | | | | | | | | | | | | | |
| | | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 28.39 | | | | | | 19.99 | 19.99 | | |
| | | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 29.11 | | | | | | 19.99 | 19.99 | | |
| | | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 29.39 | | | | | | 19.99 | 19.99 | | |
| | | CALL TYPES | | | | | | | | | | | | | | | |
| | | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 76.1825 | 145.98 | 109.85 | 19.55 | | | | 19.99 | 19.99 | | |
| | | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.3525 | | | | | | | | | | |
| | | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 93.28 | | | | | | | 19.99 | 19.99 | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 110.95 | | | | | | | 19.99 | 19.99 | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 134.14 | | | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 57.53 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 75.40 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 98.59 | | | | | | | | | | |
| | | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 35.55 | 342.80 | 257.87 | 61.41 | 48.49 | | | 19.99 | 19.99 | | |
| | | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is | | | UEPDC | USAC4 | | 312.91 | 312.91 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes | | | UEPDC | USAWA | | 312.91 | 312.91 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk | | | UEPDC | USAWB | | 312.91 | 312.91 | | | | | 19.99 | 19.99 | | |
| | | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order | | | UEPDC | USAS4 | | 94.88 | 94.88 | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | |
|--|--|--|--|------------|------|-------|-------|-----------|-----------------------|--------|-----------------------|---|---|--|--|---|---|--|
| CATEGORY | | RATE ELEMENTS | | Inter m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | | | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk | | | | UEPDC | UDTTA | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk | | | | UEPDC | UDTTB | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Channel Activation/Chan - Inward Trunk w/out DID | | | | UEPDC | UDTTC | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Chan Activation Per Chan - Inward Trunk with DID | | | | UEPDC | UDTTD | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqt Chan Activation / Chan - 2-Way DID w User Trans | | | | UEPDC | UDTTE | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | | |
| BIPOLAR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | | | | | |
| | | B8ZS -Superframe Format | | | | UEPDC | CCOSF | | 0.00 | 590.00 | | | | | 19.99 | 19.99 | | |
| | | B8ZS - Extended Superframe Format | | | | UEPDC | CCOEF | | 0.00 | 590.00 | | | | | 19.99 | 19.99 | | |
| Alternate Mark Inversion | | | | | | | | | | | | | | | | | | |
| | | AMI -Superframe Format | | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | | AMI - Extended SuperFrame Format | | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | | | | |
| | | Telephone Number for 2-Way Trunk Group | | | | UEPDC | UDTGX | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | | Telephone Number for 1-Way Outward Trunk Group | | | | UEPDC | UDTGY | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | | Telephone Number for 1-Way Inward Trunk Group Without DID | | | | UEPDC | UDTGZ | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | | DID Numbers for each Group of 20 DID Numbers | | | | UEPDC | ND4 | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | | UEPDC | ND5 | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | | Reserve Non-Consecutive DID Nos. | | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve DID Numbers | | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) | | | | UEPDC | 1LNO1 | 75.83 | 145.98 | 109.85 | 19.66 | 14.99 | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | | UEPDC | 1LNOA | 0.3525 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | | | | UEPDC | 1LNOB | 0.3525 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) | | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | | UEPDC | 1LNOC | 0.3525 | 0.00 | 0.00 | | | | | | | | |
| | | Local Number Portability, per DS0 Activated | | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | | Central Office Terminating Point | | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | | | | |
| System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations | | | | | | | | | | | | | | | | | | |
| Each System can have up to 24 combinations of rates depending on type and number of ports used | | | | | | | | | | | | | | | | | | |
| UNE DS1 Loop | | | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 1 | | | 1 | UEPMG | USLDC | 57.73 | 0.00 | 0.00 | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 2 | | | 2 | UEPMG | USLDC | 75.40 | 0.00 | 0.00 | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 3 | | | 3 | UEPMG | USLDC | 98.59 | 0.00 | 0.00 | | | | | | | | |
| UNE DSO Channelization Capacities (D4 Channel Bank Configurations) | | | | | | | | | | | | | | | | | | |
| | | 24 DSO Channel Capacity - 1 per DS1 | | | | UEPMG | VUM24 | 131.87 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 48 DSO Channel Capacity - 1 per 2 DS1s | | | | UEPMG | VUM48 | 263.74 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 96 DSO Channel Capacity -1per 4 DS1s | | | | UEPMG | VUM96 | 527.48 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 144 DSO Channel Capacity - 1 per 6 DS1s | | | | UEPMG | VUM14 | 791.42 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 192 DSO Channel Capacity -1 per 8 DS1s | | | | UEPMG | VUM19 | 827.76 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 240 DSO Channel Capacity - 1 per 10 DS1s | | | | UEPMG | VUM20 | 1,318.70 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 288 DSO Channel Capacity - 1 per 12 DS1s | | | | UEPMG | VUM28 | 1,582.44 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 384 DSO Channel Capacity - 1 per 16 DS1s | | | | UEPMG | VUM38 | 2,109.92 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 480 DSO Channel Capacity - 1 per 20 DS1s | | | | UEPMG | VUM40 | 2,637.40 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 576 DSO Channel Capacity -1 per 24 DS1s | | | | UEPMG | VUM67 | 3,164.88 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 672 DSO Channel Capacity - 1 per 28 DS1s | | | | UEPMG | VUM67 | 3,692.36 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channeliztion with Port - Conversion Charge Based on a System | | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | | | | |
|---|---|--------------------|-------|--------------------|------------------|---------|------|-------|-------|---------------|--------|--------|--------|----------------------------------|--------------------------------------|--|--|---|---|--|--|--|--|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | | | |
| | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | | | | | OSS Rates(\$) | | | | | | | | | | | | | |
| A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations. Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted. | | | | | | | | | | | | | | | | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes | | | | | | | UEPMG | USAC4 | 0.00 | 303.61 | 15.74 | | | | 19.99 | 19.99 | | | | | | |
| System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) In GA, KY, LA, MS & TN Only | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY, MS, &TN Only | | | | | | | UEPMG | VUMD4 | 0.00 | 704.68 | 441.48 | 138.36 | 16.41 | | 19.99 | | | | | | | |
| Bipolar 8 Zero Substitution | | | | | | | | | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent Activity Only | | | | | | | UEPMG | CCOSF | 0.00 | 0.00 | 590.00 | | | | | | | | | | | |
| | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | | | | | | UEPMG | CCOEF | 0.00 | 0.00 | 590.00 | | | | | | | | | | | |
| Alternate Mark Inversion (AMI) | | | | | | | | | | | | | | | | | | | | | | | |
| | Superframe Format | | | | | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | | | | |
| | Extended Superframe Format | | | | | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | | | | |
| Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port Exchange Ports | | | | | | | | | | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | | | | | UEPPX | UEPCX | 1.79 | 0.00 | 0.00 | 0.00 | 0.00 | | 30.89 | 7.03 | | | | | | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | | | | | UEPPX | UEPOX | 1.79 | 0.00 | 0.00 | 0.00 | 0.00 | | 30.89 | 7.03 | | | | | | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | | | | | UEPPX | UEP1X | 1.79 | 0.00 | 0.00 | 0.00 | 0.00 | | 30.89 | 7.03 | | | | | | |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | | | | | UEPPX | UEPDM | 8.97 | 0.00 | 0.00 | 0.00 | 0.00 | | 30.89 | 7.03 | | | | | | |
| Feature Activations - Unbundled Loop Concentration | | | | | | | | | | | | | | | | | | | | | | | |
| | Feature (Service) Activation for each Line Side Port Terminated in D4 Bank | | | | | | | UEPPX | 1PQWM | 0.66 | 23.94 | 12.64 | 3.82 | 3.80 | | 30.89 | 7.03 | | | | | | |
| | Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank | | | | | | | UEPPX | 1PQWU | 0.66 | 73.67 | 17.37 | 54.09 | 10.57 | | 30.89 | 7.03 | | | | | | |
| Telephone Number/ Group Establishment Charges for DID Service | | | | | | | | | | | | | | | | | | | | | | | |
| | DID Trunk Termination (1 per Port) | | | | | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | | | | |
| | DID Numbers - groups of 20 - Valid all States | | | | | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | | | | |
| | Non-Consecutive DID Numbers - per number | | | | | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | | | | |
| | Reserve Non-Consecutive DID Numbers | | | | | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | | | | |
| | Reserve DID Numbers | | | | | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | | | | |
| Local Number Portability | | | | | | | | | | | | | | | | | | | | | | | |
| | Local Number Portability - 1 per port | | | | | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | | | | |
| FEATURES - Vertical and Optional | | | | | | | | | | | | | | | | | | | | | | | |
| Local Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | | | | | | | | | |
| | All Features Available | | | | | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | | | | |
| UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES | | | | | | | | | | | | | | | | | | | | | | | |
| Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. | | | | | | | | | | | | | | | | | | | | | | | |
| These scenarios include: | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Unbundled port/loop combinations that are Not Currently Combined in Alabama, Florida and North Carolina. | | | | | | | | | | | | | | | | | | | | | | | |
| 2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAs in BellSouth's region for end users with 4 or more DS0 equivalent lines. | | | | | | | | | | | | | | | | | | | | | | | |
| The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville). | | | | | | | | | | | | | | | | | | | | | | | |
| BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined in AL, FL and NC. In the interim where BellSouth cannot bill Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. | | | | | | | | | | | | | | | | | | | | | | | |
| The Market Rate for unbundled ports includes all available features in all states. | | | | | | | | | | | | | | | | | | | | | | | |
| End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC: URECU). | | | | | | | | | | | | | | | | | | | | | | | |
| For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly. | | | | | | | | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | | | | 1 | | | | 26.48 | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | | | | 2 | | | | 30.31 | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | | | | 3 | | | | 35.32 | | | | | | | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--|--|---------|------|-------|-------|-----------|--------------------|-------|--------------------|------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 12.48 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 16.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 21.32 | | | | | | | | | | |
| | 2-Wire Voice Grade Line Port (Res) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - res | | | UEPRX | UEPAQ | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R) | | | UEPRX | UEPAK | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) | | | UEPRX | UEPAL | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR) | | | UEPRX | UEPAM | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (1MF2X) | | | UEPRX | UEPAN | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR) | | | UEPRX | UEPAO | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | UEPRX | UEPAP | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPRX | USAC2 | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch with change | | | UEPRX | USACC | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 26.48 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 30.31 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 35.32 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 12.48 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 16.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 21.32 | | | | | | | | | | |
| | 2-Wire Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - bus | | | UEPBX | UEPAV | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Economy Option (TACC1) | | | UEPBX | UEPAC | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2) | | | UEPBX | UEPAD | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Collierville and Memphis Local Calling Port (B2F) | | | UEPBX | UEPAE | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|--|---------|------|-------|-------|-----------|--------------------|-------|--------------------|------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPBX | USAC2 | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch with change | | | UEPBX | USACC | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | UEPBX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 26.48 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 30.31 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 35.32 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRG | UEPLX | 12.48 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRG | UEPLX | 16.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRG | UEPLX | 21.32 | | | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | FEATURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPRG | USAC2 | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change | | | UEPRG | USACC | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | 30.89 | 7.03 | | |
| | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 26.48 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 30.31 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 35.32 | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPPX | UEPLX | 12.48 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPPX | UEPLX | 16.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPPX | UEPLX | 21.32 | | | | | | | | | | |
| | 2-Wire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Tennessee Calling Port | | | UEPPX | UEPT2 | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee Calling Port | | | UEPPX | UEPTO | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|--|---------|------|-------|-------|-----------|--------------------|-------|--------------------|------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled 1-W Out PBX Hotel/Hospital Economy Administrative Calling Port TN | | | UEPPX | UEPXN | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPPX | UEPXO | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port | | | UEPPX | UEPXU | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Calling Port | | | UEPPX | UEPXV | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FEATURES | | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPPX | USAC2 | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change | | | UEPPX | USACC | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | 2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | 30.89 | 7.03 | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 26.48 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 30.31 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 35.32 | | | | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 12.48 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 16.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 21.32 | | | | | | | | | | |
| 2-Wire Voice Grade Line Port Rates (Coin) | | | | | | | | | | | | | | | | |
| | 2-Wire Coin 2-Way without Operator Screening and without Blocking (TN) | | | UEPCO | UEPTB | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN) | | | UEPCO | UEPRP | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (TN) | | | UEPCO | UEPTA | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN) | | | UEPCO | UEPCA | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking (TN) | | | UEPCO | UEPTC | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (TN) | | | UEPCO | UEPOT | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPCO | USAC2 | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change | | | UEPCO | USACC | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| ADDITIONAL NRCs | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|--|---|--|---------|------|-------|-------|-----------|--------------------|--------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | |
| | | | | | | | | | | | | | SOMEc | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | | UEPCO | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 |
| UNBUNDLED PORT/LOOP COMBINATIONS - MARKET BASED RATES | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | | 1 | | | 49.60 | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | | 2 | | | 51.09 | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | | 3 | | | 56.00 | | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | | 1 | UEPPX | UECD1 | 9.60 | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | | 2 | UEPPX | UECD1 | 11.09 | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | | 3 | UEPPX | UECD1 | 16.00 | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | | UEPPX | UEPD1 | 40.00 | 600.00 | 45.00 | 8.45 | 3.91 | | | 30.89 | 7.03 |
| NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-As-Is Top 8 MSAs only | | | | UEPPX | USAC1 | | 100.00 | 42.50 | | | | | 30.89 | 7.03 |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes Top 8 MSAs only | | | | UEPPX | USA1C | | 100.00 | 42.50 | | | | | 30.89 | 7.03 |
| Telephone Number/Trunk Group Establishment Charges | | | | | | | | | | | | | | | | |
| | | DID Trunk Termination (One Per Port) | | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Reserve Non-Consecutive DID numbers | | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Reserve DID Numbers | | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | |
| 2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | | 1 | UEPPB | UEPPR | 32.27 | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | | | 2 | UEPPB | UEPPR | 34.78 | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | | 3 | UEPPB | UEPPR | 44.32 | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | | 1 | UEPPB | UEPPR | USL2X | 16.20 | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | | 2 | UEPPB | UEPPR | USL2X | 18.71 | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | | 3 | UEPPB | UEPPR | USL2X | 28.25 | | | | | | | |
| | | Exchange Port - 2-Wire ISDN Line Side Port | | | | UEPPB | UEPPR | UEPPB | 80.00 | 525.00 | 400.00 | 75.00 | 70.00 | | 30.89 | 7.03 |
| NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion - Top 8 MSAs only | | | | UEPPB | UEPPR | USACB | 0.00 | 225.00 | 225.00 | | | | 30.89 | 7.03 |
| ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy Non Feature/Add Trunk | | | | UEPPB | UEPPR | USASB | | 212.88 | | | | | 30.89 | 7.03 |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | |
| B-CHANNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | |
| | | CVS (EWSD) | | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | |
| | | CSD | | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | |
| B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN) | | | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | |
| | | CVS (EWSD) | | | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | | | |
| | | CSD | | | | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | |
| USER TERMINAL PROFILE | | | | | | | | | | | | | | | | |
| | | User Terminal Profile (EWSD only) | | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | |
| VERTICAL FEATURES | | | | | | | | | | | | | | | | |
| | | All Vertical Features - One per Channel B User Profile | | | | UEPPB | UEPPR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--|---|---------|------|-------|-------|-------|-----------|--------------------|--------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | |
| | | | | | | | | | | | | SOMECA | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel mileage each, including first mile and facilities termination | | | UEPPB | UEPPR | M1GNC | 17.91 | 53.99 | 17.37 | | | | | | |
| | Interoffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.173 | 0.00 | 0.00 | | | | | | |
| | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 | | 1 | UEPPP | | | 982.73 | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 | | 2 | UEPPP | | | 1,000.40 | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 | | 3 | UEPPP | | | 1,023.59 | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 57.73 | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 75.40 | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | 98.59 | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 925.00 | 950.00 | 950.00 | 130.00 | 100.00 | | 30.89 | 7.03 | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-As-Is Top 8 MSAs only | | | UEPPP | | USACP | 0.00 | 925.00 | 925.00 | | | | 30.89 | 7.03 | |
| | ADDITIONAL NRCs | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqtl Actvy-Inward/two way tel nos within Std Allowance (except NC) | | | UEPPP | | PR7TF | | 0.94 | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | | 22.36 | 22.36 | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance | | | UEPPP | | PR7ZT | | 44.71 | 44.70 | | | | | | |
| | LOCAL NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPP | | LNPCN | 1.75 | | | | | | | | |
| | INTERFACE (Provisioning Only) | | | | | | | | | | | | | | |
| | Voice/Data | | | UEPPP | | PR71V | 0.00 | 0.00 | 0.00 | | | | | | |
| | Digital Data | | | UEPPP | | PR71D | 0.00 | 0.00 | 0.00 | | | | | | |
| | Inward Data | | | UEPPP | | PR71E | 0.00 | 0.00 | 0.00 | | | | | | |
| | New or Additional "B" Channel | | | | | | | | | | | | | | |
| | New or Additional - Voice/Data B Channel | | | UEPPP | | PR7BV | 0.00 | 28.39 | | | | | | | |
| | New or Additional - Digital Data B Channel | | | UEPPP | | PR7BF | 0.00 | 29.11 | | | | | | | |
| | New or Additional Inward Data B Channel | | | UEPPP | | PR7BD | 0.00 | 29.39 | | | | | | | |
| | CALL TYPES | | | | | | | | | | | | | | |
| | Inward | | | UEPPP | | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Outward | | | UEPPP | | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Two-way | | | UEPPP | | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | |
| | Interoffice Channel Mileage | | | | | | | | | | | | | | |
| | Fixed Each Including First Mile | | | UEPPP | | 1LN1A | 76.1825 | 145.98 | 109.85 | 19.55 | | | | | |
| | Each Airline-Fractional Additional Mile | | | UEPPP | | 1LN1B | 0.3525 | | | | | | | | |
| | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide | | sw | UEPDC | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | | 93.28 | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | | 110.95 | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | | 134.14 | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4 | | 4 | UEPDC | | | | | | | | | | | |
| | UNE Loop Rates | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Statewide | | sw | UEPDC | | USLDC | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | | USLDC | 57.53 | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | | USLDC | 75.40 | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | | USLDC | 98.59 | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 4 | | 4 | UEPDC | | USLDC | | | | | | | | | |
| | UNE Port Rate | | | | | | | | | | | | | | |
| | 4-Wire DDITS Digital Trunk Port | | | UEPDC | | UDD1T | 750.00 | 982.57 | 450.10 | 196.09 | 19.23 | | 30.89 | 7.03 | |
| | NONRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|---------------|--|--|--|--|---------|------|-----|------|-----------|--|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|---|---------|------|-------|-------|-----------|--------------------|--------|--------------------|------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 98.59 | 0.00 | 0.00 | | | | | | | | |
| | UNE DSO Channelization Capacities (D4 Channel Bank Configurations) | | | | | | | | | | | | | | | |
| | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 131.87 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 263.74 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 527.48 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | 144 DSO Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 791.42 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | 192 DSO Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 827.76 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | 240 DSO Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1,318.70 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | 288 DSO Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,582.44 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | 384 DSO Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 2,109.92 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | 480 DSO Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 2,637.40 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | 576 DSO Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 3,164.88 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | 672 DSO Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,692.36 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System | | | | | | | | | | | | | | | |
| | A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations. | | | | | | | | | | | | | | | |
| | Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted. | | | | | | | | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes - Top 8 MSAs Only | | | UEPMG | USAC4 | 0.00 | 303.61 | 15.74 | | | | | 30.89 | 7.03 | | |
| | System Additions Where Currently Combined and New (Not Currently Combined) | | | | | | | | | | | | | | | |
| | In Top 8 MSAs and AL, FL, and NC Only | | | | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - | | | UEPMG | VUMD4 | 0.00 | 704.68 | 441.48 | 138.36 | 16.41 | | | 30.89 | 7.03 | | |
| | Bipolar 8 Zero Substitution | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 590.00 | | | | | | | | |
| | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 590.00 | | | | | | | | |
| | Alternate Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port | | | | | | | | | | | | | | | |
| | Exchange Ports | | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 40.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| | Feature Activations - Unbundled Loop Concentration | | | | | | | | | | | | | | | |
| | Feature (Service) Activation for each Line Side Port Terminated in D4 Bank | | | UEPPX | 1PQWM | 0.66 | 40.00 | 20.00 | 6.00 | 5.00 | | | | | | |
| | Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank | | | UEPPX | 1PQWU | 0.66 | 110.00 | 30.00 | 75.00 | 15.00 | | | | | | |
| | Telephone Number/ Group Establishment Charges for DID Service | | | | | | | | | | | | | | | |
| | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Local Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | FEATURES - Vertical and Optional | | | | | | | | | | | | | | | |
| | Local Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| | All Features Available | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | | |
| 1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. | | | | | | | | | | | | | | | | |
| 2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. | | | | | | | | | | | | | | | | |
| 3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|---|---|--|--|---|---------|-------|--------|-------|-----------|--------------------|-------|--------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | | | | | | |
| | | | | | | | | | | | | | | OSS Rates(\$) | | | | |
| | | | | | | | | | | | | | | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN |
| For Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos. The the first and additional Port nonrecurring charges apply to Not Currently Combined Combos for all states. In GA, KY, LA, MS and TN these nonrecurring charges are commission ordered cost based rates and in AL, FL, NC and SC these nonrecurring charges are Market Rates and are listed in the Market Rate section. For Currently Combined Combos in all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. | | | | | | | | | | | | | | | | | | |
| 5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice. | | | | | | | | | | | | | | | | | | |
| UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) | | | | | | | | | | | | | | | | | | |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | | 1 | UEP91 | | 14.18 | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | | 2 | UEP91 | | 18.01 | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | | 3 | UEP91 | | 23.02 | | | | | | | | | | | |
| UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | | 1 | UEP91 | | 18.26 | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | | 2 | UEP91 | | 23.33 | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | | 3 | UEP91 | | 29.98 | | | | | | | | | | | |
| UNE Loop Rate | | | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | 1 | UEP91 | UECS1 | 12.48 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | 2 | UEP91 | UECS1 | 16.31 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | | 3 | UEP91 | UECS1 | 21.32 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | | 1 | UEP91 | UECS2 | 16.56 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | | 2 | UEP91 | UECS2 | 21.63 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | | 3 | UEP91 | UECS2 | 28.28 | | | | | | | | | | | |
| UNE Ports | | | | | | | | | | | | | | | | | | |
| All States (Except North Carolina and Sout Carolina) | | | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | | UEP91 | UEPYA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | | UEP91 | UEPYB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | | UEP91 | UEPYH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | | UEP91 | UEPYM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | | UEP91 | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | | UEP91 | UEPY9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | | UEP91 | UEPY2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | | |
| AL, KY, LA, MS, & TN Only | | | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | | UEP91 | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | | UEP91 | UEPQB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | | UEP91 | UEPQH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | | UEP91 | UEPQM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | | UEP91 | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | UEP91 | UEPQ9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | | UEP91 | UEPQ2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | | |
| Local Switching | | | | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | | UEP91 | URECS | 0.6381 | | | | | | | | | | | |
| Local Number Portability | | | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | | UEP91 | LNPPC | 0.35 | | | | | | | | | | | |
| Features | | | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | | UEP91 | UEPVF | 0.00 | | | | | | 30.89 | 7.03 | | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|---------------|--|--|---|-------|---------|--------------------|--------|--------------------|------------------|-------|-------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | | | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 433.78 | | | | 30.89 | 7.03 | | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 0.00 | | | | | 30.89 | 7.03 | | | | | |
| | NARS | | | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | | | | |
| | | Unbundled Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP91 | UAROx | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | | | | |
| | | Miscellaneous Terminations | | | | | | | | | | | | | | | | |
| | | 2-Wire Trunk Side | | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.78 | 22.14 | 15.25 | 8.45 | 3.91 | 30.89 | 7.03 | | | | | |
| | | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | MIGBC | 18.58 | 22.14 | 15.25 | 8.45 | 3.91 | 30.89 | 7.03 | | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | MIGBM | 0.0174 | | | | | | | | | | | |
| | | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | | |
| | | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.66 | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.66 | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP91 | 1PQW7 | 0.66 | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP91 | 1PQWP | 0.66 | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.66 | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjlie Line/Trunk Loop Slot | | | UEP91 | 1PQWQ | 0.66 | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.66 | | | | | | | | | | | |
| | | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | | |
| | | Conversion - Currently Combined Switch-As-Is with allowed changes, per port | | | UEP91 | USAC2 | | 1.03 | 0.29 | | | 30.89 | 7.03 | | | | | |
| | | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 658.60 | | | | 30.89 | 7.03 | | | | | |
| | | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 658.60 | | | | 30.89 | 7.03 | | | | | |
| | | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 73.55 | | | | 30.89 | 7.03 | | | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | | 68.57 | | | | 30.89 | 7.03 | | | | | |
| | | UNE-P CENTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP95 | | 14.18 | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP95 | | 18.01 | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP95 | | 23.02 | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP95 | | 18.26 | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP95 | | 23.33 | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP95 | | 29.98 | | | | | | | | | | | |
| | | UNE Loop Rate | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 12.48 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 16.31 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 21.32 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 16.56 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 21.63 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 28.28 | | | | | | | | | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | | |
| | | All States | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | 30.89 | 7.03 | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | |
|--|--|---|---------|------|-------|--------|-----------|--------------------|-------|--------------------|------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP95 | UEPYH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP95 | UEPYM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP95 | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP95 | UEPY9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP95 | UEPY2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| AL, KY, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP95 | UEPQM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP95 | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPQ9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPQ2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| FL & GA Only | | | | | | | | | | | | | | | | | |
| Local Switching | | | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.6381 | | | | | | | | | | |
| Local Number Portability | | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP95 | LNPPC | 0.35 | | | | | | | | | | |
| Features | | | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP95 | UEPVF | 0.00 | | | | | | 30.89 | 7.03 | | | |
| | | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 433.78 | | | | | 30.89 | 7.03 | | | |
| | | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 0.00 | | | | | | 30.89 | 7.03 | | | |
| NARS | | | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP95 | UARO X | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| Miscellaneous Terminations | | | | | | | | | | | | | | | | | |
| 2-Wire Trunk Side | | | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.78 | 47.75 | 47.01 | 9.21 | 8.47 | | 30.89 | 7.03 | | | |
| 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 35.55 | 75.93 | 38.15 | | | | 30.89 | 7.03 | | | |
| | | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 108.67 | | | | | 30.89 | 7.03 | | | |
| Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 18.58 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.0174 | | | | | | | | | | |
| Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | | | |
| D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP95 | 1PQW7 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP95 | 1PQWQ | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.66 | | | | | | | | | | |
| Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | | |
|--|---------------|--|--|--|--|---------|------|-----|------|-----------|---------------|----|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | </ | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|---------------|--|--|--|--|---------|------|-----|------|-----------|--|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | |
|--|--|---------|------|-------|-------|-----------|--------------------|-------|--------------------|------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPQ9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPQ2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Local Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Functionality, per port | | | UEP9D | URECS | 0.6381 | | | | | | | | | | |
| | Local Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP9D | LNPCc | 0.35 | | | | | | | | | | |
| | Features | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9D | UEPVF | 0.00 | | | | | | 30.89 | 7.03 | | | |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 433.78 | | | | | 30.89 | 7.03 | | | |
| | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 0.00 | | | | | | 30.89 | 7.03 | | | |
| | NARS | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Outdial | | | UEP9D | UAROx | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Miscellaneous Terminations | | | | | | | | | | | | | | | |
| | 2-Wire Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9D | CEND6 | 8.78 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 35.55 | 75.93 | 38.15 | | | | 30.89 | 7.03 | | | |
| | DS0 Channels Activated per Channel | | | UEP9D | M1HDO | 0.00 | 108.67 | | | | | 30.89 | 7.03 | | | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 18.58 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0.0174 | | | | | | | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9D | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9D | 1PQWP | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot | | | UEP9D | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.66 | | | | | | | | | | |
| | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP9D | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | |
| | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | | 68.57 | | | | | 30.89 | 7.03 | | | |
| | UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP9E | | 14.18 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9E | | 18.01 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP9E | | 23.02 | | | | | | | | | | |
| | UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP9E | | 18.26 | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | | | | |
|--|---------------|--|--|--|--|---------|------|-----|------|-----------|--|--|---------------|--|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | | | | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | </ | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|--|---|--|---------|------|-------|-------|-----------|--------------------|-------|--------------------|------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | | RATE ELEMENTS | | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | OSS Rates(\$) | | | | | |
| | | | | | | | | | | | | | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | | UEP9E | 1PQWS | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | | UEP9E | 1PQW6 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | | UEP9E | 1PQW7 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | | UEP9E | 1PQWP | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | | UEP9E | 1PQWV | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot | | | | UEP9E | 1PQWQ | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | | UEP9E | 1PQWA | 0.66 | | | | | | | | | | |
| | | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | | UEP9E | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | |
| | | New Centrex Standard Common Block | | | | UEP9E | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | | New Centrex Customized Common Block | | | | UEP9E | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | | NAR Establishment Charge, Per Occasion | | | | UEP9E | URECA | 0.00 | 68.57 | | | | | 30.89 | 7.03 | | | |
| | | UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | | 1 | UEP93 | | 14.18 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | | 2 | UEP93 | | 18.01 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | | 3 | UEP93 | | 23.02 | | | | | | | | | | |
| | | UNE Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | | 1 | UEP93 | | 18.26 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | | 2 | UEP93 | | 23.33 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | | 3 | UEP93 | | 29.98 | | | | | | | | | | |
| | | UNE Loop Rate | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | 1 | UEP93 | UECS1 | 12.48 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | 2 | UEP93 | UECS1 | 16.31 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | | 3 | UEP93 | UECS1 | 21.32 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | | 1 | UEP93 | UECS2 | 16.56 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | | 2 | UEP93 | UECS2 | 21.63 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | | 3 | UEP93 | UECS2 | 28.28 | | | | | | | | | | |
| | | UNE Port Rate | | | | | | | | | | | | | | | | |
| | | AL, KY, LA, MS, & TN only | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | | UEP93 | UEPYA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | | UEP93 | UEPYB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | | UEP93 | UEPYH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | | UEP93 | UEPYM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | | UEP93 | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | | UEP93 | UEPY9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | | UEP93 | UEPY2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | | UEP93 | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | | UEP93 | UEPQB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B | | |
|--|---|---------|------|-------|-------|-----------|--------------------|-------|--------------------|------------------|----------------------------------|--------------------------------------|--|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | SOMEc | SOMAN | OSS Rates(\$) | | | | |
| | | | | | | | | | | | | | SOMAN | SOMAN | SOMAN | SOMAN | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP93 | UEPQH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP93 | UEPQM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP93 | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPQ9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP93 | UEPQ2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | | |
| | Local Switching | | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionalty, per port | | | UEP93 | URECS | 0.6381 | | | | | | | | | | | |
| | Local Number Portability | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP93 | LNCCC | 0.35 | | | | | | | | | | | |
| | Features | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP93 | UEPVF | 0.00 | | | | | | | | | | | |
| | All Centrex Control Features Offered, per port | | | UEP93 | UEPVC | 0.00 | | | | | | | | | | | |
| | NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP93 | UAROx | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | | |
| | Miscellaneous Terminations | | | | | | | | | | | | | | | | |
| | 2-Wire Trunk Side | | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP93 | CEND6 | 8.78 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | | |
| | 4-Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP93 | M1HD1 | 35.55 | 75.93 | 38.15 | | | | 30.89 | 7.03 | | | | |
| | DS0 Channels Activated, Per Channel | | | UEP93 | M1HDO | 0.00 | 108.67 | | | | | 30.89 | 7.03 | | | | |
| | Interoffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP93 | MIGBC | 18.58 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP93 | MIGBM | 0.0174 | | | | | | | | | | | |
| | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | | |
| | D4 Channel Bank Feature Activations | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.66 | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot | | | UEP93 | 1PQW6 | 0.66 | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP93 | 1PQW7 | 0.66 | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP93 | 1PQWP | 0.66 | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP93 | 1PQWV | 0.66 | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot | | | UEP93 | 1PQWQ | 0.66 | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | 1PQWA | 0.66 | | | | | | | | | | | |
| | Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP93 | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | | |
| | New Centrex Standard Common Block | | | UEP93 | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | | |
| | New Centrex Customized Common Block | | | UEP93 | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP93 | URECA | | 68.57 | | | | | 30.89 | 7.03 | | | | |
| | Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | | |
| | Note 2 - Requires Interoffice Channel Mileage | | | | | | | | | | | | | | | | |
| | Note 3 - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | | |
| | NOTE: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions. | | | | | | | | | | | | | | | | |

**AMENDMENT
TO THE
AGREEMENT BETWEEN
ALCALL, INC. AND
BELLSOUTH TELECOMMUNICATIONS, INC.
DATED JANUARY 8, 2001**

Pursuant to this Amendment, (the "Amendment") ALCALL, Inc. ("ALCALL") and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties", hereby agree to amend that certain Interconnection Agreement between the Parties dated January 8, 2001 ("Agreement").

WHEREAS, BellSouth and ALCALL entered into the Agreement on January 8, 2001, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. Attachment 1, Resale, Section 6.7, is hereby deleted in its entirety and replaced with new Section 6.7, as set forth in Exhibit 1 attached hereto and incorporated herein by this reference.
2. Attachment 7, Billing and Billing Accuracy Certification, Section 1.8, Deposit Policy, is hereby deleted in its entirety and replaced with a new Section 1.8, Deposit Policy, as set forth in Exhibit 1 attached hereto and incorporated herein by this reference.
3. All of the other provisions of the Agreement, dated January 8, 2001, shall remain in full force and effect.
4. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives and shall be deemed effective the date of the last signature of both Parties.

BellSouth Telecommunications, Inc.

ALCALL, Inc.

By: Original Signed _____

By: Original Signed _____

Name: Gregory R. Follensbee

Name: Greg Davis

Title: Senior Director

Title: V.P.

Date: 6/17/02

Date: 6/17/02

Attachment 1 – Resale

- 6.7 ALCALL shall complete the BellSouth Credit Profile and provide information to BellSouth regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security. The fact that a security deposit has been made in no way relieves ALCALL from complying with BellSouth's regulations as to advance payments. Any such security deposit shall in no way release ALCALL from its obligation to make complete and timely payments of its bill. ALCALL shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in ALCALL's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event ALCALL fails to remit to BellSouth any deposit requested pursuant to this Section, service to ALCALL may be terminated, and any security deposits will be applied to ALCALL's account(s). In the event ALCALL defaults on its account, service to ALCALL will be terminated, and any security deposits will be applied to its account.

Attachment 7 - Billing and Billing Accuracy Certification

- 1.8 Deposit Policy. ALCALL shall complete the BellSouth Credit Profile and provide information to BellSouth regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security. Any such security deposit shall in no way release ALCALL from its obligation to make complete and timely payments of its bill. ALCALL shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in ALCALL's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event ALCALL fails to remit to BellSouth any deposit requested pursuant to this Section, service to ALCALL may be terminated, and any security deposits will be applied to ALCALL's account(s). In the event that ALCALL defaults on its account, service to ALCALL will be terminated, and any security deposits held will be applied to its account.

**AMENDMENT
TO THE
AGREEMENT BETWEEN
ALCALL, INC.
AND
BELLSOUTH TELECOMMUNICATIONS, INC.
EFFECTIVE JANUARY 8, 2001**

Pursuant to this Amendment, (the "Amendment") ALCall, Inc. ("ALCALL") and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties", hereby agree to amend that certain Interconnection Agreement with an effective date of January 8, 2001 ("Agreement").

WHEREAS, BellSouth and ALCALL entered into the Agreement with an effective date January 8, 2001, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. Attachment 3, Exhibit A, Rates, is hereby deleted in its entirety and replaced with a new Attachment 3, Exhibit A, Rates, as set forth in Exhibit 1 attached hereto and incorporated herein by this reference.
2. The following Section 6.3.1 is hereby incorporated into Attachment 3.
 - 6.3.1 **Percent Local Facility.** Each Party shall report to the other a Percent Local Facility ("PLF") factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
3. All of the other provisions of the Agreement, effective January 8, 2001, shall remain in full force and effect.
4. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Communications Act of 1934 as amended by the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives and shall be deemed effective thirty (30) calendar days following the date of the last signature of both Parties.

BellSouth Telecommunications, Inc.

By: Original Signed

Name: Elizabeth R. A. Shiroishi

Title: Assistant Director

Date: 8/9/02

ALCALL, Inc.

By: Original Signed

Name: Greg Davis

Title: V. P.

Date: 7/10/02

| LOCAL INTERCONNECTION - Alabama | | | | | | | | | | | | Attachment: 3 | | Exhibit: A | | |
|--|---|---|---------|------|------------|-----------|-----------|--------------|----------|-------------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATE GORY | NOTES | RATE ELEMENTS | Inter m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS RATES (\$) | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMECE | SOMAN | SOMAN | SOMAN | SOMAN |
| LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | | |
| | NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element under certain circumstances pursuant to the terms and conditions in Attachment 3. | | | | | | | | | | | | | | | |
| | NOTE: The Parties will report a Percent Local Facility ("PLF") factor to one another to represent the percentage of switched dedicated facilities utilized for local traffic | | | | | | | | | | | | | | | |
| | INTER-CARRIER COMPENSATION | | | | | | | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (1/8/01 - 3/31/01) | | | OHD | 0.002 | | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (4/1/01 - 3/31/02) | | | OHD | 0.00175 | | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (4/1/02 - 3/31/03) | | | OHD | .0015 | | | | | | | | | | |
| | COMPENSATION FOR TRANSIT AND MTA TRAFFIC | | | | | | | | | | | | | | | |
| | | Tandem Switching Function Per MOU | | | OHD | 0.0005692 | | | | | | | | | | |
| | | Multiple Tandem Switching, per MOU (applies to intial tandem only) | | | OHD | 0.0005692 | | | | | | | | | | |
| | | Tandem Intermediary Charge, per MOU* | | | OHD | 0.0015 | | | | | | | | | | |
| | * This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges. | | | | | | | | | | | | | | | |
| | TRUNK CHARGE | | | | | | | | | | | | | | | |
| | | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | | | 333.69bk | 56.91bk | | | | | | |
| | | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | 0.00 | | | | | | | | | |
| | | Dedicated End Office Trunk Port Service-per DS1** | | | 0H1 OH1MS | TDE1P | 0.00 | | | | | | | | | |
| | | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | |
| | | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | |
| | ** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements | | | | | | | | | | | | | | | |
| | COMMON TRANSPORT (Shared) | | | | | | | | | | | | | | | |
| | | Common Transport - Per Mile, Per MOU | | | OHD | 0.0000026 | | | | | | | | | | |
| | | Common Transport - Facilities Termination Per MOU | | | OHD | 0.0003685 | | | | | | | | | | |
| LOCAL INTERCONNECTION (TRANSPORT) | | | | | | | | | | | | | | | | |
| | INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | OHL, OHM | 1L5NF | 0.0101bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | OHL, OHM | 1L5NF | 24.15bk | 54.82bk | | 13.79bk | | | | | | |
| | INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | OHL, OHM | 1L5NK | 0.0101bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | 17.28bk | 54.82bk | | 13.79bk | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | OHL, OHM | 1L5NK | 0.0101bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | 17.28bk | 54.82bk | | 13.79bk | | | | | | |
| | INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1 | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | OH1, OH1MS | 1L5NL | 0.2067bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month | | | OH1, OH1MS | 1L5NL | 68.75bk | 163.61bk | | 28.88bk | | | | | | |
| | INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3 | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | OH3, OH3MS | 1L5NM | 4.67bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | OH3, OH3MS | 1L5NM | 804.02bk | 325.51bk | | 116.91bk | | | | | | |
| | LOCAL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | 15.96bk | 386.19bk | 66.33bk | 73.28bk | 6.39bk | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 17.06bk | 387.06bk | 67.20bk | 74.22bk | 7.33bk | | | | | |
| | | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 41.52bk | 354.94bk | 307.43bk | 44.38bk | 30.52bk | | | | | |
| | | Local Channel - Dedicated - DS3 Facility Termination per month | | | OH3 | TEFHJ | 476.04bk | 903.03bk | 527.87bk | 238.97bk | 167.16bk | | | | | |
| | LOCAL INTERCONNECTION MID-SPAN MEET | | | | | | | | | | | | | | | |
| | NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable. | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | |
| | | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | |

| LOCAL INTERCONNECTION - Alabama | | | | | | | | | | | | | Attachment: 3 | | Exhibit: A | |
|---------------------------------|-------|---|-------------|------|------------|-------|-----------|--------------|----------|-------------------------|---|---|--|--|---|---|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS RATES (\$) | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMECE | SOMAN | SOMAN | SOMAN | SOMAN |
| | | MULTIPLEXERS | | | | | | | | | | | | | | |
| | | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 122.50bk | 182.08bk | 125.14bk | 21.07bk | 19.58bk | | | | | |
| | | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 201.37bk | 356.28bk | 187.94bk | 66.51bk | 63.65bk | | | | | |
| | | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 15.39bk | 13.15bk | 9.43bk | | | | | | | |
| | | Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. | | | | | | | | | | | | | | |

| LOCAL INTERCONNECTION - Georgia | | | | | | | | | | | | Attachment: 3 | | Exhibit: A | | | |
|---|-------|---|------------|------|------------|-------|-----------|--------------|----------|-------------------------|---|---|--|--|---|---|-------|
| CATE GORY | NOTES | RATE ELEMENTS | Inter m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS RATES (\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | | | |
| NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element under certain circumstances pursuant to the terms and conditions in Attachment 3. | | | | | | | | | | | | | | | | | |
| NOTE: The Parties will report a Percent Local Facility ("PLF") factor to one another to represent the percentage of switched dedicated facilities utilized for local traffic. | | | | | | | | | | | | | | | | | |
| INTER-CARRIER COMPENSATION | | | | | | | | | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (1/8/01 - 3/31/01) | | | OHD | | | 0.002 | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (4/1/01 - 3/31/02) | | | OHD | | | 0.00175 | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (4/1/02 - 3/31/03) | | | OHD | | | .0015 | | | | | | | | | |
| COMPENSATION FOR TRANSIT AND MTA TRAFFIC | | | | | | | | | | | | | | | | | |
| | | Tandem Switching Function Per MOU | | | OHD | | | 0.0011009 | | | | | | | | | |
| | | Multiple Tandem Switching, per MOU (applies to initial tandem only) | | | OHD | | | 0.0011009 | | | | | | | | | |
| TRUNK CHARGE | | | | | | | | | | | | | | | | | |
| | | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | | | 333.28bk | 56.84bk | | | | | | | |
| | | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | | 0.00 | | | | | | | | | |
| | | Dedicated End Office Trunk Port Service-per DS1** | | | OH1 OH1MS | TDE1P | | 0.00 | | | | | | | | | |
| | | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | | 0.00 | | | | | | | | | |
| | | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | | 0.00 | | | | | | | | | |
| ** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements | | | | | | | | | | | | | | | | | |
| COMMON TRANSPORT (Shared) | | | | | | | | | | | | | | | | | |
| | | Common Transport - Per Mile, Per MOU | | | OHD | | | 0.000008 | | | | | | | | | |
| | | Common Transport - Facilities Termination Per MOU | | | OHD | | | 0.0004152 | | | | | | | | | |
| LOCAL INTERCONNECTION (TRANSPORT) | | | | | | | | | | | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | OHL, OHM | 1L5NF | | 0.0222bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | OHL, OHM | 1L5NF | | 17.07bk | 36.08bk | | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | OHL, OHM | 1L5NK | | 0.0222bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | | 16.45bk | 36.08bk | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | OHL, OHM | 1L5NK | | 0.0222bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | | 16.45bk | 36.08bk | | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1 | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | OH1, OH1MS | 1L5NL | | 0.4523bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month | | | OH1, OH1MS | 1L5NL | | 78.47bk | 111.75bk | | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3 | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | OH3, OH3MS | 1L5NM | | 2.72bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | OH3, OH3MS | 1L5NM | | 788.00bk | 330.77bk | | | | | | | | |
| LOCAL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | | 13.91bk | 382.95bk | 62.40bk | | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | | 14.99bk | 368.44bk | 64.05bk | | | | | | | |
| | | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | | 38.36bk | 356.15bk | 312.89bk | | | | | | | |
| | | Local Channel - Dedicated - DS3 Facility Termination per month | | | OH3 | TEFHJ | | 515.91bk | 639.50bk | 426.31bk | | | | | | | |
| LOCAL INTERCONNECTION MID-SPAN MEET | | | | | | | | | | | | | | | | | |
| NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable. | | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | | 0.00 | 0.00 | | | | | | | | |
| | | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | | 0.00 | 0.00 | | | | | | | | |
| MULTIPLEXERS | | | | | | | | | | | | | | | | | |
| | | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | | 126.22bk | 198.22bk | 123.59bk | | | | | | | |

| LOCAL INTERCONNECTION - Georgia | | | | | | | | | | | | | Attachment: 3 | | Exhibit: A | |
|---|-------|---|------------|------|------------|-------|-----------|--------------|----------|-------------------------|---|---|--|--|---|---|
| CATE GORY | NOTES | RATE ELEMENTS | Inter m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS RATES (\$) | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN |
| | | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 182.04bk | 280.66bk | 195.33bk | | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 11.02bk | 12.02bk | 8.66bk | | | | | | | |
| Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. | | | | | | | | | | | | | | | | |

| LOCAL INTERCONNECTION - Kentucky | | | | | | | | | | | | Attachment: 3 | | Exhibit: A | | | |
|--|---|---|---------|------|------------|-------|-----------|--------------|----------|-------------------------|---|---|--|--|---|---|--|
| CATE GORY | NOTES | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS RATES (\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | |
| LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | | | |
| | NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element under certain circumstances pursuant to the terms and conditions in Attachment 3. | | | | | | | | | | | | | | | | |
| | NOTE: The Parties will report a Percent Local Facility ("PLF") factor to one another to represent the percentage of switched dedicated facilities utilized for local traffic. | | | | | | | | | | | | | | | | |
| | INTER-CARRIER COMPENSATION | | | | | | | | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (1/8/01 - 3/31/01) | | | OHD | | 0.002 | | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (4/1/01 - 3/31/02) | | | OHD | | 0.00175 | | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (4/1/02 - 3/31/03) | | | OHD | | .0015 | | | | | | | | | | |
| | COMPENSATION FOR TRANSIT AND MTA TRAFFIC | | | | | | | | | | | | | | | | |
| | | Tandem Switching Function Per MOU | | | OHD | | 0.0006772 | | | | | | | | | | |
| | | Multiple Tandem Switching, per MOU (applies to initial tandem only) | | | OHD | | 0.0006772 | | | | | | | | | | |
| | | Tandem Intermediary Charge, per MOU* | | | OHD | | 0.001096 | | | | | | | | | | |
| | * This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges. | | | | | | | | | | | | | | | | |
| | TRUNK CHARGE | | | | | | | | | | | | | | | | |
| | | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | | 334.09bk | 57.12bk | | | | | | | | |
| | | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | 0.00 | | | | | | | | | | |
| | | Dedicated End Office Trunk Port Service-per DS1** | | | OH1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | | |
| | | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| | ** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements | | | | | | | | | | | | | | | | |
| | COMMON TRANSPORT (Shared) | | | | | | | | | | | | | | | | |
| | | Common Transport - Per Mile, Per MOU | | | OHD | | 0.000003 | | | | | | | | | | |
| | | Common Transport - Facilities Termination Per MOU | | | OHD | | 0.0007466 | | | | | | | | | | |
| LOCAL INTERCONNECTION (TRANSPORT) | | | | | | | | | | | | | | | | | |
| | INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | OHL, OHM | 1L5NF | 0.01bk | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | OHL, OHM | 1L5NF | 29.11bk | 47.34bk | | 22.77bk | | | | | | | |
| | INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | OHL, OHM | 1L5NK | 0.0115bk | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | 20.97bk | 47.35bk | | 22.77bk | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | OHL, OHM | 1L5NK | 0.0115bk | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | 20.97bk | 47.35bk | | 22.77bk | | | | | | | |
| | INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1 | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | OH1, OH1MS | 1L5NL | 0.23bk | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month | | | OH1, OH1MS | 1L5NL | 96.04bk | 105.52bk | | 23.09bk | | | | | | | |
| | INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3 | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | OH3, OH3MS | 1L5NM | 4.97bk | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | OH3, OH3MS | 1L5NM | 1175.15bk | 335.40bk | | 89.57bk | | | | | | | |
| | LOCAL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | 18.57bk | 265.78bk | 46.96bk | 46.79bk | 4.98bk | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 19.86bk | 266.48bk | 47.65bk | 47.54bk | 5.73bk | | | | | | |
| | | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 40.46bk | 209.60bk | 176.51bk | 30.21bk | 21.07bk | | | | | | |
| | | Local Channel - Dedicated - DS3 Facility Termination per month | | | OH3 | TEFHJ | 576.05bk | 551.38bk | 338.08bk | 173.00bk | 120.42bk | | | | | | |
| | LOCAL INTERCONNECTION MID-SPAN MEET | | | | | | | | | | | | | | | | |
| | NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable. | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | | |
| | MULTIPLEXERS | | | | | | | | | | | | | | | | |
| | | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 113.33bk | 101.40bk | 71.60bk | 13.79bk | 13.04bk | | | | | | |
| | | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 158.20bk | 199.23bk | 118.62bk | 50.16bk | 48.59bk | | | | | | |

| LOCAL INTERCONNECTION - Kentucky | | | | | | | | | | | | Attachment: 3 | | Exhibit: A | |
|----------------------------------|---|---|---------|------|------------|-------|-----------|--------------|--------|---|---|--|--|---|---|
| CATE GORY | NOTES | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS RATES (\$) | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOME | SOMAN | SOMAN | SOMAN |
| | | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 11.80bk | 10.07bk | 7.08bk | | | | | | |
| | Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. | | | | | | | | | | | | | | |

| LOCAL INTERCONNECTION - Louisiana | | | | | | | | | | | | Attachment: 3 | | Exhibit: A | | | |
|---|-------|---|------------|------|------------|-------|-----------|--------------|----------|-------------------------|---|---|--|--|---|---|-------|
| CATE GORY | NOTES | RATE ELEMENTS | Inter m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS RATES (\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | | | |
| NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element under certain circumstances pursuant to the terms and conditions in Attachment 3. | | | | | | | | | | | | | | | | | |
| NOTE: The Parties will report a Percent Local Facility ("PLF") factor to one another to represent the percentage of switched dedicated facilities utilized for local traffic. | | | | | | | | | | | | | | | | | |
| INTER-CARRIER COMPENSATION | | | | | | | | | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (1/8/01 - 3/31/01) | | | OHD | | | | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (4/1/01 - 3/31/02) | | | OHD | | | 0.00175 | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (4/1/02 - 3/31/03) | | | OHD | | | .0015 | | | | | | | | | |
| TANDEM SWITCHING | | | | | | | | | | | | | | | | | |
| | | Tandem Switching Function Per MOU | | | OHD | | | 0.0005507 | | | | | | | | | |
| | | Multiple Tandem Switching, per MOU (applies to intial tandem only) | | | OHD | | | 0.0005507 | | | | | | | | | |
| TRUNK CHARGE | | | | | | | | | | | | | | | | | |
| | | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | | | 334.94bk | 56.98bk | | | | | | | |
| | | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | | 0.00 | | | | | | | | | |
| | | Dedicated End Office Trunk Port Service-per DS1** | | | OH1 OH1MS | TDE1P | | 0.00 | | | | | | | | | |
| | | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | | 0.00 | | | | | | | | | |
| | | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | | 0.00 | | | | | | | | | |
| ** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements | | | | | | | | | | | | | | | | | |
| COMMON TRANSPORT (Shared) | | | | | | | | | | | | | | | | | |
| | | Common Transport - Per Mile, Per MOU | | | OHD | | | 0.0000032 | | | | | | | | | |
| | | Common Transport - Facilities Termination Per MOU | | | OHD | | | 0.0003748 | | | | | | | | | |
| LOCAL INTERCONNECTION (TRANSPORT) | | | | | | | | | | | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | OHL, OHM | 1L5NF | | 0.013bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | OHL, OHM | 1L5NF | | 22.60bk | 26.62bk | | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | OHL, OHM | 1L5NK | | 0.013bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | | 15.61bk | 26.62bk | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | OHL, OHM | 1L5NK | | 0.013bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | | 15.61bk | 26.62bk | | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1 | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | OH1, OH1MS | 1L5NL | | 0.2652bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month | | | OH1, OH1MS | 1L5NL | | 70.47bk | 79.44bk | | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3 | | | | | | | | | | | | | | | | | |
| | | z | | | OH3, OH3MS | 1L5NM | | 6.04bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | OH3, OH3MS | 1L5NM | | 850.45bk | 158.05bk | | | | | | | | |
| LOCAL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | | 18.32bk | 187.51bk | 32.21bk | | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | | 19.41bk | 187.94bk | 32.63bk | | | | | | | |
| | | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | | 39.18bk | 172.34bk | 149.27bk | | | | | | | |
| | | Local Channel - Dedicated - DS3 Facility Termination per month | | | OH3 | TEFHJ | | 469.44bk | 438.46bk | 256.30bk | | | | | | | |
| LOCAL INTERCONNECTION MID-SPAN MEET | | | | | | | | | | | | | | | | | |
| NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable. | | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | | 0.00 | 0.00 | | | | | | | | |
| | | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | | 0.00 | 0.00 | | | | | | | | |
| MULTIPLEXERS | | | | | | | | | | | | | | | | | |
| | | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | | 105.09bk | 88.41bk | 60.76bk | | | | | | | |

| LOCAL INTERCONNECTION - Louisiana | | | | | | | | | | | | | | Attachment: 3 | | Exhibit: A | |
|---|-------|---|------------|------|------------|-------|-----------|--------------|---------|-------------------------|---|---|--|--|---|---|--|
| CATE GORY | NOTES | RATE ELEMENTS | Inter m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS RATES (\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 201.48bk | 172.99bk | 91.25bk | | | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 11.78bk | 6.39bk | 4.58bk | | | | | | | | |
| Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. | | | | | | | | | | | | | | | | | |

| LOCAL INTERCONNECTION - Mississippi | | | | | | | | | | | | Attachment: 3 | | Exhibit: A | | | |
|---|-------|---|---------|------|------------|-------|-----------|--------------|----------|-------------------------|----------------------------------|--------------------------------------|---|---|--|--|-------|
| CATE GORY | NOTES | RATE ELEMENTS | Inter m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS RATES (\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | | | |
| NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element under certain circumstances pursuant to the terms and conditions in Attachment 3. | | | | | | | | | | | | | | | | | |
| NOTE: The Parties will report a Percent Local Facility ("PLF") factor to one another to represent the percentage of switched dedicated facilities utilized for local traffic. | | | | | | | | | | | | | | | | | |
| INTER-CARRIER COMPENSATION | | | | | | | | | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (1/8/01 - 3/31/01) | | | OHD | | | 0.002 | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (4/1/01 - 3/31/02) | | | OHD | | | 0.00175 | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (4/1/02 - 3/31/03) | | | OHD | | | .0015 | | | | | | | | | |
| COMPENSATION FOR TRANSIT AND MTA TRAFFIC | | | | | | | | | | | | | | | | | |
| | | Tandem Switching Function Per MOU | | | OHD | | | 0.0005379 | | | | | | | | | |
| | | Multiple Tandem Switching, per MOU (applies to intial tandem only) | | | OHD | | | 0.0005379 | | | | | | | | | |
| TRUNK CHARGE | | | | | | | | | | | | | | | | | |
| | | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | | | 334.11bk | 56.98bk | | | | | | | |
| | | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | | 0.00 | | | | | | | | | |
| | | Dedicated End Office Trunk Port Service-per DS1** | | | OH1 OH1MS | TDE1P | | 0.00 | | | | | | | | | |
| | | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | | 0.00 | | | | | | | | | |
| | | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | | 0.00 | | | | | | | | | |
| ** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements | | | | | | | | | | | | | | | | | |
| COMMON TRANSPORT (Shared) | | | | | | | | | | | | | | | | | |
| | | Common Transport - Per Mile, Per MOU | | | OHD | | | 0.0000026 | | | | | | | | | |
| | | Common Transport - Facilities Termination Per MOU | | | OHD | | | 0.0004541 | | | | | | | | | |
| LOCAL INTERCONNECTION (TRANSPORT) | | | | | | | | | | | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | OHL, OHM | 1L5NF | | 0.0098bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | OHL, OHM | 1L5NF | | 22.52bk | 27.57bk | | 7.11bk | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | OHL, OHM | 1L5NK | | 0.0098bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | | 15.68bk | 27.57bk | | 7.11bk | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | OHL, OHM | 1L5NK | | 0.0098bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | | 15.68bk | 27.57bk | | 7.11bk | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1 | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | OH1, OH1MS | 1L5NL | | 0.201bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month | | | OH1, OH1MS | 1L5NL | | 57.33bk | 82.28bk | | 14.90bk | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3 | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | OH3, OH3MS | 1L5NM | | 4.76bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | OH3, OH3MS | 1L5NM | | 641.90bk | 163.70bk | | 60.29bk | | | | | | |
| LOCAL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | | 14.91bk | 194.22bk | 33.36bk | 37.79bk | | 3.30bk | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | | 15.99bk | 194.66bk | 33.80bk | 38.27bk | | 3.78bk | | | | |
| | | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | | 36.83bk | 178.50bk | 154.61bk | 22.89bk | | 15.74bk | | | | |
| | | Local Channel - Dedicated - DS3 Facility Termination per month | | | OH3 | TEFHJ | | 413.87bk | 454.13bk | 264.47bk | 123.23bk | | 86.19bk | | | | |
| LOCAL INTERCONNECTION MID-SPAN MEET | | | | | | | | | | | | | | | | | |
| NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable. | | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | | 0.00 | | 0.00 | | | | | | | |
| | | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | | 0.00 | | 0.00 | | | | | | | |
| MULTIPLEXERS | | | | | | | | | | | | | | | | | |
| | | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | | 102.85bk | 91.57bk | 62.94bk | 10.87bk | | 10.10bk | | | | |

| LOCAL INTERCONNECTION - Mississippi | | | | | | | | | | | | | Attachment: 3 | | Exhibit: A | |
|---|-------|---|------------|------|------------|-------|-----------|--------------|---------|-------------------------|---|---|--|--|---|---|
| CATE GORY | NOTES | RATE ELEMENTS | Inter m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS RATES (\$) | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN |
| | | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 170.63bk | 179.17bk | 94.52bk | 34.30bk | 32.82bk | | | | | |
| | | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 12.96bk | 6.62bk | 4.74bk | | | | | | | |
| Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. | | | | | | | | | | | | | | | | |

| LOCAL INTERCONNECTION - North Carolina | | | | | | | | | | | | Attachment: 3 | | Exhibit: A | | |
|---|-------|---|------------|------|------------|-------|-----------|--------------|----------|-------------------------|---|---|--|--|---|---|
| CATE GORY | NOTES | RATE ELEMENTS | Inter m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS RATES (\$) | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMECS | SOMAN | SOMAN | SOMAN | SOMAN |
| LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | | |
| NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element under certain circumstances pursuant to the terms and conditions in Attachment 3. | | | | | | | | | | | | | | | | |
| NOTE: The Parties will report a Percent Local Facility ("PLF") factor to one another to represent the percentage of switched dedicated facilities utilized for local traffic. | | | | | | | | | | | | | | | | |
| INTER-CARRIER COMPENSATION | | | | | | | | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (1/8/01 - 3/31/01) | | | OHD | | 0.002 | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (4/1/01 - 3/31/02) | | | OHD | | 0.00175 | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (4/1/02 - 3/31/03) | | | OHD | | .0015 | | | | | | | | | |
| COMPENSATION FOR TRANSIT AND MTA TRAFFIC | | | | | | | | | | | | | | | | |
| | | Tandem Switching Function Per MOU | | | OHD | | 0.0012 | | | | | | | | | |
| | | Multiple Tandem Switching, per MOU (applies to intial tandem only) | | | OHD | | 0.0012 | | | | | | | | | |
| TRUNK CHARGE | | | | | | | | | | | | | | | | |
| | | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | | 333.54bk | 56.88bk | | | | | | | |
| | | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | 0.00 | | | | | | | | | |
| | | Dedicated End Office Trunk Port Service-per DS1** | | | OH1 OH1MS | TDE1P | 0.00 | | | | | | | | | |
| | | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | |
| | | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | |
| ** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements | | | | | | | | | | | | | | | | |
| COMMON TRANSPORT (Shared) | | | | | | | | | | | | | | | | |
| | | Common Transport - Per Mile, Per MOU | | | OHD | | 0.00001 | | | | | | | | | |
| | | Common Transport - Facilities Termination Per MOU | | | OHD | | 0.00034 | | | | | | | | | |
| LOCAL INTERCONNECTION (TRANSPORT) | | | | | | | | | | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | OHL, OHM | 1L5NF | 0.0282bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | OHL, OHM | 1L5NF | 18.00bk | 52.58bk | | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | OHL, OHM | 1L5NK | 0.0282bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | 17.40bk | 52.58bk | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | OHL, OHM | 1L5NK | 0.0282bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | 17.40bk | 52.58bk | | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1 | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | OH1, OH1MS | 1L5NL | 0.5753bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month | | | OH1, OH1MS | 1L5NL | 71.29bk | 163.75bk | | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3 | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | OH3, OH3MS | 1L5NM | 12.98bk | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | OH3, OH3MS | 1L5NM | 720.38bk | 579.55bk | | | | | | | | |
| LOCAL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | 14.82bk | 553.80bk | 89.69bk | | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 15.87bk | 562.23bk | 92.67bk | | | | | | | |
| | | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 35.68bk | 534.48bk | 462.69bk | | | | | | | |
| | | Local Channel - Dedicated - DS3 Facility Termination per month | | | OH3 | TEFHJ | 498.87bk | 562.25bk | 527.88bk | | | | | | | |
| LOCAL INTERCONNECTION MID-SPAN MEET | | | | | | | | | | | | | | | | |
| NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable. | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | |
| | | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | |
| MULTIPLEXERS | | | | | | | | | | | | | | | | |

| LOCAL INTERCONNECTION - North Carolina | | | | | | | | | | | | | Attachment: 3 | | Exhibit: A | | |
|---|-------|--|-------------|------|------------|-------|-----------|--------------|----------|-------------------------|---|---|--|--|---|---|--|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS RATES (\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 146.69bk | 197.78bk | 140.06bk | | | | | | | | |
| | | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 233.10bk | 403.97bk | 234.40bk | | | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 16.07bk | 13.09bk | 9.38bk | | | | | | | | |
| Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. | | | | | | | | | | | | | | | | | |

| LOCAL INTERCONNECTION - South Carolina | | | | | | | | | | Attachment: 3 | | Exhibit: A | | | | | |
|---|---|---|---------|------|------------|-----------|-----------|--------------|----------|-------------------------|---|---|--|--|---|---|-------|
| CATE GORY | NOTES | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS RATES (\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | | | |
| | NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element under certain circumstances pursuant to the terms and conditions in Attachment 3. | | | | | | | | | | | | | | | | |
| | NOTE: The Parties will report a Percent Local Facility ("PLF") factor to one another to represent the percentage of switched dedicated facilities utilized for local traffic | | | | | | | | | | | | | | | | |
| | INTER-CARRIER COMPENSATION | | | | | | | | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (1/8/01 - 3/31/01) | | | OHD | 0.002 | | | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (4/1/01 - 3/31/02) | | | OHD | 0.00175 | | | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (4/1/02 - 3/31/03) | | | OHD | .0015 | | | | | | | | | | | |
| | COMPENSATION FOR TRANSIT AND MTA TRAFFIC | | | | | | | | | | | | | | | | |
| | | Tandem Switching Function Per MOU | | | OHD | 0.000736 | | | | | | | | | | | |
| | | Multiple Tandem Switching, per MOU (applies to initial tandem only) | | | OHD | 0.000736 | | | | | | | | | | | |
| | TRUNK CHARGE | | | | | | | | | | | | | | | | |
| | | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | | 335.14bk | 57.16bk | | | | | | | | |
| | | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | 0.00 | | | | | | | | | | |
| | | Dedicated End Office Trunk Port Service-per DS1** | | | OH1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | | |
| | | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| | ** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements | | | | | | | | | | | | | | | | |
| | COMMON TRANSPORT (Shared) | | | | | | | | | | | | | | | | |
| | | Common Transport - Per Mile, Per MOU | | | OHD | 0.0000045 | | | | | | | | | | | |
| | | Common Transport - Facilities Termination Per MOU | | | OHD | 0.0004095 | | | | | | | | | | | |
| LOCAL INTERCONNECTION (TRANSPORT) | | | | | | | | | | | | | | | | | |
| | INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | OHL, OHM | 1L5NF | 0.0167bk | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | OHL, OHM | 1L5NF | 24.30bk | 40.63bk | | 16.77bk | | | | | | | |
| | INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | OHL, OHM | 1L5NK | 0.0167bk | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | 16.76bk | 40.63bk | | 16.77bk | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | OHL, OHM | 1L5NK | 0.0167bk | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | 16.76bk | 40.63bk | | 16.77bk | | | | | | | |
| | INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1 | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | OH1, OH1MS | 1L5NL | 0.3415bk | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month | | | OH1, OH1MS | 1L5NL | 77.14bk | 89.47bk | | 16.39bk | | | | | | | |
| | INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3 | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | OH3, OH3MS | 1L5NM | 8.02bk | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | OH3, OH3MS | 1L5NM | 880.65bk | 279.37bk | | 60.33bk | | | | | | | |
| | LOCAL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | 15.33bk | 193.53bk | 33.24bk | 36.72bk | 3.21bk | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 16.54bk | 193.97bk | 33.68bk | 37.19bk | 3.68bk | | | | | | |
| | | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 42.62bk | 177.87bk | 154.06bk | 22.24bk | 15.30bk | | | | | | |
| | | Local Channel - Dedicated - DS3 Facility Termination per month | | | OH3 | TEFHJ | 446.00bk | 452.52bk | 264.53bk | 119.75bk | 83.77bk | | | | | | |
| | LOCAL INTERCONNECTION MID-SPAN MEET | | | | | | | | | | | | | | | | |
| | NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable. | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | | |
| | MULTIPLEXERS | | | | | | | | | | | | | | | | |
| | | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 107.57bk | 91.24bk | 62.71bk | 10.56bk | 9.81bk | | | | | | |
| | | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 144.02bk | 178.54bk | 94.18bk | 33.33bk | 31.90bk | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 8.64bk | 6.59bk | 4.73bk | | | | | | | | |
| Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. | | | | | | | | | | | | | | | | | |

| LOCAL INTERCONNECTION - Tennessee | | | | | | | | | | | | Attachment: 3 | | Exhibit: A | | | |
|---|-------|---|---------|------|------------|-------|-----------|-----------------------|----------|----------------------------------|---|---|--|--|---|---|--|
| CATE GORY | NOTES | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring Disconnect First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | | | | | | | | | | | | | | | | |
| LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | | | |
| NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element under certain circumstances pursuant to the terms and conditions in Attachment 3. | | | | | | | | | | | | | | | | | |
| NOTE: The Parties will report a Percent Local Facility ("PLF") factor to one another to represent the percentage of switched dedicated facilities utilized for local traffic. | | | | | | | | | | | | | | | | | |
| INTER-CARRIER COMPENSATION | | | | | | | | | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (1/8/01 - 3/31/01) | | | OHD | | 0.002 | | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (4/1/01 - 3/31/02) | | | OHD | | 0.00175 | | | | | | | | | | |
| | | Single Rate for Local and ISP-bound Traffic (4/1/02 - 3/31/03) | | | OHD | | .0015 | | | | | | | | | | |
| COMPENSATION FOR TRANSIT AND MTA TRAFFIC | | | | | | | | | | | | | | | | | |
| | | Tandem Switching Function Per MOU | | | OHD | | 0.0009778 | | | | | | | | | | |
| | | Multiple Tandem Switching, per MOU (applies to initial tandem only) | | | OHD | | 0.0009778 | | | | | | | | | | |
| TRUNK CHARGE | | | | | | | | | | | | | | | | | |
| | | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | | 334.29bk | 57.01bk | | | | | | | | |
| | | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | 0.00 | | | | | | | | | | |
| | | Dedicated End Office Trunk Port Service-per DS1** | | | OH1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | | |
| | | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| ** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements | | | | | | | | | | | | | | | | | |
| COMMON TRANSPORT (Shared) | | | | | | | | | | | | | | | | | |
| | | Common Transport - Per Mile, Per MOU | | | OHD | | 0.0000064 | | | | | | | | | | |
| | | Common Transport - Facilities Termination Per MOU | | | OHD | | 0.0003871 | | | | | | | | | | |
| LOCAL INTERCONNECTION (TRANSPORT) | | | | | | | | | | | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | OHL, OHM | 1L5NF | 0.0174bk | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | OHL, OHM | 1L5NF | 18.58bk | 17.37bk | | 3.51bk | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | OHL, OHM | 1L5NK | 0.0174bk | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | 17.98bk | 17.37bk | | 3.51bk | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | OHL, OHM | 1L5NK | 0.0174bk | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | 17.98bk | 17.37bk | | 3.51bk | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1 | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | OH1, OH1MS | 1L5NL | 0.3562bk | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month | | | OH1, OH1MS | 1L5NL | 77.86bk | 76.27bk | | 14.99bk | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3 | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | OH3, OH3MS | 1L5NM | 2.34bk | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | OH3, OH3MS | 1L5NM | 848.99bk | 176.56bk | | 105.91bk | | | | | | | |
| LOCAL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | 19.43bk | 199.33bk | 24.16bk | 54.81bk | 4.80bk | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 20.56bk | 201.53bk | 24.83bk | 55.52bk | 5.51bk | | | | | | |
| | | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 40.99bk | 277.35bk | 233.26bk | 33.18bk | 22.30bk | | | | | | |
| | | Local Channel - Dedicated - DS3 Facility Termination per month | | | OH3 | TEFHJ | 611.30bk | 595.37bk | 304.50bk | 215.82bk | 151.15bk | | | | | | |
| LOCAL INTERCONNECTION MID-SPAN MEET | | | | | | | | | | | | | | | | | |
| NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable. | | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | | |
| MULTIPLEXERS | | | | | | | | | | | | | | | | | |
| | | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 80.77bk | 141.87bk | 77.11bk | 44.47bk | 42.62bk | | | | | | |
| | | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 222.98bk | 308.03bk | 108.47bk | 6.34bk | 4.23bk | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 17.58bk | 6.07bk | 4.66bk | | | | | | | | |
| Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. | | | | | | | | | | | | | | | | | |

EXHIBIT 1

**AMENDMENT
TO THE
AGREEMENT BETWEEN
AL-CALL, INC.
AND
BELL SOUTH TELECOMMUNICATIONS, INC.
EFFECTIVE JANUARY 8, 2001**

Pursuant to this Amendment, (the "Amendment"), AL-CALL, Inc. ("AL-CALL") and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties", hereby agree to amend that certain Interconnection Agreement ("Agreement").

WHEREAS, BellSouth and AL-CALL entered into the Agreement with an effective date January 8, 2001, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. The Parties hereby mutually agree to amend Attachment 3, Exhibit A, Rates to include those rates set forth in Exhibit 1, which is attached hereto and incorporated herein by this reference.
2. All of the other provisions of the Agreement, effective January 8, 2001, shall remain in full force and effect.
3. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Communications Act of 1934 as amended by the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives and shall be deemed effective thirty (30) calendar days following the date of the last signature of both Parties.

BellSouth Telecommunications, Inc.

AL-CALL, Inc.

By: Original Signed

By: Original Signed

Name: Patrick C. Finlen

Name: Greg Davis

Title: Assistant Director

Title: V. P.

Date: 11/22/02

Date: 11/20/02

EXHIBIT 1

| LOCAL INTERCONNECTION - Alabama | | | | | | | | | | Attachment: 3 | | | | Exhibit: A | | |
|-----------------------------------|--|---------------|------------|------|-----|------|-----------|--------------|-------|-------------------------|---|---|--|--|---|---|
| CATE GORY | NOTES | RATE ELEMENTS | Inter m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS RATES (\$) | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| LOCAL INTERCONNECTION (TRANSPORT) | | | | | | | | | | | | | | | | |
| | NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element under certain circumstances pursuant to the terms and conditions in Attachment 3. | | | | | | | | | | | | | | | |
| | NOTE: The Parties will report a Percent Local Facility ("PLF") factor to one another to represent the percentage of switched dedicated facilities utilized for local traffic. | | | | | | | | | | | | | | | |
| | MULTIPLEXERS | | | | | | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | SATN2 | | | | | | | | | | | | | | | |
| | 0.00bk | | | | | | | | | | | | | | | |
| | 0.00bk | | | | | | | | | | | | | | | |
| | 0.00bk | | | | | | | | | | | | | | | |
| | Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. | | | | | | | | | | | | | | | |
| | Notes: A zero rate shown with a "bk" beside it does not indicate that such rate would be zero in the absence of the "bill and keep" arrangement set forth in the terms and conditions of Attachment 3. | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| LOCAL INTERCONNECTION - Florida | | | | | | | | | | | Attachment: 3 | | Exhibit: A | | | |
|-----------------------------------|--|---------------|------------|------|-----|-------|-----------|--------------|--------|-------------------------|---|---|--|--|---|---|
| CATE GORY | NOTES | RATE ELEMENTS | Inter m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS RATES (\$) | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOME | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| LOCAL INTERCONNECTION (TRANSPORT) | | | | | | | | | | | | | | | | |
| | NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element under certain circumstances pursuant to the terms and conditions in Attachment 3. | | | | | | | | | | | | | | | |
| | NOTE: The Parties will report a Percent Local Facility ("PLF") factor to one another to represent the percentage of switched dedicated facilities utilized for local traffic. | | | | | | | | | | | | | | | |
| | MULTIPLEXERS | | | | | | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | | | | | | SATN2 | 0.00bk | 0.00bk | 0.00bk | | | | | | | |
| | Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. | | | | | | | | | | | | | | | |
| | Notes: A zero rate shown with a "bk" beside it does not indicate that such rate would be zero in the absence of the "bill and keep" arrangement set forth in the terms and conditions of Attachment 3. | | | | | | | | | | | | | | | |

| LOCAL INTERCONNECTION - Georgia | | | | | | | | | | | Attachment: 3 | | | | Exhibit: A | |
|-----------------------------------|--|---------------|------------|------|-----|-------|-----------|--------------|--------|-------------------------|---|---|--|--|---|---|
| CATE GORY | NOTES | RATE ELEMENTS | Inter m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS RATES (\$) | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| LOCAL INTERCONNECTION (TRANSPORT) | | | | | | | | | | | | | | | | |
| | NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element under certain circumstances pursuant to the terms and conditions in Attachment 3. | | | | | | | | | | | | | | | |
| | NOTE: The Parties will report a Percent Local Facility ("PLF") factor to one another to represent the percentage of switched dedicated facilities utilized for local traffic. | | | | | | | | | | | | | | | |
| | MULTIPLEXERS | | | | | | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | | | | | | SATN2 | | 0.00bk | 0.00bk | 0.00bk | | | | | | |
| | Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. | | | | | | | | | | | | | | | |
| | Notes: A zero rate shown with a "bk" beside it does not indicate that such rate would be zero in the absence of the "bill and keep" arrangement set forth in the terms and conditions of Attachment 3. | | | | | | | | | | | | | | | |

| LOCAL INTERCONNECTION - Kentucky | | | | | | | | | | Attachment: 3 | | | | Exhibit: A | | |
|-----------------------------------|--|---------------|------------|------|-----|-------|-----------|--------------|--------|-------------------------|---|---|--|--|---|---|
| CATE GORY | NOTES | RATE ELEMENTS | Inter m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS RATES (\$) | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| LOCAL INTERCONNECTION (TRANSPORT) | | | | | | | | | | | | | | | | |
| | NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element under certain circumstances pursuant to the terms and conditions in Attachment 3. | | | | | | | | | | | | | | | |
| | NOTE: The Parties will report a Percent Local Facility ("PLF") factor to one another to represent the percentage of switched dedicated facilities utilized for local traffic. | | | | | | | | | | | | | | | |
| | MULTIPLEXERS | | | | | | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | | | | | | SATN2 | | 0.00bk | 0.00bk | 0.00bk | | | | | | |
| | Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. | | | | | | | | | | | | | | | |
| | Notes: A zero rate shown with a "bk" beside it does not indicate that such rate would be zero in the absence of the "bill and keep" arrangement set forth in the terms and conditions of Attachment 3. | | | | | | | | | | | | | | | |

| LOCAL INTERCONNECTION - Louisiana | | | | | | | | | | | Attachment: 3 | | | | Exhibit: A | |
|-----------------------------------|--|---------------|------------|------|-------|------|-----------|--------------|--------|-------------------------|---|---|--|--|---|---|
| CATE GORY | NOTES | RATE ELEMENTS | Inter m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMECS | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| LOCAL INTERCONNECTION (TRANSPORT) | | | | | | | | | | | | | | | | |
| | NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element under certain circumstances pursuant to the terms and conditions in Attachment 3. | | | | | | | | | | | | | | | |
| | NOTE: The Parties will report a Percent Local Facility ("PLF") factor to one another to represent the percentage of switched dedicated facilities utilized for local traffic. | | | | | | | | | | | | | | | |
| | MULTIPLEXERS | | | | | | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | | | | | SATN2 | | 0.00bk | | 0.00bk | | 0.00bk | | | | | |
| | Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. | | | | | | | | | | | | | | | |
| | Notes: A zero rate shown with a "bk" beside it does not indicate that such rate would be zero in the absence of the "bill and keep" arrangement set forth in the terms and conditions of Attachment 3. | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| LOCAL INTERCONNECTION - Mississippi | | | | | | | | | | | | | Attachment: 3 | | Exhibit: A | |
|-------------------------------------|--|---------------|------------|------|-----|-------|-----------|--------------|--------|-------------------------|---|---|--|--|---|---|
| CATE GORY | NOTES | RATE ELEMENTS | Inter m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS RATES (\$) | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| LOCAL INTERCONNECTION (TRANSPORT) | | | | | | | | | | | | | | | | |
| | NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element under certain circumstances pursuant to the terms and conditions in Attachment 3. | | | | | | | | | | | | | | | |
| | NOTE: The Parties will report a Percent Local Facility ("PLF") factor to one another to represent the percentage of switched dedicated facilities utilized for local traffic. | | | | | | | | | | | | | | | |
| | MULTIPLEXERS | | | | | | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | | | | | | SATN2 | 0.00bk | 0.00bk | 0.00bk | | | | | | | |
| | Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. | | | | | | | | | | | | | | | |
| | Notes: A zero rate shown with a "bk" beside it does not indicate that such rate would be zero in the absence of the "bill and keep" arrangement set forth in the terms and conditions of Attachment 3. | | | | | | | | | | | | | | | |

| LOCAL INTERCONNECTION - North Carolina | | | | | | | | | | | | Attachment: 3 | | Exhibit: A | | | |
|--|--|---------------|-------------|------|-----|-------|-----------|--------------|-------|-------------------------|---|---|--|--|---|---|-------|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS RATES (\$) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMECS | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| LOCAL INTERCONNECTION (TRANSPORT) | | | | | | | | | | | | | | | | | |
| | NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element under certain circumstances pursuant to the terms and conditions in Attachment 3. | | | | | | | | | | | | | | | | |
| | NOTE: The Parties will report a Percent Local Facility ("PLF") factor to one another to represent the percentage of switched dedicated facilities utilized for local traffic. | | | | | | | | | | | | | | | | |
| | MULTIPLEXERS | | | | | | | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | | | | | | | | | | | | | | |
| | | | | | | SATN2 | | 0.00bk | | 0.00bk | | 0.00bk | | | | | |
| | Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. | | | | | | | | | | | | | | | | |
| | Notes: A zero rate shown with a "bk" beside it does not indicate that such rate would be zero in the absence of the "bill and keep" arrangement set forth in the terms and conditions of Attachment 3. | | | | | | | | | | | | | | | | |

| LOCAL INTERCONNECTION - South Carolina | | | | | | | | | | | Attachment: 3 | | Exhibit: A | | | |
|--|--|---------------|-------------|------|-----|-------|-----------|--------------|--------|-------------------------|---|---|--|--|---|---|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS RATES (\$) | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| LOCAL INTERCONNECTION (TRANSPORT) | | | | | | | | | | | | | | | | |
| | NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element under certain circumstances pursuant to the terms and conditions in Attachment 3. | | | | | | | | | | | | | | | |
| | NOTE: The Parties will report a Percent Local Facility ("PLF") factor to one another to represent the percentage of switched dedicated facilities utilized for local traffic. | | | | | | | | | | | | | | | |
| | MULTIPLEXERS | | | | | | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | | | | | | SATN2 | 0.00bk | 0.00bk | 0.00bk | | | | | | | |
| | Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. | | | | | | | | | | | | | | | |
| | Notes: A zero rate shown with a "bk" beside it does not indicate that such rate would be zero in the absence of the "bill and keep" arrangement set forth in the terms and conditions of Attachment 3. | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| LOCAL INTERCONNECTION - Tennessee | | | | | | | | | | | Attachment: 3 | | Exhibit: A | | | |
|-----------------------------------|--|---------------|------------|------|-----|------|-----------|-----------------------|-------|----------------------------------|---|---|--|--|---|---|
| CATE GORY | NOTES | RATE ELEMENTS | Inter m | Zone | BCS | USOC | RATES(\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring Disconnect First | Add'l | OSS RATES (\$) | | | | |
| | | | | | | | | | | | | SOME C | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| LOCAL INTERCONNECTION (TRANSPORT) | | | | | | | | | | | | | | | | |
| | NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element under certain circumstances pursuant to the terms and conditions in Attachment 3. | | | | | | | | | | | | | | | |
| | NOTE: The Parties will report a Percent Local Facility ("PLF") factor to one another to represent the percentage of switched dedicated facilities utilized for local traffic. | | | | | | | | | | | | | | | |
| | MULTIPLEXERS | | | | | | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | SATN2 | | | | | | | | | | | | | | | |
| | 0.00bk | | | | | | | | | | | | | | | |
| | 0.00bk | | | | | | | | | | | | | | | |
| | 0.00bk | | | | | | | | | | | | | | | |
| | Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. | | | | | | | | | | | | | | | |
| | Notes: A zero rate shown with a "bk" beside it does not indicate that such rate would be zero in the absence of the "bill and keep" arrangement set forth in the terms and conditions of Attachment 3. | | | | | | | | | | | | | | | |