Amendment to the Interconnection Agreement Between BellSouth Telecommunications, Inc. and Reed Communications, Inc.

This agreement (the "Amendment") is made and entered into between BellSouth Telecommunications, Inc. (BellSouth), a Georgia corporation, and Reed Communications, Inc. (Reed), a Georgia corporation and may refer to either BellSouth or Reed or both as a "Party" or "Parties". This Amendment will be effective thirty (30) days from the date of last signature executing the Amendment.

WHEREAS, BellSouth and Reed entered into the Agreement on December 12, 2002, and;

WHEREAS, the Parties desire to amend the Agreement in order to modify provisions pursuant to the United States Court of Appeals for the District of Columbia Circuit's mandate, effective June 16, 2004, in the appeal of the Federal Communications Commission's (FCC) Order on Remand and Further Notice of proposed Rulemaking (Triennial Order) that was effective on October 2, 2003;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. Delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- 2. All of the other provisions of the Agreement, dated December 12, 2002, shall remain in full force and effect.
- 3. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.	Reed Communications, Inc.			
By: Kinh 9th	By: Americus Reed			
Name: Kristen Rowe	Name: ARad			
Title: Director	Title: (e O			
Date: 4//3/04/	Date: 7/4/64			

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	INTRODUCTION	
•		
2	UNBUNDLED LOOPS	5
•	A DATE OVER DATE OF	•
3	LINE SHARING	23
4	UNBUNDLED NETWORK ELEMENT COMBINATIONS	28
_		
5.	TRANSPORT	30
6.	SS7 NETWORK INTERCONNECTION	31
7	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DM	(a) 22
1.		
8.	OPERATIONAL SUPPORT SYSTEMS	33
Da	T _{vv}	hibit A
Ra	ites Ex	mont A

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 <u>Introduction</u>

- 1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements that BellSouth agrees to offer to Reed in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Reed (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require Reed to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 Reed may not access a Network Element for the sole purpose of providing nonqualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Reed, and to the extent technically feasible, provide to Reed access to its Network Elements for the provision of Reed's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Reed may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element, or combination of elements that is available to Reed under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Reed and BellSouth.
- 1.6.1 Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.

- 1.7 Reed may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(8) and (e)(5). If BellSouth has anticipated such RNMs and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A of this Attachment, then BellSouth shall perform such RNMs at no additional charge. RNMs shall be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 to the extent such RNMs were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A of this Attachment, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from Reed, BellSouth shall perform the RNM.
- 1.9 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

1.10 <u>Commingling of Services</u>

- 1.10.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications services or facilities that Reed has obtained at wholesale from BellSouth, or the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.
- 1.10.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.10.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.10.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same jurisdictional authorization (agreement or tariff) as the higher bandwidth circuit and the Central Office Channel Interfaces

(COCI) will be billed from the same jurisdictional authorization (agreement or tariff) as the lower bandwidth circuit.

- 1.11 If Reed reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge Reed for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.
- 1.12 Rates
- 1.12.1 The prices that Reed shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If Reed purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.12.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.12.3 If Reed modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Reed in accordance with FCC No. 1 Tariff, Section 5.
- 1.12.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

2 Unbundled Loops

2.1 General

2.1.1 The local loop Network Element (Loop) is defined as a narrowband transmission facility (i.e., below the DS1 level) between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises. Reed shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.

- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Reed on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Reed. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- 2.1.1.5 A hybrid loop is a local Loop, below the DS1 level, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide Reed with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid loop on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.
- 2.1.1.6 Reed may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2.1.2 The provisioning of a Loop to Reed's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

- 2.1.4 The Loop shall be provided to Reed in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Reed wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), Reed may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Reed (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Reed for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.6 <u>Loop Testing/Trouble Reporting</u>

- 2.1.6.1 Reed will be responsible for testing and isolating troubles on the Loops. Reed must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Reed will be required to provide the results of the Reed test which indicate a problem on the BellSouth provided Loop.
- Once Reed has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If Reed reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge Reed for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.
- 2.1.6.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Reed (e.g., incomplete

address, incorrect contact name/number, etc.), BellSouth will bill Reed for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.7 Order Coordination and Order Coordination-Time Specific

- 2.1.7.1 "Order Coordination" (OC) allows BellSouth and Reed to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Reed's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.7.2 "Order Coordination – Time Specific" (OC-TS) allows Reed to order a specific time for OC to take place. BellSouth will make every effort to accommodate Reed's specific conversion time request. However, BellSouth reserves the right to negotiate with Reed a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Reed may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Reed specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information	Charged for Dispatch inside and outside Central Office

Post Vacatur Version: 06/30/2004

				Document	T ugo y
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	accordance with Section 2	Not available	Included		outside Central C

2.1.8 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Reed when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in Reed's Interconnection Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to Reed pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

2.1.9 **Bulk Migration**

2.1.9.1 If Reed requests to migrate twenty-five (25) or more port/loop combination customers to Loops (UNE-L) in the same Central Office on the same due date, Reed must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package. This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration

of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

2.1.10 **Ordering Guidelines and Processes**

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, Reed should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is: http://www.interconnection.bellsouth.com/
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html

2.2 Unbundled Voice Loops (UVLs)

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Reed will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Reed. Reed may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Reed may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Reed. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Reed to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 <u>Unbundled Digital Loops</u>

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Reed will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Agreement, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UDCs that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired

according to BellSouth's TR73600 until such time as they are disconnected by Reed or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. Reed may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.

- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.

2.4 <u>Unbundled Copper Loops (UCL)</u>

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 Unbundled Copper Loop – Designed (UCL-D)

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Reed.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Reed to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will

include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.

2.4.2.5 Upon the Effective Date of this Agreement, Unbundled Copper Loop – Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by Reed or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

- 2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Reed can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Reed may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Reed to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.

- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Reed may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by Reed which has over 6,000 feet of combined bridged tap will be modified, upon request from Reed, so that the loop will have a maximum of 6,000 feet of bridged tap. This modification will be performed at no additional charge to Reed. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap between 2,500 and 6,000 feet will be performed at the rates set forth in Exhibit A of this Attachment.
- 2.5.4 Reed may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Reed requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed

specifications of the requested loop facility as modified. Reed will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.

- 2.5.8 Reed shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Reed desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Reed, Reed will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by Reed is available at the location for which the ULM was requested, Reed will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Reed will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 <u>Loop Provisioning Involving Integrated Digital Loop Carriers</u>

- Where Reed has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Reed. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Reed (e.g. hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from Reed, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities. Reed will then have the option of paying the one-time SC rates to place the Loop.

2.7 **Network Interface Device**

2.7.1 The NID is defined as any means of interconnection of the End User's premises wiring to BellSouth's distribution plant, such as a cross connect device used for

that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

2.7.2 BellSouth shall permit Reed to connect Reed's Loop facilities to the End User's premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Reed may access the End User's premises wiring by any of the following means and Reed shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Reed to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Reed may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Reed's responsibility to ensure there is no safety hazard, and Reed will hold BellSouth harmless for any liability associated with the removal of the BellSouth

Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.

- 2.7.3.3 Reed shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Reed shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Reed to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's premises and the distribution media and/or cross connect to Reed's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Reed may request BellSouth to do additional work to the NID on a time and material basis. When Reed deploys its own local Loops in a multiple-line termination device, Reed shall specify the quantity of NID connections that it requires within such device.
- 2.8 **Sub-loop Elements**
- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.
- 2.8.2 <u>Unbundled Sub-Loop Distribution</u>
- 2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper sub-loop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Reed requests a UCSL and it is not available, Reed may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from Reed, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Reed's use on this cross-connect panel. Reed will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, Reed shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Reed's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Reed is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Reed's request, then BellSouth will perform the site set-up as described in the

CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.

- 2.8.2.7 The site set-up must be completed before Reed can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Reed's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Reed will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Reed requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by Reed for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 **Unbundled Network Terminating Wire (UNTW)**

- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.

- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, Reed will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Reed for each pair activated commensurate to the price specified in Reed's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.

- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 **Unbundled Loop Concentration**

2.8.4.1 Upon the Effective Date of this Agreement, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Agreement and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Reed, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

2.9 **Loop Makeup**

2.9.1 Description of Service

2.9.1.1 BellSouth shall make available to Reed LMU information so that Reed can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Reed intends to install and the services Reed wishes to provide. This section addresses LMU as a preordering transaction, distinct from Reed ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique

from other preordering functions with associated SIs as described in this Agreement.

- 2.9.1.2 BellSouth will provide Reed LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Reed as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Reed may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Reed and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Reed's ability to provide advanced data services over the ordered Loop type. Further, if Reed orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Reed is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 **Submitting Loop Makeup Service Inquiries**

2.9.2.1 Reed may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if Reed needs further Loop information in order to determine Loop

service capability, Reed may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit A of this Attachment.

2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website:

http://interconnection.bellsouth.com/guides/html/unes.html. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, Reed may reserve up to ten (10) Loop facilities. For a Manual LMUSI, Reed may reserve up to three (3) Loop facilities.
- 2.9.3.2 Reed may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to Reed. During and prior to Reed placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Reed does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Reed will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Reed does not reserve facilities upon an initial LMUSI, Reed's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.
- 2.9.3.5 Where Reed has reserved multiple Loop facilities on a single reservation, Reed may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Reed, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Reed.

3 <u>Line Sharing</u>

- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which Reed provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice

service, with BellSouth using the low frequency portion of the loop and Reed using the high frequency spectrum (as defined below) of the loop.

- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with Reed. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, Reed may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003 and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, Reed may not request new Line Sharing arrangements under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with Reed, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Reed the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Reed shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to Reed on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Reed requests that BellSouth modify a Loop and such modification

significantly degrades the voice services on the Loop, Reed shall pay for the Loop to be restored to its original state.

- 3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and Reed desires to continue providing xDSL service on such Loop, Reed shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give Reed notice in a reasonable time prior to disconnect, which notice shall give Reed an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and Reed purchases the full stand-alone Loop, Reed may elect the type of Loop it will purchase. Reed will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit A to this Attachment. In the event Reed purchases a voice grade Loop, Reed acknowledges that such Loop may not remain xDSL compatible.
- 3.1.10 If Reed reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge Reed for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- 3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.

3.2 **Provisioning of Line Sharing and Splitter Space**

- 3.2.1 BellSouth will provide Reed with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Reed must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 3.2.1.2 Reed may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of Reed's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of Reed in a central office in which Reed is located, Reed shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Reed shall pay the

electronic or manual ordering charges as applicable when Reed orders High Frequency Spectrum for End User service.

3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for Reed's data.

3.3 **BellSouth Provided Splitter – Line Sharing**

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Reed access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Reed's xDSL equipment in Reed's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide Reed with a carrier notification letter, informing Reed of change. Reed shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Reed shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to Reed's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Reed's DS0 termination point as possible. Reed shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Reed on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified Reed DS0 at such time that a Reed End User's service is established.

3.4 **CLEC Provided Splitter – Line Sharing**

- 3.4.1 Reed may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Reed may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by Reed in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Reed may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 **Ordering – Line Sharing**

- 3.5.1 Reed shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide Reed the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide Reed access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Reed shall pay the rates for such services, as described in Exhibit A.

3.6 <u>Maintenance and Repair – Line Sharing</u>

- 3.6.1 Reed shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If Reed is using a BellSouth owned splitter, Reed may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Reed provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. Reed will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 Reed shall inform its End Users to direct data problems to Reed, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Reed, BellSouth will notify Reed. Reed will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Reed will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Reed's access to the High Frequency

Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 Line Splitting

- 3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and the Data LEC may be the same or different carriers.
- 3.7.2 In the event Reed provides its own switching or obtains switching from a third party, Reed may engage in line splitting arrangements with another CLEC using a splitter, provided by Reed, in a Collocation Arrangement at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 Reed shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Reed will not provide voice and data services.
- 3.7.4 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Reed for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Reed or its authorized agent to determine if the Loop is compatible for Line Splitting Service. Reed or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and Reed or its authorized agent submits an LSR to BellSouth to change the Loop.

3.8 Provisioning Line Splitting and Splitter Space

3.8.1 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.

3.9 <u>Maintenance – Line Splitting</u>

- 3.9.1 Reed shall inform its End Users to direct all problems to Reed or its authorized agent.
- 3.9.2 If Reed is not the data provider, Reed shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

4 Unbundled Network Element Combinations

- 4.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Reed are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Reed are not already combined by BellSouth in the location requested by Reed but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Reed are not elements that BellSouth combines for its use in its network.
- 4.1.1 Upon request, BellSouth shall perform the functions necessary to combine unbundled Network Elements in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to unbundled Network Elements or to interconnect with BellSouth's network.

4.2 Enhanced Extended Links (EELs)

- 4.2.1 EELs are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Reed with EELs where the underlying UNEs are available.
- 4.2.2 In the event Reed converts special access services to UNEs, Reed shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

4.3 Rates

- 4.3.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- 4.3.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the nonrecurring and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.
- 4.3.3 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Reed in addition to those specifically referenced in this Section 4above, where available. To the extent Reed

requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

5. Transport

- BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to DSO and voice grade interoffice transmission facilities described in this Section 5 on an unbundled basis to Reed for the provision of a qualifying service, as set forth herein.
- 5.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that Reed uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.
- 5.2 BellSouth shall:
- 5.2.1 Provide Reed exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 5.2.2 Provide all technically feasible features, functions, and capabilities of the transport facility;
- 5.2.3 Permit, to the extent technically feasible, Reed to connect such interoffice facilities to equipment designated by Reed, including but not limited to, Reed's collocated facilities; and
- 5.2.4 Permit, to the extent technically feasible, Reed to obtain the functionality provided by BellSouth's digital cross-connect systems.

5.3 **Dedicated Transport**

- 5.3.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 5.3.1.1 As capacity on a shared UNE facility.
- 5.3.1.2 As a circuit (e.g., DS0 and voice grade) dedicated to Reed.
- 5.3.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.

- 5.3.4 Technical Requirements
- 5.3.4.1 The entire designated transmission service (e.g., DS0 or voice grade) shall be dedicated to Reed designated traffic.
- 5.3.4.2 BellSouth shall offer the following interface transmission rates for DS0 or voice grade Dedicated Transport: DS0 Equivalent
- 5.3.4.3 BellSouth shall design Dedicated Transport according to its network infrastructure. Reed shall specify the termination points for Dedicated Transport.
- 5.3.4.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 5.3.4.5 <u>BellSouth Technical Reference</u>: TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.

6. <u>SS7 Network Interconnection</u>

- SS7 Network Interconnection is the interconnection of Reed local signaling transfer point switches or Reed local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Reed local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Reed or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 6.3 If traffic is routed based on dialed or translated digits between a Reed local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Reed local signaling transfer point switches and BellSouth or other third-party local switch.
- 6.4 SS7 Network Interconnection shall provide:
- 6.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 6.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 6.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 6.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4.

Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Reed local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Reed local STPs and shall not include SCCP Subsystem Management of the destination.

- SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 6.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 6.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 6.9 <u>Interface Requirements</u>
- 6.9.1 The following SS7 Network Interconnection interface options are available to connect Reed or Reed-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 6.9.1.1 A-link interface from Reed local or tandem switching systems; and
- 6.9.1.2 B-link interface from Reed STPs.
- 6.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 6.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 6.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 6.9.5 BellSouth shall set message screening parameters to accept messages from Reed local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Reed switching system has a valid signaling relationship.

7. Automatic Location Identification/Data Management System (ALI/DMS)

7.1 The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Reed will be required to provide BellSouth daily updates to E911 database. Reed shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.

7.2 <u>Technical Requirements</u>

- 7.2.1 BellSouth shall provide Reed the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Reed after Reed provides End User information for input into the ALI/DMS database.
- 7.2.2 Reed shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

8. <u>Operational Support Systems</u>

- 8.1 BellSouth has developed and made available electronic interfaces by which Reed may submit LSRs electronically.
- 8.2 LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.

8.3 Denial/Restoral OSS Charge

8.3.1 In the event Reed provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.

8.4 Cancellation OSS Charge

- 8.4.1 Reed will incur an OSS charge for an accepted LSR that is later cancelled.
- 8.5 Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 8.6 Network Elements and Other Services Manual Additive

8.6.1 The Commissions in some states have ordered per element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

LINDI	NDI EI	NETWORK ELEMENTS - Alabama												Attach	manti 2	Evhil	nia. A
UNBU	NULEL	NETWORK ELEMENTS - Alabama		l	I		1					Svc Order	Svc Order	Attach Incremental	ment: 2 Incremental	Exhil Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1										5				D ((A)		
							Rec	First	curring Add'l	Nonrecurring First	Add'l	COMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
	The "7	l one" shown in the sections for stand-alone loops or loops as p	art of a	combin	ation refers to Georg	ranhically De	averaged LINE										SUMAN
		ww.interconnection.bellsouth.com/become a clec/html/interco				rapilically De	averaged ONE	Zones. To view	Geograpilicai	iy Deaverageu (JNE Zone Desi	gilations by	Central Offi	ce, refer to int	ernet website	•	
OPER/		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	linectic	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	l	1	1	l		1	l	1	1	l			
OI LIKE		(1) CLEC should contact its contract negotiator if it prefers the	"state s	pecific	" OSS charges as ord	dered by the	State Commissi	ons. The OSS	charges currer	ntly contained in	this rate exhi	bit are the B	ellSouth "re	gional" servi	ce ordering ch	arges. CLEC	may elect
		he state specific Commission ordered rates for the service orde															
		(2) Any element that can be ordered electronically will be billed															
	be orde	red electronically at present per the LOH, the listed SOMEC rate	e in this	catego	ory reflects the charge	e that would	be billed to a C	LEC once elect	ronic ordering	capabilities co	me on-line for	that element	. Otherwise	, the manual	ordering charg	je, SOMAN, wi	II be applied
		OSS - Electronic Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only	<u> </u>	<u> </u>		SOMAN	 	15.66	0.00	1.97	0.00	ļ		ļ	-		
UNE S		DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with Be	ll Court	o FCC	No 4 Toriff Coot! 5	l aa anniis - t	<u> </u>			1	-	 		1	!		
	NOTE:	The Expedite charge will be maintained commensurate with Be	ensouth	SFCC	No.1 Tariff, Section 5	as applicab	ie.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,										1		
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12, ULD48,												
					ULDD1, ULDD3,												
					ULDDX, ULDO3,												
					ULDS1, ULDVX, UNC1X, UNC3X,												
					UNCDX, UNCNX,												
					UNCSX, UNCVX,												
					UNLD1, UNLD3,												
				1	UXTD1, UXTD3,										I		
				1	UXTS1, U1TUC,										I		
				1	U1TUD, U1TUB,										I		
	<u></u>	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day	<u></u>	L	U1TUA	SDASP	<u> </u>	200.00		<u> </u>	<u></u>	<u></u>	<u> </u>	<u> </u>	<u> </u>		
ORDE	MODIF	CATION CHARGE															
		Order Modification Charge (OMC)						35.13	0.00	0.00	0.00						
		Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
UNBU		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP	.			<u> </u>	ļ			ļ					.		
	<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	_	1	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30				-		
	 	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	 	2	UEANL	UEAL2	21.05	37.81	17.56	23.49	5.30	ļ		-	 		
	-	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3		3	UEANL	UEAL2	34.34 12.58	37.81 37.81	17.56 17.56	23.49 23.49	5.30 5.30				 		
-	-	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	-	1 2	UEANL UEANL	UEASL UEASL	21.05	37.81	17.56	23.49	5.30			-	 		
-	 	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1	3	UEANL	UEASL	34.34	37.81	17.56		5.30			1	t		
-	 	Unbundled Miscellaneous Rate Element, Tag Loop at End User	 	,	OLIME	CLAGE	34.34	57.01	17.50	25.49	3.30				-		
		Premise			UEANL	URETL		8.33	0.83						1		
		Loop Testing - Basic 1st Half Hour			UEANL	URET1	1	34.16	0.00	1					1		
		Loop Testing - Basic Additional Half Hour		-	UEANL	URETA	1	19.85	19.85	t	1	1		1	†		
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-					İ		. 3.00	1					İ		
1		SL1)		1	UEANL	UREWO		15.78	8.94						I		
	1	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST								1							
	<u></u>	providing make-up (Engineering Information - E.I.)	<u></u>	<u> </u>	UEANL	UEANM	<u> </u>	13.44		<u> </u>							

UNRU	NDI F	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fyhi	ibit: A
31400	HULEL	ALL HORR LELWENTO - Alabama			1	T						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEG	OBV	RATE ELEMENTS	Interim	7000	BCS	usoc			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEG	UKI	RATE ELEMENTS	interim	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						-					<u>.</u>				D ((A)		<u> </u>
							Rec	Nonrec		Nonrecurring		201150			Rates(\$)	001111	
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.15	8.15								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per															
	0.14/10/5	LSR)			UEANL	OCOSL		18.09									
	2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED			UEO	LIEGOV	11.00	0444	45.40	04.05							
-		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		2	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	 		UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	_ !	3	UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEO	LIDETI		0.00	0.00								
-		Premise	-	-	UEQ	URETL		8.33	0.83								
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-			UEO	1100110		0.45									
-		Designed (per loop)	 	!	UEQ	USBMC		8.15		1		1	 	 	 		
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST	1		Luco			40				1	İ	Ì	Ì		
	-	providing make-up (Engineering Information - E.I.)	 	-	UEQ	UEQMU		13.44	2.55	1		1		1	1	-	
<u> </u>		Loop Testing - Basic 1st Half Hour	-	<u> </u>	UEQ	URET1		34.16	0.00			1					
 	-	Loop Testing - Basic Additional Half Hour	 	-	UEQ	URETA		19.85	19.85	1		1		1	1	-	
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-															
		ND)			UEQ	UREWO		14.27	7.43								
UNBUN		XCHANGE ACCESS LOOP		<u> </u>													
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 3		3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44						
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								
	4-WIRE	ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50						
		4-Wire Analog Voice Grade Loop - Zone 2		2		UEAL4	38.58	131.97	94.51	59.14	14.50						
		4-Wire Analog Voice Grade Loop - Zone 3	ļ	3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50		ļ				
 		CLEC to CLEC Conversion Charge without outside dispatch	ļ	<u> </u>	UEA	UREWO		87.72	36.36				ļ				
ļ	2-WIRE	ISDN DIGITAL GRADE LOOP	.	<u> </u>	L	1											ļ
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.88	117.24	79.77	52.88	10.54						
		2-Wire ISDN Digital Grade Loop - Zone 2	ļ	2	UDN	U1L2X	32.85	117.24	79.77	52.88	10.54						↓
		2-Wire ISDN Digital Grade Loop - Zone 3	.	3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54						ļ
		CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>	<u> </u>	UDN	UREWO		91.63	44.16				ļ				<u> </u>
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	RLE LO	OP		<u> </u>							ļ				<u> </u>
		2 Wire Unbundled ADSL Loop including manual service inquiry &	1	l .	l	l							l	Ì	Ì		
		facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44						ļ
1		2 Wire Unbundled ADSL Loop including manual service inquiry &	1		İ								l	Ì	Ì		
		facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44		ļ				1
1		2 Wire Unbundled ADSL Loop including manual service inquiry &		1	<u> </u>								<u> </u>	<u> </u>]		
		facility reservation - Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44						ļ
		2 Wire Unbundled ADSL Loop without manual service inquiry &	1		l	1								Ì	Ì		
		facility reservaton - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44						ļ
		2 Wire Unbundled ADSL Loop without manual service inquiry &	1		İ								l	Ì	Ì		
		facility reservaton - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44		ļ				1
		2 Wire Unbundled ADSL Loop without manual service inquiry &			1								1				
		facility reservaton - Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44						ļ
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								ļ
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	LE LOO	P													
		2 Wire Unbundled HDSL Loop including manual service inquiry &															
		facility reservation - Zone 1	<u></u>	1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						<u> </u>
		2 Wire Unbundled HDSL Loop including manual service inquiry &															
ĺ	1	facility reservation - Zone 2	1	2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44		I	1	1	1	

UNBUN	DLED	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
													Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGO	RY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1														Electronic-	Electronic-	Electronic-	Electronic-
1														1st	Add'l	Disc 1st	Disc Add'l
											5				D ((A)		
++			-	1		-	Rec	Nonrec First	arring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
\vdash		2 Wire Unbundled HDSL Loop including manual service inquiry &						LIIST	Auu i	FIISt	Auu	SOWIEC	SOWAN	JOWAN	JOWAN	JOWAN	SOWAN
1	1	racility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop without manual service inquiry and		_													
	1	acility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						
	1	2 Wire Unbundled HDSL Loop without manual service inquiry and															
$\vdash \!$	1	acility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop without manual service inquiry and															
├	1	facility reservation - Zone 3		3	UHL UHL	UHL2W UREWO	11.44	90.00	57.00 40.40	47.24	7.44						
 		CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	15100		UHL	UREWU		86.14	40.40								
		4 Wire Unbundled HDSL Loop including manual service inquiry and	SLE LOO	<u> </u>													
	l,	facility reservation - Zone 1		1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73						
 		4-Wire Unbundled HDSL Loop including manual service inquiry and	1	- '-		J//	10.00	140.00	55.50	510	5.75						
	1	acility reservation - Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73						
		4-Wire Unbundled HDSL Loop including manual service inquiry and															
<u> </u>	1	acility reservation - Zone 3		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73						
		4-Wire Unbundled HDSL Loop without manual service inquiry and			l												
		acility reservation - Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73						
		4-Wire Unbundled HDSL Loop without manual service inquiry and			l		45.50	0400	57.00	54.70	0.70						
\vdash		facility reservation - Zone 2	1	2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73						
1		4-Wire Unbundled HDSL Loop without manual service inquiry and		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73						
		facility reservation - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO	15.25	86.14	40.40		9.73						
		19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			OFFE	UKLVVO		00.14	40.40								
r F		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	35.95	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	37.88	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	35.95	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	37.88	126.27	88.80	59.14	14.50						
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75								
2		Jnbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual service		١.													
		nquiry & facility reservation - Zone 1	1	1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						
		2-Wire Unbundled Copper Loop-Designed including manual service nquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
-+		2 Wire Unbundled Copper Loop-Designed including manual service	 		UUL	OCLEB	12.73	112.40	00.30	41.24	7.44						+
		nquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44						
		Order Coordination for Unbundled Copper Loops (per loop)	1	Ť	UCL	UCLMC	00	8.15	8.15	1							
		2-Wire Unbundled Copper Loop-Designed without manual service															
		nquiry and facility reservation - Zone 1	L	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44						
		2-Wire Unbundled Copper Loop-Designed without manual service															
$\vdash \vdash$		nquiry and facility reservation - Zone 2		2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44						
		2-Wire Unbundled Copper Loop-Designed without manual service	Ι.	_		HOLES		24.4-			-						
		nquiry and facility reservation - Zone 3	1	3	UCL UCL	UCLPW	14.30	91.46 8.15	54.30 8.15	47.24	7.44						1
\longrightarrow		Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch (UCL-	1	-	UUL	UCLIVIC		8.15	8.15	+					1	1	
	ľ	Des)		1	UCL	UREWO		97.23	42.48								
8	-WIRE	COPPER LOOP						520	.2.40								
		4-Wire Copper Loop-Designed including manual service inquiry and															
LL	1	facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73				<u> </u>	<u> </u>	
	-	4-Wire Copper Loop-Designed including manual service inquiry and															
	1	acility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73						
	ŀ	4-Wire Copper Loop-Designed including manual service inquiry and															
	1	facility reservation - Zone 3	<u> </u>	3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73				ļ	ļ	ļ
		4-Wire Copper Loop-Designed without manual service inquiry and	1	1	i	1				1	l				1	l	
- 	1		1	4	LICI	LICL AW	47.00	44404	67.05	E4 70	0.70						
	1	facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and	ı	1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73						

UNBUI	NDLED	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
ı												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
ı												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGO	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)							Order vs.	Order vs.
CAILGO	OICI	KATE ELEMENTO	interim	Zone	B00	0000			ICA I LO(ψ)			per LSR	per LSR	Order vs.	Order vs.		
ı														Electronic-	Electronic-	Electronic-	Electronic-
ı														1st	Add'l	Disc 1st	Disc Add'l
											5				D ((A)		
			-	-			Rec	Nonred First		Nonrecurring		SOMEC	COMAN		Rates(\$)	COMAN	SOMAN
		4 Wiss Consoling Desired without according to the installant	-					FIRST	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
1		4-Wire Copper Loop-Designed without manual service inquiry and		_	UCL	1101 414	00.04	114.21	67.05	51.70	9.73						
		facility reservation - Zone 3	- 1	3		UCL4W	28.21			51.70	9.73						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
		CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		97.23	42.48								
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
1					UEA, UDN, UAL,												
		Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		18.09									
LOOP M	ODIFIC	ATION															
1					UAL, UHL, UCL,												
1					UEQ, ULS, UEA,												
1		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair			UEANL, UEPSR,												
,		less than or equal to 18k ft. per Unbundled Loop	1	1	UEPSB	ULM2L		0.00	0.00				l		Ì		
,		Unbundled Loop Modification Removal of Load Coils - 4 Wire less															
,		than or equal to 18K ft, per Unbundled Loop	1	1	UHL, UCL, UEA	ULM4L		0.00	0.00				l		Ì		
, — †		, , , ,		1	UAL, UHL, UCL,	1			2.30	İ		İ	İ		İ		1
,				1	UEQ,ULS,UEA,								l		Ì		
1		Unbundled Loop Modification Removal of Bridged Tap Removal, per			UEANL, UEPSR,												
1		unbundled loop	1		UEPSB	ULMBT		32.41	32.41								
SUB-LO	ODS	di ibdi idied ioop	+-'-	 	OLI OD	OLIVIDI		32.41	32.41			1					
		op Distribution		-								1					
	Sub-Lo	op distribution		-								1					
1						110004		044.40									
\longrightarrow		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL	USBSA		244.42				ļ					
1																	
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		22.64									
1		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility															
		Set-Up	- 1		UEANL	USBSC		177.45									
ı																	
1		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	l l		UEANL	USBSD		55.15									
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone															
1		1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone															
1		2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone															
1		3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						
		-									• • • • • • • • • • • • • • • • • • • •						
1		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone			OL/114L	CODIVIO		0.10	0.10								
ı		1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07						
\rightarrow		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone	 	+	OLANE	JUDIN4	0.40	1 3.03	44.19	43.11	5.07	 	 		 		1
, ,		2 - ZOUR PROGRAMMENT FOR 4-1VIIIE ANALOG VOICE GIAGE LOOP - ZOUR		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07						
,		Sub Loop Distribution Por 4 Wire Angles Vaice Crade Lass 7	1	-	OPAINL	USDIN4	10.07	79.03	44.19	49.71	9.07	1	 		 		+
,		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		3	LIEANI	USBN4	00.57	70.00	44.40	49.71	0.07		l		Ì		
		ა	1	3	UEANL	USBN4	32.57	79.03	44.19	49./1	9.07	 	 		 		1
, ,		Onder Onceding the Links and add O. J. J.			LIEANI	LICONIC		o 1-									
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC	0.0-	8.15	8.15	45.0-	^	1	1				-
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	ı	1	UEANL	USBR2	2.27	53.01	18.17	45.25	6.70	1	1				-
ı					l												
,		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ļ	1	UEANL	USBMC		8.15	8.15			ļ	ļ				
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		<u> </u>	UEANL	USBR4	5.16	59.25	24.41	49.71	9.07	ļ			ļ		1
ı			1	1	İ								I		1		1
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	<u> </u>	UEANL	USBMC		8.15	8.15			Į	ļ				
Т		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16	0.00								
┈┈		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85	19.85								
LT		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	11.27	65.80	30.96	45.25	6.70						
		., ., ., ., ., ., ., ., ., ., ., ., ., .										Ì					
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		8.15	8.15				l		Ì		
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07	İ					
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		UEF	UCS4X	12.61	79.03	44.19	49.71	9.07	1	 		 		I
'			+		UEF	UCS4X			44.19	49.71		1	-		-		
		4 Wire Conner I Inhundled Sub-Loop Dietribution - Zone 3															
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07						

LINBII	NDI FI	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Evhi	bit: A
ONDO	IVELL	HETWORK ELEMENTO - Alabama										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												•		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
										T							<u> </u>
							Rec	Nonrec		Nonrecurring		201150			Rates(\$)	001111	001111
		Loop Tagging Service Level 1, Unbundled Copper Loop, Non-		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Designed and Distribution Subloops			UEF, UEANL	URETL		8.94	0.88								1 '
		Loop Testing - Basic 1st Half Hour			UEF	URET1		34.16	0.00								
		Loop Testing - Basic Additional Half Hour			UEF	URETA		19.85	19.85								
	Unbun	dled Sub-Loop Modification															
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load															1
		Coil/Equip Removal per 2-W PR			UEF	ULM2X		175.78	5.10								L
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip															1 '
		Removal per 4-W PR			UEF	ULM4X		175.78	5.10	-							
		Unbundled Loop Modification, Removal of Bridge Tap, per unbundled			UEF	ULMBT		278.20	6.11								1 '
	Unbun	dled Network Terminating Wire (UNTW)			021	CLINIDI		210.20	0.11								
	J	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.40	30.01						1	1		
	Networ	k Interface Device (NID)					2710	22.01									[
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.23	28.38								
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		63.97	49.11								
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.87	5.87								L
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.87	5.87								
UNE O	HER, P	ROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00		-							
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00				-					\vdash
		ONTW Circuit id Establishinent, Flovisioning Only - No Kate			UEANL,UEF,UEQ,UE	DENCE	0.00	0.00									
		Unbundled Contract Name, Provisioning Only - No Rate			NTW	UNECN	0.00	0.00									1 '
		,			UAL, UCL, UDC,		0.00										
					UDL, UDN, UEA,												1 '
		Unbundled Contact Name, Provisioning Only - no rate			UHL,	UNECN	0.00	0.00									
LOOP N	IAKE-U																
		Loop Makeup - Preordering Without Reservation, per working or			UMK	UMKLW		20.00	20.00								1 '
		spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility			UIVIK	UIVIKLVV		20.00	20.00			1					
		gueried (Manual).			UMK	UMKLP		21.00	21.00								1 '
		Loop MakeupWith or Without Reservation, per working or spare			OWIT	OWNE		21.00	21.00								
		facility queried (Mechanized)			UMK	UMKMQ		0.59	0.59								1 '
LINE SH																	
	NOTE 1	: The Line Sharing monthly recurring rates for all installations	comple	ted fro	m October 02, 2003 th	rough midni	ght October 01,	2004 shall be b	illed as follow	s:							
		: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled cop	per loop	non-d	esigned ("UCLND")												
<u> </u>		: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND	-									1		 	 		
-		: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND : Above will apply to USOCS: ULSDT and ULSCT	-							 				1	1		
		2: The Line Sharing monthly recurring rates with USOCs ULSD	C and I	ILSCC	applies only to circui	ts installed a	nd inservice or	or before Octo	ober 1, 2003								
		HARING	- una c		applied only to offedi		11301 1106 01		1, 2000	†							
		ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	155.97	188.79	0.00	177.98	0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	188.79	0.00	177.98	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	12.73	377.58	0.00	355.96	0.00			ļ	ļ		 '
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD)			ULS	ULSDG		00.47	0.00	49.84	0.00						1 '
—	END III	(per LSOD) BER ORDERING-CENTRAL OFFICE BASED LINE SHARING			ULO	ULSDG		86.47	0.00	49.84	0.00			1			
	,,,,,	Line Sharing - per Line Activation (BST Owned splitter) -	†									<u> </u>		 	 		
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.51	10.60	10.01	4.92			1	1		1
		Line Share Service, TRO per line activation, BST owned splitter -															ſ
1		Central Office Located (25% of UCLND) - please see NOTE 1]				1	1		1
		(E:10/2/2003)			ULS	ULSDT	2.80	18.51	10.60	10.01	4.92						 '
1		Line Share Service, TRO per line activation, BST owned splitter -]				1	1		1
		Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.60	18.51	10.60	10.01	4.92						1
\vdash		(E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter -			ULO	ULOUI	0.00	18.51	10.60	10.01	4.92			1	1		
1		Central Office Located (75% of UCLND) - please see NOTE 1								j				1	1		1
1		(E:10/2/2005)			ULS	ULSDT	8.40	18.51	10.60	10.01	4.92			1	1		1
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST	•														
		Owned Splitter			ULS	ULSDS		16.39	8.19								<u>i </u>

CATEGORY RATE ELEMENTS Interim Zone BCS USOC RATES(\$) BCS USOC RATES(\$) BCS USOC RATES(\$) Svc Order Submitted Submitted Elec per LSR PATE ELEMENTS BCS USOC RATES(\$) BCS USOC RATES(\$) BCS USOC RATES(\$) BCS USOC RATES(\$) BCS USOC RATES(\$) BCS USOC RATES(\$) BCS USOC RATES(\$) BCS USOC RATES(\$) BCS USOC RATES(\$) BCS USOC RATES(\$) Svc Order Submitted Charge - Ch	UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
No. Total Control (Chicago Control	CATEGORY		Interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
March Prof. April Stock Stoc							_	Nonrec	urring	Nonrecurring	Disconnect		L	oss	Rates(\$)		
Readmanymentriplic For David Splaner Unit State Service, TRO per the activation (CLCC centred splaner) Unit State Service, TRO per the activation (CLCC centred splaner) Unit State Service, TRO per the activation (CLCC centred splaner) Unit State Service, TRO per the activation (CLCC centred splaner) Unit State Service, TRO per the activation (CLCC centred splaner) Unit State Service, TRO per the activation (CLCC centred splaner) Unit State Service, TRO per the activation (CLCC centred splaner) Unit State Service, TRO per the activation (CLC centred splaner) Unit State Service, TRO per the activation (CLC centred splaner) Unit State Service, TRO per the activation (CLC centred splaner) Unit State Service, TRO per the activation (CLC centred splaner) Unit State Service, TRO per the activation (CLC centred splaner) Unit State Service, TRO per the activation (CLC centred splaner) Unit State Service, TRO per the activation (CLC centred splaner) Unit State Service, TRO per the activation (CLC centred splaner) Unit State Service, TRO per the activation (CLC centred splaner) Unit State Service, TRO per the activation (CLC centred splaner) Unit State Service, TRO per the activation (CLC centred splaner) Unit State Service, TRO per the activation (CLC centred splaner) Unit State Service, TRO per the activation (CLC centred splaner) Unit State Service, TRO per the activation (CLC centred splaner) Unit State Service, TRO per the activation (CLC centred splaner) Unit State Service, TRO per the activation (CLC centred splaner) Unit State Service, TRO per the activation (CLC centred splaner) Unit State Service, TRO per the activation (CLC centred splaner) Unit State Service, TRO per the activation (CLC centred splaner) Unit State Service, TRO per the activation (CLC centred splaner) Unit State Service, TRO per the activation (CLC centred splaner) Unit State Service, TRO per the activation (CLC centred splaner) Unit State Service, TRO per the activation (CLC centred							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Less Statemary perfure Annexes CHLLC Control CHLLC Control CHLLC Control CHLLC Control CHLLC Control CHLLC Control CHLLC Control CHLLC Control CHLLC CONTROL CHLLC C																	ſ
DBSCLETE dos 97/07E2 U.S.					ULS	ULSCS		16.39	8.19								
Cannot Diffee Location (1996 of UCAND) plasses see NOTE 1 U.S.		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.02	9.83						
E-10027003 U.S. S. M. S. C. V. S. C. V. S. C. V. S. S. V. S. C. V. S. S. V. S. S. V. S. S. S. V. S. S. S. V. S. S. S. V. S. S. S. V. S. S. S. S. S. S. S. S. S. S. V. S. S. S. S. S. S. S. S. S. S. S. S. S.		Line Share Service, TRO per line activation, CLEC owned splitter -															1
Contract Office Located (50% of UCLND) - please see NOTE 1 U.S. ULSCT		(E:10/2/2003)			ULS	ULSCT	2.80	47.44	19.31	20.02	9.83						
ET 002/2003 U.S.																	1
Contral Office Located (Privid V LICAND) - phase are NOTE 1 ULS ULSCT 8.40 47.44 19.31 20.02 9.83		(E:10/2/2004)			ULS	ULSCT	5.60	47.44	19.31	20.02	9.83						
If: 100/2009 U.S.																	1
No. Trouble Found: new 12 found incomments: Gassian 100,000		(E:10/2/2005)			ULS	ULSCT	8.40	47.44	19.31	20.02	9.83						
No Trouble Fourd - per 1/2 four increments - Operatings 120.003 82.50	MAIN'					_				ļ							└
No Trouble Found: No T								80.00									⊢
INTROPPEC CHANNEL - DEPOCATED TRANSPORT			1			-				_		1					\vdash
NetROPPICE CHANNEL - DEDICATED TRANSPORT	IINBIINDI ED							160.00	110.00	-							
Interoffice Charmer Dedicated Transport - 2-Wire Voice Grade Part Mile per morth																	—
Interorfice Charmel - Decidated Transport - 2-Wire Voice Grade - Facility Fernmation UTIVX UTIV2 21.13 40.54 27.41 16.74 6.90		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			II1TVY	11 5YY	0.008838										
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade U1TVX		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -						40.54	27.41	16.74	6.00						
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per morth 1674		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade						40.04	27.41	10.74	0.90						
Facility Termination UITTX UITR2 21.13 40.54 27.41 16.74 6.90					OTIVA	ILOXX	0.000030										—
Per Mile per month		Facility Termination .			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90						
Facility Termination		Per Mile per month			U1TVX	1L5XX	0.008838										<u> </u>
month		Facility Termination			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90						<u> </u>
Interoffice Channel - Dedicated Transport - 56 kbps - Facility U1TDX U1TDS 15.12 40.54 27.41 16.74 6.90					U1TDX	1L5XX	0.008838										1
Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month		Interoffice Channel - Dedicated Transport - 56 kbps - Facility						40.54	27 41	16.74	6.90						
Interoffice Channel - Dedicated Transport - 64 kbps - Facility U1TDX		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per															
Termination		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
CCST Signaling Termination, Per STP Port		Termination			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90						<u> </u>
CCS7 Signaling Connection, Per DS1 level link (A link)	SIGNALING (C																
CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link) UDB TPP9A 15.46 35.53 35.53 16.44 16.44 16.44		CCS7 Signaling Termination, Per STP Port															├
CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)		CCS7 Signaling Connection, Per DS1 level link (A link)															+
As D link UDB TPP6B 15.46 35.53 35.53 16.44 16.44 16.44			1	-	UDB	IPP9A	15.46	33.33	35.53	10.44	10.44						—
As D link UDB TP9B 15.46 35.53 35.53 16.44 16.44		as D link)			UDB	TPP6B	15.46	35.53	35.53	16.44	16.44						<u> </u>
Establishment or Change, per STP affected		as D link)			UDB	ТРР9В	15.46	35.53	35.53	16.44	16.44						<u> </u>
Local Channel - Dedicated - 2-wr Voice Grade 13.97 193.10 33.17 36.64 3.20 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile 0.008838		Establishment or Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	35.57						
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile 0.008838 1 1 1 1 1 1 1 1 1	E911 SERVICI					_											├
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility 21.13 40.54 27.41 16.74 6.90			1			-		193.10	33.17	36.64	3.20						⊢—
Termination 21.13 40.54 27.41 16.74 6.90			 			+	0.008838										
Local Channel - Dedicated - DS1 - Zone 2 49.98 177.47 153.72 22.19 15.26							21.13	40.54	27.41	16.74	6.90		1		1		İ
Local Channel - Dedicated - DS1 - Zone 3 107.63 177.47 153.72 22.19 15.26 Interoffice Transport - Dedicated - DS1 Per Mile 0.18 Interoffice Transport - Dedicated - DS1 Per Facility Termination 60.16 89.27 81.81 16.35 14.44 14.44	i																
Interoffice Transport - Dedicated - DS1 Per Mile																	
Interoffice Transport - Dedicated - DS1 Per Facility Termination 60.16 89.27 81.81 16.35 14.44						1		177.47	153.72	22.19	15.26	<u> </u>					<u> </u>
Interoffice Transport - Dedicated - DS1 Per Facility Termination 60.16 89.27 81.81 16.35 14.44 ENHANCED EXTENDED LINK (EELs)																	
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.		XTENDED LINK (EELs)															

UNRUNDI	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Evhi	ibit: A
DIADOIADE	ED NETWORK ELEMENTO - Alabama	1			1						Sve Order	Svc Order	Incremental	Incremental	1	
											Submitted		Charge -	Charge -	Charge -	Charge -
	DATE EL EMENTO		_	200				D.4.TEQ(A)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOT	E: The monthly recurring and the Switch-As-Is Charge and not the	e non-re	curring	charges below will	apply for UNE	combinations	provisioned as	' Currently Co	mbined' Networ	k Elements.						
EXT	ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GI	RADE IN	TERO	FICE TRANSPORT												
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
	2 THOTO 200P III COMBINATOR 2010 C		Ť	CHOTA	O E / LEE	00.11	00.00	00.00								
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.008838										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination			ONOVA	TLOAK	0.000030										
	per month			UNCVX	U1TV2	04.40	40.54	27.41	40.74	6.90						
				UNCVX	01172	21.13	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98						
EXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GI	RADE IN	TEROF		1											ļ
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50	1]			ļ
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
							_									
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.008838					İ	1		Ì		
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination															
	per month			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As-Is			ONOVA	01114	10.70	70.07	27.71	10.74	0.00						
	Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98						
EVE		INTERC	FEIGE		UNCCC		5.58	5.59	0.90	0.90						1
EXII	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERC			LIBLES	00.00	100.07	20.00	50.44	44.50					-	
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80		14.50						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per															
	Mile per month			UNCDX	1L5XX	0.008838										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
EXT	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC	FFICE													
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	4-wire 64 kbps Leoal Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per		3	UNCDA	UDL04	37.00	120.21	00.00	39.14	14.50						1
				LINODY	41.5007	0.000000										
	Mile per month			UNCDX	1L5XX	0.008838										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90		ļ			ļ	ļ
	Nonrecurring Currently Combined Network Elements Switch -As-Is	1	1	İ]					I]	1	1		
	Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98	1]			ļ
EXT	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	EROFFIC														
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
T	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50			1			1
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
<u> </u>	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per	-									İ					1
	month			UNCDX	1L5XX	0.008838						l				
1	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility				. 20/01	0.000000									İ	i e
	Termination per month	1	1	UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90	I]	1	1		
 	Nonrecurring Currently Combined Network Elements Switch -As-Is	 	 	5.10DA	31103	10.12	40.04	21.41	10.74	0.30	 	 	 	 	1	
	Charge	1	1	UNCDX	UNCCC]	5.59	5.59	6.98	6.98	I]]	1		
EVT	ICharge ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	EDOEE	ETDA		UNCCC	1	5.59	5.59	0.98	0.98	 	 	 	 	1	1
EAII		LNOFFIL	I A		LIDL 64	26.09	126.27	88.80	59.14	14.50	 	 	 	 	1	1
	First 4-wire 64 kbps Local Loop in combination - Zone 1	1	1	UNCDX	UDL64						1	 	 	1	}	
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50	.	 	ļ	ļ	ļ	!
	First 4-wire 64 kbps Local Loop in combination - Zone 3	ļ	3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						ļ
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per	1	1	İ]					I]]	1		
	month	1		UNCDX	1L5XX	0.008838										<u> </u>
T	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility			<u> </u>							l		I			1
	Termination per month	<u> </u>	<u> </u>	UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90	<u> </u>	L	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	3		1	UNCDX	UNCCC	1	5.59	5.59	6.98	6.98	1	ı	1	I	1	1

UNBU	JNDLE	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch As Is															
		Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
ADDIT	IONAL N	ETWORK ELEMENTS															
	When t	ised as a part of a currently combined facility, the non-recurrng	g charge:	s do no	ot apply, but a Switch	n As Is charge	e does apply.										
	When t	ised as ordinarily combined network elements in All States, the	non-rec	urring	charges apply and th	ne Switch As	Is Charge does	not.									
	Nonrec	urring Currently Combined Network Elements "Switch As Is" C	harge (O	ne app	lies to each combina	ition)											
		Nonrecurring Currently Combined Network Elements Switch -As-Is															
		Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.59	5.59	6.98	6.98						
		Nonrecurring Currently Combined Network Elements Switch -As-Is															
		Charge - 56/64 kbps			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
	Miscell	aneous															
		NRC - Order Coordination Specific Time - Dedicated Transport	1		UN1CX	OCOSR		18.93	18.93								
	Note: F	ates displaying an "R" in the interim column are interim and su	bject to	rate tru	ie-up as set forth in (General Term	s and Conditio	ns.									

Version 6/29/04 Page 8 of 70

LINIBUNIBUR	TO METIMORY ELEMENTO. EL . L															
UNBUNDLE	D NETWORK ELEMENTS - Florida		1								Cua Ordar	Cua Ordar	Attach Incremental	ment: 2 Incremental	Exhi Incremental	oit: A Incremental
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			L				First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	Zone" shown in the sections for stand-alone loops or loops as p www.interconnection.bellsouth.com/become a clec/html/interco			lation refers to Geogr	rapnically De	averaged UNE 2	zones. To view	Geographical	y Deaveraged (JNE Zone Desi	gnations by	Central Offi	ce, reter to int	ernet Website	:	
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	milectic)II.IIUII										1	1		
NOTE	: (1) CLEC should contact its contract negotiator if it prefers the															
	the state specific Commission ordered rates for the service orde															
	: (2) Any element that can be ordered electronically will be billed dered electronically at present per the LOH, the listed SOMEC rate															
De or	OSS - Electronic Service Order Charge, Per Local Service Request	; III IIIIS	catego	ny renects the charge	tilat would	be billed to a C	LEC Office electi	onic ordering	capabilities co	ille on-line for t	inat element	. Otherwise	, tile manuar	l charge	je, SOWAN, WI	ii be applieu
	(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request				001111		44.00	0.00	4.00	2.22						
LINE SERVICE	(LSR) - UNE Only EDATE ADVANCEMENT CHARGE				SOMAN		11.90	0.00	1.83	0.00				1		
	: The Expedite charge will be maintained commensurate with Be	IISouth	's FCC	No.1 Tariff, Section 5	as applicab	le.										
				UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TDX, U1TD3, U1TDX, U1TD3, U1TD5, U1TD4, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDC, UC1BC, UC1												
				UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB,												
OPDER MODI	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day FICATION CHARGE			U1TUA	SDASP	1	200.00				 	 		 		
SKELK WIODI	Order Modification Charge (OMC)				†		26.21	0.00	0.00	0.00	t	t		†		
	Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
	EXCHANGE ACCESS LOOP															
2-WIR	E ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57	 	 				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1 2	UEANL	UEASL	10.69	49.57 49.57	22.83	25.62	6.57						
 	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL UEANL	UEASL UEASL	15.20 26.97	49.57 49.57	22.83 22.83	25.62 25.62	6.57 6.57	1	1		+		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User									2.07						
	Premise		<u> </u>	UEANL	URETL		8.33	0.83								
 	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEANL UEANL	URET1 URETA	1	48.65 23.95	0.00 23.95			 	 		 		
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.78	8.94								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49									

Version 06/29/04 Page 9 of 70

UNBUN	NDLED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
		2 5 7										Svc Order	Svc Order	Incremental	Incremental	Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													· ·	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per			UEANL	OCOSL		23.02									
٠,	2 WIDE	UNBUNDLED COPPER LOOP - NON-DESIGNED			UEANL	UCUSL	 	23.02									
 	Z-VVINE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45						
1		2 Wire Unbundled Copper Loop - Non-Designed - Zone 1	i i	2	UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45						1
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	i i	3	UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45						1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		Ť	024	CEGEX	10.00	11.00	20.00	21.00	0.10						
		Premise			UEQ	URETL		8.33	0.83								
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		9.00									
		Unbundled Copper Loop, Non-Design Cooper Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49									<u> </u>
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		48.65	0.00								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.95	23.95								
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-															
		ND)			UEQ	UREWO		14.27	7.43								
		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_													
-		Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		3	UEA	UEAL2	30.87	405.75	00.47	63.53	40.04						
-		Ground Start Signaling - Zone 3		3	UEA	UEALZ	30.67	135.75	82.47	03.33	12.01						-
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEARZ	12.24	133.73	02.41	03.33	12.01						
		Battery Signaling - Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			02/1	O E / II LE		100.70	02	00.00	12.01						
		Battery Signaling - Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01						
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35								
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								
4	4-WIRE	ANALOG VOICE GRADE LOOP															1
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56						
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	26.84	167.86	115.15	67.08	15.56						
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	47.62	167.86	115.15	67.08	15.56						
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35								ļ
2	2-WIRE	ISDN DIGITAL GRADE LOOP				-											ļ
		2-Wire ISDN Digital Grade Loop - Zone 1	1	1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71				ļ		
L .		2-Wire ISDN Digital Grade Loop - Zone 2	1	2	UDN	U1L2X	27.40	147.69	94.41	62.23	10.71				ļ		
		2-Wire ISDN Digital Grade Loop - Zone 3	<u> </u>	3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71						
		CLEC to CLEC Conversion Charge without outside dispatch	IDI E I O		UDN	UREWO	ļ	91.61	44.15				ļ		1	-	
	∠-WIKE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATI	IBLE LO	UP		+											
		2 Wire Unbundled ADSL Loop including manual service inquiry &		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63						
		facility reservation - Zone 1	<u> </u>	1	UAL	UALZĀ	8.30	149.53	103.85	75.05	15.63				 	-	
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63		1		Ì		
-		2 Wire Unbundled ADSL Loop including manual service inquiry &	1		UAL	UALZA	11.00	149.53	103.65	75.05	10.03	1	-		1	1	
		facility reservation - Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63		1		Ì		
		2 Wire Unbundled ADSL Loop without manual service inquiry &	t	Ŭ	J	JALLA.	20.34	140.00	100.00	7 3.03	10.00	-	1		 		
		facility reservaton - Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12		1		Ì		
		2 Wire Unbundled ADSL Loop without manual service inquiry &	1			1	2.00	00		22.01	2				İ		
		facility reservation - Zone 2		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12		1		Ì		
		2 Wire Unbundled ADSL Loop without manual service inquiry &				1	1			1							1
		facility reservation - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12		1		Ì		
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.19	40.39		· · ·						
2	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	BLE LOO	P													
		2 Wire Unbundled HDSL Loop including manual service inquiry &															
		facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63					<u> </u>	<u> </u>
		2 Wire Unbundled HDSL Loop including manual service inquiry &							<u> </u>								
		facility reservation - Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63		<u> </u>			<u> </u>	<u> </u>

UNBUN	NDLED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
														Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
				l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>											D : .				D ((A)		
			-			_	Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
		2 Wire Unbundled HDSL Loop including manual service inquiry &						LIIST	Auu i	FIISL	Auu	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	SOWAN
		facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63						
		2 Wire Unbundled HDSL Loop without manual service inquiry and			0112	OTILEX	10.21	100.00		7 0.00	10.00						
		facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
		2 Wire Unbundled HDSL Loop without manual service inquiry and															
		facility reservation - Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12						
		2 Wire Unbundled HDSL Loop without manual service inquiry and															
		facility reservation - Zone 3		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12						
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	SLE LOO	P													
		4 Wire Unbundled HDSL Loop including manual service inquiry and															
		facility reservation - Zone 1	<u> </u>	1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61				1	1	-
		4-Wire Unbundled HDSL Loop including manual service inquiry and		2			45	400.04	400.00		40.04		1				
		facility reservation - Zone 2	1		UHL	UHL4X	15.44	193.31	138.98	77.15	12.61						
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61		1				
		4-Wire Unbundled HDSL Loop without manual service inquiry and	1	3	UNL	UHL4X	27.39	193.31	130.90	77.15	12.01						
		facility reservation - Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22						
		4-Wire Unbundled HDSL Loop without manual service inquiry and		-	OTIL	OTILAVV	10.00	100.02	113.47	02.74	11.22						
		facility reservation - Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22						
		4-Wire Unbundled HDSL Loop without manual service inquiry and			0112	0.12.111	10.11	100.02		02							
		facility reservation - Zone 3		3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22						
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
		19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	31.56	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	55.99	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	31.56	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		3	UDL UDL	UDL64 UDL64	31.56 55.99	161.56	108.85 108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch		3	UDL	UREWO	55.99	161.56 102.11	108.85	67.08	15.56						
		Unbundled COPPER LOOP			ODL	UKEWO		102.11	49.74								
	Z-VVINE	2-Wire Unbundled Copper Loop-Designed including manual service															
		inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63						
		2-Wire Unbundled Copper Loop-Designed including manual service	1	<u> </u>		- 02. 2	3.00	0.00	.02.02	. 0.00	.0.00						1
		inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						
		2 Wire Unbundled Copper Loop-Designed including manual service															
		inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63				<u></u>	<u></u>	
		2-Wire Unbundled Copper Loop-Designed without manual service						_									
		inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						
		2-Wire Unbundled Copper Loop-Designed without manual service											1				
		inquiry and facility reservation - Zone 2	<u> </u>	2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						-
		2-Wire Unbundled Copper Loop-Designed without manual service		_ ا		1101 5							1				
		inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12						
		CLEC to CLEC Conversion Charge without outside dispatch (UCL - Des)		1	UCL	UREWO		97.21	42.47				1				1
1.	4-WIRE	COPPER LOOP	1	-	UUL	OKEWU		91.21	42.47	+			-		1	1	
		4-Wire Copper Loop-Designed including manual service inquiry and	1			+							 			1	I
		facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73		1				1
		4-Wire Copper Loop-Designed including manual service inquiry and		<u> </u>	=				.020		0						1
		facility reservation - Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73		1				1
		4-Wire Copper Loop-Designed including manual service inquiry and									0						
		facility reservation - Zone 3	<u> </u>	3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73	<u> </u>	<u></u>			<u> </u>	<u> </u>
j		4-Wire Copper Loop-Designed without manual service inquiry and															
		facility reservation - Zone 1		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22				<u></u>	<u></u>	
		4-Wire Copper Loop-Designed without manual service inquiry and						_									
		facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22						
		4-Wire Copper Loop-Designed without manual service inquiry and		l													
		facility reservation - Zone 3		3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22	j]		

IUNBUN	IDLED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	PRY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													· ·	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
											<u> </u>				D ((A)		
-							Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47	11130	Auui	JOINEC	JOHIAIN	JOWAN	JONAN	JOWAN	JONAN
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
					UEA, UDN, UAL,												
		Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		23.02									
LOOP MO	ODIFIC/	ATION															
					UAL, UHL, UCL,												
					UEQ, ULS, UEA,												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
-		Unbundled Loop Modification Removal of Load Coils - 4 Wire less			UEPSB	ULIW2L		0.00	0.00								1
		than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00			1	1		1		
\vdash					UAL, UHL, UCL,	J /L		0.00	0.00						1		
					UEQ, ULS, UEA,							1	1		1		
		Unbundled Loop Modification Removal of Bridged Tap Removal, per			UEANL, UEPSR,							1	1		1		
igsquare		unbundled loop			UEPSB	ULMBT		10.52	10.52								
SUB-LOC		Br and an				 									ļ		<u> </u>
S	sub-Loc	pp Distribution				-									 	-	ļ
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL	USBSA		487.23				1	1		1		
\vdash	+	Oub-Loop - Fet Cross bux Location - CLEC reeder raciilty Set-Up			OLAINL	UUDUA		401.23							 		
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		6.25				1	1		1		
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility	<u> </u>					5.20									l
		Set-Up	I		UEANL	USBSC	<u> </u>	169.25				<u> </u>	<u> </u>			<u> </u>	<u> </u>
\vdash		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		38.65									ļ
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		,	LIEANU	HODNIC		20.45	04 ==			1	1		1		
\vdash		1 Sub-Loop Distribution Por 2 Wire Apples Vaige Crede Long 7	-	1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26				-		
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26	1	1		1		
\vdash		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone			OL/ WIL	CODIAS	3.10	00.19	21.70	47.50	5.20						1
		3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	T	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone				l						1	1				
\vdash		1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60						ļ
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		2	LIEANU	LICONIA	40.47	00.00	20.42	40.74	0.00						
\vdash		2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60					-	
		Sub-Loop Distribution Fer 4-write Arialog voice Grade Loop - Zone		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
\vdash		<u> </u>		3	OL/ WIL	CODING	10.56	00.03	30.42	40.71	0.00						1
	ļ	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	3.96	51.84	13.44	47.50	5.26				İ		
		<u> </u>															
$\vdash \vdash$		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00						ļ		ļ
$\vdash \vdash$		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	_		UEANL	USBR4	9.37	55.91	17.51	49.71	6.60				 	-	ļ
		Order Coordination for Linkundled Cub Loope, nor out last and			UEANL	USBMC		9.00	0.00			1	1		1		
\vdash		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour	1		UEANL UEANL	USBMC URET1		9.00 48.65	9.00						1	1	1
\vdash		Loop Testing - Basic 1st Hall Hour Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23.95								†
\vdash		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26				1		1
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I		UEF	UCS2X	7.31	60.19	21.78	47.50	5.26						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3		UCS2X	12.98	60.19	21.78	47.50	5.26						
]		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00						ļ		ļ
$\vdash \vdash$		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	<u> </u>		UEF	UCS4X	5.36	68.83	30.42	49.71	6.60				ļ		<u> </u>
\vdash		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	7.61	68.83	30.42	49.71	6.60				ļ		
$\vdash \!$		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60					-	
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00			1	1		1		
 		Loop Tagging Service Level 1, Unbundled Copper Loop, Non-			OLI	JODIVIC		9.00	9.00								†
		Designed and Distribution Subloops			UEF, UEANL	URETL		8.93	0.88			1	1		1		
		Loop Testing - Basic 1st Half Hour	-	—	UEF	URET1	 	48.65	0.00	+		!	!			 	1

UNRU	NDI F	NETWORK ELEMENTS - Florida												Attach	ment: 2	Fyhi	bit: A
CATEG		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							_ 1	Nonred	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loop Testing - Basic Additional Half Hour			UEF	URETA		23.95	23.95								
	Unbun	dled Sub-Loop Modification															
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		10.11	10.11								
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		10.11	10.11								
		Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop			UEF	ULMBT		15.58	15.58								
	Unbun	dled Network Terminating Wire (UNTW)															
	NI-4	Unbundled Network Terminating Wire (UNTW) per Pair	<u> </u>		UENTW	UENPP	0.4572	18.02									
<u> </u>	Networ	k Interface Device (NID)	1	 	LIENTM	LINDAG		74.40	40.07	1		ļ					
<u> </u>	 	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines	 	-	UENTW UENTW	UND12 UND16		71.49 113.89	48.87 89.07	+		 	 				-
	1	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W	1		UENTW	UND16 UNDC2	1	7.63	7.63	1		1			1		1
\vdash	 	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W	 		UENTW	UNDC4	 	7.63	7.63	+ +		 	 				
UNE O	THER. P	ROVISIONING ONLY - NO RATE			OLIVIV	ONDC4		7.03	7.03								
0.12	1	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
		· • • • • • • • • • • • • • • • • • • •			UEANL,UEF,UEQ,UE												
		Unbundled Contract Name, Provisioning Only - No Rate			NTW UAL,UCL,UDC,UDL,	UNECN	0.00	0.00									
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL	UNECN	0.00	0.00									
LOOP	MAKE-U																
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		52.17	52.17								
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		55.07	55.07								
		Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.6784	0.6784								
LINE S	HARING																
		: The Line Sharing monthly recurring rates for all installations				rough midni	ght October 01,	2004 shall be I	oilled as follow	/s:							
-		: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop	per loop	non-d	esigned ("UCLND")												
		: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND : 10/02/2005 – 10/01/2006: 75% of the rate for UCLND								-							
		: Above will apply to USOCS: ULSDT and ULSCT															
	**NOTE	2: The Line Sharing monthly recurring rates with USOCs ULSE	C and L	II SCC	applies only to circui	its installed a	and inservice or	or before Oct	ober 1, 2003								
		HARING	. J and C					20.010 000	, 2000	1							1
		ERS-CENTRAL OFFICE BASED				1	1			1							1
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	119.72	379.13	0.00	347.90	0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	29.93	379.13	0.00	347.90	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	8.33	379.13	0.00	347.90	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD)			ULS	ULSDG		173.66	0.00	97.42	0.00						
	END US	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61						
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)			ULS	ULSDT	1.99	29.68	21.28	19.57	9.61						
		Line Share Service, TRO per line activation, BST owned splitter -		1									1				Ì
		Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	3.98	29.68	21.28	19.57	9.61						
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1				LII CDT	5.07	20.22	04.00	40.57	0.04						
\vdash	 	(E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement -	 	<u> </u>	ULS	ULSDT	5.97	29.68	21.28	19.57	9.61						
		(BST Owned Splitter)			ULS	ULSDS		21.68	16.44								
		Line Sharing - per Subsequent Activity per Line Rearrangement - (DLEC Owned Splitter)			ULS	ULSCS		21.68	16.44								
		Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						

UNRU	INDI FI	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Fyhi	bit: A
UNDU		THE THORK ELEMENTS TISHES	1									Svc Order	Svc Order		Incremental	Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
									***			por zort	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
															71	2.00 .01	2.007.444.
							D	Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)			ULS	ULSCT	1.99	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned splitter -															
		Central Office Located (50% of UCLND) - please see NOTE 1															
		(E:10/2/2004)			ULS	ULSCT	3.98	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned splitter -															
		Central Office Located (75% of UCLND) - please see NOTE 1															
		(E:10/2/2005)			ULS	ULSCT	5.97	47.44	19.31	20.67	12.74						
	MAINT	ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
UNBUN		DEDICATED TRANSPORT															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
		Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per															
		month			U1TDX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per															
		month			U1TDX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03						
SIGNA	LING (C	CS7)															
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	135.05										
		CCS7 Signaling Connection, Per DS1 level link (A link)			UDB	TPP6A	17.93	43.57	43.57		18.31						
		CCS7 Signaling Connection, Per DS3 level link (A link)			UDB	TPP9A	17.93	43.57	43.57	18.31	18.31						
		CCS7 Signaling Connection, Per DS1 level link (B link) (also known									-						
L	<u> </u>	as D link)	<u></u>	<u></u>	UDB	TPP6B	17.93	43.57	43.57	18.31	18.31			L		<u></u>	L
		CCS7 Signaling Connection, Per DS3 level link (B link) (also known															
		as D link)			UDB	TPP9B	17.93	43.57	43.57	18.31	18.31						
1		CCS7 Signaling Point Code, per Originating Point Code				1							l			1	
		Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03						
E911 S	ERVICE																
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					21.94	265.84	46.97		4.00						
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 2				1	29.62	265.84	46.97	37.63	4.00						
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					57.22	265.84	46.97	37.63	4.00						
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	<u> </u>			1	0.0091										
1		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility				1							l	Ì	l		Ì
		Termination				1	25.32	47.35	31.78	18.31	7.03		ļ				
		Local Channel - Dedicated - DS1 - Zone 1				1	35.28	216.65	183.54	21.47	19.05		ļ				
		Local Channel - Dedicated - DS1 - Zone 2					47.63	216.65	183.54		19.05						
		Local Channel - Dedicated - DS1 - Zone 3	<u> </u>			1	92.01	216.65	183.54	21.47	19.05						
ļ	1	Interoffice Transport - Dedicated - DS1 Per Mile	 	1		ļ	0.1856							ļ	ļ		ļ
		Interoffice Transport - Dedicated - DS1 Per Facility Termination	 	1		ļ	88.44	105.54	98.47	21.47	19.05			ļ	ļ		ļ
ENHAN		(TENDED LINK (EELs)	<u> </u>	<u> </u>		<u></u>			L <u> </u>	<u> </u>		L					
L	NOTE:	The monthly recurring and non-recurring charges below will a	pply and	the Sw	ritch-As-Is Charge w	III not apply for	or UNE combina	ations provision	ned as 'Ordina	arily Combined' I	Network Eleme	nts.	ļ				
		The monthly recurring and the Switch-As-Is Charge and not the				apply for UNE	combinations	provisioned as	Currently Co	mbined' Networ	k Elements.		ļ				
	EXTEN	DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE G	RADE IN	TEROF	FICE TRANSPORT							1				l	l

JNBUNDLF	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
		-					Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	Intereffice Transport 2 wire VC Dedicated Per Mile Per Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination			UNCVA	ILSAA	0.0091			1							
	per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE G	RADE IN	TEROF													
$-\!\!\!\!\!-\!$	4-WireVG Loop in combination - Zone 1	 	1	UNCVX	UEAL4	18.89	127.59	60.54		2.81						
$-\!\!+\!\!-$	4-WireVG Loop in combination - Zone 2 4-WireVG Loop in combination - Zone 3	+	3	UNCVX	UEAL4 UEAL4	26.84 47.62	127.59 127.59	60.54 60.54	42.79 42.79	2.81 2.81						
-+	4-vvii 6 v 3 Loop in comoniation - 2018 3	+	3	DINOVA	UEAL4	41.02	121.39	60.54	42.19	2.61						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination															
	per month	1		UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
EVTE	Charge NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERC	FEICE	UNCVX	UNCCC		8.98	8.98	8.98	8.98						
EXIE	4-wire 56 kbps Local Loop in combination - Zone 1	INTERC	1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
+-	4-wire 56 kbps Local Loop in combination - Zone 1		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per															
	Mile per month			UNCDX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				====											
-+	Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is	 		UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
	Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC	FFICE						1							
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54		2.81						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0091										
-+	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDA	ILSAA	0.0091										
	Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	EROFFIC			LIDI 50	22.22	107.50	20.51	40.70	2.01						
+-	First 4-wire 56 kbps Local Loop in combination - Zone 1	 	2	UNCDX UNCDX	UDL56	22.20 31.56	127.59 127.59	60.54 60.54		2.81						
-+-	First 4-wire 56 kbps Local Loop in combination - Zone 2 First 4-wire 56 kbps Local Loop in combination - Zone 3	1	3	UNCDX	UDL56 UDL56	55.99	127.59	60.54	42.79 42.79	2.81	-					
-+	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per	-		2.102/1	02230	55.59	121.09	00.04	72.13	2.01						
	month			UNCDX	1L5XX	0.0091										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
\longrightarrow	N		1	I		1	8.98	8.98	8.98	8.98						
	Nonrecurring Currently Combined Network Elements Switch -As-Is			LINCDY			8.98	8.98	8.98	8.98	 	-			i	
FXTE	Charge	EROFFIC	E TR A	UNCDX NSPORT	UNCCC											
EXTE		EROFFIC	E TRA		UDL64	22.20	127.59	60.54	42.79	2.81						
EXTE	Charge INDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2	EROFFIC	1 2	NSPORT UNCDX UNCDX	UDL64 UDL64	31.56	127.59	60.54	42.79	2.81						
EXTE	Charge NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2 First 4-wire 64 kbps Local Loop in combination - Zone 3	EROFFIC	1	NSPORT UNCDX	UDL64											
EXTE	Charge NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2 First 4-wire 64 kbps Local Loop in combination - Zone 3 First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per	EROFFIC	1 2	NSPORT UNCDX UNCDX UNCDX	UDL64 UDL64 UDL64	31.56 55.99	127.59	60.54	42.79	2.81						
EXTE	Charge INDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2 First 4-wire 64 kbps Local Loop in combination - Zone 3 First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month	EROFFIC	1 2	NSPORT UNCDX UNCDX	UDL64 UDL64	31.56	127.59	60.54	42.79	2.81						
EXTE	Charge INDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2 First 4-wire 64 kbps Local Loop in combination - Zone 3 First 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	EROFFIC	1 2	NSPORT UNCDX UNCDX UNCDX UNCDX	UDL64 UDL64 UDL64 UDL64	31.56 55.99 0.0091	127.59 127.59	60.54 60.54	42.79 42.79	2.81 2.81						
EXTE	Charge NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2 First 4-wire 64 kbps Local Loop in combination - Zone 3 First 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month	EROFFIC	1 2	NSPORT UNCDX UNCDX UNCDX	UDL64 UDL64 UDL64	31.56 55.99	127.59	60.54	42.79	2.81						
	Charge INDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2 First 4-wire 64 kbps Local Loop in combination - Zone 3 First 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge	EROFFIC	1 2	NSPORT UNCDX UNCDX UNCDX UNCDX	UDL64 UDL64 UDL64 UDL64	31.56 55.99 0.0091	127.59 127.59	60.54 60.54	42.79 42.79	2.81 2.81						
ADDITIONAL	Charge INDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2 First 4-wire 64 kbps Local Loop in combination - Zone 3 First 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is		1 2 3	NSPORT UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UDL64 UDL64 UDL64 IL5XX U1TD6 UNCCC	31.56 55.99 0.0091 18.44	127.59 127.59 94.70	60.54 60.54	42.79 42.79 50.49	2.81						

U	NBUNDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
C	TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>										r				L	l		
							Rec	Nonred	urring	Nonrecurring	Disconnect				Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonre	curring Currently Combined Network Elements "Switch As Is" C	harge (C	ne app	lies to each combina	tion)											
		Nonrecurring Currently Combined Network Elements Switch -As-Is															
		Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
		Nonrecurring Currently Combined Network Elements Switch -As-Is															
		Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
	Miscel	laneous															
		NRC - Order Coordination Specific Time - Dedicated Transport	I		UN1CX	OCOSR		18.90	18.90		•						

Version 06/29/04 Page 16 of 70

IINRI	NDI F	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	bit: A
SHEL	HULEL	HE I HORN ELLINENTO - Georgia		1		1	1					Svc Order	Svc Order	Incremental	Incremental	Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATE	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
CAIL	JOK I	KATE ELEMENTS	interim	Zone	500	0300			IXA I LO(ψ)			per LSR	per LSR				Electronic-
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Disc Add'l
														151	Addi	DISC 1St	DISC Add I
								Nonrec	urring	Nonrecurring	Disconnect	1	l .	OSS	Rates(\$)	l	1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "70	one" shown in the sections for stand-alone loops or loops as p	art of a	combin	ation refers to Geogr	anhically De	averaged UNF										
		ww.interconnection.bellsouth.com/become a clec/html/interco			auton refers to ocogi	apiniouny De	averagea one	201103. 10 11011	Ocograpinoai	iy Deaveragea e	THE LOTTE DOSI	girations by	ocininai oni	oc, refer to are	Cilici Website	•	
OPER		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	I	1		1						1	1		I	1	
OI LIV		1) CLEC should contact its contract negotiator if it prefers the	"state s	necific	" OSS charges as ord	lered by the S	State Commissi	ons The OSS	harnes curren	tly contained in	this rate exhi	hit are the R	ellSouth "re	enional" servi	e ordering ch	arnes CLFC	may elect
		he state specific Commission ordered rates for the service orde															
		2) Any element that can be ordered electronically will be billed															
		red electronically at present per the LOH, the listed SOMEC rate															
	DC O. GC	OSS - Electronic Service Order Charge, Per Local Service Request	1	l	y reneets the enarge	l linut would	De bilieu to u o	LLO ONOC CICOL	ome ordering		ne on mie ioi	liat cicinent	I	, the manaar	l chargenary	je, coman, w	п ве аррпес
		(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request				CONIEC		0.00	0.00	0.00	0.00	1					-
		(LSR) - UNE Only				SOMAN		11.73	0.00	6.13	0.00						
LINE S	ERVICE I	DATE ADVANCEMENT CHARGE				OOW UV		11.70	0.00	0.10	0.00	1					-
OI4L O		The Expedite charge will be maintained commensurate with Be	llSouth	s FCC	No 1 Tariff Section 5	as annlicah	A										
	NOTE:	The Expedite charge will be maintained commensurate with be	liooutii	1	No.1 Tailii, Section 5	as applicable											
					UAL, UEANL, UCL,												
					UEF, UDC, UDF,												
					UEQ, UDL, UENTW,												
					UDN, UEA, UHL,												
					ULC, USL, U1T12,												
					U1T48, U1TD1,												
					U1TD3, U1TDX,												
					U1TO3, U1TS1,												
					U1TVX, UC1BC,												
					UC1BL, UC1CC,												
					UC1CL, UC1DC,												
					UC1DL, UC1EC,												
					UC1EL, UC1FC,												
					UC1FL, UC1GC,												
					UC1GL, UC1HC,												
					UC1HL, UDL12,												
					UDL48, UDLO3,												
					UDLSX, UE3,												
					ULD12, ULD48,												
					ULDD1, ULDD3,												
					ULDDX, ULDO3,												
					ULDS1, ULDVX,												
					UNC1X, UNC3X,												
					UNCDX, UNCNX,												
					UNCSX, UNCVX,												
					UNLD1, UNLD3,												
					UXTD1, UXTD3,												
					UXTS1, U1TUC.												
	1			l	UXTS1, UTTUC, U1TUD, U1TUB.	1	I						1		1	1	
l	1	LINE Expedite Charge per Circuit er Line Assignable 11000 D		l	U1TUD, U1TUB, U1TUA	SDASP	I	200.00				1	1	I		Ì	
OBDE	MODIE	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day CATION CHARGE	-	-	UTTUA	SUASP	 	200.00				 		 			
OKDE	NIODIFI						-	26,21	0.00	0.00	0.00	-		-			
	1	Order Modification Charge (OMC)		-		 	 			0.00		1		1		 	1
LINIS	IDI ES -	Order Modification Additional Dispatch Charge (OMCAD)		 		 	 	150.00	0.00	0.00	0.00	1	-	 	-	 	1
ONRO		XCHANGE ACCESS LOOP		-		 	 					1		1		 	1
	2-WIRE	ANALOG VOICE GRADE LOOP			LIFANI	LIEALO	40.51	40.00	0.00	5.4	4 70	1	-	 	-	 	1
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.51	40.02	9.99	5.61	1.72	1		1			1
	<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	15.85	40.02	9.99	5.61	1.72					ļ	
	<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	31.97	40.02	9.99	5.61	1.72	-		-	1	1	1
	<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.51	40.02	9.99	5.61	1.72					ļ	
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	15.85	40.02	9.99	5.61	1.72						
	ļ	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	31.97	40.02	9.99	5.61	1.72						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		ĺ		1	1										
	1	Premise			UEANL	URETL		8.33	0.83								
						LUDETA		05.40	0.00								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12									
		Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62								

UNRUNDI F	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	hit: Δ
ONBONDE	LD NETWORK ELLINENTS - Georgia	ı		l	1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
								,			po. zo	poi zoit	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															-100 101	
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						i.co	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															í
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		7.30	7.30								
<u> </u>	Manual Order Coordiantion for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 (per			UEANL	UEAMC		18.92	18.92								
	I SR)			UEANL	OCOSL		57.79									í
2-WIE	RE UNBUNDLED COPPER LOOP - NON-DESIGNED			ULANL	OCOSL	1	51.15									
2-0011	2 Wire Unbundled Copper Loop Non-Designed- Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00						
	2 Wire Unbundled Copper Loop Non-Designed Zone 2		2	UEQ	UEQ2X	12.72	44.69	22.40	0.00	0.00						
	2 Wire Unbundled Copper Loop Non-Designed-Zone 3			UEQ	UEQ2X	20.22	44.69	22.40	0.00	0.00						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															í
	Premise			UEQ	URETL		8.33	0.83								í
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-															1
	Designed (per loop)			UEQ	USBMC		18.92	18.92								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST							·								1
	providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		7.30	7.30								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		25.12	0.00								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		13.62	13.62								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-			=-												ł
UNDUNDUED	ND)			UEQ	UREWO		14.25	7.42								
	EXCHANGE ACCESS LOOP RE ANALOG VOICE GRADE LOOP				-											
Z-VVIR	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				-											
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	11.57	79.85	24.65	18.92	7.87						í
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		-	OLA	ULALZ	11.57	73.03	24.03	10.32	7.07						f
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	16.95	79.85	24.65	18.92	7.87						ł
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1											
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.08	79.85	24.65	18.92	7.87						í
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	11.57	79.85	24.65	18.92	7.87						ı
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															í
	Battery Signaling - Zone 2		2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															ł
	Battery Signaling - Zone 3		3	UEA	UEAR2	33.08	79.85	24.65	18.92	7.87						
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
4 10/15	Loop Tagging - Service Level 2 (SL2) RE ANALOG VOICE GRADE LOOP			UEA	UREIL		11.19	1.10								
4-9915	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	17.80	93.01	28.17	19.52	8.12	1					
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	21.68	93.01	28.17	19.52	8.12						
h	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	30.25	93.01	28.17	19.52	8.12	1					ſ
	CLEC to CLEC Conversion Charge without outside dispatch		Ť	UEA	UREWO	00.20	87.72	36.36	10.02	0.12						
2-WIR	RE ISDN DIGITAL GRADE LOOP			02/1	O.K.E.V.O		01.112	00.00								
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97						
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.27	180.06	35.25	18.23	6.97						
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	40.17	180.06	35.25	18.23	6.97						
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		120.98	33.04							-	
2-WIR	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	IBLE LO	OP				ļ									
]]	2 Wire Unbundled ADSL Loop including manual service inquiry &	1 .		l												í
 	facility reservation - Zone 1		1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop including manual service inquiry &	Ι.	2	L.,,,	LIALOV	40.07	44.00	04.55	0.00	0.00						1
\vdash	facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry &		2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00						
]]	facility reservation - Zone 3		3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00						í
 	2 Wire Unbundled ADSL Loop without manual service inquiry &	- ' -	- 3	O, IL	UNLEA	20.02	44.03	31.05	0.00	0.00	-					
	facility reservaton - Zone 1	1	1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00						ł
	2 Wire Unbundled ADSL Loop without manual service inquiry &	<u> </u>	<u> </u>	J	U/1LE **	11.23	44.00	01.00	5.00	3.00						í
	facility reservaton - Zone 2	1	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00						ł
l l	2 Wire Unbundled ADSL Loop without manual service inquiry &				1	1		250	2.20							i
	facility reservaton - Zone 3	1	3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00						1
	CLEC to CLEC Conversion Charge without outside dispatch	- 1		UAL	UREWO		44.69	29.29								
2-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	SLE LOC	P					-								
	2 Wire Unbundled HDSL Loop including manual service inquiry &							·								1
	facility reservation - Zone 1		1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00						

UNBUND	LED	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
CATEGORY		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonred		Nonrecurring					Rates(\$)		
oxdot							, co	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	f	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	1	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						
	2	2 Wire Unbundled HDSL Loop including manual service inquiry &															
\vdash	f	facility reservation - Zone 3 Wire Unbundled HDSL Loop without manual service inquiry and	l	3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00						
	f	facility reservation - Zone 1	- 1	1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00						
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00						
		2 Wire Unbundled HDSL Loop without manual service inquiry and	<u> </u>			OTTLZVV	3.03	44.09	31.33	0.00	0.00						
		acility reservation - Zone 3	!	3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00						
4.4		CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	1 - 1 - 0 - 0		UHL	UREWO		44.69	31.55								
4-W	VIRE I	4 Wire Unbundled HDSL Loop including manual service inquiry and	LE LUU			1				1					1		\vdash
	f	acility reservation - Zone 1	I	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						
1 T		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						
		4-Wire Unbundled HDSL Loop including manual service inquiry and	ı			UHL4X											
		acility reservation - Zone 3	ı	3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00						
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00						
	4	4-Wire Unbundled HDSL Loop without manual service inquiry and															
		facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry and	l	2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00						
	f	facility reservation - Zone 3	1	3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00						
		CLEC to CLEC Conversion Charge without outside dispatch	I		UHL	UREWO		44.69	31.55								
4-W		19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
		4 Wire Unbundled Digital 19.2 Kbps		1 2	UDL	UDL19 UDL19	21.86	196.66	37.00 37.00	18.82	7.20						
		4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps	1	3	UDL UDL	UDL19	28.36 38.22	196.66 196.66	37.00	18.82 18.82	7.20 7.20						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	21.86	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	28.36	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.22	196.66	37.00	18.82	7.20						
	4	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	28.36	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.22	196.66	37.00	18.82	7.20						
		CLEC to CLEC Conversion Charge without outside dispatc h			UDL	UREWO		101.95	49.66								
2-W		Jnbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual service nquiry & facility reservation - Zone 1	- 1	1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00						
	2	2-Wire Unbundled Copper Loop-Designed including manual service		_													
		nquiry & facility reservation - Zone 2 Wire Unbundled Copper Loop-Designed including manual service		2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00	 					
	j	nquiry & facility reservation - Zone 3	- 1	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00	ļ					
		2-Wire Unbundled Copper Loop-Designed without manual service nquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						
	2	2-Wire Unbundled Copper Loop-Designed without manual service															
		nquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service	ı	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						
	i	nquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00						
		CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des)			UCL	UREWO		44.69	31.55								
4-V		COPPER LOOP			UCL	UKEWO		44.09	31.33								
7.11	4	4-Wire Copper Loop-Designed including manual service inquiry and															
		facility reservation - Zone 1 4-Wire Copper Loop-Designed including manual service inquiry and		1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00	-					
	f	facility reservation - Zone 2	ı	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						
		4-Wire Copper Loop-Designed including manual service inquiry and	l , 🗆	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						
		facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and	+ '	3								 					
	f	facility reservation - Zone 1	1	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00	ļ					
ı l		4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	1 .	2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00						

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
		ļ				Rec	Nonrec		Nonrecurring		SOMEC	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
+	4-Wire Copper Loop-Designed without manual service inquiry and	1			1		First	Add'l	First	Add'l	SOMEC	SOWAN	SOWAN	SOWAN	SUMAN	SOMAN
	facility reservation - Zone 3	L	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00						
	CLEC to CLEC conversion Charge without outside dispatch	i		UCL	UREWO	22.00	44.69	31.55	0.00							
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
				UEA, UDN, UAL,												
	Order Coordination for Specified Conversion Time (per LSR)	ļ		UHL, UDL	OCOSL		57.79									
LOOP MODIFI	CATION	<u> </u>		HAL HUL HOL	<u> </u>											
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop	ı		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less	١.					0.00	0.00								
	than or equal to 18K ft, per Unbundled Loop Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop			UHL, UCL, UEA UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4L ULMBT		0.00	0.00								
SUB-LOOPS																
Sub-L	oop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL	USBSA		255.76									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		7.29									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		175.09									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		51.61									
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working and Spare Loop Activation			UEANL	USBRC	3.61	28.46	3.85	2.20	0.01						
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working and Spare Loop Activation			UEANL	USBRD	7.67	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1													
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone			UEANL	USBN4	5.93	31.07	4.79	2.27	0.01						
	2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01						
	3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	<u> </u>	<u> </u>	UEANL	USBR2	3.61	28.46	3.85	2.20	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	7.67	31.07	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Loop Testing - Basic 1st Half Hour	l -		UEANL	URET1		25.12	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.94	28.46	3.85	2.20	0.01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<u> </u>	2		UCS2X	7.51	28.46	3.85	2.20	0.01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	9.22	28.46	3.85	2.20	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ļ , .		UEF	USBMC	0.07	18.92	18.92	0.07	0.01						
\vdash	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	+	1 2	UEF UEF	UCS4X UCS4X	6.37 6.32	31.07 31.07	4.79 4.79	2.27 2.27	0.01			-	-	-	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	++	3	UEF	UCS4X	9.32	31.07	4.79	2.27	0.01			1	1	1	

UNBU	NDLED	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
CATEG		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
<u> </u>																D130 13t	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ļ		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								
		Loop tagging Service Level 1, Unbundled Copper Loop, Non-			UEF	USBIVIC		10.92	10.92	1							
ļ		Designed and Distribution Subloops			UEF. UEANL	URETL		8.92	0.88								
		Loop Testing - Basic 1st Half Hour			UEF	URET1		25.12	0.00								
		Loop Testing - Basic Additional Half Hour			UEF	URETA		13.62	13.62								
	Unbund	fled Sub-Loop Modification															
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
		Coil/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00								
,		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip															
\vdash		Removal per 4-W PR	1		UEF	ULM4X		0.00	0.00			-			 		
		Unbundled Loop Modification, Removal of bridge Tap, per unbundled			UEF	ULMBT		17.91	17.91]		
 	Unburg	lled Network Terminating Wire (UNTW)	 		UEF	ULIVID I		17.91	17.91	 							
1	Onbane	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.533	25.12	12.28								
	Network	k Interface Device (NID)					2.500	20.12	.2.20								
		Network Interface Device (NID) - 1-2 lines	ı		UENTW	UND12		32.86	20.69								
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		56.03	43.86								
		Network Interface Device Cross Connect - 2 W	- 1		UENTW	UNDC2		2.45	2.45								
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		2.45	2.45								
UNE OT	HER, P	ROVISIONING ONLY - NO RATE															
├		NID - Dispatch and Service Order for NID installation	<u> </u>		UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Id Establishment, Provisioning Only - No Rate	<u> </u>		UENTW	UENCE	0.00	0.00									
		Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,UE NTW	UNECN	0.00	0.00									
\vdash		Unbundled Contract Name, Provisioning Only - No Rate			UAL,UCL,UDC,UDL,	UNECN	0.00	0.00				-					
		Unbundled Contact Name, Provisioning Only - no rate			UDN.UEA.UHL	UNECN	0.00	0.00									
LOOP	IAKE-UI				ODIT,OLIT,OTIL	CIVECIV	0.00	0.00									
	IAIKE OI	Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		15.19	15.19								
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		19.85	19.85								
		Loop MakeupWith or Without Reservation, per working or spare															
		facility queried (Mechanized)			UMK	UMKMQ		0.82	0.82								
LINE SH			<u> </u>	<u> </u>		<u> </u>											
		: The Line Sharing monthly recurring rates for all installations				rough midni	ght October 01,	2004 shall be b	oilled as follow	s:							
├ ──┤		: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop : 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	per Ioop	non-a	esigned ("UCLND")												
		: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND : 10/02/2005 - 10/01/2006: 75% of the rate for UCLND								1							
		: Above will apply to USOCS: ULSDT and ULSCT															
	**NOTE	2: The Line Sharing monthly recurring rates with USOCs ULSD	C and L	JLSCC	applies only to circui	its installed a	and inservice or	n or before Octo	ber 1, 2003	i					İ		
	LINE SH	IARING							,								
		ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	131.00	0.00	0.00		0.00						
igsquare		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	32.00	0.00	0.00	0.00	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity	ļ		ULS	ULSD8	11.00	0.00	0.00	0.00	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation	1			LII SDC		00.04	0.00	54.00	0.00						
	END US	(per LSOD) ER ORDERING-CENTRAL OFFICE BASED LINE SHARING	├	-	ULS	ULSDG	<u> </u>	66.34	0.00	51.20	0.00				-		
\vdash	FIAD 02	Line Sharing - per Line Activation (BST Owned splitter) -	1			1	1			 					1		
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	10.51	7.70	7.00	4.20						
		Line Share Service, TRO per line activation, BST owned splitter -					5.01	. 5.51	0		20						
		Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)			ULS	ULSDT	2.76	10.51	7.70	7.00	4.20						
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (50% of UCLND) - please see NOTE 1															
				1	ULS	ULSDT	5.51	10.51	7.70	7.00	4.20	1	l				
		(E:10/2/2004)			GEG												
		Line Share Service, TRO per line activation, BST owned splitter -			020												
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1							7 70	7 00	4 20						
		Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDT	8.27	10.51	7.70	7.00	4.20						

UNBUN	DLED	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
CATEGO		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR			Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Nonred	rurring	Nonrecurring	Disconnect			OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Sharing - per Subsequent Activity per Line															
-		Rearrangement(DLEC Owned Splitter Line Sharing - per Line Activation (DLEC owned Splitter) -	-		ULS	ULSCS		36.23	13.23	16.94	1.69						
		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	17.82	9.36	8.53	4.30						
		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003) Line Share Service, TRO per line activation, CLEC owned splitter -			ULS	ULSCT	2.76	17.82	9.36	8.53	4.30						
		Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.51	17.82	9.36	8.53	4.30						
		Line Share Service, TRO per line activation, CLEC owned splitter -			OLO	02001	0.01	17.02	3.00	0.00	4.00						
		Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.27	17.82	9.36	8.53	4.30						
N	IAINTE	NANCE						22.22	55.00								
		No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime	-			+		80.00 120.00	55.00 82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
		EDICATED TRANSPORT															
II.	ITERC	PFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	-							-							
-		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			U1TVX	1L5XX	0.0057										
		Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Rev Bat - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VGCe Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0057										
		Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00						
		Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -			U1TVX	1L5XX	0.0057										
		Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						
		month			U1TDX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00						
SIGNALIN	IG (CC	S7)															
-		CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1 CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3		-	UDB UDB	TPP6A TPP9A	8.73 8.73	34.77 34.77	34.77 34.77	16.91 16.91	16.91 16.91	-					
 		CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1			UDB	TPP9A TPP6B	8.73	34.77	34.77	16.91	16.91	 					
		CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3			UDB	TPP9B	8.73	34.77	34.77	16.91	16.91						
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	108.80										
E911 SER	VICE	CCS7 Signaling Point Code, Establishment or Change, per STP affected			UDB	CCAPO		28.15	28.15	33.32	33.32						
2311 3EN	FICE	Local Channel - Dedicated - 2-wr Voice Grade					7.74	121.07	53.30	46.40	13.37	1					
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0057										
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					12.87	48.46	19.48	16.58	5.00						
 		Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2	<u> </u>	 			18.47 56.30	149.46 149.46	111.20 111.20	40.36 40.36	26.12 26.12	-					
		Local Channel - Dedicated - DS1 - Zone 3					164.70	149.46	111.20		26.12	t					
		Interoffice Transport - Dedicated - DS1 Per Mile					0.1154										
		Interoffice Transport - Dedicated - DS1 Per Facility Termination					34.19	111.03	80.28	31.36	21.73						
		TENDED LINK (EELs)	nnly an d	the C.	itoh As Is Charas	will not annie f	or LINE combin	tions provis!-	nod as ! Ord!	arily Combined	Notwork Flam	l ntc					
N N	OTE:	The monthly recurring and non-recurring charges below will a The monthly recurring and the Switch-As-Is Charge and not the	ppiy and e non-re	curring	riten-AS-IS Charge \ I charges below wil	l apply for UNF	combinations	provisioned as	' Currently Co	mbined' Networ	k Elements.	mis.					
		DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GI															

ATEGORY RATE ELEMENTS Interim Zone BCS USOC RATES(\$) Submitted Electonic Electronic Selec	NBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
Principle Prin			Interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Sv Order vs. Electronic
March Program April SOMAN SO										T						DISC 1St	DISC Add'I
New York Close Controlled - Control 1 No.COX 1942 1127 18564 9-58 18-67 6-66 18-67						+	Rec					SOMEC	SOMAN			SOMAN	SOMAN
2 YAYAYA'S LOOP IN CONTRICATION OF THE PARK MANN 1 KMC/Y 1 K		2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	11.57					JOINEC	JOHAN	JOWAN	JOWAN	JOWAN	SOWAN
New York Transport - John York Declared Fee Mile Per More				2		UEAL2		195.94	36.38								
Secondar Transport - Aver NOT - Declaration - Secondary - Second		2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
Secondar Transport - Aver NOT - Declaration - Secondary - Second																	ĺ
Part Part					UNCVX	1L5XX	0.0057										
Normaning Currently Contract Network Planet Select A-5-5					LINCVY	111T\/2	12.87	66 53	33.61	13.12	27.60						ĺ
Charge Children		U · · · ·			UNCVA	UTIVZ	12.07	00.55	33.01	43.42	27.00						
Company Comp					UNCVX	UNCCC		5.70	5.70	6.61	6.61						i
#-Winard Loop nonthrested - Zero 2	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	RADE IN	TEROF													
E-ViverOC Loop nordination - Zore 3		4-WireVG Loop in combination - Zone 1		1	UNCVX		17.80		36.38	18.42	6.86						
Intercedition Transport - 4-wee VQ - Declarated - Per Mile Per Morth UNCVX		4-WireVG Loop in combination - Zone 2		_													
Intercoffice Transport - 4-ware VG - Dedicated-r- Facility Termination per morth Notice Country Contributed Network Elements Switch - As-is Notice Country Countributed Network Elements Switch - 4-se (No. 1) NO. 10		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
Intercoffice Transport - 4-ware VG - Dedicated-r- Facility Termination per morth Notice Country Contributed Network Elements Switch - As-is Notice Country Countributed Network Elements Switch - 4-se (No. 1) NO. 10																	i
Ser morth			 		UNCVX	1L5XX	0.0057			 		ļ			 	ļ	
Nonzecuring Currently Contends Alexenot Elements Station A-is-is UNCX UNC			1		LINCVY	114.77/4	40.70	20.50	00.01	40.40	07.00				1		i
Charge CATENDED LAWRE & KRPS DIGITAL EXTENDED LOOP WITH 56 KRPS NT REOFFICE TRANSPORT CANADON CATE		per mem	 		UNCVX	U11V4	10.78	66.53	33.61	43.42	27.60	 					
EXTENDED 6-WIRE 58 KRPS DORTAL EXTENDED LOOP WITH 58 KRPS NTEROFFECE TRANSPORT 1 UNCOX UDL56 21.86 195.94 36.38 14.2 6.66					LINCVY	LINCCC		5.70	5.70	6.61	6.61						i
4-wine 56 kibps Local Loop in combination - Zone 1	FYTEN		INTERC	FFICE		UNCCC	1	5.70	5.70	0.01	0.01	1					
4-wire 56 kips Local Local Local Local Control in commission - 26m 2 2 UNCDX UDL66 28.36 195.94 36.38 18.42 6.86	EXT EI		I	1		UDI 56	21.86	195 94	36.38	18 42	6.86						
4-wire 56 kipes Local Loop in combination - Zeres 3 3 UNCDX UDL56 38.22 195.94 36.38 18.42 6.86				2													
Interoffice Transport - Dedicated -4-wire 56 ktps combination - Per UNCDX																	
InterOffice Transport - Dedicated - 4-wire 68 kkps contribution - Facility Termination per month UNCDX UTD5 7.83 66.53 33.61 43.42 27.60																	
Facility Termination per month UNCDX UTD5 7.83 66.53 33.61 43.42 27.60		Mile per month			UNCDX	1L5XX	0.0057										i
Norrecurring Currenty Combined Network Elements Switch -As-Is UNCDX UNcDX UNcD																	1
Charge UNCDX UNCCC 5.70 5.70 6.61 6.61					UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS NTEROFFICE TRANSPORT 1 UNCDX UDL64 21.86 195.94 36.38 18.42 6.86																	i .
4-wire 64 kipse Local Loop in Combination - Zone 1	EVTEN		INTERC	FFICE		UNCCC		5.70	5.70	6.61	6.61						
4-wite 64 kbgs Lcoal Loop in Corribination - Zone 2 2 UNCDX UDL64 38.22 195.94 36.38 18.42 6.86	EXIEN		INTERC			LIDL 64	24.06	105.04	26.20	10.40	6.06						
4-wire 64 kbps Local Loop in Combination - Zone 3 3 UNCDX UDL64 38.22 195.94 36.38 18.42 6.86																	
InterOffice Transport - Dedicated - 4-wire 64 kbps combination - Per UNCDX																	—
Mile per month			1	J	ONCDX	ODLO4	30.22	195.54	30.30	10.42	0.00						—
Interoffice Transport - Dedicated - 4-wire 6 k ktps combination - Facility Termination per month UNCDX U					UNCDX	1L5XX	0.0057										i
Nonrecurring Currently Combined Network Elements Switch -As-Is																	
Charge		Facility Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						1
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT First 4-wire 56 kbps Local Loop in combination - Zone 1 1 UNCDX UDL56 21.86 195.94 36.38 18.42 6.86																	ĺ
First 4-wire 56 kbps Local Loop in combination - Zone 1						UNCCC		5.70	5.70	6.61	6.61						
First 4-wire 56 kbps Local Loop in combination - Zone 2	EXTEN		EROFFIC														
First 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month																	+
First 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month				_													
month				3	UNCDA	UDLS6	30.22	195.94	30.30	10.42	0.00						-
First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility					LINCDX	11 5XX	0.0057										i .
Termination per month	<u> </u>		†			. 20, 0,	3.0007								1		
Nonrecurring Currently Combined Network Elements Switch -As-Is UNCDX UNCCC 5.70 5.70 6.61 6.61					UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						1
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																	
First 4-wire 64 kbps Local Loop in combination - Zone 1						UNCCC		5.70	5.70	6.61	6.61						l
First 4-wire 64 kbps Local Loop in combination - Zone 2	EXTEN		EROFFIC			1				ļI							<u> </u>
First 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 38.22 195.94 36.38 18.42 6.86			 									ļ					
First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month UNCDX 1L5XX 0.0057 First I4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month UNCDX U1TD6 7.83 66.53 33.61 43.42 27.60 Nonrecurring Currently Combined Network Elements Switch -As-Is Charge UNCDX UNCDX UNCCC 5.70 5.70 6.61 6.61			 	_								 			 	1	
month			 	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86	 			 	-	
First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch - As-Is Charge UNCDX UNCDX UNCCC 5.70 5.70 6.61 6.61 DDITIONAL NETWORK ELEMENTS					LINCDY	11.527	0.0057	l									1
Termination per month			-		ONODA	ILUAA	0.0037	+		 					 		——
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge UNCDX UNCCC 5.70 5.70 6.61 6.61 DDITIONAL NETWORK ELEMENTS			1		UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60				1		1
Charge			†					55.55	55.51	.52	250				1		
DDITIONAL NETWORK ELEMENTS			1		UNCDX	UNCCC	l	5.70	5.70	6.61	6.61				1		1
	DDITIONAL N						1]		<u> </u>							
			g charge	s do n	ot apply, but a Swite	ch As Is charge	does apply.										

U	NBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
C	TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
—																	
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Noni	ecurring Currently Combined Network Elements "Switch As Is" Cl	harge (C	ne app	lies to each combina	tion)											
		Nonrecurring Currently Combined Network Elements Switch -As-Is															
		Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.70	5.70	6.61	6.61						
		Nonrecurring Currently Combined Network Elements Switch -As-Is															
		Charge - 56/64 kbps			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
	Misc	ellaneous															
		NRC - Order Coordination Specific Time - Dedicated Transport	I		UN1CX	OCOSR		18.89	18.89		<u> </u>						

Version 06/29/04 Page 24 of 70

													1			
UNBUNDLE	D NETWORK ELEMENTS - Kentucky		ı		1	1					Cva Ordar	Cua Ordan	Attach Incremental	ment: 2 Incremental	Exhi Incremental	oit: A Incremental
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			L				First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	Cone" shown in the sections for stand-alone loops or loops as p www.interconnection.bellsouth.com/become a clec/html/interco			ation refers to Geogr	apnically De	eaveraged UNE	zones. To view	Geographical	y Deaveraged (JNE Zone Desi	gnations by	Central Offic	ce, reter to int	ernet Website	:	
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	milectic											1	1		
NOTE	(1) CLEC should contact its contract negotiator if it prefers the															
	the state specific Commission ordered rates for the service orde															
	(2) Any element that can be ordered electronically will be billed ered electronically at present per the LOH, the listed SOMEC rate															
De Ord	OSS - Electronic Service Order Charge, Per Local Service Request	; III UIIS	Calego	ly renects the charge	inat would	be billed to a C	LEC Office electi	onic ordering	capabilities co	ille on-lille for i	inat element	. Otherwise	, tile manuar	l charge	je, SOWAN, WI	ii be applieu
	(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request				001111		7.00	0.00		2.22						
LINE SERVICE	(LSR) - UNE Only DATE ADVANCEMENT CHARGE				SOMAN		7.86	0.00	0.99	0.00						
	The Expedite charge will be maintained commensurate with Be	IISouth'	s FCC	No.1 Tariff, Section 5	as applicab	le.										
				UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, UT112, UT148, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD3, U1TS1, U1TV4, UC1BC, UC1BL, UNC1BC, UNCNA, UNCNA, UNCNA, UNCNA, UNCNA, UNCSA, UNCVA, UNLD1, UNLD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, U1TUB, U1TUD, U1TUB,												
OPDER MODII	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day FICATION CHARGE			U1TUA	SDASP		200.00									
C.CDEIC MODII	Order Modification Charge (OMC)						33.37	0.00	0.00	0.00						
	Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
	EXCHANGE ACCESS LOOP															
2-WIR	E ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65	 					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.56	46.66	22.57	26.65	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		2	UEANL UEANL	UEASL UEASL	15.34 31.11	46.66 46.66	22.57 22.57	26.65 26.65	7.65 7.65	1					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		3	OLANL	UEMOL	31.11	40.00	22.31	20.05	7.05	<u> </u>					
	Premise			UEANL	URETL		8.33	0.83								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	0.00								
	Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL- SL1)			UEANL UEANL	URETA UREWO		24.16 15.78	24.16 8.94								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49	13.49								

Version 06/29/04 Page 25 of 70

UNBUN	NDLED	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
		,										Svc Order	Svc Order	Incremental	Incremental	Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
OA.LO	J	TOTAL ELEMENTO		20110	500	0000			πΑ1 Ε0(ψ)			per LSK	per LSK			Electronic-	
														Electronic-	Electronic-		Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-			-				1	Nonrec		Nonrecurring	Disconnect		l .	000	Rates(\$)	l .	
						+	Rec	First				SOMEC	COMAN			COMAN	SOMAN
		10 1 0 1 10 1 10 11 11 11 11 11 11 11 11				1154440			Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per															
		LSR)			UEANL	OCOSL		23.01	23.01								
	2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	- 1	3	UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEQ	URETL		8.33	0.83								
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		9.00	9.00								
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49	13.49			1	l				
		Loop Testing - Basic 1st Half Hour			UEQ	URET1	†	46.88	0.00			İ	İ		İ	İ	
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		24.16	24.16								
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-			OLG	OKETA		24.10	24.10								
		ND)			UEQ	UREWO		14.27	7.43								
LINIDIINI	DI ED E	KCHANGE ACCESS LOOP			UEQ	UKEWU		14.27	1.43								-
		ANALOG VOICE GRADE LOOP	-														
	2-WIRE					+											<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88						
		CLEC to CLEC Conversion Charge without outside dispatch		Ŭ	UEA	UREWO	OO.EE	87.72	36.36		1 1.00						
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								†
	1-WIPE	ANALOG VOICE GRADE LOOP		-	OLA	OKLIL		11.21	1.10								
	4-44II/E	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66						-
		4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	34.25	164.11	112.36	78.91	18.66						
																	
		4-Wire Analog Voice Grade Loop - Zone 3	1	3	UEA	UEAL4	85.06	164.11	112.36	78.91	18.66	 	 		 		
.	0 14/ID =	CLEC to CLEC Conversion Charge without outside dispatch	1	-	UEA	UREWO	1	87.72	36.36	1		1	 		1	 	
	2-WIRE	ISDN DIGITAL GRADE LOOP		<u> </u>													
		2-Wire ISDN Digital Grade Loop - Zone 1	ļ	1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83		ļ				
		2-Wire ISDN Digital Grade Loop - Zone 2	ļ	2	UDN	U1L2X	25.08	146.77	95.02	71.38	13.83	ļ					
		2-Wire ISDN Digital Grade Loop - Zone 3	<u> </u>	3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83		ļ		ļ		ļ
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16			1]	1
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	IBLE LO	OP													
l T		2 Wire Unbundled ADSL Loop including manual service inquiry &]	
		facility reservation - Zone 1	1	1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47	I	l		1	1	
		2 Wire Unbundled ADSL Loop including manual service inquiry &															
		facility reservation - Zone 2	1	2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47	I	l		1	1	
		2 Wire Unbundled ADSL Loop including manual service inquiry &					<u> </u>						ĺ			ĺ	
		facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47	I	1		Ì		
		2 Wire Unbundled ADSL Loop without manual service inquiry &		Ŭ	T					55.52		i e	1		1	1	1
		facility reservaton - Zone 1	1	1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54	I	l		1	1	
		2 Wire Unbundled ADSL Loop without manual service inquiry &	 	- '-	J. (L	U/ 122 V V	10.02	121.10	03.00	03.03	11.34	 	 		 	 	+
		2 Wire Onbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54	I	1		Ì		
			 		UAL	UALZW	11.79	121.18	69.00	69.09	11.54	 	 		 	 	+
		2 Wire Unbundled ADSL Loop without manual service inquiry &	1	1 _				,				I	l		1	1	
		facility reservaton - Zone 3	-	3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54	1	ļ		1	1	
		CLEC to CLEC Conversion Charge without outside dispatch	1	<u> </u>	UAL	UREWO		86.20	40.40								
;	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	LE LOO	P			ļ						ļ		ļ		ļ
		2 Wire Unbundled HDSL Loop including manual service inquiry &				1						1	l				
		facility reservation - Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						
		2 Wire Unbundled HDSL Loop including manual service inquiry &											1				
		facility reservation - Zone 2	1	2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54	I	l		1	1	1

UNBUN	NDLED	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
		•										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
									,			po. zo	po. 20.0	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
														151	Auu	DISC 1St	DISC Add I
1							_ 1	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2 Wire Unbundled HDSL Loop including manual service inquiry &															
		facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54						
		2 Wire Unbundled HDSL Loop without manual service inquiry and															
		facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54						
		2 Wire Unbundled HDSL Loop without manual service inquiry and															
		facility reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54						
		2 Wire Unbundled HDSL Loop without manual service inquiry and															
		facility reservation - Zone 3		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54						
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	SLE LOO	P													
		4 Wire Unbundled HDSL Loop including manual service inquiry and															
		facility reservation - Zone 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69				Ì		
		4-Wire Unbundled HDSL Loop including manual service inquiry and									,,						
		facility reservation - Zone 2	1	2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69]			l		1
		4-Wire Unbundled HDSL Loop including manual service inquiry and				1					50	i			İ		İ
		facility reservation - Zone 3		3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69]			l		1
		4-Wire Unbundled HDSL Loop without manual service inquiry and		Ť					.20.50	55	55	i			1		1
		facility reservation - Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80						
		4-Wire Unbundled HDSL Loop without manual service inquiry and		<u> </u>		1				52	.0.50	i			1		1
		facility reservation - Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80						
		4-Wire Unbundled HDSL Loop without manual service inquiry and			0112	0112111	10.00	101.00		77.02	10.00						
		facility reservation - Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80						
		CLEC to CLEC Conversion Charge without outside dispatch		3	UHL	UREWO	10.30	86.14	40.40		13.00						
		19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			OTTL	OKEVVO		00.14	40.40								
ľ		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	32.48	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	36.37	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.59	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	-	2	UDL	UDL56	32.48	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	-	3	UDL	UDL56	36.37	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66						
				2	UDL	UDL64	32.48	157.81		78.91	18.66						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	-	3	UDL	UDL64	32.48	157.81	106.06 106.06	78.91 78.91							
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch	-	3	UDL	UREWO	36.37	102.13	49.75	78.91	18.66						
		Unbundled COPPER LOOP		-	UDL	UKEWU		102.13	49.75								
	2-WIRE		-	-													
		2-Wire Unbundled Copper Loop-Designed including manual service		1	UCL	LICL DD	40.00	440.05	70.70	00.00	44.54						
		inquiry & facility reservation - Zone 1	 	1	UUL	UCLPB	10.82	140.95	78.70	69.09	11.54						
		2-Wire Unbundled Copper Loop-Designed including manual service		2	UCL	UCLPB	44.70	140.95	70.70	00.00	11.54]			l		1
-		inquiry & facility reservation - Zone 2	1	2	UUL	UCLPB	11.79	140.95	78.70	69.09	11.54	 			 		
		2 Wire Unbundled Copper Loop-Designed including manual service		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54]			l		1
		inquiry & facility reservation - Zone 3	 	3	UUL	UCLPB	12.8/	140.95	78.70	69.09	11.54						
		2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54						
	-		1		UUL	UCLPVV	10.82	120.15	07.97	99.09	11.54				-		-
		2-Wire Unbundled Copper Loop-Designed without manual service		2	UCL	UCLPW	44.70	120.15	67.97	69.09	11.54]			l		1
		inquiry and facility reservation - Zone 2	 		UUL	UCLPVV	11.79	120.15	67.97	69.09	11.54						
		2-Wire Unbundled Copper Loop-Designed without manual service			1101	LICL DW	40.07	400.45	07.07		44 - 4]			l		I
-		inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54	 			 		
		CLEC to CLEC Conversion Charge without outside dispatch (UCL-				LIDENIC		07.00	10.75								
	4 14/25	Des)			UCL	UREWO		97.23	42.48								
	4-WIRE	COPPER LOOP	1			+				1					 		-
		4-Wire Copper Loop-Designed including manual service inquiry and				1101.40	40.00	4700:	100 6=	74.6-							
		facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69				1		ļ
		4-Wire Copper Loop-Designed including manual service inquiry and]			l		I
		facility reservation - Zone 2	1	2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69						ļ
		4-Wire Copper Loop-Designed including manual service inquiry and		1]			l		1
		facility reservation - Zone 3	ļ	3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69						
		4-Wire Copper Loop-Designed without manual service inquiry and		1]			l		1
		facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69]
		4-Wire Copper Loop-Designed without manual service inquiry and															
		facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69						
Ţ	Ţ	4-Wire Copper Loop-Designed without manual service inquiry and		1													1
		facility reservation - Zone 3	1	3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69				I		l

UNBUNDLI	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)		D :	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					-	Rec	Nonred First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-						FIISt	Auu i	FIISt	Addi	SOMEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
	Des)			UCL	UREWO		97.23	42.48								İ
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
				UEA, UDN, UAL,												
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		23.01									├
LOOP MODIF	ICATION			UAL, UHL, UCL,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		9.24	9.24								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less			ULFOB	ULIVIZE		5.24	5.24								<u> </u>
	than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		9.24	9.24								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		10.47	10.47								
SUB-LOOPS				ULFOB	OLIVIDI		10.47	10.47								
	Loop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	ı		UEANL	USBSA		207.91	207.91								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		12.50	12.50								
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility															
	Set-Up	I		UEANL	USBSC		80.87	80.87								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-U	рΙ		UEANL	USBSD		45.04	45.04								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	ı	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone															
	1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL UEANL	USBMC USBR2	2.57	9.00 68.35	9.00 22.36	59.81	7.90						
	Sub-Loop 2-vviile initiabuliuling retwork Cable (IIVC)	+-		OLAINL	JODKZ	2.57	00.35	22.30	59.61	06.1						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u>L</u>	UEANL	USBMC	<u> </u>	9.00	9.00	<u> </u>		<u> </u>			<u> </u>		<u> </u>
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	4.98	76.49	30.51	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Loop Testing - Basic 1st Half Hour	1	<u> </u>	UEANL	URET1		46.88	0.00								<u> </u>
	Loop Testing - Basic Additional Half Hour 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	+ -	1	UEANL UEF	URETA UCS2X	5.45	24.16 85.03	24.16 39.05	59.81	7.90						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	++		UEF	UCS2X	7.06	85.03	39.05	59.81	7.90						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS2X	9.67	85.03	39.05	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I		UEF	UCS4X	7.09	102.31	56.32	65.24	10.88						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1		UEF	UCS4X	8.66	102.31	56.32	65.24	10.88						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	+	3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88	-					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Tagging Service Level 1, Unbundled Copper Loop, Non-	-		UEF	USBMC		9.00	9.00								
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.94	0.88								

LINEL	NDI EI	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Evhi	bit: A
ONBO	NULLI	NETWORK ELEMENTS - Remucky					1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
									- (17			per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														131	Auu	Disc 1st	Disc Add i
							Rec	Nonred	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loop Testing - Basic 1st Half Hour			UEF	URET1		46.88	0.00								
		Loop Testing - Basic Additional Half Hour			UEF	URETA		24.16	24.16								
	Unbun	dled Sub-Loop Modification															
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
		Coil/Equip Removal per 2-W PR			UEF	ULM2X		5.23	5.23								
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip															
		Removal per 4-W PR			UEF	ULM4X		5.23	5.23								
		Unbundled Loop Modification, Removal of Bridge Tap, per unbundled															
<u> </u>	 	loop			UEF	ULMBT		7.97	7.97								
<u> </u>	Unbun	dled Network Terminating Wire (UNTW)	 		UENTW	UENPP	0.50	00.51	00.51								
<u> </u>	Nat···	Unbundled Network Terminating Wire (UNTW) per Pair	<u> </u>		UEIN I W	UENPP	0.53	23.51	23.51	 							
<u> </u>	networ	k Interface Device (NID) Network Interface Device (NID) - 1-2 lines	<u> </u>		UENTW	UND12	 	73.53	49.47	 							
-	1	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines	1		UENTW	UND12 UND16		73.53 115.96	91.91	+		-					
-	1	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W	1		UENTW	UNDC2		8.56	8.56	+		-					
\vdash	 	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W	 		UENTW	UNDC2	 	8.56	8.56	 		-					
LINE O	THER P	ROVISIONING ONLY - NO RATE	 		OFIAIAA	UNDU4	 	0.00	0.00	 		-					
OI4E O	<u>-</u> R, P	NID - Dispatch and Service Order for NID installation	 		UENTW	UNDBX	0.00	0.00		 		-					
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00				1					
		OTT W Circuit id Establishment, i Tovisioning Only Tro Ttate			UEANL,UEF,UEQ,UE	OLIVOL	0.00	0.00				1					
		Unbundled Contract Name, Provisioning Only - No Rate			NTW	UNECN	0.00	0.00									
		l l l l l l l l l l l l l l l l l l l			UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL	UNECN	0.00	0.00									
LOOP	MAKE-U				, , , , , , , , , , , , , , , , , , , ,												
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		23.40	23.40								
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		24.85	24.85								
		Loop MakeupWith or Without Reservation, per working or spare															
		facility queried (Mechanized)			UMK	UMKMQ		0.67	0.67								
LINE S	HARING																
		1: The Line Sharing monthly recurring rates for all installations				rough midni	ght October 01,	2004 shall be I	oilled as follow	s:							
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop	per loop	non-d	esigned ("UCLND")												
-		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND								-							
-		1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT	-														
-		E 2: The Line Sharing monthly recurring rates with USOCs ULSD	OC and I	11 600	ampliaa ambuta airaui	to inctalled a	nd incomice o	ar hafara Oat	-bar 1 2002	-		-					
-		: 2: The Line Sharing monthly recurring rates with USOCS ULSE HARING	o and t	LOCC	applies only to circul	is ilistalled a	and miservice of	i di beldie Octi	Juer 1, 2003	+		-					
-		ERS-CENTRAL OFFICE BASED	1				 			+							
\vdash	31 LII I	Line Sharing Splitter, per System 96 Line Capacity	 		ULS	ULSDA	198.83	379.05	0.00	358.55	0.00	-					
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	49.71	379.05	0.00	358.55	0.00						
		Line Sharing Splitter, Per System 8 Line Capacity			ULS	ULSD8	16.94	377.71	0.00	357.29	0.00				1		1
	†	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation					. 5.54	3	0.00	557.25	3.00						
	1	(per LSOD)			ULS	ULSDG		173.62	0.00	100.40	0.00		1				
	END US	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	l		-		1		2.30		2.30				İ		İ
		Line Sharing - per Line Activation (BST Owned splitter) -															
	<u></u>	OBSOLETE see **NOTE 2	<u></u>		ULS	ULSDC	0.61	37.16	21.28	20.17	9.90	<u></u>	<u></u>		<u> </u>		<u> </u>
		Line Share Service, TRO per line activation, BST owned splitter -						-									
	1	Central Office Located (25% of UCLND) - please see NOTE 1	1										1				
		(E:10/2/2003)			ULS	ULSDT	2.65	37.16	21.28	20.17	9.90						
		Line Share Service, TRO per line activation, BST owned splitter -				1				1							
	1	Central Office Located (50% of UCLND) - please see NOTE 1	1										1				
		(E:10/2/2004)			ULS	ULSDT	5.29	37.16	21.28	20.17	9.90						
		Line Share Service, TRO per line activation, BST owned splitter -								1							
	1	Central Office Located (75% of UCLND) - please see NOTE 1	1			l a=-							1				
<u> </u>	<u> </u>	(E:10/2/2005)	 		ULS	ULSDT	7.94	37.16	21.28	20.17	9.90						1
1	1	Line Sharing - per Subsequent Activity per Line Rearrangement(BST	1			000		00	40 :-				1				
<u> </u>	<u> </u>	Owned Splitter)	<u> </u>		ULS	ULSDS	.	32.90	16.43								1
		Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		32.90	16.43								
-	-	Rearrangement(DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter) -	<u> </u>		ULO	ULSUS	 	32.90	16.43	 							
		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						
	<u> </u>	ODOOLL 1 200 1401 L 2	<u> </u>	1	010	OLUUU	0.01	47.44	18.31	20.07	12.74	L	·	L	l		l

UNBUI	NDLF	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fxhi	bit: A
O.T.DO.		HETWORK ELEMENTO Romadky										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	nev	RATE ELEMENTS	Interim	Zono	BCS	usoc			RATES(\$)								
CATEG	ואכ	RATE ELEMENTS	interiii	Zone	ьсэ	0300			KAIES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							IVEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)			ULS	ULSCT	2.65	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned splitter -			020	02001	2.00		10.01	20.01	.2.,						
		Central Office Located (50% of UCLND) - please see NOTE 1															
		(E:10/2/2004)			ULS	ULSCT	5.29	47.44	19.31	20.67	12.74						
-					ULS	ULSCI	5.29	47.44	19.51	20.07	12.74						
		Line Share Service, TRO per line activation, CLEC owned splitter -															
		Central Office Located (75% of UCLND) - please see NOTE 1															
		(E:10/2/2005)			ULS	ULSCT	7.94	47.44	19.31	20.67	12.74						
	MAINTE	ENANCE															L
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium	1			1	1	160.00	110.00			İ	İ				
UNRUN	DLED D	PEDICATED TRANSPORT				1	i 1			İ					1		
55014		DEFICE CHANNEL - DEDICATED TRANSPORT	1			1				 		 	 	1			
-	INTERC	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				+											
			1		IIIT\/V	11 5 7 7	0.04			I		I	I]	1		1
\vdash		Per Mile per month	 	 	U1TVX	1L5XX	0.01			-					-		⊢—
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	1			l						I	I]	1		1
		Facility Termination			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.01										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
		Facility Termination			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			•												
		Per Mile per month			U1TVX	1L5XX	0.01										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -			OTTVX	ILOXX	0.01										
					LIAT\/V	U1TV4	25.06	47.24	24 70	22.77	0.75						
		Facility Termination			U1TVX	U11V4	25.86	47.34	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per															
		month			U1TDX	1L5XX	0.0115										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per															
		month			U1TDX	1L5XX	0.0115										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75						
SIGNAL	NG (CC				01157	01120	20.01	17.00	010		0.70						
OIOITAL		CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1			UDB	TPP6A	20.71	43.56	43.56	22.45	22.45						
		CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3	1		UDB	TPP9A	20.71	43.56	43.56		22.45						
\vdash			+	1						22.45							
\vdash		CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1		_	UDB	TPP6B	20.71	43.56	43.56	22.45	22.45						└
\vdash		CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3		1	UDB	TPP9B	20.71	43.56	43.56	22.45	22.45	.	.	ļ			↓
		CCS7 Signaling Point Code, per Originating Point Code	1			1				I		I	I]	1		1
		Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43						L
		CCS7 Signaling Point Code, per Destination Point Code]			1
		Establishment or Change, Per Stp Affected	1		UDB	CCAPD		46.02	46.02	56.43	56.43	I	I]	1		1
E911 SE	RVICE																
		Local Channel - Dedicated - 2-wr Voice Grade	1			1	18.57	265.78	46.96	46.79	4.98	İ	İ				
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	 			1	0.0115	200.10	.0.00	.0.70		1	1	l	<u> </u>		
\vdash		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	 			1	0.0115			 		 	 	 	1		-
			1			1	00.44	47.04	04 70	22.77	0.75	I	I]	1		1
\vdash		Termination	 	 		1	29.11	47.34	31.78		8.75				-		⊢—
\vdash		Local Channel - Dedicated - DS1 - Zone 1	1	1		+	40.46	209.60	176.51	30.21	21.07	1	1	 	1		+
igsquare		Local Channel - Dedicated - DS1 - Zone 2	<u> </u>				43.39	209.60	176.51	30.21	21.07						└
		Local Channel - Dedicated - DS1 - Zone 3				1	164.50	209.60	176.51	30.21	21.07						└
		Interoffice Transport - Dedicated - DS1 Per Mile					0.23										
]			1
		Interoffice Transport - Dedicated - DS1 Per Facility Termination	1			1	96.04	105.52	98.46	23.09	20.49	I	I]	1		1
ENHAN	CED EX	TENDED LINK (EELs)															
11111111111		The monthly recurring and non-recurring charges below will a	pply and	the Sw	itch-As-Is Charge w	ill not apply fo	or UNE combina	tions provision	ned as ' Ordina	rily Combined	Network Eleme	nts.					
		The monthly recurring and the Switch-As-Is Charge and not the										T	i	1	1		
\vdash		DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GI						p. 31131311EU 85	Junionity 60		Liomonto.	 	 	 	1		
 	LAIEN	2-WireVG Loop in combination - Zone 1	ADE IN	1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84	 	 		1		
\vdash		2-WireVG Loop in combination - Zone 1 2-WireVG Loop in combination - Zone 2	1			UEAL2 UEAL2	12.67 17.45	125.22	60.48	59.69	7.84	-	-	-	 		
\vdash			1		UNCVX							1	1	 	1		+
		2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84	1	1	l	1		1

### CATEGORY RATE ELEMENTS ### Brothin Zone ### BCS USDC ### RATE ELEMENTS ### Brothin Zone ### BCS USDC ### RATE ELEMENTS ### BROTH DOWN ### BCS USDC USDC ### BCS USDC ### BCS USDC ### BCS USDC USDC ### BCS USDC	UNBUNDLED	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
No. No.			Interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
Month														1st	Add'l	Disc 1st	Disc Add'l
Preside Transport - 2-dex VC - Dedosob- Per Mis Per Marin URCVX							Rec										
							i i i	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Proceedings Internative		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			LINCVX	11 5XX	0.01										i
Numerical Common Content Month of Research South As Sou					ONOVA	TESKX	0.01										
Crosps					UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42						<u></u>
Comment Comm																	1
6-ViverY6 Loop nocember - Zone 1	EYTEN		ADE IN	TEROE		UNCCC		8.98	8.98	11.17	11.17						
### AVWINCT Loap roorsteaders - Zonz 2	EXTEN		TADE IN			UFAL4	29.26	125 22	60.48	59 69	7 84						
A-Wint-Vi Clarge contention - Zone 3 3 GMCVX IEEL 80.08 125.22 80.48 59.09 7.44																	
Inter-Office Transport - General Research Rese				3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
Inter-Office Transport - General Research Rese																	ĺ
Ser rooth Number New Price New Pri			<u> </u>		UNCVX	1L5XX	0.01										
Namescuring Curring Contineed Network Emerical South Askals Name S ASSES NOTES ATTEMPT OF CONTINUES AND SOUTH S ASSES NOTES ATTEMPT OF CONTINUES AND SOUTH S ASSES NOTES A				l	LINCVX	111TV4	21 20	08 UU	52 67	56 31	22 42						1
Charge	-		 		014047	01174	21.20	90.09	55.07	30.31	22.42	 					<u> </u>
ETRONED - WIRE SE KIPPS DURTAL EXTENDED LOOP WITH 56 KPGP NITEROPPICE TRANSPORT 1 UNCDX UDL56 27.59 125.22 60.48 56.90 7.84				l	UNCVX	UNCCC		8.98	8.98	11.17	11.17						1
4-wire 68 Mpt Local Loop in commission - Zero 2 2 UNCDX UNCDX	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERO	FFICE													
4-wire 68 bits policial coard Loop in continuation - Zone 3 3 (INCDX UDL66 36.37 125.22 60.48 59.69 7.84				1						59.69							
Interoffice Transport - Dedicated - 4-wire 56 kips combination - Per NINCDX 1,5XX 0,01																	
Miles per month				3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						+
Instantifice Transport - Dedicated -4-wire 6 kitps contrination - Parity Formation per morth Nonrecurring Currently Combined Network Elements Switch -As-le Nonrecurring Currently Combined Network Elements Switch -As-le Nonrecurring Currently Combined Network Elements Switch -As-le Nonrecurring Currently Combined Network Elements Switch -As-le NonCox Nonrecurring Currently Combined Network Elements Switch -As-le NonCox Non-Res of Algebra Cox Long in Combined Non-Zeva 2 (NoCox Non-Zeva - Non-Ze					LINCDY	11.577	0.01										ĺ
Facility Termination per mouth UNCDX					UNCDA	ILSAA	0.01										—
Nonrecurring Currenty Combined Network Elements Switch -As-Is UNCDX UNCCC 8.98 8.98 11,17 11,17					UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						ĺ
EXTENDED 4-WIRE 54 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT 1/4 Lawre 64 kBps Local Loop in Cordination - Zine 2 2 LINCOX LIDL64 27.59 125.22 60.48 59.69 7.84 1/4 Lawre 64 kBps Local Loop in Cordination - Zine 3 3 LINCOX LIDL64 32.48 125.22 60.48 59.69 7.84 1/4 Lawre 64 kBps Local Loop in Cordination - Zine 3 3 LINCOX LIDL64 32.48 125.22 60.48 59.69 7.84 1/4 Lawre 64 kBps Local Loop in Cordination - Zine 3 3 LINCOX LIDL64 32.48 125.22 60.48 59.69 7.84 1/4 Lawre 54 kBps Local Loop in Cordination - Zine 3 1/4 Lawre 54 kBps Local Loop in Cordination - Zine 3 1/4 Lawre 54 kBps Local Loop in Cordination - Zine 2 LINCOX LIDL56 27.59 125.22 60.48 59.69 7.84 1/4 Lawre 54 kBps Local Loop in Cordination - Zine 2 LINCOX LIDL56 27.59 125.22 60.48 59.69 7.84 1/4 Lawre 54 kBps Local Loop in Cordination - Zine 3 LINCOX LIDL56 27.59 125.22 60.48 59.69 7.84 1/4 Lawre 54 kBps Local Loop in Cordination - Zine 3 LINCOX LIDL56 27.59 125.22 60.48 59.69 7.84 1/4 Lawre 54 kBps Local Loop in Cordination - Zine 3 LINCOX LIDL56 27.59 125.22 60.48 59.69 7.84 1/4 Lawre 54 kBps Local Loop in Cordination - Zine 3 LINCOX LIDL56 27.59 125.22 60.48 59.69 7.84 1/4 Lawre 55 kBps Local Loop in Cordination - Zine 3 LINCOX LIDL56 27.59 125.22 60.48 59.69 7.84 1/4 Lawre 54 kBps Local Loop in Cordination - Zine 3 LINCOX LIDL56 27.59 125.22 60.48 59.69 7.84 1/4 Lawre 54 kBps Local Loop in Cordination - Zine 3 LINCOX LIDL56 27.59 125.22 60.48 59.69 7.84 1/4 Lawre 54 kBps Local Loop in Cordination - Zine 3 LINCOX LIDL56 27.59 125.22 60.48 59.69 7.84 1/4 Lawre 54 kBps Local Loop in Cordination - Zine 3 LINCOX LIDL56 27.59 125.22 60.48 59.69 7.84 1/4 Lawre 54 kBps Local Loop in Cordination - Zine 3 LINCOX LIDL54 27.59 125.22 60.48 59.69 7.84 1/4 Lawre 54 kBps Local Loop in Cor																	
4-wire 64 ktps Local Loop in Comfination - Zone 1						UNCCC		8.98	8.98	11.17	11.17						<u></u>
### 4-Wire 64 ktyps Local Loop in Combination - Zone 2	EXTEN		INTERO														
A-wire of 4 kips Local Loop in Combination - Zone 3 3 UNCDX UDL64 36.37 125.22 60.48 59.69 7.84																	
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per UNCDX				_													
Mile per month				3	ONODA	ODL04	30.37	125.22	00.40	33.03	7.04						—
Facility Termination per month					UNCDX	1L5XX	0.01										ĺ
Nonrecurring Currently Combined Network Elements Switch -As-Is UNCDX UNCCC 8.88 8.98 11.17 11.17 11.17		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
Charge UNCDX UNCCC 8.98 8.98 11.17 11.17					UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						L
EXTENDED 4-WIRE 56 KBPS IDIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT First 4-wire 56 kBps Local Loop in combination - Zone 1					LINGRY			0.00	0.00	44.47	44.47						ĺ
First 4-wire 56 kbps Local Loop in combination - Zone 1	EVTEN		EBOEEIC	ETDA		UNCCC		8.98	8.98	11.17	11.17						
First 4-wire 56 kbps Local Loop in combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84	EXTEN		LKOFFIC			LIDL 56	27 59	125 22	60.48	59.69	7.84						
First 4-wire 56 kbps Local Loop in combination - Zone 3				_													
First 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month UNCDX		First 4-wire 56 kbps Local Loop in combination - Zone 3															
First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per												_			
Termination per month			 		UNCDX	1L5XX	0.01										
Nonrecurring Currently Combined Network Elements Switch -As-Is UNCDX UNCCC 8.98 8.98 11.17 11.17					LINCDY	LIATOE	47.05	00.00	E2 07	EG 04	22.42						İ
Charge		Nonrecurring Currently Combined Network Flements Switch - As-Is	1		UNCDX	פטווט	17.25	98.09	53.67	56.31	22.42						
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT					UNCDX	UNCCC		8,98	8.98	11,17	11.17						İ
First 4-wire 64 kbps Local Loop in combination - Zone 1	EXTEN		EROFFIC	ETRA				0.00	0.00								
First 4-wire 64 ktps Local Loop in combination - Zone 3 3 UNCDX UDL64 36.37 125.22 60.48 59.69 7.84 First 14-wire 65 ktps Interoffice Transport - Dedicated - Per Mile per month UNCDX 1L5XX 0.01		First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX												
First 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility UNCDX 1L5XX 0.01																	
month UNCDX 1L5XX 0.01			 	3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge UNCDX UNCDX UNCCC 8.98 8.98 11.17 11.17 ADDITIONAL NETWORK ELEMENTS When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As-Is				l	LINCDX	11.5XY	0.01										1
Termination per month UNCDX U1TD6 17.25 98.09 53.67 56.31 22.42 Nonrecurring Currently Combined Network Elements Switch -As-Is Charge (Description of a currently Combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As-Is	-		 		CHODA	ILUAA	0.01			 		 					<u> </u>
Nonrecurring Currently Combined Network Elements Switch -As-Is					UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						İ
ADDITIONAL NETWORK ELEMENTS When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As-Is Nonrecurring Currently Combined Network Elements Switch -As-Is		Nonrecurring Currently Combined Network Elements Switch -As-Is															
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As-Is					UNCDX	UNCCC		8.98	8.98	11.17	11.17						
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As-Is Nonrecurring Currently Combined Network Elements Switch -As-Is			<u> </u>	<u> </u>			L								ļ		
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As-Is	When u	ISEC AS A PART OF A CURRENTLY COMBINED TACILITY, the non-recurring	charge:	s do no	charges apply and t	n As Is charge	e does apply.	not									
Nonrecurring Currently Combined Network Elements Switch -As-Is							o charge does	1101.		1		-					
	Nomec		96 (0	αμμ													
		Charge - 2 wire/4-Wire VG	<u></u>	L	UNCVX	UNCCC		8.98	8.98	11.17	11.17	<u> </u>			<u> </u>		1

U	NBUND	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	oit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
C	TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>										•							
							Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-Is															
		Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
	Mis	cellaneous															
		NRC - Order Coordination Specific Time - Dedicated Transport	1		UN1CX	OCOSR		18.87	18.87								

Version 06/29/04 Page 32 of 70

UNBUNDLED NETWORK ELEMENTS - Louisiana RATE ELEMENTS Interim Zone BCS USOC RATES(\$) Section 5 (as a control of the	Charge - Manual Sv Order vs. Electronic Disc Add' SOMAN EC may elect I in each of the ents that cann
RATE ELEMENTS Merim Zone BCS USOC RATES(S) Submitted Charge C	Charge - Manual Sv Order vs. Electronic Disc Add' SOMAN EC may elect I in each of the ents that cann
ATEONEY RATE ELEMENTS the first in the first in Zone BCS USOC RATES(\$) Electronic per LSR (or deep vs. b) Order vs. order vs.	Manual Sv Order vs. Electronic Disc Add' SOMAN Company elect I in each of the ents that canno
ATTECHNISTS whether the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charges, or CLEC may elect the regional service ordering charges, or CLEC may elect the regional service ordering charges, or CLEC may elect the regional service ordering charges, or CLEC may elect the regional service ordering charges, or CLEC may elect the regional service ordering charges, or CLEC may elect the regional service ordering charges. Please refer to come on their for the relement of the charges or the work or the charges or the charges or the work or the charges or the work or the charges or the charges or the work or the charges or the work or the charges or the work or the charges or the work or the charges or the charges or the work or the charges or the charges or the work or the charges or the charges or the charges or the charges or th	S. Order vs. Electronic Disc Add' SOMAN EC may elect I in each of the ents that cann.
Bisectronic Bisectronic	EC may elect In each of the ents that cannot
The *Zone** shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Desveraged UNE Zone. To view Geographically Desveraged UNE Zone. To view Geographically Desveraged UNE Zone. To view Geographically Desveraged UNE Zone. To view Geographically Desveraged UNE Zone. To view Geographically Desveraged UNE Zone. To view Geographically Desveraged UNE Zone. To view Geographically Desveraged UNE Zone. To view Geographically Desveraged UNE Zone. To view Geographically Desveraged UNE Zone. To view Geographically Desveraged UNE Zone. To view Geographically Desveraged UNE Zone. To view Geographically Desveraged UNE Zone. To view Geographically Desveraged UNE Zone. To view Geographically Desveraged UNE Zone. To view Geographically Desveraged UNE Zone. To view Geographically Desveraged UNE Zone. To view Geographically Desveraged UNE Zone. To view Geographically Desveraged UNE Zone. To view Geographically Geographicall	I SOMAN EC may elect I in each of the ents that cannot
The "Zone" shown in the sections for stand-stone loops are gard of a combination refers to Geographically Deaveraged UNE Zone. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website: OPERATORS SUPPORT SYSTEMS (OSS) - REGONAL RATES* NOTE: (1) Excls should connet: scornets negliginary of its performs the "state specific" OSS charges as ordered by the State Commissions. The OSS charges control to the SOME Connection of the SOME Connection of the SOME Connection of the SOME Connection of the SOME Credit Internet Website: NOTE: (2) Any element that can be ordered electronically will be billed according to the SOME Credit Internet Website Some Connection of the SOME Connection of the SOME Credit Internet Website Some Connection of the SOME Connection of the SOME Credit Internet Website Some Connection of the SOME Connection of the SOME Credit Internet Website Some Connection of the SOME Connection of the SOME Credit Internet Website Some Connection of the SOME Connection of the SOME Credit Internet Website Some Connection of the SOME Connection of the SOME Credit Internet Website Some Connection of the SOME Connection of the SOME Credit Internet Website Some Connection of the SOME Connection of the SOME Credit Internet Website Some Connection of the SOME Connection of the SOME Connection of the SOME Connection of the SOME Connection of the Some Connection of the SOME Connection of t	SOMAN EC may elect the ents that cannot be entropy to the ents that cannot be entropy to the entropy that cannot be entropy the entropy that cannot be entropy
The "Zone" shown in the sections for stand-atone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zone. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Whether: http://www.interconnection.bells.com/penalty/states/connection.bells.com/penalty/	EC may elect
The "Zone" shown in the sections for stand-atone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zone. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Whether: http://www.interconnection.bells.com/penalty/states/connection.bells.com/penalty/	EC may elect
The "Zone" shown in the sections for stand-ations loops as part of a combination refers to Geographically Deaveraged UNE Zone. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website: http://www.internomection.htm OPERATONS SUPPORT SYSTEMS (OSS): "REGIONAL RATES" NOTE (1) CLEE should construct its contract regional and a second systems of the contract of the contra	l in each of the ents that cann
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" NOTE: (1) CLEC should content its contract negation of it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. In the state specific Commission ordered rates for the service ordering charges. Or LLEC may elect the regional service ordering charge. Local Service and the state specific Commission ordered rates for the service ordering charges. In the content of the state specific Commission ordered rates for the service ordering charges. Any elect the regional service ordering charge, powerer, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection content establish. NOTE: 17,4 yes been this content to be solded as cording to the SOMEC rate listed in this content of the service ordering charges. Any elect the regional service ordering charges, content of the service ordering charges. Any elect the content or content of the service ordering charges. Any elect the content of the service ordering charges. Any elect the content ordering charges. Any elect the content or content of the service ordering charges. SOME (I.S.) Local Complex (I.S.)	l in each of the ents that cann
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" NOTE: (1) CLEC should content its contract negation of it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. In the state specific Commission ordered rates for the service ordering charges. Or LLEC may elect the regional service ordering charge. Local Service and the state specific Commission ordered rates for the service ordering charges. In the content of the state specific Commission ordered rates for the service ordering charges. Any elect the regional service ordering charge, powerer, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection content establish. NOTE: 17,4 yes been this content to be solded as cording to the SOMEC rate listed in this content of the service ordering charges. Any elect the regional service ordering charges, content of the service ordering charges. Any elect the content or content of the service ordering charges. Any elect the content of the service ordering charges. Any elect the content ordering charges. Any elect the content or content of the service ordering charges. SOME (I.S.) Local Complex (I.S.)	l in each of the ents that cann
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific "OSS charges as ordered by the State Commission The OSS charges currently contained in this rate exhibit are the BellSouth's CLEC may either the regional service of the regional s	l in each of the ents that cann
leither the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract establish NOTE: (2) Any element that can be ordered electronically will be sometimed as the SOME crist less than 50MEC that settled in this category. Please refer to BellSowith 5 Local Ordering Handbook (LOH) to determine if a product can be ordered electronically to determine if a product can be ordered electronically to determine if a product can be ordered electronically to determine if a product can be ordered electronically to determine if a product can be ordered electronically the best of the source of the contract of the contr	l in each of the ents that cann
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those of the bordered electronically is present port the LOH, the listed SOME care listed in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOM CSS. Electronic Service Order Charge, Per Local Service Request (LOH) and the charge will be maintained commensurate with BellSouth's ECO No.1 Tariff, Section 5 as applicable. UNE SERVICE DATE ADVANCEMENT CHARGE NOTE: The Expedite charge will be maintained commensurate with BellSouth's ECO No.1 Tariff, Section 5 as applicable. UNE LIGHAL U.U. U.U. U.U. U.U. U.U. U.U. U.U. U.	ents that cann
be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOM OS SOMEC 3.50 0.00 3.50 0.00 SOMEC 3.50 0.00 1.50 0.00 SOMEC 3.50 0.00 SOMEC 3.50 0.00 0.00 SOMEC 3.50	
CSS - Electronic Service Order Charge, Per Local Service Request (LSP) - UNE CNS - Manual Service Order Charge, Per Local Service Request (SS) - MS - MS - MS - MS - MS - MS - MS -	
(LSR) - UNE Corby SOMEC 3.50 0.00 3.50 0.00	
OSS- Manual Service Order Charge, Per Local Service Request (IRS) - UNE OSM SOMAN 15.20 0.00 15.20 0.00	
LESR) - UNE Cony	
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable. UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULTZ, UTTGA, UTTD	
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable. UAL, UEANIL, UCL, UEF, UPC, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T148, U1T10, U1T103, U1T103, U1T103, U1T103, U1T103, U1T103, U1T103, U1T104, U1T104, UC10C, UC10L, UC10C	
UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T03, U1TD1, U1T03, U1TD1, U1T03, U1TD1, U1T03, U1TD1, U1T03, U1TD1, U1T03, U1TD1, U1T03, U1TD2, U1T04, UC16C, UC1CL, UC16C, UC1CL, UC16C, UC1CL, UC16C, UC1EL, UC16C, UC1EL, UC16C, UC1EL, UC16C, UC1EL, UC16C, UC16L, UC16C, UC16L, UC16L, UC16L, UC16L, UC16L, UC16L, UC16L, UC16L, UC16L, UC16L, UC16L, UC16C, UC16C, UC16C, UC16C, UC16C, UC16C, UC16C, UC16C, UC16C, UC16C, UC16C, UC16C, UC16C, UC16C, UC1	
UEF, UDC, UECQ, UDN, UENTW, UDN, UEQ, UNL, ULC, USL, ULT/12, U1718, U1710, U1710, U1710, U17103, U171704, U171703, U171704, U171705, U1717	
UEF, UDF, UEQ, UDL, LENTW, UDN, UEA, UHL, ULC, USL, UHT12, UHT03, UHTD1, UHT03, UHTD1, UHT03, UHT01, UHT03, UHT178, UHT03, UHT18, UHT04, UC 18C, UC 18L, UC 10C, UC 10L, UC 10C, UC 10L, UC 11C, UC 11L, UC 11	1
UDL. UENTW, UDN. UEA, UHL. U.C. USL. U1112, U1148, U117D1, U11703, U117X, U11703, U117X, U11703, U117X, UC18C, UC18L, UC1CC, UC1CC, UC1CC, UC1CC, UC1CC, UC1CC, UC1CC, UC1CC, UC1CC, UC1CC, UC1CC, UC1CC, UC1CC, UC1CC, UC1CC, UC1CC, UC1CC, UC1	
UEA, UH. ULC, UTT48, UTT48, UTT71, UTT48, UTT71, UTT48, UTT71, UTT703, UTT703, UTT703, UTT703, UTT703, UTT703, UTT703, UTT81, UTT7V, UC18C, UC16L, UC16C, UC16C,	
USL_UTTAS, UTTDS, UTTDS, UTTDS, UTTDS, UTTDS, UTTDS, UTTDS, UTTDS, UTTDS, UTTDS, UC16C, UC16L, UC16C	
UITDI, UITD3, UITD3, UITD4, UITD5, UITD5, UITD5, UITD5, UITD6, UITD6, UITD6, UITD6, UITD6, UITD6, UITD6, UITD6, UITD6, UITD7, UITD7, UITD7, UITD8, UITD7, UITD8, UITD7, UITD8, UITD7, UITD8, UITD7, UITD8, UITD7, UITD9, UITD7, UITD9, UITD7, UITD9, UITD7, UITD8, UITD7, UI	
UTTDX, UTTO3, UTSB, UTTVX, UC1BC, UC1CL, UC1CC, UC1CL, UC1CC, UC1CL, UC1EC, UC1EC, UC1EC, UC1	
U1TS1, U1TVX, UC1BL, UC1CC, UC1CL, UC1BC, UC1DL, UC1EC, UC1DL, UC1EC, UC1DL, UC1EC, UC1LL, UC1EC, UC1FL, UC1EC, UC1FL, UC1EC, UC1FL, UC1EC, UC1FL, UC1EC, UC1FL, UC1EC, UC1FL, UC1EC, UC1FL, UC1EC, UC1FL, UC1EC, UC1FL, UD1.12, UD1.48, UDL03, UD1.40, UD1.12, UD1.48, ULD03, ULD1, UD03, ULD1, UD03, ULD1, UD03, ULD1, UD03, ULD1, UD03, ULD1, UD03, ULD1, UD04, UNC1,	
UC18C, UC1BL, UC10C, UC10L, UC10C, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1GC, UC1GL, UC1GC, UC1GL, UC1GL, UC1HL, UDL12, UDL48, UDL03, UDL54, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, UNC01, UN	
UC1CC, UC1CL, UC1DL, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HL, UC1HC, UC1HL, UDL12, UDL48, UDL03, UDLSX, UE3, ULD12, ULD48, ULD03, UNC0X, UNC0	
UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1EL, UC1FC, UC1HL, UC1HC, UC1HL, UD112, UD148, UDL03, UDLSX, UE3, ULD13, ULD3, ULDD1, ULD03, ULDD3, ULD03, ULDD5, ULD03, ULDD5, ULD04, UNC1X, UNC3X, UNC1X, UNC3X, UNC0X, UNC0X, UNC0X, UNC0X, UNC0X, UNC0X, UNC0X, UNLD1, UNLD3, UXT01, UXT03, UXT01, UXT03, UXT01, UXT03, UXT01, UXT03, UXT01, UXT03, UXT01, UXT03, UXT01, UXT03, UXT01, UXT03, UXT01, UXT04, UT1UL, UT1UB, UT1UA SDASP 200.00	
UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDL03, UDL5X, UE3, ULD12, ULD48, ULDD7, ULD03, ULDDX, ULD03, ULDDX, ULD03, ULDNX, UNC0X, UNC1X, UNC3X, UNC1X, UNC0X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXT01, UXTD3, UXT01, UXTD3, UXT01, UXTD3, UXT01, UTUC, U1TUD, U1TUB, UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UTUA SDASP 200.00	
UC1FC, UC1FL, UC1GL, UC1GC, UC1HL, UC1HC, UC1HL, UDL12, UDL48, UDL03, UDLSX, UE3, ULD12, ULD48, ULD12, ULD48, ULD13, ULD12, ULD03, ULD12, ULD03, ULD14, ULD03, ULD03, ULD03, ULD03, ULD03, ULD03, ULD03, ULD03, ULD03, ULD03, ULD03, UNC0X, UNC0X, UNC0X, UNC0X, UNC0X, UNC0X, UNC0X, UNC0X, UNC0X, UNC0X, UNLD1, UNLD3, UXT01, UXT03, UXT01, UXT03, UXT01, UXT03, UXT01, UT10	
UC1GC, UC1GL, UC1HL, UDL12, UDL48, UDL03, UDLSX, UE3, ULLD12, ULD48, ULDD1, ULD03, ULDD1, ULD03, ULDS1, ULDVX, UNC1X, UNC0X, UNC1X, UNC0X, UNCDX, UNCNX, UNC0X, UNCVX, UNC1X, UNC	
UC1HC, UC1HL, UDL12, UDL48, UDL03, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDD3, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNC1X, UNCX, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUB, U1TUB, U1TUA SDASP 200.00	
UDL12, UDL48,	
UDLO3, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDS1, ULDVX, UNC1X, UNC3X, UNC1X, UNC1X, UNC3X, UNCDX, UNCNX, UNCDX, UNCX, UNLD1, UNLD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD3, UXTD1, UXTD3, UXT	
UDLO3, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDS1, ULDVX, UNC1X, UNC3X, UNC1X, UNC1X, UNC3X, UNCDX, UNCNX, UNCDX, UNCX, UNLD1, UNLD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD3, UXTD1, UXTD3, UXT	
UE3, ULD12, ULD48, ULDD3, ULDD3, ULDD3, ULD51, ULD93, ULD51, ULD93, ULD51, ULD93, ULD51, ULD93, ULD51, ULD94, UNC3X, UNC1X, UNC3X, UNC1X, UNCDX, UNCNX, UNCDX, UNCNX, UNCDX, UNCDX, UNCDX, UNCD1, UNCD3, UNCD1, UNCD3, UNC1, UNC1, UNC103, UXT01, UXT03, UXT01, UXT03, UXT01, UXT03, UXT01, UXT04	
ULDD1, ULDD3, ULDO3, ULDO3, ULDO3, ULDO4, ULDO51, ULDO51, ULDO51, ULDO51, ULDO51, ULDO51, ULDO51, ULDO51, ULDO51, ULDO51, ULDO51, UNCO52, UNCO	
ULDDX, ULDO3, ULDS1, ULDO3, ULDS1, ULDO3, ULDS1, ULDO3, UNCDX, UNCOX, UNCDX, UNCNX, UNCDX, UNCNX, UNCDS, UNCVX, UNLD1, UNID3, UXTD1, UXTD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, UTUA SDASP 200.00	
ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNCDX, UNCVX, UNCDI, UNCDI, UNCDI, UNCDI, UNCDI, UNCDI, UNCDI, UNCDI, UNCDI, UNCDI, UNCDI, UNLDI, UNLDI, UNLDI, UNLDI, UXTDI, UXTDI, UXTS1, UITUC, UITUD, UITUB, UITUB, UITUA SDASP 200.00	
UNC1X, UNC3X, UNCDX, UNCX, UNCDX, UNCX, UNCD3, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUB, U1TUB, U1TUB, U1TUB, U1TUA SDASP 200.00	
UNCDX, UNCDX, UNCDX, UNCDX, UNCD3, UNCD3, UNCD1, UNLD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD4, UTTUC, U1TUC, U1TUC, U1TUB, U1TUB, U1TUA SDASP 200.00	
UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UNLD3, UTUC, U1TUB, U1TUB, U1TUB SDASP 200.00	
UNLD1, UNLD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UTUC, U1TUD, U1TUB, U1TUB, U1TUA SDASP 200.00	
UXTD1, UXTD3, UXTS1, U1TUC, U1TUB, U1TUB, U1TUB, U1TUB, U1TUA SDASP 200.00	
UXTS1, U1TUC, U1TUD, U1TUB, UNE Expedite Charge per Circuit or Line Assignable USOC, per Day U1TUA SDASP 200.00	
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day U1TUB, U1TUB, SDASP 200.00	
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day U1TUA SDASP 200.00	
	+
ORDER MODIFICATION CHARGE	+
Order Modification Charge (OMCAD) 25.21 0.00 0.00 0.00 0.00	-
I DOUBLE DECHARGE ACCESS LOOP	+
UNBUNDLED EXTRANGE ACCESS LOUP WIRE ANALOG VOICE GRADE LOOP	+
	+
	+
	+
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 3 UEANL UEAL2 48.43 36.54 16.87	$-\!$
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 1 UEANL UEASL 12.90 36.54 16.87	-
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 23.33 36.54 16.87	-
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 3 UEANL UEASL 48.43 36.54 16.87	
Unbundled Miscellaneous Rate Element, Tag Loop at End User	-
Premise UEANL URETL 8.33 0.83	
Loop Testing - Basic 1st Half Hour UEANL URET1 33.17 0.00	
Loop Testing - Basic Additional Half Hour UEANL URETA 19.28 19.28	
CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-	
SL1) UEANL UREWO 15.75 8.93	
Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	
providing make-up (Engineering Information - E.I.) UEANL UEANM 13.04 13.04	

Version 06/29/04 Page 33 of 70

CATEGORY	Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) IRE UNBUNDLED COPPER LOOP - NON-DESIGNED 2-Wire Unbundled Copper Loop - Non-Designed - Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)	Interim	Zone	BCS UEANL UEANL	USOC	Rec	Nonrec	RATES(\$)		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	ment: 2 Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	bit: A Incremental Charge - Manual Svc Order vs. Electronic-
	Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) IRE UNBUNDLED COPPER LOOP - NON-DESIGNED 2-Wire Unbundled Copper Loop - Non-Designed - Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)	Interim	1	UEANL		Rec				Elec	Manually	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-
	Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) IRE UNBUNDLED COPPER LOOP - NON-DESIGNED 2-Wire Unbundled Copper Loop - Non-Designed - Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)	Interim	1	UEANL		Rec				Elec	Manually	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svo Order vs. Electronic-
	Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) IRE UNBUNDLED COPPER LOOP - NON-DESIGNED 2-Wire Unbundled Copper Loop - Non-Designed - Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)	Interim	1	UEANL		Rec						Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
	Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) IRE UNBUNDLED COPPER LOOP - NON-DESIGNED 2-Wire Unbundled Copper Loop - Non-Designed - Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)		1	UEANL		Rec				per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
2-W	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) IRE UNBUNDLED COPPER LOOP - NON-DESIGNED 2-Wire Unbundled Copper Loop - Non-Designed - Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)				UEAMC	Rec									
2-W	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) IRE UNBUNDLED COPPER LOOP - NON-DESIGNED 2-Wire Unbundled Copper Loop - Non-Designed - Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)	1			UEAMC	Rec						151	Addi	DISC 1St	
2-W	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) IRE UNBUNDLED COPPER LOOP - NON-DESIGNED 2-Wire Unbundled Copper Loop - Non-Designed - Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)	1			UEAMC	Rec									Disc Add'l
2-W	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) IRE UNBUNDLED COPPER LOOP - NON-DESIGNED 2-Wire Unbundled Copper Loop - Non-Designed - Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)	1			UEAMC	Rec		urring	Nonrecurring Disconne	ct	1	OSS	Rates(\$)	<u> </u>	
2-W	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) IRE UNBUNDLED COPPER LOOP - NON-DESIGNED 2-Wire Unbundled Copper Loop - Non-Designed - Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)	1			UEAMC		First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-W	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) IRE UNBUNDLED COPPER LOOP - NON-DESIGNED 2-Wire Unbundled Copper Loop - Non-Designed - Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)	1			UEAIVIC		7.92	7.92	Tilst Add I	JOINEC	JONAN	JOWAN	JOHAN	JOHIAN	JONAN
2-W	LSR) IRE UNBUNDLED COPPER LOOP - NON-DESIGNED 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)	1 1		UEANL			1.52	1.32	+		1				
2-W	IRE UNBUNDLED COPPER LOOP - NON-DESIGNED 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)	1 1		UEANL	OCOSL		17.56	17.56							Í
2-90	2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)	1			UCUSL		17.56	17.56	-						
	Wire Unbundled Copper Loop - Non-Designed - Zone 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)	1		LIEO	LIFONY	10.10	05.07	45.00	-						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Manual Order Coordination 2 Wire Unbundled Copper Loop - Non- Designed (per loop)	l		UEQ	UEQ2X	12.40	35.27	15.60							
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Manual Order Coordination 2 Wire Unbundled Copper Loop - Non- Designed (per loop)			UEQ	UEQ2X	14.32	35.27	15.60							+
	Premise Manual Order Coordination 2 Wire Unbundled Copper Loop - Non- Designed (per loop)		3	UEQ	UEQ2X	16.87	35.27	15.60							
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non- Designed (per loop)														i
	Designed (per loop)			UEQ	URETL		8.33	0.83							1
															i
			1	UEQ	USBMC		7.92	7.92			ļ]]		
·	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST		1						1]]		1
	providing make-up (Engineering Information - E.I.)	<u></u>	<u> </u>	UEQ	UEQMU		13.04	13.04			<u> </u>	<u> </u>	<u> </u>		<u> </u>
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		33.17	0.00							
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.28	19.28							
í	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-														
ı İ	ND)		1	UEQ	UREWO		14.25	7.42					1		1
UNBUNDLE	D EXCHANGE ACCESS LOOP						_								
	IRE ANALOG VOICE GRADE LOOP														
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or														
ı l	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.93	102.10	65.72							i .
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		+-'-	OLA	OLALZ	14.33	102.10	03.72	<u> </u>						
ı l	Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.35	102.10	65.72							i .
		-		UEA	UEALZ	25.55	102.10	03.72	+		1				
ı l	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		3	UEA	UEAL2	50.46	102.10	65.72							i .
	Ground Start Signaling - Zone 3		3	UEA	UEALZ	50.46	102.10	03.72	-						
ı l	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		١.		LIEADO	44.00	100.10	05.70							i .
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.93	102.10	65.72							├
ı l	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		l .												i .
	Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	102.10	65.72							
ı l	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse														i .
	Battery Signaling - Zone 3		3	UEA	UEAR2	50.46	102.10	65.72							ĺ
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30							1
1	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.20	1.10							1
4-W	IRE ANALOG VOICE GRADE LOOP														
í	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	30.81	127.40	91.02							
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.32	127.40	91.02							
i l	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.39	127.40	91.02			1				
$\overline{}$	CLEC to CLEC Conversion Charge without outside dispatch		T -	UEA	UREWO	22.20	87.59	36.30			İ	İ	İ		
2-W	IRE ISDN DIGITAL GRADE LOOP				5		000	00.00			i e				
 	2-Wire ISDN Digital Grade Loop - Zone 1	1	1	UDN	U1L2X	22.09	113.34	76.96		- 	1		1		f
	2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2	1	2	UDN	U1L2X	35.28	113.34	76.96	 	_	1				
	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3	 	3	UDN	U1L2X	65.18	113.34	76.96	 	+	 	 	-		
$\overline{}$	CLEC to CLEC Conversion Charge without outside dispatch	1	3	UDN	UREWO	00.10	91.49	44.09		-	 	1	l		
2 14/	IRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	IDIELO	OB	אוסטוא	OKEWO	1	31.49	44.09	 	-	1				
<u>∠-w</u>		IDLE LO	UF.		+						-				
ı l	2 Wire Unbundled ADSL Loop including manual service inquiry &		١.		1141 637	10.00	447.00	20.65]						1
	facility reservation - Zone 1		1	UAL	UAL2X	12.29	117.08	68.36	ļ	_	!				←
ı l	2 Wire Unbundled ADSL Loop including manual service inquiry &	1	1	l	1	l			1			1	1		1
	facility reservation - Zone 2		2	UAL	UAL2X	14.09	117.08	68.36							
ı l	2 Wire Unbundled ADSL Loop including manual service inquiry &		1		1]						1
	facility reservation - Zone 3	1	3	UAL	UAL2X	15.75	117.08	68.36			ļ]		
(I =	2 Wire Unbundled ADSL Loop without manual service inquiry &								I						1
	facility reservaton - Zone 1	<u> </u>	1	UAL	UAL2W	12.29	92.83	56.02							
	2 Wire Unbundled ADSL Loop without manual service inquiry &														1
ı l	facility reservaton - Zone 2	1	2	UAL	UAL2W	14.09	92.83	56.02	1			1	1		1
	2 Wire Unbundled ADSL Loop without manual service inquiry &														
ı İ	facility reservaton - Zone 3	1	3	UAL	UAL2W	15.75	92.83	56.02	1			1	1		1
	CLEC to CLEC Conversion Charge without outside dispatch		T	UAL	UREWO		86.07	40.34			İ	İ	İ		
2-W	IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	SLE I OO	P	i			00.07	.0.04		1	1		1		
 	2 Wire Unbundled HDSL Loop including manual service inquiry &	1	i		+					- 	1		1		f
ı l	facility reservation - Zone 1		4	UHL	UHL2X	9.79	125.50	76.77]						1
	2 Wire Unbundled HDSL Loop including manual service inquiry &	1		OLIE	UTILZA	3.19	120.00	10.11	 	+	 	1	1		
ı l	facility reservation - Zone 2	1	2	UHL	UHL2X	11.52	125.50	76.77	1			1	1		1

UNBUNI	DLED	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
CATEGOI	RY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonred		Nonrecurring Di		201150	201111		Rates(\$)	201111	201111
		O.W.: Habara da H.D.C. Lana including a second and including						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	12.74	125.50	76.77								
		2 Wire Unbundled HDSL Loop without manual service inquiry and			OTIL	OTILEX	12.74	120.00	70.77								
		facility reservation - Zone 1		1	UHL	UHL2W	9.79	101.24	64.43								
		2 Wire Unbundled HDSL Loop without manual service inquiry and															
		facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43								
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43								
		CLEC to CLEC Conversion Charge without outside dispatch	1	3	UHL	UREWO	12.74	86.00	40.34								
4-		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	BLE LOO	P	OTIL	OKEWO		00.00	40.54								
		4 Wire Unbundled HDSL Loop including manual service inquiry and															
		facility reservation - Zone 1	<u> </u>	1	UHL	UHL4X	16.24	153.26	104.54								
	T	4-Wire Unbundled HDSL Loop including manual service inquiry and															
		facility reservation - Zone 2	 	2	UHL	UHL4X	16.65	153.26	104.54								-
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	17.34	153.26	104.54								
		4-Wire Unbundled HDSL Loop without manual service inquiry and			OTIL	OTILAX	17.54	155.20	104.54								
		facility reservation - Zone 1		1	UHL	UHL4W	16.24	129.00	92.20								
		4-Wire Unbundled HDSL Loop without manual service inquiry and															
		facility reservation - Zone 2		2	UHL	UHL4W	16.65	129.00	92.20								
		4-Wire Unbundled HDSL Loop without manual service inquiry and		_			47.04	400.00	22.22								
		facility reservation - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch		3	UHL UHL	UHL4W UREWO	17.34	129.00 86.00	92.20 40.34								
4.		19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			UTIL	UKEWU		80.00	40.34								
7		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	30.99	121.86	85.48								
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	36.78	121.86	85.48								
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	38.92	121.86	85.48								
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	30.99	121.86	85.48								
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	36.78	121.86	85.48								
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		3	UDL UDL	UDL56 UDL64	38.92 30.99	121.86 121.86	85.48 85.48								
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		_	UDL	UDL64	36.78	121.86	85.48								
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.92	121.86	85.48								
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.97	49.67								
2-		Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual service															
		inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.29	116.18	67.46								
		2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	14.09	116.18	67.46								
		2 Wire Unbundled Copper Loop-Designed including manual service	1			50215	14.00	110.10	07.40								
		inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15.75	116.18	67.46								
		2-Wire Unbundled Copper Loop-Designed without manual service															
		inquiry and facility reservation - Zone 1	╀	1	UCL	UCLPW	12.29	91.92	55.12								
		2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	14.09	91.92	55.12								
		2-Wire Unbundled Copper Loop-Designed without manual service	1		UUL	OCLEVY	14.09	31.92	55.12								
		inquiry and facility reservation - Zone 3		3	UCL	UCLPW	15.75	91.92	55.12								
		CLEC to CLEC Conversion Charge without outside dispatch (UCL-	İ						/-								İ
		Des)			UCL	UREWO		91.92	42.47								
4-		COPPER LOOP	<u> </u>	<u> </u>		1									ļ		
	ľ	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	22.27	139.69	90.96								
		4-Wire Copper Loop-Designed including manual service inquiry and	+		UUL	UCL43	22.21	139.09	90.96								
	ļ	facility reservation - Zone 2		2	UCL	UCL4S	18.95	139.69	90.96								
		4-Wire Copper Loop-Designed including manual service inquiry and	1						20.00								
		facility reservation - Zone 3	1	3	UCL	UCL4S	10.99	139.69	90.96								
	ŀ	4-Wire Copper Loop-Designed without manual service inquiry and		١.													
-		facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and	1	1	UCL	UCL4W	22.27	115.43	78.63								-
	J.	facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63								
		4-Wire Copper Loop-Designed without manual service inquiry and	1	<u> </u>		JOL-1VV	10.33	110.40	70.03								
				3	UCL	UCL4W	10.99	115.43	78.63	1					1	ı	1

UNBUNDL	LED NE	TWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
CATEGORY		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	-							Nonrec	urring	Nonrecurring D	licconnect			088	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLE	C to CLEC Conversion Charge without outside dispatch (UCL-															
	Des				UCL	UREWO		91.92	42.47								
	Orde	er Coordination for Unbundled Copper Loops (per loop)			UCL UEA, UDN, UAL,	UCLMC		7.92	7.92								
	Orde	er Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		17.56									
LOOP MODI																	
		undled Loop Modification, Removal of Load Coils - 2 Wire pair than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
		undled Loop Modification Removal of Load Coils - 4 Wire less			UEPSB	ULIVIZL		0.00	0.00								
		or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00	<u> </u>		<u> </u>					
		undled Loop Modification Removal of Bridged Tap Removal, per Indled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		12.15	12.15								
SUB-LOOPS		maios ioop			02.05	OZ.III.D.		12.10	12.10								
		istribution															
	Sub-	Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	ı		UEANL	USBSA		144.09	144.09								
		Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		10.99	10.99								
	Sub-	Loop - Per Building Equipment Room - CLEC Feeder Facility	١.,		UEANL	USBSC		86.16	86.16								
		op Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	'		UEANL	USBSD		27.13	27.13								
		Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone															
	1 Sub-	Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN2	7.57	63.89	30.06								
	Sub-	Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	<u> </u>	3	UEANL UEANL	USBN2 USBN2	12.75 21.45	63.89 63.89	30.06								
	Orde	er Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-	Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone															
	1 Sub-	Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN4	11.76	76.75	42.92								
	2	Land Distribution Day 4 Miles Apple Valley Conduction 7-1-		2	UEANL	USBN4	16.84	76.75	42.92								
	3	Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		3	UEANL	USBN4	19.27	76.75	42.92								
	Orde	er Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-	Loop 2-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR2	2.91	51.48	17.65								
		0 5 7 7 111 110 11				HODAYO											
		er Coordination for Unbundled Sub-Loops, per sub-loop pair Loop 4-Wire Intrabuilding Network Cable (INC)	-		UEANL UEANL	USBMC USBR4	6.58	7.92 57.54	7.92 23.71	+							
		. , ,	<u> </u>				86.0										
		er Coordination for Unbundled Sub-Loops, per sub-loop pair o Testing - Basic 1st Half Hour			UEANL UEANL	USBMC URET1		7.92 33.17	7.92 0.00	+							
		Testing - Basic 1st Hall Hour Testing - Basic Additional Half Hour			UEANL	URETA		19.28	19.28	 							
	2 Wi	re Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS2X	6.26	63.89	30.06								
		re Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	10.07	63.89	30.06								
		re Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	12.70	63.89	30.06								
		er Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>	_	UEF	USBMC	0.00	7.92	7.92	 							
		re Copper Unbundled Sub-Loop Distribution - Zone 1 re Copper Unbundled Sub-Loop Distribution - Zone 2			UEF UEF	UCS4X UCS4X	8.03 10.71	76.75 76.75	42.92 42.92	+							
		re Copper Unbundled Sub-Loop Distribution - Zone 3	i	3	UEF	UCS4X	6.08	76.75	42.92	1							
	Orde	er Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
		Tagging Service Level 1, Unbundled Copper Loop, Non- gned and Distribution Subloops			UEF, UEANL	URETL		0.89	0.88								

PORTORIANTE	D NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)		Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		
						Rec	Nonrec		Nonrecurring Disconne				Rates(\$)		
\vdash	Loop Testing - Basic 1st Half Hour			UEF	URET1		First 33.17	Add'l 0.00	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Testing - Basic 1st Hair Hour Loop Testing - Basic Additional Half Hour			UEF	URETA		19.28	19.28							
Unbu	ndled Sub-Loop Modification			OL:	OKLIK		10.20	10.20							
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load														
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00							
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		0.00	0.00							
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled														
	loop			UEF	ULMBT		224.55	4.29							
Unbu	ndled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3454	14.72	14.72							
Netw	ork Interface Device (NID)		1	OLIVIV	OLINEE	0.3434	14.72	14.72							
, itelwi	Network Interface Device (NID) - 1-2 lines		<u> </u>	UENTW	UND12		42.26	27.83		1					
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		62.86	48.43							
	Network Interface Device Cross Connect - 2 W				UNDC2		5.73	5.73							
	Network Interface Device Cross Connect - 4W		ļ	UENTW	UNDC4		5.73	5.73							
UNE OTHER,	PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation	1	!	UENTW	UNDBX	0.00	0.00				<u> </u>				
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	OTTIVE OFFICIAL IN ESTABLISHMENT, FIOVISIONING OTHER TRACE		1	UEANL,UEF,UEQ,UE	OLIVOL	0.00	0.00								
	Unbundled Contract Name, Provisioning Only - No Rate			NTW UAL,UCL,UDC,UDL,	UNECN	0.00	0.00								
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL	UNECN	0.00	0.00								
LOOP MAKE-															
	Loop Makeup - Preordering Without Reservation, per working or														
\vdash	spare facility queried (Manual).			UMK	UMKLW		23.29	23.29							_
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.70	24.70							
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.19	0.19							
LINE SHARIN				UIVIK	UIVIKIVIQ		0.19	0.19							
	: 1: The Line Sharing monthly recurring rates for all installations	comple	ted fro	m October 02, 2003 th	rough midni	ght October 01,	2004 shall be b	illed as follow	rs:						
NOTE	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop	per loop	non-d	esigned ("UCLND")		ĺ									
	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND														
	1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND														<u> </u>
	: 1: Above will apply to USOCS: ULSDT and ULSCT FE 2: The Line Sharing monthly recurring rates with USOCs ULSD	C and I	11 000	annlina anluta siraui	to in stallad a	nd incomice on	or before Oct	hor 1 2002							
	SHARING	oc and c	LSCC	applies only to circuit	is installed a	ina inservice or	or before Octo	ber 1, 2003							
	TERS-CENTRAL OFFICE BASED														
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	187.17	183.33	0.00							
	Line Sharing Splitter, per System 24 Line Capacity				ULSDB	46.79	183.33	0.00							
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	15.59	183.33	0.00							
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD)			ULS	ULSDG		83.98	0.00							
FND !	JSER ORDERING-CENTRAL OFFICE BASED LINE SHARING			ULS	ULSDG		03.90	0.00							
LIVE	Line Sharing - per Line Activation (BST Owned splitter) -		1												1
	OBSOLETE see **NOTE 2		L	ULS	ULSDC	0.61	17.97	10.29			<u> </u>	<u> </u>	<u> </u>		
	Line Share Service, TRO per line activation, BST owned splitter -														
	Central Office Located (25% of UCLND) - please see NOTE 1				00=										
\vdash	(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -	1	!	ULS	ULSDT	3.10	17.97	10.29			<u> </u>				
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1		1							1					
	(E:10/2/2004)		1	ULS	ULSDT	6.20	17.97	10.29		1					
	Line Share Service, TRO per line activation, BST owned splitter -			1		0.20				1					1
	Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	9.30	17.97	10.29							
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST					0.00						1	1		1
	Owned Splitter)			ULS	ULSDS		15.91	7.95							<u> </u>
	Line Sharing - per Subsequent Activity per Line														
	Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter) -			ULS	ULSCS		15.91	7.95							

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
						Rec	Nonrec	urring	Nonrecurring Di	sconnect			oss	Rates(\$)		<u></u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1															i .
	(E:10/2/2003)			ULS	ULSCT	3.10	47.44	19.31								i .
	Line Share Service, TRO per line activation, CLEC owned splitter -			010	OLOCI	3.10	47.44	13.51								—
	Central Office Located (50% of UCLND) - please see NOTE 1															ĺ
	(E:10/2/2004)			ULS	ULSCT	6.20	47.44	19.31								<u></u>
	Line Share Service, TRO per line activation, CLEC owned splitter -															ĺ
	Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.30	47.44	19.31								ĺ
MAINT	(E.10/2/2005) ENANCE			ULS	ULSCI	9.30	47.44	19.51								
INIZATI I	No Trouble Found - per 1/2 hour increments - Basic	1	<u> </u>	1	1		80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
	DEDICATED TRANSPORT	1	<u> </u>		+											
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	1	1	1	+ -		+									
	Per Mile per month	1	1	U1TVX	1L5XX	0.013										1
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination			U1TVX	U1TV2	22.60	39.36	26.62								<u></u>
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															ĺ
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	22.60	39.36	26.62								ĺ
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -		1	OTTVX	OTTIVE	22.00	00.00	20.02								
	Per Mile per month			U1TVX	1L5XX	0.013										<u> </u>
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -															ĺ
	Facility Termination			U1TVX	U1TV4	19.81	39.36	26.62								⊢
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.013										1
-	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OTIDA	TESKX	0.013										
	Termination			U1TDX	U1TD5	15.61	39.37	26.62								ĺ
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per															ĺ
	month			U1TDX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	15.61	39.37	26.62								ĺ
SIGNALING (C				UTIDA	UTIDE	15.61	39.37	20.02								
1	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147.60										
	CCS7 Signaling Connection, Per DS1 level link (A link)			UDB	TPP6A	15.77	34.50	34.50								
	CCS7 Signaling Connection, Per DS3 level link (A link)			UDB	TPP9A	15.77	34.50	34.50								
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)	1	1	UDB	TPP6B	15.77	34.50	34.50								1
 	CCS7 Signaling Connection, Per DS3 level link (B link) (also known	+	 	סעט	IFFOB	15.77	34.50	34.50								
	as D link)			UDB	TPP9B	15.77	34.50	34.50								ĺ
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected	<u> </u>	ļ	UDB	CCAPO		28.17	28.17								
	CCS7 Signaling Point Code, per Destination Point Code				00400		20.4-	oo :-								i
E911 SERVICE	Establishment or Change, Per Stp Affected	+	1	UDB	CCAPD		28.17	28.17								\vdash
LJII JERVICE	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1	+	 	 	+ -	18.32	187.51	32.21								
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2	1		İ	1	18.32	187.51	32.21								
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					18.32	187.51	32.21								
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	1			\bot	0.013										└
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					22.60	39.36	26.62								i
 	Local Channel - Dedicated - DS1 - Zone 1	+	 	 	+ -	39.18	39.36 172.34	149.27								
	Local Channel - Dedicated - DS1 - Zone 1	1	<u> </u>		+ -	121.58	172.34	149.27								
	Local Channel - Dedicated - DS1 - Zone 3					70.02	172.34	149.27								
	Interoffice Transport - Dedicated - DS1 Per Mile					0.2652		•							_	
.	W. T					70 :-	20.55	70								i
ENHANCED EV	Interoffice Transport - Dedicated - DS1 Per Facility Termination KTENDED LINK (EELs)	+	<u> </u>	 	+	70.47	86.69	79.44	 							\vdash
NOTE:	The monthly recurring and non-recurring charges below will a	nnly and	the Su	vitch-As-ls Charge	will not apply fo	or UNE combine	tions provision	ed as ' Ordina	rily Combined' Net	twork Flame	nts.					

CATEGORY RATE ELEMENTS Interim Zone BCS USOC RATES(\$) RATE SLEMENTS INTERIOR BCS USOC RATES(\$) RATE SLEMENTS INTERIOR BCS USOC RATES(\$) RATE SLEMENTS INTERIOR BCS USOC RATES(\$) RATE SLEMENTS INTERIOR BCS USOC RATES(\$) RATE SLEMENTS INTERIOR BCS USOC RATES(\$) SVC Order Submitted Charge - Manual Svc Manual Svc Manual Svc Order vs. Electronic-1st Disc 1st Disc Add'I Disc 1st Disc Add'I Disc 1st Disc Add'I Disc 1st Disc Add'I Disc 1st Disc Add'I Disc 1st Disc Add'I D	INBUNDI	FD I	NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhi	hit· Δ
ATT ELEMENTS RATE ELEMENTS RATE ELEMENTS RATE ALL MANY RAT	ONDONDE		NETWORK ELEMENTO - Louisiana									Svc Order	Svc Order				Incremental
ATTEMPS - NATE LEMENTS New East 1906																	Charge -
No. Proceedings																	Manual Svc
Second Processing Process	CATEGORY	1	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
No. No.																Electronic-	Electronic-
NOTE The control recorded and the Section Asia Charge and not in control recorded and the section of the se																Disc 1st	Disc Add'l
Company Comp																	
Section Committee recognit								Rec									•
Company Comp													SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Primeriol Less necembrosanes (2007 1.0							apply for UN	E combinations	provisioned as	' Currently Co	mbined' Network Elements						
Service Control Control control control control control control Control Control Control Contro	EXI			KADE IN			LIEALO	44.00	04.04	45.00							
A PAYRANG Login concentration - Zoncia Declaration D												_					
Intendition Timosport 2- Julian VIC. Double-sized Figs VIA Park Manning June 1997 Ju																	
Interestinal Temporal 2-Alean VCL Decidiosed Pacify Temporation DNCOX DN			-vviie v o Loop in combination - Zone 3			ONOVA	ULALZ	30.40	34.21	45.03	 	_					
		In	nteroffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.013									
Dec. Company Company Contract Company Contr																	
Charge NACCC 5.43 5.45						UNCVX	U1TV2	22.60	72.60	41.75							
Courge Courge Control Contro		N	Ionrecurring Currently Combined Network Elements Switch -As-Is														
4-Winn's Loop contribution - Zero 2 2 NOVX VEAL4 2018 9421 4,509		С	Charge	<u></u>			UNCCC		5.43	5.43							
A-WINEYO Coop Incombrasion - Zeros 2	EXT			RADE IN													
Advitiv0 Lospon prosteration - Zero 9																	
Interesting Transport - 4-wire VG - Dedicated - Per Mile Per Mortin UNCVX 11,55X 0.013																	
		4-	-WireVG Loop in combination - Zone 3	 	3	UNCVX	UEAL4	60.39	94.21	45.09							
Dec Promoth Dec Promoth						UNCVX	1L5XX	0.013									
Norsecuring Currently Contributed Newsork Elements Switch - As-als Chrox UNCCC 5.43 6.43 Chromosome Chromoso						LINCVY	1147)/4	40.01	70.00	44 75					1		
Chasge						UNCVX	U11V4	19.81	72.60	41.75							
Cartenges 4-WRE & RPS BORTAL EXTENDED LOOP WITH 56 KRPS NITEORPICE TRANSPORT 1 UNCDX UDL56 30.99 42.1 45.09 1 44.00 1 44.00 1 44.00 1 44.00 1 45.00 1 44.00 1 44.00 1 45.00 1 44.00 1 45.00 1 44.00 1 45						LINCVIV	LINICCC		E 40	E 40							
4-we 56 kbgs Local Loop in combresitor. Zone 1 LINCDX UDL56 30.99 94.21 45.09	EVT			INTERO	FFICE		UNCCC		5.43	5.43	-	_					
4-wire 58 ktyps Local Loop in combination - Zone 3	EAI			INTERU			LIDL56	30.00	0/1 21	45.00							
4-we's 56 ktps Local Loop in combination - Zone 3 UNCDX UDL5.6 36.92 94.21 45.09																	
Interdifice Transport - Dedicated -4wire 64 ktps combination - Per Mise per month UNCDX U1TD5 15.61 72.60 41.75											 	_					
Mile per month UNCDX 1L5XX 0.013					Ť	OHOBA	02200	00.02	01.21	10.00							
Interoffice Transport - Dedicated -4-were 64 kbps combination - Facility Termination per month UNCDX UNcdX UNCDX UNcdX UNcdX UNcdX UNcdX UNcdX UNcdX UNcdX UNcdX UNcdX UNcdX UNcdX UNcdX UNcdX UNcdX UncdX UNcdX UncdX UNcdX UncdX UNcdX Unc						UNCDX	1L5XX	0.013									
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge UNCDX UNCD		In	nteroffice Transport - Dedicated - 4-wire 56 kbps combination -														
Charge UNCCX UNCCX UNCCX UNCCX UNCCX UNCCX UNCCX UNCCX UNCCX UNCCX UNCCX UNCCX UNCCX UNCCX UNCX		F	acility Termination per month			UNCDX	U1TD5	15.61	72.60	41.75							
EXTENDED 4-WIRE 64 KRPS DIGITAL EXTENDED LOOP WITH 64 KRPS NITEROFFICE TRANSPORT 4 - wire 64 klops Local Loop in Combination - Zone 2 2 UNCDX UDL64 30.99 94.21 45.09		N	Ionrecurring Currently Combined Network Elements Switch -As-Is														
4-wire 64 ktops Local Loop in Combination - Zone 1							UNCCC		5.43	5.43							
4-wire 64 ktips_Local Loop in Combination - Zone 2	EXT			INTERO													
4-wine 64 ktyps Local Loop in Combination - Zone 3 3 UNCDX UDL64 38.92 94.21 45.09																	
Interoffice Transport - Dedicated - 4-wire 64 ktops combination - Per UNCDX																	
Mile per month					3	UNCDX	UDL64	38.92	94.21	45.09							
Interdifice Transport - Dedicated -4-wire 64 kbps combination - Facility Termination per month																	
Facility Termination per month						UNCDX	1L5XX	0.013									
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge UNCDX UNCCC 5,43 5,43						LINCDY	LIATOS	15.64	72.60	A1 7E					1		
Charge C				1		OIACDV	סטווט	10.61	12.00	41./5	 	+	1	1	1		
EXTENDED 4-WIRE 56 KBPS LOGAL LOOP in Combination - Zone 1						UNCDX	UNCCC		5.43	5.43							
First 4-wire 56 kbps Local Loop in combination - Zone 1	EXT			EROFFIC	ETRA		211000		0.40	3.43							
First 4-wire 56 kbps Local Loop in combination - Zone 2							UDL56	30.99	94.21	45.09	 				1		
First 4-wire 56 kbps Local Loop in combination - Zone 3 3 UNCDX UDL56 38.92 94.21 45.09				1										İ	İ		
First 4-wire 66 kbps Interoffice Transport - Dedicated - Per Mile per month First 4-wire 65 kbps Interoffice Transport - Dedicated - Facility Termination per month UNCDX U1TD5 UNCDX U1TD5 Termination per month UNCDX U1TD5 Termination per month UNCDX UNCDX UNCCC				1										İ	İ		
First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility UNCDX																	
Termination per month				<u></u>		UNCDX	1L5XX	0.013									
Nonrecurring Currently Combined Network Elements Switch -As-Is														I			-
Charge				ļ		UNCDX	U1TD5	15.61	72.60	41.75]		
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT										_					1		
First 4-wire 64 kbps Local Loop in combination - Zone 1							UNCCC		5.43	5.43							
First 4-wire 64 kbps Local Loop in combination - Zone 2	EXT			EKUFFIC	E IRA		LIDLC4	20.22	04.04	45.00			1	-	 		
First 4-wire 64 kbps Local Loop in combination - Zone 3				 	7								 		-		
First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch - As-Is Charge UNCDX UNCDX UNCDX UNCCC 5.43 5.43				1	_						 	+	1	1	1		
month UNCDX 1L5XX 0.013				1	3	OIACDV	JDL04	30.92	94.21	45.09	 	+	1	1	1		
First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge UNCDX UNCDX UNCCC 5.43 5.43						UNCDX	11.5XX	0.013									
Termination per month				1		222.1	. 20, 3,	0.010				1		1	1		
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge UNCDX UNCCC 5.43 5.43 5.43						UNCDX	U1TD6	15.61	72.60	41.75					1		
Charge UNCDX UNCCC 5.43 5.43				1		-	1	1		0		1		İ	İ		
ADDITIONAL NETWORK ELEMENTS		С	Charge	<u></u>	L	UNCDX	UNCCC	<u> </u>	5.43	5.43	<u> </u>		<u> </u>	<u> </u>	<u></u>		
	ADDITIONAL	L NET	TWORK ELEMENTS														

U	NBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc		
C	TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l	
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	When	used as a part of a currently combined facility, the non-recurrng	s do no	ot apply, but a Switch	As Is charge	e does apply.											
	When	used as ordinarily combined network elements in All States, the	non-rec	urring	charges apply and th	e Switch As	Is Charge does	not.									
	Nonre	curring Currently Combined Network Elements "Switch As Is" C	harge (C	ne app	lies to each combina	ition)											
		Nonrecurring Currently Combined Network Elements Switch -As-Is															
		Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.43	5.43								
		Nonrecurring Currently Combined Network Elements Switch -As-Is															
		Charge - 56/64 kbps			UNCDX	UNCCC		5.43	5.43								
	Misce	laneous															
		NRC - Order Coordination Specific Time - Dedicated Transport	I		UN1CX	OCOSR		18.85	18.85								

Version 06/29/04 Page 40 of 70

lunini mini n	D NETWORK ELEMENTS M: : : :															
ONBONDLE	D NETWORK ELEMENTS - Mississippi	1									Cua Ordan	Svc Order		ment: 2 Incremental	Exhi Incremental	bit: A Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
															2.00 .00	Dioc / ida :
						Rec	Nonrec	curring	Nonrecurring	Disconnect				Rates(\$)		
							First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	Zone" shown in the sections for stand-alone loops or loops as p			ation refers to Geogr	raphically De	averaged UNE	Zones. To view	Geographical	ly Deaveraged l	JNE Zone Desig	gnations by	Central Offi	ce, refer to Int	ernet Website	:	ļ
	www.interconnection.bellsouth.com/become_a_clec/html/interco	nnectio	n.htm													
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"									<u> </u>					<u> </u>	
	: (1) CLEC should contact its contract negotiator if it prefers the															
	the state specific Commission ordered rates for the service orde															
	: (2) Any element that can be ordered electronically will be billed dered electronically at present per the LOH, the listed SOMEC rate															
De Oil	OSS - Electronic Service Order Charge, Per Local Service Request		catego	l	liiai woulu	De billed to a C	LEC Office electi	Torric ordering	Lapabilities co	lile on-ille for i	liat elemen	i. Otherwise	i, the manual t	l charge	je, SOWAN, W	ii be applied
	(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						j ,
	OSS - Manual Service Order Charge, Per Local Service Request				COMILO		0.00	0.00	0.00	0.00						
	(LSR) - UNE Only				SOMAN		15.75	0.00	1.97	0.00						j ,
UNE SERVICE	DATE ADVANCEMENT CHARGE															
NOTE	: The Expedite charge will be maintained commensurate with Be	IISouth'	s FCC	No.1 Tariff, Section 5	as applicab	le.										
				UAL, UEANL, UCL,												
				UEF, UDF, UEQ,												
				UDL, UENTW, UDN,												
				UEA, UHL, ULC,												
				USL, U1T12, U1T48,												
				U1TD1, U1TD3,												
				U1TDX, U1TO3,												
				U1TS1, U1TVX,												
				UC1BC, UC1BL,												
				UC1CC, UC1CL,												
				UC1DC, UC1DL, UC1EC, UC1EL.												
				UC1EC, UC1EL, UC1FC, UC1FL,												
				UC1GC, UC1GL,												
				UC1HC, UC1HL,												
				UDL12, UDL48,												
				UDLO3, UDLSX,												
				UE3, ULD12, ULD48,												
				ULDD1, ULDD3,												
				ULDDX, ULDO3,												
				ULDS1, ULDVX.												
				UNC1X, UNC3X,												
				UNCDX, UNCNX,												
				UNCSX, UNCVX,												
				UNLD1, UNLD3,												
				UXTD1, UXTD3,												
				UXTS1, U1TUC,												
				U1TUD, U1TUB,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUA	SDASP		200.00									
ORDER MODI	FICATION CHARGE	ļ							ļ				1	ļ		└
\vdash	Order Modification Charge (OMC)	 				1	26.21	0.00	0.00	0.00			!	 	1	\longleftarrow
UNDUNDUE	Order Modification Additional Dispatch Charge (OMCAD) EXCHANGE ACCESS LOOP	 				1	150.00	0.00	0.00	0.00			!	 	1	├ ──
	E ANALOG VOICE GRADE LOOP	 	-		-	1								-		
Z-VVIR	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25	1	1	1			\vdash
 	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1		UEANL	UEAL2	16.87	37.92	17.55	23.48	5.25			 			
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1	3	UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25			 			
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3	1		UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25			 			
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	l	1	UEANL	UEASL	12.03	37.92	17.55	23.48	5.25			t	1		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	16.87	37.92	17.55	23.48	5.25			İ	İ		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	25.68	37.92	17.55	23.48	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEASL	43.85	37.92	17.55	23.48	5.25						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User					.5.50		50		20						
	Premise	<u> </u>		UEANL	URETL		8.33	0.83		<u></u>			<u></u>	L	<u></u>	<u> </u>
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97								
	CLEC to CLEC Conversion Charge Without Outside Dispatch	<u> </u>		UEANL	UREWO		15.75	8.92		<u> </u>			L		<u> </u>	1

UNBUNE	DLEC	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
CATEGOR		RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)	•	•
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.51	13.51								
		Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 (per			UEANL	UEAMC		8.20	8.20								
		LSR)			UEANL	ocosl		18.19	18.19								
2-	WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED			OL/ II VL	CCCCL		10.10	10.10								
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	- 1	1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	- 1		UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	11.57	36.53	16.16		4.42						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	- 1	4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42						ļ
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEO	LIDETI		0.00	0.00								
\vdash		Premise Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-	1		UEQ	URETL		8.33	0.83	1		1			ł	1	+
		Designed (per loop)			UEQ	USBMC		8.20	8.20								
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST						5.20	0.20						1		1
		providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.51	13.51								<u> </u>
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.36	0.00		•						L
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.97	19.97								ļ
		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO		14.24	7.42								
		XCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP	-														
	VVIIKE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	-														
		Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37						
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 4		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37				 		+
		Battery Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37						
		Battery Signaling - Zone 4		4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37						
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29								
-	MIDE	Loop Tagging - Service Level 2 (SL2) ANALOG VOICE GRADE LOOP	-		UEA	URETL		11.19	1.10								
4-		4-Wire Analog Voice Grade Loop - Zone 1	-	1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64				†		+
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.26	132.27	94.59	60.68	14.64				İ		†
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64				<u> </u>		
		4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						
<u> </u>	14/ID =	CLEC to CLEC Conversion Charge without outside dispatch	1		UEA	UREWO		87.56	36.29						ļ		
2-	WIRE	ISDN DIGITAL GRADE LOOP	1	1	LIDNI	U1L2X	04.04	117.61	70.00	50.00	40.07	1			 		
\vdash		2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2	1	2	UDN UDN	U1L2X U1L2X	21.01 27.59	117.61 117.61	79.92 79.92	52.82 52.82	10.37 10.37	1			ł	1	+
\vdash		2-Wire ISDN Digital Grade Loop - Zone 2	<u> </u>	3	UDN	U1L2X	37.34	117.61	79.92	52.82	10.37				†		†
		2-Wire ISDN Digital Grade Loop - Zone 4		4	UDN	U1L2X	59.18	117.61	79.92	52.82	10.37				1		1
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.46	44.07								
2-	WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	IBLE LO	OP											ļ		_
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93						
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93						
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93						
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93						
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93						

UNBUNI	DLED	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEGO		RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	1	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
							-	Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 2	ļ	2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93						ļ
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93						
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 4		4	UAL	UAL2W	12.69	00.45	58.03	50.38	7.93						
		CLEC to CLEC Conversion Charge without outside dispatch	1	4	UAL	UREWO	12.69	96.15 86.04	40.33	50.38	7.93				1		
2-	-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	SLE LOO	P	OAL	OKEWO		00.04	40.00								
		2 Wire Unbundled HDSL Loop including manual service inquiry &															
		facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93						
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93						
		2 Wire Unbundled HDSL Loop including manual service inquiry &															
		facility reservation - Zone 3	<u> </u>	3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93				-		
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93				1		
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93						
		2 Wire Unbundled HDSL Loop without manual service inquiry and		-	OTIL	OTILZVV	0.75	104.00	00.74	30.30	7.95						†
		facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry and		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93						
		facility reservation - Zone 3 2 Wire Unbundled HDSL Loop without manual service inquiry and		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93						
		facility reservation - Zone 4		4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93						
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33								
4-	-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	SLE LOO	P													
		4 Wire Unbundled HDSL Loop including manual service inquiry and		١.													
		facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry and		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68						
		facility reservation - Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68						
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68						
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 4		4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68						
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68						
		4-Wire Unbundled HDSL Loop without manual service inquiry and		-	OTIL	OTILAVV	13.76	133.02	93.30	30.72	10.00						†
		facility reservation - Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68						
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68						
		4-Wire Unbundled HDSL Loop without manual service inquiry and															
		facility reservation - Zone 4	ļ	4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68						
4	WIDE	CLEC to CLEC Conversion Charge without outside dispatch 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	-		UHL	UREWO		85.98	40.33								+
	- VVIIN E	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	34.55	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	40.76	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital 19.2 Kbps		4	UDL	UDL19	32.25	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	<u> </u>	1 2	UDL	UDL56	27.44	126.53	88.85	60.68	14.64				-		
-		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	1	3	UDL UDL	UDL56 UDL56	34.55 40.76	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64				+		
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	1	4	UDL	UDL56	32.25	126.53	88.85	60.68	14.64		 		-		
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.44	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	34.55	126.53	88.85	60.68	14.64					_	
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	 	3	UDL	UDL64	40.76	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 4 CLEC to CLEC Conversion Charge without outside dispatch	 	4	UDL UDL	UDL64 UREWO	32.25	126.53 101.94	88.85 49.66	60.68	14.64				 		
2.	WIRF	Unbundled COPPER LOOP	 	-	ODL	UKEWU		101.94	49.66	1					 		-
	FFIRE	Unburidled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93						
		2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93						

UNBUNI	DLED	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fxhi	bit: A
CATEGOR		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
		2 Wire Unbundled Copper Loop-Designed including manual service	-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		inquiry & facility reservation - Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93						
		2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93						
		2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93						
		2-Wire Unbundled Copper Loop-Designed without manual service															ĺ
		inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93						
		inquiry and facility reservation - Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93						
		2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93						
		CLEC to CLEC Conversion Charge without outside dispatch (UCL-			HCI	LIBEWO		05.24	42.40								
4-	WIRE	Des) COPPER LOOP			UCL	UREWO		95.21	42.40								
		4-Wire Copper Loop-Designed including manual service inquiry and															
		facility reservation - Zone 1 4-Wire Copper Loop-Designed including manual service inquiry and		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68						-
		4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68						<u> </u>
		facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
		4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
		4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						
		4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68						
		4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
		4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
		CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des)			UCL	UREWO		95.21	42.40								
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
		Order Coordination for Specified Conversion Time (per LSR)			UEA, UDN, UAL, UHL, UDL	OCOSL		18.19									
LOOP MO	DIFIC																
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.57	32.57								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.57	32.57								
		Unbundled Loop Modification Removal of Bridged Tap Removal, per			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,	OLM4L		32.51	32.57								
CUD : C		unbundled loop	ļ		UEPSB	ULMBT		32.59	32.59								
SUB-LOO		op Distribution															
		•															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL	USBSA		259.69									
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility	ı		UEANL	USBSB		22.77									
		Set-Up	1		UEANL	USBSC		178.47									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	1		UEANL	USBSD		56.39									
		1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	I	1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71						
		2	1	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71						1

CATEGORY	RATE ELEMENTS Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4 Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4 Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	Interim	3 4 1 2 3	BCS UEANL UEANL UEANL UEANL UEANL UEANL UEANL	USBN2 USBN2 USBN2 USBNC USBN4 USBN4	Rec - 12.45 18.26	Nonrec First 66.18 66.18	RATES(\$) urring Add'l 31.14	Nonrecurring First 45.36 45.36	Add'I 6.71	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates(\$) SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	3 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4 Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4 Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		1 2 3	UEANL UEANL UEANL UEANL	USBN2 USBMC USBN4	12.45 18.26	66.18 66.18	Add'I 31.14	First 45.36	Add'I 6.71	SOMEC	SOMAN			SOMAN	SOMAN
	3 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4 Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4 Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		1 2 3	UEANL UEANL UEANL UEANL	USBN2 USBMC USBN4	12.45 18.26	66.18 66.18	31.14	45.36	6.71	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	3 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4 Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4 Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		1 2 3	UEANL UEANL UEANL UEANL	USBN2 USBMC USBN4	18.26	66.18									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone Corder Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1 2 3	UEANL UEANL UEANL UEANL	USBN2 USBMC USBN4	18.26	66.18									
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4 Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuliding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuliding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuliding Network Cable (INC)		1 2 3	UEANL UEANL	USBMC USBN4			31.14	45.36							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4 Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuliding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuliding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuliding Network Cable (INC)		3	UEANL	USBN4	7.30	8.20			6.71						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4 Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuliding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuliding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuliding Network Cable (INC)		3	UEANL	USBN4	7.30	0.20	8.20								1
	1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4 Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	3	UEANL		7.30		6.20								
	2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4 Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	3		USBN4		79.49	44.45	51.27	9.35						l
	3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4 Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair	I	3		USBN4											1
	3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4 Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair	I		UEANL		13.92	79.49	44.45	51.27	9.35						
	4 Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair	I	4		USBN4	16.73	79.49	44.45	51.27	9.35						1
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair	I	4	1												ĺ .
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair	I		UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ı		UEANL	USBMC		8.20	8.20								1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBR2	2.29	53.32	18.28	45.36	6.71						
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pair															1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	4.40	8.20	8.20	54.07	2.05						
		<u> </u>		UEANL	USBR4	4.40	59.60	24.55	51.27	9.35						
				UEANL	USBMC		8.20	8.20								ł
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- !-	1 2	UEF	UCS2X	6.06	66.18	31.14 31.14	45.36	6.71 6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	H	3	UEF UEF	UCS2X UCS2X	7.09 8.16	66.18 66.18	31.14	45.36 45.36	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	<u>'</u>			UCS2X	9.90	66.18	31.14	45.36	6.71						
																i
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	 	3	UEF UEF	UCS4X UCS4X	9.11 14.00	79.49 79.49	44.45 44.45	51.27 51.27	9.35 9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	- '-			UCS4X	14.00	79.49	44.45	51.27	9.35						
	TYTTO COPPOR CIDANIANO CAD ECOP BIOLIDANO.		<u> </u>	02.	000.11	1 1.00	70.10		01.27	0.00						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops			UEF. UEANL	URETL		8.92	0.88								ł
	Loop Testing - Basic 1st Half Hour			UEF, UEANL	URET1		34.36	0.88								
	Loop Testing - Basic Additional Half Hour		1	UEF	URETA		19.97	19.97								
Unbu	ndled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															1
-	Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip	-		UEF	ULM2X		176.80	5.13								
	Removal per 4-W PR			UEF	ULM4X		176.80	5.13								ł
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled															i
L	loop	ļ	ļ	UEF	ULMBT		279.81	6.15								
Unbu	ndled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair		1	UENTW	UENPP	0.3366	30.55									
Netwo	ork Interface Device (NID)		!	CLIVIVY	OLINI F	0.3300	30.05									í
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.84	28.90								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		65.30	50.36		· · · · ·						
	Network Interface Device Cross Connect - 2 W		<u> </u>	UENTW	UNDC2		5.94	5.94								
LINE OTHER	Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE	1	1	UENTW	UNDC4		5.94	5.94								
ONE OTHER,	NID - Dispatch and Service Order for NID installation	1	1	UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	1		UENTW	UENCE	0.00	0.00									i
				UEANL,UEF,UEQ,UE												i
	Unbundled Contract Name, Provisioning Only - No Rate	ļ	<u> </u>	NTW	UNECN	0.00	0.00									
				UAL, UCL, UDC, UDL, UDN, UEA.												
		1	1		UNECN											ı

LIMIDI	INDI EF	NETWORK ELEMENTS Mississippi												A441-		Ful. i	L:4. A
ONR	NULEL	NETWORK ELEMENTS - Mississippi	1	1		1	1					Syc Order	Svc Order	Attach Incremental	ment: 2 Incremental	Exhi Incremental	
			1				1					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0,					200				==(+)			per LSK	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														131	Addi	Disc 1st	Disc Add i
							Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOOP	MAKE-U																
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		24.12	24.12								
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		25.58	25.58								
		Loop MakeupWith or Without Reservation, per working or spare			UMK			0.0050	0.0050								
		facility queried (Mechanized)			UMK	UMKMQ		0.6652	0.6652								
LINES	HARING	: The Line Sharing monthly recurring rates for all installations		tod fro	m Ootobor 02, 2002 th	secondo midai	mbs Oosenar 01	2004 shall be l	sillad aa fallau	<u> </u>							
		: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop				irough miani	gnt October 01,	2004 Shall be i	onled as follow	75:					-		
		: 10/02/2003 – 10/01/2004: 25% of the rate for all unbundled cop : 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	per roop	non-a	esigned (OCLND)	1											
		: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND	 	1		1	-			 					-		
		: Above will apply to USOCS: ULSDT and ULSCT	l -			1	†			†					†		
	**NOTE	2: The Line Sharing monthly recurring rates with USOCs ULSD	C and L	JLSCC	applies only to circu	its installed a	and inservice o	n or before Oct	ober 1, 2003	İ					1		
		HARING	1		,,		1		,	İ					1		
		ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity	Ì		ULS	ULSDA	186.67	189.89	0.00	178.41	0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.67	189.89	0.00	178.41	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	15.55	189.89	0.00	178.41	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation	ı														
		(per LSOD)			ULS	ULSDG		86.98	0.00	49.96	0.00						
	END US	ER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.62	10.66	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.75	18.62	10.66	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDI	2.75	18.62	10.66	10.04	4.93						
		Central Office Located (50% of UCLND) - please see NOTE 1															
		(E:10/2/2004)			ULS	ULSDT	5.51	18.62	10.66	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -		1	ULS	ULSDT	5.51	10.02	10.00	10.04	4.53						
		Central Office Located (75% of UCLND) - please see NOTE 1															
		(E:10/2/2005)			ULS	ULSDT	8.26	18.62	10.66	10.04	4.93						
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST	•							1							
		Owned Splitter)			ULS	ULSDS		16.48	8.24								
		Line Sharing - per Subsequent Activity per Line															
	<u> </u>	Rearrangement(DLEC Owned Splitter)	<u></u>		ULS	ULSCS	<u> </u>	16.48	8.24	<u> </u>		<u> </u>		<u> </u>	<u></u>		<u> </u>
		Line Sharing - per Line Activation (DLEC owned Splitter) -															
		OBSOLETE see **NOTE 2	ļ		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						
1		Line Share Service, TRO per line activation, CLEC owned splitter -	1			1	1								1		
1	1	Central Office Located (25% of UCLND) - please see NOTE 1	1	1		l							1		I		
<u> </u>	 	(E:10/2/2003)	 		ULS	ULSCT	2.75	47.44	19.31	20.67	12.74				-		
1	1	Line Share Service, TRO per line activation, CLEC owned splitter -	1	1		1	I						1		I		
1	1	Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)	1	1	ULS	ULSCT	5.51	47.44	19.31	20.67	12.74		1		I		
\vdash	+	Line Share Service, TRO per line activation, CLEC owned splitter -	 		ULO	JLJC I	5.51	41.44	19.31	20.07	12.74	1		1	1		1
1	1	Central Office Located (75% of UCLND) - please see NOTE 1	1	1		1	I						1		I		
1		(E:10/2/2005)	1		ULS	ULSCT	8.26	47.44	19.31	20.67	12.74				1		
	MAINTE	ENANCE	†				3.20		. 3.01	25.07	/ ¬				t		
	1	No Trouble Found - per 1/2 hour increments - Basic	†			1	1	80.00	55.00	İ					1		
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium	<u></u>					160.00	110.00								
UNBU		EDICATED TRANSPORT															
	INTERC	FFICE CHANNEL - DEDICATED TRANSPORT															
1	1	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	1	1		1	_						1		_		
	ļ	Per Mile per month	ļ		U1TVX	1L5XX	0.0098			ļ					.		
	1	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	1	1		l							1		I		
	1	Facility Termination	 		U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11						
	1	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	1	1	LIATION	41.572	0.005						1		I		
-	1	Rev Bat Per Mile per month	1	-	U1TVX	1L5XX	0.0098					1			1		
1		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	1		LIATVV	U1TR2	22.52	40.77	07.57	47.00	7/1				1		
	1	Facility Termination	1	1	U1TVX	UTTK2	22.52	40.77	27.57	17.26	7.11	1	l	l	1		I

HINDII	אוווי בי	NETWORK ELEMENTS - Mississippi												A44a-1-	mont: 2	Eul. !	hit: A
UNBU	NULEL	NETWORK ELEMENTS - Mississippi	ı		l	1	1					Svo Osda	Svo Osda	Attach Incremental	ment: 2 Incremental	Incremental	bit: A Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
				_								Elec	Manually	Manual Svc		Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0098										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per															
		month			U1TDX	1L5XX	0.0098										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per			01157	01120	10.00	10.110	21.01	11.20							
		month			U1TDX	1L5XX	0.0098					l	l				
\vdash		Interoffice Channel - Dedicated Transport - 64 kbps - Facility	 	-	UTIDA	ILUAA	0.0030			1		l	l	1	1		1
		Termination			U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11	l	l				
CICNIA	INIC (CC		-		אטווט	סטווט	13.68	40.78	21.57	17.20	1.11	 	 	-	-		
SIGNAL	ING (CC	201)	-		LIDD	DTOCY	400.04								 		
		CCS7 Signaling Termination, Per STP Port	-		UDB	PT8SX	132.21					ļ	ļ	1	-		1
		CCS7 Signaling Connection, Per DS1 level link (A link)		<u> </u>	UDB	TPP6A	16.55	35.74	35.74		16.53	ļ	ļ				
		CCS7 Signaling Connection, Per DS3 level link (A link)			UDB	TPP9A	16.55	35.74	35.74	16.53	16.53						
1		CCS7 Signaling Connection, Per DS1 level link (B link) (also known	1	l		1						1	1				
		as D link)	1		UDB	TPP6B	16.55	35.74	35.74	16.53	16.53						
		CCS7 Signaling Connection, Per DS3 level link (B link) (also known										1	1				
L	<u></u>	as D link)	<u>L</u>	<u></u>	UDB	TPP9B	16.55	35.74	35.74	16.53	16.53	<u> </u>	<u> </u>	<u> </u>	<u> </u>		L
		CCS7 Signaling Point Code, per Originating Point Code															
1		Establishment or Change, per STP affected	1	l	UDB	CCAPO		29.18	29.18	35.78	35.78	1	1				
E911 SI	ERVICE					1				55.70	22.70	i	i				
		Local Channel - Dedicated - 2-wr Voice Grade	1			1	14.91	194.22	33.36	37.79	3.30	1	1	1	1		1
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	1	l –		1	0.0098	107.22	00.00	57.79	0.00	1	1	1	l		1
—		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	 			1	0.0030			1					1		
1		Termination					22.52	40.77	27.57	17.26	7.11	l	l				
—	—	Local Channel - Dedicated - DS1 - Zone 1	 	 		+		178.50	154.61			 	 	 	-		-
—	-		 	 		+	36.83			22.89	15.74	 	 	-	 		-
—		Local Channel - Dedicated - DS1 - Zone 2	1	1		1	35.99	178.50	154.61	22.89	15.74	 	 	 	1		
<u> </u>		Local Channel - Dedicated - DS1 - Zone 3	 	<u> </u>	ļ	1	221.63	178.50	154.61	22.89	15.74	 	 	ļ			ļ
<u> </u>		Local Channel - Dedicated - DS1 - Zone 4	 	<u> </u>	ļ	1	221.63	178.50	154.61	22.89	15.74	 	 	ļ			ļ
<u> </u>		Interoffice Transport - Dedicated - DS1 Per Mile		l		_	0.2010					ļ	ļ				
1			1			1]]]	1		1
		Interoffice Transport - Dedicated - DS1 Per Facility Termination				1	57.33	89.79	82.28	16.86	14.90						
ENHAN		TENDED LINK (EELs)															
	NOTE:	The monthly recurring and non-recurring charges below will a	ply and	the Sv	ritch-As-Is Charge w	ill not apply f	or UNE combina	tions provision	ned as ' Ordina	arily Combined' N	Network Eleme	nts.					
		The monthly recurring and the Switch-As-Is Charge and not the															
		DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR															
		2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
		2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37	ĺ	ĺ	ĺ			
		2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37	ĺ	ĺ	ĺ			
			1	Ŭ	T	1	200		00.20	02.02		1	1	1	1		1
1		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month	1	l	UNCVX	1L5XX	0.00088					1	1				
-	-	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination	 		011017	ILUXX	0.00000			 		 	 		1		
1		per month	1		UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11]]]	1		1
\vdash	-		 	 	OINCVA	UTIVZ	20.32	40.77	21.5/	17.26	7.11	 	 	-	 		-
1		Nonrecurring Currently Combined Network Elements Switch -As-Is	1	l		LINIOGO						1	1				
		Charge	<u> </u>		UNCVX	UNCCC		5.63	5.63	7.20	7.20						
	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	RADE IN			I											
		4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
		4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
									-		-						
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.00088					l	l				
		Interoffice Transport - 4-wire VG - Dedicated - Facility Termination				1											
1		per month	1		UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11]]]	1]
		Nonrecurring Currently Combined Network Elements Switch -As-Is				1			257	20		1	1		1		
		Charge	1	l	UNCVX	UNCCC		5.63	5.63	7.20	7.20	1	1				
—	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERC	FFICE		311000	 	5.03	5.03	1.20	1.20				1		
-	LATEN	4-wire 56 kbps Local Loop in combination - Zone 1	HILEKO	1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64				1		
-	-	4-wire 56 kbps Local Loop in combination - Zone 1	1	2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64				1		
\vdash	-		 	2			34.55 40.76					 	 	-	 		-
L		4-wire 56 kbps Local Loop in combination - Zone 3	<u> </u>	3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64	l	l	l	l		<u> </u>

JNBUNDLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted		Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interim	7000	BCS	usoc			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
ATEGORY	RATE ELEMENTS	interim	Zone	ьсэ	0300			KAIES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per															
	Mile per month			UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-Is			0110271	01120	22.02	100	27.07	17.20							
	Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EVTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERO	FEICE		UNCCC		5.05	5.03	1.20	7.20						
EATEN		INTERU	1		LIDLAA	07.44	400.50	20.05	22.22	44.04						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		_	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per															
	Mile per month			UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EVEEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT		E EDA		UNCCC		5.05	5.03	1.20	1.20	 					
EXIEN		ROFFIC			LIDLES	07.44	100.50	00.05	00.00	4404						
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	First 4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per															
	month			UNCDX	1L5XX	0.0098										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EVTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	POEEIC	ETDA		011000		0.00	0.00	7.20	7.20						
EXILIN	First 4-wire 64 kbps Local Loop in combination - Zone 1	KOFFIC	1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64	 					
											1	-		1	-	-
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64	1	1		1	1	1
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64	.	-		ļ		.
	First 4-wire 64 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per		ĺ			1						1			1	
	month		<u> </u>	UNCDX	1L5XX	0.0098										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month		l	UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11		1			1	
	Nonrecurring Currently Combined Network Elements Switch -As-Is					İ										
	Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
ADDITIONAL N	ETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurring	charce	s do no	t annly hut a Swite	ch As Is chara	e does annly					1	1		1	1	1
	used as a part of a currently combined racinty, the hori-recurring						not				1			 		1
	surring Currently Combined Network Elements III All States, the					is criarge uoes	1101.		 		1	-		1	-	
Nonrec		narge (U	пе арр	nies to each combit	iau011)	 					1	1		 	1	1
	Nonrecurring Currently Combined Network Elements Switch -As-Is		ĺ			1						1			1	
	Charge - 2 wire/4-Wire VG			UNCVX	UNCCC	ļļ	5.63	5.63	7.20	7.20						
	Nonrecurring Currently Combined Network Elements Switch -As-Is		ĺ			1						1			1	
	Charge - 56/64 kbps			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
Miscell	aneous															
	NRC - Order Coordination Specific Time - Dedicated Transport	- 1		UN1CX	OCOSR	ĺ	18.87	18.87								
	ates displaying an "R" in the interim column are interim and su	hinet to	rata tri	io un ac cot forth in	Gonoral Torn	e and Condition					1			1		İ

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
			_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)	l .	l .
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "	Zone" shown in the sections for stand-alone loops or loops as p	art of a	combin	ation refers to Geogr	aphically De	averaged UNE							ce, refer to Int	ernet Website		
	/www.interconnection.bellsouth.com/become_a_clec/html/interco					ū		• .								
OPERATIONS	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	: (1) CLEC should contact its contract negotiator if it prefers the															
	the state specific Commission ordered rates for the service orde															
	: (2) Any element that can be ordered electronically will be billed															
be or	dered electronically at present per the LOH, the listed SOMEC rate	e in this	catego	ory reflects the charge	e that would	be billed to a C	LEC once elect	ronic ordering	capabilities co	me on-line for	that element	t. Otherwise	e, the manual	ordering charg	je, SOMAN, wi	ill be applied
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request				SOIVIEC		3.50	0.00	3.50	0.00	1	1				
	(LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00						
UNE SERVICE	E DATE ADVANCEMENT CHARGE				SOWAIN		13.20	0.00	13.20	0.00						
	: The Expedite charge will be maintained commensurate with Be	llSouth	's FCC	No.1 Tariff. Section 5	as applicab	le.										
				,												
				UAL, UEANL, UCL,												
				UEF, UDF, UEQ,												
				UDL, UENTW, UDN,												
				UEA, UHL, ULC,												
				USL, U1T12, U1T48,												
				U1TD1, U1TD3,												
				U1TDX, U1TO3,												
				U1TS1, U1TVX,												
				UC1BC, UC1BL,												
				UC1CC, UC1CL,												
				UC1DC, UC1DL,												
				UC1EC, UC1EL,												
				UC1FC, UC1FL,												
				UC1GC, UC1GL,												
				UC1HC, UC1HL,												
				UDL12, UDL48, UDLO3, UDLSX,												
				UE3, ULD12, ULD48,												
				ULDD1, ULDD3,												
				ULDDX, ULDO3,												
				ULDS1, ULDVX,												
				UNC1X, UNC3X,												
				UNCDX, UNCNX,												
				UNCSX, UNCVX,												
				UNLD1, UNLD3,												
				UXTD1, UXTD3,												
				UXTS1, U1TUC,												
				U1TUD, U1TUB,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUA	SDASP		200.00				<u> </u>			1		
ORDER MOD	FICATION CHARGE												ļ	ļ		
\vdash	Order Modification Charge (OMC)					ļ	26.21	0.00	0.00	0.00	<u> </u>		-	-	ļ	ļ
UNDUNDU 55	Order Modification Additional Dispatch Charge (OMCAD)				-		0.00	0.00	0.00	0.00			-	-		
	EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP	-	-		 	1					 			 		
Z-WIR	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	-	1	UEANL	UEAL2	12.11	57.99	42.37			}	-	 	+	1	1
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		2	UEANL	UEAL2	21.24	57.99	42.37					-	-		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		3	UEANL	UEAL2	33.65	57.99	42.37			1	<u> </u>	I	I		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.11	57.99	42.37	1		1		t	†	1	1
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	21.24	57.99	42.37					İ	İ		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	33.65	57.99	42.37					1	1	İ	İ
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEANL	URETL		8.33	0.83					<u></u>	<u> </u>	<u></u>	<u></u>
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		76.24	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		39.51	39.51								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-												_	_		
<u> </u>	SL1)			UEANL	UREWO		15.76	8.93					ļ	ļ		
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST												I	I		
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		28.74	28.74	l		l	1	l		l	l

UNBUN	NDLED	NETWORK ELEMENTS - North Carolina											Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGO	ORY.	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
OA! LOC	J. ()	NATE ELEMENTO		20110	500	0000			πΑ1 Ε0(ψ)		per Lak	per Lak			Electronic-	
													Electronic-	Electronic-		Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			-					Nonrec		Nonrecurring Disconnect		I	000	Rates(\$)	l .	
-							Rec	First			SOMEC	COMAN			COMAN	SOMAN
		M 10 1 0 5 6 7 10 7 01 7 7 1			LIFANI	1154140			Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38			ļ				
		Order Coordination for Specified Conversion Time for UVL-SL1 (per														
		LSR)			UEANL	OCOSL		45.34	45.34		_					
	2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED														
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15.60							
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	17.55	35.27	15.60							
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	27.58	35.27	15.60							
		Unbundled Miscellaneous Rate Element, Tag Loop at End User														
		Premise			UEQ	URETL		8.33	0.83							
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-														
		Designed (per loop)			UEQ	USBMC		61.38	61.38							
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST				1		220	250		1	1		İ	İ	1
		providing make-up (Engineering Information - E.I.)		1	UEQ	UEQMU		28.74	28.74	1				Ì		
		Loop Testing - Basic 1st Half Hour	1		UEQ	URET1		76.24	0.00	 	1	1		1		1
		Loop Testing - Basic Ist Hall Hour	 	-	UEQ	URETA		39.51	39.51	 	+	1		 		1
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-			OLQ	OKLIA		33.31	33.31							
		ND)			LIFO	LIDEWO		44.00	7.40							
LINIDIINI	01 50 5				UEQ	UREWO		14.26	7.42	.	-					
		XCHANGE ACCESS LOOP								.	-					
1		ANALOG VOICE GRADE LOOP														
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or														
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.97	142.97	106.56							
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or														
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.93	142.97	106.56							
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or														
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	40.81	142.97	106.56							
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse														
		Battery Signaling - Zone 1		1	UEA	UEAR2	14.97	142.97	106.56							
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			-			-								
		Battery Signaling - Zone 2		2	UEA	UEAR2	25.93	142.97	106.56							
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			02/1	0271112	20.00	2.01	100.00							
		Battery Signaling - Zone 3		3	UEA	UEAR2	40.81	142.97	106.56							
		CLEC to CLEC Conversion Charge without outside dispatch		3	UEA	UREWO	40.01	87.64	36.33							
-		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.20	1.10	 						
	4 WIDE	ANALOG VOICE GRADE LOOP			ULA	UKETE		11.20	1.10		_	-				
H	4-VVIRE			1	UEA	UEAL4	21.32	288.47	237.45	-						
-		4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	36.27	288.47	237.45							
-										.	_					
		4-Wire Analog Voice Grade Loop - Zone 3	-	3	UEA	UEAL4	56.57	288.47	237.45	ļ — — — — — — — — — — — — — — — — — — —		1		1	1	1
		CLEC to CLEC Conversion Charge without outside dispatch	ļ		UEA	UREWO		87.64	36.33	ļ						
	2-WIRE	ISDN DIGITAL GRADE LOOP	ļ							ļ						
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.42	325.91	251.31							
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.88	325.91	251.31							
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	51.14	325.91	251.31							
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.55	44.12							
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	IBLE LO	OP												
		2 Wire Unbundled ADSL Loop including manual service inquiry &								İ						
		facility reservation - Zone 1	1	1	UAL	UAL2X	11.00	264.71	145.60	l I				1]	1
		2 Wire Unbundled ADSL Loop including manual service inquiry &			_	1										
		facility reservation - Zone 2	1	2	UAL	UAL2X	18.39	264.71	145.60					1]	1
1		2 Wire Unbundled ADSL Loop including manual service inquiry &	1		J	JALLA	10.00	207.71	140.00	 	-	 				
		facility reservation - Zone 3		3	UAL	UAL2X	28.42	264.71	145.60]						
		2 Wire Unbundled ADSL Loop without manual service inquiry &	 		J. 1L	UNLEA	20.42	204.71	145.00	 	+	1		 	 	1
		2 whre unbunded ADSL Loop without manual service inquiry & facility reservaton - Zone 1	1	1	UAL	UAL2W	11.00	190.25	114.82	l I				1	1	1
		2 Wire Unbundled ADSL Loop without manual service inquiry &	+	1	UAL	UALZW	11.00	190.25	114.82	 	-	 				
				_		1141 614	100-	400.0-]						
—		facility reservaton - Zone 2	1	2	UAL	UAL2W	18.39	190.25	114.82	 	+	1		1	 	1
		2 Wire Unbundled ADSL Loop without manual service inquiry &			l]						
		facility reservaton - Zone 3	ļ	3	UAL	UAL2W	28.42	190.25	114.82	ļ						
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.12	40.36			ļ		ļ		1
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	SLE LOO	P												
T		2 Wire Unbundled HDSL Loop including manual service inquiry &		1												
		facility reservation - Zone 1	<u> </u>	1	UHL	UHL2X	9.01	284.74	163.54	<u> </u>	_1	<u> </u>		<u>l</u>	<u> </u>	<u> </u>
		2 Wire Unbundled HDSL Loop including manual service inquiry &													1	
		facility reservation - Zone 2		2	UHL	UHL2X	14.87	284.74	163.54	1	1			1	l	

UNBUN	IDLED	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATEGO	DRY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
			-				Rec	Nonrec First		Nonrecurring Dis		SOMEC	COMAN		Rates(\$)	COMAN	SOMAN
		2 Wire Unbundled HDSL Loop including manual service inquiry &						FIRST	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		facility reservation - Zone 3		3	UHL	UHL2X	22.82	284.74	163.54								
		2 Wire Unbundled HDSL Loop without manual service inquiry and			0112	OTILLIA	22.02	20	100.01								
		facility reservation - Zone 1		1	UHL	UHL2W	9.01	207.48	132.05								
		2 Wire Unbundled HDSL Loop without manual service inquiry and															
		facility reservation - Zone 2		2	UHL	UHL2W	14.87	207.48	132.05								
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	22.82	207.48	132.05								
-		CLEC to CLEC Conversion Charge without outside dispatch		3	UHL	UREWO	22.82	207.48 86.06	40.36								
4		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	RIFLOO	P	OTIL	OKEWO		00.00	40.50								
		4 Wire Unbundled HDSL Loop including manual service inquiry and															
		facility reservation - Zone 1		1	UHL	UHL4X	10.62	341.65	220.45								
	T	4-Wire Unbundled HDSL Loop including manual service inquiry and															
		facility reservation - Zone 2		2	UHL	UHL4X	17.67	341.65	220.45						-		
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	27.24	341.65	220.45								
		4-Wire Unbundled HDSL Loop without manual service inquiry and		3	UNL	UTIL4X	21.24	341.03	220.45								
		facility reservation - Zone 1		1	UHL	UHL4W	10.62	264.39	188.96								
		4-Wire Unbundled HDSL Loop without manual service inquiry and															
		facility reservation - Zone 2		2	UHL	UHL4W	17.67	264.39	188.96								
		4-Wire Unbundled HDSL Loop without manual service inquiry and															
		facility reservation - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch		3	UHL UHL	UHL4W UREWO	27.24	264.39 86.06	188.96 40.36								
4		19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	1		UNL	UREWU		00.00	40.36								
		4 Wire Unbundled Digital 19.2 Kbps	1	1	UDL	UDL19	25.32	489.04	337.51								
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	43.11	489.04	337.51								
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	67.26	489.04	337.51								
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	25.32	489.04	337.51								
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	43.11	489.04	337.51								
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	-	3	UDL UDL	UDL56 UDL64	67.26 25.32	489.04 489.04	337.51 337.51								
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		_	UDL	UDL64	43.11	489.04	337.51								
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	67.26	489.04	337.51								
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.03	49.70								
2		Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual service															
		inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.26	262.86	143.75								
		2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	22.39	262.86	143.75								
		2 Wire Unbundled Copper Loop-Designed including manual service				30213	22.00	202.00	1-10.70								
		inquiry & facility reservation - Zone 3		3	UCL	UCLPB	34.80	262.86	143.75								
		2-Wire Unbundled Copper Loop-Designed without manual service															
		inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13.26	188.39	112.96								
		2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22.39	188.39	112.96								
		2-Wire Unbundled Copper Loop-Designed without manual service	<u> </u>		UUL	OCLF VV	22.39	100.39	112.90								
		inquiry and facility reservation - Zone 3		3	UCL	UCLPW	34.80	188.39	112.96								
		CLEC to CLEC Conversion Charge without outside dispatch (UCL-					220										
		Des)			UCL	UREWO		97.14	42.44								
4		COPPER LOOP	1	 		1				L					ļ		
	ľ	4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	17.36	311.03	191.93								
		4-Wire Copper Loop including manual service inquiry and facility	1	- '-	UUL	UUL40	17.30	311.03	191.93	 							
		reservation - Zone 2		2	UCL	UCL4S	29.61	311.03	191.93								
		4-Wire Copper Loop including manual service inquiry and facility				1 1	20.01	300	.050								
		reservation - Zone 3		3	UCL	UCL4S	46.26	311.03	191.93								
	ŀ	4-Wire Copper Loop without manual service inquiry and facility		١.													
		reservation - Zone 1 4-Wire Copper Loop without manual service inquiry and facility	1	1	UCL	UCL4W	17.36	236.57	161.14								
		4-vvire Copper Loop without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	29.61	236.57	161.14								
		4-Wire Copper Loop without manual service inquiry and facility	 			JOLAVV	23.01	200.01	101.14	 					1		

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-				LIDEING		07.44	40.44								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL UCL	UREWO UCLMC		97.14 61.38	42.44 61.38								
	Order Coordination for Oribundied Copper Loops (per loop)			UEA, UDN, UAL,	UCLIVIC		01.36	01.30								
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		45.34									
LOOP MODIF	FICATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		21.24	21.24								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less			UEPSB	ULIVIZL		21.24	21.24								
	than or equal to 18K ft, per Unbundled Loop		1	UHL, UCL, UEA	ULM4L		21.24	21.24								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		24.84	24.84								
SUB-LOOPS				02.05	OZ.III.D.		21.01	2								
	-Loop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	ı		UEANL	USBSA		373.57									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility	1		UEANL	USBSB		33.78									
	Set-Up	1 .		UEANL	USBSC		234.76									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	o I		UEANL	USBSD		81.05									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	1	UEANL	USBN2	7.31	126.03	54.54								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	1	2	UEANL	USBN2	11.93	126.03	54.54								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	ı	3	UEANL	USBN2	18.20	126.03	54.54								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN4	8.44	156.52	79.66								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN4	13.81	156.52	79.66								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone															
	3		3	UEANL	USBN4	21.10	156.52	79.66								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.79	114.05	37.20								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEANL	USBMC		61.38	61.38								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	+ -		UEANL	USBR4	3.74	127.67	50.82								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	Ė		UEANL	USBMC	5.14	61.38	61.38								
	Loop Testing - Basic 1st Half Hour	1		UEANL	URET1		76.24	0.00								1
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		39.51	39.51								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	Ī	1	UEF	UCS2X	6.10	137.10	60.24								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<u> </u>		UEF	UCS2X	9.70	137.10	60.24								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	14.59	137.10	60.24								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	+ .	-	UEF UEF	USBMC	6.58	61.38 162.24	61.38 85.38			-					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	+ +		UEF	UCS4X UCS4X	6.58 10.51	162.24 162.24	85.38 85.38								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	T i	3	UEF	UCS4X	15.84	162.24	85.38								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops			UEF, UEANL	URETL		8.92	0.88								

UNBU	NDLE	NETWORK ELEMENTS - North Carolina											Attach	ment: 2	Fxhi	bit: A
CATEG		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							 	Nonrec	urring	Nonrecurring Disconne	ct		088	Rates(\$)		<u> </u>
			<u> </u>				Rec	First	Add'l	First Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loop Testing - Basic 1st Half Hour			UEF	URET1		76.24	0.00							
		Loop Testing - Basic Additional Half Hour			UEF	URETA		39.51	39.51							
	Unbun	dled Sub-Loop Modification														
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load														
		Coil/Equip Removal per 2-W PR			UEF	ULM2X		124.51	1.82							.
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		124.51	1.82							
		Unbundled Loop Modification, Removal of Bridge Tap, per unbundled						0.40.05	47.00							
	Uniterior	loop dled Network Terminating Wire (UNTW)	1		UEF	ULMBT		249.25	47.30				-			-
	Unbun	Unbundled Network Terminating Wire (UNTW) per Pair	1		UENTW	UENPP	0.4351	64.98					-			
	Networ	k Interface Device (NID)	 		OLIVIVA	OLINI F	0.4301	04.30			-	1	t			
 	.40.4401	Network Interface Device (NID) - 1-2 lines			UENTW	UND12	 	86.37	56.69			1	I	 		
		Network Interface Device (NID) - 1-2 lines	i i		UENTW	UND16	1	127.93	98.21		1		1	1		
		Network Interface Device Cross Connect - 2 W	i		UENTW	UNDC2		11.68	11.68							
		Network Interface Device Cross Connect - 4W	I		UENTW	UNDC4	<u> </u>	11.68	11.68							
UNE O	ΓΗΕR, P	ROVISIONING ONLY - NO RATE														
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00								
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
		Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,UE NTW	UNECN	0.00	0.00								
					UAL, UCL, UDC, UDL, UDN, UEA,											
		Unbundled Contact Name, Provisioning Only - no rate			UHL	UNECN	0.00	0.00								
LOOP	MAKE-U															
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		55.44	55.44							
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		55.73	55.73							
		Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.6960821	0.6960821							
LINE S	ARING															
		: The Line Sharing monthly recurring rates for all installations				rough midni	ght October 01,	2004 shall be b	oilled as follow	s:						
		: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled cop	per loop	non-d	lesigned ("UCLND")											
		: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND														
		: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND										-				+
		: Above will apply to USOCS: ULSDT and ULSCT 2: The Line Sharing monthly recurring rates with USOCs ULSI	C and I	II SCC	annlies only to circui	te inetallad a	and inservice or	or before Oct	her 1 2003		+		 			
		ARING	anu C		applies only to circui	io motaneu a	and modified Of	. or perore occ	J. 2003			1	I	 		
		ERS-CENTRAL OFFICE BASED	†		1						1		1	1		
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	181.18	631.54	0.00					İ		
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	631.54	0.00							
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	12.73	424.61	0.00							
1		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation	1			l					1 -		_]		1
		(per LSOD)	 		ULS	ULSDG		146.32	31.27			_				├
<u> </u>	END US	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	!		1								!	 		├
		Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	54.71	28.77							
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1						·								
		(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDT	3.49	54.71	28.77			1	1			
		Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	6.99	54.71	28.77							
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1														
		(E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST			ULS	ULSDT	10.48	54.71	28.77							
		Owned Splitter Line Sharing - per Subsequent Activity per Line			ULS	ULSDS		35.42	16.57			1				
		Rearrangement(DLEC Owned Splitter			ULS	ULSCS		35.14	16.29							<u> </u>

UNBU	NDLED	NETWORK ELEMENTS - North Carolina											Attach	ment: 2	Exhi	bit: A
CATEG		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)		Svc Order Submitted Elec per LSR				Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
										T					2.00 .01	Dioc / tau ·
							Rec	Nonrec First	urring Add'l	Nonrecurring Disconnec First Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
		Line Sharing - per Line Activation (DLEC owned Splitter) -						FIISt	Addi	FIIST Add I	SOWEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAN
		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31							
		Line Share Service, TRO per line activation, CLEC owned splitter -														
		Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.49	47.44	19.31							
		Line Share Service, TRO per line activation, CLEC owned splitter -			ULS	ULSCI	3.49	47.44	19.51							
		Central Office Located (50% of UCLND) - please see NOTE 1														
		(E:10/2/2004)			ULS	ULSCT	6.99	47.44	19.31							
		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1														
		(E:10/2/2005)			ULS	ULSCT	10.48	47.44	19.31							
	MAINT	ENANCE														
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00							
		No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium						120.00 160.00	82.50 110.00							
UNBUN	DLED D	DEDICATED TRANSPORT						100.00	110.00							
		OFFICE CHANNEL - DEDICATED TRANSPORT														
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -														
-		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	-		U1TVX	1L5XX	0.0125									
		Facility Termination			U1TVX	U1TV2	18.00	137.48	52.58							
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade														
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0125									
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	18.00	137.48	52.58							
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			UTIVA	UTIKZ	16.00	137.40	32.36							
		Per Mile per month			U1TVX	1L5XX	0.0125									
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -														
		Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per			U1TVX	U1TV4	22.16	106.11	65.95							
		month			U1TDX	1L5XX	0.0282									
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility														
		Termination			U1TDX	U1TD5	17.40	137.48	52.58							
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0282									
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			OTTEX	120701	0.0202									
		Termination			U1TDX	U1TD6	17.40	137.48	52.58							
SIGNAL	ING (CC	CS7) CCS7 Signaling Connection, Per DS1 level link (A link)			LIDD	TPP6A	40.00	278.02	278.02							
		CCS7 Signaling Connection, Per DS1 level link (A link) CCS7 Signaling Connection, Per DS3 level link (A link)			UDB UDB	TPP6A	18.22 18.22	278.02	278.02							
		CCS7 Signaling Connection, Per DS1 level link (B link) (also known			000		10.22	270.02	2,0.02							
		as D link)	<u> </u>	ļ	UDB	TPP6B	18.22	278.02	278.02							
		CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	TPP9B	18.22	278.02	278.02							
		CCS7 Signaling Termination, Per STP Port	 	-	UDB	PT8SX	132.83	210.02	210.02			1				
		CCS7 Signaling Point Code, per Originating Point Code														
		Establishment or Change, per STP affected	<u> </u>		UDB	CCAPO		40.00	40.00							
		CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected	1		UDB	CCAPD		8.00	8.00							
E911 SE	RVICE	Location intention on ange, i or out Affected			000	JUAFD			0.00							
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 1		1			11.24	553.80	89.69							
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		2			19.91	553.80	89.69							
-		Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	1	3		+	31.70 0.0282	553.80	89.69							
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility				+	0.0202									
		Termination	<u> </u>	ļ			18.00	137.48	52.58							
<u> </u>		Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2		1		+	27.05 47.94	534.48 534.48	462.69 462.69			ļ				
\vdash		Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3	1	3		+	47.94 76.32	534.48 534.48	462.69 462.69							
		Interoffice Transport - Dedicated - DS1 Per Mile		Ľ			0.5753	3340	.02.00							
لــــــا		Interoffice Transport - Dedicated - DS1 Per Facility Termination	1	<u> </u>		1	71.29	217.17	163.75				l	l		l

UNBUNDI F	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY		Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	XTENDED LINK (EELs)	L	<u> </u>		<u> </u>	L			<u> </u>		L					
NOTE	: The monthly recurring and non-recurring charges below will ap	ply and	the Sv	vitch-As-Is Charge w	ill not apply f	or UNE combina	ations provision	ned as 'Ordina	rily Combined' I	Network Eleme	nts.					
NOTE	: The monthly recurring and the Switch-As-Is Charge and not the NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR	non-re	curring	charges below will	apply for UNI	combinations	provisioned as	'Currently Co	mbined' Networ	k Elements.						
EATE	2-WireVG Loop in combination - Zone 1	ADE IN	1 ERUF	UNCVX	UEAL2	14.97	142.97	106.56								
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56								
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56								
	2 Trino to 2005 in combination 2010 c			0.10 17.	O E / YEE	10.01	112.01	100.00	İ							
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0282										i .
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96						<u> </u>
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	RADE IN			1				ļl							
ļ	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45						ļ		+
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	36.27 56.57	288.47	237.45	 							
 	4-WireVG Loop in combination - Zone 3	-	3	UNCVX	UEAL4	56.57	288.47	237.45	 			 		1		
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0282										1
 	Nonrecurring Currently Combined Network Elements Switch -As-Is		 	0140 V A	ILUXX	0.0202										
	Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96						i .
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERC	FFICE													
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per															ĺ
	Mile per month			UNCDX	1L5XX	0.0282										
	Nonrecurring Currently Combined Network Elements Switch -As-Is			LINIODY			04.75	04.75	00.00	40.00						1
EVTE	Charge NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC	FEICE	UNCDX	UNCCC		21.75	21.75	32.28	10.96						
EVIE	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	INTERC	1	UNCDX	UDL64	25.32	489.04	337.51								
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								—
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per				1											
	Mile per month			UNCDX	1L5XX	0.0282										i .
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96						l
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC														
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								+
 	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								——
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month		l	UNCDX	1L5XX	0.0282			j			1				i
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	†		5.10DA	1 LOXX	0.0202						 				
	Termination per month			UNCDX	U1TD5	17.40	137.48	52.58								1
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96						<u> </u>
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC	ETRA													
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51	ļ							
 	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51	ļ							
	First 4-wire 64 kbps Local Loop in combination - Zone 3 First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per		3	UNCDX	UDL64	67.26	489.04	337.51	 					1		
	month		1	UNCDX	1L5XX	0.0282]			1				1
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility			UNUDA	ILUAA	0.0202			 							
	Termination per month		1	UNCDX	U1TD6	17.40	137.48	52.58]			1				1
	Nonrecurring Currently Combined Network Elements Switch -As-Is				1			02.00	† 1							
	Charge		1	UNCDX	UNCCC		21.75	21.75	32.28	10.96		1				1
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurrng															
	used as ordinarily combined network elements in All States, the					Is Charge does	not.									<u> </u>
Nonre	curring Currently Combined Network Elements "Switch As Is" Cl	harge (C	ne app	lies to each combin	ation)	ļ			ļ					ļ		├
	Nonrecurring Currently Combined Network Elements Switch -As-Is		1	LINCVY	UNCCC		04.75	04.75	20.00	40.00		1				1
	Charge - 2 wire/4-Wire VG		<u> </u>	UNCVX	UNCCC	1	21.75	21.75	32.28	10.96	ı	l		L		1

UNI	BUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAT	EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l	
							Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-Is						First Add'I First Add'I									
	Charge - 56/64 kbps				UNCDX	UNCCC		21.75	21.75	32.28	10.96						
	Misce	laneous									·						
		NRC - Order Coordination Specific Time - Dedicated Transport			UN1CX	OCOSR		18.89	18.89								

Version 06/29/04 Page 56 of 70

LINIBURIDI E	NETWORK ELEMENTS O 4 O 1															
UNBUNDLE	D NETWORK ELEMENTS - South Carolina	1				1					Cva Ordar	Cua Ordar	Attach Incremental	ment: 2 Incremental	Exhi Incremental	bit: A Incremental
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually per LSR		Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	one" shown in the sections for stand-alone loops or loops as p			ation refers to Geogr	raphically De	eaveraged UNE	Zones. To view	Geographical	y Deaveraged I	JNE Zone Desi	gnations by	Central Offi	ce, refer to Int	ernet Website	:	
	vww.interconnection.bellsouth.com/become_a_clec/html/interco SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	nnectio	n.ntm						I				I		I	I
	(1) CLEC should contact its contract negotiator if it prefers the	"state s	pecific	" OSS charges as ord	lered by the	State Commissi	ons. The OSS of	charges curren	tly contained in	this rate exhi	bit are the B	ellSouth "re	gional" servi	ce ordering ch	arges. CLEC	may elect
	the state specific Commission ordered rates for the service orde															
	(2) Any element that can be ordered electronically will be billed ered electronically at present per the LOH, the listed SOMEC rate															
200.0	OSS - Electronic Service Order Charge, Per Local Service Request		Jaroge	, , roneous and onange									, the manage		, , , , , , , , , , , , , , , , , , , ,	до арриоа
	(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		15.69	0.00	1.97	0.00						
	DATE ADVANCEMENT CHARGE						10.00	0.00		0.00						
NOTE:	The Expedite charge will be maintained commensurate with Be	IISouth'	s FCC	No.1 Tariff, Section 5	as applicab	le.										
				UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TD3, U1TD5, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BC, UC1BL, UC1BC, UC1												
ORDER MODIF	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day ECATION CHARGE			U1TUA	SDASP		200.00									
	Order Modification Charge (OMC)						26.21	0.00	0.00	0.00						
LINBLINDI ED I	Order Modification Additional Dispatch Charge (OMCAD) EXCHANGE ACCESS LOOP				 	+	150.00	0.00	0.00	0.00	 	 		 		
	E ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32						
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2			UEANL	UEAL2	21.39	37.92 37.92	17.62 17.62	23.56 23.56	5.32						
 	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		3	UEANL UEANL	UEAL2 UEASL	26.72 14.94	37.92 37.92	17.62	23.56	5.32 5.32	 	 		 		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	21.39	37.92	17.62	23.56	5.32						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	26.72	37.92	17.62	23.56	5.32						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	0.00				<u> </u>				
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL- SL1) Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			UEANL	UREWO		15.81	8.96								
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.47	13.47								

Version 06/29/04 Page 57 of 70

UNBUN	NDLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	
1							I					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGO	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
						1	I		(+/			po. Lon	por LOIX	Electronic-	Electronic-	Electronic-	Electronic-
																Disc 1st	
							I						1	1st	Add'l	DISC 1St	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)	l .	I
-							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.17	8.17	11130	Auu	COME	COMPAN	COMPAR	COMPAR	COMPAR	COMPAR
		Order Coordination for Specified Conversion Time for UVL-SL1 (per	 	-	OLANE	OLAWO		0.17	0.17								
		1 CD/			UEANL	ocosl		18.13	18.13								
-	2 WIDE	UNBUNDLED COPPER LOOP - NON-DESIGNED	-		ULANL	OCOSL		10.13	10.13			1					
	Z-VVIKE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42	1					
-		2 Wire Unbundled Copper Loop - Non-Designed Zone 1	+	2	UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42	-					
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X UEQ2X	15.02	36.40	16.10		4.42						
			- '-	3	UEQ	UEQZX	15.02	36.40	16.10	22.00	4.42						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEQ	URETL		0.00	0.00								
-		Premise			UEQ	UKEIL		8.33	0.83			ļ					
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-			uro	1100110		0.47	0.47								
		Designed (per loop)			UEQ	USBMC		8.17	8.17								
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST		1	l	1							1		Ì		
		providing make-up (Engineering Information - E.I.)	ļ		UEQ	UEQMU	ļ	13.47	13.47								
		Loop Testing - Basic 1st Half Hour	1		UEQ	URET1		34.23	0.00			L	<u> </u>				
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.90	19.90								
1 1		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-	·										1				
		ND)			UEQ	UREWO		14.30	7.45								
UNBUNI	DLED E	KCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1				20.10		00.40	55.00		1	1		1		1
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61		1		Ì		
\vdash		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 		J-/ (0 = 7 1 = 2	20.40	100.00	00.43	33.03	10.01	1			 		
		Battery Signaling - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61		1		Ì		
 		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 		ULA	JEARZ	10.00	100.90	00.43	55.05	10.01	1			1		1
				2	UEA	LIEADO	22.42	105.00	60.40	E2.05	40.64		1		Ì		
\vdash		Battery Signaling - Zone 2	+		UEA	UEAR2	23.13	105.98	68.43	53.05	10.61	 	-				-
1 1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	_	l	LIEADO		405.55		50.55	40.51]		1]	
┝		Battery Signaling - Zone 3	-	3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61	1	ļ		1	1	1
\longmapsto		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44			.					
		Loop Tagging - Service Level 2 (SL2)	ļ		UEA	URETL		11.24	1.10								
<u> </u>	4-WIRE	ANALOG VOICE GRADE LOOP	ļ			- 							ļ				
		4-Wire Analog Voice Grade Loop - Zone 1	<u> </u>	1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61	ļ	ļ		ļ		
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	43.89	132.38	94.83	59.35	14.61						
		4-Wire Analog Voice Grade Loop - Zone 3	1	3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61	L	<u> </u>				
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44								
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61						
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.76	117.58	80.03	53.05	10.61						
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61						
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.82	44.25				l				1
		ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	IBLE LO	OP			į i						l				
l í		2 Wire Unbundled ADSL Loop including manual service inquiry &	T	Ĺ		1	† 1					1	1		1		Ì
		facility reservation - Zone 1	1	1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93]		1]	
 		2 Wire Unbundled ADSL Loop including manual service inquiry &	1	- '-	J	JALLAN .	12.13	120.04	70.00	55.57	7.33	!					
1 1		facility reservation - Zone 2	1	2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93]		1	1	
├		2 Wire Unbundled ADSL Loop including manual service inquiry &	1		UAL	UALZA	13./1	120.04	70.06	50.37	1.93	 	1		 	1	}
		2 when onbunded ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93		l				
			 	3	UAL	UALZA	14.14	120.04	70.06	50.37	1.93	 	 		 	 	1
		2 Wire Unbundled ADSL Loop without manual service inquiry &		1	LIAI	LIALOVA	40.40	05.04	F7.00	F0.07	7.00		1		Ì		
—		facility reservaton - Zone 1	1	1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93	1	 		1	 	1
		2 Wire Unbundled ADSL Loop without manual service inquiry &			l	l							1		Ì		
		facility reservaton - Zone 2	ļ	2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93						
		2 Wire Unbundled ADSL Loop without manual service inquiry &				1							l				
		facility reservaton - Zone 3	1	3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93	L	<u> </u>				
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.38	40.48								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	BLE LOO	P													
		2 Wire Unbundled HDSL Loop including manual service inquiry &															
		facility reservation - Zone 1		1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93		1		Ì		
		2 Wire Unbundled HDSL Loop including manual service inquiry &									,,		l				
		facility reservation - Zone 2	1	2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93	1	l	l		l	1

UNBUN	NDLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
CATEGO	DRY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonred First		Nonrecurring		SOMEC	COMAN		Rates(\$)	COMAN	SOMAN
-		2 Wire Unbundled HDSL Loop including manual service inquiry &						FIRST	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
		facility reservation - Zone 3		3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93						
		2 Wire Unbundled HDSL Loop without manual service inquiry and		_	01.12	OTTLEX	111.10	120.02		00.01	7.00						
		facility reservation - Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93						
		2 Wire Unbundled HDSL Loop without manual service inquiry and															
		facility reservation - Zone 2		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93						
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93						
-		CLEC to CLEC Conversion Charge without outside dispatch		3	UHL	UREWO	11.40	86.32	40.48	50.37	7.93						
	4-WIRF	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	RIFLOO	P	OTIL	OKEWO		00.32	40.40								
		4 Wire Unbundled HDSL Loop including manual service inquiry and	1	İ													
		facility reservation - Zone 1	<u></u>	1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38	<u> </u>					<u> </u>
		4-Wire Unbundled HDSL Loop including manual service inquiry and															
		facility reservation - Zone 2	ļ	2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38						
		4-Wire Unbundled HDSL Loop including manual service inquiry and	1	3	UHL	UHL4X	40.04	450.40	107.89	55.12	10.38						
-		facility reservation - Zone 3 4-Wire Unbundled HDSL Loop without manual service inquiry and		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38						
		facility reservation - Zone 1		1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38						
		4-Wire Unbundled HDSL Loop without manual service inquiry and			0112	0	10.02	100.11	00.10	00.12	10.00						
		facility reservation - Zone 2		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38						
		4-Wire Unbundled HDSL Loop without manual service inquiry and															
		facility reservation - Zone 3		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38						
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.32	40.48								
- 4		19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	29.93	126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	33.99	126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	ļ	1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61						
-		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL UDL	UDL64 UDL64	33.99 34.74	126.66 126.66	89.12 89.12	59.35 59.35	14.61 14.61						
		CLEC to CLEC Conversion Charge without outside dispatch		3	UDL	UREWO	34.74	102.34	49.85	59.55	14.01						
- :		Unbundled COPPER LOOP			ODL	OKEWO		102.04	45.00								
		2-Wire Unbundled Copper Loop-Designed including manual service								1							
		inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93						
		2-Wire Unbundled Copper Loop-Designed including manual service	1														
		inquiry & facility reservation - Zone 2	<u> </u>	2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93				ļ		
		2 Wire Unbundled Copper Loop-Designed including manual service		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93						
		inquiry & facility reservation - Zone 3 2-Wire Unbundled Copper Loop-Designed without manual service	 	_ <u> </u>	UUL	UULPD	14.14	118.81	09.02	50.37	1.93						
		inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93						
		2-Wire Unbundled Copper Loop-Designed without manual service															
		inquiry and facility reservation - Zone 2	<u> </u>	2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93						
		2-Wire Unbundled Copper Loop-Designed without manual service	1	١													
		inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93						
		CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des)	1	1	UCL	UREWO		94.87	42.57	[
-	4-WIRF	COPPER LOOP	 		OOL	OKEWO		34.07	42.57								
		4-Wire Copper Loop-Designed including manual service inquiry and	1							1							
		facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38						
		4-Wire Copper Loop-Designed including manual service inquiry and	1														
		facility reservation - Zone 2	 	2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38						
		4-Wire Copper Loop-Designed including manual service inquiry and		3	UCL	1101.46	19.34	144.17	02.00	55.12	10.00						
		facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and	 	3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38						
		facility reservation - Zone 1	1	1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38						
		4-Wire Copper Loop-Designed without manual service inquiry and	1						20								
		facility reservation - Zone 2	<u> </u>	2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38						
I	Ţ	4-Wire Copper Loop-Designed without manual service inquiry and	1														
		facility reservation - Zone 3	i .	3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38						

UNBUND	LED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
CATEGOR	Υ	RATE ELEMENTS	Interim	Zone	BCS	USOC		Nonrec	RATES(\$)	Nonrecurring	Discovered	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			1			+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	_	CLEC to CLEC Conversion Charge without outside dispatch (UCL-	1					LIIST	Auu i	FIISL	Auu	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	l	Des)			UCL	UREWO		94.87	42.57								
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
					UEA, UDN, UAL,												
		Order Coordination for Specified Conversion Time (per LSR)	ļ		UHL, UDL	OCOSL		18.13									
LOOP MOD	DIFICA	TION	1		UAL, UHL, UCL,	+											
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair ess than or equal to 18k ft, per Unbundled Loop			UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.46	32.46								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less	1		OLI OB	OLIVIZE		32.40	32.40								
		han or equal to 18K ft, per Unbundled Loop	<u></u>	L	UHL, UCL, UEA	ULM4L	<u> </u>	32.46	32.46	<u> </u>		<u> </u>			<u> </u>	<u> </u>	
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.48	32.48								
SUB-LOOF		dibulidied loop			OLI OD	OLIVIDI		32.40	32.40								
		p Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL	USBSA		241.42	241.42								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		22.69	22.69								
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility			0271112	00000		22.00	22.00								
		Set-Up	- 1		UEANL	USBSC		177.84	177.84								
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		55.58	55.58								
	ľ	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	1 .	1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71						
	:	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	ı	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
	;	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	ı	3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71						
	l.	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone	1		ULANL	USBIVIC		0.17	0.17								
		1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone	1	3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
	- 1		 	3	UEAINL	USBIN4	18.90	79.21	44.29	49.82	9.09						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEANL	USBMC		8.17	8.17								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.41	53.13	18.21	45.35	6.71						
			1														
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	 .	-	UEANL UEANL	USBMC USBR4	5.36	8.17 59.38	8.17 24.47	49.82	9.09						
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	+-	-	UEANL	USBK4	5.36	59.38	24.47	49.82	9.09	-					
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		8.17	8.17								
		Loop Testing - Basic 1st Half Hour	<u> </u>		UEANL	URET1		34.23	0.00								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	++-	1	UEF	UCS2X	7.11 9.83	65.94 65.94	31.03	45.35 45.35	6.71	-					
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	++		UEF UEF	UCS2X UCS2X	9.83	65.94 65.94	31.03 31.03	45.35 45.35	6.71 6.71	-					
	T		'	3			10.40			40.00	0.71						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		-	UEF UEF	USBMC UCS4X	7.85	8.17 79.21	8.17 44.29	49.82	9.09	1					
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X UCS4X	7.85 14.17	79.21 79.21	44.29 44.29	49.82 49.82	9.09						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	l i	3	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17								
		Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops			UEF, UEANL	URETL		8.95	0.88								

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Incremental	Incremental		Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
,																
						Rec	Nonred First	urring Add'l	Nonrecurring First		COMEC	COMAN		Rates(\$)	SOMAN	SOMAN
	Loop Testing - Basic 1st Half Hour		1	UEF	URET1		34.23	0.00	FIISL	Add'l	SOMEC	SUMAN	SOMAN	SOMAN	SUMAN	SOWAN
	Loop Testing - Basic Tst Hall Hour		1	UEF	URETA		19.90	19.90								
Unbui	ndled Sub-Loop Modification			02.	O.K.E.I.X		10.00	10.00								
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		176.17	5.11								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip															
	Removal per 4-W PR			UEF	ULM4X		176.17	5.11								
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop			UEF	ULMBT		278.82	6.13								
Unbu	ାଧରନ ndled Network Terminating Wire (UNTW)			UEF	OLIMBI		278.82	6.13			-					
Olibui	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3303	30.20	30.20								
Netwo	ork Interface Device (NID)	1				0.0000	33.20	30.20								
	Network Interface Device (NID) - 1-2 lines		L	UENTW	UND12		43.68	28.79		_						
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		64.42	49.53								
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.92	5.92								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.92	5.92								
UNE OTHER, I	PROVISIONING ONLY - NO RATE			LIENITAL	LINIDE:											
	NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate	1	1	UENTW	UNDBX	0.00	0.00				1					
	UNITY Circuit id Establishment, Provisioning Uniy - No Rate			UENTW UEANL,UEF,UEQ,UE	UENCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only - No Rate			NTW	UNECN	0.00	0.00									
	Cribanaled Contract (Vario, 1 Tovisioning Crity 140 (Valo			UAL,UCL,UDC,UDL,	ONLON	0.00	0.00									
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL	UNECN	0.00	0.00									
LOOP MAKE-U	JP , , , , , , , , , , , , , , , , , , ,															
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		24.04	24.04								
	Loop Makeup - Preordering With Reservation, per spare facility															
	queried (Manual). Loop MakeupWith or Without Reservation, per working or spare		1	UMK	UMKLP		25.49	25.49								
	facility queried (Mechanized)			UMK	UMKMQ		0.34	0.34								
LINE SHARING				OWIN	OWINWQ		0.54	0.54								
	1: The Line Sharing monthly recurring rates for all installations	comple	ted fro	m October 02, 2003 th	rough midni	ght October 01.	2004 shall be b	oilled as follow	s:							
	1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled cop					Ĭ										
	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
	1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
	1: Above will apply to USOCS: ULSDT and ULSCT			L	<u> </u>	L										
	E 2: The Line Sharing monthly recurring rates with USOCs ULSD	C and l	JLSCC	applies only to circui	ts installed a	ind inservice of	n or before Octo	ober 1, 2003								
	SHARING TERS-CENTRAL OFFICE BASED			-												
OF LII	Line Sharing Splitter, per System 96 Line Capacity		1	ULS	ULSDA	216.22	189.21	0.00	178.38	0.00						
	Line Sharing Splitter, per System 30 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	54.05	189.21	0.00	178.38	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	18.02	189.21	0.00	178.38	0.00						
İ	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation															
	(per LSOD)			ULS	ULSDG		86.67	0.00	49.95	0.00						
END U	ISER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Sharing - per Line Activation (BST Owned splitter) -				111 000	0.51	10.5-	10.5-	4001							
 	OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, BST owned splitter -	-	1	ULS	ULSDC	0.61	18.55	10.62	10.04	4.93						
	Central Office Located (25% of UCLND) - please see NOTE 1															
	(E:10/2/2003)			ULS	ULSDT	3.24	18.55	10.62	10.04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter -			-												
	Central Office Located (50% of UCLND) - please see NOTE 1			1												
	(E:10/2/2004)			ULS	ULSDT	6.47	18.55	10.62	10.04	4.93						
				1	1											
	Line Share Service, TRO per line activation, BST owned splitter -								I		1				l	
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1															
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	9.71	18.55	10.62	10.04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST					9.71			10.04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDT	9.71	18.55 16.42	10.62 8.21	10.04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line			ULS	ULSDS	9.71	16.42	8.21	10.04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)					9.71			10.04	4.93						

ONRONDE	ED NETWORK ELEMENTS - South Carolina			ı	1									ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interin	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned splitter -	1					FIISL	Auu i	Filst	Addi	SOMEC	JOWAN	SOWAN	JOWAN	SOWAN	JOWAN
	Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.24	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.47	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.71	47.44	19.31	20.67	12.74						
MAIN	NTENANCE															
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime	1	-		+	 	120.00	82.50 110.00			-					<u> </u>
IINRIINDI EI	No Trouble Found - per 1/2 hour increments - Premium D DEDICATED TRANSPORT	1	1		+	 	160.00	110.00			-					
	ROFFICE CHANNEL - DEDICATED TRANSPORT				+											
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91						
SIGNALING (
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1	1		UDB	TPP6A	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3 CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1			UDB UDB	TPP9A TPP6B	16.93 16.93	35.61 35.61	35.61 35.61	16.48 16.48	16.48 16.48						
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1		1	UDB	TPP9B	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	163.49	00.01	00.01	10.40	10.40						
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65						
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65						
E911 SERVIC																
	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				+	15.33 0.0167	193.53	33.24	36.72	3.21						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility						40.00	07.47	40.77	2.24						
	Termination Local Channel - Dedicated - DS1 - Zone 1	1	1		+	24.30 42.62	40.63 177.87	27.47 154.06	16.77 22.24	6.91 15.30						
	Local Channel - Dedicated - DS1 - Zone 2	1			1	70.32	177.87	154.06	22.24	15.30						
	Local Channel - Dedicated - DS1 - Zone 3					190.68	177.87	154.06	22.24	15.30						
	Interoffice Transport - Dedicated - DS1 Per Mile					0.3415										
	Interoffice Transport - Dedicated - DS1 Per Facility Termination EXTENDED LINK (EELs)					77.14	89.47	81.99	16.39	14.48						
NOT	E: The monthly recurring and non-recurring charges below will a	pply and	the Sv	vitch-As-Is Charge v	will not apply f	or UNE combina	tions provision	ned as ' Ordina	arily Combined'	Network Eleme	nts.					
	E: The monthly recurring and the Switch-As-Is Charge and not th ENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE G					combinations	provisioned as	Currently Co	mininea' Networ	k Elements.	-					
EVII	2-WireVG Loop in combination - Zone 1	LAPE IN		UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61	 					
	2-WireVG Loop in combination - Zone 2	1		UNCVX	UEAL2	23.13	105.98	68.43		10.61						

JNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates(\$)	I	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0134										ļ
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCVA	UTIVZ	19.44	40.63	21.41	10.77	0.91						1
	Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00						
EXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE G	RADE IN														
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83		14.61						
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0134										
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination	1	1	ONCVA	ILUAA	0.0134			 					 		
	per month		l	UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91		1				
EXTE	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERC	FFICE													
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						.
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1		UNCDX	ILSAA	0.0134			 							
	Facility Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
EXTE	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC	FFICE													
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						ļ
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						.
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
FXTE	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	FROFFIC	F TRA		01106	13.41	40.63	21.41	16.77	0.91						
	First 4-wire 56 kbps Local Loop in combination - Zone 1	1	1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per															
	month	<u> </u>		UNCDX	1L5XX	0.0134			ļ <u></u>							1
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As-Is			ONODA	01103	15.41	40.03	21.41	10.77	0.31						1
	Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
EXT	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	EROFFIC														
	First 4-wire 64 kbps Local Loop in combination - Zone 1	<u> </u>	1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	First 4-wire 64 kbps Local Loop in combination - Zone 2 First 4-wire 64 kbps Local Loop in combination - Zone 3	1	3	UNCDX UNCDX	UDL64 UDL64	33.99 34.74	126.66 126.66	89.12 89.12	59.35 59.35	14.61 14.61				-		
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per	1		UNCDA	UDL04	34.74	120.00	09.12	59.35	14.61				 		-
	month		l	UNCDX	1L5XX	0.0134						1				
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	İ							1							
	Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As-Is					\exists]		_		
DDITION'A'	Charge NETWORK ELEMENTS	 	<u> </u>	UNCDX	UNCCC		5.61	5.61	7.00	7.00				1	-	
	. NETWORK ELEMENTS n used as a part of a currently combined facility, the non-recurre	g charge	s do n	tannly but a Swite	h As Is charge	does apply			+ +					 		
	n used as a part of a currently combined facility, the non-recurring nused as ordinarily combined network elements in All States, the						not.		†					†		†
	ecurring Currently Combined Network Elements "Switch As Is" C								<u> </u>							
	Nonrecurring Currently Combined Network Elements Switch -As-Is		Ī .													
	Charge - 2 wire/4-Wire VG	ļ		UNCVX	UNCCC		5.61	5.61	7.00	7.00				1		
	Nonrecurring Currently Combined Network Elements Switch -As-Is			LINCDY	LINGGO		5.04	5.01	7.00	7.00						
Mica	Charge - 56/64 kbps ellaneous	+	-	UNCDX	UNCCC		5.61	5.61	7.00	7.00		-		 	-	
IWISC	NRC - Order Coordination Specific Time - Dedicated Transport	1	1	UN1CX	OCOSR		18.90	18.90	 					+		
	All Available Vertical Features	+			UEPVF	3.04	0.00	0.00	1		 	 	l	 		†

LIMBLE	NDI EE	NETWORK ELEMENTS. Tannassa												1			
ONBO	NULEL	NETWORK ELEMENTS - Tennessee	1		I	1	T					Svc Order	Svc Order		Incremental	Exhi Incremental	bit: A Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												· ·	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			1				1	Nonrecurring		Nonrecurring	Disconnect			089	Rates(\$)		
-							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	The "Zo	one" shown in the sections for stand-alone loops or loops as p	art of a	combir	ation refers to Geogr	raphically De	eaveraged UNE										
		ww.interconnection.bellsouth.com/become_a_clec/html/interc					· ·		٠.	,				,			
OPERA		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		1) CLEC should contact its contract negotiator if it prefers the															
		he state specific Commission ordered rates for the service order (2) Any element that can be ordered electronically will be billed															
		red electronically at present per the LOH, the listed SOMEC rat															
		(3) OSS - Manual Service Order Charge, Per Element - UNE Only						LEG GIIGE CICOL	Torric ordering	Capabilities co	lile on time for	liat ciciicii	Cinciwis	, the mandar	Tracing char	je, comzat, w	п ве аррпеа
		OSS - Electronic Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
UNE SE		DATE ADVANCEMENT CHARGE				<u>. </u>											
	NOTE:	The Expedite charge will be maintained commensurate with Be	eliSouth	SFCC	No.1 Tariff, Section 5	as applicab	ile.			 					 		
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX, UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12, ULD48,												
					ULDD1, ULDD3,												
					ULDDX, ULDO3, ULDS1, ULDVX,												
					UNC1X, UNC3X,												
					UNCDX, UNCNX,												
					UNCSX, UNCVX,												
					UNLD1, UNLD3,												
					UXTD1, UXTD3,												
			1		UXTS1, U1TUC,		1									1	
		LINE Francisco Character Circuit 11 A 1 11 11000			U1TUD, U1TUB,	00400	1	200.05								1	
OPDE	MODIE	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day CATION CHARGE	 		U1TUA	SDASP	1	200.00		-		 	-	 	}	-	
ONDER	- HODIFI	Order Modification Charge (OMC)	 				+	26.21	0.00	0.00	0.00			<u> </u>	†		
		Order Modification Additional Dispatch Charge (OMCAD)	†				1	150.00	0.00	0.00	0.00			1	1	1	
UNBUN		XCHANGE ACCESS LOOP													<u> </u>		
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
<u> </u>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	 	2	UEANL	UEAL2	17.59	31.99	20.02	10.65	1.41			20.35		13.32	13.32
<u> </u>		2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	!	3	UEANL	UEAL2 UEASL	29.37 11.74	31.99 31.99	20.02 20.02	10.65 10.65	1.41 1.41	ļ		20.35	10.54 10.54	13.32 13.32	13.32 13.32
-	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1	2	UEANL UEANL	UEASL	17.59	31.99 31.99	20.02		1.41	1	1	20.35 20.35		13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1	3	UEANL	UEASL	29.37	31.99	20.02	10.65	1.41	1	1	20.35		13.32	13.32
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	Ť						12.50	1				1	1	
		Premise			UEANL	URETL		8.33	0.83					20.35	10.54	13.32	13.32
		Loop Testing - Basic 1st Half Hour			UEANL	URET1	1	57.67	0.00					20.35	10.54	13.32	13.32
		Loop Testing - Basic Additional Half Hour	ļ		UEANL	URETA	ļ	37.44	37.44					20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-			LIFANI	LIDEMO		45.00	0.05					00.05	40.54	40.00	40.00
<u> </u>		SL1) Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	!	-	UEANL	UREWO	 	15.80	8.95	 		ļ		20.35	10.54	13.32	13.32
1		providing make-up (Engineering Information - E.I.)	1		UEANL	UEANM	1	25.33	25.33					0.00	0.00	0.00	0.00
		Manual Order Coordination for UVL-SL1s (per loop)	<u> </u>		UEANL	UEAMC	1	36.52	36.52					0.00		0.00	0.00
									10.02						2.00		00

UNBUI	NDLED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exh	ibit: A
CIADO	IDEED	NETWORK ELLMENTO - Telliossee	ı		l							Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEG	OBV	RATE ELEMENTS	Interim	7000	BCS	usoc			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEG	OKI	RATE ELEMENTS	interiii	Zone	ВСЗ	0300			KAIES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-										T			l .				
							Rec	Nonrecurring		Nonrecurring				OSS	Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Order Coordination for Specified Conversion Time for UVL-SL1 (per															
		LSR)			UEANL	OCOSL		34.29						0.00	0.00	0.00	0.00
	2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	- 1	2	UEQ	UEQ2X	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	- 1	3	UEQ	UEQ2X	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEQ	URETL		8.33	0.83					20.35	10.54	13.32	13.32
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)	1		UEQ	USBMC		36.52	36.52				1	0.00	0.00	0.00	0.00
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)	1		UEQ	UEQMU		25.33	25.33				1	20.35	10.54	13.32	13.32
		Loop Testing - Basic 1st Half Hour	1	1	UEQ	URET1		57.67	0.00	1		İ	i	20.35	10.54	13.32	13.32
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		37.44	37.44			1		20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-			,					1		İ					1 3.02
		ND)			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.32
UNRUN		(CHANGE ACCESS LOOP	1			0,,		17.23	7.44	† †		1		20.00	10.04	10.02	10.02
ONDON		ANALOG VOICE GRADE LOOP		-						1		1					
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		-						1		1					
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.74	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
				-	ULA	UEALZ	14.74	75.00	40.20	20.70	17.04	1		20.33	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				11541.0	00.00	75.00	40.00	00.70	47.04			00.05	40.54	40.00	40.00
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.08	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_													
L		Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.87	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	14.74	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	22.08	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 3		3	UEA	UEAR2	36.87	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.23	1.10					20.35	10.54	13.32	13.32
	4-WIRE	ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	21.98	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	32.93	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	54.99	122.76	85.57		39.16			20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
		SDN DIGITAL GRADE LOOP								1		1	ĺ	1			1
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.77	142.76	88.88	76.35	39.16	1	ĺ	20.35	10.54	13.32	13.32
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	29.63	142.76	88.88		39.16	İ	i	20.35	10.54	13.32	
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	49.47	142.76	88.88		39.16	İ	i	20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge without outside dispatch		Ť	UDN	UREWO		91.77	44.22	1 2.00	220	İ		20.35	10.54	13.32	13.32
		ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATI	BLELO	OP		5		57		1		1	1	20.00	. 5.54	. 5.52	. 5.52
		2 Wire Unbundled ADSL Loop including manual service inquiry &	T	<u> </u>						1		1	1	1	1	1	1
		facility reservation - Zone 1	1	1	UAL	UAL2X	12.30	156.95	64.54	89.64	16.93		1	20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop including manual service inquiry &	 		UNL	UNLEA	12.30	150.95	04.54	09.04	10.33	1		20.35	10.34	13.32	13.32
		z vvire Onbundied ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	18.43	156.95	64.54	89.64	16.93		l	20.35	10.54	13.32	13.32
					UAL	UALZX	18.43	156.95	64.54	89.64	16.93			20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop including manual service inquiry &		3	UAL	LIALOV	20.77	450.05	0454	00.04	40.00		1	00.05	40.54	40.00	40.00
		facility reservation - Zone 3	1	3	UAL	UAL2X	30.77	156.95	64.54	89.64	16.93	1	 	20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop without manual service inquiry &	Ι.	1	l		40.55	00.15	05.51	70	44		1		40	40.55	46.55
		facility reservaton - Zone 1		1	UAL	UAL2W	12.30	89.40	35.91	72.02	11.48	!	 	20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop without manual service inquiry &	Ι.	1 _	l								1				
		facility reservaton - Zone 2		2	UAL	UAL2W	18.43	89.40	35.91	72.02	11.48		ļ	20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop without manual service inquiry &	1		l								1	Ì	I	1	
		facility reservaton - Zone 3	I	3	UAL	UAL2W	30.77	89.40	35.91	72.02	11.48	1		20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		31.99	20.02	ļ		ļ		20.35	10.54	13.32	13.32
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	SLE LOO	Р													
Ţ	T	2 Wire Unbundled HDSL Loop including manual service inquiry &	1							1			1	<u> </u>		_	
		facility reservation - Zone 1	<u></u>	1	UHL	UHL2X	9.64	158.94	65.20	89.64	16.93	<u> </u>	<u> </u>	20.35	10.54	13.32	13.32
		2 Wire Unbundled HDSL Loop including manual service inquiry &	1														
	l	facility reservation - Zone 2		2	UHL	UHL2X	14.44	158.94	65.20	89.64	16.93		l	20.35	10.54	13.32	13.32

UNBUNDLE	NETWORK ELEMENTS - Tennessee			T								,		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	lows H.I. H. H.Bol. I						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	24.12	158.94	65.20	89.64	16.93			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry and			OTIL	OTILEX	24.12	100.54	00.20	00.04	10.55			20.00	10.04	10.02	10.02
	facility reservation - Zone 1	- 1	1	UHL	UHL2W	9.64	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry and		2	UHL	UHL2W	14.44	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
	facility reservation - Zone 3	1	3	UHL	UHL2W	24.12	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch	i		UHL	UREWO	22	31.99	20.02	72.02	111.10			20.35	10.54	13.32	13.32
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	LE LOO	P													
	4 Wire Unbundled HDSL Loop including manual service inquiry and		١.													
	facility reservation - Zone 1	-	1	UHL	UHL4X	12.40	169.62	75.89	39.73	19.53			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	18.58	169.62	75.89	39.73	19.53			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry and		L É	5.1L	JIILTA	10.30	103.02	10.00	55.75	10.00			20.00	10.54	10.02	10.02
	facility reservation - Zone 3		3	UHL	UHL4X	31.03	169.62	75.89	39.73	19.53			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry and	l .	1 .													
	facility reservation - Zone 1		1	UHL	UHL4W	12.40	100.09	46.60	75.75	13.97			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL4W	18.58	100.09	46.60	75.75	13.97			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry and	<u> </u>		OTIL	OTILAVV	10.00	100.00	40.00	70.70	10.57			20.00	10.04	10.02	10.02
	facility reservation - Zone 3	- 1	3	UHL	UHL4W	31.03	100.09	46.60	75.75	13.97			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch	- 1		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		1	LIDI	LIDI 40	07.00	007.04	444.00	00.70	44.40			20.25	40.54	40.00	40.00
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps		2	UDL UDL	UDL19 UDL19	27.68 41.47	207.01 207.01	141.38 141.38	90.70 90.70	44.18 44.18			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	69.24	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.68	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	41.47	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	69.24	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL UDL	UDL64 UDL64	27.68 41.47	207.01 207.01	141.38 141.38	90.70 90.70	44.18 44.18			20.35 20.35	10.54 10.54	13.32 13.32	13.3 13.3
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	69.24	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.28	49.82					20.35	10.54	13.32	13.3
2-WIRE	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual service	١.			LIOL DD	44.74	04.00	00.00	40.05	l			00.05	40.54	40.00	40.0
	inquiry & facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed including manual service	- '	1	UCL	UCLPB	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 3	- 1	3	UCL	UCLPB	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2-Wire Unbundled Copper Loop-Designed without manual service		1	UCL	UCLPW	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual service	- '-	-	UCL	UCLFW	11.74	31.33	20.02	10.03	1.41			20.33	10.54	13.32	13.3
	inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-		1	UCL	UREWO		31.99	20.02	1				20.35	10.54	13.32	13.32
4-WIRE	COPPER LOOP			UCL	UREWU		31.99	20.02					20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed including manual service inquiry and															
	facility reservation - Zone 1	- 1	1	UCL	UCL4S	21.98	122.76	85.57	76.35	39.16	ļ		20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	32.93	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.33
	4-Wire Copper Loop-Designed including manual service inquiry and															
	facility reservation - Zone 3		3	UCL	UCL4S	54.99	122.76	85.57	76.35	39.16	ļ		20.35	10.54	13.32	13.3
	4-Wire Copper Loop-Designed without manual service inquiry and		1	UCL	UCL4W	21.98	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.3
	facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and		 	UUL	UCL4VV	21.98	122.76	85.57	76.35	39.16	-		20.35	10.54	13.32	13.3
	facility reservation - Zone 2	- 1	2	UCL	UCL4W	32.93	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.3
	4-Wire Copper Loop-Designed without manual service inquiry and															
	facility reservation - Zone 3		3	UCL	UCL4W	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32

UNBUNI	DLED	NETWORK ELEMENTS - Tennessee					-							Attach	ment: 2	Exhi	bit: A
CATEGOR		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronica Disc Add'l
							Rec	Nonrecurring		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des)			UCL	UREWO		31.99	20.02					20.35	10.54	13.32	12.22
		Order Coordination for Unbundled Copper Loops (per loop)	- 1		UCL	UCLMC		36.52	36.52					0.00	0.00	0.00	13.32
		Order Coordination for Oribunaled Copper Loops (per loop)			UEA, UDN, UAL,	UCLIVIC		30.32	30.32					0.00	0.00	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		34.29						0.00	0.00	0.00	0.00
LOOP MO	DIFIC				, ,												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		65.40	65.40					20.35	10.54	13.32	13.32
		than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		65.40	65.40					20.35	10.54	13.32	13.32
		marror equality for it, per unburidled Loop	1	 	UAL, UHL, UCL,	OLIVI4L		05.40	05.40			1		20.35	10.54	13.32	13.32
SUB-LOO	IDS.	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	ı		UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		65.44	65.44					20.35	10.54	13.32	13.32
		op Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility															
		Set-Up	- 1		UEANL	USBSC		313.01	313.01			1		20.35	10.54	13.32	13.32
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	-		OLANE	COBOD		100.00	100.00					20.55	10.54	13.32	10.02
		Statewide		sw	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29					0.00	0.00	0.00	0.00
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN4	6.54	106.85	51.20	74.08	11.55			20.35	10.54	40.00	13.32
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN4	6.54	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.32
		2		2	UEANL	USBN4	9.80	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.32
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone					0.00										
		3		3	UEANL	USBN4	16.36	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	4.05	34.29	34.29					0.00	0.00	0.00	0.00
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	1.35	94.56	29.35					20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29					0.00	0.00	0.00	0.00
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29			ļ		0.00	0.00	0.00	0.00
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		57.67	0.00					0.00	0.00	0.00	
		Loop Testing - Basic Additional Half Hour 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEANL UEF	URETA UCS2X	4.67	37.44 81.40	37.44 25.75	70.82	9.55			0.00 20.35	0.00 10.54	0.00 13.32	
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	 		UEF	UCS2X UCS2X	6.99	81.40 81.40	25.75	70.82	9.55	1		20.35	10.54	13.32	
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	l i		UEF	UCS2X	11.67	81.40	25.75	70.82	9.55	1		20.35	10.54	13.32	
		The state of the s		Ť				50	20.70	. 5.52	0.30			20.00		.0.02	
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29					0.00	0.00	0.00	0.00
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	5.85	81.74	26.08	74.08	11.55			20.35	10.54	13.32	13.32
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	8.76	81.74	26.08	74.08	11.55	1		20.35	10.54	13.32	13.32
-+		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS4X	14.63	81.74	26.08	74.08	11.55	-		20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29					0.00	0.00	0.00	0.00
		Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops			UEF, UEANL	URETL		8.95	0.88								
		Loop Testing - Basic 1st Half Hour	1	 	UEF, UEANL	URETL URET1		8.95 57.67	0.00			1		0.00	0.00	0.00	0.00
		Loop Testing - Basic Additional Half Hour			UEF	URETA		37.44	37.44					0.00	0.00	0.00	
ш	nbunc	lled Sub-Loop Modification															

UNR	INDI F	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Evhi	bit: A
CIABL	MULE	NIT I ANDLY ETEMEN 12 - TAINIA2266	1	1	1	1	1					Sun Order	Svo Order				
l			1				1							Incremental	Incremental	Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interim	7000	BCS	usoc			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	JUKI	RATE ELEMENTS	interiii	Zone	ВСЭ	0300			KA I E3(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrecurring		Nonrecurring	Disconnect			088	Rates(\$)		l .
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load						11131	Auu	11131	Auu	JOINEC	JONAN	JOWAN	JOWAN	JOHIAN	JOHAN
		Coil/Equip Removal per 2-W PR			UEF	ULM2X		335.36	7.82					20.35	10.54	13.32	13.32
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip			02.	CLINEX		000.00	7.02					20.00	10.01	10.02	10.02
		Removal per 4-W PR			UEF	ULM4X		335.36	7.82					20.35	10.54	13.32	13.32
		Unbundled Loop Modification, Removal of Bridge Tap, per unbundled															
		loop			UEF	ULMBT		528.48	9.74					20.35	10.54	13.32	13.32
	Unbun	dled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair	- 1		UENTW	UENPP	0.4555	2.48	2.48	0.5814	0.5814			20.35	10.54	13.32	13.32
	Netwo	rk Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		63.46	31.06	0.6391	0.6391			20.35	10.54	13.32	13.32
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		63.46	31.06	0.6522	0.6522			20.35	10.54	13.32	13.32
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		8.75	8.75					20.35	10.54	13.32	13.32
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		8.75	8.75					20.35	10.54	13.32	13.32
UNE C	THER, F	PROVISIONING ONLY - NO RATE															
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
					UEANL,UEF,UEQ,UE												
		Unbundled Contract Name, Provisioning Only - No Rate			NTW	UNECN	0.00	0.00									
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate	l	L	UDN,UEA,UHL	UNECN	0.00	0.00				<u> </u>		L			
): Rates provided in TN for both electronic and manual Loop M	akeup a	re inter	rim and subject to ret	ro-active true	e-up adjustmen	ts pending a pe	rmanent rate i	uling on these i	ate elements f	rom the Ten	nessee Reg	ulatory Autho	rity.		
LOOP	MAKE-U																
		Loop Makeup - Preordering Without Reservation, per working or	_			118 4121 187		0.70	0.70					0.00	0.00	0.00	0.00
		spare facility queried (Manual).	R		UMK	UMKLW		0.76	0.76					0.00	0.00	0.00	0.00
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).	R		UMK	UMKLP		0.76	0.76					0.00	0.00	0.00	0.00
		Loop MakeupWith or Without Reservation, per working or spare	K		UIVIK	UWKLP		0.76	0.76					0.00	0.00	0.00	0.00
		facility queried (Mechanized)	R		имк	UMKMQ		0.76	0.76					0.00	0.00	0.00	0.00
LINES	HARING		I.		UIVIK	UNIKING		0.76	0.76					0.00	0.00	0.00	0.00
		1: The Line Sharing monthly recurring rates for all installations	comple	ted fro	m October 02 2003 th	rough midni	aht October 01	2004 shall be b	illed as follow	ie.		1					
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop				l	giit Gotober on	1 2004 Shan be t	onica as ronov	J.							
		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	JO. 100p	1	looigiiou (ooziiiz)												
		1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
		1: Above will apply to USOCS: ULSDT and ULSCT															
		E 2: The Line Sharing monthly recurring rates with USOCs ULSE	C and l	JLSCC	applies only to circui	ts installed a	and inservice o	n or before Octo	ober 1, 2003								
		HARING							,								
	SPLIT1	ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	100.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	25.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
		Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation	ı														
		(per LSOD)			ULS	ULSDG		163.06	0.00	92.71	0.00			20.35	10.54	13.32	13.32
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	ļ														
	1	Line Share Service, TRO per line activation, BST owned splitter -	1			1	1						1				
	1	Central Office Located (25% of UCLND) - please see NOTE 1	1			l	I]						l	
	ļ	(E:10/2/2003)	ļ	<u> </u>	ULS	ULSDT	2.94	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
	1	Line Share Service, TRO per line activation, BST owned splitter -	1			1	1						1				
	1	Central Office Located (50% of UCLND) - please see NOTE 1	1			00-											
		(E:10/2/2004)			ULS	ULSDT	5.87	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
	1	Line Share Service, TRO per line activation, BST owned splitter -	1			l	I]						l	
		Central Office Located (75% of UCLND) - please see NOTE 1				LUCDT	0.04	40.00	24.20	0.00	0.00			00.05	40.54	40.00	40.00
	1	(E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST	 	!	ULS	ULSDT	8.81	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
1	1	Owned Splitter)	1		ULS	ULSDS	1	30.00	15.00				1	20.35	10.54	13.32	13.32
	1	Line Sharing - per Subsequent Activity per Line	1	 	ULO	OLODO	 	30.00	15.00	 		 	1	20.35	10.54	13.32	13.32
	1	Rearrangement(DLEC Owned Splitter)	1		ULS	ULSCS	I	30.00	15.00]				20.35	10.54	13.32	13.32
 	1	Line Share Service, TRO per line activation, CLEC owned splitter -	 	 	010	01000	 	30.00	15.00	†				20.35	10.54	13.32	13.32
1	1	Central Office Located (25% of UCLND) - please see NOTE 1	1			l	I]						l	
	1	(E:10/2/2003)	1		ULS	ULSCT	2.94	47.44	19.31	0.00	0.00			20.35	10.54	13.32	13.32
-	1	Line Share Service, TRO per line activation, CLEC owned splitter -	1	1	0-0	02001	2.34	77,744	10.01	5.00	0.00	-	 	20.00	10.04	10.02	10.02
	1	Central Office Located (50% of UCLND) - please see NOTE 1	1				1										
	1	(E:10/2/2004)	1		ULS	ULSCT	5.87	47.44	19.31	0.00	0.00			20.35	10.54	13.32	13.32
				•	•												

ONRONDLE	D NETWORK ELEMENTS - Tennessee			ı							12			ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			1			Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	1: 0: 0 : TD0		<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.81	47.44	19.31	0.00	0.00			20.35	10.54	13.32	13.3
MAINT	ENANCE		1	010	OLOO!	0.01	77.77	10.01	0.00	0.00			20.00	10.04	10.02	10.0
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00					0.00	0.00	0.00	0.0
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50					0.00	0.00	0.00	0.0
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00					0.00	0.00	0.00	0.0
	DEDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT		<u> </u>													ļ
INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		 								+					
	Per Mile per month Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade -			U1TVX	1L5XX	0.0174										
	Facility Termination			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.5
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month	<u> </u>		U1TVX	1L5XX	0.0174					<u> </u>					
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08	9.80	10.54
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
SIGNALING (C																
	CCS7 Signaling Termination, Per STP Port		<u> </u>	UDB	PT8SX	138.41										
	CCS7 Signaling Connection, Per DS1 level link (A link)		-	UDB	TPP6A	17.84	130.84	130.84					20.35	0.00	0.00	
	CCS7 Signaling Connection, Per DS3 level link (A link) CCS7 Signaling Connection, Per DS1 level link (B link) (also known			UDB	TPP9A	17.84	130.84	130.84			-		20.35	0.00	0.00	0.0
	as D link) CCS7 Signaling Connection, Per DS3 level link (B link) (also known			UDB	TPP6B	17.84	130.84	130.84					20.35	0.00	0.00	0.0
	as D link) Signaling Point Code, per Originating Point Code Establishment or			UDB	TPP9B	17.84	130.84	130.84					20.35	0.00	0.00	0.0
NHANCED E	Change, per STP XTENDED LINK (EELs)			UDB	CCAPO		121.77	121.77					20.35	0.00	0.00	0.00
	The monthly recurring and non-recurring charges below will a	pply and	the Sw	vitch-As-Is Charge v	vill not apply for	or UNE combin	ations provision	ned as ' Ordina	arily Combined'	Network Eleme	ents.					
NOTE	The monthly recurring and the Switch-As-Is Charge and not the	e non-re	curring	charges below will	l apply for UNE											
EXTE	IDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR	RADE IN														
	2-WireVG Loop in combination - Zone 1	1		UNCVX	UEAL2	14.74	108.76	35.47	72.94	10.86			31.26	10.42	0.00	0.0
	2-WireVG Loop in combination - Zone 2 2-WireVG Loop in combination - Zone 3	1		UNCVX UNCVX	UEAL2 UEAL2	22.08 36.87	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86	+		31.26 31.26	10.42 10.42	0.00	0.0
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month		3	UNCVX	1L5XX	0.0174	100.76	35.47	12.94	10.86			31.20	10.42	0.00	0.0
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month		1	UNCVX	U1TV2	18.58	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.5
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		1	UNCVX	UNCCC		52.73	24.62	9.12	9.12			31.26	10.42	0.00	0.0
EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	RADE IN	TEROF				32.70	202	3.12	3.12			320	.0.42	3.00	0.0
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	21.98	108.76	35.47	72.94	10.86			31.26	10.42	0.00	
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	32.93	108.76	35.47	72.94	10.86			31.26	10.42	0.00	0.0
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	54.99	108.76	35.47	72.94	10.86			31.26	10.42	0.00	0.0
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination		-	UNCVX	1L5XX	0.0174										
	per month Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCVX	U1TV4	24.09	79.83	44.08	69.32	31.00	1		15.08	15.08	8.66	8.6
	Charge			UNCVX	UNCCC		52.73	24.62	9.12	9.12			31.26	10.42	0.00	0.0

UNRU	NDI FD	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Evhi	ibit: A
3,450		THE THE COURT CELLINE LITTLE TO THE COURT										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
				_								Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXTEND	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERO	FFICE	TRANSPORT												
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.66	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
		4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	41.47	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	69.24	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per		_	ONOBA	02200	00.21	100.70	00.11	72.01	10.00			20.00	10.01	10.02	0.00
		Mile per month			UNCDX	1L5XX	0.0174										
					UNCDX	TLSXX	0.0174					ļ					
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	17.98	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
		Nonrecurring Currently Combined Network Elements Switch -As-Is								1		1	1	1			
		Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			31.26	10.42	0.00	0.00
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERO	FFICE													
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	27.66	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	41.47	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	69.24	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per															
		Mile per month			UNCDX	1L5XX	0.0174										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ONOBA	120701	0.0111										1
		Facility Termination per month			UNCDX	U1TD6	17.98	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
-					UNCDX	01100	17.50	19.03	44.00	09.32	31.00			20.33	21.09	9.00	10.54
		Nonrecurring Currently Combined Network Elements Switch -As-Is			LINIODY	UNCCC		50.70	04.00	0.40	9.12			04.00	40.40	0.00	0.00
		Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			31.26	10.42	0.00	0.00
		DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC														
		First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per															
		month			UNCDX	1L5XX	0.0174										
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
		Termination per month			UNCDX	U1TD5	17.98	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
		Nonrecurring Currently Combined Network Elements Switch -As-Is															
		Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			31.26	10.42	0.00	0.00
	FYTENI	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	ROFFIC	F TR A		5555		02.73	27.02	5.12	5.12	1	 	51.20	10.42	0.00	0.00
—	-VI-INI	First 4-wire 64 kbps Local Loop in combination - Zone 1	1	1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86	 		20.35	10.54	13.32	0.00
-		First 4-wire 64 kbps Local Loop in combination - Zone 1		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86	1	 	20.35	10.54	13.32	0.00
-			-	3		UDL64	53.11	108.76	35.47	72.94		 		20.35	10.54		0.00
		First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL04	53.11	108.76	35.47	12.94	10.86	 	1	∠0.35	10.54	13.32	0.00
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per		l	LINODY	41.500/	0.04=:			1		Ì	I	1			
		month			UNCDX	1L5XX	0.0174					ļ					ļ
1		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility								1		1	1	1			
		Termination per month			UNCDX	U1TD6	17.98	79.83	44.08	69.32	31.00]	1	20.35	21.09	9.80	10.54
1		Nonrecurring Currently Combined Network Elements Switch -As-Is								1		1	1	1			
		Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12	<u> </u>	<u> </u>	31.26	10.42	0.00	0.00
ADDITI	ONAL NE	TWORK ELEMENTS															
	When u	sed as a part of a currently combined facility, the non-recurring	charge	s do no	ot apply, but a Swite	h As Is charg	e does apply.			i i		1		İ			
		sed as ordinarily combined network elements in All States, the						not.		1		İ	İ	İ			İ
		urring Currently Combined Network Elements "Switch As Is" C								1		İ					i e
—		Nonrecurring Currently Combined Network Elements Switch -As-Is	gc (C	սրբ		1				 		 					1
		Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		52.73	24.62	9.12	9.12	1	1	53.73	24.62	0.00	0.00
<u> </u>			-		OINCVA	UNCCC		52.73	24.02	9.12	9.12	 		55.73	24.02	0.00	0.00
		Nonrecurring Currently Combined Network Elements Switch -As-Is			LINORY			50	04			1	1		40	0	
		Charge - 56/64 kbps			UNCDX	UNCCC		52.73	24.62	9.12	9.12	ļ		20.35	10.54	0.00	0.00
	Miscella																
		NRC - Order Coordination Specific Time - Dedicated Transport			UN1CX	OCOSR		18.93	18.93		-			0.00	0.00	0.00	0.00